



9.4.17. 802.11be EHT80 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)
2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	58.40	58.41	320	-261.59
Mid	6705	58.65	58.15	320	-261.35
High	6785	58.72	58.67	320	-261.28




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	58.40	58.58	320	-261.42
Mid	6705	58.05	58.46	320	-261.54
High	6785	59.10	58.38	320	-260.90




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	77.49	78.14	320	-241.86
Mid	6705	78.14	77.72	320	-241.86
High	6785	78.16	78.10	320	-241.84




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+ 484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	78.03	77.53	320	-241.97
Mid	6705	77.95	77.69	320	-242.05
High	6785	77.95	77.31	320	-242.05



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6625	58.42	77.38	320	-242.62
Mid	6705	77.51	77.25	320	-242.49
High	6785	77.54	77.67	320	-242.33




HIGH CHANNEL CHAIN 1

9.4.18. 802.11be EHT160 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	117.32	117.85	320	-202.15




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	117.01	117.97	320	-202.03




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	156.26	157.28	320	-162.72




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.55	157.89	320	-162.11




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	155.30	157.31	320	-162.69




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	156.80	157.27	320	-162.73




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.13	156.81	320	-162.87




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	138.35	137.82	320	-181.65




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	138.77	136.59	320	-181.23




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	156.98	156.25	320	-163.02




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.89	156.53	320	-162.11




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	157.42	157.65	320	-162.35



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T


Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Mid	6665	154.86	156.69	320	-163.31



9.4.19. 802.11a MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	16.56	16.62	320	-303.39
Mid	6995	16.63	16.44	320	-303.37
High	7115	16.52	16.64	320	-303.36




9.4.20. 802.11be EHT20 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)
2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	2.04	2.06	320	-317.95
Mid	6995	2.60	2.61	320	-317.39
High	7115	2.08	2.09	320	-317.91




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	4.05	4.04	320	-315.95
Mid	6995	4.11	4.13	320	-315.87
High	7115	4.01	4.08	320	-315.92




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	6.30	6.40	320	-313.60
Mid	6995	6.25	6.33	320	-313.67
High	7115	6.22	6.35	320	-313.65




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	8.27	8.38	320	-311.62
Mid	6995	8.33	8.53	320	-311.47
High	7115	8.24	8.28	320	-311.72




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	10.92	10.72	320	-309.09
Mid	6995	10.80	10.71	320	-309.20
High	7115	10.82	10.85	320	-309.15



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T


Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6875	19.02	18.97	320	-300.98
Mid	6995	18.79	19.00	320	-301.01
High	7115	19.09	18.83	320	-300.91



9.4.21. 802.11be EHT40 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T


Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6885	37.98	38.02	320	-281.98
Mid	6965	37.46	37.86	320	-282.15
High	7085	38.00	37.78	320	-282.00



9.4.22. 802.11be EHT80 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	58.76	58.57	320	-261.24
Mid	6945	58.71	58.73	320	-261.27
High	7025	58.95	58.62	320	-261.05




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	77.81	77.95	320	-242.05
Mid	6945	77.65	77.65	320	-242.36
High	7025	76.35	77.95	320	-242.05




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	78.00	77.82	320	-242.00
Mid	6945	77.18	78.07	320	-241.93
High	7025	78.05	77.84	320	-241.95



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T


Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6865	77.49	77.22	320	-242.51
Mid	6945	77.69	77.47	320	-242.31
High	7025	77.40	77.06	320	-242.60



9.4.23. 802.11be EHT160 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	116.24	116.86	320	-203.14
High	6985	117.63	116.63	320	-202.37




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.36	156.80	320	-162.64
High	6985	157.80	157.53	320	-162.20




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.20	157.05	320	-162.80
High	6985	157.49	157.91	320	-162.09




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTINUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	156.84	155.24	320	-163.16
High	6985	155.46	155.48	320	-164.52




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTINUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	156.75	156.01	320	-163.25
High	6985	156.82	157.20	320	-162.80




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTINUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	156.08	155.82	320	-163.92
High	6985	156.34	156.75	320	-163.25




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTINUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	135.24	137.94	320	-182.06
High	6985	138.02	138.13	320	-181.87




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTINUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.19	156.94	320	-162.81
High	6985	156.30	157.20	320	-162.80




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTINUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.53	155.72	320	-162.47
High	6985	157.83	156.64	320	-162.17




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTINUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	157.17	156.47	320	-162.83
High	6985	156.74	157.00	320	-163.00



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T


Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6825	156.91	157.42	320	-162.58
High	6985	154.33	156.39	320	-163.61



9.4.24. 802.11be EHT320 MODE 2TX IN THE UNII-8 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	196.66	196.46	320	-123.34
High	6905	196.87	196.63	320	-123.13




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	236.73	236.61	320	-83.27
High	6905	236.75	236.40	320	-83.25




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	236.46	236.48	320	-83.52
High	6905	236.47	236.04	320	-83.53




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	235.77	236.48	320	-83.52
High	6905	234.07	234.48	320	-85.52




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	236.24	236.97	320	-83.03
High	6905	236.28	236.29	320	-83.71




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	236.60	235.12	320	-83.40
High	6905	236.26	235.50	320	-83.74




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	317.97	314.10	320	-2.03
High	6905	316.76	314.58	320	-3.24




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	316.69	316.82	320	-3.18
High	6905	315.05	317.03	320	-2.97




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	276.34	275.51	320	-43.66
High	6905	276.09	276.29	320	-43.71




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.70	315.30	320	-4.30
High	6905	315.80	315.19	320	-4.20




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	313.22	316.39	320	-3.61
High	6905	315.76	316.06	320	-3.94




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	316.00	316.13	320	-3.87
High	6905	312.51	314.07	320	-5.93




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.93	315.07	320	-4.07
High	6905	315.20	314.88	320	-4.80




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.79	314.95	320	-4.21
High	6905	316.15	315.54	320	-3.85



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2)

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.14	315.66	320	-4.34
High	6905	316.02	315.62	320	-3.98



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T

Channel	Frequency (MHz)	99% Bandwidth Chain 0 (MHz)	99% Bandwidth Chain 1 (MHz)	Limit (MHz)	Worst-Case Margin (MHz)
Low	6745	315.53	314.92	320	-4.47
High	6905	315.03	315.12	320	-4.88

