




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




9.5.5. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7676	-55.74	RMS	13.6	1.9	-40.24	-36.3	-3.94
2	6.01816	-12.71	RMS	13.7	2.3	3.29	3.34	-.05
3	6.28096	-59.87	RMS	13.8	2.3	-43.77	-36.11	-7.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93716	-70.9	RMS	13.7	1.9	-55.3	-26.95	-28.35
2	6.0214	-26.21	RMS	13.7	2.3	-10.21	-10.15	-.06
3	6.11536	-72.76	RMS	13.7	2.3	-56.76	-30.37	-26.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.94812	-53.24	RMS	13.7	2	-37.54	-33.64	-3.9
2	6.19184	-13	RMS	13.8	2.3	3.1	3.15	-.05
3	6.43412	-58.12	RMS	13.9	2	-42.22	-35.36	-6.86

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91968	-57.08	RMS	13.6	1.9	-41.58	-37.58	-4
2	6.17888	-13.92	RMS	13.8	2.3	2.18	2.42	-.24
3	6.44168	-59.4	RMS	13.9	2	-43.5	-37.13	-6.37

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.10056	-54.68	RMS	13.8	2.3	-38.58	-34.92	-3.66
2	6.34968	-13.45	RMS	13.8	2.3	2.65	2.92	-.27
3	6.61356	-60.05	RMS	13.9	2.6	-43.55	-37.08	-6.47


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08652	-56.98	RMS	13.7	2.3	-40.98	-37.76	-3.22
2	6.35688	-14.21	RMS	13.8	2.3	1.89	2.03	-.14
3	6.59412	-57.9	RMS	13.9	2.6	-41.4	-36.48	-4.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9368	-69.05	RMS	13.7	1.9	-53.45	-28.22	-25.23
2	6.03292	-24.25	RMS	13.7	2.3	-8.25	-8.2	-.05
3	6.11284	-70.3	RMS	13.7	2.3	-54.3	-25	-29.3

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93716	-70.9	RMS	13.7	1.9	-55.3	-26.95	-28.35
2	6.0214	-26.21	RMS	13.7	2.3	-10.21	-10.15	-.06
3	6.11536	-72.76	RMS	13.7	2.3	-56.76	-30.37	-26.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09608	-68.12	RMS	13.8	2.3	-52.02	-29.47	-22.55
2	6.11336	-25.41	RMS	13.7	2.3	-9.41	-9.38	-.03
3	6.275	-69.97	RMS	13.8	2.3	-53.87	-29.57	-24.3

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09716	-67.87	RMS	13.7	2.3	-51.87	-26.61	-25.26
2	6.18176	-25.97	RMS	13.8	2.3	-9.87	-9.81	-.06
3	6.27104	-70.79	RMS	13.8	2.3	-54.69	-9.81	-44.88

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25716	-67.54	RMS	13.8	2.3	-51.44	-26.23	-25.21
2	6.33996	-25.68	RMS	13.8	2.3	-9.58	-9.43	-.15
3	6.43356	-70.01	RMS	13.9	2	-54.11	-29.48	-24.63


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25644	-68.87	RMS	13.8	2.3	-52.77	-30.79	-21.98
2	6.35616	-26.96	RMS	13.8	2.3	-10.86	-10.74	-.12
3	6.43428	-71.82	RMS	13.9	2	-55.92	-30.86	-25.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76616	-52.54	RMS	13.5	1.9	-37.14	-36.52	-.62
2	6.01888	-12.81	RMS	13.7	2.3	3.19	3.32	-.13
3	6.22264	-45.86	RMS	13.8	2.3	-29.76	-28.1	-1.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.773	-53.79	RMS	13.6	1.9	-38.29	-36.96	-1.33
2	6.02176	-14.16	RMS	13.7	2.3	1.84	1.93	-.09
3	6.24064	-51.03	RMS	13.8	2.3	-34.93	-31.97	-2.96

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91896	-53.94	RMS	13.6	1.9	-38.44	-37.66	-.78
2	6.18068	-13.94	RMS	13.8	2.3	2.16	2.34	-.18
3	6.37292	-47.84	RMS	13.8	2.3	-31.74	-27.73	-4.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92724	-55.92	RMS	13.6	1.9	-40.42	-37.93	-2.49
2	6.18176	-14.48	RMS	13.8	2.3	1.62	1.76	-.14
3	6.3812	-52.87	RMS	13.8	2.3	-36.77	-29.46	-7.31

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08724	-55.96	RMS	13.7	2.3	-39.96	-38.12	-1.84
2	6.34032	-14.74	RMS	13.8	2.3	1.36	1.57	-.21
3	6.55452	-52.06	RMS	13.9	2.6	-35.56	-31.49	-4.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09984	-54.84	RMS	13.7	2.3	-38.84	-36.87	-1.97
2	6.39756	-15.11	RMS	13.8	2.3	.99	1.07	-.08
3	6.56208	-51.59	RMS	13.9	2.6	-35.09	-33.03	-2.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93608	-65.95	RMS	13.6	1.9	-50.45	-28.57	-21.88
2	6.02068	-24.56	RMS	13.7	2.3	-8.56	-8.48	-.08
3	6.11644	-69.95	RMS	13.7	2.3	-53.95	-28.81	-25.14

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93644	-67.49	RMS	13.6	1.9	-51.99	-29.8	-22.19
2	6.10168	-25.91	RMS	13.7	2.3	-9.91	-9.75	-.16
3	6.11284	-66.33	RMS	13.7	2.3	-50.33	-26.55	-23.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09536	-68.66	RMS	13.8	2.3	-52.56	-29.07	-23.49
2	6.17852	-25.05	RMS	13.8	2.3	-8.95	-8.92	-.03
3	6.2714	-64.3	RMS	13.8	2.3	-48.2	-8.92	-39.28

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09716	-68.01	RMS	13.7	2.3	-52.01	-26.35	-25.66
2	6.1796	-25.77	RMS	13.8	2.3	-9.67	-9.55	-.12
3	6.27392	-69.35	RMS	13.8	2.3	-53.25	-29.64	-23.61

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2568	-66.54	RMS	13.8	2.3	-50.44	-29.32	-21.12
2	6.33924	-25.53	RMS	13.8	2.3	-9.43	-9.3	-.13
3	6.43392	-68.89	RMS	13.9	2	-52.99	-29.39	-23.6


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25716	-70.16	RMS	13.8	2.3	-54.06	-27.16	-26.9
2	6.39936	-26.58	RMS	13.8	2.3	-10.48	-10.36	-.12
3	6.43428	-68.46	RMS	13.9	2	-52.56	-30.48	-22.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74744	-54.32	RMS	13.5	1.9	-38.92	-37.24	-1.68
2	6.03112	-13.35	RMS	13.7	2.3	2.65	2.76	-.11
3	6.22948	-48.45	RMS	13.8	2.3	-32.35	-29.6	-2.75

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7514	-55.85	RMS	13.5	1.9	-40.45	-38.08	-2.37
2	6.043	-14.21	RMS	13.7	2.3	1.79	1.92	-.13
3	6.23488	-51.06	RMS	13.8	2.3	-34.96	-31.19	-3.77

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9132	-53.18	RMS	13.6	1.9	-37.68	-37.66	-.02
2	6.19724	-13.79	RMS	13.8	2.3	2.31	2.34	-.03
3	6.3956	-48.65	RMS	13.8	2.3	-32.55	-30.87	-1.68

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92868	-55.14	RMS	13.6	1.9	-39.64	-37.82	-1.82
2	6.1886	-14.6	RMS	13.8	2.3	1.5	1.67	-.17
3	6.39992	-52.71	RMS	13.8	2.3	-36.61	-32.13	-4.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08364	-55.52	RMS	13.7	2.3	-39.52	-38.47	-1.05
2	6.35364	-14.62	RMS	13.8	2.3	1.48	1.53	-.05
3	6.65496	-57.58	RMS	13.9	2.6	-41.08	-38.47	-2.61


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09336	-56.52	RMS	13.7	2.3	-40.52	-37.94	-2.58
2	6.399	-15.38	RMS	13.8	2.3	.72	.9	-.18
3	6.63084	-58.35	RMS	13.9	2.6	-41.85	-39.1	-2.75


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93608	-69.17	RMS	13.6	1.9	-53.67	-28.82	-24.85
2	6.01744	-24.78	RMS	13.7	2.3	-8.78	-8.73	-.05
3	6.11248	-65.93	RMS	13.7	2.3	-49.93	-18.33	-31.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93752	-66.27	RMS	13.7	1.9	-50.67	-19.66	-31.01
2	6.0214	-26.13	RMS	13.7	2.3	-10.13	-10.06	-.07
3	6.1132	-67.01	RMS	13.7	2.3	-51.01	-30.08	-20.93

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09644	-67.97	RMS	13.8	2.3	-51.87	-29.26	-22.61
2	6.11408	-25.37	RMS	13.7	2.3	-9.37	-9.21	-.16
3	6.27176	-62.9	RMS	13.8	2.3	-46.8	-9.21	-37.59

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09716	-70.96	RMS	13.7	2.3	-54.96	-26.48	-28.48
3	6.17996	-25.89	RMS	13.8	2.3	-9.79	-9.68	-.11
2	6.2732	-69.85	RMS	13.8	2.3	-53.75	-29.7	-24.05

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2586	-64.37	RMS	13.8	2.3	-48.27	-8.75	-39.52
2	6.34176	-24.98	RMS	13.8	2.3	-8.88	-8.75	-.13
3	6.4332	-68.25	RMS	13.9	2.1	-52.25	-28.77	-23.48


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25716	-70.39	RMS	13.8	2.3	-54.29	-27.36	-26.93
2	6.43284	-68.57	RMS	13.9	2.1	-52.57	-27.36	-25.21
3	6.34212	-26.74	RMS	13.8	2.3	-10.64	-10.56	-.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75104	-59.6	RMS	13.5	1.9	-44.2	-38.57	-5.63
2	6.0178	-14.68	RMS	13.7	2.3	1.32	1.43	-.11
3	6.2014	-54.69	RMS	13.8	2.3	-38.59	-27.04	-11.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.79676	-57.33	RMS	13.6	1.9	-41.83	-34.87	-6.96
2	6.04984	-15.31	RMS	13.7	2.3	.69	.73	-.04
3	6.25468	-60.32	RMS	13.8	2.3	-44.22	-35.11	-9.11

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.03668	-46.92	RMS	13.7	2.3	-30.92	-24.71	-6.21
2	6.11372	-15.2	RMS	13.7	2.3	.8	.96	-.16
3	6.47048	-63.16	RMS	13.8	2	-47.36	-39.04	-8.32

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.86784	-62.95	RMS	13.6	1.9	-47.45	-39.41	-8.04
2	5.94596	-59.07	RMS	13.7	1.9	-43.47	-36.5	-6.97
3	6.17852	-15.67	RMS	13.8	2.3	.43	.59	-.16
4	6.44168	-63.3	RMS	13.9	2	-47.4	-38.96	-8.44

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.18876	-48	RMS	13.8	2.3	-31.9	-25.55	-6.35
2	6.33996	-15.35	RMS	13.8	2.3	.75	.86	-.11
3	6.47568	-51.62	RMS	13.8	2	-35.82	-23.17	-12.65


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.19524	-49.99	RMS	13.8	2.3	-33.89	-25.64	-8.25
2	6.39972	-16.02	RMS	13.8	2.3	.08	.16	-.08
3	6.6096	-63.23	RMS	13.9	2.6	-46.73	-39.84	-6.89


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9368	-72.22	RMS	13.6	1.9	-56.72	-30.54	-26.18
2	6.03832	-26.71	RMS	13.7	2.3	-10.71	-10.52	-.19
3	6.11284	-74.73	RMS	13.7	2.3	-58.73	-27.32	-31.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93572	-70.76	RMS	13.6	1.9	-55.26	-31.68	-23.58
2	6.0196	-27.58	RMS	13.7	2.3	-11.58	-11.56	-.02
3	6.11464	-74.29	RMS	13.7	2.3	-58.29	-31.72	-26.57

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09608	-70.7	RMS	13.8	2.3	-54.6	-31.61	-22.99
2	6.19616	-27.68	RMS	13.8	2.3	-11.58	-11.52	-.06
3	6.27464	-74.45	RMS	13.8	2.3	-58.35	-31.68	-26.67

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0968	-70.93	RMS	13.7	2.3	-54.93	-31.82	-23.11
2	6.18176	-28.07	RMS	13.8	2.3	-11.97	-11.8	-.17
3	6.27536	-74.55	RMS	13.8	2.3	-58.45	-32.02	-26.43

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25572	-70.36	RMS	13.8	2.3	-54.26	-31.82	-22.44
2	6.33852	-27.95	RMS	13.8	2.3	-11.85	-11.7	-.15
3	6.43356	-74.33	RMS	13.9	2	-58.43	-31.75	-26.68


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25428	-71.91	RMS	13.8	2.3	-55.81	-32.41	-23.4
2	6.40044	-28.4	RMS	13.8	2.3	-12.3	-12.16	-.14
3	6.43608	-75.74	RMS	13.9	2	-59.84	-32.45	-27.39


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76868	-57.27	RMS	13.5	1.9	-41.87	-37.77	-4.1
2	6.02968	-14.41	RMS	13.7	2.3	1.59	1.72	-.13
3	6.17548	-48.22	RMS	13.8	2.3	-32.12	-24.17	-7.95
4	6.24172	-53.73	RMS	13.8	2.3	-37.63	-32.33	-5.3

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.87128	-51.16	RMS	13.6	1.9	-35.66	-25.22	-10.44
2	6.02032	-15.07	RMS	13.7	2.3	.93	.96	-.03
3	6.22084	-55.61	RMS	13.8	2.3	-39.51	-30.21	-9.3

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.95712	-52.48	RMS	13.7	2.3	-36.48	-34.47	-2.01
2	6.03128	-44.6	RMS	13.7	2.3	-28.6	-25.1	-3.5
3	6.11768	-14.93	RMS	13.7	2.3	1.07	1.08	-.01
4	6.4424	-56.77	RMS	13.9	2	-40.87	-38.56	-2.31

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.97728	-56.35	RMS	13.7	2.3	-40.35	-32.09	-8.26
2	6.1778	-15.6	RMS	13.8	2.3	.5	.68	-.18
3	6.38372	-55.98	RMS	13.8	2.3	-39.88	-30.88	-9

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08724	-61.31	RMS	13.7	2.3	-45.31	-38.9	-6.41
2	6.34896	-15.48	RMS	13.8	2.3	.62	.79	-.17
3	6.58476	-59.06	RMS	13.9	2.6	-42.56	-36.43	-6.13


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.12288	-57.91	RMS	13.7	2.3	-41.91	-34.87	-7.04
2	6.34068	-16.37	RMS	13.8	2.3	-.27	-.12	-.15
3	6.54012	-56.67	RMS	13.8	2.6	-40.27	-31.19	-9.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93788	-66.11	RMS	13.7	1.9	-50.51	-13.39	-37.12
2	6.0286	-27.14	RMS	13.7	2.3	-11.14	-10.99	-.15
3	6.11428	-69.21	RMS	13.7	2.3	-53.21	-31.11	-22.1

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93716	-70.57	RMS	13.7	1.9	-54.97	-28.68	-26.29
2	6.04876	-27.97	RMS	13.7	2.3	-11.97	-11.88	-.09
3	6.11248	-66.93	RMS	13.7	2.3	-50.93	-21.48	-29.45

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09752	-65.64	RMS	13.8	2.3	-49.54	-21.16	-28.38
2	6.1778	-27.81	RMS	13.8	2.3	-11.71	-11.56	-.15
3	6.27536	-69.75	RMS	13.8	2.3	-53.65	-31.78	-21.87

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0968	-69.85	RMS	13.7	2.3	-53.85	-31.81	-22.04
2	6.1814	-27.96	RMS	13.8	2.3	-11.86	-11.79	-.07
3	6.27356	-71.18	RMS	13.8	2.3	-55.08	-31.84	-23.24

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25536	-70.17	RMS	13.8	2.3	-54.07	-32.09	-21.98
2	6.34896	-28.05	RMS	13.8	2.3	-11.95	-11.94	-.01
3	6.43356	-69.86	RMS	13.9	2	-53.96	-31.99	-21.97


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2568	-71.53	RMS	13.8	2.3	-55.43	-32.3	-23.13
2	6.39576	-28.45	RMS	13.8	2.3	-12.35	-12.28	-.07
3	6.43284	-69.68	RMS	13.9	2.1	-53.68	-29.08	-24.6


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.79136	-55.7	RMS	13.6	1.9	-40.2	-34.9	-5.3
2	5.87668	-47.99	RMS	13.6	1.9	-32.49	-24.22	-8.27
3	6.0286	-14.64	RMS	13.7	2.3	1.36	1.45	-.09
4	6.1888	-49.46	RMS	13.8	2.3	-33.36	-25.69	-7.67

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.81728	-55.28	RMS	13.6	1.9	-39.78	-32.07	-7.71
2	6.07972	-15.33	RMS	13.7	2.3	.67	.7	-.03
3	6.22012	-52.41	RMS	13.8	2.3	-36.31	-30.37	-5.94

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92292	-55.99	RMS	13.6	1.9	-40.49	-39.06	-1.43
2	6.17996	-15.28	RMS	13.8	2.3	.82	.94	-.12
3	6.34124	-47.93	RMS	13.8	2.3	-31.83	-25.49	-6.34
4	6.3884	-50.56	RMS	13.8	2.3	-34.46	-31.27	-3.19

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9672	-54.23	RMS	13.7	2.3	-38.23	-33.57	-4.66
2	6.1814	-15.71	RMS	13.8	2.3	.39	.59	-.2
3	6.39056	-53.57	RMS	13.8	2.3	-37.47	-31.92	-5.55

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1326	-53.42	RMS	13.8	2.3	-37.32	-32.56	-4.76
2	6.33924	-15.35	RMS	13.8	2.3	.75	.85	-.1
3	6.53832	-51.78	RMS	13.9	2.6	-35.28	-29.97	-5.31


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1362	-55.16	RMS	13.7	2.3	-39.16	-32.86	-6.3
2	6.39612	-16.14	RMS	13.8	2.3	-.04	.06	-.1
3	6.54264	-54.75	RMS	13.8	2.6	-38.35	-31.35	-7


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93428	-70.94	RMS	13.6	1.9	-55.44	-30.94	-24.5
2	6.03976	-26.86	RMS	13.7	2.3	-10.86	-10.69	-.17
3	6.11284	-68.04	RMS	13.7	2.3	-52.04	-27.49	-24.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93716	-67.92	RMS	13.7	1.9	-52.32	-28.15	-24.17
2	6.02068	-27.45	RMS	13.7	2.3	-11.45	-11.35	-.1
3	6.1132	-69.94	RMS	13.7	2.3	-53.94	-31.37	-22.57

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09608	-70.7	RMS	13.8	2.3	-54.6	-31.52	-23.08
2	6.18176	-27.67	RMS	13.8	2.3	-11.57	-11.43	-.14
3	6.27428	-70.25	RMS	13.8	2.3	-54.15	-31.55	-22.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0968	-70.42	RMS	13.7	2.3	-54.42	-31.6	-22.82
2	6.17996	-27.8	RMS	13.8	2.3	-11.7	-11.58	-.12
3	6.27212	-67	RMS	13.8	2.3	-50.9	-13.98	-36.92

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25644	-70.86	RMS	13.8	2.3	-54.76	-31.87	-22.89
2	6.35076	-27.97	RMS	13.8	2.3	-11.87	-11.82	-.05
3	6.43536	-71.12	RMS	13.9	2	-55.22	-32.04	-23.18


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25464	-72.46	RMS	13.8	2.3	-56.36	-32.68	-23.68
2	6.39216	-28.63	RMS	13.8	2.3	-12.53	-12.46	-.07
3	6.43356	-69.53	RMS	13.9	2	-53.63	-32.51	-21.12


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.77228	-56.45	RMS	13.6	1.9	-40.95	-37.46	-3.49
2	6.03004	-14.49	RMS	13.7	2.3	1.51	1.53	-.02
3	6.29968	-59.41	RMS	13.8	2.3	-43.31	-38.47	-4.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.82088	-51.42	RMS	13.6	1.9	-35.92	-31.44	-4.48
2	6.0412	-15.33	RMS	13.7	2.3	.67	.83	-.16
3	6.29752	-60.06	RMS	13.8	2.3	-43.96	-39.17	-4.79

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.94128	-54.68	RMS	13.7	1.9	-39.08	-36.73	-2.35
2	6.11372	-15	RMS	13.7	2.3	1	1.01	-.01
3	6.39092	-51.4	RMS	13.8	2.3	-35.3	-31.55	-3.75
4	6.4478	-58.24	RMS	13.9	2	-42.34	-38.99	-3.35

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.96684	-54.78	RMS	13.7	2.3	-38.78	-33.93	-4.85
2	6.02192	-49.58	RMS	13.7	2.3	-33.58	-26.78	-6.8
3	6.1904	-15.93	RMS	13.8	2.3	.17	.28	-.11
4	6.38336	-54.04	RMS	13.8	2.3	-37.94	-31.23	-6.71

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.10164	-56.35	RMS	13.8	2.3	-40.25	-36.85	-3.4
2	6.14052	-52.12	RMS	13.8	2.3	-36.02	-31.48	-4.54
3	6.34896	-15.43	RMS	13.8	2.3	.67	.84	-.17
4	6.5592	-54.4	RMS	13.9	2.6	-37.9	-32.86	-5.04


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.10236	-57.43	RMS	13.7	2.3	-41.43	-37.36	-4.07
2	6.41556	-16.01	RMS	13.9	2.3	.19	.23	-.04
3	6.54192	-53.8	RMS	13.8	2.6	-37.4	-31.09	-6.31


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93608	-70.94	RMS	13.6	1.9	-55.44	-30.5	-24.94
2	6.02896	-26.43	RMS	13.7	2.3	-10.43	-10.41	-.02
3	6.11428	-69.75	RMS	13.7	2.3	-53.75	-30.53	-23.22

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9368	-67.06	RMS	13.6	1.9	-51.56	-31.7	-19.86
2	6.03004	-27.71	RMS	13.7	2.3	-11.71	-11.68	-.03
3	6.11356	-67.54	RMS	13.7	2.3	-51.54	-31.73	-19.81

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0968	-67.07	RMS	13.8	2.3	-50.97	-31.6	-19.37
2	6.11156	-27.69	RMS	13.7	2.3	-11.69	-11.58	-.11
3	6.27392	-67.11	RMS	13.8	2.3	-51.01	-31.67	-19.34

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09752	-69.25	RMS	13.7	2.3	-53.25	-21.67	-31.58
2	6.18932	-28.19	RMS	13.8	2.3	-12.09	-12.07	-.02
3	6.27644	-71.19	RMS	13.8	2.3	-55.09	-32.4	-22.69

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25644	-70.5	RMS	13.8	2.3	-54.4	-31.71	-22.69
2	6.35004	-27.86	RMS	13.8	2.3	-11.76	-11.66	-.1
3	6.43284	-68.23	RMS	13.9	2.1	-52.23	-28.46	-23.77


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25536	-72.18	RMS	13.8	2.3	-56.08	-32.23	-23.85
2	6.41628	-28.48	RMS	13.9	2.3	-12.28	-12.08	-.2
3	6.43392	-69.01	RMS	13.9	2	-53.11	-32.17	-20.94


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.81332	-52.9	RMS	13.6	1.9	-37.4	-31.62	-5.78
2	6.02176	-14.55	RMS	13.7	2.3	1.45	1.69	-.24
3	6.29716	-60.27	RMS	13.8	2.3	-44.17	-38.31	-5.86

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.73628	-59.99	RMS	13.5	2	-44.49	-38.85	-5.64
2	6.01924	-14.98	RMS	13.7	2.3	1.02	1.15	-.13
3	6.2284	-55.7	RMS	13.8	2.3	-39.6	-31.06	-8.54

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9042	-58.13	RMS	13.6	1.9	-42.63	-38.77	-3.86
2	6.1814	-15.08	RMS	13.8	2.3	1.02	1.23	-.21
3	6.36032	-49.61	RMS	13.8	2.3	-33.51	-27.09	-6.42
4	6.4208	-56.68	RMS	13.9	2.3	-40.48	-35.45	-5.03

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92112	-60.86	RMS	13.6	1.9	-45.36	-39.08	-6.28
2	6.1814	-15.26	RMS	13.8	2.3	.84	.92	-.08
3	6.36032	-55.62	RMS	13.8	2.3	-39.52	-27.4	-12.12

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1362	-53.24	RMS	13.8	2.3	-37.14	-32.04	-5.1
2	6.33888	-15.29	RMS	13.8	2.3	.81	.88	-.07
3	6.60672	-58.66	RMS	13.9	2.6	-42.16	-39.12	-3.04


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08796	-59.69	RMS	13.7	2.3	-43.69	-38.97	-4.72
2	6.41628	-15.63	RMS	13.9	2.3	.57	.62	-.05
3	6.56208	-55.4	RMS	13.9	2.6	-38.9	-33.48	-5.42


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93464	-70.7	RMS	13.6	1.9	-55.2	-30.75	-24.45
2	6.01636	-26.64	RMS	13.7	2.3	-10.64	-10.53	-.11
3	6.11644	-70.64	RMS	13.7	2.3	-54.64	-30.86	-23.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9368	-69.36	RMS	13.6	1.9	-53.86	-31.47	-22.39
2	6.01888	-27.47	RMS	13.7	2.3	-11.47	-11.45	-.02
3	6.1168	-70.25	RMS	13.7	2.3	-54.25	-31.81	-22.44

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.095	-68.69	RMS	13.8	2.3	-52.59	-31.8	-20.79
2	6.1796	-27.76	RMS	13.8	2.3	-11.66	-11.61	-.05
3	6.27428	-70.14	RMS	13.8	2.3	-54.04	-31.73	-22.31

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09464	-70.93	RMS	13.7	2.3	-54.93	-31.87	-23.06
2	6.18032	-27.86	RMS	13.8	2.3	-11.76	-11.65	-.11
3	6.27392	-68.76	RMS	13.8	2.3	-52.66	-31.74	-20.92

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25716	-70.12	RMS	13.8	2.3	-54.02	-28.14	-25.88
2	6.34068	-27.5	RMS	13.8	2.3	-11.4	-11.34	-.06
3	6.43284	-69.42	RMS	13.9	2.1	-53.42	-28.14	-25.28


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25572	-71.31	RMS	13.8	2.3	-55.21	-32.42	-22.79
2	6.33996	-28.48	RMS	13.8	2.3	-12.38	-12.3	-.08
3	6.43392	-71.39	RMS	13.9	2	-55.49	-32.39	-23.1


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.764	-58.13	RMS	13.5	1.9	-42.73	-38.44	-4.29
2	6.03112	-14.54	RMS	13.7	2.3	1.46	1.56	-.1
3	6.17584	-47.51	RMS	13.8	2.3	-31.41	-24.36	-7.05

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76256	-59.64	RMS	13.5	1.9	-44.24	-39.39	-4.85
2	6.10024	-15.42	RMS	13.7	2.3	.58	.61	-.03
3	6.22156	-54.24	RMS	13.8	2.3	-38.14	-30.66	-7.48

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92868	-56.24	RMS	13.6	1.9	-40.74	-38.29	-2.45
2	5.96828	-50.43	RMS	13.8	2.3	-34.33	-32.81	-1.52
3	6.1796	-14.98	RMS	13.8	2.3	1.12	1.2	-.08
4	6.39632	-51.59	RMS	13.8	2.3	-35.49	-32.11	-3.38
5	6.47264	-59.72	RMS	13.8	2	-43.92	-38.8	-5.12

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.95208	-56.76	RMS	13.7	2.2	-40.86	-35.64	-5.22
2	6.17852	-15.58	RMS	13.8	2.3	.52	.61	-.09
3	6.4748	-64.02	RMS	13.8	2	-48.22	-39.39	-8.83

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08364	-56.42	RMS	13.7	2.3	-40.42	-39.11	-1.31
2	6.1362	-49.6	RMS	13.8	2.3	-33.5	-32.03	-1.47
3	6.35184	-15.28	RMS	13.8	2.3	.82	.89	-.07
4	6.56064	-51.69	RMS	13.9	2.6	-35.19	-33.01	-2.18
5	6.60096	-58.05	RMS	13.9	2.6	-41.55	-38.56	-2.99


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.11712	-54.71	RMS	13.7	2.3	-38.71	-35.46	-3.25
2	6.14268	-51.34	RMS	13.8	2.3	-35.24	-31.94	-3.3
3	6.39936	-16.24	RMS	13.9	2.3	-.04	.09	-.13
4	6.60204	-59.77	RMS	13.9	2.6	-43.27	-39.5	-3.77
5	6.63768	-59.97	RMS	13.9	2.6	-43.47	-39.91	-3.56


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93572	-70.96	RMS	13.6	1.9	-55.46	-30.56	-24.9
2	6.03112	-26.55	RMS	13.7	2.3	-10.55	-10.44	-.11
3	6.1132	-66.98	RMS	13.7	2.3	-50.98	-30.46	-20.52

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.935	-71.22	RMS	13.6	1.9	-55.72	-31.75	-23.97
2	6.03256	-27.73	RMS	13.7	2.3	-11.73	-11.56	-.17
3	6.115	-70.84	RMS	13.7	2.3	-54.84	-31.75	-23.09

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09536	-70.22	RMS	13.8	2.3	-54.12	-31.37	-22.75
2	6.17888	-27.36	RMS	13.8	2.3	-11.26	-11.22	-.04
3	6.275	-70.71	RMS	13.8	2.3	-54.61	-31.41	-23.2

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.095	-70.94	RMS	13.7	2.3	-54.94	-31.92	-23.02
2	6.18068	-27.84	RMS	13.8	2.3	-11.74	-11.73	-.01
3	6.27284	-67.58	RMS	13.8	2.3	-51.48	-28.53	-22.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25608	-69.19	RMS	13.8	2.3	-53.09	-31.88	-21.21
2	6.34824	-27.9	RMS	13.8	2.3	-11.8	-11.79	-.01
3	6.43284	-67.98	RMS	13.9	2.1	-51.98	-28.59	-23.39


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25608	-69.15	RMS	13.8	2.3	-53.05	-32.18	-20.87
2	6.39828	-28.25	RMS	13.8	2.3	-12.15	-12.09	-.06
3	6.43608	-71.2	RMS	13.9	2	-55.3	-32.38	-22.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76076	-55.89	RMS	13.5	1.9	-40.49	-37.85	-2.64
2	6.03472	-13.99	RMS	13.7	2.3	2.01	2.15	-.14
3	6.30328	-58.19	RMS	13.9	2.3	-41.99	-37.85	-4.14

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8108	-55.43	RMS	13.6	1.9	-39.93	-33.03	-6.9
2	6.02032	-15.4	RMS	13.7	2.3	.6	.63	-.03
3	6.17944	-53.05	RMS	13.8	2.3	-36.95	-25.63	-11.32

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9708	-51.43	RMS	13.8	2.3	-35.33	-32.48	-2.85
2	6.18032	-15.04	RMS	13.8	2.3	1.06	1.18	-.12
3	6.44348	-59.25	RMS	13.9	2	-43.35	-38.61	-4.74

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.97296	-55.39	RMS	13.7	2.3	-39.39	-32.69	-6.7
2	6.18176	-15.57	RMS	13.8	2.3	.53	.67	-.14
3	6.4028	-60.48	RMS	13.8	2.3	-44.38	-33.53	-10.85

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08004	-58.28	RMS	13.7	2.3	-42.28	-39.22	-3.06
2	6.35076	-15.39	RMS	13.8	2.3	.71	.78	-.07
3	6.6366	-59.37	RMS	13.9	2.6	-42.87	-39.22	-3.65


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-58.64	RMS	13.7	2.3	-42.64	-39.9	-2.74
2	6.35976	-16.11	RMS	13.8	2.3	-.01	.1	-.11
3	6.59736	-57.11	RMS	13.9	2.6	-40.61	-38.85	-1.76


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93392	-71.78	RMS	13.6	1.9	-56.28	-30.99	-25.29
2	6.01744	-26.73	RMS	13.7	2.3	-10.73	-10.7	-.03
3	6.11392	-68.17	RMS	13.7	2.3	-52.17	-30.79	-21.38

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93644	-70.3	RMS	13.6	1.9	-54.8	-31.63	-23.17
2	6.01924	-27.72	RMS	13.7	2.3	-11.72	-11.58	-.14
3	6.11464	-68.62	RMS	13.7	2.3	-52.62	-31.74	-20.88

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09608	-71.43	RMS	13.8	2.3	-55.33	-31.59	-23.74
2	6.17708	-27.66	RMS	13.8	2.3	-11.56	-11.5	-.06
3	6.27464	-69.03	RMS	13.8	2.3	-52.93	-31.66	-21.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09608	-69.91	RMS	13.7	2.3	-53.91	-31.92	-21.99
2	6.1796	-28.11	RMS	13.8	2.3	-12.01	-11.83	-.18
3	6.27284	-68.21	RMS	13.8	2.3	-52.11	-28.63	-23.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25644	-70.21	RMS	13.8	2.3	-54.11	-31.77	-22.34
2	6.35256	-27.9	RMS	13.8	2.3	-11.8	-11.72	-.08
3	6.43392	-68.68	RMS	13.9	2	-52.78	-31.81	-20.97


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.25536	-70.93	RMS	13.8	2.3	-54.83	-32.27	-22.56
2	6.42096	-28.42	RMS	13.9	2.3	-12.22	-12.12	-.1
3	6.43248	-67.8	RMS	13.9	2.1	-51.8	-21.72	-30.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.77372	-53.44	RMS	13.6	1.9	-37.94	-37.06	-.88
2	6.03004	-14.32	RMS	13.7	2.3	1.68	1.73	-.05
3	6.24892	-51.89	RMS	13.8	2.3	-35.79	-33.31	-2.48

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7712	-57.18	RMS	13.6	1.9	-41.68	-38.48	-3.2
2	6.08152	-15.46	RMS	13.7	2.3	.54	.66	-.12
3	6.18196	-48.89	RMS	13.8	2.3	-32.79	-25.84	-6.95

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92868	-53.79	RMS	13.6	1.9	-38.29	-38.21	-.08
2	6.17816	-14.96	RMS	13.8	2.3	1.14	1.28	-.14
3	6.43016	-55.57	RMS	13.9	2.2	-39.47	-36.68	-2.79

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.93372	-56.89	RMS	13.6	1.9	-41.39	-38.03	-3.36
2	6.1796	-15.46	RMS	13.8	2.3	.64	.76	-.12
3	6.39992	-56.22	RMS	13.8	2.3	-40.12	-33.04	-7.08

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.985	-56.16	RMS	13.7	2.3	-40.16	-39.18	-.98
2	6.3486	-15.39	RMS	13.8	2.3	.71	.82	-.11
3	6.56208	-52.21	RMS	13.9	2.6	-35.71	-33.28	-2.43


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.09084	-56.41	RMS	13.7	2.3	-40.41	-39.19	-1.22
2	6.33816	-16.23	RMS	13.8	2.3	-.13	0	-.13
3	6.5862	-56.06	RMS	13.9	2.6	-39.56	-37.42	-2.14


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7046	-75.83	RMS	13.6	2	-60.23	-48.35	-11.88
2	6.02212	-24.47	RMS	13.7	2.3	-8.47	-8.35	-.12
3	6.286	-74.86	RMS	13.8	2.3	-58.76	-48.35	-10.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76148	-76.1	RMS	13.5	1.9	-60.7	-48.68	-12.02
2	6.0214	-24.7	RMS	13.7	2.3	-8.7	-8.68	-.02
3	6.29536	-76.37	RMS	13.8	2.3	-60.27	-48.68	-11.59

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.04964	-70.3	RMS	13.7	2.3	-54.3	-33.24	-21.06
2	6.11048	-24.91	RMS	13.7	2.3	-8.91	-8.8	-.11
3	6.4658	-74.91	RMS	13.8	2	-59.11	-48.8	-10.31

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.00896	-72.26	RMS	13.7	2.3	-56.26	-37.45	-18.81
2	6.1796	-25.21	RMS	13.8	2.3	-9.11	-9.03	-.08
3	6.35852	-72.41	RMS	13.8	2.3	-56.31	-37.1	-19.21

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.16752	-72.99	RMS	13.8	2.3	-56.89	-37.18	-19.71
2	6.34896	-24.7	RMS	13.8	2.3	-8.6	-8.57	-.03
3	6.50124	-72.77	RMS	13.9	2	-56.87	-35	-21.87

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1704	-73.11	RMS	13.8	2.3	-57.01	-38.05	-18.96
2	6.33924	-26.08	RMS	13.8	2.3	-9.98	-9.83	-.15
3	6.48072	-73.25	RMS	13.8	2	-57.45	-34.33	-23.12

RMS - RMS detection


9.5.6. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5944	-55.73	RMS	13.5	2	-40.23	-39.14	-1.09
2	5.64	-53.14	RMS	13.5	2	-37.64	-36.58	-1.06
3	5.8392	-41.46	RMS	13.6	1.9	-25.96	-23.83	-2.13
4	6.096	-15.34	RMS	13.8	2.3	.76	.86	-.1
5	6.3918	-50.55	RMS	13.8	2.3	-34.45	-24.89	-9.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.619	-56.64	RMS	13.5	2	-41.14	-38.36	-2.78
2	6.0978	-15.42	RMS	13.7	2.3	.58	.61	-.03
3	6.5784	-62.82	RMS	13.9	2.6	-46.32	-37.49	-8.83

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7928	-57.96	RMS	13.6	1.9	-42.46	-37.39	-5.07
2	6.2572	-15.63	RMS	13.8	2.3	.47	.58	-.11
3	6.601	-54.85	RMS	13.9	2.6	-38.35	-27.57	-10.78

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.785	-57.37	RMS	13.6	1.9	-41.87	-38.44	-3.43
2	6.2578	-16.08	RMS	13.8	2.3	.02	.1	-.08
3	6.7474	-61.75	RMS	14	2.6	-45.15	-38.64	-6.51

RMS - RMS detection

Test Facility: UL Morrisville
 RF Emissions
 Project Number: 15374786
 Client: Microsoft
 Test Location: COND2
 Mode: EHT320 2x996T+484T 6265MHz, C1
 Tested by: 85502

dBm Range 1


Frequency (GHz)

Range (GHz)	RBW/UBW	Ref/Attn	Det/Avg Mode	Sweep	Pts	#Saps/Mode	Label
1-5.665-6.065	20K-348K/200K	8/16	AVG/Power Avg(PMS)	20sec(auto)	2001	10016K	Range 1

2024 Sep 12 09:56:58


Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.785	-57.37	RMS	13.6	1.9	-41.87	-38.44	-3.43
2	6.2578	-16.08	RMS	13.8	2.3	.02	.1	-.08
3	6.7474	-61.75	RMS	14	2.6	-45.15	-38.64	-6.51

Page 800 of 2273




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6196	-70.84	RMS	13.5	2	-55.34	-47.08	-8.26
2	6.0792	-24.17	RMS	13.7	2.3	-8.17	-8.15	-.02
3	6.5802	-72.3	RMS	13.9	2.6	-55.8	-46.38	-9.42

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0148	-65.48	RMS	13.7	2.3	-49.48	-33.14	-16.34
2	6.2746	-25.34	RMS	13.8	2.3	-9.24	-9.21	-.03
3	6.4348	-70.15	RMS	13.9	2	-54.25	-29.3	-24.95


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7838	-70.98	RMS	13.6	1.9	-55.48	-45.27	-10.21
2	6.2602	-22.89	RMS	13.8	2.3	-6.79	-6.65	-.14
3	6.7444	-71.06	RMS	14	2.6	-54.46	-45.18	-9.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6088	-51.75	RMS	13.5	2	-36.25	-35.35	-.9
2	6.0966	-11.78	RMS	13.8	2.3	4.32	4.37	-.05
3	6.3732	-42.85	RMS	13.8	2.3	-26.75	-20.48	-6.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6142	-53.92	RMS	13.5	2	-38.42	-35.85	-2.57
2	6.0966	-12.67	RMS	13.7	2.3	3.33	3.48	-.15
3	6.3624	-45.81	RMS	13.8	2.3	-29.71	-20.85	-8.86

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7646	-53.78	RMS	13.6	1.9	-38.28	-36.47	-1.81
2	6.2572	-12.69	RMS	13.8	2.3	3.41	3.53	-.12
3	6.5398	-43.8	RMS	13.9	2.6	-27.3	-21.64	-5.66


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-54.02	RMS	13.5	1.9	-38.62	-36.83	-1.79
2	6.259	-13.11	RMS	13.8	2.3	2.99	3.17	-.18
3	6.7516	-59.12	RMS	14	2.6	-42.52	-35.87	-6.65


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.937	-64.28	RMS	13.7	1.9	-48.68	-25.79	-22.89
2	6.0984	-21.93	RMS	13.8	2.3	-5.83	-5.79	-.04
3	6.273	-71	RMS	13.8	2.3	-54.9	-25.79	-29.11

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.937	-63.36	RMS	13.6	1.9	-47.86	-26.28	-21.58
2	6.0978	-22.3	RMS	13.7	2.3	-6.3	-6.28	-.02
3	6.2736	-70.59	RMS	13.8	2.3	-54.49	-26.31	-28.18

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0976	-63.89	RMS	13.8	2.3	-47.79	-13.88	-33.91
2	6.2506	-22.1	RMS	13.8	2.3	-6	-5.88	-.12
3	6.433	-70.79	RMS	13.9	2.1	-54.79	-25.88	-28.91


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.097	-65.25	RMS	13.7	2.3	-49.25	-26.67	-22.58
2	6.2578	-22.88	RMS	13.8	2.3	-6.78	-6.67	-.11
3	6.433	-71.3	RMS	13.9	2.1	-55.3	-26.67	-28.63


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-53.52	RMS	13.5	2	-38.02	-35.7	-2.32
2	5.7774	-42.61	RMS	13.6	1.9	-27.11	-23.39	-3.72
3	6.1158	-11.82	RMS	13.7	2.3	4.18	4.3	-.12
4	6.5712	-54.99	RMS	13.9	2.6	-38.49	-33.28	-5.21

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6286	-51.38	RMS	13.5	2	-35.88	-34.51	-1.37
2	6.099	-12.34	RMS	13.7	2.3	3.66	3.76	-.1
3	6.381	-44.32	RMS	13.8	2.3	-28.22	-21.47	-6.75

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7754	-54.01	RMS	13.6	1.9	-38.51	-35.52	-2.99
2	5.9194	-43.4	RMS	13.6	1.9	-27.9	-25.11	-2.79
3	6.2764	-12.59	RMS	13.8	2.3	3.51	3.72	-.21
4	6.5338	-41.75	RMS	13.9	2.5	-25.35	-21.16	-4.19


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7622	-53.66	RMS	13.5	1.9	-38.26	-36.4	-1.86
2	6.2578	-12.61	RMS	13.8	2.3	3.49	3.6	-.11
3	6.5386	-42.39	RMS	13.8	2.6	-25.99	-21.51	-4.48
4	6.7336	-54.76	RMS	14	2.6	-38.16	-34.15	-4.01


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7546	-67.51	RMS	13.5	1.9	-52.11	-35.04	-17.07
2	6.1134	-21.99	RMS	13.7	2.3	-5.99	-5.87	-.12
3	6.3702	-68.46	RMS	13.8	2.3	-52.36	-30.58	-21.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6178	-69.66	RMS	13.5	2	-54.16	-45.33	-8.83
2	6.1014	-22.4	RMS	13.7	2.3	-6.4	-6.27	-.13
3	6.2742	-68.69	RMS	13.8	2.3	-52.59	-26.33	-26.26

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0976	-64.07	RMS	13.8	2.3	-47.97	-14.58	-33.39
2	6.2572	-22.8	RMS	13.8	2.3	-6.7	-6.58	-.12
3	6.4372	-70.29	RMS	13.9	2	-54.39	-26.78	-27.61


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7856	-70.81	RMS	13.6	1.9	-55.31	-44.96	-10.35
2	6.2578	-22.65	RMS	13.8	2.3	-6.55	-6.47	-.08
3	6.7402	-71.46	RMS	14	2.6	-54.86	-44.7	-10.16


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6136	-51.65	RMS	13.5	2	-36.15	-35.11	-1.04
2	5.823	-39.39	RMS	13.6	1.9	-23.89	-21.21	-2.68
3	6.1002	-11.9	RMS	13.8	2.3	4.2	4.26	-.06
4	6.3594	-41.3	RMS	13.8	2.3	-25.2	-19.93	-5.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6202	-51.74	RMS	13.5	2	-36.24	-35.59	-.65
2	6.0954	-12.73	RMS	13.7	2.3	3.27	3.3	-.03
3	6.357	-45	RMS	13.8	2.3	-28.9	-20.77	-8.13

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7886	-52.56	RMS	13.6	1.9	-37.06	-34.71	-2.35
2	6.2842	-12.61	RMS	13.8	2.3	3.49	3.56	-.07
3	6.7627	-57.72	RMS	14	2.6	-41.12	-36.28	-4.84


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7994	-50.88	RMS	13.6	1.9	-35.38	-33.96	-1.42
2	5.9836	-38.69	RMS	13.7	2.3	-22.69	-21.91	-.78
3	6.2608	-12.72	RMS	13.8	2.3	3.38	3.53	-.15
4	6.7468	-55.24	RMS	14	2.6	-38.64	-35.17	-3.47


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9382	-58.29	RMS	13.7	1.9	-42.69	-5.65	-37.04
2	6.1116	-21.83	RMS	13.7	2.3	-5.83	-5.65	-.18
3	6.2736	-62.93	RMS	13.8	2.3	-46.83	-25.68	-21.15

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6214	-68.54	RMS	13.5	2	-53.04	-44.98	-8.06
2	6.1008	-22.19	RMS	13.7	2.3	-6.19	-6.18	-.01
3	6.5832	-70.64	RMS	13.9	2.6	-54.14	-44.62	-9.52

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0964	-66.17	RMS	13.8	2.3	-50.07	-26.4	-23.67
2	6.259	-22.54	RMS	13.8	2.3	-6.44	-6.37	-.07
3	6.4348	-70.23	RMS	13.9	2	-54.33	-26.46	-27.87


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7892	-70.41	RMS	13.6	1.9	-54.91	-44.48	-10.43
2	6.259	-22.47	RMS	13.8	2.3	-6.37	-6.25	-.12
3	6.7432	-71.2	RMS	14	2.6	-54.6	-44.69	-9.91


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.649	-49.84	RMS	13.6	2	-34.24	-32.87	-1.37
2	6.1194	-12.14	RMS	13.7	2.3	3.86	3.92	-.06
3	6.5886	-57.24	RMS	13.9	2.6	-40.74	-34.91	-5.83

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6298	-52.17	RMS	13.5	2	-36.67	-34.77	-1.9
2	6.1224	-12.69	RMS	13.7	2.3	3.31	3.41	-.1
3	6.5814	-59.72	RMS	13.9	2.6	-43.22	-34.9	-8.32

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8072	-50.44	RMS	13.6	1.9	-34.94	-33.92	-1.02
2	6.2896	-13.2	RMS	13.8	2.3	2.9	3	-.1
3	6.7798	-58.09	RMS	14	2.6	-41.49	-37	-4.49


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7856	-51.11	RMS	13.6	1.9	-35.61	-35.29	-.32
2	6.2722	-12.94	RMS	13.8	2.3	3.16	3.2	-.04
3	6.7696	-58.06	RMS	14	2.6	-41.46	-36.8	-4.66


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.625	-70.19	RMS	13.5	2	-54.69	-44.29	-10.4
2	6.1182	-21.92	RMS	13.7	2.3	-5.92	-5.75	-.17
3	6.5808	-70.96	RMS	13.9	2.6	-54.46	-44.02	-10.44

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6238	-69.5	RMS	13.5	2	-54	-45.02	-8.98
2	6.1212	-22.45	RMS	13.7	2.3	-6.45	-6.4	-.05
3	6.2736	-70.83	RMS	13.8	2.3	-54.73	-26.43	-28.3

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.974	-64.53	RMS	13.8	2.3	-48.43	-32.35	-16.08
2	6.2824	-22.68	RMS	13.8	2.3	-6.58	-6.44	-.14
3	6.739	-71.14	RMS	14	2.6	-54.54	-44.58	-9.96


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.788	-69.78	RMS	13.6	1.9	-54.28	-44.7	-9.58
2	6.2818	-22.49	RMS	13.8	2.3	-6.39	-6.38	-.01
3	6.4402	-70.91	RMS	13.9	2	-55.01	-26.73	-28.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.589	-56.06	RMS	13.5	2	-40.56	-37.58	-2.98
2	6.0978	-13.73	RMS	13.8	2.3	2.37	2.42	-.05
3	6.6426	-60.37	RMS	13.9	2.6	-43.87	-37.58	-6.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5938	-56.34	RMS	13.5	2	-40.84	-38.16	-2.68
2	6.111	-14.2	RMS	13.7	2.3	1.8	1.84	-.04
3	6.3216	-43.41	RMS	13.9	2.3	-27.21	-20.52	-6.69
4	6.651	-62.18	RMS	13.9	2.6	-45.68	-38.16	-7.52

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.773	-53.05	RMS	13.6	1.9	-37.55	-37.07	-.48
2	6.2728	-13.84	RMS	13.8	2.3	2.26	2.34	-.08
3	6.769	-56.92	RMS	14	2.6	-40.32	-37.66	-2.66


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.785	-53.44	RMS	13.6	1.9	-37.94	-36.37	-1.57
2	6.2602	-14.1	RMS	13.8	2.3	2	2.17	-.17
3	6.778	-58.77	RMS	14	2.6	-42.17	-37.83	-4.34


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9376	-64.62	RMS	13.7	1.9	-49.02	-15.43	-33.59
2	6.1116	-23.55	RMS	13.7	2.3	-7.55	-7.43	-.12
3	6.273	-67.94	RMS	13.8	2.3	-51.84	-27.43	-24.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.937	-66.92	RMS	13.6	1.9	-51.42	-27.36	-24.06
2	6.1176	-23.45	RMS	13.7	2.3	-7.45	-7.36	-.09
3	6.2736	-70.48	RMS	13.8	2.3	-54.38	-27.39	-26.99


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.097	-63.81	RMS	13.8	2.3	-47.71	-27.96	-19.75
2	6.2602	-24.2	RMS	13.8	2.3	-8.1	-7.96	-.14
3	6.4342	-68.2	RMS	13.9	2	-52.3	-28.02	-24.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) STANDARD POWER




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6094	-56.83	RMS	13.5	2	-41.33	-39.03	-2.3
2	5.7294	-49.88	RMS	13.6	2	-34.28	-30.32	-3.96
3	6.1164	-15.44	RMS	13.7	2.3	.56	.65	-.09
4	6.4848	-47.03	RMS	13.8	2	-31.23	-30.69	-.54
5	6.6342	-58.46	RMS	13.9	2.6	-41.96	-39.35	-2.61

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5878	-57.67	RMS	13.5	2	-42.17	-39.9	-2.27
2	5.7126	-51.09	RMS	13.6	2	-35.49	-32.08	-3.41
3	6.1212	-15.96	RMS	13.7	2.3	.04	.1	-.06
4	6.4902	-49.23	RMS	13.8	2	-33.43	-31.63	-1.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.893	-51.05	RMS	13.6	1.9	-35.55	-30.69	-4.86
2	6.2752	-16.2	RMS	13.8	2.3	-.1	.03	-.13
3	6.643	-48.42	RMS	13.9	2.6	-31.92	-31.18	-.74


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7628	-58.59	RMS	13.5	1.9	-43.19	-40.08	-3.11
2	6.2728	-16.25	RMS	13.8	2.3	-.15	-.08	-.07
3	6.6538	-49.67	RMS	13.9	2.6	-33.17	-32.07	-1.1


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8914	-63.61	RMS	13.6	1.9	-48.11	-29.61	-18.5
2	6.1134	-23.48	RMS	13.7	2.3	-7.48	-7.43	-.05
3	6.4002	-64.62	RMS	13.9	2.3	-48.42	-33.58	-14.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7096	-68.05	RMS	13.6	2	-52.45	-42.13	-10.32
2	6.1248	-25.75	RMS	13.7	2.3	-9.75	-9.73	-.02
3	6.4224	-68.12	RMS	13.9	2.3	-51.92	-36.94	-14.98

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9014	-69.11	RMS	13.6	1.9	-53.61	-39.71	-13.9
2	6.2782	-25.82	RMS	13.8	2.3	-9.72	-9.6	-.12
3	6.6388	-69.06	RMS	13.9	2.6	-52.56	-40.5	-12.06


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9146	-69.39	RMS	13.6	1.9	-53.89	-39.77	-14.12
2	6.271	-26.74	RMS	13.8	2.3	-10.64	-10.6	-.04
3	6.6376	-70.23	RMS	13.9	2.6	-53.73	-41.42	-12.31


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) STANDARD POWER



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-59.96	RMS	13.5	2	-44.46	-43.83	-.63
2	6.0936	-19.95	RMS	13.8	2.3	-3.85	-3.83	-.02
3	6.4806	-51.33	RMS	13.8	2	-35.53	-34.87	-.66
4	6.4974	-52.94	RMS	13.9	2	-37.04	-36.09	-.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-60.03	RMS	13.5	2	-44.53	-43.18	-1.35
2	6.0942	-19.3	RMS	13.7	2.3	-3.3	-3.18	-.12
3	6.4992	-54.15	RMS	13.8	2	-38.35	-35.57	-2.78

RMS - RMS detection