



9.5.9. 802.11be EHT40 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.10. 802.11be EHT80 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.11. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76616	-78.87	RMS	13.6	1.9	-63.37	-51.25	-12.12
2	6.01924	-27.6	RMS	13.7	2.3	-11.6	-11.41	-.19
3	6.2896	-77.68	RMS	13.9	2.3	-61.48	-51.41	-10.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74348	-78.15	RMS	13.5	2	-62.65	-51.83	-10.82
2	6.01708	-27.99	RMS	13.7	2.3	-11.99	-11.83	-.16
3	6.29968	-77.17	RMS	13.8	2.3	-61.07	-51.83	-9.24

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91716	-78.6	RMS	13.6	1.9	-63.1	-52.63	-10.47
2	6.1796	-28.91	RMS	13.8	2.3	-12.81	-12.63	-.18
3	6.4478	-76.6	RMS	13.9	2	-60.7	-52.63	-8.07

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91788	-78.99	RMS	13.6	1.9	-63.49	-52.74	-10.75
2	6.18212	-28.86	RMS	13.8	2.3	-12.76	-12.74	-.02
3	6.45428	-77.75	RMS	13.9	2	-61.85	-52.74	-9.11

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07464	-79.34	RMS	13.7	2.3	-63.34	-52.13	-11.21
2	6.33852	-28.24	RMS	13.8	2.3	-12.14	-12.13	-.01
3	6.61284	-76.92	RMS	13.9	2.6	-60.42	-52.13	-8.29

RMS - RMS detection




RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76652	-78.64	RMS	13.6	1.9	-63.14	-51.3	-11.84
2	6.0196	-27.69	RMS	13.7	2.3	-11.69	-11.51	-.18
3	6.29284	-77.33	RMS	13.9	2.3	-61.13	-51.51	-9.62

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75536	-77.94	RMS	13.5	1.9	-62.54	-51.92	-10.62
2	6.01852	-28.07	RMS	13.7	2.3	-12.07	-11.92	-.15
3	6.2914	-76.75	RMS	13.8	2.3	-60.65	-51.92	-8.73

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92076	-79.37	RMS	13.6	1.9	-63.87	-52.77	-11.1
2	6.1742	-29.1	RMS	13.8	2.3	-13	-12.77	-.23
3	6.4604	-77.41	RMS	13.8	2	-61.61	-52.77	-8.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91356	-79.03	RMS	13.6	1.9	-63.53	-52.42	-11.11
2	6.17888	-28.68	RMS	13.8	2.3	-12.58	-12.42	-.16
3	6.45356	-77.43	RMS	13.9	2	-61.53	-52.42	-9.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-78.47	RMS	13.7	2.3	-62.47	-52.25	-10.22
2	6.33636	-28.48	RMS	13.8	2.3	-12.38	-12.25	-.13
3	6.61968	-76.25	RMS	13.9	2.6	-59.75	-52.25	-7.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07212	-79.05	RMS	13.7	2.3	-63.05	-52.41	-10.64
2	6.3414	-28.7	RMS	13.8	2.3	-12.6	-12.41	-.19
3	6.61536	-76.91	RMS	13.9	2.6	-60.41	-52.41	-8


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76148	-78.38	RMS	13.6	1.9	-62.88	-51.65	-11.23
2	6.03292	-27.78	RMS	13.7	2.3	-11.78	-11.65	-.13
3	6.29392	-76.49	RMS	13.9	2.3	-60.29	-51.65	-8.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75932	-77.83	RMS	13.5	1.9	-62.43	-51.86	-10.57
2	6.03184	-27.96	RMS	13.7	2.3	-11.96	-11.86	-.1
3	6.28816	-76.74	RMS	13.8	2.3	-60.64	-51.86	-8.78

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91284	-79.21	RMS	13.6	1.9	-63.71	-52.71	-11
2	6.19256	-28.89	RMS	13.8	2.3	-12.79	-12.71	-.08
3	6.45032	-77.21	RMS	13.9	2	-61.31	-52.71	-8.6

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92544	-75.62	RMS	13.6	1.9	-60.12	-52.65	-7.47
2	6.18788	-29.08	RMS	13.8	2.3	-12.98	-12.71	-.27
3	6.4514	-75.4	RMS	13.9	2	-59.5	-52.71	-6.79

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-78.81	RMS	13.7	2.3	-62.81	-51.93	-10.88
2	6.35112	-28.3	RMS	13.8	2.3	-12.2	-11.93	-.27
3	6.61284	-76.42	RMS	13.9	2.6	-59.92	-51.93	-7.99


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08112	-79.07	RMS	13.7	2.3	-63.07	-52.5	-10.57
2	6.3558	-28.76	RMS	13.8	2.3	-12.66	-12.5	-.16
3	6.62184	-77.09	RMS	13.9	2.6	-60.59	-52.5	-8.09


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76436	-78.83	RMS	13.6	1.9	-63.33	-52.5	-10.83
2	6.01204	-28.68	RMS	13.7	2.3	-12.68	-12.5	-.18
3	6.29212	-77.68	RMS	13.9	2.3	-61.48	-52.5	-8.98

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75716	-78.74	RMS	13.5	1.9	-63.34	-52.76	-10.58
2	6.02896	-28.96	RMS	13.7	2.3	-12.96	-12.76	-.2
3	6.29104	-77.62	RMS	13.8	2.3	-61.52	-52.76	-8.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92184	-79.39	RMS	13.6	1.9	-63.89	-53.84	-10.05
2	6.17852	-30.15	RMS	13.8	2.3	-14.05	-13.84	-.21
3	6.53672	-77.76	RMS	13.9	2.6	-61.26	-53.84	-7.42

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92004	-79.13	RMS	13.6	1.9	-63.63	-53.61	-10.02
2	6.17852	-29.74	RMS	13.8	2.3	-13.64	-13.61	-.03
3	6.5396	-77.42	RMS	13.8	2.6	-61.02	-53.61	-7.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-79.15	RMS	13.7	2.3	-63.15	-53.3	-9.85
2	6.35256	-29.51	RMS	13.8	2.3	-13.41	-13.3	-.11
3	6.61824	-77.05	RMS	13.9	2.6	-60.55	-53.3	-7.25


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07788	-78.95	RMS	13.7	2.3	-62.95	-53.45	-9.5
2	6.35184	-29.71	RMS	13.8	2.3	-13.61	-13.45	-.16
3	6.61428	-76.82	RMS	13.9	2.6	-60.32	-53.45	-6.87


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76076	-78.57	RMS	13.6	1.9	-63.07	-52.7	-10.37
2	6.02068	-28.92	RMS	13.7	2.3	-12.92	-12.7	-.22
3	6.28888	-76.15	RMS	13.8	2.3	-60.05	-52.7	-7.35

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76004	-78.23	RMS	13.5	1.9	-62.83	-52.76	-10.07
2	6.01924	-28.99	RMS	13.7	2.3	-12.99	-12.76	-.23
3	6.29536	-77.7	RMS	13.8	2.3	-61.6	-52.76	-8.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9222	-78.64	RMS	13.6	1.9	-63.14	-53.78	-9.36
2	6.18968	-29.92	RMS	13.8	2.3	-13.82	-13.78	-.04
3	6.45212	-77.39	RMS	13.9	2	-61.49	-53.78	-7.71

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91788	-79.23	RMS	13.6	1.9	-63.73	-53.71	-10.02
2	6.176	-29.89	RMS	13.8	2.3	-13.79	-13.71	-.08
3	6.45428	-77.66	RMS	13.9	2	-61.76	-53.71	-8.05

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07608	-78.46	RMS	13.7	2.3	-62.46	-53.09	-9.37
2	6.35508	-29.37	RMS	13.8	2.3	-13.27	-13.09	-.18
3	6.61158	-76.72	RMS	13.9	2.6	-60.22	-53.09	-7.13


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08472	-78.76	RMS	13.7	2.3	-62.76	-53.59	-9.17
2	6.34932	-29.73	RMS	13.8	2.3	-13.63	-13.59	-.04
3	6.61464	-76.63	RMS	13.9	2.6	-60.13	-53.59	-6.54


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75896	-78.9	RMS	13.5	1.9	-63.5	-52.78	-10.72
2	6.02104	-28.8	RMS	13.7	2.3	-12.8	-12.78	-.02
3	6.29032	-77.25	RMS	13.9	2.3	-61.05	-52.78	-8.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7604	-78.49	RMS	13.5	1.9	-63.09	-53.19	-9.9
2	6.02176	-29.34	RMS	13.7	2.3	-13.34	-13.19	-.15
3	6.29212	-77.05	RMS	13.8	2.3	-60.95	-53.19	-7.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-79.01	RMS	13.6	1.9	-63.51	-53.69	-9.82
2	6.18176	-30.04	RMS	13.8	2.3	-13.94	-13.69	-.25
3	6.45284	-77.05	RMS	13.9	2	-61.15	-53.69	-7.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92436	-77.93	RMS	13.6	1.9	-62.43	-53.73	-8.7
2	6.18968	-29.92	RMS	13.8	2.3	-13.82	-13.73	-.09
3	6.4568	-76.74	RMS	13.9	2	-60.84	-53.73	-7.11

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08076	-78.54	RMS	13.7	2.3	-62.54	-53.14	-9.4
2	6.34896	-29.43	RMS	13.8	2.3	-13.33	-13.14	-.19
3	6.61644	-76.93	RMS	13.9	2.6	-60.43	-53.14	-7.29


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08148	-78.64	RMS	13.7	2.3	-62.64	-53.47	-9.17
2	6.34824	-29.72	RMS	13.8	2.3	-13.62	-13.47	-.15
3	6.60996	-76.64	RMS	13.9	2.6	-60.14	-53.47	-6.67


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76328	-78.07	RMS	13.6	1.9	-62.57	-52.75	-9.82
2	6.0322	-28.96	RMS	13.7	2.3	-12.96	-12.75	-.21
3	6.29428	-77.41	RMS	13.9	2.3	-61.21	-52.75	-8.46

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75968	-78.71	RMS	13.5	1.9	-63.31	-52.92	-10.39
2	6.02896	-29.16	RMS	13.7	2.3	-13.16	-12.92	-.24
3	6.2914	-77.29	RMS	13.8	2.3	-61.19	-52.92	-8.27

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91716	-79.19	RMS	13.6	1.9	-63.69	-53.9	-9.79
2	6.1904	-30.16	RMS	13.8	2.3	-14.06	-13.9	-.16
3	6.45284	-77.14	RMS	13.9	2	-61.24	-53.9	-7.34

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.90024	-78.16	RMS	13.6	1.9	-62.66	-53.89	-8.77
2	6.18896	-30.21	RMS	13.8	2.3	-14.11	-13.89	-.22
3	6.4568	-76.79	RMS	13.9	2	-60.89	-53.89	-7

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07932	-78.68	RMS	13.7	2.3	-62.68	-53.21	-9.47
2	6.35112	-29.41	RMS	13.8	2.3	-13.31	-13.21	-.1
3	6.6114	-76.05	RMS	13.9	2.6	-59.55	-53.21	-6.34


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07752	-79.1	RMS	13.7	2.3	-63.1	-53.68	-9.42
2	6.35328	-29.81	RMS	13.8	2.3	-13.71	-13.68	-.03
3	6.6132	-76.7	RMS	13.9	2.6	-60.2	-53.68	-6.52


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75356	-78.9	RMS	13.5	1.9	-63.5	-52.63	-10.87
2	6.01636	-28.7	RMS	13.7	2.3	-12.7	-12.63	-.07
3	6.29248	-77.34	RMS	13.9	2.3	-61.14	-52.63	-8.51

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.76292	-78.75	RMS	13.5	1.9	-63.35	-53.03	-10.32
2	6.02104	-29.15	RMS	13.7	2.3	-13.15	-13.03	-.12
3	6.29644	-77.77	RMS	13.8	2.3	-61.67	-53.03	-8.64

RMS - RMS detection




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9114	-79.38	RMS	13.6	1.9	-63.88	-53.64	-10.24
2	6.17312	-30	RMS	13.8	2.3	-13.9	-13.64	-.26
3	6.45644	-77.7	RMS	13.9	2	-61.8	-53.64	-8.16

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-79.07	RMS	13.7	2.3	-63.07	-53.33	-9.74
2	6.34068	-29.67	RMS	13.8	2.3	-13.57	-13.33	-.24
3	6.6168	-76.88	RMS	13.9	2.6	-60.38	-53.33	-7.05


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-78.74	RMS	13.7	2.3	-62.74	-53.67	-9.07
2	6.33672	-29.95	RMS	13.8	2.3	-13.85	-13.67	-.18
3	6.61212	-76.88	RMS	13.9	2.6	-60.38	-53.67	-6.71


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75428	-78.84	RMS	13.5	1.9	-63.44	-52.69	-10.75
2	6.03076	-28.91	RMS	13.7	2.3	-12.91	-12.69	-.22
3	6.29932	-77.65	RMS	13.9	2.3	-61.45	-52.69	-8.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-78.91	RMS	13.5	1.9	-63.51	-53.01	-10.5
2	6.0196	-29.19	RMS	13.7	2.3	-13.19	-13.01	-.18
3	6.29752	-78.12	RMS	13.8	2.3	-62.02	-53.01	-9.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9258	-77.79	RMS	13.6	1.9	-62.29	-53.58	-8.71
2	6.17924	-29.95	RMS	13.8	2.3	-13.85	-13.69	-.16
3	6.45032	-76.14	RMS	13.9	2	-60.24	-53.69	-6.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92112	-78.84	RMS	13.6	1.9	-63.34	-53.73	-9.61
2	6.17816	-29.85	RMS	13.8	2.3	-13.75	-13.73	-.02
3	6.45248	-75.71	RMS	13.9	2	-59.81	-53.73	-6.08

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07392	-79.05	RMS	13.7	2.3	-63.05	-53.35	-9.7
2	6.34212	-29.66	RMS	13.8	2.3	-13.56	-13.35	-.21
3	6.61644	-76.93	RMS	13.9	2.6	-60.43	-53.35	-7.08


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08004	-79.1	RMS	13.7	2.3	-63.1	-53.48	-9.62
2	6.34896	-29.75	RMS	13.8	2.3	-13.65	-13.48	-.17
3	6.63372	-76.91	RMS	13.9	2.6	-60.41	-53.48	-6.93


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-78.38	RMS	13.5	1.9	-62.98	-52.68	-10.3
2	6.01852	-28.74	RMS	13.7	2.3	-12.74	-12.68	-.06
3	6.2914	-77.38	RMS	13.9	2.3	-61.18	-52.68	-8.5

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75248	-79.21	RMS	13.5	1.9	-63.81	-53.04	-10.77
2	6.02068	-29.12	RMS	13.7	2.3	-13.12	-13.04	-.08
3	6.30184	-78.04	RMS	13.9	2.3	-61.84	-53.04	-8.8

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92256	-78.87	RMS	13.6	1.9	-63.37	-53.86	-9.51
2	6.17672	-30.18	RMS	13.8	2.3	-14.08	-13.86	-.22
3	6.45284	-76.85	RMS	13.9	2	-60.95	-53.86	-7.09

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.91248	-79.75	RMS	13.6	1.9	-64.25	-53.66	-10.59
2	6.19148	-29.86	RMS	13.8	2.3	-13.76	-13.66	-.1
3	6.4568	-77.66	RMS	13.9	2	-61.76	-53.66	-8.1

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.08256	-78.85	RMS	13.7	2.3	-62.85	-53.24	-9.61
2	6.35148	-29.53	RMS	13.8	2.3	-13.43	-13.24	-.19
3	6.61752	-76.45	RMS	13.9	2.6	-59.95	-53.24	-6.71


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07752	-78.57	RMS	13.7	2.3	-62.57	-53.62	-8.95
2	6.34032	-29.79	RMS	13.8	2.3	-13.69	-13.62	-.07
3	6.61212	-76.3	RMS	13.9	2.6	-59.8	-53.62	-6.18


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.74924	-77.14	RMS	13.5	1.9	-61.74	-51.36	-10.38
2	6.03184	-27.48	RMS	13.7	2.3	-11.48	-11.36	-.12
3	6.29284	-76.84	RMS	13.9	2.3	-60.64	-51.36	-9.28

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.75968	-77.61	RMS	13.5	1.9	-62.21	-52.38	-9.83
2	6.02104	-28.45	RMS	13.7	2.3	-12.45	-12.38	-.07
3	6.29752	-77.6	RMS	13.8	2.3	-61.5	-52.38	-9.12

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.92364	-77.5	RMS	13.6	1.9	-62	-52.16	-9.84
2	6.17528	-28.48	RMS	13.8	2.3	-12.38	-12.16	-.22
3	6.46184	-76.6	RMS	13.8	2	-60.8	-52.16	-8.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-77.49	RMS	13.6	1.9	-61.99	-52.56	-9.43
2	6.18104	-28.73	RMS	13.8	2.3	-12.63	-12.56	-.07
3	6.47156	-76.92	RMS	13.8	2	-61.12	-52.56	-8.56

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-77.48	RMS	13.7	2.3	-61.48	-52.59	-8.89
2	6.34932	-28.72	RMS	13.8	2.3	-12.62	-12.59	-.03
3	6.60888	-76.02	RMS	13.9	2.6	-59.52	-52.59	-6.93

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.07716	-77.66	RMS	13.7	2.3	-61.66	-52.96	-8.7
2	6.40224	-29.25	RMS	13.8	2.3	-13.15	-12.96	-.19
3	6.61032	-76.54	RMS	13.9	2.6	-60.04	-52.96	-7.08


RMS - RMS detection

9.5.12. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND (HIGH GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.625	-70.34	RMS	13.5	2	-54.84	-47.77	-7.07
2	6.0966	-25.36	RMS	13.7	2.3	-9.36	-9.23	-.13
3	6.6198	-73.59	RMS	13.9	2.6	-57.09	-49.23	-7.86

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-74.8	RMS	13.5	1.9	-59.4	-48.06	-11.34
2	6.2584	-24.32	RMS	13.8	2.3	-8.22	-8.06	-.16
3	6.7684	-73.45	RMS	14	2.6	-56.85	-48.06	-8.79


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7652	-74.63	RMS	13.5	1.9	-59.23	-49.01	-10.22
2	6.2776	-25.21	RMS	13.8	2.3	-9.11	-9.02	-.09
3	6.7828	-73.84	RMS	14	2.6	-57.24	-49.02	-8.22


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5956	-74.1	RMS	13.5	2	-58.6	-48.55	-10.05
2	6.1002	-24.76	RMS	13.8	2.3	-8.66	-8.55	-.11
3	6.618	-72.97	RMS	13.9	2.6	-56.47	-48.55	-7.92

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-73.78	RMS	13.5	2	-58.28	-49.15	-9.13
2	6.0804	-25.42	RMS	13.7	2.3	-9.42	-9.15	-.27
3	6.6258	-73.54	RMS	13.9	2.6	-57.04	-49.15	-7.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7472	-75.33	RMS	13.5	1.9	-59.93	-48.59	-11.34
2	6.2542	-24.88	RMS	13.8	2.3	-8.78	-8.59	-.19
3	6.7738	-73.84	RMS	14	2.6	-57.24	-48.59	-8.65


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.81	RMS	13.5	1.9	-59.41	-49	-10.41
2	6.2596	-25.35	RMS	13.8	2.3	-9.25	-9	-.25
3	6.7738	-73.93	RMS	14	2.6	-57.33	-49	-8.33


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.22	RMS	13.5	2	-58.72	-48.72	-10
2	6.0954	-24.94	RMS	13.8	2.3	-8.84	-8.72	-.12
3	6.615	-73.17	RMS	13.9	2.6	-56.67	-48.72	-7.95

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-73.56	RMS	13.5	2	-58.06	-49.37	-8.69
2	6.1206	-25.4	RMS	13.7	2.3	-9.4	-9.37	-.03
3	6.6108	-73.3	RMS	13.9	2.6	-56.8	-49.37	-7.43

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.761	-74.87	RMS	13.6	1.9	-59.37	-48.73	-10.64
2	6.2596	-24.91	RMS	13.8	2.3	-8.81	-8.73	-.08
3	6.772	-73.24	RMS	14	2.6	-56.64	-48.73	-7.91


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7616	-74.6	RMS	13.5	1.9	-59.2	-48.55	-10.65
2	6.2596	-24.8	RMS	13.8	2.3	-8.7	-8.55	-.15
3	6.775	-73.81	RMS	14	2.6	-57.21	-48.55	-8.66


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.07	RMS	13.5	2	-58.57	-48.73	-9.84
2	6.0978	-24.85	RMS	13.8	2.3	-8.75	-8.73	-.02
3	6.6192	-72.87	RMS	13.9	2.6	-56.37	-48.73	-7.64

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6058	-73.62	RMS	13.5	2	-58.12	-49.11	-9.01
2	6.1218	-25.3	RMS	13.7	2.3	-9.3	-9.17	-.13
3	6.6144	-73.47	RMS	13.9	2.6	-56.97	-49.17	-7.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7586	-75.03	RMS	13.5	1.9	-59.63	-48.4	-11.23
2	6.271	-24.55	RMS	13.8	2.3	-8.45	-8.4	-.05
3	6.7822	-73.5	RMS	14	2.6	-56.9	-48.4	-8.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7634	-74.74	RMS	13.5	1.9	-59.34	-49.12	-10.22
2	6.2578	-25.39	RMS	13.8	2.3	-9.29	-9.12	-.17
3	6.7762	-73.64	RMS	14	2.6	-57.04	-49.12	-7.92


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6016	-74.29	RMS	13.5	2	-58.79	-48.52	-10.27
2	6.1122	-24.67	RMS	13.7	2.3	-8.67	-8.52	-.15
3	6.6228	-73.06	RMS	13.9	2.6	-56.56	-48.52	-8.04

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.628	-70.43	RMS	13.5	2	-54.93	-47.5	-7.43
2	6.1218	-25.33	RMS	13.7	2.3	-9.33	-9.18	-.15
3	6.6096	-73.48	RMS	13.9	2.6	-56.98	-49.18	-7.8

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7382	-74.98	RMS	13.6	2	-59.38	-48.6	-10.78
2	6.2788	-24.73	RMS	13.8	2.3	-8.63	-8.6	-.03
3	6.778	-73.46	RMS	14	2.6	-56.86	-48.6	-8.26


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7856	-72.2	RMS	13.6	1.9	-56.7	-47.52	-9.18
2	6.2758	-25.14	RMS	13.8	2.3	-9.04	-9.03	-.01
3	6.772	-73.69	RMS	14	2.6	-57.09	-49.03	-8.06


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.45	RMS	13.5	2	-58.95	-50.18	-8.77
2	6.1134	-26.4	RMS	13.7	2.3	-10.4	-10.18	-.22
3	6.6186	-73.07	RMS	13.9	2.6	-56.57	-50.18	-6.39

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6064	-73.59	RMS	13.5	2	-58.09	-51.08	-7.01
2	6.1116	-27.35	RMS	13.7	2.3	-11.35	-11.18	-.17
3	6.6204	-73.49	RMS	13.9	2.6	-56.99	-51.18	-5.81

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.86	RMS	13.5	1.9	-59.46	-50.64	-8.82
2	6.2518	-26.91	RMS	13.8	2.3	-10.81	-10.64	-.17
3	6.7798	-73.4	RMS	14	2.6	-56.8	-50.64	-6.16


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7688	-74.06	RMS	13.5	1.9	-58.66	-50.6	-8.06
2	6.2584	-27.2	RMS	13.8	2.3	-11.1	-10.88	-2.22
3	6.7816	-73.72	RMS	14	2.6	-57.12	-50.88	-6.24


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6004	-73.82	RMS	13.5	2	-58.32	-50.02	-8.3
2	6.1152	-26.21	RMS	13.7	2.3	-10.21	-10.02	-.19
3	6.615	-73.01	RMS	13.9	2.6	-56.51	-50.02	-6.49

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-73.51	RMS	13.5	2	-58.01	-50.86	-7.15
2	6.114	-26.96	RMS	13.7	2.3	-10.96	-10.86	-.1
3	6.6144	-73.43	RMS	13.9	2.6	-56.93	-50.86	-6.07

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7562	-75.17	RMS	13.5	1.9	-59.77	-50.34	-9.43
2	6.2728	-26.55	RMS	13.8	2.3	-10.45	-10.34	-.11
3	6.781	-73.7	RMS	14	2.6	-57.1	-50.34	-6.76


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7568	-74.45	RMS	13.5	1.9	-59.05	-50.77	-8.28
2	6.2782	-26.92	RMS	13.8	2.3	-10.82	-10.77	-.05
3	6.79	-74.02	RMS	14	2.6	-57.42	-50.77	-6.65


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6034	-74.04	RMS	13.5	2	-58.54	-50.37	-8.17
2	6.0918	-26.5	RMS	13.8	2.3	-10.4	-10.37	-.03
3	6.6138	-72.97	RMS	13.9	2.6	-56.47	-50.37	-6.1

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5986	-73.76	RMS	13.5	2	-58.26	-50.67	-7.59
2	6.0942	-26.92	RMS	13.7	2.3	-10.92	-10.67	-.25
3	6.621	-73.53	RMS	13.9	2.6	-57.03	-50.67	-6.36

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7478	-75.16	RMS	13.5	1.9	-59.76	-50.24	-9.52
2	6.2578	-26.57	RMS	13.8	2.3	-10.47	-10.24	-.23
3	6.7786	-73.56	RMS	14	2.6	-56.96	-50.24	-6.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7376	-74.93	RMS	13.5	2	-59.43	-50.72	-8.71
2	6.2578	-26.87	RMS	13.8	2.3	-10.77	-10.72	-.05
3	6.7708	-73.72	RMS	14	2.6	-57.12	-50.72	-6.4


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.2	RMS	13.5	2	-58.7	-51.72	-6.98
2	6.0978	-27.99	RMS	13.8	2.3	-11.89	-11.72	-.17
3	6.6192	-72.93	RMS	13.9	2.6	-56.43	-51.72	-4.71

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5974	-73.71	RMS	13.5	2	-58.21	-52.92	-5.29
2	6.111	-29.08	RMS	13.7	2.3	-13.08	-12.92	-.16
3	6.6162	-73.41	RMS	13.9	2.6	-56.91	-52.92	-3.99

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.53	RMS	13.6	2	-59.93	-51.62	-8.31
2	6.2752	-27.85	RMS	13.8	2.3	-11.75	-11.62	-.13
3	6.775	-73.82	RMS	14	2.6	-57.22	-51.62	-5.6


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.782	-73.79	RMS	13.6	1.9	-58.29	-51.12	-7.17
2	6.2776	-28.61	RMS	13.8	2.3	-12.51	-12.36	-.15
3	6.7738	-73.81	RMS	14	2.6	-57.21	-52.36	-4.85


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.595	-74.43	RMS	13.5	2	-58.93	-51.76	-7.17
2	6.1134	-27.96	RMS	13.7	2.3	-11.96	-11.76	-.2
3	6.6066	-72.81	RMS	13.9	2.6	-56.31	-51.76	-4.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5968	-73.9	RMS	13.5	2	-58.4	-52.7	-5.7
2	6.1182	-28.84	RMS	13.7	2.3	-12.84	-12.7	-.14
3	6.6252	-73.64	RMS	13.9	2.6	-57.14	-52.7	-4.44

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.737	-75.04	RMS	13.6	2	-59.44	-51.68	-7.76
2	6.2734	-27.91	RMS	13.8	2.3	-11.81	-11.68	-.13
3	6.7732	-73.48	RMS	14	2.6	-56.88	-51.68	-5.2


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7568	-75.11	RMS	13.5	1.9	-59.71	-52.06	-7.65
2	6.2596	-28.24	RMS	13.8	2.3	-12.14	-12.06	-.08
3	6.7732	-73.74	RMS	14	2.6	-57.14	-52.06	-5.08


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.604	-74.42	RMS	13.5	2	-58.92	-52	-6.92
2	6.0996	-28.32	RMS	13.8	2.3	-12.22	-12	-.22
3	6.618	-72.94	RMS	13.9	2.6	-56.44	-52	-4.44

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5884	-73.78	RMS	13.5	2	-58.28	-52.56	-5.72
2	6.1434	-28.7	RMS	13.7	2.3	-12.7	-12.56	-1.14
3	6.63	-73.53	RMS	13.9	2.6	-57.03	-52.56	-4.47

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.4	RMS	13.6	2	-59.8	-51.52	-8.28
2	6.259	-27.68	RMS	13.8	2.3	-11.58	-11.52	-.06
3	6.7702	-73.65	RMS	14	2.6	-57.05	-51.52	-5.53


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.743	-75.18	RMS	13.5	2	-59.68	-52.13	-7.55
2	6.2584	-28.39	RMS	13.8	2.3	-12.29	-12.13	-.16
3	6.7804	-73.82	RMS	14	2.6	-57.22	-52.13	-5.09

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5974	-73.41	RMS	13.5	2	-57.91	-52.55	-5.36
2	6.0978	-28.69	RMS	13.7	2.3	-12.69	-12.55	-.14
3	6.6246	-73.53	RMS	13.9	2.6	-57.03	-52.55	-4.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-74.16	RMS	13.5	2	-58.66	-52.41	-6.25
2	6.1128	-28.46	RMS	13.7	2.3	-12.46	-12.41	-.05
3	6.6174	-73.22	RMS	13.9	2.6	-56.72	-52.41	-4.31


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7556	-74.56	RMS	13.5	1.9	-59.16	-52.64	-6.52
2	6.259	-28.92	RMS	13.8	2.3	-12.82	-12.64	-.18
3	6.775	-73.62	RMS	14	2.6	-57.02	-52.64	-4.38


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5998	-74.28	RMS	13.5	2	-58.78	-52.22	-6.56
2	6.1278	-28.23	RMS	13.7	2.3	-12.23	-12.22	-.01
3	6.621	-73.28	RMS	13.9	2.6	-56.78	-52.22	-4.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6052	-73.71	RMS	13.5	2	-58.21	-52.08	-6.13
2	6.1212	-28.15	RMS	13.7	2.3	-12.15	-12.09	-.06
3	6.615	-73.79	RMS	13.9	2.6	-57.29	-52.09	-5.2

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7598	-74.93	RMS	13.5	1.9	-59.53	-52.04	-7.49
2	6.2746	-28.26	RMS	13.8	2.3	-12.16	-12.04	-.12
3	6.7774	-73.75	RMS	14	2.6	-57.15	-52.04	-5.11


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7676	-75.01	RMS	13.5	1.9	-59.61	-52.19	-7.42
2	6.2734	-28.63	RMS	13.8	2.3	-12.53	-12.38	-.15
3	6.778	-73.67	RMS	14	2.6	-57.07	-52.38	-4.69


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.6022	-74.29	RMS	13.5	2	-58.79	-51.95	-6.84
2	6.111	-28.21	RMS	13.7	2.3	-12.21	-11.95	-.26
3	6.6168	-73.01	RMS	13.9	2.6	-56.51	-51.95	-4.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.598	-73.62	RMS	13.5	2	-58.12	-52.41	-5.71
2	6.0624	-28.62	RMS	13.7	2.3	-12.62	-12.41	-.21
3	6.6222	-73.54	RMS	13.9	2.6	-57.04	-52.41	-4.63

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2512	-27.96	RMS	13.8	2.3	-11.86	-11.65	-.21
2	6.7738	-73.47	RMS	14	2.6	-56.87	-51.65	-5.22


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.743	-74.75	RMS	13.5	2	-59.25	-52.16	-7.09
2	6.2758	-28.51	RMS	13.8	2.3	-12.41	-12.16	-.25
3	6.7918	-73.8	RMS	14	2.6	-57.2	-52.16	-5.04


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5908	-74.51	RMS	13.5	2	-59.01	-52.05	-6.96
2	6.093	-28.35	RMS	13.8	2.3	-12.25	-12.05	-.2
3	6.6156	-73.21	RMS	13.9	2.6	-56.71	-52.05	-4.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5878	-74.02	RMS	13.5	2	-58.52	-52.46	-6.06
2	6.1002	-28.56	RMS	13.7	2.3	-12.56	-12.46	-.1
3	6.6228	-73.85	RMS	13.9	2.6	-57.35	-52.46	-4.89

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.749	-75.21	RMS	13.5	1.9	-59.81	-51.19	-8.62
2	6.2494	-27.57	RMS	13.8	2.3	-11.47	-11.19	-.28
3	6.7732	-73.45	RMS	14	2.6	-56.85	-51.19	-5.66


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7334	-75.18	RMS	13.5	2	-59.68	-52.3	-7.38
2	6.259	-28.49	RMS	13.8	2.3	-12.39	-12.3	-.09
3	6.7768	-73.95	RMS	14	2.6	-57.35	-52.3	-5.05


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.5944	-74.04	RMS	13.5	2	-58.54	-49.69	-8.85
2	6.0966	-25.91	RMS	13.8	2.3	-9.81	-9.69	-.12
3	6.6192	-73.03	RMS	13.9	2.6	-56.53	-49.69	-6.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.601	-71.95	RMS	13.5	2	-56.45	-50.27	-6.18
2	6.1008	-26.31	RMS	13.7	2.3	-10.31	-10.27	-.04
3	6.6162	-72.48	RMS	13.9	2.6	-55.98	-50.27	-5.71

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.746	-74.13	RMS	13.5	1.9	-58.73	-49.23	-9.5
2	6.2506	-25.52	RMS	13.8	2.3	-9.42	-9.23	-.19
3	6.7792	-72.74	RMS	14	2.6	-56.14	-49.23	-6.91

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7514	-73.12	RMS	13.5	1.9	-57.72	-49.69	-8.03
2	6.2758	-25.95	RMS	13.8	2.3	-9.85	-9.69	-.16
3	6.7714	-72.71	RMS	14	2.6	-56.11	-49.69	-6.42


RMS - RMS detection

9.5.13. 802.11a MODE 2TX IN THE UNII-6 BAND (LOW GAIN)


LOW POWER INDOOR



LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.14. 802.11be EHT20 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR



LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1