



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




9.5.15. 802.11be EHT40 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




9.5.16. 802.11be EHT80 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH) LOW POWER
INDOOR**




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


9.5.17. 802.11be EHT160 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24184	-71.65	RMS	13.8	2.3	-55.55	-48.94	-6.61
2	6.50104	-24.91	RMS	13.9	2	-9.01	-8.94	-.07
3	6.77464	-70.57	RMS	14	2.6	-53.97	-48.94	-5.03


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24256	-72.15	RMS	13.8	2.3	-56.05	-49.35	-6.7
2	6.4978	-25.32	RMS	13.8	2	-9.52	-9.35	-.17
3	6.76744	-70.89	RMS	14	2.6	-54.29	-49.35	-4.94

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24472	-72.25	RMS	13.8	2.3	-56.15	-49.29	-6.86
2	6.5014	-25.44	RMS	13.8	2	-9.64	-9.29	-.35
3	6.77032	-70.94	RMS	14	2.6	-54.34	-49.29	-5.05


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24076	-70.74	RMS	13.8	2.3	-54.64	-48.6	-6.04
2	6.49744	-24.71	RMS	13.9	2	-8.81	-8.6	-.21
3	6.76528	-70.05	RMS	14	2.6	-53.45	-48.6	-4.85


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24616	-72.28	RMS	13.8	2.3	-56.18	-49.01	-7.17
2	6.58096	-25.83	RMS	13.9	2.6	-9.33	-9.17	-.16
3	6.77068	-71.1	RMS	14	2.6	-54.5	-49.17	-5.33


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23932	-71.81	RMS	13.8	2.3	-55.71	-48.57	-7.14
2	6.50968	-24.65	RMS	13.9	2	-8.75	-8.57	-.18
3	6.76708	-70.38	RMS	14	2.6	-53.78	-48.57	-5.21


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24004	-72.21	RMS	13.8	2.3	-56.11	-49.45	-6.66
2	6.57916	-25.99	RMS	13.9	2.6	-9.49	-9.45	-.04
3	6.77068	-71.07	RMS	14	2.6	-54.47	-49.45	-5.02


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23896	-71.7	RMS	13.8	2.3	-55.6	-51.72	-3.88
2	6.51328	-27.75	RMS	13.9	2	-11.85	-11.72	-.13
3	6.77032	-70.45	RMS	14	2.6	-53.85	-51.72	-2.13


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24364	-72.45	RMS	13.8	2.3	-56.35	-52.03	-4.32
2	6.49852	-27.92	RMS	13.8	2	-12.12	-12.03	-.09
3	6.7696	-71.29	RMS	14	2.6	-54.69	-52.03	-2.66


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24292	-71.65	RMS	13.8	2.3	-55.55	-51.65	-3.9
2	6.5788	-28.41	RMS	13.9	2.6	-11.91	-11.65	-.26
3	6.76888	-70.06	RMS	14	2.6	-53.46	-51.65	-1.81


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24076	-72.9	RMS	13.8	2.3	-56.8	-52.17	-4.63
2	6.53884	-28.77	RMS	13.8	2.6	-12.37	-12.17	-.2
3	6.76672	-71.56	RMS	14	2.6	-54.96	-52.17	-2.79

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24112	-72.6	RMS	13.8	2.3	-56.5	-51.99	-4.51
2	6.50032	-27.88	RMS	13.8	2	-12.08	-11.99	-.09
3	6.77068	-71.54	RMS	14	2.6	-54.94	-51.99	-2.95


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23824	-71.76	RMS	13.8	2.3	-55.66	-51.45	-4.21
2	6.57772	-28.13	RMS	13.9	2.6	-11.63	-11.45	-.18
3	6.7696	-70.73	RMS	14	2.6	-54.13	-51.45	-2.68


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24076	-72.69	RMS	13.8	2.3	-56.59	-51.82	-4.77
2	6.49924	-27.82	RMS	13.8	2	-12.02	-11.82	-.2
3	6.77032	-71.33	RMS	14	2.6	-54.73	-51.82	-2.91

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23932	-72.94	RMS	13.8	2.3	-56.84	-51.77	-5.07
2	6.58096	-28.52	RMS	13.9	2.6	-12.02	-11.77	-.25
3	6.76996	-71.57	RMS	14	2.6	-54.97	-51.77	-3.2


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.23896	-71.68	RMS	13.8	2.3	-55.58	-51.78	-3.8
2	6.57664	-28.5	RMS	13.9	2.6	-12	-11.78	-.22
3	6.76996	-70.45	RMS	14	2.6	-53.85	-51.78	-2.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2422	-73.11	RMS	13.8	2.3	-57.01	-52.04	-4.97
2	6.49888	-27.89	RMS	13.8	2	-12.09	-12.04	-.05
3	6.76672	-71.38	RMS	14	2.6	-54.78	-52.04	-2.74


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24364	-71.78	RMS	13.8	2.3	-55.68	-51.49	-4.19
2	6.577	-28.17	RMS	13.9	2.6	-11.67	-11.49	-.18
3	6.76852	-70.53	RMS	14	2.6	-53.93	-51.49	-2.44


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24004	-72.92	RMS	13.8	2.3	-56.82	-52.04	-4.78
2	6.5014	-27.98	RMS	13.8	2	-12.18	-12.04	-.14
3	6.77104	-71.53	RMS	14	2.6	-54.93	-52.04	-2.89

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24148	-72.81	RMS	13.8	2.3	-56.71	-52.01	-4.7
2	6.57736	-28.58	RMS	13.9	2.6	-12.08	-12.01	-.07
3	6.77068	-71.59	RMS	14	2.6	-54.99	-52.01	-2.98


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.24076	-71.22	RMS	13.8	2.3	-55.12	-49.33	-5.79
2	6.56548	-26.09	RMS	13.9	2.6	-9.59	-9.33	-.26
3	6.77032	-69.77	RMS	14	2.6	-53.17	-49.33	-3.84

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.244	-72.16	RMS	13.8	2.3	-56.06	-49.79	-6.27
2	6.49888	-25.78	RMS	13.8	2	-9.98	-9.79	-.19
3	6.76708	-71.1	RMS	14	2.6	-54.5	-49.79	-4.71

RMS - RMS detection

9.5.18. 802.11be EHT320 MODE 2TX IN THE UNII-6 BAND (LOW GAIN)

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS LOW MRU6) LOW POWER INDOOR




RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9192	-69.94	RMS	13.6	1.9	-54.44	-46.49	-7.95
2	6.4004	-22.62	RMS	13.8	2.3	-6.52	-6.49	-.03
3	6.9962	-67.85	RMS	14.1	2.6	-51.15	-46.49	-4.66

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.417	-63.11	RMS	13.9	2.3	-46.91	-25.56	-21.35
2	6.5754	-22.23	RMS	13.9	2.6	-5.73	-5.56	-.17
3	6.7536	-70.34	RMS	14	2.6	-53.74	-25.59	-28.15


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1116	-70.29	RMS	13.7	2.3	-54.29	-44.34	-9.95
2	6.6018	-22.84	RMS	13.9	2.6	-6.34	-6.28	-.06
3	6.7536	-70.32	RMS	14	2.6	-53.72	-26.31	-27.41


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS LOW MRU1) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.918	-70.02	RMS	13.6	1.9	-54.52	-46.71	-7.81
2	6.419	-23.05	RMS	13.9	2.3	-6.85	-6.71	-.14
3	6.9692	-68.06	RMS	14.2	2.6	-51.26	-46.71	-4.55

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9456	-68.87	RMS	13.7	1.9	-53.27	-45.15	-8.12
2	6.4208	-23.08	RMS	13.9	2.3	-6.88	-6.66	-.22
3	7.0016	-68.02	RMS	14.1	2.6	-51.32	-46.66	-4.66

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4176	-61.27	RMS	13.9	2.3	-45.07	-13.78	-31.29
2	6.594	-22.35	RMS	13.9	2.6	-5.85	-5.78	-.07
3	6.7536	-69.56	RMS	14	2.6	-52.96	-25.81	-27.15


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1104	-70.2	RMS	13.7	2.3	-54.2	-44.09	-10.11
2	6.5778	-22.63	RMS	13.9	2.6	-6.13	-5.95	-.18
3	6.753	-71.03	RMS	14	2.6	-54.43	-25.95	-28.48

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS HIGH MRU7) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9216	-70.01	RMS	13.6	1.9	-54.51	-47.19	-7.32
2	6.3992	-23.58	RMS	13.8	2.3	-7.48	-7.19	-.29
3	7.0022	-67.72	RMS	14.1	2.6	-51.02	-47.19	-3.83

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0918	-72.44	RMS	13.8	2.3	-56.34	-45.47	-10.87
2	6.5802	-22.48	RMS	13.9	2.6	-5.98	-5.97	-.01
3	7.0938	-72.24	RMS	14.1	2.6	-55.54	-45.97	-9.57


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-72.84	RMS	13.7	2.3	-56.84	-46.16	-10.68
2	6.6012	-22.85	RMS	13.9	2.6	-6.35	-6.16	-.19
3	7.0902	-72.33	RMS	14.1	2.6	-55.63	-46.16	-9.47


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS HIGH MRU12) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.912	-70.69	RMS	13.6	1.9	-55.19	-45.86	-9.33
2	6.4214	-22.29	RMS	13.9	2.3	-6.09	-5.86	-.23
3	7.0154	-67.85	RMS	14.1	2.6	-51.15	-45.86	-5.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9192	-70.01	RMS	13.6	1.9	-54.51	-46.88	-7.63
2	6.4184	-23.14	RMS	13.9	2.3	-6.94	-6.88	-.06
3	6.9494	-68.19	RMS	14.1	2.6	-51.49	-46.88	-4.61

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0846	-71.71	RMS	13.7	2.3	-55.71	-46.08	-9.63
2	6.5784	-22.68	RMS	13.9	2.6	-6.18	-6.08	-.1
3	7.0962	-71.95	RMS	14.1	2.6	-55.25	-46.08	-9.17


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0798	-72.58	RMS	13.7	2.3	-56.58	-46.23	-10.35
2	6.594	-22.87	RMS	13.9	2.6	-6.37	-6.23	-.14
3	7.0854	-72.18	RMS	14.1	2.6	-55.48	-46.23	-9.25


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS LOW MRU5) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9138	-70.78	RMS	13.6	1.9	-55.28	-46.5	-8.78
2	6.4202	-22.83	RMS	13.9	2.3	-6.63	-6.5	-.13
3	6.9902	-68.55	RMS	14.2	2.6	-51.75	-46.5	-5.25

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8994	-70.42	RMS	13.6	1.9	-54.92	-46.74	-8.18
2	6.401	-22.86	RMS	13.8	2.3	-6.76	-6.74	-.02
3	7.0052	-68.06	RMS	14.1	2.6	-51.36	-46.74	-4.62

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-72.56	RMS	13.7	2.3	-56.56	-46.23	-10.33
2	6.5712	-22.75	RMS	13.9	2.6	-6.25	-6.23	-.02
3	7.0908	-72.11	RMS	14.1	2.6	-55.41	-46.23	-9.18


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.084	-73.13	RMS	13.7	2.3	-57.13	-46.01	-11.12
2	6.5772	-22.58	RMS	13.9	2.6	-6.08	-6.01	-.07
3	7.0896	-72.2	RMS	14.1	2.6	-55.5	-46.01	-9.49


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS HIGH MRU11)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4148	-23.91	RMS	13.9	2.3	-7.71	-7.62	-.09
2	6.2582	-66.16	RMS	13.8	2.3	-50.06	-7.62	-42.44
3	6.596	-69.56	RMS	13.9	2.6	-53.06	-27.77	-25.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4196	-24.48	RMS	13.9	2.3	-8.28	-8.23	-.05
2	6.2576	-70.06	RMS	13.8	2.3	-53.96	-16.23	-37.73
3	6.5924	-65.78	RMS	13.9	2.6	-49.28	-16.23	-33.05

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5772	-23.78	RMS	13.9	2.6	-7.28	-7.07	-.21
2	6.4152	-71.07	RMS	13.9	2.3	-54.87	-27.16	-27.71
3	6.7548	-69.23	RMS	14	2.6	-52.63	-27.16	-25.47


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.579	-23.76	RMS	13.9	2.6	-7.26	-7.11	-1.15
2	6.4146	-71.6	RMS	13.9	2.3	-55.4	-27.22	-28.18
3	6.7524	-64.32	RMS	14	2.6	-47.72	-15.11	-32.61


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9	-70.67	RMS	13.6	1.9	-55.17	-46.68	-8.49
2	6.4184	-23.03	RMS	13.9	2.3	-6.83	-6.68	-.15
3	6.9548	-68.37	RMS	14.1	2.6	-51.67	-46.68	-4.99

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9132	-70.09	RMS	13.6	1.9	-54.59	-47.07	-7.52
2	6.4022	-23.32	RMS	13.8	2.3	-7.22	-7.07	-.15
3	6.992	-67.83	RMS	14.1	2.6	-51.13	-47.07	-4.06

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0798	-72.64	RMS	13.7	2.3	-56.64	-46.08	-10.56
2	6.5754	-22.61	RMS	13.9	2.6	-6.11	-6.08	-.03
3	7.0932	-72.15	RMS	14.1	2.6	-55.45	-46.08	-9.37

RMS - RMS detection




RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.434	-23.08	RMS	13.9	2	-7.18	-7.14	-.04
2	6.257	-71.23	RMS	13.8	2.3	-55.13	-27.14	-27.99
3	6.593	-64.44	RMS	13.9	2.6	-47.94	-27.14	-20.8

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4424	-23.82	RMS	13.9	2	-7.92	-7.9	-.02
2	6.2582	-70.99	RMS	13.8	2.3	-54.89	-7.9	-46.99
3	6.593	-66.22	RMS	13.9	2.6	-49.72	-27.9	-21.82

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5904	-23.12	RMS	13.9	2.6	-6.62	-6.6	-.02
2	6.4176	-70.81	RMS	13.9	2.3	-54.61	-14.6	-40.01
3	6.7524	-64.42	RMS	14	2.6	-47.82	-14.6	-33.22


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5976	-23.84	RMS	13.9	2.6	-7.34	-7.33	-.01
2	6.4164	-71.97	RMS	13.9	2.3	-55.77	-27.36	-28.41
3	6.753	-67.93	RMS	14	2.6	-51.33	-27.33	-24


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS LOW MRU3)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9084	-70.56	RMS	13.6	1.9	-55.06	-46.54	-8.52
2	6.4178	-22.81	RMS	13.9	2.3	-6.61	-6.54	-.07
3	6.9872	-68.1	RMS	14.2	2.6	-51.3	-46.54	-4.76

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9144	-70.29	RMS	13.6	1.9	-54.79	-46.92	-7.87
2	6.416	-23.14	RMS	13.9	2.3	-6.94	-6.92	-.02
3	6.986	-67.85	RMS	14.1	2.6	-51.15	-46.92	-4.23

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0774	-72.48	RMS	13.7	2.3	-56.48	-45.98	-10.5
2	6.5754	-22.58	RMS	13.9	2.6	-6.08	-5.98	-.1
3	7.0884	-72.08	RMS	14.1	2.6	-55.38	-45.98	-9.4


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0798	-73.2	RMS	13.7	2.3	-57.2	-46.11	-11.09
2	6.5961	-22.79	RMS	13.9	2.6	-6.29	-6.11	-.18
3	7.0872	-72.33	RMS	14.1	2.6	-55.63	-46.11	-9.52


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS HIGH MRU9)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4106	-23.78	RMS	13.9	2.3	-7.58	-7.47	-.11
2	6.2558	-71.69	RMS	13.8	2.3	-55.59	-27.53	-28.06
3	6.593	-65.9	RMS	13.9	2.6	-49.4	-27.47	-21.93

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.419	-24.26	RMS	13.9	2.3	-8.06	-7.95	-.11
2	6.2528	-70.45	RMS	13.8	2.3	-54.35	-28.15	-26.2
3	6.596	-67.74	RMS	13.9	2.6	-51.24	-28.1	-23.14

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5778	-23.67	RMS	13.9	2.6	-7.17	-7.03	-1.14
2	6.4158	-69.51	RMS	13.9	2.3	-53.31	-27.09	-26.22
3	6.7536	-67.91	RMS	14	2.6	-51.31	-27.06	-24.25


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5778	-23.92	RMS	13.9	2.6	-7.42	-7.31	-.11
2	6.4182	-69.05	RMS	13.9	2.3	-52.85	-7.31	-45.54
3	6.7542	-68.16	RMS	14	2.6	-51.56	-27.37	-24.19


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2 LOW MRU4)
LOW POWER INDOOR**




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9	-70.27	RMS	13.6	1.9	-54.77	-46.74	-8.03
2	6.4394	-22.66	RMS	13.9	2	-6.76	-6.74	-.02
3	6.986	-68.1	RMS	14.2	2.6	-51.3	-46.74	-4.56

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9138	-70.01	RMS	13.6	1.9	-54.51	-47.37	-7.14
2	6.377	-23.55	RMS	13.8	2.3	-7.45	-7.37	-.08
3	7.0016	-67.89	RMS	14.1	2.6	-51.19	-47.37	-3.82

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.078	-72.19	RMS	13.7	2.3	-56.19	-45.99	-10.2
2	6.594	-22.71	RMS	13.9	2.6	-6.21	-5.99	-.22
3	7.0836	-71.72	RMS	14.1	2.6	-55.02	-45.89	-9.13


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1122	-69.61	RMS	13.7	2.3	-53.61	-43.55	-10.06
2	6.5958	-22.27	RMS	13.9	2.6	-5.77	-5.54	-.23
3	7.068	-69.62	RMS	14.1	2.6	-52.92	-44.32	-8.6


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2 HIGH MRU10) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4196	-23.97	RMS	13.9	2.3	-7.77	-7.66	-.11
2	6.2546	-67.51	RMS	13.8	2.3	-51.41	-27.77	-23.64
3	6.5942	-69.12	RMS	13.9	2.6	-52.62	-27.72	-24.9

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4184	-24.14	RMS	13.9	2.3	-7.94	-7.88	-.06
2	6.2576	-68.96	RMS	13.8	2.3	-52.86	-15.88	-36.98
3	6.5948	-68.95	RMS	13.9	2.6	-52.45	-27.97	-24.48

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5916	-23.74	RMS	13.9	2.6	-7.24	-7.15	-.09
2	6.4182	-66.61	RMS	13.9	2.3	-50.41	-7.15	-43.26
3	6.7542	-68.53	RMS	14	2.6	-51.93	-27.21	-24.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.5802	-24.06	RMS	13.9	2.6	-7.56	-7.47	-.09
2	6.417	-70.8	RMS	13.9	2.3	-54.6	-27.47	-27.13
3	6.753	-66.43	RMS	14	2.6	-49.83	-27.47	-22.36


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS LOW) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.924	-70.43	RMS	13.6	1.9	-54.93	-48.04	-6.89
2	6.4328	-24.06	RMS	13.9	2.1	-8.06	-8.04	-.02
3	6.989	-68.16	RMS	14.2	2.6	-51.36	-48.04	-3.32

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8835	-70.46	RMS	13.6	1.9	-54.96	-48.66	-6.3
2	6.4208	-24.98	RMS	13.9	2.3	-8.78	-8.66	-.12
3	6.9698	-68.21	RMS	14.1	2.6	-51.51	-48.66	-2.85

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-69.97	RMS	13.7	2.3	-53.97	-47.45	-6.52
2	6.5754	-24.2	RMS	13.9	2.6	-7.7	-7.45	-.25
3	7.0992	-68.03	RMS	14.1	2.6	-51.33	-47.45	-3.88


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0726	-69.96	RMS	13.7	2.3	-53.96	-47.57	-6.39
2	6.5778	-24.41	RMS	13.9	2.6	-7.91	-7.57	-.34
3	7.1022	-67.76	RMS	14.1	2.6	-51.06	-47.57	-3.49


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS HIGH) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8898	-71.13	RMS	13.6	1.9	-55.63	-49.6	-6.03
2	6.4178	-25.96	RMS	13.9	2.3	-9.76	-9.6	-.16
3	6.9914	-68.05	RMS	14.2	2.6	-51.25	-49.6	-1.65

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9096	-70.4	RMS	13.6	1.9	-54.9	-50.38	-4.52
2	6.416	-26.71	RMS	13.9	2.3	-10.51	-10.38	-.13
3	6.9866	-67.96	RMS	14.1	2.6	-51.26	-50.38	-.88

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0816	-70.21	RMS	13.7	2.3	-54.21	-47.45	-6.76
2	6.5766	-23.96	RMS	13.9	2.6	-7.46	-7.45	-.01
3	7.1544	-68.02	RMS	14.2	2.6	-51.22	-47.45	-3.77


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.084	-69.82	RMS	13.7	2.3	-53.82	-47.85	-5.97
2	6.5808	-24.61	RMS	13.9	2.6	-8.11	-7.85	-.26
3	7.0956	-67.63	RMS	14.1	2.6	-50.93	-47.85	-3.08

RMS - RMS detection


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR



Rev 9.5 18 Oct 2021


Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9	-70.49	RMS	13.6	1.9	-54.99	-48.15	-6.84
2	6.4448	-24.29	RMS	13.9	2	-8.39	-8.15	-.24
3	6.9884	-68.06	RMS	14.2	2.6	-51.26	-48.15	-3.11

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.906	-70.24	RMS	13.6	1.9	-54.74	-48.73	-6.01
2	6.4388	-24.81	RMS	13.9	2	-8.91	-8.73	-.18
3	6.9998	-67.84	RMS	14.1	2.6	-51.14	-48.73	-2.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0663	-70.18	RMS	13.7	2.3	-54.18	-47.01	-7.17
2	6.5952	-23.64	RMS	13.9	2.6	-7.14	-7.01	-.13
3	7.1064	-67.82	RMS	14.1	2.6	-51.12	-47.01	-4.11


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0687	-70.21	RMS	13.7	2.3	-54.21	-47.5	-6.71
2	6.5964	-24.02	RMS	13.9	2.6	-7.52	-7.5	-.02
3	7.1142	-68.07	RMS	14.1	2.6	-51.37	-47.5	-3.87

RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) LOW POWER
INDOOR**




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9042	-70.02	RMS	13.6	1.9	-54.52	-48.35	-6.17
2	6.4184	-24.59	RMS	13.9	2.3	-8.39	-8.35	-.04
3	6.9809	-68.04	RMS	14.1	2.6	-51.34	-48.35	-2.99

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0744	-70.23	RMS	13.7	2.3	-54.23	-47.7	-6.53
2	6.576	-24.27	RMS	13.9	2.6	-7.77	-7.7	-.07
3	7.1154	-68.12	RMS	14.1	2.6	-51.42	-47.7	-3.72


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0768	-69.76	RMS	13.7	2.3	-53.76	-47.9	-5.86
2	6.5778	-24.47	RMS	13.9	2.6	-7.97	-7.9	-.07
3	7.125	-67.88	RMS	14.1	2.6	-51.18	-47.9	-3.28


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS LOW) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9204	-70.85	RMS	13.6	1.9	-55.35	-49.84	-5.51
2	6.4196	-26.23	RMS	13.9	2.3	-10.03	-9.84	-.19
3	6.9914	-68.16	RMS	14.2	2.6	-51.36	-49.84	-1.52

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9114	-71.18	RMS	13.6	1.9	-55.68	-50.35	-5.33
2	6.4214	-26.77	RMS	13.9	2.3	-10.57	-10.35	-.22
3	6.9896	-68.39	RMS	14.1	2.6	-51.69	-50.35	-1.34

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0744	-70.32	RMS	13.7	2.3	-54.32	-49.57	-4.75
2	6.5748	-26.18	RMS	13.9	2.6	-9.68	-9.57	-.11
3	7.0962	-68.02	RMS	14.1	2.6	-51.32	-49.57	-1.75


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0834	-69.98	RMS	13.7	2.3	-53.98	-48.87	-5.11
2	6.5796	-25.45	RMS	13.9	2.6	-8.95	-8.87	-.08
3	7.1118	-68.06	RMS	14.1	2.6	-51.36	-48.87	-2.49


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (CONTIGUOUS HIGH) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8946	-70.32	RMS	13.6	1.9	-54.82	-49.56	-5.26
2	6.4304	-25.94	RMS	13.9	2.2	-9.84	-9.56	-.28
3	7.0046	-68.02	RMS	14.2	2.6	-51.22	-49.56	-1.66

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9174	-70.24	RMS	13.6	1.9	-54.74	-50.57	-4.17
2	6.4202	-26.81	RMS	13.9	2.3	-10.61	-10.57	-.04
3	7.0106	-67.84	RMS	14.1	2.6	-51.14	-50.57	-.57

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-70.2	RMS	13.7	2.3	-54.2	-49.4	-4.8
2	6.579	-26.05	RMS	13.9	2.6	-9.55	-9.4	-.15
3	7.1118	-68.05	RMS	14.1	2.6	-51.35	-49.4	-1.95


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0792	-69.92	RMS	13.7	2.3	-53.92	-49.46	-4.46
2	6.5796	-26.29	RMS	13.9	2.6	-9.79	-9.46	-.33
3	7.1034	-67.87	RMS	14.1	2.6	-51.17	-49.46	-1.71


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9162	-70.71	RMS	13.6	1.9	-55.21	-50.08	-5.13
2	6.4334	-26.1	RMS	13.9	2.1	-10.1	-10.08	-.02
3	6.9854	-68.21	RMS	14.2	2.6	-51.41	-50.08	-1.33

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9024	-71.7	RMS	13.6	1.9	-56.2	-49.84	-6.36
2	6.3998	-26.25	RMS	13.8	2.3	-10.15	-9.84	-.31
3	6.9872	-68.45	RMS	14.1	2.6	-51.75	-49.84	-1.91

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4164	-68.29	RMS	13.9	2.3	-52.09	-28.77	-23.32
2	6.579	-25.3	RMS	13.9	2.6	-8.8	-8.74	-.06
3	6.753	-65.24	RMS	14	2.6	-48.64	-28.74	-19.9


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.417	-67.08	RMS	13.9	2.3	-50.88	-29.64	-21.24
2	6.5808	-26.28	RMS	13.9	2.6	-9.78	-9.64	-.14
3	6.7536	-67.83	RMS	14	2.6	-51.23	-29.67	-21.56


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9072	-70.39	RMS	13.6	1.9	-54.89	-50.36	-4.53
2	6.4196	-26.74	RMS	13.9	2.3	-10.54	-10.36	-1.18
3	6.9836	-67.84	RMS	14.2	2.6	-51.04	-50.36	-1.68

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8994	-70.59	RMS	13.6	1.9	-55.09	-50.5	-4.59
2	6.4196	-26.71	RMS	13.9	2.3	-10.51	-10.5	-.01
3	6.9614	-68.29	RMS	14.1	2.6	-51.59	-50.5	-1.09

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0696	-70.43	RMS	13.7	2.3	-54.43	-48.69	-5.74
2	6.5754	-25.29	RMS	13.9	2.6	-8.79	-8.69	-.1
3	7.1082	-68.07	RMS	14.1	2.6	-51.37	-48.69	-2.68


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0684	-70.05	RMS	13.7	2.3	-54.05	-49.59	-4.46
2	6.5592	-26.43	RMS	13.9	2.6	-9.93	-9.59	-.34
3	7.1256	-68.24	RMS	14.1	2.6	-51.54	-49.59	-1.95


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8952	-70.88	RMS	13.6	1.9	-55.38	-49.85	-5.53
2	6.4316	-26.06	RMS	13.9	2.1	-10.06	-9.85	-.21
3	6.9932	-68.06	RMS	14.2	2.6	-51.26	-49.85	-1.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9108	-70.3	RMS	13.6	1.9	-54.8	-49.85	-4.95
2	6.4172	-26.13	RMS	13.9	2.3	-9.93	-9.85	-.08
3	6.9758	-67.91	RMS	14.1	2.6	-51.21	-49.85	-1.36

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0774	-70.38	RMS	13.7	2.3	-54.38	-49.11	-5.27
2	6.591	-25.79	RMS	13.9	2.6	-9.29	-9.11	-.18
3	7.1136	-68.13	RMS	14.1	2.6	-51.43	-49.11	-2.32


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.069	-70.27	RMS	13.7	2.3	-54.27	-49.48	-4.79
2	6.5796	-26.05	RMS	13.9	2.6	-9.55	-9.48	-.07
3	7.1058	-68.01	RMS	14.1	2.6	-51.31	-49.48	-1.83

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9084	-70.37	RMS	13.6	1.9	-54.87	-50.48	-4.39
2	6.3758	-26.74	RMS	13.8	2.3	-10.64	-10.48	-.16
3	6.9542	-67.99	RMS	14.1	2.6	-51.29	-50.48	-.81

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0708	-70.44	RMS	13.7	2.3	-54.44	-49.49	-4.95
2	6.5916	-26.15	RMS	13.9	2.6	-9.65	-9.49	-.16
3	7.0926	-67.81	RMS	14.1	2.6	-51.11	-49.49	-1.62


RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0708	-70	RMS	13.7	2.3	-54	-49.18	-4.82
2	6.603	-26.18	RMS	13.9	2.6	-9.68	-9.18	-.5
3	7.1112	-67.82	RMS	14.1	2.6	-51.12	-49.18	-1.94

RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR




RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.912	-71.06	RMS	13.6	1.9	-55.56	-50.23	-5.33
2	6.4157	-26.49	RMS	13.9	2.3	-10.29	-10.23	-.06
3	6.9908	-68.1	RMS	14.1	2.6	-51.4	-50.23	-1.17

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4164	-68.25	RMS	13.9	2.3	-52.05	-29.29	-22.76
2	6.5796	-25.81	RMS	13.9	2.6	-9.31	-9.26	-.05
3	6.756	-67.55	RMS	14	2.6	-50.95	-29.41	-21.54


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.417	-66.73	RMS	13.9	2.3	-50.53	-29.49	-21.04
2	6.6	-26.06	RMS	13.9	2.6	-9.56	-9.49	-.07
3	6.7536	-67.51	RMS	14	2.6	-50.91	-29.52	-21.39


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9132	-70.57	RMS	13.6	1.9	-55.07	-49.58	-5.49
2	6.4154	-25.81	RMS	13.9	2.3	-9.61	-9.58	-.03
3	6.9986	-68.05	RMS	14.2	2.6	-51.25	-49.58	-1.67

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.912	-70.87	RMS	13.6	1.9	-55.37	-50.09	-5.28
2	6.419	-26.34	RMS	13.9	2.3	-10.14	-10.09	-.05
3	6.9968	-68.01	RMS	14.1	2.6	-51.31	-50.09	-1.22

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.417	-67.84	RMS	13.9	2.3	-51.64	-29.33	-22.31
2	6.5772	-25.87	RMS	13.9	2.6	-9.37	-9.33	-.04
3	6.7536	-66.52	RMS	14	2.6	-49.92	-29.36	-20.56


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.417	-70.11	RMS	13.9	2.3	-53.91	-29.25	-24.66
2	6.5766	-25.91	RMS	13.9	2.6	-9.41	-9.25	-.16
3	6.753	-67.46	RMS	14	2.6	-50.86	-29.25	-21.61


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9144	-69.93	RMS	13.6	1.9	-54.43	-47.26	-7.17
2	6.4172	-23.49	RMS	13.9	2.3	-7.29	-7.26	-.03
3	6.9854	-68.08	RMS	14.2	2.6	-51.28	-47.26	-4.02

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9048	-69.19	RMS	13.6	1.9	-53.69	-48	-5.69
2	6.4184	-24.37	RMS	13.9	2.3	-8.17	-8	-.17
3	6.9974	-67.65	RMS	14.1	2.6	-50.95	-48	-2.95

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0786	-69.57	RMS	13.7	2.3	-53.57	-46.86	-6.71
2	6.5934	-23.47	RMS	13.9	2.6	-6.97	-6.86	-.11
3	7.0998	-70.6	RMS	14.1	2.6	-53.9	-46.86	-7.04

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0834	-70.85	RMS	13.7	2.3	-54.85	-46.87	-7.98
2	6.5808	-23.51	RMS	13.9	2.6	-7.01	-6.87	-.14
3	7.0878	-71	RMS	14.1	2.6	-54.3	-46.87	-7.43

RMS - RMS detection