



2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+3x996T (NON-CONTIGUOUS) LOW POWER INDOOR



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8802	-71.58	RMS	13.8	1.9	-55.88	-54.76	-1.12
2	6.4166	-31.47	RMS	14.1	2.3	-15.07	-14.76	-.31
3	6.9596	-72.42	RMS	14.3	2.6	-55.52	-54.76	-.76


RMS - RMS detection



Rev. 9.5 18 Oct. 2021


Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.894	-71.46	RMS	13.7	1.9	-55.86	-52.65	-3.21
2	6.4106	-29.32	RMS	14.1	2.3	-12.92	-12.65	-.27
3	6.9722	-72.27	RMS	14.2	2.6	-55.47	-52.65	-2.82

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0408	-72.1	RMS	13.8	2.3	-56	-52.62	-3.38
2	6.5808	-30.02	RMS	14.1	2.6	-13.32	-12.62	-.7
3	7.1514	-71.7	RMS	14.4	2.6	-54.7	-52.62	-2.08


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0438	-72.45	RMS	13.8	2.3	-56.35	-52.71	-3.64
2	6.5592	-29.39	RMS	14	2.6	-12.79	-12.71	-.08
3	7.1112	-72.01	RMS	14.2	2.6	-55.21	-52.71	-2.5


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.885	-72.13	RMS	13.8	1.9	-56.43	-52.2	-4.23
2	6.4196	-28.92	RMS	14.1	2.3	-12.52	-12.2	-0.32
3	6.989	-72.39	RMS	14.3	2.6	-55.49	-52.2	-3.29

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9042	-71.99	RMS	13.7	1.9	-56.39	-52.86	-3.53
2	6.4178	-29.57	RMS	14.1	2.3	-13.17	-12.86	-.31
3	6.9968	-72.79	RMS	14.2	2.6	-55.99	-52.86	-3.13

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0438	-72.68	RMS	13.8	2.3	-56.58	-51.45	-5.13
2	6.5802	-28.2	RMS	14.1	2.6	-11.5	-11.45	-.05
3	7.1478	-72.09	RMS	14.4	2.6	-55.09	-51.45	-3.64


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0588	-72.52	RMS	13.8	2.3	-56.42	-51.85	-4.57
2	6.5772	-28.68	RMS	14	2.6	-12.08	-11.85	-.23
3	7.143	-71.96	RMS	14.2	2.6	-55.16	-51.85	-3.31


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+2x996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.888	-71.99	RMS	13.8	1.9	-56.29	-52.91	-3.38
2	6.4346	-29.39	RMS	14.2	2	-13.19	-12.91	-.28
3	6.9836	-72.25	RMS	14.3	2.6	-55.35	-52.91	-2.44

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8994	-71.55	RMS	13.7	1.9	-55.95	-52.4	-3.55
2	6.4442	-28.72	RMS	14.1	2	-12.62	-12.4	-.22
3	6.9764	-72.61	RMS	14.2	2.6	-55.81	-52.4	-3.41

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0546	-72.28	RMS	13.8	2.3	-56.18	-52.52	-3.66
2	6.6006	-29.5	RMS	14.1	2.6	-12.8	-12.52	-.28
3	7.1376	-71.81	RMS	14.4	2.6	-54.81	-52.52	-2.29


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0528	-72.65	RMS	13.8	2.3	-56.55	-52.55	-4
2	6.597	-29.24	RMS	14	2.6	-12.64	-12.55	-.09
3	7.1388	-71.88	RMS	14.2	2.6	-55.08	-52.55	-2.53

RMS - RMS detection


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR



Rev 9.5 18 Oct 2021


Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8856	-71.59	RMS	13.8	1.9	-55.89	-53.05	-2.84
2	6.4166	-29.61	RMS	14.1	2.3	-13.21	-13.05	-.16
3	6.9866	-72.37	RMS	14.3	2.6	-55.47	-53.05	-2.42

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.879	-71.32	RMS	13.7	1.9	-55.72	-51.64	-4.08
2	6.4196	-28.41	RMS	14.1	2.3	-12.01	-11.64	-.37
3	6.9656	-72.37	RMS	14.2	2.6	-55.57	-51.64	-3.93

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 0	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0402	-72.85	RMS	13.8	2.3	-56.75	-52.64	-4.11
2	6.5628	-29.3	RMS	14	2.6	-12.7	-12.64	-.06
3	7.158	-71.71	RMS	14.4	2.6	-54.71	-52.64	-2.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Attenuator to analyzer Chain 1	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0486	-72.19	RMS	13.8	2.3	-56.09	-51.69	-4.4
2	6.5742	-28.58	RMS	14	2.6	-11.98	-11.69	-.29
3	7.1226	-72.02	RMS	14.2	2.6	-55.22	-51.69	-3.53


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9234	-77.97	RMS	13.6	1.9	-62.47	-54.76	-7.71
2	6.419	-31.14	RMS	13.9	2.3	-14.94	-14.76	-.18
3	6.9362	-76.63	RMS	14.1	2.6	-59.93	-54.76	-5.17

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9096	-78.69	RMS	13.6	1.9	-63.19	-54.87	-8.32
2	6.4166	-31.21	RMS	13.9	2.3	-15.01	-14.87	-.14
3	6.9434	-76.45	RMS	14.1	2.6	-59.75	-54.87	-4.88

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0456	-77.26	RMS	13.7	2.3	-61.26	-54.14	-7.12
2	6.5772	-30.75	RMS	13.9	2.6	-14.25	-14.14	-.11
3	7.0914	-75.65	RMS	14.1	2.6	-58.95	-54.14	-4.81


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0474	-78.12	RMS	13.7	2.3	-62.12	-54.74	-7.38
2	6.5772	-31.38	RMS	13.9	2.6	-14.88	-14.74	-.14
3	7.1058	-76.06	RMS	14.1	2.6	-59.36	-54.74	-4.62


RMS - RMS detection

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 4x996T LOW POWER INDOOR




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9078	-75.77	RMS	13.6	1.9	-60.27	-53.14	-7.13
2	6.413	-29.49	RMS	13.9	2.3	-13.29	-13.14	-.15
3	6.9476	-74.1	RMS	14.1	2.6	-57.4	-53.14	-4.26

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8994	-75.88	RMS	13.6	1.9	-60.38	-53.2	-7.18
2	6.4208	-29.43	RMS	13.9	2.3	-13.23	-13.2	-.03
3	6.947	-74.09	RMS	14.1	2.6	-57.39	-53.2	-4.19

RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.069	-75.36	RMS	13.7	2.3	-59.36	-52.93	-6.43
2	6.5922	-29.59	RMS	13.9	2.6	-13.09	-12.93	-.16
3	7.098	-73.46	RMS	14.1	2.6	-56.76	-52.93	-3.83

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten	EUT CBL	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.0804	-75.57	RMS	13.7	2.3	-59.57	-52.97	-6.6
2	6.5796	-29.75	RMS	13.9	2.6	-13.25	-12.97	-.28
3	7.1172	-73.7	RMS	14.1	2.6	-57	-52.97	-4.03


RMS - RMS detection

9.5.25. 802.11a MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

LOW POWER INDOOR




9.5.26. 802.11be EHT20 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1



MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T STANDARD POWER




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 52T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T STANDARD POWER




LOW CHANNEL CHAIN 0



LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 106T+26T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.27. 802.11be EHT40 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1

9.5.28. 802.11be EHT80 MODE 2TX IN THE UNII-7 BAND (LOW GAIN)


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS LOW) LOW POWER INDOOR




2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH) STANDARD POWER




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1




HIGH CHANNEL CHAIN 0




HIGH CHANNEL CHAIN 1


2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T (CONTIGUOUS HIGH) LOW POWER INDOOR




LOW CHANNEL CHAIN 0




LOW CHANNEL CHAIN 1




MID CHANNEL CHAIN 0



MID CHANNEL CHAIN 1



HIGH CHANNEL CHAIN 0



HIGH CHANNEL CHAIN 1