

ACME TESTING - SITE #2

MKR 152.869 50 MHz

hp

REF 27.0 dBm

ATTEN 30 dB + 50 dB

16.20 dBm

10 dB/

POS PK

OFFSET

30.0

dB

FCC CFR47, PART 90, 90.210

ROTHENBUHLER ENGINEERING

1668-1

EMISSION MASK D

W/20 dB PAD


START 152.845 0 MHz

RES BW 100 Hz

VBW 300 Hz

STOP 152.895 0 MHz

SWP 15.0 sec



ACME TESTING - SITE #2

MKR 152.870 00 MHz

hp

REF 27.0 dBm

ATTEN 30 dB + 50 dB

-24.20 dBm

10 dB/

POS PK

OFFSET

30.0

dB

FCC CFR47, PART 90, 90.210

ROTHENBUHLER ENGINEERING

1668-1

EMISSION MASK D

W/20 dB PAD


START 152.845 0 MHz

RES BW 100 Hz

VBW 300 Hz

STOP 152.895 0 MHz

SWP 15.0 sec





ACME TESTING - SITE #2

MKR 152.870 00 MHz

hp

REF 27.0 dBm ATTEN 30 dB + 50 dB

-24.20 dBm

10 dB/

POS PK

OFFSET

30.0

dB

FCC CFR47, PART 90, 90.210

ROTHENBUHLER ENGINEERING

1668-1

EMISSION MASK D

W/20 dB PAD

START 152.845 0 MHz

RES BW 100 Hz

VBW 300 Hz

STOP 152.895 0 MHz

SWP 15.0 sec

