



MPE Calculations

Systems operating under the provision of 47 CFR 1.1307(b)(1) shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the FCC guidelines.

The EUT will only be used with a separation of 20 centimeters or greater between the antenna and the body of the user or nearby persons and can therefore be considered a mobile transmitter per 47 CFR 2.1091(b). The MPE calculation for this exposure is shown below.

Using the Antennas with highest output power: Ethertronics & Wistron NeWeb Corp. Antennas

The peak radiated output power (EIRP) is calculated as follows:

<i>Antenna</i>	<i>Frequency (GHz)</i>	<i>Power input to the antenna (P) (dBm)</i>	<i>Power gain of the antenna (G) (dBi)</i>	<i>EIRP (P+G) (dBm)</i>	<i>EIRP Log⁻¹(dBm/10) (mW)</i>
Ethertronics (Chain A)	2.4	23.84	3.00	26.84	483.06
Ethertronics (Chain A)	5	24.04	5.00	29.04	801.68
Ethertronics (Chain B)	2.4	23.84	3.00	26.84	483.06
Ethertronics (Chain B)	5	24.64	5.00	29.64	920.45
Ethertronics (Chain C)	2.4	24.04	3.00	27.04	505.82
Ethertronics (Chain C)	5	24.54	5.00	29.54	899.50
Wistron NeWeb Corp (Chain A)	2.4	23.84	4.96	28.80	758.58
Wistron NeWeb Corp (Chain A)	5	24.04	4.87	28.91	778.04
Wistron NeWeb Corp (Chain B)	2.4	23.84	4.96	28.80	758.58
Wistron NeWeb Corp (Chain B)	5	24.64	4.87	29.51	893.31
Wistron NeWeb Corp (Chain C)	2.4	24.04	4.96	29.00	794.33
Wistron NeWeb Corp (Chain C)	5	24.54	4.87	29.41	872.97

$EIRP = P + G$

Where

P = Power input to the antenna (mW).

G = Power gain of the antenna (dBi)



The numeric gain (G) of the antenna with a gain specified in dB is determined by:

<i>Antenna</i>	<i>Frequency (GHz)</i>	<i>Antenna Gain (G) (dBi)</i>	<i>Numeric Antenna Gain $\text{Log}^{-1}(\text{dBm}/10)$ (dB)</i>
Ethertronics (Chain A)	2.4	3.00	2.00
Ethertronics (Chain A)	5	5.00	3.16
Ethertronics (Chain B)	2.4	3.00	2.00
Ethertronics (Chain B)	5	5.00	3.16
Ethertronics (Chain C)	2.4	3.00	2.00
Ethertronics (Chain C)	5	5.00	3.16
Wistron NeWeb Corp (Chain A)	2.4	4.96	3.13
Wistron NeWeb Corp (Chain A)	5	4.87	3.07
Wistron NeWeb Corp (Chain B)	2.4	4.96	3.13
Wistron NeWeb Corp (Chain B)	5	4.87	3.07
Wistron NeWeb Corp (Chain C)	2.4	4.96	3.13
Wistron NeWeb Corp (Chain C)	5	4.87	3.07

$G = \text{Log}^{-1} (\text{dB antenna gain}/10)$

**Power density at the specific separation:**

<i>Antenna</i>	<i>Frequency (GHz)</i>	<i>Power input to the antenna (P) (mW)</i>	<i>Numeric Power Gain of the Antenna (G) (dB)</i>	<i>Maximum Power Spectral Density $S=PG/(4R^2\pi)$ (mW/cm²)</i>	<i>Maximum Power Spectral Density Limit (mW/cm²)</i>
Ethertronics (Chain A)	2.4	242.10	2.00	0.096	1.00
Ethertronics (Chain A)	5	253.51	3.16	0.159	1.00
Ethertronics (Chain B)	2.4	242.10	2.00	0.096	1.00
Ethertronics (Chain B)	5	291.07	3.16	0.183	1.00
Ethertronics (Chain C)	2.4	253.51	2.00	0.101	1.00
Ethertronics (Chain C)	5	284.45	3.16	0.179	1.00
Wistron NeWeb Corp (Chain A)	2.4	242.10	3.13	0.151	1.00
Wistron NeWeb Corp (Chain A)	5	253.51	3.07	0.155	1.00
Wistron NeWeb Corp (Chain B)	2.4	242.10	3.13	0.151	1.00
Wistron NeWeb Corp (Chain B)	5	291.07	3.07	0.178	1.00
Wistron NeWeb Corp (Chain C)	2.4	253.51	3.13	0.158	1.00
Wistron NeWeb Corp (Chain C)	5	284.45	3.07	0.174	1.00

$$S = PG/(4R^2\pi)$$

Where

S = Maximum power density (mW/cm²)

P = Power input to the antenna (mW).

G = Numeric power gain of the antenna

R = Distance to the center of the radiation of the antenna (20cm = limit for MPE)

The maximum permissible exposure (MPE) for the general population is 1mW/cm².

The power density at 20cm does not exceed the 1mW/cm² limit. Therefore, the exposure condition is compliant with FCC rules.

Aggregate Maximum Power Spectral Density:

<i>Antenna</i>	<i>Frequency (GHz)</i>	<i>Maximum Power Spectral Density Chain A (dBi)</i>	<i>Maximum Power Spectral Density Chain B (dBi)</i>	<i>Maximum Power Spectral Density Chain C (dBi)</i>	<i>Maximum Power Spectral Density Aggregate Chain A, B, & C (dBi)</i>	<i>Maximum Power Spectral Density Limit (mW/cm²)</i>
Ethertronics	2.4	0.096	0.096	0.101	0.098	1.00
Ethertronics	5	0.159	0.183	0.179	0.174	1.00
Wistron NeWeb Corp	2.4	0.151	0.151	0.158	0.153	1.00
Wistron NeWeb Corp	5	0.155	0.178	0.174	0.169	1.00