


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	7.00	170.00	30.00	156.50
WLAN Main Ant 0	95.00	69.00	5.00	243.00
WLAN/BT Aux Ant 1	157.00	17.00	243.00	8.50

<Right Side View> Convertible PC Tablet Mode




Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WWAN Main Ant 0	6.90	2.10
WLAN Main Ant 0	7.29	2.15
WLAN/BT Aux Ant 1	7.26	2.18

<Front Face View> Laptop Mode (180°)



Antenna	To Top Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	7.00	170.00	30.00	156.50
WLAN Main Ant 0	95.00	69.00	5.00	243.00
WLAN/BT Aux Ant 1	157.00	17.00	243.00	8.50

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WWAN Main Ant 0	2.10
WLAN Main Ant 0	2.15
WLAN/BT Aux Ant 1	2.15

<Photographs of Body SAR Test Setup>



Bottom of Laptop of EUT Tested at 0mm



Rear Face of EUT Tested at 0 mm



Left Side of EUT Tested at 0 mm



Right Side of EUT Tested at 0 mm



Top Side of EUT Tested at 0 mm



Bottom Side of EUT Tested at 0 mm

<Photographs of Body SAR with gap Test Setup>



Rear Face of EUT Tested at 10 mm



Rear Face of EUT Tested at 13 mm




Left Side of EUT Tested at 25 mm




Top Side of EUT Tested at 15 mm

<Photographs of Power Density Test in Tablet Mode Setup>



Left Side of EUT Tested at 0mm



Rear Face of EUT Tested at 0mm