

FCC SAR TEST REPORT

FCC ID : E2KFM350GL
Equipment : 5G Module
Brand Name : Fibocom
Model Name : FM350-GL
Applicant : Fibocom Wireless Inc.
1101,Tower A, Building 6, Shenzhen International, Innovation
Valley, Dashi 1st Rd, Nanshan, ShenZhen, China
Manufacturer : Fibocom Wireless Inc.
1101,Tower A, Building 6, Shenzhen International, Innovation
Valley, Dashi 1st Rd, Nanshan, ShenZhen, China
Standard : FCC 47 CFR Part 2 (2.1093)

The product was installed into Portable Computer (Brand Name DELL, Model Name: P178G, P178G001) during test.

The product was received on May 08, 2018 and testing was started from Nov. 15, 2022 and completed on Dec. 01, 2022. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample provide by manufacturer and the test data has been evaluated in accordance with the test procedures given in 47 CFR Part 2.1093 and FCC KDB and has been pass the FCC requirement.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Laboratory, the test report shall not be reproduced except in full.



Approved by: Cona Huang / Deputy Manager



Sporton International Inc. EMC & Wireless Communications Laboratory
No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan

Table of Contents

1. Statement of Compliance	4
2. Guidance Applied.....	5
3. Equipment Under Test (EUT) Information.....	5
3.1 General Information	5
3.2 General LTE SAR Test and Reporting Considerations	7
3.3 General 5G NR SAR Test and Reporting Considerations	10
4. Proximity Sensor Triggering Test.....	12
5. RF Exposure Limits.....	16
5.1 Uncontrolled Environment.....	16
5.2 Controlled Environment.....	16
6. Specific Absorption Rate (SAR).....	17
6.1 Introduction	17
6.2 SAR Definition.....	17
7. System Description and Setup	18
7.1 Test Site Location.....	18
7.2 E-Field Probe	19
7.3 Data Acquisition Electronics (DAE)	19
7.4 Phantom.....	20
7.5 Device Holder.....	21
8. Measurement Procedures	22
8.1 Spatial Peak SAR Evaluation.....	22
8.2 Power Reference Measurement.....	23
8.3 Area Scan	23
8.4 Zoom Scan.....	24
8.5 Volume Scan Procedures.....	24
8.6 Power Drift Monitoring.....	24
9. Test Equipment List.....	25
10. System Verification	26
10.1 Tissue Verification	26
10.2 System Performance Check Results.....	27
11. UMTS/LTE Output Power (Unit: dBm)	28
12. 5G NR Output Power (Unit: dBm)	143
13. Antenna Location	212
14. SAR Test Results	213
14.1 Body SAR	215
14.2 Repeated SAR Measurement	224
14.1 FR1 n41/n77 Power Class 2 and Power Class 3 Linearity	225
15. Simultaneous Transmission Analysis	228
15.1 Body Exposure Conditions.....	229
15.2 SPLSR Evaluation and Analysis.....	230
16. Uncertainty Assessment	232
17. References.....	232
Appendix A. Plots of System Performance Check	
Appendix B. Plots of High SAR Measurement	
Appendix C. DASYS Calibration Certificate	
Appendix D. Test Setup Photos	

History of this test report

Report No.	Version	Description	Issued Date
FA2O2008	01	Initial issue of report	Feb. 06, 2023

1. Statement of Compliance

The maximum results of Specific Absorption Rate (SAR) for **Fibocom Wireless Inc., 5G Module, FM350-GL**, are as follows.

Equipment Class	Frequency Band		Highest SAR Summary	Highest Simultaneous Transmission 1g SAR (W/kg)	
			Body		
			1g SAR (W/kg)		
Licensed	WCDMA	WCDMA II	1.18	1.55	
		WCDMA IV	1.11		
		WCDMA V	1.02		
	LTE	LTE Band 7	1.05		
		LTE Band 12 / 17	1.01		
		LTE Band 13	1.12		
		LTE Band 14	1.13		
		LTE Band 2 / 25	1.02		
		LTE Band 5 / 26	1.03		
		LTE Band 30	1.19		
		LTE Band 4 / 66	1.10		
		LTE Band 71	0.89		
		LTE Band 38 / 41	1.06		
		LTE Band 48	1.03		
		FR1	FR1 n2		1.04
			FR1 n5		0.88
	FR1 n7		1.15		
	FR1 n25		1.09		
	FR1 n30		0.97		
	FR1 n66		0.92		
	FR1 n71		0.79		
	FR1 n38 / n41		1.18		
	FR1 n77 / n78	1.44			
Date of Testing:			2022/11/15 ~ 2022/12/1		

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation and the FCC designation No. TW1190 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC test. This device is in compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (1.6 W/kg for Partial-Body 1g SAR) specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-1992, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2013 and FCC KDB publications

Reviewed by: Jason Wang
Report Producer: Daisy Peng

2. Guidance Applied

The Specific Absorption Rate (SAR) testing specification, method, and procedure for this device is in accordance with the following standards, the below KDB standard may not including in the TAF code without accreditation.

- FCC 47 CFR Part 2 (2.1093)
- ANSI/IEEE C95.1-1992
- IEEE 1528-2013
- FCC KDB 865664 D01 SAR Measurement 100 MHz to 6 GHz v01r04
- FCC KDB 865664 D02 SAR Reporting v01r02
- FCC KDB 447498 D01 General RF Exposure Guidance v06
- FCC KDB 616217 D04 SAR for laptop and tablets v01r02
- FCC KDB 941225 D01 3G SAR Procedures v03r01
- FCC KDB 941225 D05 SAR for LTE Devices v02r05
- FCC KDB 941225 D05A Rel.10 LTE SAR Test Guidance v01r02

3. Equipment Under Test (EUT) Information

3.1 General Information

Product Feature & Specification	
Equipment Name	5G Module
Brand Name	Fibocom
Model Name	FM350-GL
FCC ID	E2KFM350GL
Wireless Technology and Frequency Range	WCDMA Band II: 1850 MHz ~ 1910 MHz WCDMA Band IV: 1710 MHz ~ 1755 MHz WCDMA Band V: 824 MHz ~ 849 MHz LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 30: 2305 MHz ~ 2315 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz 5G NR n2 : 1850 MHz ~ 1910 MHz 5G NR n5 : 824 MHz ~ 849 MHz 5G NR n7 : 2500 MHz ~ 2570 MHz 5G NR n25 : 1850 MHz ~ 1915 MHz 5G NR n30 : 2305 MHz ~ 2315 MHz 5G NR n66 : 1710 MHz ~ 1780 MHz 5G NR n71 : 663 MHz ~ 698 MHz 5G NR n77: 3700 MHz ~ 3980 MHz, 3450MHz ~ 3550MHz 5G NR n78: 3700 MHz ~ 3800 MHz, 3450MHz ~ 3550MHz
Mode	RMC 12.2Kbps HSDPA HSUPA DC-HSDPA LTE: QPSK, 16QAM, 64QAM, 256QAM 5G NR: DFT-s-OFDM/CP-OFDM, Pi/2 BPSK/QPSK/16QAM/64QAM/256QAM
Remark: 1. This device has two antenna vendors; RF exposure evaluation selects SPEED as the main test, WNC will spot check worst case found in SPEED. 2. When the EN-DC is active only operating at WWAN main and MIMO2 antenna combination and the Sim-Tx analysis include in section15.	

WWAN Antenna Information (LW)				
Main Antenna	Manufacturer	Wistron Corporation	Peak gain(dBi)	1.77
	Part number	0NNTR2	Type	PIFA
MIMO2 Antenna	Manufacturer	Wistron Corporation	Peak gain(dBi)	1.88
	Part number	0YH5FP	Type	PIFA
MIMO3 Antenna	Manufacturer	Wistron Corporation	Peak gain(dBi)	2.39
	Part number	0YH5FP	Type	PIFA
Aux Antenna	Manufacturer	Wistron Corporation	Peak gain(dBi)	1.43
	Part number	0NNTR2	Type	PIFA

Host Information	
Equipment Name	Portable Computer
Brand Name	DELL
Model Name	P178G
Integrated WLAN Module	Brand Name: Intel Model Name: AX211D2W
Wireless Technology and Frequency Range	WLAN 2.4GHz Band: 2400 MHz ~ 2483.5 MHz WLAN 5.2GHz Band: 5150 MHz ~ 5250 MHz WLAN 5.3GHz Band: 5250 MHz ~ 5350 MHz WLAN 5.6GHz Band: 5470 MHz ~ 5725 MHz WLAN 5.8GHz Band: 5725 MHz ~ 5850 MHz WLAN 5.9 GHz Band: 5850 MHz ~ 5895 MHz WLAN 6GHz: 5925 MHz ~ 6425 MHz, 6425 MHz ~ 6525 MHz, 6525 MHz ~ 6875 MHz, 6875 MHz ~ 7125 MHz Bluetooth: 2400 MHz ~ 2483.5 MHz
Mode	WLAN: 802.11a/b/g/n/ac/ax HT20/HT40/VHT20/VHT40/VHT80/VHT160/HE20/HE40/HE80/HE160 Bluetooth BR/EDR/LE
EUT Stage	Production Unit
Remark: 1. The Intel AX211D2W WLAN/BT module is also integrated into this host. The WLAN 2.4GHz/5GHz and Bluetooth SAR results are referenced from Intel SAR report, report number: 221017-03.TR01 (FCC ID: PD9AX211D2), WLAN 6GHz SAR refers new report No.: 221017-03.TR02 (FCC ID: PD9AX211D2), these result also using for Sim-Tx analysis.	

3.2 General LTE SAR Test and Reporting Considerations

Summarized necessary items addressed in KDB 941225 D05 v02r05																																																																							
FCC ID	E2KFM350GL																																																																						
Equipment Name	5G Module																																																																						
Operating Frequency Range of each LTE transmission band	LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 17: 704 MHz ~ 716 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 30: 2305 MHz ~ 2315 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz																																																																						
Channel Bandwidth	LTE Band 2:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 4:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 5:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 7: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 12:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 13: 5MHz, 10MHz LTE Band 14: 5MHz, 10MHz LTE Band 17: 5MHz, 10MHz LTE Band 25:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 26:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz LTE Band 30: 5MHz, 10MHz LTE Band 38: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 41: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 48: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 66:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 71: 5MHz, 10MHz, 15MHz, 20MHz																																																																						
uplink modulations used	QPSK / 16QAM / 64QAM / 256QAM																																																																						
LTE Voice / Data requirements	Data only																																																																						
LTE MPR permanently built-in by design	<table><tr><th colspan="8">Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3</th></tr><tr><th rowspan="2">Modulation</th><th colspan="6">Channel bandwidth / Transmission bandwidth (N_{RB})</th><th rowspan="2">MPR (dB)</th></tr><tr><th>1.4 MHz</th><th>3.0 MHz</th><th>5 MHz</th><th>10 MHz</th><th>15 MHz</th><th>20 MHz</th></tr><tr><td>QPSK</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 3</td></tr><tr><td>256 QAM</td><td colspan="6">≥ 1</td><td>≤ 5</td></tr></table>	Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3								Modulation	Channel bandwidth / Transmission bandwidth (N _{RB})						MPR (dB)	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1	16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1	16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2	64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2	64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3	256 QAM	≥ 1						≤ 5
Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3																																																																							
Modulation	Channel bandwidth / Transmission bandwidth (N _{RB})						MPR (dB)																																																																
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz																																																																	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1																																																																
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1																																																																
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2																																																																
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2																																																																
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3																																																																
256 QAM	≥ 1						≤ 5																																																																
LTE A-MPR	In the base station simulator configuration, Network Setting value is set to NS_01 to disable A-MPR during SAR testing and the LTE SAR tests was transmitting on all TTI frames (Maximum TTI)																																																																						
Spectrum plots for RB configuration	A properly configured base station simulator was used for the SAR and power measurement; therefore, spectrum plots for each RB allocation and offset configuration are not included in the SAR report.																																																																						
Power reduction applied to satisfy SAR compliance	Yes, Proximity Sensor.																																																																						
LTE Carrier Aggregation Combinations	Inter-Band and Intra-Band possible combinations and the detail power measurement please referred to section 11.																																																																						
LTE Carrier Aggregation Additional Information	This device supports maximum of 5 carriers in the downlink and 2 carriers in the uplink. Additional following LTE Release features are not supported: Relay, HetNet, Enhanced MIMO, eICI, WiFi Offloading, MDH, eMBMA, Cross-Carrier Scheduling, Enhanced SC-FDMA.																																																																						

Transmission (H, M, L) channel numbers and frequencies in each LTE band												
LTE Band 2												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	18607	1850.7	18615	1851.5	18625	1852.5	18650	1855	18675	1857.5	18700	1860
M	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880
H	19193	1909.3	19185	1908.5	19175	1907.5	19150	1905	19125	1902.5	19100	1900
LTE Band 4												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	19957	1710.7	19965	1711.5	19975	1712.5	20000	1715	20025	1717.5	20050	1720
M	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5
H	20393	1754.3	20385	1753.5	20375	1752.5	20350	1750	20325	1747.5	20300	1745
LTE Band 5												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20407	824.7	20415	825.5	20425	826.5	20450	829				
M	20525	836.5	20525	836.5	20525	836.5	20525	836.5				
H	20643	848.3	20635	847.5	20625	846.5	20600	844				
LTE Band 7												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20775	2502.5	20800	2505	20825	2507.5	20850	2510				
M	21100	2535	21100	2535	21100	2535	21100	2535				
H	21425	2567.5	21400	2565	21375	2562.5	21350	2560				
LTE Band 12												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	23017	699.7	23025	700.5	23035	701.5	23060	704				
M	23095	707.5	23095	707.5	23095	707.5	23095	707.5				
H	23173	715.3	23165	714.5	23155	713.5	23130	711				
LTE Band 13												
	Bandwidth 5 MHz				Bandwidth 10 MHz							
	Channel #		Freq.(MHz)		Channel #		Freq.(MHz)					
L	23205		779.5		23230		782					
M	23230		782									
H	23255		784.5									
LTE Band 14												
	Bandwidth 5 MHz				Bandwidth 10 MHz							
	Channel #		Channel #		Channel #		Freq.(MHz)					
L	23305		790.5		23330		793					
M	23330		793									
H	23355		795.5									
LTE Band 17												
	Bandwidth 5 MHz				Bandwidth 10 MHz							
	Channel #		Freq.(MHz)		Channel #		Freq. (MHz)					
L	23755		706.5		23780		709					
M	23790		710		23790		710					
H	23825		713.5		23800		711					
LTE Band 25												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26047	1850.7	26055	1851.5	26065	1852.5	26090	1855	26115	1857.5	26140	1860
M	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880

H	26683	1914.3	26675	1913.5	26665	1912.5	26640	1910	26615	1907.5	26590	1905
LTE Band 26												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26697	814.7	26705	815.5	26715	816.5	26740	819	26765	821.5		
M	26865	831.5	26865	831.5	26865	831.5	26865	831.5	26865	831.5		
H	27033	848.3	27025	847.5	27015	846.5	26990	844	26965	841.5		
LTE Band 30												
	Bandwidth 5 MHz					Bandwidth 10 MHz						
	Channel #			Freq.(MHz)		Channel #			Freq.(MHz)			
L	27685			2307.5		27710			2310			
M	27710			2310								
H	27735			2312.5								
LTE Band 38												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	37775	2572.5	37800	2575	37825	2577.5	37850	2580				
M	38000	2595	38000	2595	38000	2595	38000	2595				
H	38225	2617.5	38200	2615	38175	2612.5	38150	2610				
LTE Band 41												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	39675	2498.5	39700	2501	39725	2503.5	39750	2506				
L	40148	2545.8	40160	2547	40173	2548.3	40185	2549.5				
M	40620	2593	40620	2593	40620	2593	40620	2593				
H	41093	2640.3	41080	2639	41068	2637.8	41055	2636.5				
M	41093	2640.3	41080	2639	41068	2637.8	41055	2636.5				
H	41565	2687.5	41540	2685	41515	2682.5	41490	2680				
LTE Band 48												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	55265	3552.5	55290	3555	55315	3557.5	55340	3560				
L	55810	3607	55815	3607.5	55820	3608	55830	3609				
M	56170	3643	56165	3642.5	56160	3642	56150	3641				
H	56715	3697.5	56690	3695	56665	3692.5	56640	3690				
LTE Band 66												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	131979	1710.7	131987	1711.5	131997	1712.5	132022	1715	132047	1717.5	132072	1720
M	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745
H	132665	1779.3	132657	1778.5	132647	1777.5	132622	1775	132597	1772.5	132572	1770
LTE Band 71												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	133147	665.5	133172	668	133197	670.5	133222	673				
M	133297	680.5	133297	680.5	133297	680.5	133297	680.5				
H	133447	695.5	133422	693	133397	690.5	133372	688				



3.3 General 5G NR SAR Test and Reporting Considerations

5G NR Information								
FCC ID	E2KFM350GL							
Equipment Name	5G Module							
Operating Frequency Range of each 5G NR transmission band	5G NR n2: 1850 MHz ~ 1910 MHz 5G NR n5: 824 MHz ~ 849 MHz 5G NR n7: 2500 MHz ~ 2570 MHz 5G NR n25: 1850 MHz ~ 1915 MHz 5G NR n30: 2305 MHz ~ 2315 MHz 5G NR n38: 2570 MHz ~ 2620 MHz 5G NR n41: 2496 MHz ~ 2690 MHz 5G NR n66: 1710 MHz ~ 1780 MHz 5G NR n71: 663 MHz ~ 698 MHz 5G NR n77: 3700 MHz ~ 3980 MHz, 3450MHz ~ 3550MHz 5G NR n78: 3700 MHz ~ 3800 MHz, 3450MHz ~ 3550MHz							
Channel Bandwidth	5G NR n2: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n5: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n7: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n25: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n30: 10MHz 5G NR n38: 10MHz, 15MHz, 20MHz 5G NR n41: 10MHz, 15MHz, 20MHz, 40MHz, 50MHz, 60MHz, 80MHz, 90MHz, 100MHz 5G NR n66: 5MHz, 10MHz, 15MHz, 20MHz, 40MHz 5G NR n71: 5MHz, 10MHz, 15MHz, 20MHz 5G NR n77/78: 10MHz, 15MHz, 20MHz, 40MHz, 50MHz, 60MHz, 80MHz, 90MHz, 100MHz							
SCS	FDD/TDD: SCS15KHz, SCS30KHz							
uplink modulations used	DFT-s-OFDM: PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM CP-OFDM QPSK / 16QAM / 64QAM / 256QAM							
A-MPR (Additional MPR) disabled for SAR Testing?	Yes							
LTE Anchor Bands for n2	LTE B5/12/13/14							
LTE Anchor Bands for n5	LTE B2/7/30/48/66							
LTE Anchor Bands for n41	LTE B2/41/66							
LTE Anchor Bands for n66	LTE B5/12/13/48							
LTE Anchor Bands for n71	LTE B2/66							
LTE Anchor Bands for n77	LTE B2/5/12/13/14/30/41/66							
LTE Anchor Bands for n78	LTE B2/5/7/38							
NR Band 2								
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	370500	1852.5	371000	1855	371500	1857.5	372000	1860
M	376000	1880	376000	1880	376000	1880	376000	1880
H	381500	1907.5	381000	1905	380500	1902.5	380000	1900
NR Band 5								
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	165300	826.5	165800	829	166300	831.5	166800	834
M	167300	836.5	167300	836.5	167300	836.5	167300	836.5
H	169300	846.5	168800	844	168300	841.5	167800	839
NR Band 7								
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	500500	2502.5	501000	2505	501500	2507.5	502000	2510
M	507000	2535	507000	2535	507000	2535	507000	2535
H	513500	2567.5	513000	2565	512500	2562.5	512000	2560



NR Band 25																				
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz				Bandwidth 20MHz							
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)					
L	370500		1852.5		371000		1855		371500		1857.5		372000		1860					
M	376500		1882.5		376500		1882.5		376500		1882.5		376500		1882.5					
H	382500		1912.5		382000		1910		381500		1907.5		381000		1905					
NR Band 30																				
	Bandwidth 10MHz																			
	Ch. #									Freq. (MHz)										
M	462000									2310										
NR Band 38																				
	Bandwidth 10MHz						Bandwidth 15MHz						Bandwidth 20MHz							
	Ch. #			Freq. (MHz)			Ch. #			Freq. (MHz)			Ch. #			Freq. (MHz)				
L	515004			2575.02			515502			2577.51			516000			2580				
M	519000			2595			519000			2595			519000			2595				
H	522996			2614.98			522498			2612.49			522000			2610				
NR Band 41																				
	Bandwidth10MHz		Bandwidth15MHz		Bandwidth20MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth100MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)		
L	500202	2501.01	500700	2503.5	501204	2506.02	503202	2516.01	504204	2521.02	505200	2526	507204	2536.02	508200	2541	509202	2546.01		
M	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99		
H	537000	2685	536496	2682.48	535998	2679.99	534000	2670	532998	2664.99	531996	2659.98	529998	2649.99	528996	2644.98	528000	2640		
NR Band 66																				
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz				Bandwidth 20MHz				Bandwidth 40MHz			
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)	
L	342500		1712.5		343000		1715		343500		1717.5		344000		1720		346000		1730	
M	349000		1745		349000		1745		349000		1745		349000		1745		349000		1745	
H	355500		1777.5		355000		1775		354500		1772.5		354000		1770		352000		1760	
NR Band 71																				
	Bandwidth 5MHz				Bandwidth 10MHz				Bandwidth 15MHz				Bandwidth 20MHz							
	Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)		Ch. #		Freq. (MHz)					
L	133100		665.5		133600		668		13410		670.5		134600		673					
M	136100		680.5		136100		680.5		136100		680.5		136100		680.5					
H	139100		695.5		138600		693		13810		690.5		137600		688					
NR Band 77																				
	Bandwidth10MHz		Bandwidth15MHz		Bandwidth 20MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth100MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)		
L	647000	3705	647168	3707.52	647334	3710.01	648000	3720	648334	3725.01	648668	3730.02	649334	3740.01	649668	3745.02	650000	3750		
M	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840		
H	665000	3975	664832	3972.48	664666	3969.99	664000	3960	663666	3954.99	663332	3949.98	662666	3939.99	662332	3934.98	662000	3930		
NR Band 78																				
	Bandwidth10MHz		Bandwidth15MHz		Bandwidth 20MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth100MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)		
L	647000	3705	647168	3707.52	647334	3710.01	648000	3720	648334	3725.01	648668	3730.02	649334	3740.01	649668	3745.02				
M	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750		
H	653000	3795	652832	3792.48	652666	3789.99	652000	3780	651666	3774.99	651332	3769.98	650666	3759.99	650332	3754.98				
NR Band 77/78(3450MHz ~ 3550MHz)																				
	Bandwidth10MHz		Bandwidth15MHz		Bandwidth 20MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth100MHz			
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)		
L	630334	3455.01	630500	3457.5	630668	3460.02	631334	3470.01	631668	3475.02	632000	3480	632668	3490.02	633000	3495				
M	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98		
H	636332	3544.98	636166	3542.49	636000	3540	635332	3529.98	635000	3525	634666	3519.99	634000	3510	633666	3504.99				


4. Proximity Sensor Triggering Test

<Proximity Sensor Triggering Distance (KDB 616217 D04 section 6.2)>:

For the device is fully integrated, touch sensing capacitive sensor. It uses a charge transfer capacitive acquisition method that is capable of near range proximity detection. In this device offers a state of the art capacitive sensing engine with an embedded sampling capacitor and voltage regulator allowing the overall solution cost to be reduced and improving system immunity in noisy environments.

Proximity sensor triggering distance testing was performed according to the procedures outlined in KDB 616217 D04 section 6.2, and EUT moving further away from the flat phantom and EUT moving toward the flat phantom were both assessed. The details are illustrated as following, and the shortest triggering distances were reported and used for SAR assessment.

In the preliminary triggering distance testing, the tissue-equivalent medium for different frequency bands were used for verification; no other frequency bands tissue-equivalent medium was found to result in shortest triggering distance than that for 1900MHz, and the tissue-equivalent medium for 1900MHz was used for formal proximity sensor triggering testing.



Proximity Sensor Trigger Distance (mm)				
Antenna	Main		MIMO2	
Position	Bottom of Laptop		Bottom of Laptop	
Minimum	moving toward	moving away	moving toward	moving away
	20	20	12	15

<Proximity Sensor Triggering Coverage (KDB 616217 D04 section 6.3)>:

Since the antenna and sensor are collocated and all of the peak SAR location is overlapping with the sensor pad for this device, therefore, According to KDB 616217 section 6.3, these procedures do not apply and are not required for this device. Due to the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor on this device.

Proximity sensor power reduction

Exposure Position / wireless mode	Bottom of Laptop ⁽¹⁾
WCDMA Band II Main	8 dB
WCDMA Band IV Main	8.5 dB
WCDMA Band V Main	4 dB
LTE Band 7 Main	7.5 dB
LTE Band 7 MIMO2	4 dB
LTE Band 12 Main / 17 Main	1.5 dB
LTE Band 13 Main	2.5 dB
LTE Band 14 Main	2.5 dB
LTE Band 2 Main / 25 Main	7.5 dB
LTE Band 2 MIMO2 / 25 MIMO 2	2.5 dB
LTE Band 5 Main / 26 Main	3.5 dB
LTE Band 30 Main	5.5 dB
LTE Band 30 MIMO2	0.5 dB
LTE Band 38 Main / 41 Main	4.5 dB
LTE Band 41 MIMO2	2 dB
LTE Band 48 MIMO2	1.5 dB
LTE Band 4 Main / 66 Main	8 dB
LTE Band 4 MIMO2 / 66 MIMO2	2.5 dB
LTE Band 71 Main	0.5 dB
FR1 n2 Main / n25 Main	7.5 dB
FR1 n2 MIMO2 / n 25 MIMO2	2.5 dB
FR1 n5 Main	4 dB
FR1 n7 Main	6.5 dB
FR1 n30 Main	6.5 dB
FR1 n38 Main / n41 Main	5 dB
FR1 n41_HPUE Main	5 dB
FR1 n38 MIMO2 / n41 MIMO2	3.5 dB
FR1 n41_HPUE MIMO2	3.5 dB
FR1 n66 Main	2 dB
FR1 n66 MIMO 2	2 dB
FR1 n77 Main / n78 Main	9.5 dB
FR1 n77_HPUE Main / n78_HPUE Main	9.5 dB
FR1 n77 MIMO2 / n78 MIMO2	7.5 dB
FR1 n77_HPUE MIMO2 / n78_HPUE MIMO2	7.5 dB

Remark:

- ⁽¹⁾: Reduced maximum limit applied by activation of proximity.
- Tests were performed in accordance with KDB 616217 D04 section 6.1, 6.2, 6.3, 6.4 and 6.5 and compliant results are shown as below
- For verification of compliance of power reduction scheme, additional SAR testing with EUT transmitting at full RF power at a conservative trigger distance was performed:

Main Antenna:



- Bottom of Laptop: [18 mm](#)

MIMO 2 Antenna:

- Bottom of Laptop: [11 mm](#)


Power Measurement during Sensor Trigger distance testing

<Main>




<MIMO2>

**Bottom of Laptop
(moving toward phantom)**



**Bottom of Laptop
(moving away phantom)**



5. RF Exposure Limits

5.1 Uncontrolled Environment

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure. The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity.

5.2 Controlled Environment

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation). In general, occupational/controlled exposure limits are applicable to situations in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure and can exercise control over their exposure. The exposure category is also applicable when the exposure is of a transient nature due to incidental passage through a location where the exposure levels may be higher than the general population/uncontrolled limits, but the exposed person is fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

1. Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

6. Specific Absorption Rate (SAR)

6.1 Introduction

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

6.2 SAR Definition

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$SAR = \frac{d}{dt} \left(\frac{dW}{dm} \right) = \frac{d}{dt} \left(\frac{dW}{\rho dv} \right)$$


SAR is expressed in units of Watts per kilogram (W/kg)

$$SAR = \frac{\sigma |E|^2}{\rho}$$

Where: σ is the conductivity of the tissue, ρ is the mass density of the tissue and E is the RMS electrical field strength.

7. System Description and Setup

The DASY system used for performing compliance tests consists of the following items:



- The DASY system in SAR Configuration is shown above
- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic Field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running windows software and the DASY software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

7.1 Test Site Location

The SAR measurement facilities used to collect data are within both Sporton Lab list below test site location are accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code: 1190 and 3786) and the FCC designation No. TW1190 and TW3786 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC test.

Test Site	EMC & Wireless Communications Laboratory		Wensan Laboratory		
Test Site Location	TW1190 No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan		TW3786 No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan		
Test Site No.	SAR01-HY	SAR03-HY	SAR08-HY	SAR09-HY	SAR15-HY
	SAR04-HY	SAR05-HY	SAR11-HY	SAR12-HY	SAR16-HY
	SAR06-HY	SAR10-HY	SAR13-HY	SAR14-HY	SAR17-HY

7.2 E-Field Probe

The SAR measurement is conducted with the dosimetric probe (manufactured by SPEAG). The probe is specially designed and calibrated for use in liquid with high permittivity. The dosimetric probe has special calibration in liquid at different frequency. This probe has a built in optical surface detection system to prevent from collision with phantom.

<ES3DV3 Probe>

Construction	Symmetric design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	10 MHz – 4 GHz; Linearity: ± 0.2 dB (30 MHz – 4 GHz)	
Directivity	± 0.2 dB in TSL (rotation around probe axis) ± 0.3 dB in TSL (rotation normal to probe axis)	
Dynamic Range	5 μ W/g – >100 mW/g; Linearity: ± 0.2 dB	
Dimensions	Overall length: 337 mm (tip: 20 mm) Tip diameter: 3.9 mm (body: 12 mm) Distance from probe tip to dipole centers: 3.0 mm	

<EX3DV4 Probe>

Construction	Symmetric design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	10 MHz – >6 GHz Linearity: ± 0.2 dB (30 MHz – 6 GHz)	
Directivity	± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)	
Dynamic Range	10 μ W/g – >100 mW/g Linearity: ± 0.2 dB (noise: typically <1 μ W/g)	
Dimensions	Overall length: 337 mm (tip: 20 mm) Tip diameter: 2.5 mm (body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm	

7.3 Data Acquisition Electronics (DAE)

The data acquisition electronics (DAE) consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock.

The input impedance of the DAE is 200 MOhm; the inputs are symmetrical and floating. Common mode rejection is above 80 dB.




Fig 5.1 Photo of DAE

7.4 Phantom

<SAM Twin Phantom>

Shell Thickness	2 ± 0.2 mm; Center ear point: 6 ± 0.2 mm	
Filling Volume	Approx. 25 liters	
Dimensions	Length: 1000 mm; Width: 500 mm; Height: adjustable feet	
Measurement Areas	Left Hand, Right Hand, Flat Phantom	

The bottom plate contains three pair of bolts for locking the device holder. The device holder positions are adjusted to the standard measurement positions in the three sections. A white cover is provided to tap the phantom during off-periods to prevent water evaporation and changes in the liquid parameters. On the phantom top, three reference markers are provided to identify the phantom position with respect to the robot.

<ELI Phantom>

Shell Thickness	2 ± 0.2 mm (sagging: <1%)	
Filling Volume	Approx. 30 liters	
Dimensions	Major ellipse axis: 600 mm Minor axis: 400 mm	

The ELI phantom is intended for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI4 is fully compatible with standard and all known tissue simulating liquids.

7.5 Device Holder

<Mounting Device for Hand-Held Transmitter>

In combination with the Twin SAM V5.0/V5.0c or ELI phantoms, the Mounting Device for Hand-Held Transmitters enables rotation of the mounted transmitter device to specified spherical coordinates. At the heads, the rotation axis is at the ear opening. Transmitter devices can be easily and accurately positioned according to IEC 62209-1, IEEE 1528, FCC, or other specifications. The device holder can be locked for positioning at different phantom sections (left head, right head, flat). And upgrade kit to Mounting Device to enable easy mounting of wider devices like big smart-phones, e-books, small tablets, etc. It holds devices with width up to 140 mm.



Mounting Device for Hand-Held Transmitters



Mounting Device Adaptor for Wide-Phones

<Mounting Device for Laptops and other Body-Worn Transmitters>

The extension is lightweight and made of POM, acrylic glass and foam. It fits easily on the upper part of the mounting device in place of the phone positioned. The extension is fully compatible with the SAM Twin and ELI phantoms.



Mounting Device for Laptops

8. Measurement Procedures

The measurement procedures are as follows:

- (a) Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power, in the highest power channel.
- (b) Place the EUT in the positions as Appendix D demonstrates.
- (c) Set scan area, grid size and other setting on the DASY software.
- (d) Measure SAR results for the highest power channel on each testing position.
- (e) Find out the largest SAR result on these testing positions of each band
- (f) Measure SAR results for other channels in worst SAR testing position if the reported SAR of highest power channel is larger than 0.8 W/kg

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- (a) Power reference measurement
- (b) Area scan
- (c) Zoom scan
- (d) Power drift measurement

8.1 Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The DASY software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine (SEMCAD). The system always gives the maximum values for the 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- (a) Extraction of the measured data (grid and values) from the Zoom Scan
- (b) Calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- (c) Generation of a high-resolution mesh within the measured volume
- (d) Interpolation of all measured values from the measurement grid to the high-resolution grid
- (e) Extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- (f) Calculation of the averaged SAR within masses of 1g and 10g

8.2 Power Reference Measurement

The Power Reference Measurement and Power Drift Measurements are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties.

8.3 Area Scan

The area scan is used as a fast scan in two dimensions to find the area of high field values, before doing a fine measurement around the hot spot. The sophisticated interpolation routines implemented in DASY software can find the maximum found in the scanned area, within a range of the global maximum. The range (in dB0) is specified in the standards for compliance testing. For example, a 2 dB range is required in IEEE standard 1528 and IEC 62209 standards, whereby 3 dB is a requirement when compliance is assessed in accordance with the ARIB standard (Japan), if only one zoom scan follows the area scan, then only the absolute maximum will be taken as reference. For cases where multiple maximums are detected, the number of zoom scans has to be increased accordingly.

Area scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

	≤ 3 GHz	> 3 GHz
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface	5 ± 1 mm	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5$ mm
Maximum probe angle from probe axis to phantom surface normal at the measurement location	$30^\circ \pm 1^\circ$	$20^\circ \pm 1^\circ$
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}	≤ 2 GHz: ≤ 15 mm $2 - 3$ GHz: ≤ 12 mm	$3 - 4$ GHz: ≤ 12 mm $4 - 6$ GHz: ≤ 10 mm
	When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be $\leq$ the corresponding x or y dimension of the test device with at least one measurement point on the test device.	

8.4 Zoom Scan

Zoom scans are used to assess the peak spatial SAR values within a cubic averaging volume containing 1 gram and 10 gram of simulated tissue. The zoom scan measures points (refer to table below) within a cube whose base faces are centered on the maxima found in a preceding area scan job within the same procedure. When the measurement is done, the zoom scan evaluates the averaged SAR for 1 gram and 10 gram and displays these values next to the job's label.

Zoom scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

			≤ 3 GHz	> 3 GHz
Maximum zoom scan spatial resolution: $\Delta x_{\text{Zoom}}, \Delta y_{\text{Zoom}}$			≤ 2 GHz: ≤ 8 mm 2 – 3 GHz: ≤ 5 mm*	3 – 4 GHz: ≤ 5 mm* 4 – 6 GHz: ≤ 4 mm*
Maximum zoom scan spatial resolution, normal to phantom surface	uniform grid: $\Delta z_{\text{Zoom}}(n)$		≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm
	graded grid	$\Delta z_{\text{Zoom}}(1)$: between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm
		$\Delta z_{\text{Zoom}}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{\text{Zoom}}(n-1)$	
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm
Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details.				
* When zoom scan is required and the <i>reported</i> SAR from the <i>area scan based 1-g SAR estimation</i> procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.				

8.5 Volume Scan Procedures

The volume scan is used to assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing. When all volume scan were completed, the software, SEMCAD postprocessor can combine and subsequently superpose these measurement data to calculating the multiband SAR.

8.6 Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In DASy measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drifts more than 5%, the SAR will be retested.

9. Test Equipment List

Manufacturer	Name of Equipment	Type/Model	Serial Number	Calibration	
				Last Cal.	Due Date
SPEAG	750MHz System Validation Kit ⁽²⁾	D750V3	1012	Aug. 18, 2021	Aug. 16, 2023
SPEAG	835MHz System Validation Kit	D835V2	4d060	Mar. 24, 2022	Mar. 23, 2023
SPEAG	1750MHz System Validation Kit	D1750V2	1120	Mar. 25, 2022	Mar. 24, 2023
SPEAG	1900MHz System Validation Kit ⁽²⁾	D1900V2	5d041	Aug. 19, 2021	Aug. 17, 2023
SPEAG	1900MHz System Validation Kit	D1900V2	5d185	Jun. 17, 2022	Jun. 16, 2023
SPEAG	2300MHz System Validation Kit	D2300V2	1006	Jan. 18, 2022	Jan. 17, 2023
SPEAG	2600MHz System Validation Kit	D2600V2	1089	Mar. 24, 2022	Mar. 23, 2023
SPEAG	3500MHz System Validation Kit	D3500V2	1014	Jan. 17, 2022	Jan. 16, 2023
SPEAG	3500MHz System Validation Kit	D3500V2	1036	Mar. 23, 2022	Mar. 22, 2023
SPEAG	3700MHz System Validation Kit	D3700V2	1006	Jun. 20, 2022	Jun. 19, 2023
SPEAG	3900MHz System Validation Kit	D3900V2	1017	Apr. 22, 2022	Apr. 21, 2023
SPEAG	Data Acquisition Electronics	DAE4	853	Jul. 20, 2022	Jul. 19, 2023
SPEAG	Data Acquisition Electronics	DAE4	854	Aug. 24, 2022	Aug. 23, 2023
SPEAG	Dosimetric E-Field Probe	EX3DV4	3642	Apr. 28, 2022	Apr. 27, 2023
SPEAG	Dosimetric E-Field Probe	EX3DV4	7439	Mar. 02, 2022	Mar. 01, 2023
RCPTWN	Thermometer	HTC-1	TM685-1	Jun. 27, 2022	Jun. 26, 2023
RCPTWN	Thermometer	HTC-1	TM560-2	Mar. 15, 2022	Mar. 14, 2023
Anritsu	Radio Communication Analyzer	MT8821C	6201341950	Oct. 31, 2022	Oct. 30, 2023
Keysight	Wireless Communication Test Set	E5515C	MY50267236	Mar. 02, 2022	Mar. 01, 2023
SPEAG	Device Holder	N/A	N/A	N/A	N/A
Anritsu	Signal Generator	MG3710A	6201502524	Oct. 12, 2022	Oct. 11, 2023
Keysight	ENA Network Analyzer	E5071C	MY46104758	Sep. 22, 2022	Sep. 21, 2023
SPEAG	Dielectric Probe Kit	DAK-3.5	1126	Sep. 28, 2022	Sep. 27, 2023
LINE SEIKI	Digital Thermometer	DTM3000-spezial	2942	Oct. 31, 2022	Oct. 30, 2023
Anritsu	Power Meter	ML2495A	1419002	Aug. 16, 2022	Aug. 15, 2023
Anritsu	Power Meter	ML2495A	1804003	Oct. 17, 2022	Oct. 16, 2023
Anritsu	Power Sensor	MA2411B	1726150	Oct. 17, 2022	Oct. 16, 2023
Anritsu	Power Sensor	MA2411B	1911334	Jun. 22, 2022	Jun. 21, 2023
Anritsu	Spectrum Analyzer	MS2830A	6201396378	Jul. 21, 2022	Jul. 20, 2023
Anritsu	Spectrum Analyzer	N9010A	MY53470118	Jan. 12, 2022	Jan. 11, 2023
Mini-Circuits	Power Amplifier	ZVE-8G+	6418	Oct. 14, 2022	Oct. 13, 2023
Mini-Circuits	Power Amplifier	ZVE-8G+	479102029	Sep. 15, 2022	Sep. 14, 2023
ATM	Dual Directional Coupler	C122H-10	P610410z-02	Note 1	
Woken	Attenuator 1	WK0602-XX	N/A	Note 1	
PE	Attenuator 2	PE7005-10	N/A	Note 1	
PE	Attenuator 3	PE7005- 3	N/A	Note 1	

General Note:

1. Prior to system verification and validation, the path loss from the signal generator to the system check source and the power meter, which includes the amplifier, cable, attenuator and directional coupler, was measured by the network analyzer. The reading of the power meter was offset by the path loss difference between the path to the power meter and the path to the system check source to monitor the actual power level fed to the system check source.
2. The dipole calibration interval can be extended to 3 years with justification according to KDB 865664 D01. The dipoles are also not physically damaged, or repaired during the interval. The justification data in appendix C can be found which the return loss is < -20dB, within 20% of prior calibration, the impedance is within 5 ohm of prior calibration for each dipole.

10. System Verification

10.1 Tissue Verification

The tissue dielectric parameters of tissue-equivalent media used for SAR measurements must be characterized within a temperature range of 18°C to 25°C, measured with calibrated instruments and apparatuses, such as network analyzers and temperature probes. The temperature of the tissue-equivalent medium during SAR measurement must also be within 18°C to 25°C and within $\pm 2^\circ\text{C}$ of the temperature when the tissue parameters are characterized. The tissue dielectric measurement system must be calibrated before use. The dielectric parameters must be measured before the tissue-equivalent medium is used in a series of SAR measurements.

The liquid tissue depth was at least 15cm in the phantom for all SAR testing

<Tissue Dielectric Parameter Check Results>

Frequency (MHz)	Liquid Temp. (°C)	Conductivity (σ)	Permittivity (ϵ_r)	Conductivity Target (σ)	Permittivity Target (ϵ_r)	Delta (σ) (%)	Delta (ϵ_r) (%)	Limit (%)	Date
750	22.5	0.890	41.457	0.89	41.90	0.00	-1.06	± 5	2022/11/15
835	22.5	0.924	41.161	0.90	41.50	2.67	-0.82	± 5	2022/11/15
1750	22.4	1.364	40.128	1.37	40.10	-0.44	0.07	± 5	2022/11/16
1750	22.2	1.395	40.340	1.37	40.10	1.82	0.60	± 5	2022/11/20
1900	22.4	1.398	39.895	1.40	40.00	-0.14	-0.26	± 5	2022/11/16
1900	22.2	1.412	40.087	1.40	40.00	0.86	0.22	± 5	2022/11/20
2300	22.5	1.684	39.489	1.67	39.50	0.84	-0.03	± 5	2022/11/17
2600	22.5	2.028	38.275	1.96	39.00	3.47	-1.86	± 5	2022/11/17
2600	22.5	2.018	38.237	1.96	39.00	2.96	-1.96	± 5	2022/11/19
2600	22.4	1.914	39.862	1.96	39.00	-2.35	2.21	± 5	2022/11/21
3500	22.5	2.945	38.602	2.91	37.90	1.20	1.85	± 5	2022/12/1
3500	22.5	2.945	38.602	2.91	37.90	1.20	1.85	± 5	2022/12/1
3700	22.6	3.172	38.493	3.12	37.70	1.67	2.10	± 5	2022/11/18
3900	22.5	3.366	38.212	3.33	37.51	1.08	1.87	± 5	2022/12/1

10.2 System Performance Check Results

Comparing to the original SAR value provided by SPEAG, the verification data should be within its specification of 10 %. Below table shows the target SAR and measured SAR after normalized to 1W input power. The table below indicates the system performance check can meet the variation criterion and the plots can be referred to Appendix A of this report.

Date	Frequency (MHz)	Input Power (mW)	Dipole S/N	Probe S/N	DAE S/N	Measured 1g SAR (W/kg)	Targeted 1g SAR (W/kg)	Normalized 1g SAR (W/kg)	Deviation (%)	Test Site
2022/11/15	750	50	D750V3-1012	EX3DV4 - SN7439	DAE4 Sn853	0.388	8.560	7.76	-9.35	SAR05
2022/11/15	835	50	D835V2-4d060	EX3DV4 - SN7439	DAE4 Sn853	0.471	9.730	9.42	-3.19	SAR05
2022/11/16	1750	50	D1750V2-1120	EX3DV4 - SN7439	DAE4 Sn853	1.730	36.400	34.6	-4.95	SAR05
2022/11/20	1750	50	D1750V2-1120	EX3DV4 - SN7439	DAE4 Sn853	1.770	36.400	35.4	-2.75	SAR05
2022/11/16	1900	50	D1900V2-5d185	EX3DV4 - SN7439	DAE4 Sn853	1.810	39.000	36.2	-7.18	SAR05
2022/11/20	1900	50	D1900V2-5d041	EX3DV4 - SN7439	DAE4 Sn853	1.840	40.600	36.8	-9.36	SAR05
2022/11/17	2300	50	D2300V2-1006	EX3DV4 - SN7439	DAE4 Sn853	2.280	48.300	45.6	-5.59	SAR05
2022/11/17	2600	50	D2600V2-1089	EX3DV4 - SN7439	DAE4 Sn853	2.810	55.400	56.2	1.44	SAR05
2022/11/19	2600	50	D2600V2-1089	EX3DV4 - SN7439	DAE4 Sn853	2.800	55.400	56	1.08	SAR05
2022/11/21	2600	250	D2600V2-1089	EX3DV4 - SN7439	DAE4 Sn853	13.400	55.400	53.6	-3.25	SAR05
2022/12/1	3500	100	D3500V2-1014	EX3DV4 - SN7439	DAE4 Sn853	6.790	67.200	67.9	1.04	SAR05
2022/12/1	3500	100	D3500V2-1036	EX3DV4 - SN3642	DAE4 Sn854	6.730	67.400	67.3	-0.15	SAR06
2022/11/18	3700	50	D3700V2-1006	EX3DV4 - SN7439	DAE4 Sn853	3.030	65.600	60.6	-7.62	SAR05
2022/12/1	3900	50	D3900V2-1017-3900	EX3DV4 - SN3642	DAE4 Sn854	3.400	68.700	68	-1.02	SAR06




Fig 8.3.1 System Performance Check Setup



Fig 8.3.2 Setup Photo

11. UMTS/LTE Output Power (Unit: dBm)

<WCDMA Conducted Power>

1. The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification.
2. The procedures in KDB 941225 D01v03r01 are applied for 3GPP Rel. 6 HSPA to configure the device in the required sub-test mode(s) to determine SAR test exclusion.
3. For DC-HSDPA, the device was configured according to the H-Set 12, Fixed Reference Channel (FRC) configuration in Table C.8.1.12 of 3GPP TS 34.121-1, with the primary and the secondary serving HS-DSCH Cell enabled during the power measurement.

A summary of these settings are illustrated below:

HSDPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set Gain Factors (β_c and β_d) and parameters were set according to each
 - ii. Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - iii. Set RMC 12.2Kbps + HSDPA mode.
 - iv. Set Cell Power = -86 dBm
 - v. Set HS-DSCH Configuration Type to FRC (H-set 1, QPSK)
 - vi. Select HSDPA Uplink Parameters
 - vii. Set Delta ACK, Delta NACK and Delta CQI = 8
 - viii. Set Ack-Nack Repetition Factor to 3
 - ix. Set CQI Feedback Cycle (k) to 4 ms
 - x. Set CQI Repetition Factor to 2
 - xi. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{HS} = 30/15 * \beta_c$.

Note 2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and $\Delta_{NACK} = 30/15$ with $\beta_{HS} = 30/15 * \beta_c$, and $\Delta_{CQI} = 24/15$ with $\beta_{HS} = 24/15 * \beta_c$.

Note 3: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{HS}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

Note 4: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$.

Setup Configuration

HSUPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting * :
 - i. Call Configs = 5.2B, 5.9B, 5.10B, and 5.13.2B with QPSK
 - ii. Set the Gain Factors (β_c and β_d) and parameters (AG Index) were set according to each specific sub-test in the following table, C11.1.3, quoted from the TS 34.121
 - iii. Set Cell Power = -86 dBm
 - iv. Set Channel Type = 12.2k + HSPA
 - v. Set UE Target Power
 - vi. Power Ctrl Mode= Alternating bits
 - vii. Set and observe the E-TFCI
 - viii. Confirm that E-TFCI is equal to the target E-TFCI of 75 for sub-test 1, and other subtest's E-TFCI
- d. The transmitted maximum output power was recorded.

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (Note 4) (Note 5)	β_{ed} (SF)	β_{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2) (Note 6)	AG Index (Note 5)	E-TFCI
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/25	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	$\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	0	-	-	5/15	5/15	47/15	4	1	1.0	0.0	12	67

Note 1: For sub-test 1 to 4, Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$. For sub-test 5, Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 5/15$ with $\beta_{hs} = 5/15 * \beta_c$.

Note 2: CM = 1 for $\beta_d/\beta_c = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

Note 3: For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$.

Note 4: In case of testing by UE using E-DPDCH Physical Layer category 1, Sub-test 3 is omitted according to TS25.306 Table 5.1g.

Note 5: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 6: For subtests 2, 3 and 4, UE may perform E-DPDCH power scaling at max power which could results in slightly smaller MPR values.

Setup Configuration


DC-HSDPA 3GPP release 8 Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration below
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set RMC 12.2Kbps + HSDPA mode.
 - ii. Set Cell Power = -25 dBm
 - iii. Set HS-DSCH Configuration Type to FRC (H-set 12, QPSK)
 - iv. Select HSDPA Uplink Parameters
 - v. Set Gain Factors (β_c and β_d) and parameters were set according to each Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - a). Subtest 1: $\beta_c/\beta_d=2/15$
 - b). Subtest 2: $\beta_c/\beta_d=12/15$
 - c). Subtest 3: $\beta_c/\beta_d=15/8$
 - d). Subtest 4: $\beta_c/\beta_d=15/4$
 - vi. Set Delta ACK, Delta NACK and Delta CQI = 8
 - vii. Set Ack-Nack Repetition Factor to 3
 - viii. Set CQI Feedback Cycle (k) to 4 ms
 - ix. Set CQI Repetition Factor to 2
 - x. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification.
A summary of these settings are illustrated below:

C.8.1.12 Fixed Reference Channel Definition H-Set 12
Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		


Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)
Setup Configuration

<WCDMA Conducted Power>
General Note:

1. Per KDB 941225 D01v03r01, for SAR testing is measured using a 12.2 kbps RMC with TPC bits configured to all "1's".
2. Per KDB 941225 D01v03r01, RMC 12.2kbps setting is used to evaluate SAR. The maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA, and according to the following RF output power, the output power results of the secondary modes (HSUPA, HSDPA, DC-HSDPA) are less than $\frac{1}{4}$ dB higher than the primary modes; therefore, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA.

<Default Power Mode(Main)>

Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513		4132	4182	4233	
Rx Channel		9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4	836.4	846.6	
3GPP Rel 99	RMC 12.2Kbps	23.62	23.80	23.83	24.50	23.75	23.94	23.88	24.50	23.46	23.47	23.34	24.50
3GPP Rel 6	HSDPA Subtest-1	22.69	22.94	22.99	23.50	22.83	22.89	22.84	23.50	22.23	22.27	22.47	23.50
3GPP Rel 6	HSDPA Subtest-2	22.85	22.90	22.99	23.50	22.87	22.86	22.66	23.50	22.33	22.28	22.28	23.50
3GPP Rel 6	HSDPA Subtest-3	22.45	22.30	22.36	23.00	22.37	22.38	22.27	23.00	21.85	21.75	21.96	23.00
3GPP Rel 6	HSDPA Subtest-4	22.22	22.24	22.26	23.00	22.28	22.35	22.45	23.00	21.60	21.72	21.96	23.00
3GPP Rel 8	DC-HSDPA Subtest-1	22.82	22.88	22.98	23.50	22.83	22.62	22.82	23.50	22.25	22.22	22.37	23.50
3GPP Rel 8	DC-HSDPA Subtest-2	22.74	22.88	22.92	23.50	22.72	22.85	22.53	23.50	22.30	22.17	22.45	23.50
3GPP Rel 8	DC-HSDPA Subtest-3	22.09	22.37	22.41	23.00	22.24	22.32	22.22	23.00	21.77	21.90	21.92	23.00
3GPP Rel 8	DC-HSDPA Subtest-4	22.19	22.25	22.47	23.00	22.31	22.56	22.07	23.00	21.74	21.65	21.81	23.00
3GPP Rel 6	HSUPA Subtest-1	21.80	21.69	21.81	23.50	21.50	21.75	21.55	23.50	21.27	21.43	21.51	23.50
3GPP Rel 6	HSUPA Subtest-2	20.65	20.71	20.77	21.50	20.65	21.09	20.69	21.50	20.33	20.11	20.19	21.50
3GPP Rel 6	HSUPA Subtest-3	21.83	21.80	21.83	22.50	21.94	21.84	21.83	22.50	21.35	21.29	21.36	22.50
3GPP Rel 6	HSUPA Subtest-4	20.49	20.25	20.72	21.50	20.62	20.66	20.54	21.50	19.83	19.74	19.76	21.50
3GPP Rel 6	HSUPA Subtest-5	21.60	21.62	21.91	23.50	21.80	22.01	21.75	23.50	21.27	21.42	21.25	23.50

<Reduced Power Mode(Main)>

Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513		4132	4182	4233	
Rx Channel		9662	9800	9938		1537	1638	1738		4357	4407	4458	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4	836.4	846.6	
3GPP Rel 99	RMC 12.2Kbps	15.92	15.96	16.04	16.50	15.71	15.73	15.56	16.00	19.75	19.76	19.70	20.50
3GPP Rel 6	HSDPA Subtest-1	14.64	15.01	15.03	16.00	14.55	14.59	14.41	16.00	18.25	18.42	18.68	19.50
3GPP Rel 6	HSDPA Subtest-2	15.06	15.09	14.99	16.00	14.83	14.62	14.30	16.00	18.48	18.41	18.40	19.50
3GPP Rel 6	HSDPA Subtest-3	14.64	14.31	14.50	16.00	14.03	13.97	13.87	16.00	18.08	17.88	18.11	19.00
3GPP Rel 6	HSDPA Subtest-4	14.29	14.30	14.47	16.00	14.11	14.05	14.24	16.00	17.61	17.87	18.30	19.00
3GPP Rel 8	DC-HSDPA Subtest-1	15.10	14.82	15.08	16.00	14.85	14.38	14.68	16.00	18.50	18.37	18.62	19.50
3GPP Rel 8	DC-HSDPA Subtest-2	14.90	14.90	15.08	16.00	14.61	14.60	14.13	16.00	18.31	18.12	18.56	19.50
3GPP Rel 8	DC-HSDPA Subtest-3	14.19	14.43	14.53	16.00	14.17	13.85	13.78	16.00	17.68	17.97	17.93	19.00
3GPP Rel 8	DC-HSDPA Subtest-4	14.49	14.49	14.39	16.00	14.07	14.10	13.73	16.00	17.75	17.71	18.07	19.00
3GPP Rel 6	HSUPA Subtest-1	14.43	14.41	14.30	16.00	14.53	14.47	14.38	16.00	17.38	17.65	17.69	19.50
3GPP Rel 6	HSUPA Subtest-2	14.45	14.56	14.37	16.00	14.43	14.51	14.33	16.00	16.37	16.17	16.28	17.50
3GPP Rel 6	HSUPA Subtest-3	14.42	14.59	14.35	16.00	14.39	14.39	14.28	16.00	17.56	17.48	17.43	18.50
3GPP Rel 6	HSUPA Subtest-4	14.55	14.58	14.22	16.00	14.44	14.43	14.41	16.00	16.01	15.74	16.02	17.50
3GPP Rel 6	HSUPA Subtest-5	14.47	14.48	14.41	16.00	14.42	14.59	14.23	16.00	17.33	17.48	17.35	19.50

<LTE Conducted Power>**General Note:**

1. Anritsu MT8820C base station simulator was used to setup the connection with EUT; the frequency band, channel bandwidth, RB allocation configuration, modulation type are set in the base station simulator to configure EUT transmitting at maximum power and at different configurations which are requested to be reported to FCC, for conducted power measurement and SAR testing.
2. Per KDB 941225 D05v02r05, when a properly configured base station simulator is used for the SAR and power measurements, spectrum plots for each RB allocation and offset configuration is not required.
3. Per KDB 941225 D05v02r05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
4. Per KDB 941225 D05v02r05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
5. Per KDB 941225 D05v02r05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
6. Per KDB 941225 D05v02r05, 16QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, 16QAM SAR testing is not required.
7. Per KDB 941225 D05v02r05, Smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, smaller bandwidth SAR testing is not required.
8. For LTE B4/B5/B12/B17/B26/B38/B71 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.
9. LTE band 2/4/5/17/38 SAR test was covered by Band 25/66/26/12/41; according to April 2015 TCB workshop, SAR test for overlapping LTE bands can be reduced if
 - a. the maximum output power, including tolerance, for the smaller band is $\leq$ the larger band to qualify for the SAR test exclusion
 - b. the channel bandwidth and other operating parameters for the smaller band are fully supported by the larger band

**<Default Power Mode(Main) LTE Band 2>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	23.06	23.11	23.12	24
20	QPSK	1	49	22.88	23.09	23.10	
20	QPSK	1	99	22.93	23.00	23.11	
20	QPSK	50	0	21.92	21.97	22.12	23
20	QPSK	50	24	21.92	22.07	22.10	
20	QPSK	50	50	21.98	22.10	22.11	
20	QPSK	100	0	21.87	22.06	22.09	23
20	16QAM	1	0	22.04	22.14	22.27	
20	16QAM	1	49	22.11	22.20	22.32	
20	16QAM	1	99	22.13	22.21	22.42	22
20	16QAM	50	0	20.92	20.98	21.13	
20	16QAM	50	24	20.90	21.07	21.14	
20	16QAM	50	50	21.00	21.09	21.13	22
20	16QAM	100	0	20.86	21.03	21.13	
20	64QAM	1	0	21.97	21.03	21.15	
20	64QAM	1	49	21.93	21.16	21.21	22
20	64QAM	1	99	21.96	21.11	21.30	
20	64QAM	50	0	20.92	19.99	20.12	
20	64QAM	50	24	20.89	20.06	20.12	21
20	64QAM	50	50	20.99	20.07	20.13	
20	64QAM	100	0	20.87	20.01	20.09	
20	256QAM	1	0	18.89	18.01	18.15	19
20	256QAM	1	49	18.87	18.07	18.17	
20	256QAM	1	99	18.90	18.01	18.20	
20	256QAM	50	0	18.87	17.91	18.10	19
20	256QAM	50	24	18.87	18.05	18.02	
20	256QAM	50	50	18.94	18.04	18.09	
20	256QAM	100	0	18.87	17.95	18.03	
Channel				18675	18900	19125	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	23.01	23.07	23.11	24
15	QPSK	1	37	22.80	23.05	23.08	
15	QPSK	1	74	22.85	22.97	23.11	
15	QPSK	36	0	21.87	21.95	22.03	23
15	QPSK	36	20	21.84	22.07	22.10	
15	QPSK	36	39	21.97	22.06	22.05	
15	QPSK	75	0	21.83	21.97	22.02	23
15	16QAM	1	0	22.02	22.05	22.24	
15	16QAM	1	37	22.06	22.16	22.25	
15	16QAM	1	74	22.13	22.17	22.41	22
15	16QAM	36	0	20.92	20.92	21.07	
15	16QAM	36	20	20.88	21.01	21.10	
15	16QAM	36	39	20.96	21.02	21.08	22
15	16QAM	75	0	20.80	20.93	21.08	
15	64QAM	1	0	21.87	21.00	21.13	
15	64QAM	1	37	21.89	21.07	21.16	22
15	64QAM	1	74	21.91	21.11	21.23	
15	64QAM	36	0	20.91	19.97	20.03	
15	64QAM	36	20	20.81	19.97	20.07	21
15	64QAM	36	39	20.90	20.07	20.12	
15	64QAM	75	0	20.85	19.96	20.00	
15	256QAM	1	0	18.81	17.98	18.07	19
15	256QAM	1	37	18.87	18.06	18.13	
15	256QAM	1	74	18.88	18.09	18.21	
15	256QAM	36	0	18.85	17.93	17.97	19
15	256QAM	36	20	18.72	17.91	18.06	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	18.90	18.04	18.08	
15	256QAM	75	0	18.83	17.94	17.99	
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	23.05	23.11	23.11	24
10	QPSK	1	25	22.79	23.09	23.02	
10	QPSK	1	49	22.87	22.93	23.11	
10	QPSK	25	0	21.85	21.91	22.05	23
10	QPSK	25	12	21.86	22.06	22.06	
10	QPSK	25	25	21.92	22.07	22.11	
10	QPSK	50	0	21.81	21.97	21.99	
10	16QAM	1	0	22.03	22.07	22.21	23
10	16QAM	1	25	22.03	22.17	22.31	
10	16QAM	1	49	22.12	22.19	22.40	
10	16QAM	25	0	20.82	20.93	21.13	22
10	16QAM	25	12	20.84	20.97	21.08	
10	16QAM	25	25	20.98	21.07	21.05	
10	16QAM	50	0	20.82	20.96	21.10	
10	64QAM	1	0	21.90	21.03	21.12	22
10	64QAM	1	25	21.85	21.10	21.13	
10	64QAM	1	49	21.95	21.08	21.30	
10	64QAM	25	0	20.89	19.94	20.10	21
10	64QAM	25	12	20.88	20.06	20.10	
10	64QAM	25	25	20.93	20.06	20.03	
10	64QAM	50	0	20.87	20.01	20.08	
10	256QAM	1	0	18.83	17.92	18.09	19
10	256QAM	1	25	18.82	17.98	18.10	
10	256QAM	1	49	18.85	18.05	18.14	
10	256QAM	25	0	18.91	17.90	17.96	19
10	256QAM	25	12	18.74	17.95	18.05	
10	256QAM	25	25	18.82	18.07	18.06	
10	256QAM	50	0	18.80	17.86	17.95	
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	23.06	23.05	23.11	24
5	QPSK	1	12	22.87	23.09	23.05	
5	QPSK	1	24	22.87	23.00	23.11	
5	QPSK	12	0	21.92	21.95	22.06	23
5	QPSK	12	7	21.89	22.07	22.10	
5	QPSK	12	13	21.89	22.00	22.06	
5	QPSK	25	0	21.79	22.02	22.07	
5	16QAM	1	0	21.96	22.09	22.24	23
5	16QAM	1	12	22.06	22.15	22.27	
5	16QAM	1	24	22.09	22.21	22.33	
5	16QAM	12	0	20.85	20.89	21.05	22
5	16QAM	12	7	20.83	21.04	21.11	
5	16QAM	12	13	21.00	21.06	21.05	
5	16QAM	25	0	20.80	20.95	21.12	
5	64QAM	1	0	21.97	21.03	21.10	22
5	64QAM	1	12	21.86	21.13	21.12	
5	64QAM	1	24	21.90	21.04	21.28	
5	64QAM	12	0	20.92	19.96	20.08	21
5	64QAM	12	7	20.81	20.01	20.08	
5	64QAM	12	13	20.93	20.00	20.12	
5	64QAM	25	0	20.87	20.01	19.99	
5	256QAM	1	0	18.83	17.92	18.13	19
5	256QAM	1	12	18.86	17.97	18.12	
5	256QAM	1	24	18.90	18.04	18.14	
5	256QAM	12	0	18.88	17.92	18.02	19
5	256QAM	12	7	18.74	17.94	18.01	
5	256QAM	12	13	18.85	18.04	18.05	
5	256QAM	25	0	18.79	17.88	17.99	
Channel				18615	18900	19185	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1851.5	1880	1908.5	(dBm)
3	QPSK	1	0	23.03	23.09	23.11	24
3	QPSK	1	8	22.86	23.02	23.07	
3	QPSK	1	14	22.85	23.00	23.11	
3	QPSK	8	0	21.86	21.94	22.09	23
3	QPSK	8	4	21.86	22.05	22.04	
3	QPSK	8	7	21.98	22.03	22.03	
3	QPSK	15	0	21.81	22.03	21.99	
3	16QAM	1	0	21.97	22.04	22.26	23
3	16QAM	1	8	22.04	22.12	22.29	
3	16QAM	1	14	22.13	22.14	22.36	
3	16QAM	8	0	20.82	20.92	21.10	22
3	16QAM	8	4	20.86	21.05	21.08	
3	16QAM	8	7	20.97	21.07	21.07	
3	16QAM	15	0	20.79	21.03	21.11	
3	64QAM	1	0	21.91	21.00	21.12	22
3	64QAM	1	8	21.83	21.07	21.16	
3	64QAM	1	14	21.87	21.11	21.22	
3	64QAM	8	0	20.87	19.90	20.08	21
3	64QAM	8	4	20.83	20.00	20.12	
3	64QAM	8	7	20.97	20.00	20.10	
3	64QAM	15	0	20.84	20.00	20.03	
3	256QAM	1	0	18.81	17.96	18.09	19
3	256QAM	1	8	18.85	18.05	18.16	
3	256QAM	1	14	18.81	18.02	18.16	
3	256QAM	8	0	18.88	17.97	17.99	19
3	256QAM	8	4	18.71	17.91	18.00	
3	256QAM	8	7	18.89	18.05	18.02	
3	256QAM	15	0	18.75	17.86	17.98	
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	22.97	23.08	23.05	24
1.4	QPSK	1	3	22.83	23.00	22.97	
1.4	QPSK	1	5	22.83	22.95	23.11	
1.4	QPSK	3	0	22.99	23.02	23.06	
1.4	QPSK	3	1	22.83	23.01	23.06	
1.4	QPSK	3	3	22.85	22.95	23.09	
1.4	QPSK	6	0	21.74	21.95	21.95	23
1.4	16QAM	1	0	21.96	22.00	22.22	23
1.4	16QAM	1	3	21.97	22.03	22.23	
1.4	16QAM	1	5	22.06	22.14	22.27	
1.4	16QAM	3	0	21.92	22.03	22.21	
1.4	16QAM	3	1	21.94	22.06	22.21	
1.4	16QAM	3	3	22.03	22.07	22.34	
1.4	16QAM	6	0	20.78	20.98	21.06	22
1.4	64QAM	1	0	21.88	20.96	21.06	22
1.4	64QAM	1	3	21.83	21.05	21.12	
1.4	64QAM	1	5	21.79	21.08	21.13	
1.4	64QAM	3	0	21.89	20.98	21.11	
1.4	64QAM	3	1	21.81	20.99	21.07	
1.4	64QAM	3	3	21.84	21.05	21.15	
1.4	64QAM	6	0	20.83	19.91	20.01	21
1.4	256QAM	1	0	18.87	17.90	18.13	19
1.4	256QAM	1	3	18.80	17.97	18.10	
1.4	256QAM	1	5	18.84	18.05	18.19	
1.4	256QAM	3	0	18.89	17.94	17.99	
1.4	256QAM	3	1	18.76	17.88	18.00	
1.4	256QAM	3	3	18.88	18.03	18.12	
1.4	256QAM	6	0	18.82	17.89	17.91	19



<Reduced Power Mode(Main) LTE Band 2>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	16.5
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	15.81	15.89	16.07	
20	QPSK	1	49	15.80	15.98	15.96	16.5
20	QPSK	1	99	15.84	15.94	16.01	
20	QPSK	50	0	15.58	15.51	15.78	
20	QPSK	50	24	15.52	15.71	15.72	16.5
20	QPSK	50	50	15.59	15.65	15.70	
20	QPSK	100	0	15.57	15.58	15.70	
20	16QAM	1	0	15.48	15.58	15.61	16.5
20	16QAM	1	49	15.48	15.68	15.67	
20	16QAM	1	99	15.50	15.63	15.76	
20	16QAM	50	0	15.58	15.50	15.67	16.5
20	16QAM	50	24	15.54	15.70	15.72	
20	16QAM	50	50	15.58	15.64	15.72	
20	16QAM	100	0	15.54	15.56	15.69	16.5
20	64QAM	1	0	15.64	15.74	15.74	
20	64QAM	1	49	15.68	15.85	15.84	
20	64QAM	1	99	15.71	15.78	15.96	16.5
20	64QAM	50	0	15.56	15.48	15.67	
20	64QAM	50	24	15.53	15.70	15.71	
20	64QAM	50	50	15.59	15.63	15.71	16.5
20	64QAM	100	0	15.54	15.57	15.69	
20	256QAM	1	0	15.61	15.73	15.65	
20	256QAM	1	49	15.63	15.77	15.69	16.5
20	256QAM	1	99	15.59	15.63	15.83	
20	256QAM	50	0	15.41	15.43	15.54	
20	256QAM	50	24	15.33	15.70	15.64	16.5
20	256QAM	50	50	15.41	15.51	15.64	
20	256QAM	100	0	15.43	15.41	15.50	
Channel				18675	18900	19125	16.5
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	15.81	15.79	16.00	
15	QPSK	1	37	15.79	15.94	15.89	16.5
15	QPSK	1	74	15.75	15.92	15.92	
15	QPSK	36	0	15.54	15.49	15.58	
15	QPSK	36	20	15.42	15.61	15.63	16.5
15	QPSK	36	39	15.53	15.57	15.63	
15	QPSK	75	0	15.54	15.51	15.61	
15	16QAM	1	0	15.43	15.54	15.53	16.5
15	16QAM	1	37	15.46	15.59	15.57	
15	16QAM	1	74	15.44	15.59	15.71	
15	16QAM	36	0	15.58	15.44	15.60	16.5
15	16QAM	36	20	15.49	15.63	15.72	
15	16QAM	36	39	15.51	15.54	15.67	
15	16QAM	75	0	15.44	15.51	15.63	16.5
15	64QAM	1	0	15.54	15.66	15.67	
15	64QAM	1	37	15.61	15.84	15.74	
15	64QAM	1	74	15.64	15.72	15.91	16.5
15	64QAM	36	0	15.49	15.46	15.63	
15	64QAM	36	20	15.53	15.65	15.61	
15	64QAM	36	39	15.58	15.53	15.64	16.5
15	64QAM	75	0	15.51	15.52	15.68	
15	256QAM	1	0	15.56	15.67	15.57	
15	256QAM	1	37	15.58	15.73	15.68	16.5
15	256QAM	1	74	15.50	15.62	15.73	
15	256QAM	36	0	15.35	15.35	15.44	
15	256QAM	36	20	15.29	15.69	15.56	16.5



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	15.32	15.50	15.64	Tune-up limit (dBm)
15	256QAM	75	0	15.43	15.36	15.41	
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	15.79	15.84	15.86	16.5
10	QPSK	1	25	15.79	15.95	15.96	
10	QPSK	1	49	15.79	15.89	15.95	
10	QPSK	25	0	15.54	15.46	15.59	16.5
10	QPSK	25	12	15.48	15.67	15.65	
10	QPSK	25	25	15.51	15.59	15.62	
10	QPSK	50	0	15.55	15.56	15.60	
10	16QAM	1	0	15.48	15.54	15.54	16.5
10	16QAM	1	25	15.44	15.66	15.57	
10	16QAM	1	49	15.46	15.60	15.68	
10	16QAM	25	0	15.49	15.50	15.57	16.5
10	16QAM	25	12	15.53	15.65	15.70	
10	16QAM	25	25	15.49	15.59	15.63	
10	16QAM	50	0	15.49	15.47	15.61	
10	64QAM	1	0	15.61	15.67	15.68	16.5
10	64QAM	1	25	15.59	15.84	15.82	
10	64QAM	1	49	15.70	15.71	15.90	
10	64QAM	25	0	15.53	15.38	15.65	16.5
10	64QAM	25	12	15.47	15.68	15.66	
10	64QAM	25	25	15.56	15.63	15.69	
10	64QAM	50	0	15.50	15.48	15.62	
10	256QAM	1	0	15.61	15.66	15.61	16.5
10	256QAM	1	25	15.56	15.70	15.65	
10	256QAM	1	49	15.58	15.60	15.82	
10	256QAM	25	0	15.36	15.39	15.48	16.5
10	256QAM	25	12	15.25	15.64	15.58	
10	256QAM	25	25	15.39	15.48	15.58	
10	256QAM	50	0	15.43	15.34	15.46	
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	15.76	15.80	15.80	16.5
5	QPSK	1	12	15.77	15.94	15.96	
5	QPSK	1	24	15.80	15.94	15.97	
5	QPSK	12	0	15.58	15.45	15.58	16.5
5	QPSK	12	7	15.52	15.62	15.64	
5	QPSK	12	13	15.54	15.60	15.64	
5	QPSK	25	0	15.55	15.51	15.68	
5	16QAM	1	0	15.40	15.56	15.58	16.5
5	16QAM	1	12	15.47	15.64	15.63	
5	16QAM	1	24	15.49	15.63	15.68	
5	16QAM	12	0	15.48	15.47	15.60	16.5
5	16QAM	12	7	15.49	15.69	15.65	
5	16QAM	12	13	15.53	15.62	15.65	
5	16QAM	25	0	15.50	15.56	15.65	
5	64QAM	1	0	15.62	15.68	15.68	16.5
5	64QAM	1	12	15.60	15.84	15.83	
5	64QAM	1	24	15.62	15.73	15.93	
5	64QAM	12	0	15.50	15.38	15.64	16.5
5	64QAM	12	7	15.53	15.70	15.65	
5	64QAM	12	13	15.51	15.53	15.71	
5	64QAM	25	0	15.47	15.53	15.67	
5	256QAM	1	0	15.59	15.65	15.56	16.5
5	256QAM	1	12	15.56	15.74	15.69	
5	256QAM	1	24	15.53	15.63	15.74	
5	256QAM	12	0	15.39	15.33	15.53	16.5
5	256QAM	12	7	15.29	15.63	15.55	
5	256QAM	12	13	15.40	15.41	15.64	
5	256QAM	25	0	15.34	15.41	15.42	
Channel				18615	18900	19185	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1851.5	1880	1908.5	(dBm)
3	QPSK	1	0	15.73	15.88	15.86	16.5
3	QPSK	1	8	15.76	15.92	15.93	
3	QPSK	1	14	15.75	15.89	15.93	
3	QPSK	8	0	15.52	15.46	15.64	16.5
3	QPSK	8	4	15.49	15.64	15.68	
3	QPSK	8	7	15.52	15.63	15.64	
3	QPSK	15	0	15.56	15.49	15.68	
3	16QAM	1	0	15.47	15.55	15.52	16.5
3	16QAM	1	8	15.45	15.61	15.65	
3	16QAM	1	14	15.41	15.62	15.72	
3	16QAM	8	0	15.56	15.50	15.58	16.5
3	16QAM	8	4	15.51	15.63	15.68	
3	16QAM	8	7	15.52	15.61	15.67	
3	16QAM	15	0	15.47	15.48	15.68	
3	64QAM	1	0	15.55	15.66	15.68	16.5
3	64QAM	1	8	15.61	15.85	15.75	
3	64QAM	1	14	15.63	15.68	15.92	
3	64QAM	8	0	15.47	15.42	15.67	16.5
3	64QAM	8	4	15.46	15.65	15.62	
3	64QAM	8	7	15.58	15.62	15.65	
3	64QAM	15	0	15.50	15.48	15.65	
3	256QAM	1	0	15.59	15.63	15.64	16.5
3	256QAM	1	8	15.54	15.69	15.59	
3	256QAM	1	14	15.50	15.63	15.74	
3	256QAM	8	0	15.40	15.41	15.47	16.5
3	256QAM	8	4	15.29	15.62	15.60	
3	256QAM	8	7	15.38	15.48	15.55	
3	256QAM	15	0	15.33	15.39	15.49	
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	15.79	15.82	15.78	16.5
1.4	QPSK	1	3	15.77	15.98	15.93	
1.4	QPSK	1	5	15.76	15.84	15.98	
1.4	QPSK	3	0	15.80	15.82	15.77	
1.4	QPSK	3	1	15.78	15.89	15.96	
1.4	QPSK	3	3	15.83	15.85	15.96	
1.4	QPSK	6	0	15.55	15.56	15.60	16.5
1.4	16QAM	1	0	15.48	15.55	15.52	16.5
1.4	16QAM	1	3	15.44	15.67	15.64	
1.4	16QAM	1	5	15.40	15.54	15.72	
1.4	16QAM	3	0	15.38	15.49	15.56	
1.4	16QAM	3	1	15.43	15.58	15.58	
1.4	16QAM	3	3	15.46	15.57	15.76	
1.4	16QAM	6	0	15.45	15.48	15.66	16.5
1.4	64QAM	1	0	15.61	15.66	15.64	16.5
1.4	64QAM	1	3	15.67	15.85	15.84	
1.4	64QAM	1	5	15.71	15.77	15.88	
1.4	64QAM	3	0	15.59	15.66	15.67	
1.4	64QAM	3	1	15.61	15.76	15.84	
1.4	64QAM	3	3	15.69	15.73	15.89	
1.4	64QAM	6	0	15.49	15.48	15.64	16.5
1.4	256QAM	1	0	15.53	15.73	15.65	16.5
1.4	256QAM	1	3	15.60	15.74	15.62	
1.4	256QAM	1	5	15.56	15.60	15.77	
1.4	256QAM	3	0	15.53	15.73	15.59	
1.4	256QAM	3	1	15.53	15.72	15.62	
1.4	256QAM	3	3	15.56	15.61	15.80	
1.4	256QAM	6	0	15.40	15.41	15.42	16.5

**<Default Power Mode(MIMO2) LTE Band 2>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	22.76	22.97	23.07	
20	QPSK	1	49	22.70	22.88	22.98	24
20	QPSK	1	99	22.69	22.80	22.89	
20	QPSK	50	0	21.80	21.98	22.04	
20	QPSK	50	24	21.74	21.93	22.03	23
20	QPSK	50	50	21.71	21.91	22.00	
20	QPSK	100	0	21.71	21.90	21.96	
20	16QAM	1	0	21.87	22.00	22.14	23
20	16QAM	1	49	21.94	22.09	22.20	
20	16QAM	1	99	22.00	22.06	22.28	
20	16QAM	50	0	20.73	20.84	20.97	22
20	16QAM	50	24	20.76	20.95	21.04	
20	16QAM	50	50	20.82	20.94	20.98	
20	16QAM	100	0	20.73	20.89	20.99	22
20	64QAM	1	0	20.80	20.93	21.07	
20	64QAM	1	49	20.85	21.04	21.13	
20	64QAM	1	99	20.89	20.98	21.19	21
20	64QAM	50	0	19.71	19.80	20.00	
20	64QAM	50	24	19.70	19.97	20.03	
20	64QAM	50	50	19.83	19.94	20.00	19
20	64QAM	100	0	19.71	19.88	19.96	
20	256QAM	1	0	17.61	17.90	18.05	
20	256QAM	1	49	17.67	18.01	18.06	19
20	256QAM	1	99	17.88	17.89	18.05	
20	256QAM	50	0	17.57	17.65	17.88	
20	256QAM	50	24	17.51	17.96	17.83	19
20	256QAM	50	50	17.71	17.79	17.90	
20	256QAM	100	0	17.59	17.85	17.93	
Channel				18675	18900	19125	
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	22.68	22.91	23.01	
15	QPSK	1	37	22.60	22.84	22.97	24
15	QPSK	1	74	22.68	22.72	22.80	
15	QPSK	36	0	21.71	21.97	22.03	23
15	QPSK	36	20	21.64	21.85	21.99	
15	QPSK	36	39	21.62	21.84	21.96	
15	QPSK	75	0	21.61	21.83	21.94	23
15	16QAM	1	0	21.87	21.93	22.05	
15	16QAM	1	37	21.93	21.99	22.17	
15	16QAM	1	74	21.95	22.03	22.20	22
15	16QAM	36	0	20.66	20.74	20.89	
15	16QAM	36	20	20.75	20.91	20.94	
15	16QAM	36	39	20.82	20.86	20.89	22
15	16QAM	75	0	20.63	20.87	20.89	
15	64QAM	1	0	20.78	20.89	21.04	
15	64QAM	1	37	20.84	20.97	21.13	22
15	64QAM	1	74	20.80	20.93	21.13	
15	64QAM	36	0	19.66	19.77	19.96	
15	64QAM	36	20	19.68	19.89	20.01	21
15	64QAM	36	39	19.75	19.88	19.92	
15	64QAM	75	0	19.61	19.85	19.87	
15	256QAM	1	0	17.53	17.90	18.05	19
15	256QAM	1	37	17.67	17.97	18.06	
15	256QAM	1	74	17.81	17.81	18.01	
15	256QAM	36	0	17.49	17.65	17.82	19
15	256QAM	36	20	17.50	17.86	17.76	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.63	17.79	17.87	
15	256QAM	75	0	17.55	17.79	17.93	
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	22.65	22.85	22.96	24
10	QPSK	1	25	22.57	22.77	22.87	
10	QPSK	1	49	22.67	22.66	22.80	
10	QPSK	25	0	21.61	21.93	22.02	23
10	QPSK	25	12	21.64	21.75	21.91	
10	QPSK	25	25	21.62	21.74	21.94	
10	QPSK	50	0	21.57	21.76	21.90	
10	16QAM	1	0	21.86	21.86	22.00	23
10	16QAM	1	25	21.88	21.90	22.16	
10	16QAM	1	49	21.92	22.00	22.15	
10	16QAM	25	0	20.57	20.65	20.80	22
10	16QAM	25	12	20.70	20.81	20.85	
10	16QAM	25	25	20.82	20.76	20.84	
10	16QAM	50	0	20.56	20.85	20.87	
10	64QAM	1	0	20.77	20.81	21.04	22
10	64QAM	1	25	20.75	20.92	21.05	
10	64QAM	1	49	20.76	20.83	21.08	
10	64QAM	25	0	19.58	19.72	19.90	21
10	64QAM	25	12	19.65	19.82	19.98	
10	64QAM	25	25	19.67	19.83	19.87	
10	64QAM	50	0	19.54	19.77	19.78	
10	256QAM	1	0	17.51	17.86	18.05	19
10	256QAM	1	25	17.61	17.90	18.00	
10	256QAM	1	49	17.80	17.72	17.96	
10	256QAM	25	0	17.45	17.55	17.81	19
10	256QAM	25	12	17.45	17.80	17.74	
10	256QAM	25	25	17.54	17.69	17.81	
10	256QAM	50	0	17.49	17.74	17.92	
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	22.67	22.83	22.99	24
5	QPSK	1	12	22.53	22.83	22.92	
5	QPSK	1	24	22.62	22.65	22.73	
5	QPSK	12	0	21.62	21.91	21.95	23
5	QPSK	12	7	21.63	21.80	21.92	
5	QPSK	12	13	21.62	21.81	21.86	
5	QPSK	25	0	21.54	21.81	21.88	
5	16QAM	1	0	21.81	21.90	21.98	23
5	16QAM	1	12	21.92	21.93	22.07	
5	16QAM	1	24	21.87	21.97	22.16	
5	16QAM	12	0	20.59	20.73	20.85	22
5	16QAM	12	7	20.68	20.81	20.86	
5	16QAM	12	13	20.78	20.76	20.80	
5	16QAM	25	0	20.60	20.84	20.88	
5	64QAM	1	0	20.77	20.86	20.96	22
5	64QAM	1	12	20.82	20.87	21.05	
5	64QAM	1	24	20.79	20.93	21.08	
5	64QAM	12	0	19.57	19.67	19.91	21
5	64QAM	12	7	19.58	19.83	20.00	
5	64QAM	12	13	19.73	19.87	19.89	
5	64QAM	25	0	19.59	19.78	19.82	
5	256QAM	1	0	17.45	17.81	17.99	19
5	256QAM	1	12	17.64	17.87	18.00	
5	256QAM	1	24	17.80	17.74	17.94	
5	256QAM	12	0	17.46	17.60	17.82	19
5	256QAM	12	7	17.40	17.84	17.66	
5	256QAM	12	13	17.56	17.73	17.78	
5	256QAM	25	0	17.52	17.73	17.93	
Channel				18615	18900	19185	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1851.5	1880	1908.5	(dBm)
3	QPSK	1	0	22.66	22.84	22.98	24
3	QPSK	1	8	22.52	22.75	22.94	
3	QPSK	1	14	22.63	22.67	22.71	
3	QPSK	8	0	21.67	21.93	21.98	23
3	QPSK	8	4	21.63	21.78	21.92	
3	QPSK	8	7	21.60	21.84	21.88	
3	QPSK	15	0	21.52	21.80	21.84	
3	16QAM	1	0	21.83	21.88	22.00	23
3	16QAM	1	8	21.92	21.94	22.15	
3	16QAM	1	14	21.86	21.93	22.13	
3	16QAM	8	0	20.61	20.74	20.88	22
3	16QAM	8	4	20.70	20.89	20.89	
3	16QAM	8	7	20.72	20.78	20.83	
3	16QAM	15	0	20.54	20.80	20.83	
3	64QAM	1	0	20.74	20.83	20.95	22
3	64QAM	1	8	20.77	20.88	21.03	
3	64QAM	1	14	20.74	20.86	21.11	
3	64QAM	8	0	19.57	19.70	19.95	21
3	64QAM	8	4	19.61	19.85	19.99	
3	64QAM	8	7	19.74	19.83	19.89	
3	64QAM	15	0	19.52	19.78	19.82	
3	256QAM	1	0	17.53	17.85	17.97	19
3	256QAM	1	8	17.62	17.88	17.97	
3	256QAM	1	14	17.81	17.76	17.97	
3	256QAM	8	0	17.40	17.63	17.81	19
3	256QAM	8	4	17.49	17.78	17.68	
3	256QAM	8	7	17.58	17.77	17.81	
3	256QAM	15	0	17.51	17.79	17.93	
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	24
1.4	QPSK	1	0	22.65	22.80	22.94	
1.4	QPSK	1	3	22.50	22.69	22.92	
1.4	QPSK	1	5	22.54	22.61	22.66	
1.4	QPSK	3	0	22.63	22.82	22.95	
1.4	QPSK	3	1	22.50	22.73	22.88	
1.4	QPSK	3	3	22.53	22.64	22.70	23
1.4	QPSK	6	0	21.48	21.75	21.80	
1.4	16QAM	1	0	21.83	21.88	21.98	
1.4	16QAM	1	3	21.86	21.88	22.14	23
1.4	16QAM	1	5	21.84	21.84	22.03	
1.4	16QAM	3	0	21.73	21.84	21.95	
1.4	16QAM	3	1	21.91	21.92	22.11	
1.4	16QAM	3	3	21.85	21.91	22.07	
1.4	16QAM	6	0	20.44	20.73	20.74	22
1.4	64QAM	1	0	20.68	20.83	20.91	22
1.4	64QAM	1	3	20.75	20.86	20.96	
1.4	64QAM	1	5	20.74	20.85	21.06	
1.4	64QAM	3	0	20.66	20.76	20.93	
1.4	64QAM	3	1	20.73	20.86	20.98	
1.4	64QAM	3	3	20.70	20.80	21.11	21
1.4	64QAM	6	0	19.50	19.78	19.75	
1.4	256QAM	1	0	17.44	17.83	17.94	
1.4	256QAM	1	3	17.53	17.85	17.93	
1.4	256QAM	1	5	17.71	17.69	17.89	
1.4	256QAM	3	0	17.45	17.84	17.89	19
1.4	256QAM	3	1	17.54	17.78	17.93	
1.4	256QAM	3	3	17.81	17.72	17.96	
1.4	256QAM	6	0	17.46	17.75	17.90	19

**<Reduced Power Mode(MIMO2) LTE Band 2>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				18700	18900	19100	
Frequency (MHz)				1860	1880	1900	
20	QPSK	1	0	20.76	20.91	21.05	
20	QPSK	1	49	20.92	20.97	20.98	21.5
20	QPSK	1	99	20.57	20.99	20.96	
20	QPSK	50	0	20.61	20.72	20.95	
20	QPSK	50	24	20.68	20.87	20.96	21.5
20	QPSK	50	50	20.54	20.87	20.81	
20	QPSK	100	0	20.53	20.83	20.88	
20	16QAM	1	0	20.61	20.74	20.72	21.5
20	16QAM	1	49	20.55	20.81	20.81	
20	16QAM	1	99	20.52	20.68	20.85	
20	16QAM	50	0	19.75	19.85	19.82	20.5
20	16QAM	50	24	19.70	19.91	19.85	
20	16QAM	50	50	19.58	19.76	19.78	
20	16QAM	100	0	19.62	19.88	19.77	20.5
20	64QAM	1	0	19.80	19.93	19.93	
20	64QAM	1	49	19.84	19.82	19.89	
20	64QAM	1	99	19.82	19.82	19.95	20.5
20	64QAM	50	0	19.20	19.31	19.32	
20	64QAM	50	24	19.75	19.91	19.97	
20	64QAM	50	50	19.64	19.88	19.88	18.5
20	64QAM	100	0	19.68	19.78	19.91	
20	256QAM	1	0	17.10	17.17	17.19	
20	256QAM	1	49	17.04	17.31	17.41	18.5
20	256QAM	1	99	17.16	17.33	17.51	
20	256QAM	50	0	17.44	17.51	17.71	
20	256QAM	50	24	17.32	17.75	18.01	18.5
20	256QAM	50	50	17.66	17.66	17.72	
20	256QAM	100	0	17.56	17.59	17.79	
Channel				18675	18900	19125	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1902.5	
15	QPSK	1	0	20.83	20.88	20.92	
15	QPSK	1	37	20.76	21.01	20.93	21.5
15	QPSK	1	74	20.52	20.97	20.99	
15	QPSK	36	0	20.56	20.77	20.93	
15	QPSK	36	20	20.73	20.87	20.83	21.5
15	QPSK	36	39	20.58	20.71	20.89	
15	QPSK	75	0	20.70	20.80	20.95	
15	16QAM	1	0	20.55	20.75	20.65	21.5
15	16QAM	1	37	20.58	20.86	20.82	
15	16QAM	1	74	20.52	20.80	20.83	
15	16QAM	36	0	19.69	19.80	19.83	20.5
15	16QAM	36	20	19.65	19.87	19.82	
15	16QAM	36	39	19.57	19.91	19.84	
15	16QAM	75	0	19.66	19.79	19.84	20.5
15	64QAM	1	0	19.63	19.81	19.93	
15	64QAM	1	37	19.84	19.84	19.93	
15	64QAM	1	74	19.68	19.75	20.09	20.5
15	64QAM	36	0	19.72	19.74	19.92	
15	64QAM	36	20	19.58	19.91	19.95	
15	64QAM	36	39	19.65	19.72	19.77	18.5
15	64QAM	75	0	19.71	19.66	19.89	
15	256QAM	1	0	17.04	17.10	17.19	
15	256QAM	1	37	17.03	17.23	17.52	18.5
15	256QAM	1	74	17.05	17.37	17.49	
15	256QAM	36	0	17.42	17.63	17.70	
15	256QAM	36	20	17.34	17.84	17.95	18.5



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.51	17.63	17.73	
15	256QAM	75	0	17.56	17.45	17.76	
Channel				18650	18900	19150	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1905	
10	QPSK	1	0	20.88	21.03	21.02	21.5
10	QPSK	1	25	20.76	20.85	20.86	
10	QPSK	1	49	20.58	20.97	21.01	
10	QPSK	25	0	20.55	20.88	20.80	21.5
10	QPSK	25	12	20.75	20.81	20.95	
10	QPSK	25	25	20.52	20.82	20.95	
10	QPSK	50	0	20.69	20.73	20.79	
10	16QAM	1	0	20.68	20.63	20.78	21.5
10	16QAM	1	25	20.68	20.76	20.74	
10	16QAM	1	49	20.71	20.62	20.94	
10	16QAM	25	0	19.60	19.70	19.91	20.5
10	16QAM	25	12	19.69	19.83	19.84	
10	16QAM	25	25	19.67	19.85	19.85	
10	16QAM	50	0	19.52	19.77	19.93	
10	64QAM	1	0	19.77	19.86	19.80	20.5
10	64QAM	1	25	19.76	19.93	19.96	
10	64QAM	1	49	19.81	19.84	19.96	
10	64QAM	25	0	19.69	19.62	19.85	20.5
10	64QAM	25	12	19.71	19.88	19.90	
10	64QAM	25	25	19.66	19.84	19.93	
10	64QAM	50	0	19.65	19.70	19.91	
10	256QAM	1	0	17.04	17.16	17.22	18.5
10	256QAM	1	25	17.11	17.24	17.50	
10	256QAM	1	49	17.09	17.22	17.60	
10	256QAM	25	0	17.54	17.57	17.63	18.5
10	256QAM	25	12	17.28	17.79	17.96	
10	256QAM	25	25	17.59	17.59	17.78	
10	256QAM	50	0	17.44	17.45	17.69	
Channel				18625	18900	19175	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1907.5	
5	QPSK	1	0	20.77	20.92	21.00	21.5
5	QPSK	1	12	20.87	20.88	21.02	
5	QPSK	1	24	20.61	20.96	21.01	
5	QPSK	12	0	20.56	20.78	20.95	21.5
5	QPSK	12	7	20.62	20.73	20.86	
5	QPSK	12	13	20.61	20.71	20.79	
5	QPSK	25	0	20.59	20.76	20.95	
5	16QAM	1	0	20.67	20.71	20.64	21.5
5	16QAM	1	12	20.63	20.83	20.74	
5	16QAM	1	24	20.59	20.67	20.95	
5	16QAM	12	0	19.70	19.83	19.95	20.5
5	16QAM	12	7	19.78	19.88	19.99	
5	16QAM	12	13	19.60	19.78	19.90	
5	16QAM	25	0	19.71	19.76	19.93	
5	64QAM	1	0	19.76	19.79	19.94	20.5
5	64QAM	1	12	19.66	19.81	19.99	
5	64QAM	1	24	19.72	19.76	19.99	
5	64QAM	12	0	19.62	19.82	20.01	20.5
5	64QAM	12	7	19.76	19.90	19.86	
5	64QAM	12	13	19.74	19.77	19.79	
5	64QAM	25	0	19.66	19.78	19.81	
5	256QAM	1	0	17.00	17.08	17.11	18.5
5	256QAM	1	12	17.09	17.31	17.49	
5	256QAM	1	24	17.21	17.31	17.41	
5	256QAM	12	0	17.37	17.59	17.77	18.5
5	256QAM	12	7	17.43	17.83	17.99	
5	256QAM	12	13	17.65	17.71	17.76	
5	256QAM	25	0	17.49	17.43	17.67	
Channel				18615	18900	19185	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1851.5	1880	1908.5	(dBm)
3	QPSK	1	0	20.85	20.96	20.99	21.5
3	QPSK	1	8	20.90	20.92	20.88	
3	QPSK	1	14	20.45	20.91	20.89	
3	QPSK	8	0	20.63	20.79	20.87	21.5
3	QPSK	8	4	20.67	20.86	20.78	
3	QPSK	8	7	20.52	20.87	20.81	
3	QPSK	15	0	20.67	20.74	20.86	
3	16QAM	1	0	20.59	20.77	20.78	21.5
3	16QAM	1	8	20.71	20.78	20.84	
3	16QAM	1	14	20.57	20.76	20.92	
3	16QAM	8	0	19.59	19.82	19.98	20.5
3	16QAM	8	4	19.63	19.86	19.96	
3	16QAM	8	7	19.66	19.81	19.78	
3	16QAM	15	0	19.56	19.80	19.82	
3	64QAM	1	0	19.62	19.85	19.89	20.5
3	64QAM	1	8	19.72	19.83	19.84	
3	64QAM	1	14	19.65	19.92	20.10	
3	64QAM	8	0	19.54	19.76	19.97	20.5
3	64QAM	8	4	19.73	19.74	19.86	
3	64QAM	8	7	19.70	19.87	19.90	
3	64QAM	15	0	19.69	19.84	19.88	
3	256QAM	1	0	17.00	17.10	17.09	18.5
3	256QAM	1	8	17.01	17.35	17.36	
3	256QAM	1	14	17.02	17.24	17.46	
3	256QAM	8	0	17.49	17.47	17.71	18.5
3	256QAM	8	4	17.41	17.83	17.91	
3	256QAM	8	7	17.60	17.72	17.70	
3	256QAM	15	0	17.44	17.46	17.72	
Channel				18607	18900	19193	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1909.3	
1.4	QPSK	1	0	20.79	20.84	20.73	21.5
1.4	QPSK	1	3	20.63	20.79	20.87	
1.4	QPSK	1	5	20.36	20.73	20.92	
1.4	QPSK	3	0	20.46	20.84	20.94	
1.4	QPSK	3	1	20.69	20.64	20.62	
1.4	QPSK	3	3	20.48	20.62	20.86	
1.4	QPSK	6	0	20.47	20.71	20.78	21.5
1.4	16QAM	1	0	20.49	20.63	20.59	21.5
1.4	16QAM	1	3	20.53	20.57	20.74	
1.4	16QAM	1	5	20.52	20.62	20.90	
1.4	16QAM	3	0	20.17	20.27	20.42	
1.4	16QAM	3	1	20.23	20.33	20.49	
1.4	16QAM	3	3	20.26	20.15	20.28	
1.4	16QAM	6	0	19.48	19.64	19.74	20.5
1.4	64QAM	1	0	19.57	19.68	19.86	20.5
1.4	64QAM	1	3	19.73	19.91	19.65	
1.4	64QAM	1	5	19.67	19.83	19.90	
1.4	64QAM	3	0	19.51	19.53	19.88	
1.4	64QAM	3	1	19.49	19.72	19.91	
1.4	64QAM	3	3	19.56	19.73	19.65	
1.4	64QAM	6	0	19.69	19.74	19.79	20.5
1.4	256QAM	1	0	16.88	17.11	17.02	18.5
1.4	256QAM	1	3	16.98	17.38	17.19	
1.4	256QAM	1	5	17.15	17.33	17.49	
1.4	256QAM	3	0	17.14	17.42	17.71	
1.4	256QAM	3	1	17.35	17.73	17.92	
1.4	256QAM	3	3	17.47	17.53	17.62	
1.4	256QAM	6	0	17.48	17.45	17.76	18.5



<Default Power Mode(Main) LTE Band 4>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	23.07	23.03	23.08	
20	QPSK	1	49	23.01	22.95	22.96	24
20	QPSK	1	99	22.91	22.82	22.86	
20	QPSK	50	0	21.86	21.97	22.05	
20	QPSK	50	24	22.03	21.97	22.04	23
20	QPSK	50	50	22.02	21.89	21.96	
20	QPSK	100	0	21.93	21.95	21.94	
20	16QAM	1	0	22.12	22.13	22.20	23
20	16QAM	1	49	22.22	22.21	22.18	
20	16QAM	1	99	22.16	22.07	22.09	
20	16QAM	50	0	20.90	20.94	20.93	22
20	16QAM	50	24	21.01	20.96	20.97	
20	16QAM	50	50	21.02	20.93	20.93	
20	16QAM	100	0	20.94	20.94	20.94	22
20	64QAM	1	0	21.07	21.05	21.11	
20	64QAM	1	49	21.15	21.10	21.11	
20	64QAM	1	99	21.07	20.97	21.00	21
20	64QAM	50	0	19.82	19.93	19.95	
20	64QAM	50	24	20.00	19.98	19.99	
20	64QAM	50	50	20.00	19.89	19.95	19
20	64QAM	100	0	19.92	19.92	19.90	
20	256QAM	1	0	18.07	18.03	18.06	
20	256QAM	1	49	18.11	18.10	18.10	19
20	256QAM	1	99	17.98	17.89	17.91	
20	256QAM	50	0	17.73	17.83	17.93	19
20	256QAM	50	24	17.90	17.96	17.96	
20	256QAM	50	50	17.99	17.83	17.91	
20	256QAM	100	0	17.84	17.83	17.82	Tune-up limit (dBm)
Channel				20025	20175	20325	
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	23.02	23.04	23.00	24
15	QPSK	1	37	22.98	22.95	22.85	
15	QPSK	1	74	22.90	22.84	22.80	
15	QPSK	36	0	21.84	21.99	21.90	23
15	QPSK	36	20	21.96	22.01	21.89	
15	QPSK	36	39	21.97	21.88	21.89	
15	QPSK	75	0	21.84	21.84	21.87	23
15	16QAM	1	0	22.02	22.18	22.04	
15	16QAM	1	37	22.22	22.10	22.16	
15	16QAM	1	74	22.07	22.01	21.97	22
15	16QAM	36	0	20.90	20.88	20.84	
15	16QAM	36	20	20.91	20.94	20.92	
15	16QAM	36	39	20.99	20.90	20.92	22
15	16QAM	75	0	20.85	20.93	20.92	
15	64QAM	1	0	21.00	21.09	20.96	
15	64QAM	1	37	21.15	21.11	21.10	22
15	64QAM	1	74	21.07	20.94	20.87	
15	64QAM	36	0	19.78	19.87	19.84	
15	64QAM	36	20	19.95	19.90	19.89	21
15	64QAM	36	39	19.98	19.94	19.89	
15	64QAM	75	0	19.92	19.87	19.91	
15	256QAM	1	0	18.05	18.03	17.96	19
15	256QAM	1	37	18.14	18.09	18.05	
15	256QAM	1	74	17.98	17.98	17.87	
15	256QAM	36	0	17.80	17.88	17.83	19
15	256QAM	36	20	17.90	17.95	17.96	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.91	17.87	17.86	
15	256QAM	75	0	17.82	17.80	17.83	
Channel				20000	20175	20350	Tune-up limit (dBm)
Frequency (MHz)				1715	1732.5	1750	
10	QPSK	1	0	22.98	23.05	23.01	24
10	QPSK	1	25	22.93	22.96	22.94	
10	QPSK	1	49	22.86	22.81	22.73	
10	QPSK	25	0	21.78	21.99	21.88	23
10	QPSK	25	12	21.96	21.99	21.95	
10	QPSK	25	25	21.94	21.95	21.80	
10	QPSK	50	0	21.85	21.85	21.94	
10	16QAM	1	0	22.03	22.15	22.13	23
10	16QAM	1	25	22.21	22.14	22.18	
10	16QAM	1	49	22.11	22.05	22.07	22
10	16QAM	25	0	20.81	20.84	20.88	
10	16QAM	25	12	20.96	20.87	20.88	
10	16QAM	25	25	20.94	20.89	20.84	
10	16QAM	50	0	20.88	20.92	20.91	22
10	64QAM	1	0	21.01	21.05	20.96	
10	64QAM	1	25	21.11	21.11	21.04	
10	64QAM	1	49	21.00	20.99	20.89	21
10	64QAM	25	0	19.82	19.93	19.93	
10	64QAM	25	12	20.00	19.93	19.95	
10	64QAM	25	25	20.00	19.94	19.84	
10	64QAM	50	0	19.88	19.84	19.90	19
10	256QAM	1	0	18.05	18.07	18.05	
10	256QAM	1	25	18.06	18.11	18.04	
10	256QAM	1	49	18.02	17.94	17.92	19
10	256QAM	25	0	17.82	17.89	17.92	
10	256QAM	25	12	17.90	17.92	17.97	
10	256QAM	25	25	17.94	17.89	17.84	
10	256QAM	50	0	17.92	17.90	17.86	Tune-up limit (dBm)
Channel				19975	20175	20375	
Frequency (MHz)				1712.5	1732.5	1752.5	Tune-up limit (dBm)
5	QPSK	1	0	22.97	23.00	23.03	
5	QPSK	1	12	22.92	22.95	22.88	24
5	QPSK	1	24	22.91	22.77	22.78	
5	QPSK	12	0	21.84	22.01	21.87	23
5	QPSK	12	7	22.03	21.97	21.95	
5	QPSK	12	13	21.96	21.94	21.87	
5	QPSK	25	0	21.84	21.84	21.91	
5	16QAM	1	0	22.10	22.14	22.08	23
5	16QAM	1	12	22.22	22.10	22.17	
5	16QAM	1	24	22.09	22.04	21.99	
5	16QAM	12	0	20.90	20.91	20.94	22
5	16QAM	12	7	21.01	20.87	20.94	
5	16QAM	12	13	20.93	20.91	20.85	
5	16QAM	25	0	20.87	20.91	20.84	
5	64QAM	1	0	21.02	21.01	21.02	22
5	64QAM	1	12	21.07	21.03	21.07	
5	64QAM	1	24	21.04	20.93	20.92	
5	64QAM	12	0	19.73	19.92	19.93	21
5	64QAM	12	7	19.99	19.89	19.98	
5	64QAM	12	13	19.96	19.91	19.84	
5	64QAM	25	0	19.84	19.85	19.89	
5	256QAM	1	0	18.07	18.11	17.98	19
5	256QAM	1	12	18.06	18.11	18.08	
5	256QAM	1	24	18.00	17.95	17.94	
5	256QAM	12	0	17.82	17.94	17.86	19
5	256QAM	12	7	17.99	17.91	17.90	
5	256QAM	12	13	17.91	17.92	17.79	
5	256QAM	25	0	17.82	17.81	17.83	
Channel				19965	20175	20385	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	23.06	23.00	23.02	24
3	QPSK	1	8	23.00	22.96	22.87	
3	QPSK	1	14	22.82	22.85	22.74	
3	QPSK	8	0	21.76	21.95	21.94	23
3	QPSK	8	4	21.99	21.98	21.89	
3	QPSK	8	7	21.94	21.88	21.81	
3	QPSK	15	0	21.84	21.85	21.93	
3	16QAM	1	0	22.12	22.19	22.06	23
3	16QAM	1	8	22.17	22.09	22.21	
3	16QAM	1	14	22.11	22.01	22.06	
3	16QAM	8	0	20.88	20.91	20.89	22
3	16QAM	8	4	21.00	20.93	20.96	
3	16QAM	8	7	21.02	20.87	20.84	
3	16QAM	15	0	20.94	20.87	20.88	
3	64QAM	1	0	21.05	21.04	20.96	22
3	64QAM	1	8	21.11	21.06	21.09	
3	64QAM	1	14	20.99	20.92	20.89	
3	64QAM	8	0	19.78	19.86	19.91	21
3	64QAM	8	4	19.90	19.95	19.88	
3	64QAM	8	7	19.95	19.93	19.89	
3	64QAM	15	0	19.82	19.83	19.88	
3	256QAM	1	0	17.99	18.02	17.98	19
3	256QAM	1	8	18.13	18.08	18.06	
3	256QAM	1	14	18.07	17.94	17.89	
3	256QAM	8	0	17.74	17.85	17.91	19
3	256QAM	8	4	17.92	17.97	17.97	
3	256QAM	8	7	17.97	17.93	17.89	
3	256QAM	15	0	17.86	17.89	17.90	
Channel				19957	20175	20393	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1732.5	1754.3	24
1.4	QPSK	1	0	22.97	22.97	22.96	
1.4	QPSK	1	3	22.93	22.94	22.84	
1.4	QPSK	1	5	22.76	22.85	22.68	
1.4	QPSK	3	0	23.05	22.94	23.02	
1.4	QPSK	3	1	22.94	22.89	22.87	
1.4	QPSK	3	3	22.81	22.77	22.67	23
1.4	QPSK	6	0	21.74	21.78	21.93	
1.4	16QAM	1	0	22.09	22.13	22.01	23
1.4	16QAM	1	3	22.07	22.01	22.17	
1.4	16QAM	1	5	22.05	22.00	22.05	
1.4	16QAM	3	0	22.05	22.17	21.98	
1.4	16QAM	3	1	22.14	22.05	22.20	
1.4	16QAM	3	3	22.05	21.91	22.04	
1.4	16QAM	6	0	20.90	20.80	20.79	22
1.4	64QAM	1	0	21.01	20.97	20.88	22
1.4	64QAM	1	3	21.09	21.06	21.06	
1.4	64QAM	1	5	20.95	20.90	20.81	
1.4	64QAM	3	0	21.05	20.95	20.88	
1.4	64QAM	3	1	21.10	21.05	21.07	
1.4	64QAM	3	3	20.89	20.87	20.82	
1.4	64QAM	6	0	19.75	19.77	19.78	21
1.4	256QAM	1	0	18.06	18.08	17.95	19
1.4	256QAM	1	3	18.10	18.05	18.09	
1.4	256QAM	1	5	18.06	17.91	17.95	
1.4	256QAM	3	0	17.76	17.95	17.86	
1.4	256QAM	3	1	17.92	17.99	17.94	
1.4	256QAM	3	3	17.92	17.89	17.87	
1.4	256QAM	6	0	17.91	17.87	17.91	19

**<Reduced Power Mode(Main) LTE Band 4>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	16
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	15.37	15.31	15.26	
20	QPSK	1	49	15.28	15.30	15.26	16
20	QPSK	1	99	15.24	15.20	15.14	
20	QPSK	50	0	15.14	15.07	15.05	
20	QPSK	50	24	15.13	15.08	15.05	16
20	QPSK	50	50	15.09	15.05	14.93	
20	QPSK	100	0	15.03	15.01	14.99	
20	16QAM	1	0	15.01	15.02	14.97	16
20	16QAM	1	49	15.07	15.02	15.01	
20	16QAM	1	99	14.97	14.89	14.86	
20	16QAM	50	0	14.94	15.05	14.99	16
20	16QAM	50	24	15.10	15.03	15.02	
20	16QAM	50	50	15.10	15.02	14.95	
20	16QAM	100	0	15.01	14.97	14.97	16
20	64QAM	1	0	15.15	15.19	15.12	
20	64QAM	1	49	15.25	15.21	15.18	
20	64QAM	1	99	15.12	15.09	15.02	16
20	64QAM	50	0	14.93	15.03	15.02	
20	64QAM	50	24	15.10	15.04	15.06	
20	64QAM	50	50	15.11	15.05	14.94	16
20	64QAM	100	0	15.03	14.99	15.00	
20	256QAM	1	0	14.98	15.15	15.11	
20	256QAM	1	49	15.06	15.17	15.03	16
20	256QAM	1	99	15.04	14.99	14.92	
20	256QAM	50	0	14.79	15.01	14.92	
20	256QAM	50	24	15.10	14.94	15.00	16
20	256QAM	50	50	15.07	14.95	14.77	
20	256QAM	100	0	14.83	14.99	14.92	
Channel				20025	20175	20325	16
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	15.29	15.30	15.16	
15	QPSK	1	37	15.18	15.27	15.24	16
15	QPSK	1	74	15.20	15.10	15.13	
15	QPSK	36	0	15.05	14.97	14.98	
15	QPSK	36	20	15.09	15.03	14.96	16
15	QPSK	36	39	15.00	14.96	14.83	
15	QPSK	75	0	15.01	14.94	14.96	
15	16QAM	1	0	14.97	14.99	14.87	16
15	16QAM	1	37	15.00	14.93	15.00	
15	16QAM	1	74	14.88	14.89	14.77	
15	16QAM	36	0	14.87	15.03	14.92	16
15	16QAM	36	20	15.10	15.01	14.96	
15	16QAM	36	39	15.10	14.96	14.87	
15	16QAM	75	0	15.00	14.97	14.95	16
15	64QAM	1	0	15.06	15.11	15.07	
15	64QAM	1	37	15.23	15.15	15.11	
15	64QAM	1	74	15.04	15.05	14.92	16
15	64QAM	36	0	14.91	15.03	14.97	
15	64QAM	36	20	15.00	14.94	14.99	
15	64QAM	36	39	15.05	15.04	14.93	16
15	64QAM	75	0	14.99	14.89	14.90	
15	256QAM	1	0	14.91	15.11	15.11	
15	256QAM	1	37	15.04	15.17	14.94	16
15	256QAM	1	74	14.96	14.96	14.88	
15	256QAM	36	0	14.76	14.95	14.84	
15	256QAM	36	20	15.09	14.93	14.90	16



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	15.05	14.86	14.67	Tune-up limit (dBm)
15	256QAM	75	0	14.77	14.94	14.83	
Channel				20000	20175	20350	
Frequency (MHz)				1715	1732.5	1750	16
10	QPSK	1	0	15.29	15.24	15.19	
10	QPSK	1	25	15.23	15.22	15.16	
10	QPSK	1	49	15.18	15.16	15.09	16
10	QPSK	25	0	15.07	15.01	14.95	
10	QPSK	25	12	15.03	15.08	14.96	
10	QPSK	25	25	15.07	14.95	14.89	16
10	QPSK	50	0	15.00	14.93	14.96	
10	16QAM	1	0	14.97	14.98	14.87	
10	16QAM	1	25	15.05	14.99	14.97	16
10	16QAM	1	49	14.90	14.82	14.86	
10	16QAM	25	0	14.91	14.99	14.91	
10	16QAM	25	12	15.09	15.01	14.92	16
10	16QAM	25	25	15.00	14.99	14.94	
10	16QAM	50	0	14.93	14.89	14.87	
10	64QAM	1	0	15.08	15.11	15.10	16
10	64QAM	1	25	15.19	15.13	15.09	
10	64QAM	1	49	15.04	15.07	14.96	
10	64QAM	25	0	14.88	14.93	15.00	16
10	64QAM	25	12	15.03	14.98	15.06	
10	64QAM	25	25	15.10	14.96	14.86	
10	64QAM	50	0	15.01	14.90	14.90	16
10	256QAM	1	0	14.92	15.07	15.10	
10	256QAM	1	25	15.04	15.17	14.98	
10	256QAM	1	49	14.97	14.90	14.88	16
10	256QAM	25	0	14.74	14.93	14.90	
10	256QAM	25	12	15.03	14.93	14.93	
10	256QAM	25	25	15.05	14.94	14.72	16
10	256QAM	50	0	14.74	14.98	14.87	
Channel				19975	20175	20375	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1732.5	1752.5	
5	QPSK	1	0	15.37	15.28	15.21	
5	QPSK	1	12	15.21	15.23	15.16	16
5	QPSK	1	24	15.22	15.13	15.08	
5	QPSK	12	0	15.13	15.05	14.96	
5	QPSK	12	7	15.11	15.08	15.05	16
5	QPSK	12	13	15.09	14.96	14.90	
5	QPSK	25	0	15.03	15.00	14.92	
5	16QAM	1	0	14.93	14.93	14.87	16
5	16QAM	1	12	15.02	15.01	14.97	
5	16QAM	1	24	14.94	14.86	14.76	
5	16QAM	12	0	14.88	15.02	14.94	16
5	16QAM	12	7	15.00	14.97	14.96	
5	16QAM	12	13	15.08	15.01	14.87	
5	16QAM	25	0	14.97	14.95	14.93	16
5	64QAM	1	0	15.08	15.14	15.08	
5	64QAM	1	12	15.21	15.14	15.12	
5	64QAM	1	24	15.11	15.01	14.98	16
5	64QAM	12	0	14.86	15.02	14.98	
5	64QAM	12	7	15.03	14.98	15.00	
5	64QAM	12	13	15.10	15.01	14.88	16
5	64QAM	25	0	15.00	14.98	15.00	
5	256QAM	1	0	14.88	15.14	15.10	
5	256QAM	1	12	15.03	15.08	14.99	16
5	256QAM	1	24	15.02	14.96	14.89	
5	256QAM	12	0	14.76	14.96	14.86	
5	256QAM	12	7	15.00	14.93	14.95	16
5	256QAM	12	13	15.04	14.91	14.69	
5	256QAM	25	0	14.80	14.91	14.85	
Channel				19965	20175	20385	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	15.30	15.31	15.17	16
3	QPSK	1	8	15.26	15.22	15.18	
3	QPSK	1	14	15.14	15.11	15.11	
3	QPSK	8	0	15.08	15.01	14.99	16
3	QPSK	8	4	15.09	15.04	14.96	
3	QPSK	8	7	15.03	15.03	14.86	
3	QPSK	15	0	14.94	14.97	14.96	
3	16QAM	1	0	14.91	14.94	14.97	16
3	16QAM	1	8	14.99	14.97	14.92	
3	16QAM	1	14	14.96	14.86	14.82	
3	16QAM	8	0	14.84	15.03	14.93	16
3	16QAM	8	4	15.09	14.94	15.02	
3	16QAM	8	7	15.07	14.93	14.90	
3	16QAM	15	0	15.00	14.92	14.97	
3	64QAM	1	0	15.14	15.10	15.03	16
3	64QAM	1	8	15.15	15.13	15.14	
3	64QAM	1	14	15.11	15.02	14.96	
3	64QAM	8	0	14.84	14.96	14.95	16
3	64QAM	8	4	15.08	14.96	15.03	
3	64QAM	8	7	15.04	15.03	14.91	
3	64QAM	15	0	14.96	14.92	14.91	
3	256QAM	1	0	14.90	15.14	15.04	16
3	256QAM	1	8	14.98	15.10	14.95	
3	256QAM	1	14	14.98	14.93	14.89	
3	256QAM	8	0	14.76	15.01	14.87	16
3	256QAM	8	4	15.08	14.93	14.92	
3	256QAM	8	7	14.99	14.87	14.73	
3	256QAM	15	0	14.82	14.93	14.89	
Channel				19957	20175	20393	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1732.5	1754.3	16
1.4	QPSK	1	0	15.33	15.23	15.24	
1.4	QPSK	1	3	15.24	15.22	15.18	
1.4	QPSK	1	5	15.20	15.13	15.04	
1.4	QPSK	3	0	15.07	15.00	15.04	
1.4	QPSK	3	1	15.13	15.05	15.02	
1.4	QPSK	3	3	15.07	15.00	14.83	
1.4	QPSK	6	0	14.96	14.91	14.98	16
1.4	16QAM	1	0	14.94	15.00	14.88	16
1.4	16QAM	1	3	15.00	15.01	14.91	
1.4	16QAM	1	5	14.93	14.82	14.82	
1.4	16QAM	3	0	14.89	15.01	14.97	
1.4	16QAM	3	1	15.02	14.96	14.96	
1.4	16QAM	3	3	15.00	14.98	14.91	16
1.4	16QAM	6	0	14.92	14.87	14.88	
1.4	64QAM	1	0	15.10	15.16	15.04	16
1.4	64QAM	1	3	15.17	15.19	15.08	
1.4	64QAM	1	5	15.06	15.01	14.95	
1.4	64QAM	3	0	14.92	14.96	15.02	
1.4	64QAM	3	1	15.00	14.96	15.00	
1.4	64QAM	3	3	15.01	14.96	14.93	16
1.4	64QAM	6	0	14.94	14.89	14.90	
1.4	256QAM	1	0	14.97	15.05	15.02	16
1.4	256QAM	1	3	15.06	15.09	14.99	
1.4	256QAM	1	5	15.00	14.89	14.89	
1.4	256QAM	3	0	14.79	14.93	14.90	
1.4	256QAM	3	1	15.06	14.88	14.95	
1.4	256QAM	3	3	15.06	14.91	14.68	16
1.4	256QAM	6	0	14.78	14.97	14.88	



<Default Power Mode(MIMO2) LTE Band 4>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	22.83	22.88	22.93	
20	QPSK	1	49	22.82	22.84	22.87	24
20	QPSK	1	99	22.72	22.81	22.82	
20	QPSK	50	0	21.92	21.96	21.98	
20	QPSK	50	24	21.84	21.94	21.95	23
20	QPSK	50	50	21.68	21.85	21.82	
20	QPSK	100	0	21.83	21.87	21.92	
20	16QAM	1	0	21.92	22.01	22.14	23
20	16QAM	1	49	22.02	22.11	22.19	
20	16QAM	1	99	22.00	22.07	22.01	
20	16QAM	50	0	20.70	20.91	20.86	22
20	16QAM	50	24	20.84	20.91	20.91	
20	16QAM	50	50	20.82	20.96	20.87	
20	16QAM	100	0	20.78	20.85	20.91	22
20	64QAM	1	0	20.83	20.94	21.02	
20	64QAM	1	49	20.94	21.03	21.05	
20	64QAM	1	99	20.96	20.96	20.96	21
20	64QAM	50	0	19.68	19.90	19.83	
20	64QAM	50	24	19.82	19.87	19.89	
20	64QAM	50	50	19.84	19.97	19.88	19
20	64QAM	100	0	19.74	19.83	19.89	
20	256QAM	1	0	17.73	17.82	17.97	
20	256QAM	1	49	17.77	17.83	17.98	19
20	256QAM	1	99	17.81	17.78	17.94	
20	256QAM	50	0	17.67	17.77	17.70	19
20	256QAM	50	24	17.82	17.79	17.70	
20	256QAM	50	50	17.64	17.82	17.69	
20	256QAM	100	0	17.69	17.71	17.71	
Channel				20025	20175	20325	
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	22.76	22.82	22.91	24
15	QPSK	1	37	22.74	22.76	22.85	
15	QPSK	1	74	22.66	22.78	22.73	
15	QPSK	36	0	21.86	21.95	21.95	23
15	QPSK	36	20	21.76	21.93	21.86	
15	QPSK	36	39	21.60	21.81	21.82	
15	QPSK	75	0	21.75	21.79	21.92	23
15	16QAM	1	0	21.90	22.01	22.07	
15	16QAM	1	37	21.95	22.09	22.19	
15	16QAM	1	74	21.90	22.03	21.98	22
15	16QAM	36	0	20.61	20.85	20.82	
15	16QAM	36	20	20.74	20.89	20.83	
15	16QAM	36	39	20.73	20.86	20.83	22
15	16QAM	75	0	20.69	20.81	20.84	
15	64QAM	1	0	20.78	20.90	21.02	
15	64QAM	1	37	20.91	21.01	21.04	21
15	64QAM	1	74	20.94	20.88	20.88	
15	64QAM	36	0	19.66	19.85	19.78	
15	64QAM	36	20	19.81	19.78	19.88	19
15	64QAM	36	39	19.82	19.92	19.82	
15	64QAM	75	0	19.66	19.80	19.83	
15	256QAM	1	0	17.63	17.77	17.87	19
15	256QAM	1	37	17.67	17.76	17.90	
15	256QAM	1	74	17.72	17.71	17.92	
15	256QAM	36	0	17.65	17.69	17.68	19
15	256QAM	36	20	17.81	17.79	17.63	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.59	17.74	17.62	Tune-up limit (dBm)
15	256QAM	75	0	17.66	17.71	17.63	
Channel				20000	20175	20350	
Frequency (MHz)				1715	1732.5	1750	24
10	QPSK	1	0	22.77	22.85	22.90	
10	QPSK	1	25	22.75	22.83	22.82	
10	QPSK	1	49	22.72	22.72	22.78	23
10	QPSK	25	0	21.88	21.90	21.97	
10	QPSK	25	12	21.78	21.89	21.94	
10	QPSK	25	25	21.60	21.85	21.76	23
10	QPSK	50	0	21.81	21.80	21.90	
10	16QAM	1	0	21.90	21.93	22.13	
10	16QAM	1	25	21.93	22.11	22.12	22
10	16QAM	1	49	21.98	21.98	22.01	
10	16QAM	25	0	20.67	20.84	20.78	
10	16QAM	25	12	20.80	20.82	20.91	22
10	16QAM	25	25	20.79	20.91	20.83	
10	16QAM	50	0	20.68	20.81	20.85	
10	64QAM	1	0	20.81	20.93	21.00	22
10	64QAM	1	25	20.89	21.00	21.02	
10	64QAM	1	49	20.92	20.96	20.92	
10	64QAM	25	0	19.67	19.82	19.81	21
10	64QAM	25	12	19.81	19.86	19.88	
10	64QAM	25	25	19.76	19.96	19.82	
10	64QAM	50	0	19.72	19.80	19.86	19
10	256QAM	1	0	17.70	17.73	17.87	
10	256QAM	1	25	17.71	17.78	17.97	
10	256QAM	1	49	17.78	17.69	17.84	19
10	256QAM	25	0	17.61	17.71	17.60	
10	256QAM	25	12	17.74	17.79	17.68	
10	256QAM	25	25	17.57	17.76	17.59	19
10	256QAM	50	0	17.66	17.67	17.70	
Channel				19975	20175	20375	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1732.5	1752.5	
5	QPSK	1	0	22.74	22.84	22.86	
5	QPSK	1	12	22.69	22.81	22.78	24
5	QPSK	1	24	22.71	22.68	22.68	
5	QPSK	12	0	21.81	21.82	21.88	23
5	QPSK	12	7	21.69	21.85	21.93	
5	QPSK	12	13	21.58	21.85	21.71	
5	QPSK	25	0	21.76	21.72	21.81	23
5	16QAM	1	0	21.83	21.92	22.11	
5	16QAM	1	12	21.90	22.08	22.04	
5	16QAM	1	24	21.91	21.97	21.91	22
5	16QAM	12	0	20.64	20.81	20.72	
5	16QAM	12	7	20.77	20.78	20.83	
5	16QAM	12	13	20.78	20.83	20.73	22
5	16QAM	25	0	20.63	20.71	20.81	
5	64QAM	1	0	20.73	20.86	20.94	
5	64QAM	1	12	20.81	20.96	20.95	22
5	64QAM	1	24	20.87	20.87	20.86	
5	64QAM	12	0	19.58	19.76	19.73	
5	64QAM	12	7	19.72	19.77	19.81	21
5	64QAM	12	13	19.70	19.95	19.77	
5	64QAM	25	0	19.64	19.71	19.82	
5	256QAM	1	0	17.68	17.64	17.85	19
5	256QAM	1	12	17.68	17.74	17.88	
5	256QAM	1	24	17.74	17.59	17.84	
5	256QAM	12	0	17.52	17.63	17.56	19
5	256QAM	12	7	17.66	17.79	17.62	
5	256QAM	12	13	17.53	17.72	17.50	
5	256QAM	25	0	17.59	17.66	17.70	Tune-up limit
Channel				19965	20175	20385	



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	22.74	22.77	22.84	24
3	QPSK	1	8	22.68	22.74	22.68	
3	QPSK	1	14	22.61	22.63	22.64	
3	QPSK	8	0	21.72	21.73	21.87	23
3	QPSK	8	4	21.64	21.77	21.84	
3	QPSK	8	7	21.55	21.85	21.67	
3	QPSK	15	0	21.69	21.62	21.76	23
3	16QAM	1	0	21.83	21.84	22.05	
3	16QAM	1	8	21.84	22.03	21.99	
3	16QAM	1	14	21.82	21.95	21.86	22
3	16QAM	8	0	20.61	20.74	20.63	
3	16QAM	8	4	20.71	20.68	20.76	
3	16QAM	8	7	20.76	20.81	20.64	22
3	16QAM	15	0	20.56	20.64	20.80	
3	64QAM	1	0	20.67	20.76	20.87	
3	64QAM	1	8	20.73	20.87	20.94	21
3	64QAM	1	14	20.77	20.80	20.78	
3	64QAM	8	0	19.53	19.68	19.65	
3	64QAM	8	4	19.67	19.73	19.72	19
3	64QAM	8	7	19.66	19.87	19.73	
3	64QAM	15	0	19.54	19.69	19.74	
3	256QAM	1	0	17.64	17.64	17.80	19
3	256QAM	1	8	17.67	17.69	17.87	
3	256QAM	1	14	17.64	17.54	17.75	
3	256QAM	8	0	17.43	17.57	17.47	19
3	256QAM	8	4	17.56	17.69	17.52	
3	256QAM	8	7	17.48	17.68	17.42	
3	256QAM	15	0	17.55	17.66	17.62	Tune-up limit (dBm)
Channel				19957	20175	20393	
Frequency (MHz)				1710.7	1732.5	1754.3	24
1.4	QPSK	1	0	22.69	22.76	22.82	
1.4	QPSK	1	3	22.64	22.74	22.75	
1.4	QPSK	1	5	22.71	22.63	22.65	23
1.4	QPSK	3	0	22.66	22.75	22.80	
1.4	QPSK	3	1	22.61	22.71	22.76	
1.4	QPSK	3	3	22.69	22.67	22.60	23
1.4	QPSK	6	0	21.71	21.62	21.74	
1.4	16QAM	1	0	21.80	21.82	22.02	
1.4	16QAM	1	3	21.86	22.06	22.02	22
1.4	16QAM	1	5	21.91	21.95	21.90	
1.4	16QAM	3	0	21.78	21.89	22.10	
1.4	16QAM	3	1	21.81	22.06	22.01	22
1.4	16QAM	3	3	21.83	21.96	21.91	
1.4	16QAM	6	0	20.63	20.64	20.71	
1.4	64QAM	1	0	20.67	20.80	20.94	21
1.4	64QAM	1	3	20.74	20.87	20.90	
1.4	64QAM	1	5	20.80	20.82	20.83	
1.4	64QAM	3	0	20.64	20.79	20.88	19
1.4	64QAM	3	1	20.76	20.96	20.87	
1.4	64QAM	3	3	20.77	20.77	20.83	
1.4	64QAM	6	0	19.59	19.63	19.79	19
1.4	256QAM	1	0	17.68	17.60	17.76	
1.4	256QAM	1	3	17.65	17.67	17.82	
1.4	256QAM	1	5	17.64	17.55	17.84	19
1.4	256QAM	3	0	17.64	17.55	17.81	
1.4	256QAM	3	1	17.65	17.72	17.80	
1.4	256QAM	3	3	17.74	17.54	17.74	19
1.4	256QAM	6	0	17.51	17.59	17.65	



<Reduced Power Mode(MIMO2) LTE Band 4>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20050	20175	20300	
Frequency (MHz)				1720	1732.5	1745	
20	QPSK	1	0	20.94	21.02	20.95	
20	QPSK	1	49	20.74	20.88	20.94	21.5
20	QPSK	1	99	20.70	20.87	20.64	
20	QPSK	50	0	20.47	20.69	20.50	
20	QPSK	50	24	20.62	20.68	20.56	21.5
20	QPSK	50	50	20.67	20.59	20.43	
20	QPSK	100	0	20.46	20.70	20.55	
20	16QAM	1	0	20.56	20.60	20.71	21.5
20	16QAM	1	49	20.55	20.55	20.66	
20	16QAM	1	99	20.46	20.57	20.41	
20	16QAM	50	0	19.97	20.25	20.18	20.5
20	16QAM	50	24	20.14	20.22	20.22	
20	16QAM	50	50	20.10	20.19	19.91	
20	16QAM	100	0	20.05	20.06	20.09	20.5
20	64QAM	1	0	20.14	20.20	20.27	
20	64QAM	1	49	20.35	20.31	20.33	
20	64QAM	1	99	20.21	20.16	20.02	20.5
20	64QAM	50	0	19.51	19.83	19.50	
20	64QAM	50	24	19.54	19.59	19.67	
20	64QAM	50	50	19.67	19.59	19.39	20.5
20	64QAM	100	0	19.49	19.58	19.69	
20	256QAM	1	0	17.06	17.33	17.37	18.5
20	256QAM	1	49	17.12	17.30	17.05	
20	256QAM	1	99	16.96	17.25	17.20	
20	256QAM	50	0	17.60	17.76	17.56	18.5
20	256QAM	50	24	17.61	17.69	17.69	
20	256QAM	50	50	17.68	17.51	17.28	
20	256QAM	100	0	17.50	17.66	17.31	Tune-up limit (dBm)
Channel				20025	20175	20325	
Frequency (MHz)				1717.5	1732.5	1747.5	
15	QPSK	1	0	20.87	21.01	20.87	21.5
15	QPSK	1	37	20.69	20.96	20.82	
15	QPSK	1	74	20.78	20.77	20.72	
15	QPSK	36	0	20.62	20.69	20.54	21.5
15	QPSK	36	20	20.57	20.59	20.54	
15	QPSK	36	39	20.68	20.68	20.40	
15	QPSK	75	0	20.59	20.59	20.55	21.5
15	16QAM	1	0	20.52	20.60	20.71	
15	16QAM	1	37	20.55	20.60	20.56	
15	16QAM	1	74	20.54	20.51	20.42	20.5
15	16QAM	36	0	20.09	20.36	20.10	
15	16QAM	36	20	20.21	20.25	20.09	
15	16QAM	36	39	20.25	20.14	19.94	20.5
15	16QAM	75	0	20.00	20.23	20.07	
15	64QAM	1	0	20.16	20.35	20.27	
15	64QAM	1	37	20.16	20.23	20.33	20.5
15	64QAM	1	74	20.06	20.24	20.03	
15	64QAM	36	0	19.56	19.73	19.65	
15	64QAM	36	20	19.56	19.63	19.71	20.5
15	64QAM	36	39	19.56	19.53	19.38	
15	64QAM	75	0	19.57	19.69	19.57	
15	256QAM	1	0	17.05	17.32	17.36	18.5
15	256QAM	1	37	17.02	17.24	17.22	
15	256QAM	1	74	17.08	17.28	17.20	
15	256QAM	36	0	17.45	17.67	17.50	18.5
15	256QAM	36	20	17.50	17.60	17.67	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.78	17.49	17.33	
15	256QAM	75	0	17.57	17.70	17.42	
Channel				20000	20175	20350	Tune-up limit (dBm)
Frequency (MHz)				1715	1732.5	1750	
10	QPSK	1	0	20.91	20.93	20.94	21.5
10	QPSK	1	25	20.80	20.99	20.90	
10	QPSK	1	49	20.61	20.84	20.66	
10	QPSK	25	0	20.51	20.85	20.67	21.5
10	QPSK	25	12	20.68	20.57	20.64	
10	QPSK	25	25	20.73	20.56	20.39	
10	QPSK	50	0	20.58	20.68	20.44	
10	16QAM	1	0	20.52	20.52	20.59	21.5
10	16QAM	1	25	20.51	20.61	20.70	
10	16QAM	1	49	20.37	20.49	20.48	
10	16QAM	25	0	20.07	20.37	20.15	20.5
10	16QAM	25	12	20.06	20.22	20.24	
10	16QAM	25	25	20.16	20.16	19.87	
10	16QAM	50	0	20.04	20.06	20.22	
10	64QAM	1	0	20.15	20.28	20.23	20.5
10	64QAM	1	25	20.35	20.25	20.35	
10	64QAM	1	49	20.20	20.19	20.07	
10	64QAM	25	0	19.63	19.81	19.57	20.5
10	64QAM	25	12	19.65	19.78	19.63	
10	64QAM	25	25	19.57	19.60	19.48	
10	64QAM	50	0	19.55	19.72	19.55	
10	256QAM	1	0	17.07	17.33	17.32	18.5
10	256QAM	1	25	17.15	17.32	17.16	
10	256QAM	1	49	16.97	17.30	17.05	
10	256QAM	25	0	17.42	17.59	17.41	18.5
10	256QAM	25	12	17.59	17.53	17.56	
10	256QAM	25	25	17.75	17.48	17.40	
10	256QAM	50	0	17.60	17.74	17.44	
Channel				19975	20175	20375	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1732.5	1752.5	
5	QPSK	1	0	20.88	20.95	20.85	21.5
5	QPSK	1	12	20.78	20.91	20.95	
5	QPSK	1	24	20.61	20.78	20.65	
5	QPSK	12	0	20.55	20.76	20.55	21.5
5	QPSK	12	7	20.57	20.65	20.56	
5	QPSK	12	13	20.62	20.67	20.51	
5	QPSK	25	0	20.61	20.71	20.61	
5	16QAM	1	0	20.60	20.64	20.57	21.5
5	16QAM	1	12	20.61	20.72	20.66	
5	16QAM	1	24	20.39	20.56	20.39	
5	16QAM	12	0	19.98	20.33	20.02	20.5
5	16QAM	12	7	20.21	20.11	20.12	
5	16QAM	12	13	20.18	20.20	19.89	
5	16QAM	25	0	20.05	20.06	20.03	
5	64QAM	1	0	20.06	20.38	20.23	20.5
5	64QAM	1	12	20.26	20.33	20.23	
5	64QAM	1	24	20.11	20.20	20.14	
5	64QAM	12	0	19.58	19.69	19.57	20.5
5	64QAM	12	7	19.57	19.63	19.64	
5	64QAM	12	13	19.59	19.66	19.55	
5	64QAM	25	0	19.52	19.62	19.67	
5	256QAM	1	0	17.06	17.29	17.20	18.5
5	256QAM	1	12	17.15	17.16	17.25	
5	256QAM	1	24	16.95	17.31	17.02	
5	256QAM	12	0	17.47	17.63	17.49	18.5
5	256QAM	12	7	17.49	17.54	17.56	
5	256QAM	12	13	17.68	17.53	17.44	
5	256QAM	25	0	17.47	17.72	17.37	
Channel				19965	20175	20385	Tune-up limit



FCC SAR TEST REPORT

Report No. : FA2O2008

Frequency (MHz)				1711.5	1732.5	1753.5	(dBm)
3	QPSK	1	0	20.85	20.89	20.94	21.5
3	QPSK	1	8	20.79	20.99	20.76	
3	QPSK	1	14	20.80	20.72	20.77	
3	QPSK	8	0	20.61	20.74	20.50	21.5
3	QPSK	8	4	20.60	20.57	20.64	
3	QPSK	8	7	20.67	20.66	20.48	
3	QPSK	15	0	20.58	20.60	20.57	21.5
3	16QAM	1	0	20.60	20.69	20.64	
3	16QAM	1	8	20.63	20.68	20.60	
3	16QAM	1	14	20.48	20.51	20.53	20.5
3	16QAM	8	0	20.15	20.31	20.16	
3	16QAM	8	4	20.13	20.14	20.06	
3	16QAM	8	7	20.21	20.03	19.90	20.5
3	16QAM	15	0	20.16	20.09	20.06	
3	64QAM	1	0	20.21	20.29	20.36	
3	64QAM	1	8	20.34	20.33	20.33	20.5
3	64QAM	1	14	20.09	20.15	20.05	
3	64QAM	8	0	19.59	19.70	19.57	
3	64QAM	8	4	19.58	19.69	19.67	20.5
3	64QAM	8	7	19.70	19.47	19.39	
3	64QAM	15	0	19.50	19.56	19.59	
3	256QAM	1	0	17.10	17.18	17.20	18.5
3	256QAM	1	8	17.15	17.32	17.16	
3	256QAM	1	14	16.89	17.33	17.09	
3	256QAM	8	0	17.41	17.63	17.51	18.5
3	256QAM	8	4	17.58	17.66	17.51	
3	256QAM	8	7	17.81	17.42	17.28	
3	256QAM	15	0	17.57	17.70	17.30	
Channel				19957	20175	20393	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1732.5	1754.3	
1.4	QPSK	1	0	20.83	20.79	20.68	21.5
1.4	QPSK	1	3	20.57	20.78	20.66	
1.4	QPSK	1	5	20.53	20.75	20.64	
1.4	QPSK	3	0	20.39	20.52	20.64	21.5
1.4	QPSK	3	1	20.34	20.63	20.38	
1.4	QPSK	3	3	20.65	20.48	20.18	
1.4	QPSK	6	0	20.35	20.61	20.38	21.5
1.4	16QAM	1	0	20.48	20.38	20.46	21.5
1.4	16QAM	1	3	20.51	20.43	20.45	
1.4	16QAM	1	5	20.52	20.27	20.29	
1.4	16QAM	3	0	20.39	20.59	20.51	20.5
1.4	16QAM	3	1	20.45	20.59	20.56	
1.4	16QAM	3	3	20.59	20.53	20.37	
1.4	16QAM	6	0	19.98	20.07	19.99	20.5
1.4	64QAM	1	0	20.07	20.10	20.03	20.5
1.4	64QAM	1	3	20.15	20.10	20.10	
1.4	64QAM	1	5	19.98	20.10	20.01	
1.4	64QAM	3	0	19.43	19.71	19.56	20.5
1.4	64QAM	3	1	19.52	19.60	19.58	
1.4	64QAM	3	3	19.62	19.46	19.50	
1.4	64QAM	6	0	19.43	19.54	19.51	20.5
1.4	256QAM	1	0	17.00	17.21	17.11	18.5
1.4	256QAM	1	3	16.86	17.09	16.95	
1.4	256QAM	1	5	16.78	17.35	16.87	
1.4	256QAM	3	0	17.54	17.48	17.27	18.5
1.4	256QAM	3	1	17.63	17.48	17.52	
1.4	256QAM	3	3	17.42	17.38	17.37	
1.4	256QAM	6	0	17.47	17.42	17.24	18.5

**<Default Power Mode(Main) LTE Band 5>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20450	20525	20600	
Frequency (MHz)				829	836.5	844	
10	QPSK	1	0	23.03	23.07	23.10	
10	QPSK	1	25	22.93	23.00	22.95	24
10	QPSK	1	49	22.93	23.03	22.92	
10	QPSK	25	0	21.97	22.04	22.05	
10	QPSK	25	12	21.87	21.95	21.95	23
10	QPSK	25	25	21.98	21.94	21.91	
10	QPSK	50	0	21.94	21.99	21.98	
10	16QAM	1	0	22.08	22.14	22.20	23
10	16QAM	1	25	22.17	22.23	22.19	
10	16QAM	1	49	22.17	22.26	22.09	
10	16QAM	25	0	20.90	20.94	20.97	22
10	16QAM	25	12	20.91	20.94	20.96	
10	16QAM	25	25	20.98	20.94	20.95	
10	16QAM	50	0	20.94	20.98	20.97	22
10	64QAM	1	0	20.97	21.02	21.06	
10	64QAM	1	25	21.05	21.15	21.06	
10	64QAM	1	49	21.09	21.16	21.00	21
10	64QAM	25	0	19.89	19.93	19.98	
10	64QAM	25	12	19.89	19.96	19.97	
10	64QAM	25	25	19.95	19.94	19.95	19
10	64QAM	50	0	19.93	19.96	19.97	
10	256QAM	1	0	17.88	17.95	18.05	
10	256QAM	1	25	18.05	18.12	17.97	19
10	256QAM	1	49	18.00	18.10	17.90	
10	256QAM	25	0	17.80	17.89	17.88	19
10	256QAM	25	12	17.89	17.87	17.87	
10	256QAM	25	25	17.92	17.89	17.90	
10	256QAM	50	0	17.88	17.89	17.94	Tune-up limit (dBm)
Channel				20425	20525	20625	
Frequency (MHz)				826.5	836.5	846.5	
5	QPSK	1	0	23.00	22.98	23.09	24
5	QPSK	1	12	22.91	22.98	22.88	
5	QPSK	1	24	22.83	23.01	22.89	
5	QPSK	12	0	21.95	22.03	22.01	23
5	QPSK	12	7	21.87	21.94	21.90	
5	QPSK	12	13	21.90	21.94	21.90	
5	QPSK	25	0	21.91	21.94	21.92	23
5	16QAM	1	0	21.99	22.14	22.18	
5	16QAM	1	12	22.12	22.17	22.13	
5	16QAM	1	24	22.13	22.18	22.00	22
5	16QAM	12	0	20.84	20.92	20.97	
5	16QAM	12	7	20.84	20.94	20.91	
5	16QAM	12	13	20.98	20.86	20.92	22
5	16QAM	25	0	20.93	20.89	20.89	
5	64QAM	1	0	20.89	21.01	21.01	
5	64QAM	1	12	21.00	21.10	21.05	22
5	64QAM	1	24	21.02	21.08	21.00	
5	64QAM	12	0	19.85	19.87	19.95	
5	64QAM	12	7	19.84	19.89	19.95	21
5	64QAM	12	13	19.95	19.90	19.92	
5	64QAM	25	0	19.92	19.90	19.96	
5	256QAM	1	0	17.89	18.02	18.02	19
5	256QAM	1	12	18.02	18.06	18.00	
5	256QAM	1	24	18.09	18.06	17.93	
5	256QAM	12	0	17.87	17.84	17.88	19
5	256QAM	12	7	17.80	17.96	17.93	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	13	17.93	17.87	17.85	
5	256QAM	25	0	17.89	17.89	17.93	
Channel				20415	20525	20635	Tune-up limit (dBm)
Frequency (MHz)				825.5	836.5	847.5	
3	QPSK	1	0	22.93	23.02	23.09	24
3	QPSK	1	8	22.90	22.93	22.93	
3	QPSK	1	14	22.88	23.01	22.83	
3	QPSK	8	0	21.96	21.97	22.00	23
3	QPSK	8	4	21.81	21.86	21.87	
3	QPSK	8	7	21.95	21.86	21.84	
3	QPSK	15	0	21.94	21.96	21.92	
3	16QAM	1	0	21.99	22.12	22.20	23
3	16QAM	1	8	22.12	22.14	22.15	
3	16QAM	1	14	22.16	22.22	22.06	22
3	16QAM	8	0	20.89	20.86	20.87	
3	16QAM	8	4	20.89	20.93	20.86	
3	16QAM	8	7	20.97	20.92	20.92	
3	16QAM	15	0	20.85	20.96	20.90	22
3	64QAM	1	0	20.95	20.93	21.03	
3	64QAM	1	8	20.95	21.13	20.99	
3	64QAM	1	14	21.08	21.09	20.95	
3	64QAM	8	0	19.79	19.91	19.90	21
3	64QAM	8	4	19.87	19.96	19.92	
3	64QAM	8	7	19.87	19.90	19.86	
3	64QAM	15	0	19.91	19.89	19.89	
3	256QAM	1	0	17.90	18.01	17.99	19
3	256QAM	1	8	18.03	18.13	18.03	
3	256QAM	1	14	18.05	18.14	17.92	
3	256QAM	8	0	17.88	17.89	17.98	19
3	256QAM	8	4	17.81	17.93	17.97	
3	256QAM	8	7	17.86	17.90	17.88	
3	256QAM	15	0	17.91	17.95	17.91	
Channel				20407	20525	20643	Tune-up limit (dBm)
Frequency (MHz)				824.7	836.5	848.3	
1.4	QPSK	1	0	22.99	23.01	23.08	24
1.4	QPSK	1	3	22.83	22.95	22.94	
1.4	QPSK	1	5	22.86	22.94	22.82	
1.4	QPSK	3	0	23.02	23.01	23.05	
1.4	QPSK	3	1	22.91	22.91	22.87	
1.4	QPSK	3	3	22.86	22.95	22.82	23
1.4	QPSK	6	0	21.88	21.97	21.88	
1.4	16QAM	1	0	22.08	22.14	22.12	23
1.4	16QAM	1	3	22.10	22.18	22.11	
1.4	16QAM	1	5	22.16	22.19	22.07	
1.4	16QAM	3	0	22.08	22.05	22.11	
1.4	16QAM	3	1	22.15	22.23	22.14	
1.4	16QAM	3	3	22.07	22.17	22.02	22
1.4	16QAM	6	0	20.88	20.95	20.88	
1.4	64QAM	1	0	20.88	20.99	21.04	22
1.4	64QAM	1	3	21.05	21.13	21.06	
1.4	64QAM	1	5	21.00	21.14	20.97	
1.4	64QAM	3	0	20.90	20.93	21.03	
1.4	64QAM	3	1	21.05	21.08	21.05	
1.4	64QAM	3	3	21.07	21.10	20.95	
1.4	64QAM	6	0	19.89	19.93	19.89	21
1.4	256QAM	1	0	17.95	17.93	18.01	19
1.4	256QAM	1	3	18.04	18.05	18.00	
1.4	256QAM	1	5	18.03	18.07	17.90	
1.4	256QAM	3	0	17.83	17.90	17.88	
1.4	256QAM	3	1	17.88	17.95	17.92	
1.4	256QAM	3	3	17.86	17.93	17.90	
1.4	256QAM	6	0	17.87	17.88	17.89	19

**<Reduced Power Mode(Main) LTE Band 5>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20450	20525	20600	
Frequency (MHz)				829	836.5	844	
10	QPSK	1	0	19.70	19.77	19.76	20.5
10	QPSK	1	25	19.69	19.75	19.73	
10	QPSK	1	49	19.65	19.71	19.63	
10	QPSK	25	0	19.44	19.47	19.46	20.5
10	QPSK	25	12	19.36	19.44	19.44	
10	QPSK	25	25	19.27	19.43	19.40	
10	QPSK	50	0	19.43	19.47	19.45	
10	16QAM	1	0	19.33	19.32	19.37	20.5
10	16QAM	1	25	19.38	19.45	19.39	
10	16QAM	1	49	19.40	19.50	19.38	
10	16QAM	25	0	19.39	19.43	19.47	20.5
10	16QAM	25	12	19.40	19.44	19.45	
10	16QAM	25	25	19.47	19.45	19.44	
10	16QAM	50	0	19.41	19.47	19.46	
10	64QAM	1	0	19.45	19.54	19.59	20.5
10	64QAM	1	25	19.56	19.62	19.60	
10	64QAM	1	49	19.57	19.68	19.54	
10	64QAM	25	0	19.42	19.43	19.46	20.5
10	64QAM	25	12	19.39	19.44	19.49	
10	64QAM	25	25	19.45	19.45	19.44	
10	64QAM	50	0	19.43	19.46	19.46	
10	256QAM	1	0	17.34	17.37	17.49	18.5
10	256QAM	1	25	17.53	17.52	17.58	
10	256QAM	1	49	17.56	17.53	17.43	
10	256QAM	25	0	17.24	17.34	17.34	18.5
10	256QAM	25	12	17.32	17.24	17.46	
10	256QAM	25	25	17.35	17.27	17.35	
10	256QAM	50	0	17.39	17.32	17.43	
Channel				20425	20525	20625	Tune-up limit (dBm)
Frequency (MHz)				826.5	836.5	846.5	
5	QPSK	1	0	19.63	19.72	19.75	20.5
5	QPSK	1	12	19.67	19.66	19.65	
5	QPSK	1	24	19.59	19.61	19.58	
5	QPSK	12	0	19.35	19.38	19.42	20.5
5	QPSK	12	7	19.30	19.41	19.35	
5	QPSK	12	13	19.25	19.37	19.34	
5	QPSK	25	0	19.37	19.38	19.38	20.5
5	16QAM	1	0	19.31	19.29	19.28	
5	16QAM	1	12	19.29	19.35	19.33	
5	16QAM	1	24	19.38	19.48	19.31	20.5
5	16QAM	12	0	19.31	19.35	19.46	
5	16QAM	12	7	19.32	19.44	19.41	
5	16QAM	12	13	19.41	19.38	19.35	
5	16QAM	25	0	19.37	19.37	19.36	20.5
5	64QAM	1	0	19.45	19.52	19.49	
5	64QAM	1	12	19.54	19.53	19.54	
5	64QAM	1	24	19.55	19.59	19.44	20.5
5	64QAM	12	0	19.39	19.41	19.43	
5	64QAM	12	7	19.31	19.43	19.43	
5	64QAM	12	13	19.44	19.36	19.38	
5	64QAM	25	0	19.35	19.36	19.46	18.5
5	256QAM	1	0	17.24	17.34	17.40	
5	256QAM	1	12	17.53	17.48	17.56	
5	256QAM	1	24	17.48	17.46	17.43	18.5
5	256QAM	12	0	17.16	17.29	17.33	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	7	17.29	17.24	17.37	
5	256QAM	12	13	17.32	17.17	17.32	
5	256QAM	25	0	17.32	17.28	17.38	
Channel				20415	20525	20635	Tune-up limit (dBm)
Frequency (MHz)				825.5	836.5	847.5	
3	QPSK	1	0	19.64	19.76	19.67	20.5
3	QPSK	1	8	19.61	19.72	19.63	
3	QPSK	1	14	19.63	19.62	19.60	
3	QPSK	8	0	19.39	19.44	19.44	20.5
3	QPSK	8	4	19.35	19.39	19.34	
3	QPSK	8	7	19.27	19.34	19.30	
3	QPSK	15	0	19.34	19.40	19.44	
3	16QAM	1	0	19.31	19.23	19.35	20.5
3	16QAM	1	8	19.37	19.35	19.30	
3	16QAM	1	14	19.34	19.40	19.33	
3	16QAM	8	0	19.29	19.41	19.39	20.5
3	16QAM	8	4	19.35	19.37	19.35	
3	16QAM	8	7	19.42	19.43	19.38	
3	16QAM	15	0	19.39	19.42	19.40	
3	64QAM	1	0	19.40	19.49	19.50	20.5
3	64QAM	1	8	19.53	19.52	19.50	
3	64QAM	1	14	19.50	19.61	19.47	
3	64QAM	8	0	19.41	19.41	19.41	20.5
3	64QAM	8	4	19.31	19.43	19.39	
3	64QAM	8	7	19.37	19.38	19.37	
3	64QAM	15	0	19.35	19.38	19.36	
3	256QAM	1	0	17.30	17.34	17.48	18.5
3	256QAM	1	8	17.46	17.51	17.49	
3	256QAM	1	14	17.49	17.48	17.37	
3	256QAM	8	0	17.18	17.33	17.29	18.5
3	256QAM	8	4	17.22	17.19	17.38	
3	256QAM	8	7	17.33	17.23	17.25	
3	256QAM	15	0	17.31	17.25	17.38	
Channel				20407	20525	20643	Tune-up limit (dBm)
Frequency (MHz)				824.7	836.5	848.3	
1.4	QPSK	1	0	19.54	19.75	19.61	20.5
1.4	QPSK	1	3	19.52	19.67	19.54	
1.4	QPSK	1	5	19.63	19.54	19.59	
1.4	QPSK	3	0	19.34	19.35	19.42	
1.4	QPSK	3	1	19.27	19.29	19.25	
1.4	QPSK	3	3	19.21	19.34	19.26	
1.4	QPSK	6	0	19.30	19.35	19.41	20.5
1.4	16QAM	1	0	19.23	19.19	19.34	20.5
1.4	16QAM	1	3	19.33	19.31	19.29	
1.4	16QAM	1	5	19.34	19.36	19.30	
1.4	16QAM	3	0	19.19	19.35	19.39	
1.4	16QAM	3	1	19.35	19.33	19.27	
1.4	16QAM	3	3	19.40	19.39	19.28	
1.4	16QAM	6	0	19.35	19.34	19.40	20.5
1.4	64QAM	1	0	19.30	19.41	19.44	20.5
1.4	64QAM	1	3	19.45	19.45	19.44	
1.4	64QAM	1	5	19.48	19.60	19.45	
1.4	64QAM	3	0	19.37	19.32	19.40	
1.4	64QAM	3	1	19.27	19.43	19.37	
1.4	64QAM	3	3	19.28	19.35	19.32	
1.4	64QAM	6	0	19.34	19.32	19.27	20.5
1.4	256QAM	1	0	17.30	17.28	17.40	18.5
1.4	256QAM	1	3	17.46	17.51	17.46	
1.4	256QAM	1	5	17.39	17.46	17.36	
1.4	256QAM	3	0	17.16	17.27	17.19	
1.4	256QAM	3	1	17.15	17.11	17.36	
1.4	256QAM	3	3	17.30	17.15	17.24	
1.4	256QAM	6	0	17.23	17.20	17.38	18.5

**<Default Power Mode(Main) LTE Band 7>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	23.42	23.47	23.57	
20	QPSK	1	49	23.25	23.45	23.47	24
20	QPSK	1	99	23.31	23.43	23.54	
20	QPSK	50	0	22.16	22.36	22.54	
20	QPSK	50	24	22.28	22.48	22.49	23
20	QPSK	50	50	22.28	22.47	22.50	
20	QPSK	100	0	22.24	22.39	22.45	
20	16QAM	1	0	22.36	22.44	22.52	23
20	16QAM	1	49	22.55	22.75	22.73	
20	16QAM	1	99	22.56	22.74	22.72	
20	16QAM	50	0	21.17	21.38	21.43	22
20	16QAM	50	24	21.26	21.44	21.49	
20	16QAM	50	50	21.26	21.52	21.54	
20	16QAM	100	0	21.23	21.36	21.43	22
20	64QAM	1	0	21.28	21.31	21.44	
20	64QAM	1	49	21.41	21.63	21.61	
20	64QAM	1	99	21.42	21.58	21.62	21
20	64QAM	50	0	20.13	20.33	20.42	
20	64QAM	50	24	20.27	20.43	20.49	
20	64QAM	50	50	20.26	20.47	20.49	19
20	64QAM	100	0	20.22	20.35	20.44	
20	256QAM	1	0	18.28	18.21	18.42	
20	256QAM	1	49	18.37	18.62	18.56	19
20	256QAM	1	99	18.37	18.58	18.57	
20	256QAM	50	0	18.08	18.27	18.33	
20	256QAM	50	24	18.21	18.39	18.40	19
20	256QAM	50	50	18.18	18.41	18.49	
20	256QAM	100	0	18.22	18.32	18.36	
Channel				20825	21100	21375	Tune-up limit (dBm)
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	23.32	23.42	23.55	
15	QPSK	1	37	23.16	23.35	23.46	24
15	QPSK	1	74	23.27	23.33	23.54	
15	QPSK	36	0	22.06	22.26	22.40	23
15	QPSK	36	20	22.27	22.48	22.50	
15	QPSK	36	39	22.26	22.37	22.52	
15	QPSK	75	0	22.16	22.29	22.35	23
15	16QAM	1	0	22.36	22.36	22.49	
15	16QAM	1	37	22.55	22.70	22.71	
15	16QAM	1	74	22.46	22.69	22.70	22
15	16QAM	36	0	21.15	21.28	21.40	
15	16QAM	36	20	21.23	21.40	21.43	
15	16QAM	36	39	21.23	21.51	21.53	22
15	16QAM	75	0	21.22	21.34	21.33	
15	64QAM	1	0	21.24	21.30	21.37	
15	64QAM	1	37	21.35	21.62	21.57	22
15	64QAM	1	74	21.34	21.54	21.62	
15	64QAM	36	0	20.11	20.23	20.35	
15	64QAM	36	20	20.22	20.41	20.41	21
15	64QAM	36	39	20.21	20.40	20.39	
15	64QAM	75	0	20.16	20.26	20.38	
15	256QAM	1	0	18.24	18.22	18.41	19
15	256QAM	1	37	18.39	18.62	18.54	
15	256QAM	1	74	18.36	18.57	18.62	
15	256QAM	36	0	18.13	18.28	18.41	19



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	20	18.22	18.42	18.49	
15	256QAM	36	39	18.23	18.37	18.49	
15	256QAM	75	0	18.14	18.35	18.42	
Channel				20800	21100	21400	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	23.39	23.44	23.53	24
10	QPSK	1	25	23.17	23.41	23.37	
10	QPSK	1	49	23.29	23.38	23.46	
10	QPSK	25	0	22.10	22.31	22.35	23
10	QPSK	25	12	22.27	22.45	22.44	
10	QPSK	25	25	22.20	22.41	22.44	
10	QPSK	50	0	22.20	22.39	22.38	23
10	16QAM	1	0	22.34	22.39	22.43	
10	16QAM	1	25	22.50	22.71	22.67	
10	16QAM	1	49	22.55	22.66	22.64	22
10	16QAM	25	0	21.12	21.35	21.40	
10	16QAM	25	12	21.25	21.44	21.45	
10	16QAM	25	25	21.25	21.43	21.54	22
10	16QAM	50	0	21.15	21.36	21.40	
10	64QAM	1	0	21.19	21.21	21.42	
10	64QAM	1	25	21.33	21.58	21.52	21
10	64QAM	1	49	21.38	21.48	21.60	
10	64QAM	25	0	20.12	20.32	20.40	
10	64QAM	25	12	20.22	20.36	20.43	19
10	64QAM	25	25	20.23	20.43	20.41	
10	64QAM	50	0	20.12	20.29	20.39	
10	256QAM	1	0	18.24	18.22	18.43	19
10	256QAM	1	25	18.40	18.60	18.53	
10	256QAM	1	49	18.36	18.53	18.59	
10	256QAM	25	0	18.04	18.23	18.32	19
10	256QAM	25	12	18.19	18.36	18.48	
10	256QAM	25	25	18.26	18.41	18.47	
10	256QAM	50	0	18.19	18.29	18.34	Tune-up limit (dBm)
Channel				20775	21100	21425	
Frequency (MHz)				2502.5	2535	2567.5	Tune-up limit (dBm)
5	QPSK	1	0	23.37	23.42	23.45	
5	QPSK	1	12	23.14	23.34	23.34	24
5	QPSK	1	24	23.29	23.30	23.41	
5	QPSK	12	0	22.07	22.29	22.28	23
5	QPSK	12	7	22.25	22.36	22.36	
5	QPSK	12	13	22.14	22.33	22.43	
5	QPSK	25	0	22.18	22.33	22.36	23
5	16QAM	1	0	22.25	22.30	22.34	
5	16QAM	1	12	22.46	22.71	22.64	
5	16QAM	1	24	22.51	22.65	22.57	22
5	16QAM	12	0	21.12	21.30	21.40	
5	16QAM	12	7	21.18	21.35	21.36	
5	16QAM	12	13	21.19	21.38	21.46	22
5	16QAM	25	0	21.11	21.31	21.37	
5	64QAM	1	0	21.16	21.13	21.37	
5	64QAM	1	12	21.32	21.54	21.47	21
5	64QAM	1	24	21.31	21.43	21.58	
5	64QAM	12	0	20.04	20.32	20.35	
5	64QAM	12	7	20.17	20.34	20.39	19
5	64QAM	12	13	20.22	20.40	20.31	
5	64QAM	25	0	20.03	20.28	20.36	
5	256QAM	1	0	18.20	18.25	18.41	19
5	256QAM	1	12	18.41	18.58	18.52	
5	256QAM	1	24	18.35	18.48	18.55	
5	256QAM	12	0	18.09	18.31	18.34	19
5	256QAM	12	7	18.21	18.39	18.39	
5	256QAM	12	13	18.25	18.47	18.43	
5	256QAM	25	0	18.16	18.35	18.40	

**<Reduced Power Mode(Main) LTE Band 7>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	16.5
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	16.17	16.33	16.35	
20	QPSK	1	49	16.15	16.30	16.31	16.5
20	QPSK	1	99	16.07	16.01	16.10	
20	QPSK	50	0	15.88	16.08	16.13	
20	QPSK	50	24	15.83	16.03	16.03	16.5
20	QPSK	50	50	15.76	15.98	16.00	
20	QPSK	100	0	15.82	16.00	16.03	
20	16QAM	1	0	15.72	15.71	15.79	16.5
20	16QAM	1	49	15.84	15.98	15.98	
20	16QAM	1	99	15.85	15.98	16.04	
20	16QAM	50	0	15.74	15.96	16.02	16.5
20	16QAM	50	24	15.87	16.00	16.06	
20	16QAM	50	50	15.92	16.04	16.08	
20	16QAM	100	0	15.81	15.96	16.05	16.5
20	64QAM	1	0	15.88	15.88	15.96	
20	64QAM	1	49	16.03	16.19	16.16	
20	64QAM	1	99	15.99	16.15	16.21	16.5
20	64QAM	50	0	15.71	15.96	16.03	
20	64QAM	50	24	15.84	16.04	16.02	
20	64QAM	50	50	15.87	16.04	16.08	16.5
20	64QAM	100	0	15.84	16.02	16.04	
20	256QAM	1	0	15.78	15.87	15.77	
20	256QAM	1	49	15.84	16.10	16.05	16.5
20	256QAM	1	99	15.92	16.10	16.12	
20	256QAM	50	0	15.58	15.95	15.94	
20	256QAM	50	24	15.77	15.99	15.96	16.5
20	256QAM	50	50	15.69	15.86	15.99	
20	256QAM	100	0	15.80	15.91	16.04	
Channel				20825	21100	21375	16.5
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	16.13	16.29	16.31	
15	QPSK	1	37	16.13	16.27	16.31	16.5
15	QPSK	1	74	15.98	16.01	16.10	
15	QPSK	36	0	15.84	16.04	16.04	
15	QPSK	36	20	15.74	16.03	15.96	16.5
15	QPSK	36	39	15.68	15.94	16.00	
15	QPSK	75	0	15.79	15.95	15.98	
15	16QAM	1	0	15.72	15.62	15.73	16.5
15	16QAM	1	37	15.82	15.90	15.91	
15	16QAM	1	74	15.75	15.91	15.97	
15	16QAM	36	0	15.73	15.94	15.98	16.5
15	16QAM	36	20	15.79	15.98	16.03	
15	16QAM	36	39	15.90	16.03	15.99	
15	16QAM	75	0	15.71	15.92	15.95	16.5
15	64QAM	1	0	15.81	15.79	15.86	
15	64QAM	1	37	15.97	16.14	16.07	
15	64QAM	1	74	15.93	16.14	16.14	16.5
15	64QAM	36	0	15.71	15.93	16.01	
15	64QAM	36	20	15.77	16.02	15.97	
15	64QAM	36	39	15.80	16.04	16.03	16.5
15	64QAM	75	0	15.75	15.92	16.04	
15	256QAM	1	0	15.78	15.82	15.72	
15	256QAM	1	37	15.80	16.00	16.03	16.5
15	256QAM	1	74	15.84	16.08	16.11	
15	256QAM	36	0	15.57	15.89	15.89	
15	256QAM	36	20	15.76	15.98	15.94	16.5



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	15.62	15.86	15.93	
15	256QAM	75	0	15.76	15.86	15.95	
Channel				20800	21100	21400	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	16.08	16.32	16.34	16.5
10	QPSK	1	25	16.15	16.22	16.27	
10	QPSK	1	49	15.98	15.94	16.10	
10	QPSK	25	0	15.79	16.02	16.05	16.5
10	QPSK	25	12	15.83	15.96	15.93	
10	QPSK	25	25	15.76	15.93	16.00	
10	QPSK	50	0	15.76	15.94	15.94	
10	16QAM	1	0	15.72	15.62	15.70	16.5
10	16QAM	1	25	15.83	15.90	15.91	
10	16QAM	1	49	15.83	15.98	16.03	
10	16QAM	25	0	15.73	15.86	15.95	16.5
10	16QAM	25	12	15.79	15.91	15.98	
10	16QAM	25	25	15.86	16.03	15.98	
10	16QAM	50	0	15.72	15.95	15.95	
10	64QAM	1	0	15.78	15.81	15.88	16.5
10	64QAM	1	25	15.97	16.18	16.09	
10	64QAM	1	49	15.99	16.15	16.18	
10	64QAM	25	0	15.67	15.94	15.98	16.5
10	64QAM	25	12	15.74	15.98	15.95	
10	64QAM	25	25	15.84	15.96	16.07	
10	64QAM	50	0	15.80	15.95	15.94	
10	256QAM	1	0	15.74	15.79	15.67	16.5
10	256QAM	1	25	15.75	16.05	16.01	
10	256QAM	1	49	15.87	16.06	16.03	
10	256QAM	25	0	15.56	15.94	15.93	16.5
10	256QAM	25	12	15.68	15.92	15.89	
10	256QAM	25	25	15.65	15.83	15.92	
10	256QAM	50	0	15.78	15.84	16.00	
Channel				20775	21100	21425	Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	16.09	16.28	16.30	16.5
5	QPSK	1	12	16.08	16.20	16.29	
5	QPSK	1	24	16.00	15.97	16.03	
5	QPSK	12	0	15.88	16.07	16.11	16.5
5	QPSK	12	7	15.79	15.93	16.00	
5	QPSK	12	13	15.75	15.90	15.91	
5	QPSK	25	0	15.77	15.94	15.97	
5	16QAM	1	0	15.63	15.66	15.70	16.5
5	16QAM	1	12	15.74	15.98	15.95	
5	16QAM	1	24	15.85	15.98	16.01	
5	16QAM	12	0	15.65	15.96	15.94	16.5
5	16QAM	12	7	15.84	15.92	16.02	
5	16QAM	12	13	15.91	15.95	16.07	
5	16QAM	25	0	15.81	15.89	16.02	
5	64QAM	1	0	15.85	15.86	15.94	16.5
5	64QAM	1	12	16.03	16.16	16.12	
5	64QAM	1	24	15.98	16.06	16.18	
5	64QAM	12	0	15.62	15.90	15.95	16.5
5	64QAM	12	7	15.81	16.03	15.99	
5	64QAM	12	13	15.79	16.01	16.05	
5	64QAM	25	0	15.83	15.95	15.94	
5	256QAM	1	0	15.78	15.84	15.69	16.5
5	256QAM	1	12	15.79	16.10	16.01	
5	256QAM	1	24	15.84	16.03	16.02	
5	256QAM	12	0	15.50	15.87	15.93	16.5
5	256QAM	12	7	15.70	15.92	15.92	
5	256QAM	12	13	15.61	15.79	15.96	
5	256QAM	25	0	15.70	15.90	16.03	

**<Default Power Mode(MIMO2) LTE Band 7>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	23.26	23.39	23.46	
20	QPSK	1	49	23.21	23.38	23.41	24
20	QPSK	1	99	23.07	23.12	23.22	
20	QPSK	50	0	22.29	22.43	22.46	
20	QPSK	50	24	22.20	22.40	22.42	23
20	QPSK	50	50	22.17	22.39	22.40	
20	QPSK	100	0	22.20	22.33	22.39	
20	16QAM	1	0	22.30	22.37	22.51	23
20	16QAM	1	49	22.45	22.68	22.65	
20	16QAM	1	99	22.51	22.71	22.68	
20	16QAM	50	0	21.11	21.39	21.38	22
20	16QAM	50	24	21.18	21.38	21.44	
20	16QAM	50	50	21.29	21.40	21.41	
20	16QAM	100	0	21.18	21.31	21.37	22
20	64QAM	1	0	21.18	21.27	21.35	
20	64QAM	1	49	21.34	21.57	21.55	
20	64QAM	1	99	21.41	21.55	21.57	21
20	64QAM	50	0	20.12	20.32	20.37	
20	64QAM	50	24	20.18	20.38	20.41	
20	64QAM	50	50	20.28	20.39	20.43	19
20	64QAM	100	0	20.19	20.30	20.37	
20	256QAM	1	0	18.15	18.23	18.17	
20	256QAM	1	49	18.30	18.43	18.48	19
20	256QAM	1	99	18.31	18.51	18.54	
20	256QAM	50	0	18.00	18.28	18.36	
20	256QAM	50	24	18.16	18.31	18.27	19
20	256QAM	50	50	18.21	18.37	18.32	
20	256QAM	100	0	18.12	18.20	18.30	
Channel				20825	21100	21375	Tune-up limit (dBm)
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	23.17	23.33	23.40	
15	QPSK	1	37	23.21	23.37	23.35	24
15	QPSK	1	74	23.02	23.03	23.18	
15	QPSK	36	0	22.26	22.33	22.46	23
15	QPSK	36	20	22.11	22.30	22.41	
15	QPSK	36	39	22.10	22.35	22.38	
15	QPSK	75	0	22.18	22.29	22.31	23
15	16QAM	1	0	22.21	22.28	22.44	
15	16QAM	1	37	22.43	22.62	22.59	
15	16QAM	1	74	22.49	22.71	22.67	22
15	16QAM	36	0	21.03	21.38	21.28	
15	16QAM	36	20	21.09	21.30	21.34	
15	16QAM	36	39	21.21	21.30	21.35	22
15	16QAM	75	0	21.10	21.30	21.29	
15	64QAM	1	0	21.09	21.21	21.32	
15	64QAM	1	37	21.28	21.53	21.50	21
15	64QAM	1	74	21.34	21.46	21.48	
15	64QAM	36	0	20.02	20.23	20.31	
15	64QAM	36	20	20.08	20.35	20.37	19
15	64QAM	36	39	20.27	20.35	20.40	
15	64QAM	75	0	20.10	20.22	20.31	
15	256QAM	1	0	18.11	18.22	18.12	19
15	256QAM	1	37	18.24	18.35	18.44	
15	256QAM	1	74	18.25	18.46	18.53	
15	256QAM	36	0	17.95	18.18	18.35	19
15	256QAM	36	20	18.08	18.25	18.26	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	18.13	18.35	18.23	
15	256QAM	75	0	18.05	18.16	18.25	
Channel				20800	21100	21400	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	23.13	23.29	23.40	24
10	QPSK	1	25	23.21	23.35	23.30	
10	QPSK	1	49	22.92	23.02	23.12	
10	QPSK	25	0	22.16	22.31	22.40	23
10	QPSK	25	12	22.01	22.23	22.36	
10	QPSK	25	25	22.09	22.30	22.34	
10	QPSK	50	0	22.10	22.25	22.29	
10	16QAM	1	0	22.15	22.18	22.42	23
10	16QAM	1	25	22.36	22.62	22.55	
10	16QAM	1	49	22.48	22.65	22.58	
10	16QAM	25	0	20.94	21.37	21.23	22
10	16QAM	25	12	21.06	21.21	21.31	
10	16QAM	25	25	21.17	21.26	21.33	
10	16QAM	50	0	21.03	21.26	21.21	
10	64QAM	1	0	21.03	21.16	21.23	22
10	64QAM	1	25	21.18	21.52	21.44	
10	64QAM	1	49	21.26	21.40	21.42	
10	64QAM	25	0	20.01	20.21	20.28	21
10	64QAM	25	12	20.02	20.27	20.33	
10	64QAM	25	25	20.25	20.29	20.30	
10	64QAM	50	0	20.08	20.16	20.28	
10	256QAM	1	0	18.09	18.16	18.07	19
10	256QAM	1	25	18.21	18.35	18.35	
10	256QAM	1	49	18.17	18.43	18.48	
10	256QAM	25	0	17.88	18.17	18.29	19
10	256QAM	25	12	18.05	18.16	18.24	
10	256QAM	25	25	18.09	18.34	18.23	
10	256QAM	50	0	18.05	18.13	18.24	
Channel				20775	21100	21425	Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	23.08	23.21	23.37	24
5	QPSK	1	12	23.13	23.33	23.29	
5	QPSK	1	24	22.86	22.93	23.09	
5	QPSK	12	0	22.15	22.25	22.31	23
5	QPSK	12	7	21.99	22.17	22.35	
5	QPSK	12	13	22.09	22.26	22.34	
5	QPSK	25	0	22.07	22.15	22.29	
5	16QAM	1	0	22.09	22.18	22.39	23
5	16QAM	1	12	22.32	22.56	22.55	
5	16QAM	1	24	22.40	22.60	22.48	
5	16QAM	12	0	20.89	21.32	21.23	22
5	16QAM	12	7	20.99	21.18	21.26	
5	16QAM	12	13	21.08	21.17	21.29	
5	16QAM	25	0	20.94	21.24	21.20	
5	64QAM	1	0	20.94	21.11	21.14	22
5	64QAM	1	12	21.13	21.51	21.35	
5	64QAM	1	24	21.20	21.32	21.40	
5	64QAM	12	0	19.99	20.19	20.26	21
5	64QAM	12	7	19.93	20.19	20.26	
5	64QAM	12	13	20.18	20.24	20.22	
5	64QAM	25	0	19.98	20.10	20.27	
5	256QAM	1	0	18.09	18.08	18.03	19
5	256QAM	1	12	18.13	18.25	18.26	
5	256QAM	1	24	18.15	18.43	18.43	
5	256QAM	12	0	17.78	18.08	18.24	19
5	256QAM	12	7	18.00	18.14	18.21	
5	256QAM	12	13	18.04	18.27	18.15	
5	256QAM	25	0	18.02	18.04	18.24	

**<Reduced Power Mode(MIMO2) LTE Band 7>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				20850	21100	21350	
Frequency (MHz)				2510	2535	2560	
20	QPSK	1	0	19.37	19.55	19.53	
20	QPSK	1	49	19.35	19.50	19.52	20
20	QPSK	1	99	19.14	19.37	19.43	
20	QPSK	50	0	19.13	19.29	19.27	
20	QPSK	50	24	19.05	19.23	19.25	20
20	QPSK	50	50	18.99	19.21	19.22	
20	QPSK	100	0	19.01	19.18	19.21	
20	16QAM	1	0	18.91	18.96	19.03	20
20	16QAM	1	49	19.00	19.22	19.22	
20	16QAM	1	99	19.01	19.17	19.25	
20	16QAM	50	0	18.95	19.21	19.19	20
20	16QAM	50	24	19.04	19.23	19.26	
20	16QAM	50	50	19.11	19.22	19.26	
20	16QAM	100	0	19.00	19.17	19.21	20
20	64QAM	1	0	19.22	19.43	19.41	
20	64QAM	1	49	19.24	19.39	19.44	
20	64QAM	1	99	18.98	18.70	18.72	20
20	64QAM	50	0	19.04	18.75	18.77	
20	64QAM	50	24	19.10	18.76	18.73	
20	64QAM	50	50	19.01	18.65	18.71	20
20	64QAM	100	0	19.34	18.99	19.03	
20	256QAM	1	0	17.53	17.50	17.63	
20	256QAM	1	49	17.62	17.95	17.92	18
20	256QAM	1	99	17.72	17.75	17.96	
20	256QAM	50	0	17.42	17.60	17.67	
20	256QAM	50	24	17.40	17.61	17.82	18
20	256QAM	50	50	17.53	17.69	17.60	
20	256QAM	100	0	17.56	17.51	17.70	
Channel				20825	21100	21375	Tune-up limit (dBm)
Frequency (MHz)				2507.5	2535	2562.5	
15	QPSK	1	0	19.35	19.44	19.43	
15	QPSK	1	37	19.24	19.47	19.45	20
15	QPSK	1	74	18.97	19.24	19.36	
15	QPSK	36	0	19.06	19.12	19.08	
15	QPSK	36	20	19.04	19.12	19.18	20
15	QPSK	36	39	18.87	19.18	19.07	
15	QPSK	75	0	18.85	19.16	19.17	
15	16QAM	1	0	18.72	18.93	18.99	20
15	16QAM	1	37	18.81	19.05	19.15	
15	16QAM	1	74	18.92	19.11	19.25	
15	16QAM	36	0	18.88	19.21	19.05	20
15	16QAM	36	20	18.92	19.17	19.25	
15	16QAM	36	39	19.10	19.22	19.10	
15	16QAM	75	0	18.93	19.03	19.06	20
15	64QAM	1	0	19.00	19.11	19.04	
15	64QAM	1	37	19.18	19.28	19.24	
15	64QAM	1	74	19.12	19.35	19.30	20
15	64QAM	36	0	18.87	18.57	18.59	
15	64QAM	36	20	18.92	18.62	18.72	
15	64QAM	36	39	19.10	18.57	18.53	20
15	64QAM	75	0	19.01	18.56	18.66	
15	256QAM	1	0	17.37	17.38	17.46	
15	256QAM	1	37	17.44	17.91	17.89	18
15	256QAM	1	74	17.54	17.72	17.76	
15	256QAM	36	0	17.23	17.58	17.50	
15	256QAM	36	20	17.30	17.61	17.82	18



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.45	17.58	17.56	
15	256QAM	75	0	17.47	17.40	17.59	
Channel				20800	21100	21400	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	QPSK	1	0	19.18	19.46	19.39	20
10	QPSK	1	25	19.18	19.34	19.34	
10	QPSK	1	49	18.94	19.19	19.32	
10	QPSK	25	0	19.12	19.16	19.09	20
10	QPSK	25	12	18.89	19.11	19.07	
10	QPSK	25	25	18.81	19.18	19.09	
10	QPSK	50	0	18.87	19.05	19.05	
10	16QAM	1	0	18.90	18.81	19.02	20
10	16QAM	1	25	18.89	19.21	19.03	
10	16QAM	1	49	18.94	19.16	19.11	
10	16QAM	25	0	18.89	19.07	19.15	20
10	16QAM	25	12	19.04	19.04	19.26	
10	16QAM	25	25	18.94	19.22	19.24	
10	16QAM	50	0	18.98	19.01	19.12	
10	64QAM	1	0	18.85	18.95	19.16	20
10	64QAM	1	25	19.07	19.34	19.26	
10	64QAM	1	49	19.12	19.27	19.27	
10	64QAM	25	0	18.85	18.53	18.55	20
10	64QAM	25	12	18.94	18.71	18.66	
10	64QAM	25	25	19.04	18.60	18.65	
10	64QAM	50	0	19.40	18.99	19.03	
10	256QAM	1	0	17.33	17.45	17.61	18
10	256QAM	1	25	17.58	17.77	17.78	
10	256QAM	1	49	17.60	17.65	17.88	
10	256QAM	25	0	17.34	17.40	17.52	18
10	256QAM	25	12	17.20	17.46	17.68	
10	256QAM	25	25	17.52	17.54	17.57	
10	256QAM	50	0	17.55	17.40	17.63	
Channel				20775	21100	21425	Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5	
5	QPSK	1	0	19.21	19.37	19.43	20
5	QPSK	1	12	19.17	19.31	19.47	
5	QPSK	1	24	19.13	19.32	19.42	
5	QPSK	12	0	19.07	19.14	19.22	20
5	QPSK	12	7	18.95	19.21	19.14	
5	QPSK	12	13	18.94	19.14	19.20	
5	QPSK	25	0	18.82	18.99	19.06	
5	16QAM	1	0	18.91	18.92	18.83	20
5	16QAM	1	12	18.93	19.21	19.11	
5	16QAM	1	24	18.81	19.12	19.24	
5	16QAM	12	0	18.79	19.12	19.09	20
5	16QAM	12	7	19.00	19.16	19.07	
5	16QAM	12	13	19.10	19.07	19.13	
5	16QAM	25	0	18.95	19.11	19.10	
5	64QAM	1	0	19.00	19.07	19.14	20
5	64QAM	1	12	19.03	19.34	19.28	
5	64QAM	1	24	19.21	19.21	19.32	
5	64QAM	12	0	18.93	18.52	18.67	20
5	64QAM	12	7	18.99	18.64	18.76	
5	64QAM	12	13	19.02	18.69	18.68	
5	64QAM	25	0	18.84	18.49	18.53	
5	256QAM	1	0	17.40	17.46	17.49	18
5	256QAM	1	12	17.49	17.86	17.80	
5	256QAM	1	24	17.64	17.63	17.79	
5	256QAM	12	0	17.35	17.56	17.60	18
5	256QAM	12	7	17.27	17.55	17.69	
5	256QAM	12	13	17.40	17.58	17.60	
5	256QAM	25	0	17.46	17.37	17.66	

**<Default Power Mode(Main) LTE Band 12>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23060	23095	23130	
Frequency (MHz)				704	707.5	711	
10	QPSK	1	0	23.36	23.30	23.31	
10	QPSK	1	25	23.31	23.29	23.22	24
10	QPSK	1	49	23.30	23.28	23.31	
10	QPSK	25	0	22.36	22.23	22.15	
10	QPSK	25	12	22.35	22.26	22.28	23
10	QPSK	25	25	22.34	22.29	22.28	
10	QPSK	50	0	22.35	22.28	22.28	
10	16QAM	1	0	22.55	22.43	22.58	23
10	16QAM	1	25	22.65	22.59	22.55	
10	16QAM	1	49	22.65	22.54	22.60	
10	16QAM	25	0	21.36	21.29	21.17	22
10	16QAM	25	12	21.30	21.29	21.24	
10	16QAM	25	25	21.34	21.36	21.27	
10	16QAM	50	0	21.32	21.26	21.24	22
10	64QAM	1	0	21.39	21.33	21.39	
10	64QAM	1	25	21.49	21.44	21.39	
10	64QAM	1	49	21.48	21.44	21.51	21
10	64QAM	25	0	20.36	20.29	20.17	
10	64QAM	25	12	20.35	20.26	20.23	
10	64QAM	25	25	20.36	20.37	20.28	19
10	64QAM	50	0	20.30	20.26	20.23	
10	256QAM	1	0	18.29	18.26	18.38	
10	256QAM	1	25	18.46	18.40	18.34	19
10	256QAM	1	49	18.42	18.39	18.47	
10	256QAM	25	0	18.35	18.27	18.16	
10	256QAM	25	12	18.35	18.24	18.19	19
10	256QAM	25	25	18.29	18.34	18.23	
10	256QAM	50	0	18.29	18.19	18.15	
Channel				23035	23095	23155	Tune-up limit (dBm)
Frequency (MHz)				701.5	707.5	713.5	
5	QPSK	1	0	23.32	23.30	23.28	
5	QPSK	1	12	23.23	23.21	23.17	24
5	QPSK	1	24	23.30	23.25	23.30	
5	QPSK	12	0	22.28	22.22	22.08	
5	QPSK	12	7	22.35	22.18	22.19	23
5	QPSK	12	13	22.25	22.22	22.18	
5	QPSK	25	0	22.26	22.28	22.25	
5	16QAM	1	0	22.45	22.41	22.58	23
5	16QAM	1	12	22.57	22.53	22.49	
5	16QAM	1	24	22.65	22.49	22.56	
5	16QAM	12	0	21.29	21.21	21.15	22
5	16QAM	12	7	21.24	21.19	21.21	
5	16QAM	12	13	21.27	21.30	21.25	
5	16QAM	25	0	21.22	21.18	21.18	22
5	64QAM	1	0	21.30	21.26	21.29	
5	64QAM	1	12	21.45	21.43	21.39	
5	64QAM	1	24	21.44	21.35	21.43	21
5	64QAM	12	0	20.32	20.29	20.10	
5	64QAM	12	7	20.25	20.26	20.17	
5	64QAM	12	13	20.30	20.27	20.20	19
5	64QAM	25	0	20.23	20.20	20.13	
5	256QAM	1	0	18.32	18.23	18.31	
5	256QAM	1	12	18.45	18.35	18.33	19
5	256QAM	1	24	18.38	18.36	18.41	
5	256QAM	12	0	18.29	18.26	18.11	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	7	18.28	18.18	18.15	
5	256QAM	12	13	18.33	18.30	18.21	
5	256QAM	25	0	18.30	18.22	18.15	
Channel				23025	23095	23165	Tune-up limit (dBm)
Frequency (MHz)				700.5	707.5	714.5	
3	QPSK	1	0	23.30	23.27	23.28	24
3	QPSK	1	8	23.29	23.28	23.12	
3	QPSK	1	14	23.24	23.25	23.30	
3	QPSK	8	0	22.36	22.15	22.13	23
3	QPSK	8	4	22.28	22.17	22.22	
3	QPSK	8	7	22.26	22.28	22.21	
3	QPSK	15	0	22.27	22.28	22.22	23
3	16QAM	1	0	22.52	22.43	22.51	
3	16QAM	1	8	22.61	22.59	22.46	
3	16QAM	1	14	22.62	22.47	22.50	22
3	16QAM	8	0	21.31	21.23	21.09	
3	16QAM	8	4	21.28	21.29	21.21	
3	16QAM	8	7	21.26	21.34	21.21	22
3	16QAM	15	0	21.32	21.22	21.14	
3	64QAM	1	0	21.32	21.31	21.29	
3	64QAM	1	8	21.41	21.34	21.31	21
3	64QAM	1	14	21.41	21.39	21.42	
3	64QAM	8	0	20.27	20.22	20.16	
3	64QAM	8	4	20.33	20.17	20.17	19
3	64QAM	8	7	20.35	20.33	20.25	
3	64QAM	15	0	20.20	20.17	20.20	
3	256QAM	1	0	18.31	18.28	18.32	19
3	256QAM	1	8	18.42	18.41	18.30	
3	256QAM	1	14	18.40	18.37	18.47	
3	256QAM	8	0	18.31	18.25	18.15	19
3	256QAM	8	4	18.27	18.20	18.20	
3	256QAM	8	7	18.29	18.28	18.18	
3	256QAM	15	0	18.24	18.26	18.20	Tune-up limit (dBm)
Channel				23017	23095	23173	
Frequency (MHz)				699.7	707.5	715.3	Tune-up limit (dBm)
1.4	QPSK	1	0	23.31	23.25	23.25	
1.4	QPSK	1	3	23.26	23.24	23.17	24
1.4	QPSK	1	5	23.27	23.28	23.21	
1.4	QPSK	3	0	23.35	23.29	23.25	
1.4	QPSK	3	1	23.21	23.28	23.21	23
1.4	QPSK	3	3	23.28	23.24	23.31	
1.4	QPSK	6	0	22.30	22.20	22.26	
1.4	16QAM	1	0	22.48	22.43	22.51	23
1.4	16QAM	1	3	22.63	22.49	22.49	
1.4	16QAM	1	5	22.61	22.48	22.58	
1.4	16QAM	3	0	22.50	22.37	22.51	22
1.4	16QAM	3	1	22.56	22.55	22.54	
1.4	16QAM	3	3	22.65	22.47	22.51	
1.4	16QAM	6	0	21.22	21.25	21.23	22
1.4	64QAM	1	0	21.36	21.28	21.29	
1.4	64QAM	1	3	21.39	21.38	21.33	
1.4	64QAM	1	5	21.40	21.41	21.46	21
1.4	64QAM	3	0	21.29	21.24	21.38	
1.4	64QAM	3	1	21.48	21.35	21.30	
1.4	64QAM	3	3	21.48	21.40	21.42	19
1.4	64QAM	6	0	20.24	20.23	20.14	
1.4	256QAM	1	0	18.31	18.25	18.31	
1.4	256QAM	1	3	18.46	18.34	18.31	19
1.4	256QAM	1	5	18.44	18.40	18.46	
1.4	256QAM	3	0	18.35	18.24	18.09	
1.4	256QAM	3	1	18.31	18.21	18.13	19
1.4	256QAM	3	3	18.35	18.29	18.26	
1.4	256QAM	6	0	18.25	18.19	18.14	



<Reduced Power Mode(Main) LTE Band 12>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23060	23095	23130	
Frequency (MHz)				704	707.5	711	
10	QPSK	1	0	22.07	22.19	22.10	22.5
10	QPSK	1	25	22.06	22.06	22.07	
10	QPSK	1	49	21.31	21.31	21.18	
10	QPSK	25	0	21.89	21.92	21.90	22.5
10	QPSK	25	12	21.81	21.76	21.76	
10	QPSK	25	25	21.77	21.75	21.79	
10	QPSK	50	0	21.86	21.80	21.78	22.5
10	16QAM	1	0	22.05	21.94	22.10	
10	16QAM	1	25	21.74	21.70	21.72	
10	16QAM	1	49	21.82	21.78	21.74	22.5
10	16QAM	25	0	21.81	21.80	21.81	
10	16QAM	25	12	21.32	21.29	21.26	
10	16QAM	25	25	21.38	21.36	21.27	22.5
10	16QAM	50	0	21.33	21.28	21.27	
10	64QAM	1	0	21.38	21.35	21.41	
10	64QAM	1	25	21.49	21.44	21.44	21.5
10	64QAM	1	49	21.52	21.46	21.49	
10	64QAM	25	0	20.36	20.30	20.18	
10	64QAM	25	12	20.35	20.27	20.24	19.5
10	64QAM	25	25	20.36	20.32	20.29	
10	64QAM	50	0	20.32	20.26	20.27	
10	256QAM	1	0	18.36	18.19	18.38	19.5
10	256QAM	1	25	18.48	18.33	18.37	
10	256QAM	1	49	18.44	18.29	18.42	
10	256QAM	25	0	18.20	18.19	18.07	19.5
10	256QAM	25	12	18.26	18.08	18.19	
10	256QAM	25	25	18.18	18.31	18.17	
10	256QAM	50	0	18.32	18.21	18.07	
Channel				23035	23095	23155	Tune-up limit (dBm)
Frequency (MHz)				701.5	707.5	713.5	
5	QPSK	1	0	22.02	22.11	22.07	22.5
5	QPSK	1	12	22.06	22.00	22.05	
5	QPSK	1	24	21.25	21.22	21.10	
5	QPSK	12	0	21.79	21.92	21.87	22.5
5	QPSK	12	7	21.81	21.74	21.66	
5	QPSK	12	13	21.68	21.74	21.78	
5	QPSK	25	0	21.78	21.74	21.74	22.5
5	16QAM	1	0	22.04	21.87	22.09	
5	16QAM	1	12	21.70	21.68	21.63	
5	16QAM	1	24	21.75	21.69	21.66	22.5
5	16QAM	12	0	21.73	21.76	21.79	
5	16QAM	12	7	21.23	21.28	21.25	
5	16QAM	12	13	21.29	21.36	21.19	22.5
5	16QAM	25	0	21.29	21.22	21.24	
5	64QAM	1	0	21.33	21.30	21.41	
5	64QAM	1	12	21.45	21.38	21.35	21.5
5	64QAM	1	24	21.49	21.46	21.41	
5	64QAM	12	0	20.28	20.27	20.17	
5	64QAM	12	7	20.31	20.22	20.23	19.5
5	64QAM	12	13	20.34	20.29	20.28	
5	64QAM	25	0	20.28	20.22	20.18	
5	256QAM	1	0	18.33	18.10	18.34	19.5
5	256QAM	1	12	18.39	18.24	18.33	
5	256QAM	1	24	18.39	18.25	18.37	
5	256QAM	12	0	18.10	18.16	17.97	19.5
5	256QAM	12	7	18.26	18.06	18.17	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	13	18.08	18.25	18.16	
5	256QAM	25	0	18.25	18.19	18.04	
Channel				23025	23095	23165	Tune-up limit (dBm)
Frequency (MHz)				700.5	707.5	714.5	
3	QPSK	1	0	21.97	22.18	22.09	22.5
3	QPSK	1	8	21.99	21.97	22.00	
3	QPSK	1	14	21.22	21.22	21.13	
3	QPSK	8	0	21.82	21.86	21.87	22.5
3	QPSK	8	4	21.75	21.71	21.76	
3	QPSK	8	7	21.70	21.68	21.73	
3	QPSK	15	0	21.84	21.73	21.77	
3	16QAM	1	0	22.05	21.84	22.00	22.5
3	16QAM	1	8	21.73	21.67	21.65	
3	16QAM	1	14	21.82	21.76	21.65	
3	16QAM	8	0	21.80	21.74	21.71	22.5
3	16QAM	8	4	21.29	21.26	21.20	
3	16QAM	8	7	21.30	21.33	21.26	
3	16QAM	15	0	21.32	21.22	21.21	
3	64QAM	1	0	21.31	21.27	21.32	22.5
3	64QAM	1	8	21.47	21.38	21.41	
3	64QAM	1	14	21.49	21.39	21.45	
3	64QAM	8	0	20.31	20.20	20.10	21.5
3	64QAM	8	4	20.31	20.23	20.17	
3	64QAM	8	7	20.35	20.25	20.24	
3	64QAM	15	0	20.22	20.16	20.24	
3	256QAM	1	0	18.32	18.10	18.35	19.5
3	256QAM	1	8	18.47	18.29	18.32	
3	256QAM	1	14	18.40	18.28	18.42	
3	256QAM	8	0	18.17	18.12	18.05	19.5
3	256QAM	8	4	18.20	18.04	18.09	
3	256QAM	8	7	18.16	18.24	18.17	
3	256QAM	15	0	18.24	18.19	17.97	
Channel				23017	23095	23173	Tune-up limit (dBm)
Frequency (MHz)				699.7	707.5	715.3	
1.4	QPSK	1	0	21.97	22.11	22.00	22.5
1.4	QPSK	1	3	22.05	22.05	22.03	
1.4	QPSK	1	5	21.28	21.21	21.09	
1.4	QPSK	3	0	22.03	22.10	22.06	
1.4	QPSK	3	1	21.97	22.05	22.07	
1.4	QPSK	3	3	21.29	21.30	21.18	
1.4	QPSK	6	0	21.83	21.74	21.70	22.5
1.4	16QAM	1	0	22.03	21.94	22.10	22.5
1.4	16QAM	1	3	21.70	21.65	21.63	
1.4	16QAM	1	5	21.75	21.71	21.65	
1.4	16QAM	3	0	22.04	21.90	22.06	
1.4	16QAM	3	1	21.72	21.66	21.72	
1.4	16QAM	3	3	21.75	21.76	21.68	
1.4	16QAM	6	0	21.24	21.24	21.27	22.5
1.4	64QAM	1	0	21.33	21.34	21.35	22.5
1.4	64QAM	1	3	21.42	21.36	21.40	
1.4	64QAM	1	5	21.52	21.40	21.39	
1.4	64QAM	3	0	21.31	21.34	21.31	
1.4	64QAM	3	1	21.43	21.43	21.38	
1.4	64QAM	3	3	21.42	21.42	21.40	
1.4	64QAM	6	0	20.25	20.26	20.17	21.5
1.4	256QAM	1	0	18.33	18.16	18.35	19.5
1.4	256QAM	1	3	18.40	18.27	18.33	
1.4	256QAM	1	5	18.39	18.21	18.41	
1.4	256QAM	3	0	18.34	18.17	18.32	
1.4	256QAM	3	1	18.45	18.23	18.33	
1.4	256QAM	3	3	18.44	18.28	18.41	
1.4	256QAM	6	0	18.26	18.18	17.97	19.5



<Default Power Mode(Main) LTE Band 13>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23230			
Frequency (MHz)				782			
10	QPSK	1	0		23.10		24
10	QPSK	1	25		23.08		
10	QPSK	1	49		22.98		
10	QPSK	25	0		22.06		23
10	QPSK	25	12		22.02		
10	QPSK	25	25		22.01		
10	QPSK	50	0		22.05		23
10	16QAM	1	0		22.30		
10	16QAM	1	25		22.36		
10	16QAM	1	49		22.25		22
10	16QAM	25	0		20.95		
10	16QAM	25	12		21.05		
10	16QAM	25	25		21.00		22
10	16QAM	50	0		21.04		
10	64QAM	1	0		21.19		
10	64QAM	1	25		21.22		22
10	64QAM	1	49		21.13		
10	64QAM	25	0		19.96		
10	64QAM	25	12		20.03		21
10	64QAM	25	25		19.99		
10	64QAM	50	0		20.04		
10	256QAM	1	0		18.11		19
10	256QAM	1	25		18.16		
10	256QAM	1	49		18.13		
10	256QAM	25	0		17.86		19
10	256QAM	25	12		18.03		
10	256QAM	25	25		17.93		
10	256QAM	50	0		17.94		
Channel				23205	23230	23255	Tune-up limit (dBm)
Frequency (MHz)				779.5	782	784.5	
5	QPSK	1	0	23.06	23.03	23.01	24
5	QPSK	1	12	23.01	23.04	22.98	
5	QPSK	1	24	22.94	22.95	22.88	
5	QPSK	12	0	21.96	21.99	22.00	23
5	QPSK	12	7	21.99	21.94	21.95	
5	QPSK	12	13	22.01	21.96	21.96	
5	QPSK	25	0	21.98	21.97	22.05	23
5	16QAM	1	0	22.28	22.25	22.26	
5	16QAM	1	12	22.29	22.30	22.30	
5	16QAM	1	24	22.22	22.19	22.25	22
5	16QAM	12	0	20.87	20.94	20.87	
5	16QAM	12	7	20.99	21.03	20.97	
5	16QAM	12	13	20.92	20.90	20.96	22
5	16QAM	25	0	20.95	21.01	21.03	
5	64QAM	1	0	21.12	21.09	21.14	
5	64QAM	1	12	21.22	21.14	21.14	22
5	64QAM	1	24	21.10	21.06	21.10	
5	64QAM	12	0	19.86	19.86	19.96	
5	64QAM	12	7	20.03	20.03	19.94	21
5	64QAM	12	13	19.92	19.92	19.90	
5	64QAM	25	0	19.95	19.97	20.03	
5	256QAM	1	0	18.15	18.13	18.17	19
5	256QAM	1	12	18.22	18.22	18.13	
5	256QAM	1	24	18.04	18.10	18.10	
5	256QAM	12	0	17.91	17.91	17.89	19



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	7	17.94	18.02	17.97	
5	256QAM	12	13	17.96	17.91	17.93	
5	256QAM	25	0	18.00	18.02	17.98	

<Reduced Power Mode(Main) LTE Band 13>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23230			
Frequency (MHz)				782			
10	QPSK	1	0		20.84		21.5
10	QPSK	1	25		20.74		
10	QPSK	1	49		20.59		
10	QPSK	25	0		20.54		21.5
10	QPSK	25	12		20.29		
10	QPSK	25	25		20.44		
10	QPSK	50	0		20.47		21.5
10	16QAM	1	0		20.42		
10	16QAM	1	25		20.39		
10	16QAM	1	49		20.29		21.5
10	16QAM	25	0		20.31		
10	16QAM	25	12		20.47		
10	16QAM	25	25		20.49		21.5
10	16QAM	50	0		20.43		
10	64QAM	1	0		20.46		
10	64QAM	1	25		20.63		21.5
10	64QAM	1	49		20.58		
10	64QAM	25	0		19.97		
10	64QAM	25	12		19.92		20.5
10	64QAM	25	25		20.00		
10	64QAM	50	0		19.80		
10	256QAM	1	0		17.27		18.5
10	256QAM	1	25		17.39		
10	256QAM	1	49		17.50		
10	256QAM	25	0		17.66		18.5
10	256QAM	25	12		17.96		
10	256QAM	25	25		18.03		
10	256QAM	50	0		17.93		
Channel				23205	23230	23255	Tune-up limit (dBm)
Frequency (MHz)				779.5	782	784.5	
5	QPSK	1	0	20.72	20.66	20.67	21.5
5	QPSK	1	12	20.61	20.53	20.66	
5	QPSK	1	24	20.56	20.69	20.57	
5	QPSK	12	0	20.42	20.48	20.53	21.5
5	QPSK	12	7	20.35	20.35	20.45	
5	QPSK	12	13	20.35	20.24	20.40	
5	QPSK	25	0	20.31	20.45	20.39	21.5
5	16QAM	1	0	20.42	20.42	20.38	
5	16QAM	1	12	20.46	20.46	20.36	
5	16QAM	1	24	20.18	20.16	20.11	21.5
5	16QAM	12	0	20.26	20.46	20.39	
5	16QAM	12	7	20.50	20.28	20.38	
5	16QAM	12	13	20.40	20.44	20.35	21.5
5	16QAM	25	0	20.30	20.26	20.27	
5	64QAM	1	0	20.44	20.40	20.58	
5	64QAM	1	12	20.57	20.56	20.55	21.5
5	64QAM	1	24	20.58	20.54	20.56	
5	64QAM	12	0	19.69	19.88	19.74	20.5
5	64QAM	12	7	19.92	19.95	19.88	
5	64QAM	12	13	19.94	19.85	19.94	
5	64QAM	25	0	19.78	19.88	19.90	18.5
5	256QAM	1	0	17.28	17.38	17.19	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	1	12	17.39	17.54	17.52	18.5
5	256QAM	1	24	17.36	17.40	17.31	
5	256QAM	12	0	17.72	17.63	17.71	
5	256QAM	12	7	17.87	17.81	17.94	
5	256QAM	12	13	18.02	18.00	17.84	
5	256QAM	25	0	17.92	17.81	17.74	

<Default Power Mode(Main) LTE Band 14>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23330			
Frequency (MHz)				793			
10	QPSK	1	0		23.05		24
10	QPSK	1	25		23.01		
10	QPSK	1	49		22.95		
10	QPSK	25	0		22.07		23
10	QPSK	25	12		22.00		
10	QPSK	25	25		22.04		
10	QPSK	50	0		22.01		23
10	16QAM	1	0		22.21		
10	16QAM	1	25		22.32		
10	16QAM	1	49		22.21		22
10	16QAM	25	0		20.96		
10	16QAM	25	12		21.05		
10	16QAM	25	25		21.05		22
10	16QAM	50	0		21.00		
10	64QAM	1	0		21.12		
10	64QAM	1	25		21.21		22
10	64QAM	1	49		21.08		
10	64QAM	25	0		19.97		
10	64QAM	25	12		20.03		21
10	64QAM	25	25		20.07		
10	64QAM	50	0		19.99		
10	256QAM	1	0		18.04		19
10	256QAM	1	25		18.16		
10	256QAM	1	49		18.08		
10	256QAM	25	0		17.93		19
10	256QAM	25	12		17.98		
10	256QAM	25	25		18.04		
10	256QAM	50	0		17.94		
Channel				23305	23330	23355	Tune-up limit (dBm)
Frequency (MHz)				790.5	793	795.5	
5	QPSK	1	0	22.98	23.02	23.03	24
5	QPSK	1	12	22.91	22.92	22.91	
5	QPSK	1	24	22.91	22.91	22.90	
5	QPSK	12	0	22.00	22.05	21.99	23
5	QPSK	12	7	21.94	21.96	21.99	
5	QPSK	12	13	22.00	22.04	21.94	
5	QPSK	25	0	21.92	22.01	21.92	23
5	16QAM	1	0	22.20	22.11	22.17	
5	16QAM	1	12	22.27	22.31	22.29	
5	16QAM	1	24	22.11	22.18	22.13	22
5	16QAM	12	0	20.90	20.90	20.86	
5	16QAM	12	7	21.05	21.05	21.02	
5	16QAM	12	13	21.00	21.00	21.01	22
5	16QAM	25	0	20.99	20.98	20.95	
5	64QAM	1	0	21.03	21.07	21.03	
5	64QAM	1	12	21.13	21.21	21.14	22
5	64QAM	1	24	21.06	21.03	21.02	
5	64QAM	12	0	19.96	19.87	19.87	
5	64QAM	12	7	19.94	19.96	20.02	21



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	12	13	19.99	20.00	20.01	19
5	64QAM	25	0	19.95	19.92	19.94	
5	256QAM	1	0	18.07	18.12	18.06	
5	256QAM	1	12	18.17	18.15	18.13	
5	256QAM	1	24	18.08	18.04	18.00	
5	256QAM	12	0	17.91	17.92	17.93	19
5	256QAM	12	7	17.95	18.03	18.01	
5	256QAM	12	13	18.01	17.98	18.00	
5	256QAM	25	0	17.98	17.99	17.97	

<Reduced Power Mode(Main) LTE Band 14>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23330			
Frequency (MHz)				793			
10	QPSK	1	0		20.86		21.5
10	QPSK	1	25		20.77		
10	QPSK	1	49		20.74		
10	QPSK	25	0		20.59		21.5
10	QPSK	25	12		20.49		
10	QPSK	25	25		20.48		
10	QPSK	50	0		20.52		21.5
10	16QAM	1	0		20.47		
10	16QAM	1	25		20.53		
10	16QAM	1	49		20.41		21.5
10	16QAM	25	0		20.50		
10	16QAM	25	12		20.55		
10	16QAM	25	25		20.57		21.5
10	16QAM	50	0		20.51		
10	64QAM	1	0		20.62		
10	64QAM	1	25		20.72		21.5
10	64QAM	1	49		20.64		
10	64QAM	25	0		19.98		
10	64QAM	25	12		20.05		20.5
10	64QAM	25	25		20.09		
10	64QAM	50	0		20.00		
10	256QAM	1	0		17.42		18.5
10	256QAM	1	25		17.58		
10	256QAM	1	49		17.59		
10	256QAM	25	0		17.80		18.5
10	256QAM	25	12		18.00		
10	256QAM	25	25		18.09		
10	256QAM	50	0		17.97		
Channel				23305	23330	23355	Tune-up limit (dBm)
Frequency (MHz)				790.5	793	795.5	
5	QPSK	1	0	20.78	20.84	20.76	21.5
5	QPSK	1	12	20.68	20.67	20.75	
5	QPSK	1	24	20.66	20.71	20.70	
5	QPSK	12	0	20.59	20.56	20.57	21.5
5	QPSK	12	7	20.49	20.40	20.46	
5	QPSK	12	13	20.39	20.41	20.48	
5	QPSK	25	0	20.45	20.46	20.49	21.5
5	16QAM	1	0	20.42	20.43	20.43	
5	16QAM	1	12	20.51	20.47	20.46	
5	16QAM	1	24	20.36	20.31	20.31	21.5
5	16QAM	12	0	20.43	20.50	20.40	
5	16QAM	12	7	20.52	20.46	20.47	
5	16QAM	12	13	20.52	20.53	20.51	21.5
5	16QAM	25	0	20.50	20.43	20.43	
5	64QAM	1	0	20.53	20.56	20.58	
5	64QAM	1	12	20.69	20.64	20.70	21.5



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	1	24	20.58	20.63	20.57	20.5
5	64QAM	12	0	19.88	19.97	19.88	
5	64QAM	12	7	20.03	20.02	20.04	
5	64QAM	12	13	20.09	20.04	19.99	
5	64QAM	25	0	19.97	19.99	19.92	18.5
5	256QAM	1	0	17.42	17.40	17.33	
5	256QAM	1	12	17.50	17.55	17.52	
5	256QAM	1	24	17.56	17.57	17.50	
5	256QAM	12	0	17.74	17.77	17.73	18.5
5	256QAM	12	7	17.97	17.90	17.99	
5	256QAM	12	13	18.06	18.00	18.02	
5	256QAM	25	0	17.97	17.95	17.89	

<Default Power Mode(Main) LTE Band 17>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23780	23790	23800	
Frequency (MHz)				709	710	711	
10	QPSK	1	0	23.31	23.11	23.12	24
10	QPSK	1	25	23.28	23.20	23.09	
10	QPSK	1	49	23.14	23.24	23.20	
10	QPSK	25	0	22.29	22.14	22.02	23
10	QPSK	25	12	22.22	22.26	22.16	
10	QPSK	25	25	22.26	22.20	22.20	
10	QPSK	50	0	22.31	22.23	22.26	
10	16QAM	1	0	22.36	22.33	22.45	23
10	16QAM	1	25	22.60	22.50	22.49	
10	16QAM	1	49	22.46	22.44	22.60	
10	16QAM	25	0	21.18	21.27	21.09	22
10	16QAM	25	12	21.25	21.15	21.10	
10	16QAM	25	25	21.14	21.31	21.26	
10	16QAM	50	0	21.15	21.11	21.05	
10	64QAM	1	0	21.35	21.30	21.21	22
10	64QAM	1	25	21.43	21.39	21.27	
10	64QAM	1	49	21.33	21.32	21.38	
10	64QAM	25	0	20.36	20.15	19.98	21
10	64QAM	25	12	20.20	20.15	20.07	
10	64QAM	25	25	20.16	20.24	20.12	
10	64QAM	50	0	20.12	20.25	20.22	
10	256QAM	1	0	18.15	18.24	18.34	19
10	256QAM	1	25	18.41	18.34	18.20	
10	256QAM	1	49	18.24	18.20	18.30	
10	256QAM	25	0	18.19	18.20	18.00	19
10	256QAM	25	12	18.31	18.14	18.15	
10	256QAM	25	25	18.16	18.21	18.22	
10	256QAM	50	0	18.28	18.16	18.04	
Channel				23755	23790	23825	Tune-up limit (dBm)
Frequency (MHz)				706.5	710	713.5	
5	QPSK	1	0	23.17	23.15	23.11	24
5	QPSK	1	12	23.14	23.27	23.08	
5	QPSK	1	24	23.28	23.22	23.29	
5	QPSK	12	0	22.16	22.11	22.07	23
5	QPSK	12	7	22.30	22.19	22.16	
5	QPSK	12	13	22.16	22.21	22.10	
5	QPSK	25	0	22.28	22.08	22.12	
5	16QAM	1	0	22.47	22.30	22.48	23
5	16QAM	1	12	22.57	22.53	22.40	
5	16QAM	1	24	22.49	22.44	22.60	
5	16QAM	12	0	21.23	21.19	21.01	22
5	16QAM	12	7	21.17	21.23	21.08	
5	16QAM	12	13	21.20	21.26	21.24	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	25	0	21.30	21.19	21.14	22
5	64QAM	1	0	21.33	21.26	21.34	
5	64QAM	1	12	21.42	21.40	21.38	
5	64QAM	1	24	21.36	21.38	21.38	
5	64QAM	12	0	20.22	20.09	19.97	21
5	64QAM	12	7	20.29	20.25	20.07	
5	64QAM	12	13	20.31	20.34	20.08	
5	64QAM	25	0	20.23	20.08	20.03	
5	256QAM	1	0	18.12	18.23	18.28	19
5	256QAM	1	12	18.33	18.31	18.21	
5	256QAM	1	24	18.26	18.27	18.44	
5	256QAM	12	0	18.28	18.19	18.14	
5	256QAM	12	7	18.19	18.07	18.13	19
5	256QAM	12	13	18.29	18.14	18.20	
5	256QAM	25	0	18.29	18.14	18.14	

<Reduced Power Mode(Main) LTE Band 17>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				23780	23790	23800	
Frequency (MHz)				709	710	711	
10	QPSK	1	0	21.90	22.11	22.01	22.5
10	QPSK	1	25	22.06	21.90	21.93	
10	QPSK	1	49	21.14	21.27	21.02	
10	QPSK	25	0	21.83	21.79	21.78	22.5
10	QPSK	25	12	21.67	21.76	21.66	
10	QPSK	25	25	21.72	21.55	21.59	
10	QPSK	50	0	21.77	21.75	21.60	22.5
10	16QAM	1	0	21.96	21.79	21.96	
10	16QAM	1	25	21.54	21.51	21.68	
10	16QAM	1	49	21.65	21.72	21.55	22.5
10	16QAM	25	0	21.67	21.71	21.63	
10	16QAM	25	12	21.28	21.16	21.22	
10	16QAM	25	25	21.29	21.26	21.17	22.5
10	16QAM	50	0	21.27	21.15	21.13	
10	64QAM	1	0	21.27	21.25	21.35	
10	64QAM	1	25	21.31	21.36	21.30	21.5
10	64QAM	1	49	21.47	21.45	21.31	
10	64QAM	25	0	20.28	20.11	20.16	
10	64QAM	25	12	20.20	20.12	20.18	19.5
10	64QAM	25	25	20.36	20.28	20.19	
10	64QAM	50	0	20.20	20.13	20.17	
10	256QAM	1	0	18.22	18.08	18.33	19.5
10	256QAM	1	25	18.38	18.23	18.36	
10	256QAM	1	49	18.31	18.15	18.40	
10	256QAM	25	0	18.01	18.01	17.88	22.5
10	256QAM	25	12	18.19	17.90	18.08	
10	256QAM	25	25	18.04	18.19	18.12	
10	256QAM	50	0	18.17	18.15	18.06	
Channel				23755	23790	23825	Tune-up limit (dBm)
Frequency (MHz)				706.5	710	713.5	
5	QPSK	1	0	22.03	22.01	21.90	22.5
5	QPSK	1	12	22.03	21.95	21.95	
5	QPSK	1	24	21.24	21.19	21.07	
5	QPSK	12	0	21.78	21.86	21.77	22.5
5	QPSK	12	7	21.74	21.71	21.60	
5	QPSK	12	13	21.64	21.63	21.71	
5	QPSK	25	0	21.67	21.63	21.76	22.5
5	16QAM	1	0	21.97	21.92	21.92	
5	16QAM	1	12	21.69	21.61	21.63	
5	16QAM	1	24	21.78	21.66	21.54	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	12	0	21.76	21.79	21.67	22.5
5	16QAM	12	7	21.28	21.19	21.18	
5	16QAM	12	13	21.33	21.27	21.17	
5	16QAM	25	0	21.21	21.13	21.25	
5	64QAM	1	0	21.37	21.28	21.28	22.5
5	64QAM	1	12	21.40	21.38	21.25	
5	64QAM	1	24	21.41	21.35	21.46	
5	64QAM	12	0	20.22	20.25	20.03	
5	64QAM	12	7	20.34	20.08	20.13	21.5
5	64QAM	12	13	20.18	20.12	20.29	
5	64QAM	25	0	20.21	20.12	20.27	
5	256QAM	1	0	18.17	18.15	18.24	
5	256QAM	1	12	18.41	18.28	18.30	19.5
5	256QAM	1	24	18.31	18.27	18.28	
5	256QAM	12	0	18.00	18.13	17.87	
5	256QAM	12	7	18.20	17.89	18.09	
5	256QAM	12	13	18.10	18.27	18.09	19.5
5	256QAM	25	0	18.21	18.06	18.04	

<Default Power Mode(Main) LTE Band 25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	22.96	23.14	23.15	24
20	QPSK	1	49	22.82	23.06	23.05	
20	QPSK	1	99	22.84	22.98	23.07	
20	QPSK	50	0	21.89	21.93	22.13	23
20	QPSK	50	24	21.85	22.01	22.12	
20	QPSK	50	50	21.87	22.04	22.11	
20	QPSK	100	0	21.81	21.98	22.07	
20	16QAM	1	0	21.94	22.06	22.08	23
20	16QAM	1	49	22.05	22.14	22.16	
20	16QAM	1	99	22.07	22.14	22.27	
20	16QAM	50	0	20.85	20.90	21.09	
20	16QAM	50	24	20.86	20.99	21.09	22
20	16QAM	50	50	20.87	21.02	21.06	
20	16QAM	100	0	20.79	20.95	21.03	
20	64QAM	1	0	20.84	20.96	21.00	
20	64QAM	1	49	20.91	21.07	21.11	22
20	64QAM	1	99	20.94	21.03	21.23	
20	64QAM	50	0	19.84	19.93	20.11	
20	64QAM	50	24	19.80	19.98	20.09	21
20	64QAM	50	50	19.87	20.00	20.09	
20	64QAM	100	0	19.80	19.94	20.09	
20	256QAM	1	0	17.74	17.93	17.95	19
20	256QAM	1	49	17.87	18.03	18.03	
20	256QAM	1	99	17.85	18.01	18.13	
20	256QAM	50	0	17.79	17.92	18.10	19
20	256QAM	50	24	17.78	17.90	18.05	
20	256QAM	50	50	17.77	17.92	18.02	
20	256QAM	100	0	17.75	17.85	18.06	
Channel				26115	26340	26615	
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	22.90	23.09	23.09	24
15	QPSK	1	37	22.80	23.05	23.00	
15	QPSK	1	74	22.79	22.93	22.98	
15	QPSK	36	0	21.79	21.88	22.04	23
15	QPSK	36	20	21.80	22.01	22.11	
15	QPSK	36	39	21.77	22.03	22.08	
15	QPSK	75	0	21.81	21.88	22.05	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	16QAM	1	0	21.94	21.97	22.06	23
15	16QAM	1	37	21.97	22.13	22.10	
15	16QAM	1	74	22.00	22.11	22.19	
15	16QAM	36	0	20.79	20.83	21.01	22
15	16QAM	36	20	20.78	20.89	21.03	
15	16QAM	36	39	20.79	20.99	21.06	
15	16QAM	75	0	20.71	20.89	20.95	
15	64QAM	1	0	20.81	20.94	20.95	22
15	64QAM	1	37	20.84	21.06	21.07	
15	64QAM	1	74	20.84	21.02	21.18	
15	64QAM	36	0	19.74	19.87	20.08	21
15	64QAM	36	20	19.77	19.92	19.99	
15	64QAM	36	39	19.87	19.92	20.08	
15	64QAM	75	0	19.76	19.92	20.08	
15	256QAM	1	0	17.74	17.88	17.90	19
15	256QAM	1	37	17.91	18.04	18.11	
15	256QAM	1	74	17.85	17.98	18.14	
15	256QAM	36	0	17.82	17.92	18.01	19
15	256QAM	36	20	17.72	17.98	18.01	
15	256QAM	36	39	17.86	17.99	18.03	
15	256QAM	75	0	17.76	17.91	18.08	
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	22.93	23.12	23.05	24
10	QPSK	1	25	22.78	23.04	23.04	
10	QPSK	1	49	22.77	22.88	22.99	
10	QPSK	25	0	21.86	21.93	22.03	23
10	QPSK	25	12	21.84	21.93	22.08	
10	QPSK	25	25	21.82	22.03	22.11	
10	QPSK	50	0	21.72	21.96	21.99	
10	16QAM	1	0	21.91	21.99	22.07	23
10	16QAM	1	25	22.00	22.04	22.15	
10	16QAM	1	49	21.97	22.14	22.24	
10	16QAM	25	0	20.75	20.86	21.01	
10	16QAM	25	12	20.79	20.96	21.01	22
10	16QAM	25	25	20.83	21.00	21.01	
10	16QAM	50	0	20.73	20.90	20.97	
10	64QAM	1	0	20.78	20.87	20.97	
10	64QAM	1	25	20.81	21.04	21.04	22
10	64QAM	1	49	20.90	20.94	21.18	
10	64QAM	25	0	19.81	19.83	20.03	
10	64QAM	25	12	19.77	19.96	20.00	
10	64QAM	25	25	19.84	19.92	20.09	21
10	64QAM	50	0	19.77	19.93	20.01	
10	256QAM	1	0	17.78	17.95	17.97	
10	256QAM	1	25	17.91	18.07	18.02	
10	256QAM	1	49	17.86	18.00	18.13	19
10	256QAM	25	0	17.78	17.93	18.06	
10	256QAM	25	12	17.75	17.98	18.09	
10	256QAM	25	25	17.84	17.97	18.09	
10	256QAM	50	0	17.70	17.87	17.99	19
Channel				26065	26340	26665	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1912.5	
5	QPSK	1	0	22.88	23.06	23.07	24
5	QPSK	1	12	22.78	23.02	23.00	
5	QPSK	1	24	22.76	22.88	23.03	
5	QPSK	12	0	21.86	21.89	22.05	23
5	QPSK	12	7	21.85	22.00	22.02	
5	QPSK	12	13	21.84	21.98	22.10	
5	QPSK	25	0	21.74	21.90	22.02	
5	16QAM	1	0	21.93	21.99	22.01	23
5	16QAM	1	12	22.03	22.10	22.06	
5	16QAM	1	24	21.99	22.13	22.24	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	12	0	20.78	20.85	20.99	22
5	16QAM	12	7	20.84	20.91	21.09	
5	16QAM	12	13	20.85	20.99	21.06	
5	16QAM	25	0	20.78	20.89	20.93	
5	64QAM	1	0	20.78	20.89	20.93	22
5	64QAM	1	12	20.87	21.00	21.02	
5	64QAM	1	24	20.92	21.00	21.14	
5	64QAM	12	0	19.75	19.93	20.08	
5	64QAM	12	7	19.70	19.96	20.03	21
5	64QAM	12	13	19.77	19.91	19.99	
5	64QAM	25	0	19.74	19.87	20.01	
5	256QAM	1	0	17.84	17.95	17.97	
5	256QAM	1	12	17.91	17.99	18.02	19
5	256QAM	1	24	17.91	17.96	18.23	
5	256QAM	12	0	17.78	17.92	18.10	
5	256QAM	12	7	17.80	17.89	18.08	
5	256QAM	12	13	17.79	17.95	18.07	19
5	256QAM	25	0	17.70	17.89	18.09	
Channel				26055	26340	26675	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	22.89	23.05	23.09	24
3	QPSK	1	8	22.81	23.05	22.97	
3	QPSK	1	14	22.79	22.98	23.02	
3	QPSK	8	0	21.87	21.91	22.08	
3	QPSK	8	4	21.79	21.99	22.06	23
3	QPSK	8	7	21.84	21.98	22.03	
3	QPSK	15	0	21.81	21.98	22.07	
3	16QAM	1	0	21.86	22.01	22.07	
3	16QAM	1	8	21.95	22.06	22.14	23
3	16QAM	1	14	22.00	22.06	22.20	
3	16QAM	8	0	20.76	20.86	21.02	
3	16QAM	8	4	20.82	20.95	21.07	
3	16QAM	8	7	20.87	20.94	21.02	22
3	16QAM	15	0	20.78	20.85	21.00	
3	64QAM	1	0	20.82	20.90	20.92	
3	64QAM	1	8	20.84	21.03	21.11	
3	64QAM	1	14	20.89	20.99	21.22	22
3	64QAM	8	0	19.75	19.90	20.11	
3	64QAM	8	4	19.79	19.90	20.01	
3	64QAM	8	7	19.79	19.92	20.07	
3	64QAM	15	0	19.80	19.94	20.02	21
3	256QAM	1	0	17.81	17.89	17.96	
3	256QAM	1	8	17.84	17.97	18.04	
3	256QAM	1	14	17.86	17.93	18.14	
3	256QAM	8	0	17.75	17.89	18.10	19
3	256QAM	8	4	17.80	17.88	18.02	
3	256QAM	8	7	17.87	17.91	17.99	
3	256QAM	15	0	17.71	17.85	18.09	
Channel				26047	26340	26683	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	22.84	22.97	23.09	24
1.4	QPSK	1	3	22.78	23.00	22.94	
1.4	QPSK	1	5	22.71	22.95	23.02	
1.4	QPSK	3	0	22.79	22.98	23.07	
1.4	QPSK	3	1	22.80	23.04	22.90	
1.4	QPSK	3	3	22.73	22.89	22.98	
1.4	QPSK	6	0	21.74	21.91	22.07	23
1.4	16QAM	1	0	21.79	21.92	22.02	23
1.4	16QAM	1	3	21.92	22.02	22.14	
1.4	16QAM	1	5	21.91	21.96	22.15	
1.4	16QAM	3	0	21.85	21.91	22.06	
1.4	16QAM	3	1	21.89	21.98	22.04	
1.4	16QAM	3	3	21.98	22.06	22.17	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	16QAM	6	0	20.73	20.76	21.00	22
1.4	64QAM	1	0	20.79	20.80	20.90	22
1.4	64QAM	1	3	20.83	20.95	21.06	
1.4	64QAM	1	5	20.79	20.92	21.17	
1.4	64QAM	3	0	20.78	20.89	20.91	
1.4	64QAM	3	1	20.80	20.93	21.06	
1.4	64QAM	3	3	20.82	20.89	21.13	
1.4	64QAM	6	0	19.70	19.87	19.96	21
1.4	256QAM	1	0	17.80	17.88	17.94	19
1.4	256QAM	1	3	17.91	18.01	18.04	
1.4	256QAM	1	5	17.92	17.97	18.17	
1.4	256QAM	3	0	17.77	17.88	18.10	
1.4	256QAM	3	1	17.78	17.93	18.08	
1.4	256QAM	3	3	17.82	17.90	18.00	
1.4	256QAM	6	0	17.75	17.89	18.03	19

<Reduced Power Mode(Main) LTE Band 25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	15.72	15.85	16.08	16.5
20	QPSK	1	49	15.67	15.81	15.86	
20	QPSK	1	99	15.58	15.76	15.78	
20	QPSK	50	0	15.47	15.58	15.68	16.5
20	QPSK	50	24	15.44	15.53	15.61	
20	QPSK	50	50	15.42	15.52	15.59	
20	QPSK	100	0	15.47	15.49	15.59	16.5
20	16QAM	1	0	15.34	15.47	15.50	
20	16QAM	1	49	15.38	15.59	15.60	
20	16QAM	1	99	15.40	15.54	15.72	16.5
20	16QAM	50	0	15.47	15.43	15.57	
20	16QAM	50	24	15.42	15.57	15.64	
20	16QAM	50	50	15.44	15.52	15.59	16.5
20	16QAM	100	0	15.42	15.43	15.58	
20	64QAM	1	0	15.49	15.62	15.67	
20	64QAM	1	49	15.56	15.71	15.74	16.5
20	64QAM	1	99	15.58	15.66	15.90	
20	64QAM	50	0	15.47	15.43	15.60	
20	64QAM	50	24	15.41	15.59	15.67	16.5
20	64QAM	50	50	15.43	15.53	15.58	
20	64QAM	100	0	15.43	15.46	15.58	
20	256QAM	1	0	15.46	15.47	15.62	16.5
20	256QAM	1	49	15.43	15.51	15.73	
20	256QAM	1	99	15.55	15.63	15.88	
20	256QAM	50	0	15.39	15.33	15.41	16.5
20	256QAM	50	24	15.32	15.53	15.66	
20	256QAM	50	50	15.31	15.42	15.44	
20	256QAM	100	0	15.42	15.46	15.57	
Channel				26115	26340	26615	
Frequency (MHz)				1857.5	1880	1907.5	Tune-up limit (dBm)
15	QPSK	1	0	15.70	15.75	15.94	16.5
15	QPSK	1	37	15.59	15.73	15.80	
15	QPSK	1	74	15.48	15.66	15.75	
15	QPSK	36	0	15.39	15.55	15.64	16.5
15	QPSK	36	20	15.43	15.52	15.57	
15	QPSK	36	39	15.37	15.51	15.56	
15	QPSK	75	0	15.37	15.49	15.51	16.5
15	16QAM	1	0	15.33	15.40	15.41	
15	16QAM	1	37	15.35	15.49	15.59	
15	16QAM	1	74	15.30	15.51	15.66	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	16QAM	36	0	15.39	15.43	15.54	16.5
15	16QAM	36	20	15.39	15.47	15.61	
15	16QAM	36	39	15.43	15.42	15.51	
15	16QAM	75	0	15.41	15.36	15.55	16.5
15	64QAM	1	0	15.46	15.60	15.65	
15	64QAM	1	37	15.47	15.68	15.72	
15	64QAM	1	74	15.53	15.57	15.89	16.5
15	64QAM	36	0	15.40	15.37	15.50	
15	64QAM	36	20	15.41	15.59	15.62	
15	64QAM	36	39	15.38	15.49	15.51	16.5
15	64QAM	75	0	15.34	15.38	15.51	
15	256QAM	1	0	15.42	15.47	15.57	
15	256QAM	1	37	15.39	15.45	15.70	16.5
15	256QAM	1	74	15.48	15.54	15.86	
15	256QAM	36	0	15.35	15.23	15.32	
15	256QAM	36	20	15.22	15.47	15.59	16.5
15	256QAM	36	39	15.29	15.39	15.43	
15	256QAM	75	0	15.35	15.39	15.54	
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	15.64	15.75	15.92	16.5
10	QPSK	1	25	15.64	15.75	15.83	
10	QPSK	1	49	15.54	15.70	15.78	
10	QPSK	25	0	15.37	15.56	15.59	16.5
10	QPSK	25	12	15.35	15.48	15.58	
10	QPSK	25	25	15.36	15.51	15.58	
10	QPSK	50	0	15.43	15.44	15.51	16.5
10	16QAM	1	0	15.26	15.47	15.43	
10	16QAM	1	25	15.34	15.49	15.51	
10	16QAM	1	49	15.35	15.47	15.71	16.5
10	16QAM	25	0	15.44	15.36	15.47	
10	16QAM	25	12	15.42	15.47	15.54	
10	16QAM	25	25	15.37	15.44	15.54	16.5
10	16QAM	50	0	15.32	15.33	15.48	
10	64QAM	1	0	15.47	15.61	15.60	
10	64QAM	1	25	15.50	15.68	15.65	16.5
10	64QAM	1	49	15.50	15.60	15.87	
10	64QAM	25	0	15.39	15.33	15.51	
10	64QAM	25	12	15.37	15.57	15.61	16.5
10	64QAM	25	25	15.39	15.50	15.53	
10	64QAM	50	0	15.34	15.38	15.58	
10	256QAM	1	0	15.45	15.47	15.53	16.5
10	256QAM	1	25	15.42	15.51	15.67	
10	256QAM	1	49	15.52	15.54	15.83	
10	256QAM	25	0	15.37	15.23	15.34	16.5
10	256QAM	25	12	15.26	15.49	15.62	
10	256QAM	25	25	15.23	15.41	15.40	
10	256QAM	50	0	15.39	15.38	15.57	Tune-up limit (dBm)
Channel				26065	26340	26665	
Frequency (MHz)				1852.5	1880	1912.5	16.5
5	QPSK	1	0	15.72	15.80	15.93	
5	QPSK	1	12	15.63	15.75	15.77	
5	QPSK	1	24	15.55	15.69	15.72	16.5
5	QPSK	12	0	15.43	15.53	15.68	
5	QPSK	12	7	15.44	15.49	15.61	
5	QPSK	12	13	15.40	15.48	15.57	16.5
5	QPSK	25	0	15.43	15.46	15.49	
5	16QAM	1	0	15.34	15.47	15.47	
5	16QAM	1	12	15.33	15.53	15.50	16.5
5	16QAM	1	24	15.30	15.50	15.71	
5	16QAM	12	0	15.42	15.38	15.56	
5	16QAM	12	7	15.34	15.48	15.64	16.5
5	16QAM	12	13	15.39	15.48	15.58	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	25	0	15.37	15.37	15.58	16.5
5	64QAM	1	0	15.47	15.61	15.65	
5	64QAM	1	12	15.51	15.68	15.72	
5	64QAM	1	24	15.51	15.63	15.89	
5	64QAM	12	0	15.37	15.41	15.59	16.5
5	64QAM	12	7	15.33	15.56	15.66	
5	64QAM	12	13	15.36	15.48	15.58	
5	64QAM	25	0	15.36	15.45	15.52	
5	256QAM	1	0	15.41	15.46	15.55	16.5
5	256QAM	1	12	15.34	15.46	15.63	
5	256QAM	1	24	15.47	15.59	15.78	
5	256QAM	12	0	15.30	15.26	15.31	
5	256QAM	12	7	15.27	15.44	15.64	16.5
5	256QAM	12	13	15.31	15.35	15.44	
5	256QAM	25	0	15.34	15.44	15.57	
Channel				26055	26340	26675	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	15.63	15.83	15.91	16.5
3	QPSK	1	8	15.64	15.76	15.78	
3	QPSK	1	14	15.50	15.75	15.78	
3	QPSK	8	0	15.46	15.51	15.67	
3	QPSK	8	4	15.43	15.49	15.58	16.5
3	QPSK	8	7	15.38	15.45	15.57	
3	QPSK	15	0	15.45	15.39	15.57	
3	16QAM	1	0	15.32	15.39	15.50	
3	16QAM	1	8	15.38	15.55	15.59	16.5
3	16QAM	1	14	15.30	15.49	15.64	
3	16QAM	8	0	15.44	15.37	15.51	
3	16QAM	8	4	15.36	15.51	15.60	
3	16QAM	8	7	15.42	15.42	15.51	16.5
3	16QAM	15	0	15.35	15.34	15.48	
3	64QAM	1	0	15.42	15.53	15.57	
3	64QAM	1	8	15.50	15.70	15.68	
3	64QAM	1	14	15.50	15.58	15.86	16.5
3	64QAM	8	0	15.37	15.34	15.50	
3	64QAM	8	4	15.34	15.58	15.57	
3	64QAM	8	7	15.36	15.47	15.57	
3	64QAM	15	0	15.35	15.46	15.52	16.5
3	256QAM	1	0	15.38	15.40	15.60	
3	256QAM	1	8	15.40	15.41	15.68	
3	256QAM	1	14	15.47	15.54	15.84	
3	256QAM	8	0	15.38	15.32	15.39	16.5
3	256QAM	8	4	15.29	15.43	15.66	
3	256QAM	8	7	15.31	15.32	15.34	
3	256QAM	15	0	15.42	15.36	15.52	
Channel				26047	26340	26683	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	15.67	15.81	15.96	16.5
1.4	QPSK	1	3	15.59	15.71	15.76	
1.4	QPSK	1	5	15.55	15.69	15.73	
1.4	QPSK	3	0	15.68	15.76	15.96	
1.4	QPSK	3	1	15.59	15.71	15.79	16.5
1.4	QPSK	3	3	15.51	15.74	15.76	
1.4	QPSK	6	0	15.38	15.47	15.59	
1.4	16QAM	1	0	15.26	15.46	15.47	
1.4	16QAM	1	3	15.33	15.57	15.54	16.5
1.4	16QAM	1	5	15.32	15.52	15.65	
1.4	16QAM	3	0	15.25	15.46	15.49	
1.4	16QAM	3	1	15.35	15.55	15.59	
1.4	16QAM	3	3	15.33	15.45	15.68	16.5
1.4	16QAM	6	0	15.37	15.36	15.50	
1.4	64QAM	1	0	15.43	15.53	15.64	
1.4	64QAM	1	3	15.47	15.65	15.65	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	64QAM	1	5	15.50	15.63	15.88	
1.4	64QAM	3	0	15.42	15.62	15.58	
1.4	64QAM	3	1	15.46	15.68	15.74	
1.4	64QAM	3	3	15.53	15.65	15.89	
1.4	64QAM	6	0	15.35	15.46	15.50	16.5
1.4	256QAM	1	0	15.36	15.45	15.56	16.5
1.4	256QAM	1	3	15.42	15.47	15.70	
1.4	256QAM	1	5	15.53	15.53	15.78	
1.4	256QAM	3	0	15.44	15.45	15.58	
1.4	256QAM	3	1	15.34	15.44	15.70	
1.4	256QAM	3	3	15.46	15.53	15.79	16.5
1.4	256QAM	6	0	15.42	15.43	15.53	

<Default Power Mode(MIMO2) LTE Band 25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	22.71	22.94	23.10	24
20	QPSK	1	49	22.67	22.85	22.94	
20	QPSK	1	99	22.62	22.76	22.82	
20	QPSK	50	0	21.70	21.92	22.00	23
20	QPSK	50	24	21.70	21.87	21.97	
20	QPSK	50	50	21.69	21.79	21.94	
20	QPSK	100	0	21.67	21.83	21.94	
20	16QAM	1	0	21.78	21.95	21.97	23
20	16QAM	1	49	21.90	22.01	22.04	
20	16QAM	1	99	21.93	21.98	22.15	
20	16QAM	50	0	20.67	20.83	21.00	22
20	16QAM	50	24	20.69	20.87	20.97	
20	16QAM	50	50	20.69	20.90	20.95	
20	16QAM	100	0	20.65	20.82	20.94	
20	64QAM	1	0	20.69	20.84	20.86	22
20	64QAM	1	49	20.81	20.95	20.98	
20	64QAM	1	99	20.82	20.92	21.11	
20	64QAM	50	0	19.64	19.78	19.97	21
20	64QAM	50	24	19.70	19.90	19.96	
20	64QAM	50	50	19.69	19.90	19.92	
20	64QAM	100	0	19.64	19.82	19.93	
20	256QAM	1	0	17.59	17.80	17.86	19
20	256QAM	1	49	17.68	17.91	17.92	
20	256QAM	1	99	17.75	17.75	18.09	
20	256QAM	50	0	17.61	17.68	17.94	19
20	256QAM	50	24	17.55	17.70	17.96	
20	256QAM	50	50	17.69	17.81	17.76	
20	256QAM	100	0	17.45	17.70	17.90	
Channel				26115	26340	26615	Tune-up limit (dBm)
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	22.66	22.91	23.08	24
15	QPSK	1	37	22.59	22.79	22.85	
15	QPSK	1	74	22.58	22.76	22.76	
15	QPSK	36	0	21.68	21.84	21.94	23
15	QPSK	36	20	21.66	21.77	21.95	
15	QPSK	36	39	21.65	21.74	21.93	
15	QPSK	75	0	21.63	21.77	21.90	
15	16QAM	1	0	21.78	21.92	21.88	23
15	16QAM	1	37	21.83	21.97	21.94	
15	16QAM	1	74	21.86	21.91	22.12	
15	16QAM	36	0	20.67	20.75	20.95	22
15	16QAM	36	20	20.67	20.78	20.97	
15	16QAM	36	39	20.59	20.89	20.86	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	16QAM	75	0	20.60	20.75	20.88	22
15	64QAM	1	0	20.68	20.75	20.81	
15	64QAM	1	37	20.72	20.95	20.92	
15	64QAM	1	74	20.75	20.90	21.11	
15	64QAM	36	0	19.61	19.72	19.95	21
15	64QAM	36	20	19.65	19.90	19.86	
15	64QAM	36	39	19.64	19.82	19.87	
15	64QAM	75	0	19.58	19.75	19.85	
15	256QAM	1	0	17.57	17.76	17.83	19
15	256QAM	1	37	17.65	17.91	17.92	
15	256QAM	1	74	17.71	17.73	18.08	
15	256QAM	36	0	17.55	17.60	17.88	
15	256QAM	36	20	17.53	17.60	17.87	19
15	256QAM	36	39	17.61	17.73	17.72	
15	256QAM	75	0	17.43	17.69	17.80	
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	22.70	22.90	23.03	24
10	QPSK	1	25	22.57	22.81	22.86	
10	QPSK	1	49	22.52	22.69	22.76	
10	QPSK	25	0	21.60	21.82	21.91	
10	QPSK	25	12	21.70	21.79	21.93	23
10	QPSK	25	25	21.59	21.79	21.94	
10	QPSK	50	0	21.59	21.77	21.94	
10	16QAM	1	0	21.71	21.88	21.97	
10	16QAM	1	25	21.90	21.95	22.02	23
10	16QAM	1	49	21.89	21.96	22.14	
10	16QAM	25	0	20.57	20.77	20.94	
10	16QAM	25	12	20.68	20.87	20.96	
10	16QAM	25	25	20.61	20.83	20.88	22
10	16QAM	50	0	20.60	20.80	20.89	
10	64QAM	1	0	20.61	20.79	20.80	
10	64QAM	1	25	20.78	20.88	20.88	
10	64QAM	1	49	20.76	20.91	21.11	21
10	64QAM	25	0	19.59	19.71	19.90	
10	64QAM	25	12	19.65	19.84	19.93	
10	64QAM	25	25	19.59	19.87	19.87	
10	64QAM	50	0	19.59	19.81	19.89	19
10	256QAM	1	0	17.58	17.76	17.85	
10	256QAM	1	25	17.60	17.82	17.82	
10	256QAM	1	49	17.66	17.71	18.02	
10	256QAM	25	0	17.61	17.68	17.92	19
10	256QAM	25	12	17.48	17.60	17.92	
10	256QAM	25	25	17.64	17.73	17.67	
10	256QAM	50	0	17.36	17.63	17.86	
Channel				26065	26340	26665	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1912.5	
5	QPSK	1	0	22.64	22.84	22.99	24
5	QPSK	1	12	22.57	22.76	22.83	
5	QPSK	1	24	22.49	22.66	22.72	
5	QPSK	12	0	21.59	21.76	21.89	
5	QPSK	12	7	21.66	21.75	21.89	23
5	QPSK	12	13	21.51	21.70	21.92	
5	QPSK	25	0	21.51	21.71	21.86	
5	16QAM	1	0	21.65	21.81	21.95	
5	16QAM	1	12	21.86	21.86	21.97	23
5	16QAM	1	24	21.82	21.92	22.14	
5	16QAM	12	0	20.53	20.69	20.89	
5	16QAM	12	7	20.64	20.82	20.95	
5	16QAM	12	13	20.52	20.78	20.80	22
5	16QAM	25	0	20.52	20.76	20.81	
5	64QAM	1	0	20.60	20.71	20.70	
5	64QAM	1	12	20.74	20.83	20.86	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	1	24	20.72	20.85	21.10	21
5	64QAM	12	0	19.57	19.67	19.83	
5	64QAM	12	7	19.61	19.80	19.86	
5	64QAM	12	13	19.56	19.84	19.86	
5	64QAM	25	0	19.51	19.73	19.82	19
5	256QAM	1	0	17.57	17.72	17.81	
5	256QAM	1	12	17.50	17.79	17.75	
5	256QAM	1	24	17.65	17.68	18.00	
5	256QAM	12	0	17.51	17.58	17.87	19
5	256QAM	12	7	17.47	17.57	17.83	
5	256QAM	12	13	17.60	17.71	17.63	
5	256QAM	25	0	17.28	17.53	17.77	
Channel				26055	26340	26675	Tune-up limit (dBm)
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	22.70	22.85	22.99	24
3	QPSK	1	8	22.52	22.77	22.81	
3	QPSK	1	14	22.46	22.67	22.71	
3	QPSK	8	0	21.52	21.80	21.82	23
3	QPSK	8	4	21.66	21.79	21.93	
3	QPSK	8	7	21.49	21.79	21.85	
3	QPSK	15	0	21.49	21.69	21.84	
3	16QAM	1	0	21.61	21.81	21.95	23
3	16QAM	1	8	21.82	21.87	22.01	
3	16QAM	1	14	21.79	21.93	22.11	
3	16QAM	8	0	20.51	20.75	20.86	22
3	16QAM	8	4	20.60	20.79	20.90	
3	16QAM	8	7	20.57	20.82	20.85	
3	16QAM	15	0	20.56	20.79	20.86	
3	64QAM	1	0	20.58	20.77	20.74	22
3	64QAM	1	8	20.78	20.79	20.82	
3	64QAM	1	14	20.70	20.90	21.10	
3	64QAM	8	0	19.57	19.68	19.87	21
3	64QAM	8	4	19.58	19.82	19.89	
3	64QAM	8	7	19.51	19.80	19.85	
3	64QAM	15	0	19.56	19.77	19.84	
3	256QAM	1	0	17.52	17.75	17.85	19
3	256QAM	1	8	17.60	17.72	17.81	
3	256QAM	1	14	17.66	17.71	17.94	
3	256QAM	8	0	17.56	17.58	17.88	19
3	256QAM	8	4	17.45	17.59	17.91	
3	256QAM	8	7	17.59	17.68	17.58	
3	256QAM	15	0	17.35	17.56	17.82	
Channel				26047	26340	26683	Tune-up limit (dBm)
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	22.63	22.81	23.00	24
1.4	QPSK	1	3	22.57	22.78	22.79	
1.4	QPSK	1	5	22.44	22.63	22.74	
1.4	QPSK	3	0	22.70	22.80	22.93	
1.4	QPSK	3	1	22.55	22.73	22.84	
1.4	QPSK	3	3	22.45	22.60	22.71	23
1.4	QPSK	6	0	21.49	21.73	21.93	
1.4	16QAM	1	0	21.71	21.84	21.89	
1.4	16QAM	1	3	21.83	21.86	21.93	23
1.4	16QAM	1	5	21.83	21.94	22.11	
1.4	16QAM	3	0	21.62	21.88	21.91	
1.4	16QAM	3	1	21.82	21.95	21.93	
1.4	16QAM	3	3	21.79	21.89	22.04	
1.4	16QAM	6	0	20.56	20.71	20.85	22
1.4	64QAM	1	0	20.58	20.75	20.72	
1.4	64QAM	1	3	20.69	20.87	20.85	
1.4	64QAM	1	5	20.73	20.84	21.06	
1.4	64QAM	3	0	20.61	20.76	20.76	
1.4	64QAM	3	1	20.71	20.86	20.86	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	64QAM	3	3	20.73	20.81	21.08	
1.4	64QAM	6	0	19.54	19.72	19.84	21
1.4	256QAM	1	0	17.53	17.69	17.80	19
1.4	256QAM	1	3	17.60	17.75	17.81	
1.4	256QAM	1	5	17.58	17.63	17.94	
1.4	256QAM	3	0	17.51	17.76	17.83	
1.4	256QAM	3	1	17.57	17.75	17.76	
1.4	256QAM	3	3	17.64	17.62	17.92	
1.4	256QAM	6	0	17.34	17.62	17.82	19

<Reduced Power Mode(MIMO2) LTE Band 25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26140	26340	26590	
Frequency (MHz)				1860	1880	1905	
20	QPSK	1	0	20.96	21.07	21.10	21.5
20	QPSK	1	49	20.95	21.03	21.05	
20	QPSK	1	99	20.63	21.00	21.02	
20	QPSK	50	0	20.75	20.90	20.99	21.5
20	QPSK	50	24	20.77	20.88	20.97	
20	QPSK	50	50	20.72	20.87	20.95	
20	QPSK	100	0	20.73	20.89	20.95	
20	16QAM	1	0	20.68	20.81	20.83	21.5
20	16QAM	1	49	20.72	20.94	20.94	
20	16QAM	1	99	20.71	20.80	21.01	
20	16QAM	50	0	20.25	20.38	20.52	21
20	16QAM	50	24	20.29	20.42	20.52	
20	16QAM	50	50	20.26	20.44	20.44	
20	16QAM	100	0	20.22	20.38	20.45	
20	64QAM	1	0	20.30	20.44	20.44	21
20	64QAM	1	49	20.35	20.51	20.52	
20	64QAM	1	99	20.35	20.42	20.60	
20	64QAM	50	0	19.74	19.82	20.02	20.5
20	64QAM	50	24	19.78	19.93	19.97	
20	64QAM	50	50	19.79	19.90	19.95	
20	64QAM	100	0	19.73	19.86	19.95	
20	256QAM	1	0	17.19	17.28	17.24	18.5
20	256QAM	1	49	17.16	17.43	17.54	
20	256QAM	1	99	17.14	17.38	17.60	
20	256QAM	50	0	17.54	17.63	17.80	18.5
20	256QAM	50	24	17.48	17.89	18.01	
20	256QAM	50	50	17.70	17.73	17.86	
20	256QAM	100	0	17.60	17.62	17.87	
Channel				26115	26340	26615	
Frequency (MHz)				1857.5	1880	1907.5	
15	QPSK	1	0	20.91	20.91	21.08	21.5
15	QPSK	1	37	20.90	20.88	20.97	
15	QPSK	1	74	20.60	20.96	20.89	
15	QPSK	36	0	20.63	20.90	20.86	21.5
15	QPSK	36	20	20.74	20.68	20.85	
15	QPSK	36	39	20.60	20.72	20.87	
15	QPSK	75	0	20.73	20.88	20.81	
15	16QAM	1	0	20.51	20.74	20.72	21.5
15	16QAM	1	37	20.63	20.91	20.81	
15	16QAM	1	74	20.59	20.76	20.81	
15	16QAM	36	0	20.19	20.38	20.43	21
15	16QAM	36	20	20.29	20.29	20.36	
15	16QAM	36	39	20.10	20.44	20.44	
15	16QAM	75	0	20.07	20.26	20.35	
15	64QAM	1	0	20.22	20.24	20.38	21
15	64QAM	1	37	20.19	20.34	20.44	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	64QAM	1	74	20.33	20.39	20.51	20.5
15	64QAM	36	0	19.62	19.65	19.90	
15	64QAM	36	20	19.69	19.82	19.86	
15	64QAM	36	39	19.74	19.73	19.81	
15	64QAM	75	0	19.58	19.71	19.84	18.5
15	256QAM	1	0	17.05	17.28	17.05	
15	256QAM	1	37	17.06	17.26	17.47	
15	256QAM	1	74	17.11	17.18	17.44	
15	256QAM	36	0	17.52	17.57	17.71	18.5
15	256QAM	36	20	17.46	17.77	17.86	
15	256QAM	36	39	17.61	17.67	17.80	
15	256QAM	75	0	17.45	17.50	17.84	
Channel				26090	26340	26640	Tune-up limit (dBm)
Frequency (MHz)				1855	1880	1910	
10	QPSK	1	0	20.82	20.81	20.89	21.5
10	QPSK	1	25	20.70	20.72	20.95	
10	QPSK	1	49	20.58	20.94	20.87	
10	QPSK	25	0	20.61	20.87	20.83	21.5
10	QPSK	25	12	20.55	20.68	20.83	
10	QPSK	25	25	20.48	20.54	20.74	
10	QPSK	50	0	20.55	20.84	20.76	
10	16QAM	1	0	20.47	20.65	20.68	21.5
10	16QAM	1	25	20.62	20.89	20.81	
10	16QAM	1	49	20.54	20.71	20.76	
10	16QAM	25	0	20.03	20.31	20.25	21
10	16QAM	25	12	20.26	20.09	20.31	
10	16QAM	25	25	20.01	20.37	20.44	
10	16QAM	50	0	20.06	20.11	20.18	
10	64QAM	1	0	20.09	20.19	20.36	21
10	64QAM	1	25	20.06	20.16	20.29	
10	64QAM	1	49	20.24	20.37	20.51	
10	64QAM	25	0	19.54	19.63	19.70	20.5
10	64QAM	25	12	19.59	19.76	19.72	
10	64QAM	25	25	19.64	19.61	19.70	
10	64QAM	50	0	19.40	19.52	19.67	
10	256QAM	1	0	16.91	17.25	16.92	18.5
10	256QAM	1	25	16.86	17.12	17.40	
10	256QAM	1	49	17.10	17.00	17.24	
10	256QAM	25	0	17.50	17.37	17.69	18.5
10	256QAM	25	12	17.35	17.61	17.67	
10	256QAM	25	25	17.46	17.51	17.70	
10	256QAM	50	0	17.39	17.31	17.83	
Channel				26065	26340	26665	Tune-up limit (dBm)
Frequency (MHz)				1852.5	1880	1912.5	
5	QPSK	1	0	20.76	20.93	20.98	21.5
5	QPSK	1	12	20.77	20.95	21.04	
5	QPSK	1	24	20.51	20.82	20.97	
5	QPSK	12	0	20.57	20.85	20.90	21.5
5	QPSK	12	7	20.71	20.73	20.95	
5	QPSK	12	13	20.63	20.86	20.90	
5	QPSK	25	0	20.61	20.72	20.88	
5	16QAM	1	0	20.57	20.76	20.74	21.5
5	16QAM	1	12	20.66	20.94	20.76	
5	16QAM	1	24	20.61	20.70	20.96	
5	16QAM	12	0	20.22	20.23	20.42	21
5	16QAM	12	7	20.11	20.36	20.42	
5	16QAM	12	13	20.19	20.35	20.24	
5	16QAM	25	0	20.08	20.34	20.33	
5	64QAM	1	0	20.12	20.38	20.30	21
5	64QAM	1	12	20.28	20.33	20.48	
5	64QAM	1	24	20.33	20.30	20.60	
5	64QAM	12	0	19.66	19.68	19.92	20.5
5	64QAM	12	7	19.63	19.92	19.82	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	12	13	19.64	19.73	19.85	18.5
5	64QAM	25	0	19.67	19.71	19.87	
5	256QAM	1	0	17.03	17.26	17.17	
5	256QAM	1	12	17.07	17.34	17.53	
5	256QAM	1	24	17.13	17.19	17.51	18.5
5	256QAM	12	0	17.41	17.47	17.65	
5	256QAM	12	7	17.44	17.70	17.91	
5	256QAM	12	13	17.57	17.55	17.72	
5	256QAM	25	0	17.52	17.51	17.78	Tune-up limit (dBm)
Channel				26055	26340	26675	
Frequency (MHz)				1851.5	1880	1913.5	
3	QPSK	1	0	20.92	20.93	21.02	21.5
3	QPSK	1	8	20.75	20.92	20.93	
3	QPSK	1	14	20.63	20.92	20.97	
3	QPSK	8	0	20.67	20.72	20.90	21.5
3	QPSK	8	4	20.64	20.78	20.94	
3	QPSK	8	7	20.57	20.79	20.88	
3	QPSK	15	0	20.70	20.74	20.75	21.5
3	16QAM	1	0	20.64	20.69	20.79	
3	16QAM	1	8	20.68	20.88	20.80	
3	16QAM	1	14	20.62	20.73	20.82	21
3	16QAM	8	0	20.25	20.32	20.47	
3	16QAM	8	4	20.20	20.41	20.33	
3	16QAM	8	7	20.14	20.33	20.26	21
3	16QAM	15	0	20.08	20.37	20.44	
3	64QAM	1	0	20.21	20.24	20.25	
3	64QAM	1	8	20.33	20.35	20.46	20.5
3	64QAM	1	14	20.22	20.34	20.40	
3	64QAM	8	0	19.69	19.65	19.84	
3	64QAM	8	4	19.73	19.76	19.97	18.5
3	64QAM	8	7	19.60	19.71	19.77	
3	64QAM	15	0	19.63	19.84	19.92	
3	256QAM	1	0	17.17	17.20	17.21	18.5
3	256QAM	1	8	17.15	17.34	17.44	
3	256QAM	1	14	17.01	17.21	17.46	
3	256QAM	8	0	17.39	17.59	17.75	18.5
3	256QAM	8	4	17.40	17.87	17.87	
3	256QAM	8	7	17.63	17.53	17.77	
3	256QAM	15	0	17.44	17.44	17.81	Tune-up limit (dBm)
Channel				26047	26340	26683	
Frequency (MHz)				1850.7	1880	1914.3	
1.4	QPSK	1	0	20.87	20.88	20.91	21.5
1.4	QPSK	1	3	20.83	20.91	20.90	
1.4	QPSK	1	5	20.47	20.84	20.99	
1.4	QPSK	3	0	20.56	20.85	20.96	
1.4	QPSK	3	1	20.71	20.75	20.78	
1.4	QPSK	3	3	20.61	20.70	20.94	
1.4	QPSK	6	0	20.53	20.80	20.80	21.5
1.4	16QAM	1	0	20.53	20.80	20.63	21.5
1.4	16QAM	1	3	20.59	20.74	20.83	
1.4	16QAM	1	5	20.55	20.80	20.97	
1.4	16QAM	3	0	20.73	20.87	20.98	
1.4	16QAM	3	1	20.85	21.00	21.04	
1.4	16QAM	3	3	20.78	20.83	20.85	
1.4	16QAM	6	0	20.11	20.32	20.34	21
1.4	64QAM	1	0	20.21	20.32	20.36	21
1.4	64QAM	1	3	20.26	20.41	20.33	
1.4	64QAM	1	5	20.34	20.40	20.50	
1.4	64QAM	3	0	19.67	19.71	19.88	
1.4	64QAM	3	1	19.63	19.80	20.00	
1.4	64QAM	3	3	19.65	19.74	19.79	
1.4	64QAM	6	0	19.72	19.86	19.83	20.5
1.4	256QAM	1	0	17.06	17.25	17.20	18.5



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	256QAM	1	3	17.07	17.38	17.39	
1.4	256QAM	1	5	17.15	17.35	17.55	
1.4	256QAM	3	0	17.34	17.48	17.77	
1.4	256QAM	3	1	17.47	17.84	17.99	
1.4	256QAM	3	3	17.61	17.68	17.74	
1.4	256QAM	6	0	17.55	17.58	17.78	18.5

<Default Power Mode(Main) LTE Band 26>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26765	26865	26965	
Frequency (MHz)				821.5	831.5	841.5	
15	QPSK	1	0	23.09	23.11	23.08	24
15	QPSK	1	37	22.94	23.02	23.02	
15	QPSK	1	74	23.05	22.99	22.98	
15	QPSK	36	0	22.11	22.19	22.18	23
15	QPSK	36	20	21.92	22.02	22.00	
15	QPSK	36	39	22.02	21.99	22.03	
15	QPSK	75	0	21.98	22.00	22.07	23
15	16QAM	1	0	22.12	22.24	22.26	
15	16QAM	1	37	22.21	22.36	22.37	
15	16QAM	1	74	22.30	22.28	22.20	22
15	16QAM	36	0	20.89	20.94	20.99	
15	16QAM	36	20	21.00	20.97	21.03	
15	16QAM	36	39	20.99	20.98	21.04	22
15	16QAM	75	0	20.97	21.00	21.01	
15	64QAM	1	0	21.02	21.08	21.09	
15	64QAM	1	37	21.08	21.21	21.19	22
15	64QAM	1	74	21.19	21.16	21.12	
15	64QAM	36	0	19.94	19.96	20.01	
15	64QAM	36	20	20.00	20.01	20.03	21
15	64QAM	36	39	20.04	20.02	20.01	
15	64QAM	75	0	19.95	19.98	20.01	
15	256QAM	1	0	18.00	18.06	18.05	19
15	256QAM	1	37	18.03	18.21	18.14	
15	256QAM	1	74	18.09	18.10	18.06	
15	256QAM	36	0	17.91	17.88	18.01	19
15	256QAM	36	20	17.97	17.98	17.96	
15	256QAM	36	39	17.94	17.98	17.99	
15	256QAM	75	0	17.88	17.98	17.95	Tune-up limit (dBm)
Channel				26740	26865	26990	
Frequency (MHz)				819	831.5	844	
10	QPSK	1	0	23.03	23.09	22.98	24
10	QPSK	1	25	22.93	22.97	22.99	
10	QPSK	1	49	23.00	22.91	22.97	
10	QPSK	25	0	22.01	22.12	22.10	23
10	QPSK	25	12	21.86	21.92	21.97	
10	QPSK	25	25	21.94	21.99	22.02	
10	QPSK	50	0	21.93	21.90	22.00	23
10	16QAM	1	0	22.10	22.18	22.26	
10	16QAM	1	25	22.20	22.28	22.28	
10	16QAM	1	49	22.26	22.24	22.14	22
10	16QAM	25	0	20.80	20.92	20.96	
10	16QAM	25	12	20.97	20.91	20.98	
10	16QAM	25	25	20.99	20.97	21.00	22
10	16QAM	50	0	20.91	20.94	20.95	
10	64QAM	1	0	20.92	21.07	21.02	
10	64QAM	1	25	21.00	21.16	21.19	22
10	64QAM	1	49	21.12	21.07	21.09	
10	64QAM	25	0	19.92	19.92	19.99	
10	64QAM	25	12	19.99	19.94	19.95	21



FCC SAR TEST REPORT

Report No. : FA2O2008

10	64QAM	25	25	19.95	19.93	19.95	19
10	64QAM	50	0	19.88	19.90	19.95	
10	256QAM	1	0	18.00	18.00	18.06	
10	256QAM	1	25	17.99	18.19	18.12	
10	256QAM	1	49	18.16	18.16	18.04	19
10	256QAM	25	0	17.87	17.89	18.01	
10	256QAM	25	12	17.96	17.92	17.98	
10	256QAM	25	25	18.03	17.93	17.98	
10	256QAM	50	0	17.90	17.93	17.98	Tune-up limit (dBm)
Channel				26715	26865	27015	
Frequency (MHz)				816.5	831.5	846.5	24
5	QPSK	1	0	23.07	23.04	23.04	
5	QPSK	1	12	22.90	23.00	22.92	
5	QPSK	1	24	23.02	22.97	22.92	
5	QPSK	12	0	22.01	22.18	22.10	23
5	QPSK	12	7	21.89	21.99	21.94	
5	QPSK	12	13	21.96	21.94	21.96	
5	QPSK	25	0	21.93	21.98	22.03	
5	16QAM	1	0	22.05	22.15	22.24	23
5	16QAM	1	12	22.14	22.30	22.37	
5	16QAM	1	24	22.21	22.23	22.11	
5	16QAM	12	0	20.79	20.85	20.96	
5	16QAM	12	7	20.99	20.94	20.96	22
5	16QAM	12	13	20.96	20.97	21.01	
5	16QAM	25	0	20.87	20.97	20.98	
5	64QAM	1	0	20.97	21.00	21.08	
5	64QAM	1	12	21.06	21.21	21.15	22
5	64QAM	1	24	21.14	21.16	21.10	
5	64QAM	12	0	19.90	19.96	19.94	
5	64QAM	12	7	19.99	19.95	19.99	
5	64QAM	12	13	20.04	19.94	19.98	21
5	64QAM	25	0	19.92	19.92	19.97	
5	256QAM	1	0	17.92	17.94	18.01	
5	256QAM	1	12	17.90	18.17	18.04	
5	256QAM	1	24	18.12	18.08	17.97	19
5	256QAM	12	0	17.78	17.82	17.92	
5	256QAM	12	7	17.93	17.87	17.92	
5	256QAM	12	13	17.95	17.87	17.89	
5	256QAM	25	0	17.84	17.85	17.91	Tune-up limit (dBm)
Channel				26705	26865	27025	
Frequency (MHz)				815.5	831.5	847.5	24
3	QPSK	1	0	23.02	23.03	23.01	
3	QPSK	1	8	22.85	22.96	22.95	
3	QPSK	1	14	23.00	22.94	22.88	
3	QPSK	8	0	22.04	22.15	22.09	23
3	QPSK	8	4	21.92	21.93	21.99	
3	QPSK	8	7	21.96	21.97	22.00	
3	QPSK	15	0	21.88	21.95	21.99	
3	16QAM	1	0	22.07	22.21	22.20	23
3	16QAM	1	8	22.11	22.35	22.32	
3	16QAM	1	14	22.29	22.18	22.11	
3	16QAM	8	0	20.85	20.86	20.92	
3	16QAM	8	4	20.91	20.87	20.97	22
3	16QAM	8	7	20.95	20.89	20.98	
3	16QAM	15	0	20.96	20.93	21.00	
3	64QAM	1	0	20.97	21.00	21.02	
3	64QAM	1	8	21.00	21.17	21.19	22
3	64QAM	1	14	21.12	21.06	21.12	
3	64QAM	8	0	19.93	19.93	20.01	
3	64QAM	8	4	19.94	20.00	20.00	
3	64QAM	8	7	20.00	19.94	20.00	21
3	64QAM	15	0	19.89	19.96	19.98	
3	256QAM	1	0	17.90	17.87	18.00	
3	256QAM	1	0	17.90	17.87	18.00	



FCC SAR TEST REPORT

Report No. : FA2O2008

3	256QAM	1	8	17.84	18.11	17.98	19
3	256QAM	1	14	18.03	18.00	17.88	
3	256QAM	8	0	17.73	17.80	17.87	
3	256QAM	8	4	17.85	17.84	17.89	
3	256QAM	8	7	17.87	17.84	17.88	
3	256QAM	15	0	17.82	17.83	17.85	Tune-up limit (dBm)
Channel				26697	26865	27033	
Frequency (MHz)				814.7	831.5	848.3	24
1.4	QPSK	1	0	23.00	23.07	23.07	
1.4	QPSK	1	3	22.89	22.94	23.00	
1.4	QPSK	1	5	23.04	22.99	22.88	
1.4	QPSK	3	0	23.00	23.04	23.06	
1.4	QPSK	3	1	22.88	22.97	22.99	23
1.4	QPSK	3	3	22.97	22.93	22.94	
1.4	QPSK	6	0	21.93	21.97	22.05	23
1.4	16QAM	1	0	22.02	22.14	22.23	
1.4	16QAM	1	3	22.14	22.31	22.35	
1.4	16QAM	1	5	22.24	22.27	22.20	
1.4	16QAM	3	0	22.09	22.14	22.19	
1.4	16QAM	3	1	22.11	22.34	22.32	22
1.4	16QAM	3	3	22.26	22.26	22.13	
1.4	16QAM	6	0	20.93	20.91	20.97	
1.4	64QAM	1	0	20.98	21.02	21.06	
1.4	64QAM	1	3	20.99	21.12	21.12	
1.4	64QAM	1	5	21.14	21.10	21.08	21
1.4	64QAM	3	0	20.94	21.00	21.03	
1.4	64QAM	3	1	21.05	21.11	21.18	
1.4	64QAM	3	3	21.16	21.13	21.04	
1.4	64QAM	6	0	19.93	19.93	20.01	
1.4	256QAM	1	0	17.89	17.81	17.94	19
1.4	256QAM	1	3	17.83	18.02	17.92	
1.4	256QAM	1	5	18.00	17.93	17.80	
1.4	256QAM	3	0	17.71	17.77	17.79	
1.4	256QAM	3	1	17.79	17.77	17.85	
1.4	256QAM	3	3	17.84	17.75	17.87	19
1.4	256QAM	6	0	17.82	17.80	17.78	

<Reduced Power Mode(Main) LTE Band 26>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				26765	26865	26965	20.5
Frequency (MHz)				821.5	831.5	841.5	
15	QPSK	1	0	19.60	19.85	19.69	20.5
15	QPSK	1	37	19.69	19.82	19.83	
15	QPSK	1	74	19.81	19.74	19.69	
15	QPSK	36	0	19.42	19.55	19.46	20.5
15	QPSK	36	20	19.46	19.45	19.52	
15	QPSK	36	39	19.50	19.39	19.52	
15	QPSK	75	0	19.45	19.44	19.54	20.5
15	16QAM	1	0	19.33	19.36	19.38	
15	16QAM	1	37	19.38	19.48	19.48	
15	16QAM	1	74	19.50	19.47	19.46	20.5
15	16QAM	36	0	19.44	19.43	19.54	
15	16QAM	36	20	19.43	19.49	19.50	
15	16QAM	36	39	19.54	19.50	19.50	20.5
15	16QAM	75	0	19.44	19.48	19.49	
15	64QAM	1	0	19.52	19.60	19.58	
15	64QAM	1	37	19.58	19.67	19.69	20.5
15	64QAM	1	74	19.68	19.66	19.61	
15	64QAM	36	0	19.48	19.43	19.53	
15	64QAM	36	20	19.47	19.49	19.53	20.5



FCC SAR TEST REPORT

Report No. : FA2O2008

15	64QAM	36	39	19.55	19.52	19.56	18.5
15	64QAM	75	0	19.44	19.48	19.54	
15	256QAM	1	0	17.46	17.55	17.42	
15	256QAM	1	37	17.39	17.60	17.61	
15	256QAM	1	74	17.53	17.49	17.58	18.5
15	256QAM	36	0	17.43	17.28	17.44	
15	256QAM	36	20	17.31	17.41	17.42	
15	256QAM	36	39	17.44	17.41	17.50	
15	256QAM	75	0	17.43	17.48	17.54	Tune-up limit (dBm)
Channel				26740	26865	26990	
Frequency (MHz)				819	831.5	844	
10	QPSK	1	0	19.53	19.83	19.62	20.5
10	QPSK	1	25	19.69	19.78	19.76	
10	QPSK	1	49	19.74	19.70	19.64	
10	QPSK	25	0	19.34	19.44	19.37	20.5
10	QPSK	25	12	19.37	19.41	19.47	
10	QPSK	25	25	19.46	19.36	19.50	
10	QPSK	50	0	19.38	19.34	19.47	20.5
10	16QAM	1	0	19.28	19.26	19.28	
10	16QAM	1	25	19.37	19.41	19.41	
10	16QAM	1	49	19.49	19.44	19.36	20.5
10	16QAM	25	0	19.34	19.43	19.50	
10	16QAM	25	12	19.38	19.45	19.42	
10	16QAM	25	25	19.44	19.41	19.47	20.5
10	16QAM	50	0	19.34	19.48	19.49	
10	64QAM	1	0	19.49	19.59	19.52	
10	64QAM	1	25	19.49	19.65	19.62	20.5
10	64QAM	1	49	19.59	19.56	19.54	
10	64QAM	25	0	19.46	19.43	19.51	
10	64QAM	25	12	19.40	19.39	19.47	20.5
10	64QAM	25	25	19.50	19.45	19.56	
10	64QAM	50	0	19.37	19.43	19.51	
10	256QAM	1	0	17.38	17.52	17.37	18.5
10	256QAM	1	25	17.39	17.53	17.56	
10	256QAM	1	49	17.51	17.48	17.55	
10	256QAM	25	0	17.42	17.25	17.36	18.5
10	256QAM	25	12	17.23	17.40	17.34	
10	256QAM	25	25	17.44	17.41	17.48	
10	256QAM	50	0	17.42	17.41	17.45	Tune-up limit (dBm)
Channel				26715	26865	27015	
Frequency (MHz)				816.5	831.5	846.5	
5	QPSK	1	0	19.54	19.77	19.67	20.5
5	QPSK	1	12	19.61	19.78	19.75	
5	QPSK	1	24	19.72	19.70	19.68	
5	QPSK	12	0	19.40	19.45	19.41	20.5
5	QPSK	12	7	19.45	19.42	19.52	
5	QPSK	12	13	19.47	19.33	19.50	
5	QPSK	25	0	19.38	19.37	19.54	20.5
5	16QAM	1	0	19.23	19.33	19.36	
5	16QAM	1	12	19.32	19.39	19.45	
5	16QAM	1	24	19.40	19.43	19.44	20.5
5	16QAM	12	0	19.35	19.37	19.50	
5	16QAM	12	7	19.35	19.43	19.44	
5	16QAM	12	13	19.53	19.45	19.48	20.5
5	16QAM	25	0	19.42	19.47	19.49	
5	64QAM	1	0	19.47	19.57	19.51	
5	64QAM	1	12	19.50	19.58	19.64	20.5
5	64QAM	1	24	19.62	19.64	19.55	
5	64QAM	12	0	19.42	19.40	19.45	
5	64QAM	12	7	19.37	19.44	19.43	20.5
5	64QAM	12	13	19.46	19.50	19.51	
5	64QAM	25	0	19.37	19.48	19.52	
5	256QAM	1	0	17.38	17.52	17.34	18.5



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	1	12	17.29	17.56	17.52	18.5
5	256QAM	1	24	17.53	17.42	17.58	
5	256QAM	12	0	17.41	17.28	17.44	
5	256QAM	12	7	17.31	17.37	17.34	
5	256QAM	12	13	17.38	17.38	17.40	
5	256QAM	25	0	17.42	17.44	17.54	Tune-up limit (dBm)
Channel				26705	26865	27025	
Frequency (MHz)				815.5	831.5	847.5	20.5
3	QPSK	1	0	19.51	19.81	19.61	
3	QPSK	1	8	19.64	19.72	19.81	
3	QPSK	1	14	19.72	19.69	19.61	
3	QPSK	8	0	19.39	19.35	19.44	
3	QPSK	8	4	19.44	19.40	19.43	20.5
3	QPSK	8	7	19.47	19.30	19.46	
3	QPSK	15	0	19.43	19.42	19.52	
3	16QAM	1	0	19.26	19.31	19.29	20.5
3	16QAM	1	8	19.34	19.43	19.38	
3	16QAM	1	14	19.43	19.39	19.46	
3	16QAM	8	0	19.38	19.40	19.48	20.5
3	16QAM	8	4	19.40	19.45	19.50	
3	16QAM	8	7	19.48	19.45	19.44	
3	16QAM	15	0	19.37	19.40	19.43	20.5
3	64QAM	1	0	19.52	19.60	19.57	
3	64QAM	1	8	19.48	19.62	19.61	
3	64QAM	1	14	19.61	19.64	19.54	20.5
3	64QAM	8	0	19.38	19.33	19.53	
3	64QAM	8	4	19.38	19.45	19.48	
3	64QAM	8	7	19.48	19.44	19.47	20.5
3	64QAM	15	0	19.44	19.47	19.49	
3	256QAM	1	0	17.42	17.53	17.40	
3	256QAM	1	8	17.30	17.53	17.56	18.5
3	256QAM	1	14	17.44	17.45	17.49	
3	256QAM	8	0	17.35	17.23	17.38	18.5
3	256QAM	8	4	17.27	17.41	17.35	
3	256QAM	8	7	17.43	17.39	17.46	
3	256QAM	15	0	17.37	17.46	17.46	Tune-up limit (dBm)
Channel				26697	26865	27033	
Frequency (MHz)				814.7	831.5	848.3	20.5
1.4	QPSK	1	0	19.55	19.81	19.62	
1.4	QPSK	1	3	19.62	19.76	19.78	
1.4	QPSK	1	5	19.75	19.68	19.60	
1.4	QPSK	3	0	19.58	19.82	19.67	
1.4	QPSK	3	1	19.69	19.72	19.81	20.5
1.4	QPSK	3	3	19.76	19.69	19.59	
1.4	QPSK	6	0	19.36	19.34	19.48	
1.4	16QAM	1	0	19.24	19.34	19.36	20.5
1.4	16QAM	1	3	19.31	19.47	19.42	
1.4	16QAM	1	5	19.46	19.44	19.46	
1.4	16QAM	3	0	19.26	19.29	19.28	
1.4	16QAM	3	1	19.30	19.39	19.45	
1.4	16QAM	3	3	19.42	19.47	19.42	20.5
1.4	16QAM	6	0	19.35	19.42	19.41	
1.4	64QAM	1	0	19.52	19.52	19.55	
1.4	64QAM	1	3	19.58	19.61	19.60	20.5
1.4	64QAM	1	5	19.62	19.58	19.58	
1.4	64QAM	3	0	19.51	19.60	19.52	
1.4	64QAM	3	1	19.56	19.61	19.67	
1.4	64QAM	3	3	19.59	19.58	19.57	
1.4	64QAM	6	0	19.44	19.44	19.49	20.5
1.4	256QAM	1	0	17.37	17.51	17.36	18.5
1.4	256QAM	1	3	17.29	17.57	17.60	
1.4	256QAM	1	5	17.53	17.40	17.58	
1.4	256QAM	3	0	17.40	17.52	17.41	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	256QAM	3	1	17.31	17.59	17.51	18.5
1.4	256QAM	3	3	17.48	17.41	17.55	
1.4	256QAM	6	0	17.39	17.47	17.54	

<Default Power Mode(Main) LTE Band 30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				27710			
Frequency (MHz)				2310			
10	QPSK	1	0		22.20		23
10	QPSK	1	25		22.18		
10	QPSK	1	49		22.12		
10	QPSK	25	0		21.25		22
10	QPSK	25	12		21.16		
10	QPSK	25	25		21.09		
10	QPSK	50	0		21.16		22
10	16QAM	1	0		21.47		
10	16QAM	1	25		21.41		
10	16QAM	1	49		21.36		21
10	16QAM	25	0		20.28		
10	16QAM	25	12		20.12		
10	16QAM	25	25		20.09		21
10	16QAM	50	0		20.15		
10	64QAM	1	0		20.33		
10	64QAM	1	25		20.32		21
10	64QAM	1	49		20.25		
10	64QAM	25	0		19.27		
10	64QAM	25	12		19.12		20
10	64QAM	25	25		19.05		
10	64QAM	50	0		19.13		
10	256QAM	1	0		17.25		18
10	256QAM	1	25		17.21		
10	256QAM	1	49		17.09		
10	256QAM	25	0		17.15		18
10	256QAM	25	12		17.00		
10	256QAM	25	25		17.00		
10	256QAM	50	0		17.04		
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	22.14	22.15	22.20	23
5	QPSK	1	12	22.12	22.16	22.12	
5	QPSK	1	24	22.12	22.10	22.12	
5	QPSK	12	0	21.17	21.20	21.25	22
5	QPSK	12	7	21.13	21.11	21.08	
5	QPSK	12	13	21.08	21.03	21.09	
5	QPSK	25	0	21.10	21.16	21.06	22
5	16QAM	1	0	21.37	21.41	21.42	
5	16QAM	1	12	21.35	21.38	21.36	
5	16QAM	1	24	21.33	21.29	21.32	21
5	16QAM	12	0	20.28	20.25	20.24	
5	16QAM	12	7	20.03	20.10	20.02	
5	16QAM	12	13	20.04	20.01	20.07	21
5	16QAM	25	0	20.14	20.10	20.08	
5	64QAM	1	0	20.25	20.29	20.27	
5	64QAM	1	12	20.32	20.26	20.25	21
5	64QAM	1	24	20.15	20.19	20.19	
5	64QAM	12	0	19.17	19.24	19.25	
5	64QAM	12	7	19.08	19.07	19.02	20
5	64QAM	12	13	18.98	18.96	18.99	
5	64QAM	25	0	19.10	19.08	19.08	
5	256QAM	1	0	17.24	17.28	17.30	18



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	1	12	17.25	17.26	17.30	18
5	256QAM	1	24	17.22	17.25	17.18	
5	256QAM	12	0	17.21	17.25	17.18	
5	256QAM	12	7	17.02	17.08	17.10	
5	256QAM	12	13	16.98	16.98	17.02	
5	256QAM	25	0	17.12	17.09	17.10	

<Reduced Power Mode(Main) LTE Band 30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				27710			
Frequency (MHz)				2310			
10	QPSK	1	0		17.13		17.5
10	QPSK	1	25		16.85		
10	QPSK	1	49		16.82		
10	QPSK	25	0		16.89		17.5
10	QPSK	25	12		16.60		
10	QPSK	25	25		16.43		
10	QPSK	50	0		16.70		17.5
10	16QAM	1	0		16.66		
10	16QAM	1	25		16.65		
10	16QAM	1	49		16.56		17.5
10	16QAM	25	0		16.69		
10	16QAM	25	12		16.63		
10	16QAM	25	25		16.45		17.5
10	16QAM	50	0		16.58		
10	64QAM	1	0		16.79		
10	64QAM	1	25		16.76		17.5
10	64QAM	1	49		16.69		
10	64QAM	25	0		16.68		
10	64QAM	25	12		16.60		17.5
10	64QAM	25	25		16.45		
10	64QAM	50	0		16.56		
10	256QAM	1	0		16.75		17.5
10	256QAM	1	25		16.73		
10	256QAM	1	49		16.49		
10	256QAM	25	0		16.61		17.5
10	256QAM	25	12		16.52		
10	256QAM	25	25		16.29		
10	256QAM	50	0		16.45		
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	16.89	16.89	16.91	17.5
5	QPSK	1	12	16.78	16.77	16.83	
5	QPSK	1	24	16.74	16.76	16.72	
5	QPSK	12	0	16.55	16.62	16.56	17.5
5	QPSK	12	7	16.57	16.59	16.60	
5	QPSK	12	13	16.37	16.39	16.33	
5	QPSK	25	0	16.50	16.52	16.56	17.5
5	16QAM	1	0	16.62	16.61	16.61	
5	16QAM	1	12	16.59	16.58	16.63	
5	16QAM	1	24	16.55	16.52	16.47	17.5
5	16QAM	12	0	16.64	16.62	16.62	
5	16QAM	12	7	16.59	16.57	16.61	
5	16QAM	12	13	16.42	16.35	16.37	17.5
5	16QAM	25	0	16.57	16.54	16.55	
5	64QAM	1	0	16.73	16.77	16.78	
5	64QAM	1	12	16.73	16.67	16.72	17.5
5	64QAM	1	24	16.64	16.69	16.69	
5	64QAM	12	0	16.68	16.68	16.65	
5	64QAM	12	7	16.58	16.55	16.51	17.5



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	12	13	16.37	16.36	16.41	17.5
5	64QAM	25	0	16.51	16.47	16.56	
5	256QAM	1	0	16.71	16.68	16.73	
5	256QAM	1	12	16.71	16.66	16.70	
5	256QAM	1	24	16.40	16.43	16.48	
5	256QAM	12	0	16.61	16.61	16.59	17.5
5	256QAM	12	7	16.44	16.43	16.51	
5	256QAM	12	13	16.23	16.27	16.24	
5	256QAM	25	0	16.36	16.44	16.36	

<Default Power Mode(MIMO2) LTE Band 30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				27710			
Frequency (MHz)				2310			
10	QPSK	1	0		21.75		23
10	QPSK	1	25		21.72		
10	QPSK	1	49		21.65		
10	QPSK	25	0		20.77		22
10	QPSK	25	12		20.71		
10	QPSK	25	25		20.59		
10	QPSK	50	0		20.68		22
10	16QAM	1	0		20.99		
10	16QAM	1	25		20.94		
10	16QAM	1	49		20.89		21
10	16QAM	25	0		19.78		
10	16QAM	25	12		19.68		
10	16QAM	25	25		19.52		21
10	16QAM	50	0		19.67		
10	64QAM	1	0		19.87		
10	64QAM	1	25		19.83		21
10	64QAM	1	49		19.79		
10	64QAM	25	0		18.74		
10	64QAM	25	12		18.68		20
10	64QAM	25	25		18.54		
10	64QAM	50	0		18.66		
10	256QAM	1	0		16.78		18
10	256QAM	1	25		16.67		
10	256QAM	1	49		16.62		
10	256QAM	25	0		16.71		18
10	256QAM	25	12		16.63		
10	256QAM	25	25		16.38		
10	256QAM	50	0		16.49		
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	21.72	21.68	21.74	23
5	QPSK	1	12	21.68	21.68	21.62	
5	QPSK	1	24	21.62	21.60	21.60	
5	QPSK	12	0	20.72	20.72	20.69	22
5	QPSK	12	7	20.67	20.69	20.61	
5	QPSK	12	13	20.56	20.54	20.49	
5	QPSK	25	0	20.63	20.63	20.65	22
5	16QAM	1	0	20.89	20.99	20.97	
5	16QAM	1	12	20.89	20.94	20.89	
5	16QAM	1	24	20.82	20.83	20.80	21
5	16QAM	12	0	19.78	19.70	19.73	
5	16QAM	12	7	19.59	19.62	19.66	
5	16QAM	12	13	19.44	19.51	19.43	21
5	16QAM	25	0	19.62	19.60	19.65	
5	64QAM	1	0	19.82	19.81	19.87	
5	64QAM	1	12	19.79	19.75	19.83	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	1	24	19.74	19.70	19.78	20
5	64QAM	12	0	18.71	18.67	18.72	
5	64QAM	12	7	18.60	18.62	18.64	
5	64QAM	12	13	18.51	18.45	18.52	
5	64QAM	25	0	18.57	18.65	18.65	18
5	256QAM	1	0	16.71	16.68	16.74	
5	256QAM	1	12	16.65	16.59	16.61	
5	256QAM	1	24	16.60	16.61	16.61	
5	256QAM	12	0	16.65	16.63	16.71	18
5	256QAM	12	7	16.53	16.55	16.59	
5	256QAM	12	13	16.34	16.37	16.33	
5	256QAM	25	0	16.49	16.42	16.44	

<Reduced Power Mode(MIMO2) LTE Band 30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				27710			
Frequency (MHz)				2310			
10	QPSK	1	0		21.26		22.5
10	QPSK	1	25		21.20		
10	QPSK	1	49		21.18		
10	QPSK	25	0		20.82		21.5
10	QPSK	25	12		20.74		
10	QPSK	25	25		20.63		
10	QPSK	50	0		20.73		
10	16QAM	1	0		21.04		21.5
10	16QAM	1	25		20.97		
10	16QAM	1	49		20.91		
10	16QAM	25	0		19.77		20.5
10	16QAM	25	12		19.71		
10	16QAM	25	25		19.58		
10	16QAM	50	0		19.72		
10	64QAM	1	0		19.92		20.5
10	64QAM	1	25		19.88		
10	64QAM	1	49		19.83		
10	64QAM	25	0		18.76		19.5
10	64QAM	25	12		18.69		
10	64QAM	25	25		18.56		
10	64QAM	50	0		18.69		
10	256QAM	1	0		16.84		17.5
10	256QAM	1	25		16.70		
10	256QAM	1	49		16.79		
10	256QAM	25	0		16.74		17.5
10	256QAM	25	12		16.49		
10	256QAM	25	25		16.40		
10	256QAM	50	0		16.57		
Channel				27685	27710	27735	Tune-up limit (dBm)
Frequency (MHz)				2307.5	2310	2312.5	
5	QPSK	1	0	21.24	21.23	21.17	22.5
5	QPSK	1	12	21.16	21.14	21.17	
5	QPSK	1	24	21.15	21.11	21.17	
5	QPSK	12	0	20.79	20.82	20.80	21.5
5	QPSK	12	7	20.70	20.67	20.73	
5	QPSK	12	13	20.61	20.56	20.54	
5	QPSK	25	0	20.68	20.69	20.66	
5	16QAM	1	0	20.94	21.04	21.00	21.5
5	16QAM	1	12	20.97	20.87	20.91	
5	16QAM	1	24	20.83	20.89	20.91	
5	16QAM	12	0	19.69	19.77	19.75	20.5
5	16QAM	12	7	19.61	19.68	19.61	
5	16QAM	12	13	19.50	19.50	19.54	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	25	0	19.62	19.72	19.63	20.5
5	64QAM	1	0	19.85	19.87	19.86	
5	64QAM	1	12	19.86	19.78	19.78	
5	64QAM	1	24	19.81	19.77	19.76	
5	64QAM	12	0	18.75	18.73	18.73	19.5
5	64QAM	12	7	18.66	18.65	18.62	
5	64QAM	12	13	18.50	18.48	18.48	
5	64QAM	25	0	18.61	18.63	18.59	
5	256QAM	1	0	16.82	16.83	16.76	17.5
5	256QAM	1	12	16.63	16.60	16.63	
5	256QAM	1	24	16.77	16.72	16.74	
5	256QAM	12	0	16.66	16.66	16.65	
5	256QAM	12	7	16.41	16.45	16.46	17.5
5	256QAM	12	13	16.35	16.32	16.34	
5	256QAM	25	0	16.50	16.55	16.48	

<Default Power Mode(Main) LTE Band 66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	23.18	23.08	23.03	24
20	QPSK	1	49	23.15	23.07	22.96	
20	QPSK	1	99	23.08	23.03	22.97	
20	QPSK	50	0	22.20	22.10	22.00	23
20	QPSK	50	24	22.18	22.07	21.94	
20	QPSK	50	50	22.14	22.07	22.00	
20	QPSK	100	0	22.14	22.11	22.04	23
20	16QAM	1	0	22.35	22.33	22.25	
20	16QAM	1	49	22.35	22.29	22.18	
20	16QAM	1	99	22.29	22.27	22.19	22
20	16QAM	50	0	21.06	21.09	21.04	
20	16QAM	50	24	21.15	21.06	20.98	
20	16QAM	50	50	21.18	21.07	21.01	22
20	16QAM	100	0	21.12	21.10	21.03	
20	64QAM	1	0	21.25	21.21	21.15	
20	64QAM	1	49	21.25	21.20	21.07	21
20	64QAM	1	99	21.23	21.13	21.09	
20	64QAM	50	0	20.06	20.10	20.05	
20	64QAM	50	24	20.14	20.10	19.99	19
20	64QAM	50	50	20.18	20.04	19.99	
20	64QAM	100	0	20.12	20.08	20.02	
20	256QAM	1	0	18.24	18.12	18.07	19
20	256QAM	1	49	18.22	18.17	17.97	
20	256QAM	1	99	18.18	18.06	18.09	
20	256QAM	50	0	17.97	18.06	18.01	19
20	256QAM	50	24	18.04	18.02	17.95	
20	256QAM	50	50	18.16	18.03	17.91	
20	256QAM	100	0	18.11	18.04	17.95	
Channel				132047	132322	132597	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	23.14	23.06	23.03	24
15	QPSK	1	37	23.07	22.99	22.93	
15	QPSK	1	74	23.00	22.98	22.97	
15	QPSK	36	0	22.11	22.03	21.94	23
15	QPSK	36	20	22.12	22.07	21.84	
15	QPSK	36	39	22.06	21.97	21.96	
15	QPSK	75	0	22.09	22.10	21.95	23
15	16QAM	1	0	22.35	22.31	22.18	
15	16QAM	1	37	22.31	22.27	22.18	
15	16QAM	1	74	22.22	22.23	22.19	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	16QAM	36	0	21.05	21.06	21.04	22
15	16QAM	36	20	21.13	21.05	20.91	
15	16QAM	36	39	21.18	21.04	20.95	
15	16QAM	75	0	21.03	21.03	20.96	
15	64QAM	1	0	21.21	21.17	21.14	22
15	64QAM	1	37	21.21	21.15	21.05	
15	64QAM	1	74	21.18	21.10	21.01	
15	64QAM	36	0	19.98	20.01	20.03	
15	64QAM	36	20	20.07	20.10	19.92	21
15	64QAM	36	39	20.16	20.04	19.95	
15	64QAM	75	0	20.04	20.01	20.00	
15	256QAM	1	0	18.16	18.09	18.03	
15	256QAM	1	37	18.14	18.15	17.91	19
15	256QAM	1	74	18.16	17.98	18.05	
15	256QAM	36	0	17.95	18.04	17.94	
15	256QAM	36	20	18.04	17.98	17.95	
15	256QAM	36	39	18.13	18.03	17.87	19
15	256QAM	75	0	18.07	17.98	17.88	
Channel				132022	132322	132622	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	23.15	23.03	22.94	24
10	QPSK	1	25	23.14	23.07	22.89	
10	QPSK	1	49	23.02	22.99	22.92	
10	QPSK	25	0	22.18	22.07	21.99	
10	QPSK	25	12	22.13	22.03	21.94	23
10	QPSK	25	25	22.12	22.07	21.97	
10	QPSK	50	0	22.11	22.05	21.95	
10	16QAM	1	0	22.30	22.32	22.24	
10	16QAM	1	25	22.30	22.20	22.14	23
10	16QAM	1	49	22.25	22.18	22.09	
10	16QAM	25	0	21.02	21.03	21.04	
10	16QAM	25	12	21.06	20.98	20.94	
10	16QAM	25	25	21.12	20.98	20.96	22
10	16QAM	50	0	21.07	21.07	20.99	
10	64QAM	1	0	21.16	21.11	21.12	
10	64QAM	1	25	21.22	21.14	21.05	
10	64QAM	1	49	21.22	21.06	21.04	22
10	64QAM	25	0	20.06	20.03	20.00	
10	64QAM	25	12	20.11	20.00	19.89	
10	64QAM	25	25	20.09	19.98	19.94	
10	64QAM	50	0	20.09	20.05	19.94	21
10	256QAM	1	0	18.14	18.01	18.02	
10	256QAM	1	25	18.07	18.09	17.85	
10	256QAM	1	49	18.14	17.88	18.01	
10	256QAM	25	0	17.90	18.04	17.87	19
10	256QAM	25	12	18.03	17.89	17.94	
10	256QAM	25	25	18.10	18.01	17.81	
10	256QAM	50	0	18.03	17.96	17.78	
Channel				131997	132322	132647	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1745	1777.5	
5	QPSK	1	0	23.12	23.04	22.97	24
5	QPSK	1	12	23.14	23.05	22.96	
5	QPSK	1	24	23.05	23.03	22.88	
5	QPSK	12	0	22.17	22.08	21.95	
5	QPSK	12	7	22.13	21.97	21.87	23
5	QPSK	12	13	22.07	22.01	21.91	
5	QPSK	25	0	22.07	22.04	22.01	
5	16QAM	1	0	22.33	22.28	22.17	
5	16QAM	1	12	22.32	22.21	22.13	23
5	16QAM	1	24	22.25	22.20	22.10	
5	16QAM	12	0	21.03	21.06	21.00	
5	16QAM	12	7	21.15	20.98	20.96	
5	16QAM	12	13	21.14	21.01	20.91	22



FCC SAR TEST REPORT

Report No. : FA2O2008

5	16QAM	25	0	21.07	21.01	20.98	22
5	64QAM	1	0	21.18	21.15	21.08	
5	64QAM	1	12	21.22	21.12	20.99	
5	64QAM	1	24	21.17	21.13	21.01	
5	64QAM	12	0	20.01	20.00	19.99	21
5	64QAM	12	7	20.11	20.05	19.95	
5	64QAM	12	13	20.16	19.99	19.98	
5	64QAM	25	0	20.11	19.98	19.99	
5	256QAM	1	0	18.08	17.96	17.94	19
5	256QAM	1	12	18.02	18.08	17.83	
5	256QAM	1	24	18.05	17.84	17.95	
5	256QAM	12	0	17.80	18.03	17.82	
5	256QAM	12	7	17.96	17.84	17.92	19
5	256QAM	12	13	18.03	17.97	17.80	
5	256QAM	25	0	17.99	17.88	17.72	
Channel				131987	132322	132657	Tune-up limit (dBm)
Frequency (MHz)				1711.5	1745	1778.5	
3	QPSK	1	0	23.14	23.06	22.93	24
3	QPSK	1	8	23.09	23.05	22.89	
3	QPSK	1	14	23.06	23.02	22.97	
3	QPSK	8	0	22.14	22.04	21.97	
3	QPSK	8	4	22.11	22.07	21.94	23
3	QPSK	8	7	22.06	22.01	21.90	
3	QPSK	15	0	22.14	22.05	21.94	
3	16QAM	1	0	22.28	22.29	22.17	
3	16QAM	1	8	22.27	22.29	22.18	23
3	16QAM	1	14	22.27	22.26	22.16	
3	16QAM	8	0	21.04	21.08	21.01	
3	16QAM	8	4	21.13	21.06	20.93	
3	16QAM	8	7	21.17	20.98	20.94	22
3	16QAM	15	0	21.06	21.04	20.94	
3	64QAM	1	0	21.22	21.17	21.15	
3	64QAM	1	8	21.23	21.11	20.97	
3	64QAM	1	14	21.18	21.08	21.04	21
3	64QAM	8	0	20.03	20.08	20.03	
3	64QAM	8	4	20.14	20.00	19.95	
3	64QAM	8	7	20.18	19.96	19.97	
3	64QAM	15	0	20.05	20.02	19.97	19
3	256QAM	1	0	18.08	17.94	17.92	
3	256QAM	1	8	17.97	18.04	17.82	
3	256QAM	1	14	18.00	17.75	17.93	
3	256QAM	8	0	17.75	18.01	17.75	19
3	256QAM	8	4	17.95	17.74	17.85	
3	256QAM	8	7	18.03	17.95	17.78	
3	256QAM	15	0	17.89	17.82	17.63	
Channel				131979	132322	132665	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	23.10	23.01	22.97	24
1.4	QPSK	1	3	23.05	22.97	22.94	
1.4	QPSK	1	5	22.98	22.99	22.95	
1.4	QPSK	3	0	23.11	22.99	22.93	
1.4	QPSK	3	1	23.15	23.07	22.91	23
1.4	QPSK	3	3	23.04	23.00	22.88	
1.4	QPSK	6	0	22.05	22.05	21.98	
1.4	16QAM	1	0	22.27	22.24	22.22	
1.4	16QAM	1	3	22.33	22.22	22.16	23
1.4	16QAM	1	5	22.24	22.23	22.12	
1.4	16QAM	3	0	22.26	22.33	22.17	
1.4	16QAM	3	1	22.29	22.21	22.10	
1.4	16QAM	3	3	22.26	22.24	22.15	22
1.4	16QAM	6	0	21.08	21.10	21.01	
1.4	64QAM	1	0	21.25	21.15	21.11	
1.4	64QAM	1	3	21.15	21.13	21.00	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	64QAM	1	5	21.19	21.03	21.08	
1.4	64QAM	3	0	21.21	21.17	21.07	
1.4	64QAM	3	1	21.17	21.11	21.05	
1.4	64QAM	3	3	21.13	21.04	21.09	
1.4	64QAM	6	0	20.05	20.04	19.95	21
1.4	256QAM	1	0	18.06	17.91	17.83	19
1.4	256QAM	1	3	17.91	17.95	17.77	
1.4	256QAM	1	5	17.90	17.70	17.83	
1.4	256QAM	3	0	17.75	17.93	17.67	
1.4	256QAM	3	1	17.88	17.68	17.83	
1.4	256QAM	3	3	18.01	17.89	17.68	19
1.4	256QAM	6	0	17.85	17.75	17.57	

<Reduced Power Mode(Main) LTE Band 66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	15.38	15.26	15.21	16
20	QPSK	1	49	15.28	15.23	15.18	
20	QPSK	1	99	15.16	15.13	15.09	
20	QPSK	50	0	15.04	15.00	14.97	16
20	QPSK	50	24	15.00	14.98	14.93	
20	QPSK	50	50	14.98	14.92	14.91	
20	QPSK	100	0	14.99	14.94	14.91	
20	16QAM	1	0	15.01	14.95	14.87	16
20	16QAM	1	49	15.03	14.97	14.90	
20	16QAM	1	99	14.90	14.87	14.80	
20	16QAM	50	0	14.96	15.04	14.93	16
20	16QAM	50	24	15.08	15.01	14.98	
20	16QAM	50	50	15.02	14.94	14.91	
20	16QAM	100	0	14.99	14.95	14.91	
20	64QAM	1	0	15.15	15.14	15.06	16
20	64QAM	1	49	15.19	15.13	15.06	
20	64QAM	1	99	15.08	15.02	14.96	
20	64QAM	50	0	14.91	15.03	14.93	16
20	64QAM	50	24	15.07	15.00	14.97	
20	64QAM	50	50	14.98	14.94	14.92	
20	64QAM	100	0	14.98	14.96	14.91	
20	256QAM	1	0	15.06	15.04	15.01	16
20	256QAM	1	49	15.12	15.13	14.88	
20	256QAM	1	99	14.94	14.97	14.94	
20	256QAM	50	0	14.83	14.96	14.91	16
20	256QAM	50	24	14.96	14.90	14.81	
20	256QAM	50	50	14.79	14.89	14.84	
20	256QAM	100	0	14.90	14.80	14.71	
Channel				132047	132322	132597	
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	15.28	15.24	15.13	16
15	QPSK	1	37	15.19	15.23	15.18	
15	QPSK	1	74	15.07	15.05	15.03	
15	QPSK	36	0	15.00	14.96	14.89	16
15	QPSK	36	20	14.98	14.90	14.83	
15	QPSK	36	39	14.91	14.84	14.86	
15	QPSK	75	0	14.91	14.91	14.91	
15	16QAM	1	0	14.92	14.95	14.81	16
15	16QAM	1	37	14.96	14.88	14.90	
15	16QAM	1	74	14.86	14.87	14.70	
15	16QAM	36	0	14.96	14.94	14.92	16
15	16QAM	36	20	15.03	14.91	14.94	
15	16QAM	36	39	14.98	14.93	14.83	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	16QAM	75	0	14.92	14.90	14.83	16
15	64QAM	1	0	15.07	15.12	14.98	
15	64QAM	1	37	15.12	15.13	15.03	
15	64QAM	1	74	15.08	14.94	14.86	
15	64QAM	36	0	14.91	15.03	14.89	16
15	64QAM	36	20	15.01	15.00	14.97	
15	64QAM	36	39	14.95	14.91	14.87	
15	64QAM	75	0	14.88	14.90	14.85	
15	256QAM	1	0	15.00	15.01	14.95	16
15	256QAM	1	37	15.12	15.05	14.81	
15	256QAM	1	74	14.85	14.97	14.88	
15	256QAM	36	0	14.74	14.89	14.91	
15	256QAM	36	20	14.89	14.80	14.74	16
15	256QAM	36	39	14.77	14.85	14.83	
15	256QAM	75	0	14.89	14.71	14.68	
Channel				132022	132322	132622	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	15.20	15.24	15.19	16
10	QPSK	1	25	15.22	15.19	15.11	
10	QPSK	1	49	15.07	15.03	15.06	
10	QPSK	25	0	15.00	14.95	14.93	
10	QPSK	25	12	14.92	14.88	14.92	16
10	QPSK	25	25	14.90	14.84	14.82	
10	QPSK	50	0	14.99	14.85	14.81	
10	16QAM	1	0	14.96	14.94	14.77	
10	16QAM	1	25	15.03	14.96	14.88	16
10	16QAM	1	49	14.87	14.77	14.76	
10	16QAM	25	0	14.92	14.95	14.88	
10	16QAM	25	12	15.04	14.97	14.96	
10	16QAM	25	25	14.98	14.84	14.83	16
10	16QAM	50	0	14.90	14.92	14.81	
10	64QAM	1	0	15.12	15.12	15.00	
10	64QAM	1	25	15.09	15.06	15.03	
10	64QAM	1	49	15.05	14.93	14.91	16
10	64QAM	25	0	14.81	14.93	14.90	
10	64QAM	25	12	15.05	14.99	14.93	
10	64QAM	25	25	14.88	14.91	14.90	
10	64QAM	50	0	14.92	14.95	14.82	16
10	256QAM	1	0	15.06	14.97	15.00	
10	256QAM	1	25	15.04	15.05	14.80	
10	256QAM	1	49	14.85	14.89	14.90	
10	256QAM	25	0	14.82	14.96	14.89	16
10	256QAM	25	12	14.89	14.83	14.81	
10	256QAM	25	25	14.69	14.84	14.81	
10	256QAM	50	0	14.85	14.79	14.69	
Channel				131997	132322	132647	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1745	1777.5	
5	QPSK	1	0	15.28	15.25	15.16	16
5	QPSK	1	12	15.24	15.15	15.09	
5	QPSK	1	24	15.12	15.06	15.05	
5	QPSK	12	0	15.03	14.99	14.91	
5	QPSK	12	7	15.00	14.89	14.86	16
5	QPSK	12	13	14.90	14.87	14.84	
5	QPSK	25	0	14.93	14.89	14.91	
5	16QAM	1	0	14.91	14.91	14.81	
5	16QAM	1	12	15.01	14.91	14.82	16
5	16QAM	1	24	14.80	14.79	14.71	
5	16QAM	12	0	14.91	14.99	14.88	
5	16QAM	12	7	14.99	14.92	14.90	
5	16QAM	12	13	14.96	14.87	14.84	16
5	16QAM	25	0	14.94	14.89	14.85	
5	64QAM	1	0	15.09	15.10	15.03	
5	64QAM	1	12	15.18	15.05	15.02	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	1	24	14.99	14.94	14.94	16
5	64QAM	12	0	14.83	14.94	14.88	
5	64QAM	12	7	14.97	14.92	14.96	
5	64QAM	12	13	14.92	14.87	14.86	
5	64QAM	25	0	14.88	14.91	14.86	16
5	256QAM	1	0	14.98	15.02	14.98	
5	256QAM	1	12	15.12	15.09	14.79	
5	256QAM	1	24	14.94	14.95	14.93	
5	256QAM	12	0	14.79	14.90	14.84	16
5	256QAM	12	7	14.93	14.80	14.78	
5	256QAM	12	13	14.73	14.83	14.77	
5	256QAM	25	0	14.84	14.79	14.70	
Channel				131987	132322	132657	Tune-up limit (dBm)
Frequency (MHz)				1711.5	1745	1778.5	
3	QPSK	1	0	15.21	15.20	15.12	16
3	QPSK	1	8	15.27	15.15	15.17	
3	QPSK	1	14	15.08	15.07	15.02	
3	QPSK	8	0	14.98	14.98	14.87	16
3	QPSK	8	4	14.97	14.96	14.92	
3	QPSK	8	7	14.95	14.92	14.83	
3	QPSK	15	0	14.93	14.85	14.88	
3	16QAM	1	0	14.99	14.89	14.86	16
3	16QAM	1	8	15.02	14.93	14.81	
3	16QAM	1	14	14.83	14.80	14.75	
3	16QAM	8	0	14.93	14.94	14.86	16
3	16QAM	8	4	15.05	14.95	14.93	
3	16QAM	8	7	15.00	14.84	14.87	
3	16QAM	15	0	14.90	14.94	14.82	
3	64QAM	1	0	15.08	15.06	15.02	16
3	64QAM	1	8	15.09	15.05	14.98	
3	64QAM	1	14	15.01	15.00	14.96	
3	64QAM	8	0	14.81	14.99	14.91	16
3	64QAM	8	4	15.06	15.00	14.88	
3	64QAM	8	7	14.90	14.92	14.90	
3	64QAM	15	0	14.93	14.89	14.84	
3	256QAM	1	0	14.99	15.04	14.91	16
3	256QAM	1	8	15.08	15.06	14.84	
3	256QAM	1	14	14.94	14.96	14.91	
3	256QAM	8	0	14.82	14.88	14.84	16
3	256QAM	8	4	14.90	14.83	14.71	
3	256QAM	8	7	14.73	14.85	14.76	
3	256QAM	15	0	14.86	14.70	14.63	
Channel				131979	132322	132665	Tune-up limit (dBm)
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	15.20	15.19	15.14	16
1.4	QPSK	1	3	15.23	15.18	15.17	
1.4	QPSK	1	5	15.15	15.05	15.05	
1.4	QPSK	3	0	15.23	15.19	15.21	
1.4	QPSK	3	1	15.20	15.21	15.18	
1.4	QPSK	3	3	15.14	15.08	15.05	
1.4	QPSK	6	0	14.98	14.90	14.84	16
1.4	16QAM	1	0	14.92	14.94	14.82	16
1.4	16QAM	1	3	14.94	14.93	14.88	
1.4	16QAM	1	5	14.82	14.84	14.73	
1.4	16QAM	3	0	14.92	14.92	14.83	
1.4	16QAM	3	1	14.95	14.97	14.84	
1.4	16QAM	3	3	14.83	14.86	14.80	
1.4	16QAM	6	0	14.92	14.85	14.83	16
1.4	64QAM	1	0	15.09	15.06	14.97	16
1.4	64QAM	1	3	15.19	15.11	15.04	
1.4	64QAM	1	5	15.01	14.96	14.88	
1.4	64QAM	3	0	15.13	15.09	14.97	
1.4	64QAM	3	1	15.16	15.10	14.97	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	64QAM	3	3	14.99	14.94	14.86	
1.4	64QAM	6	0	14.98	14.86	14.81	16
1.4	256QAM	1	0	14.96	14.98	14.96	
1.4	256QAM	1	3	15.12	15.07	14.83	
1.4	256QAM	1	5	14.84	14.89	14.84	
1.4	256QAM	3	0	14.97	15.02	14.94	
1.4	256QAM	3	1	15.12	15.03	14.83	
1.4	256QAM	3	3	14.85	14.90	14.93	
1.4	256QAM	6	0	14.83	14.73	14.71	16

<Default Power Mode(MIMO2) LTE Band 66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	22.66	22.98	22.73	
20	QPSK	1	49	22.63	22.77	22.72	24
20	QPSK	1	99	22.57	22.70	22.60	
20	QPSK	50	0	21.75	21.88	21.76	
20	QPSK	50	24	21.68	21.84	21.66	
20	QPSK	50	50	21.62	21.71	21.61	23
20	QPSK	100	0	21.66	21.80	21.68	
20	16QAM	1	0	21.79	21.97	21.98	
20	16QAM	1	49	21.89	22.04	21.91	23
20	16QAM	1	99	21.85	21.97	21.84	
20	16QAM	50	0	20.64	20.89	20.70	
20	16QAM	50	24	20.67	20.83	20.75	
20	16QAM	50	50	20.79	20.72	20.63	22
20	16QAM	100	0	20.67	20.78	20.66	
20	64QAM	1	0	20.73	20.86	20.90	
20	64QAM	1	49	20.83	20.94	20.86	22
20	64QAM	1	99	20.76	20.83	20.72	
20	64QAM	50	0	19.62	19.89	19.71	
20	64QAM	50	24	19.69	19.76	19.74	
20	64QAM	50	50	19.79	19.71	19.59	21
20	64QAM	100	0	19.66	19.77	19.69	
20	256QAM	1	0	17.63	17.79	17.88	
20	256QAM	1	49	17.79	17.91	17.71	19
20	256QAM	1	99	17.76	17.65	17.66	
20	256QAM	50	0	17.57	17.74	17.55	
20	256QAM	50	24	17.54	17.61	17.55	
20	256QAM	50	50	17.69	17.71	17.52	19
20	256QAM	100	0	17.49	17.65	17.64	
Channel				132047	132322	132597	
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	22.58	22.76	22.70	
15	QPSK	1	37	22.54	22.73	22.63	24
15	QPSK	1	74	22.57	22.68	22.50	
15	QPSK	36	0	21.65	21.82	21.68	
15	QPSK	36	20	21.58	21.79	21.62	
15	QPSK	36	39	21.56	21.67	21.60	23
15	QPSK	75	0	21.57	21.70	21.68	
15	16QAM	1	0	21.69	21.93	21.96	
15	16QAM	1	37	21.89	22.00	21.90	
15	16QAM	1	74	21.80	21.90	21.80	23
15	16QAM	36	0	20.63	20.87	20.67	
15	16QAM	36	20	20.59	20.77	20.65	
15	16QAM	36	39	20.76	20.67	20.62	22
15	16QAM	75	0	20.58	20.68	20.57	
15	64QAM	1	0	20.70	20.81	20.83	
15	64QAM	1	37	20.83	20.94	20.76	22



FCC SAR TEST REPORT

Report No. : FA2O2008

15	64QAM	1	74	20.69	20.75	20.67	21
15	64QAM	36	0	19.58	19.89	19.61	
15	64QAM	36	20	19.68	19.68	19.65	
15	64QAM	36	39	19.77	19.71	19.56	
15	64QAM	75	0	19.59	19.76	19.66	
15	256QAM	1	0	17.58	17.73	17.81	19
15	256QAM	1	37	17.71	17.88	17.71	
15	256QAM	1	74	17.72	17.62	17.64	
15	256QAM	36	0	17.49	17.65	17.49	19
15	256QAM	36	20	17.54	17.51	17.53	
15	256QAM	36	39	17.68	17.64	17.42	
15	256QAM	75	0	17.45	17.64	17.57	
Channel				132022	132322	132622	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	22.66	22.76	22.64	24
10	QPSK	1	25	22.53	22.69	22.63	
10	QPSK	1	49	22.51	22.66	22.60	
10	QPSK	25	0	21.71	21.86	21.69	23
10	QPSK	25	12	21.60	21.74	21.59	
10	QPSK	25	25	21.59	21.68	21.57	
10	QPSK	50	0	21.59	21.80	21.63	
10	16QAM	1	0	21.79	21.94	21.94	23
10	16QAM	1	25	21.81	21.95	21.83	
10	16QAM	1	49	21.82	21.94	21.76	
10	16QAM	25	0	20.57	20.81	20.68	22
10	16QAM	25	12	20.59	20.83	20.66	
10	16QAM	25	25	20.78	20.69	20.58	
10	16QAM	50	0	20.61	20.71	20.61	
10	64QAM	1	0	20.66	20.85	20.88	22
10	64QAM	1	25	20.83	20.94	20.80	
10	64QAM	1	49	20.72	20.80	20.63	
10	64QAM	25	0	19.52	19.85	19.62	21
10	64QAM	25	12	19.69	19.76	19.66	
10	64QAM	25	25	19.70	19.68	19.54	
10	64QAM	50	0	19.59	19.73	19.69	
10	256QAM	1	0	17.53	17.74	17.85	19
10	256QAM	1	25	17.78	17.89	17.66	
10	256QAM	1	49	17.73	17.55	17.64	
10	256QAM	25	0	17.53	17.67	17.52	19
10	256QAM	25	12	17.46	17.57	17.45	
10	256QAM	25	25	17.66	17.63	17.50	
10	256QAM	50	0	17.43	17.57	17.55	
Channel				131997	132322	132647	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1745	1777.5	
5	QPSK	1	0	22.63	22.71	22.65	24
5	QPSK	1	12	22.54	22.74	22.69	
5	QPSK	1	24	22.53	22.70	22.57	
5	QPSK	12	0	21.65	21.80	21.71	23
5	QPSK	12	7	21.61	21.76	21.60	
5	QPSK	12	13	21.59	21.61	21.54	
5	QPSK	25	0	21.61	21.80	21.66	
5	16QAM	1	0	21.75	21.91	21.91	23
5	16QAM	1	12	21.80	21.95	21.83	
5	16QAM	1	24	21.76	21.95	21.84	
5	16QAM	12	0	20.63	20.82	20.67	22
5	16QAM	12	7	20.63	20.75	20.65	
5	16QAM	12	13	20.74	20.67	20.63	
5	16QAM	25	0	20.65	20.72	20.61	
5	64QAM	1	0	20.63	20.86	20.88	22
5	64QAM	1	12	20.75	20.90	20.78	
5	64QAM	1	24	20.67	20.83	20.70	
5	64QAM	12	0	19.59	19.79	19.70	21
5	64QAM	12	7	19.64	19.70	19.74	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	64QAM	12	13	19.78	19.62	19.56	19
5	64QAM	25	0	19.57	19.74	19.64	
5	256QAM	1	0	17.55	17.73	17.79	
5	256QAM	1	12	17.69	17.81	17.68	
5	256QAM	1	24	17.71	17.58	17.64	19
5	256QAM	12	0	17.55	17.70	17.45	
5	256QAM	12	7	17.50	17.59	17.46	
5	256QAM	12	13	17.66	17.71	17.43	
5	256QAM	25	0	17.46	17.59	17.64	Tune-up limit (dBm)
Channel				131987	132322	132657	
Frequency (MHz)				1711.5	1745	1778.5	24
3	QPSK	1	0	22.61	22.65	22.65	
3	QPSK	1	8	22.57	22.74	22.66	
3	QPSK	1	14	22.57	22.60	22.55	
3	QPSK	8	0	21.72	21.85	21.69	23
3	QPSK	8	4	21.67	21.74	21.59	
3	QPSK	8	7	21.62	21.65	21.56	
3	QPSK	15	0	21.63	21.73	21.62	
3	16QAM	1	0	21.74	21.89	21.96	23
3	16QAM	1	8	21.86	21.97	21.85	
3	16QAM	1	14	21.76	21.88	21.83	
3	16QAM	8	0	20.58	20.86	20.63	
3	16QAM	8	4	20.63	20.73	20.68	22
3	16QAM	8	7	20.76	20.68	20.53	
3	16QAM	15	0	20.59	20.71	20.59	
3	64QAM	1	0	20.72	20.84	20.80	
3	64QAM	1	8	20.82	20.94	20.81	22
3	64QAM	1	14	20.72	20.81	20.67	
3	64QAM	8	0	19.62	19.84	19.69	
3	64QAM	8	4	19.61	19.70	19.65	
3	64QAM	8	7	19.74	19.64	19.57	21
3	64QAM	15	0	19.59	19.67	19.68	
3	256QAM	1	0	17.57	17.78	17.85	
3	256QAM	1	8	17.71	17.85	17.68	
3	256QAM	1	14	17.74	17.65	17.59	19
3	256QAM	8	0	17.52	17.64	17.47	
3	256QAM	8	4	17.47	17.58	17.48	
3	256QAM	8	7	17.60	17.66	17.45	
3	256QAM	15	0	17.42	17.60	17.61	Tune-up limit (dBm)
Channel				131979	132322	132665	
Frequency (MHz)				1710.7	1745	1779.3	24
1.4	QPSK	1	0	22.53	22.61	22.64	
1.4	QPSK	1	3	22.53	22.71	22.56	
1.4	QPSK	1	5	22.52	22.60	22.45	
1.4	QPSK	3	0	22.55	22.60	22.62	23
1.4	QPSK	3	1	22.49	22.67	22.65	
1.4	QPSK	3	3	22.52	22.54	22.51	
1.4	QPSK	6	0	21.53	21.72	21.62	
1.4	16QAM	1	0	21.65	21.85	21.88	23
1.4	16QAM	1	3	21.77	21.89	21.85	
1.4	16QAM	1	5	21.73	21.84	21.80	
1.4	16QAM	3	0	21.65	21.80	21.89	
1.4	16QAM	3	1	21.80	21.95	21.77	22
1.4	16QAM	3	3	21.66	21.88	21.80	
1.4	16QAM	6	0	20.52	20.63	20.54	
1.4	64QAM	1	0	20.72	20.74	20.76	
1.4	64QAM	1	3	20.74	20.88	20.79	22
1.4	64QAM	1	5	20.65	20.80	20.61	
1.4	64QAM	3	0	20.67	20.76	20.72	
1.4	64QAM	3	1	20.82	20.89	20.72	
1.4	64QAM	3	3	20.71	20.78	20.61	21
1.4	64QAM	6	0	19.59	19.66	19.65	
1.4	256QAM	1	0	17.51	17.72	17.78	19



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	256QAM	1	3	17.71	17.77	17.67	
1.4	256QAM	1	5	17.68	17.64	17.55	
1.4	256QAM	3	0	17.49	17.78	17.83	
1.4	256QAM	3	1	17.63	17.79	17.64	
1.4	256QAM	3	3	17.65	17.56	17.53	
1.4	256QAM	6	0	17.41	17.51	17.52	19

<Reduced Power Mode(MIMO2) LTE Band 66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				132072	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	20.96	21.05	20.98	21.5
20	QPSK	1	49	20.86	21.00	20.95	
20	QPSK	1	99	20.81	20.92	20.82	
20	QPSK	50	0	20.65	20.85	20.69	21.5
20	QPSK	50	24	20.73	20.77	20.72	
20	QPSK	50	50	20.78	20.69	20.58	
20	QPSK	100	0	20.66	20.75	20.61	21.5
20	16QAM	1	0	20.60	20.71	20.72	
20	16QAM	1	49	20.65	20.74	20.70	
20	16QAM	1	99	20.55	20.59	20.55	20.5
20	16QAM	50	0	20.15	20.39	20.19	
20	16QAM	50	24	20.22	20.29	20.25	
20	16QAM	50	50	20.28	20.20	20.07	20.5
20	16QAM	100	0	20.16	20.24	20.22	
20	64QAM	1	0	20.24	20.40	20.37	
20	64QAM	1	49	20.35	20.41	20.35	20.5
20	64QAM	1	99	20.23	20.27	20.22	
20	64QAM	50	0	19.13	19.36	19.20	
20	64QAM	50	24	19.21	19.28	19.26	19.5
20	64QAM	50	50	19.26	19.17	19.07	
20	64QAM	100	0	19.17	19.24	19.22	
20	256QAM	1	0	16.75	16.85	16.88	17.5
20	256QAM	1	49	16.65	16.82	16.75	
20	256QAM	1	99	16.58	16.88	16.70	
20	256QAM	50	0	17.11	17.27	17.11	17.5
20	256QAM	50	24	17.19	17.19	17.21	
20	256QAM	50	50	17.31	17.08	16.94	
20	256QAM	100	0	17.12	17.24	16.98	
Channel				132047	132322	132597	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	20.76	20.93	20.83	21.5
15	QPSK	1	37	20.67	21.00	20.93	
15	QPSK	1	74	20.68	20.78	20.82	
15	QPSK	36	0	20.50	20.73	20.58	21.5
15	QPSK	36	20	20.54	20.75	20.63	
15	QPSK	36	39	20.78	20.69	20.54	
15	QPSK	75	0	20.60	20.69	20.44	21.5
15	16QAM	1	0	20.47	20.66	20.55	
15	16QAM	1	37	20.64	20.59	20.50	
15	16QAM	1	74	20.45	20.49	20.40	20.5
15	16QAM	36	0	19.99	20.26	20.19	
15	16QAM	36	20	20.14	20.24	20.19	
15	16QAM	36	39	20.27	20.00	20.04	20.5
15	16QAM	75	0	20.06	20.09	20.03	
15	64QAM	1	0	20.10	20.37	20.29	
15	64QAM	1	37	20.23	20.41	20.35	19.5
15	64QAM	1	74	20.10	20.21	20.14	
15	64QAM	36	0	19.06	19.34	19.13	
15	64QAM	36	20	19.12	19.27	19.26	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	64QAM	36	39	19.22	19.10	18.90	17.5
15	64QAM	75	0	18.97	19.07	19.11	
15	256QAM	1	0	16.67	16.66	16.79	
15	256QAM	1	37	16.63	16.62	16.57	
15	256QAM	1	74	16.42	16.76	16.68	17.5
15	256QAM	36	0	17.01	17.07	16.96	
15	256QAM	36	20	17.05	17.09	17.03	
15	256QAM	36	39	17.29	17.05	16.86	
15	256QAM	75	0	17.04	17.04	16.82	Tune-up limit (dBm)
Channel				132022	132322	132622	
Frequency (MHz)				1715	1745	1775	21.5
10	QPSK	1	0	20.91	20.86	20.87	
10	QPSK	1	25	20.77	20.97	20.76	
10	QPSK	1	49	20.63	20.85	20.71	
10	QPSK	25	0	20.45	20.76	20.66	21.5
10	QPSK	25	12	20.70	20.68	20.67	
10	QPSK	25	25	20.78	20.61	20.39	
10	QPSK	50	0	20.50	20.72	20.42	
10	16QAM	1	0	20.58	20.66	20.53	21.5
10	16QAM	1	25	20.56	20.61	20.54	
10	16QAM	1	49	20.50	20.56	20.53	
10	16QAM	25	0	20.15	20.23	20.08	
10	16QAM	25	12	20.03	20.16	20.18	20.5
10	16QAM	25	25	20.28	20.13	19.87	
10	16QAM	50	0	19.96	20.19	20.06	
10	64QAM	1	0	20.22	20.20	20.28	
10	64QAM	1	25	20.15	20.40	20.20	20.5
10	64QAM	1	49	20.19	20.11	20.11	
10	64QAM	25	0	19.09	19.25	19.06	
10	64QAM	25	12	19.08	19.25	19.12	
10	64QAM	25	25	19.18	19.15	18.88	19.5
10	64QAM	50	0	19.15	19.23	19.15	
10	256QAM	1	0	16.63	16.82	16.72	
10	256QAM	1	25	16.45	16.63	16.62	
10	256QAM	1	49	16.41	16.86	16.67	17.5
10	256QAM	25	0	17.11	17.27	17.07	
10	256QAM	25	12	17.02	17.12	17.12	
10	256QAM	25	25	17.29	16.91	16.88	
10	256QAM	50	0	17.03	17.22	16.84	Tune-up limit (dBm)
Channel				131997	132322	132647	
Frequency (MHz)				1712.5	1745	1777.5	21.5
5	QPSK	1	0	20.41	20.36	20.37	
5	QPSK	1	12	20.27	20.47	20.26	
5	QPSK	1	24	20.13	20.35	20.21	
5	QPSK	12	0	19.95	20.26	20.16	21.5
5	QPSK	12	7	20.20	20.18	20.17	
5	QPSK	12	13	20.28	20.11	19.89	
5	QPSK	25	0	20.00	20.22	19.92	
5	16QAM	1	0	20.08	20.16	20.03	21.5
5	16QAM	1	12	20.06	20.11	20.04	
5	16QAM	1	24	20.00	20.06	20.03	
5	16QAM	12	0	19.65	19.73	19.58	
5	16QAM	12	7	19.53	19.66	19.68	20.5
5	16QAM	12	13	19.78	19.63	19.37	
5	16QAM	25	0	19.46	19.69	19.56	
5	64QAM	1	0	19.72	19.70	19.78	
5	64QAM	1	12	19.65	19.90	19.70	20.5
5	64QAM	1	24	19.69	19.61	19.61	
5	64QAM	12	0	18.59	18.75	18.56	
5	64QAM	12	7	18.58	18.75	18.62	
5	64QAM	12	13	18.68	18.65	18.38	19.5
5	64QAM	25	0	18.65	18.73	18.65	
5	256QAM	1	0	16.13	16.32	16.22	
5	256QAM	1	0	16.13	16.32	16.22	



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	1	12	15.95	16.13	16.12	17.5
5	256QAM	1	24	15.91	16.36	16.17	
5	256QAM	12	0	16.61	16.77	16.57	
5	256QAM	12	7	16.52	16.62	16.62	
5	256QAM	12	13	16.79	16.41	16.38	
5	256QAM	25	0	16.53	16.72	16.34	Tune-up limit (dBm)
Channel				131987	132322	132657	
Frequency (MHz)				1711.5	1745	1778.5	21.5
3	QPSK	1	0	20.90	20.88	20.81	
3	QPSK	1	8	20.77	20.97	20.76	
3	QPSK	1	14	20.70	20.73	20.79	
3	QPSK	8	0	20.65	20.77	20.59	
3	QPSK	8	4	20.71	20.68	20.55	
3	QPSK	8	7	20.58	20.59	20.56	21.5
3	QPSK	15	0	20.55	20.61	20.42	
3	16QAM	1	0	20.47	20.69	20.71	
3	16QAM	1	8	20.54	20.54	20.67	
3	16QAM	1	14	20.49	20.50	20.37	
3	16QAM	8	0	20.13	20.30	20.03	20.5
3	16QAM	8	4	20.11	20.25	20.22	
3	16QAM	8	7	20.10	20.20	20.06	
3	16QAM	15	0	20.15	20.17	20.17	
3	64QAM	1	0	20.05	20.36	20.37	
3	64QAM	1	8	20.22	20.21	20.21	20.5
3	64QAM	1	14	20.19	20.12	20.09	
3	64QAM	8	0	19.02	19.35	19.06	
3	64QAM	8	4	19.20	19.08	19.17	
3	64QAM	8	7	19.17	19.15	19.03	
3	64QAM	15	0	18.98	19.09	19.22	19.5
3	256QAM	1	0	16.58	16.71	16.85	
3	256QAM	1	8	16.47	16.70	16.60	
3	256QAM	1	14	16.40	16.82	16.59	
3	256QAM	8	0	17.05	17.19	16.95	
3	256QAM	8	4	17.17	17.03	17.14	17.5
3	256QAM	8	7	17.16	16.91	16.91	
3	256QAM	15	0	16.99	17.06	16.94	
Channel				131979	132322	132665	
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	20.93	20.84	20.86	21.5
1.4	QPSK	1	3	20.74	20.95	20.79	
1.4	QPSK	1	5	20.68	20.88	20.69	
1.4	QPSK	3	0	20.55	20.65	20.67	
1.4	QPSK	3	1	20.53	20.65	20.53	
1.4	QPSK	3	3	20.71	20.53	20.38	21.5
1.4	QPSK	6	0	20.54	20.63	20.52	
1.4	16QAM	1	0	20.56	20.51	20.52	
1.4	16QAM	1	3	20.63	20.59	20.64	
1.4	16QAM	1	5	20.55	20.47	20.49	
1.4	16QAM	3	0	20.48	20.75	20.58	21.5
1.4	16QAM	3	1	20.53	20.59	20.66	
1.4	16QAM	3	3	20.70	20.53	20.39	
1.4	16QAM	6	0	20.01	20.15	20.09	
1.4	64QAM	1	0	20.11	20.24	20.17	
1.4	64QAM	1	3	20.22	20.24	20.22	20.5
1.4	64QAM	1	5	20.04	20.13	20.02	
1.4	64QAM	3	0	19.56	19.82	19.65	
1.4	64QAM	3	1	19.64	19.79	19.70	
1.4	64QAM	3	3	19.68	19.54	19.52	
1.4	64QAM	6	0	19.08	19.19	19.19	19.5
1.4	256QAM	1	0	16.57	16.81	16.78	
1.4	256QAM	1	3	16.54	16.73	16.55	
1.4	256QAM	1	5	16.41	16.85	16.51	
1.4	256QAM	3	0	17.07	17.13	16.92	



FCC SAR TEST REPORT

Report No. : FA2O2008

1.4	256QAM	3	1	17.19	17.08	17.21	17.5
1.4	256QAM	3	3	17.12	16.98	16.93	
1.4	256QAM	6	0	16.97	17.11	16.94	

<Default Power Mode(Main) LTE Band 71>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				133222	133297	133372	
Frequency (MHz)				673	680.5	688	
20	QPSK	1	0	22.93	23.17	23.06	24
20	QPSK	1	49	23.09	23.15	23.11	
20	QPSK	1	99	23.12	23.04	23.03	
20	QPSK	50	0	22.03	22.34	22.12	23
20	QPSK	50	24	22.10	22.24	22.17	
20	QPSK	50	50	22.10	22.33	22.13	
20	QPSK	100	0	22.06	22.16	22.13	23
20	16QAM	1	0	22.25	22.25	22.31	
20	16QAM	1	49	22.42	22.45	22.41	
20	16QAM	1	99	22.50	22.30	22.30	22
20	16QAM	50	0	20.98	21.26	21.13	
20	16QAM	50	24	21.11	21.20	21.15	
20	16QAM	50	50	21.09	21.29	21.10	22
20	16QAM	100	0	20.96	21.16	21.07	
20	64QAM	1	0	21.10	21.14	21.19	22
20	64QAM	1	49	21.27	21.31	21.27	
20	64QAM	1	99	21.31	21.21	21.21	
20	64QAM	50	0	19.99	20.27	20.13	21
20	64QAM	50	24	20.08	20.21	20.12	
20	64QAM	50	50	20.04	20.31	20.13	
20	64QAM	100	0	20.00	20.28	20.07	19
20	256QAM	1	0	18.10	18.07	18.16	
20	256QAM	1	49	18.19	18.31	18.18	
20	256QAM	1	99	18.25	18.16	18.16	19
20	256QAM	50	0	17.92	18.21	18.13	
20	256QAM	50	24	17.99	18.13	18.04	
20	256QAM	50	50	17.97	18.23	18.11	19
20	256QAM	100	0	18.00	18.21	18.04	
Channel				133197	133297	133397	Tune-up limit (dBm)
Frequency (MHz)				670.5	680.5	690.5	
15	QPSK	1	0	22.86	23.14	23.06	24
15	QPSK	1	37	23.05	23.11	23.03	
15	QPSK	1	74	23.10	22.94	22.99	
15	QPSK	36	0	21.96	22.27	22.09	23
15	QPSK	36	20	22.04	22.19	22.12	
15	QPSK	36	39	22.03	22.32	22.04	
15	QPSK	75	0	21.99	22.16	22.10	23
15	16QAM	1	0	22.25	22.15	22.21	
15	16QAM	1	37	22.39	22.39	22.35	
15	16QAM	1	74	22.45	22.21	22.21	22
15	16QAM	36	0	20.93	21.17	21.03	
15	16QAM	36	20	21.06	21.14	21.14	
15	16QAM	36	39	21.09	21.21	21.08	22
15	16QAM	75	0	20.93	21.12	21.04	
15	64QAM	1	0	21.02	21.07	21.16	
15	64QAM	1	37	21.26	21.25	21.22	22
15	64QAM	1	74	21.25	21.15	21.11	
15	64QAM	36	0	19.96	20.25	20.13	21
15	64QAM	36	20	20.03	20.19	20.12	
15	64QAM	36	39	19.96	20.31	20.06	
15	64QAM	75	0	19.98	20.18	20.07	21
15	256QAM	1	0	18.00	17.99	18.09	

**FCC SAR TEST REPORT****Report No. : FA2O2008**

15	256QAM	1	37	18.12	18.30	18.13	19
15	256QAM	1	74	18.22	18.07	18.16	
15	256QAM	36	0	17.89	18.17	18.10	
15	256QAM	36	20	17.98	18.11	17.98	
15	256QAM	36	39	17.87	18.19	18.05	
15	256QAM	75	0	17.90	18.13	18.03	Tune-up limit (dBm)
Channel				133172	133297	133422	
Frequency (MHz)				668	680.5	693	24
10	QPSK	1	0	22.91	23.09	22.96	
10	QPSK	1	25	22.99	23.12	23.05	
10	QPSK	1	49	23.07	22.98	22.96	
10	QPSK	25	0	22.00	22.25	22.09	
10	QPSK	25	12	22.04	22.14	22.15	23
10	QPSK	25	25	22.10	22.25	22.03	
10	QPSK	50	0	21.96	22.13	22.06	
10	16QAM	1	0	22.23	22.16	22.28	23
10	16QAM	1	25	22.42	22.41	22.32	
10	16QAM	1	49	22.45	22.23	22.24	
10	16QAM	25	0	20.88	21.25	21.08	22
10	16QAM	25	12	21.07	21.12	21.13	
10	16QAM	25	25	21.08	21.29	21.02	
10	16QAM	50	0	20.90	21.13	20.98	
10	64QAM	1	0	21.01	21.06	21.09	22
10	64QAM	1	25	21.27	21.30	21.19	
10	64QAM	1	49	21.22	21.11	21.13	
10	64QAM	25	0	19.99	20.20	20.09	21
10	64QAM	25	12	19.99	20.18	20.02	
10	64QAM	25	25	19.96	20.30	20.03	
10	64QAM	50	0	19.97	20.24	20.04	
10	256QAM	1	0	17.99	17.92	18.08	19
10	256QAM	1	25	18.05	18.30	18.13	
10	256QAM	1	49	18.14	18.05	18.14	
10	256QAM	25	0	17.89	18.13	18.04	19
10	256QAM	25	12	17.97	18.09	17.98	
10	256QAM	25	25	17.81	18.10	18.04	
10	256QAM	50	0	17.80	18.10	18.01	Tune-up limit (dBm)
Channel				133147	133297	133447	
Frequency (MHz)				665.5	680.5	695.5	24
5	QPSK	1	0	22.84	23.15	22.96	
5	QPSK	1	12	23.09	23.11	23.09	
5	QPSK	1	24	23.04	23.03	22.99	
5	QPSK	12	0	21.99	22.26	22.06	
5	QPSK	12	7	22.07	22.17	22.09	23
5	QPSK	12	13	22.07	22.28	22.03	
5	QPSK	25	0	21.96	22.13	22.11	
5	16QAM	1	0	22.23	22.19	22.31	23
5	16QAM	1	12	22.37	22.38	22.36	
5	16QAM	1	24	22.44	22.29	22.22	
5	16QAM	12	0	20.93	21.24	21.13	22
5	16QAM	12	7	21.10	21.15	21.09	
5	16QAM	12	13	20.99	21.29	21.01	
5	16QAM	25	0	20.88	21.09	21.02	
5	64QAM	1	0	21.06	21.12	21.17	22
5	64QAM	1	12	21.17	21.27	21.27	
5	64QAM	1	24	21.25	21.16	21.13	
5	64QAM	12	0	19.97	20.26	20.05	21
5	64QAM	12	7	20.03	20.15	20.10	
5	64QAM	12	13	20.03	20.21	20.10	
5	64QAM	25	0	20.00	20.22	20.03	
5	256QAM	1	0	17.99	17.84	17.99	19
5	256QAM	1	12	18.04	18.20	18.10	
5	256QAM	1	24	18.04	18.05	18.12	
5	256QAM	12	0	17.83	18.09	17.97	19



FCC SAR TEST REPORT

Report No. : FA2O2008

5	256QAM	12	7	17.97	18.00	17.96	
5	256QAM	12	13	17.79	18.07	18.03	
5	256QAM	25	0	17.77	18.00	18.01	

<Reduced Power Mode(Main) LTE Band 71>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				133222	133297	133372	
Frequency (MHz)				673	680.5	688	
20	QPSK	1	0	22.55	22.79	22.75	23.5
20	QPSK	1	49	22.70	22.67	22.68	
20	QPSK	1	99	22.74	22.64	22.72	
20	QPSK	50	0	22.19	22.41	22.26	23.5
20	QPSK	50	24	22.28	22.32	22.33	
20	QPSK	50	50	22.24	22.40	22.28	
20	QPSK	100	0	22.20	22.29	22.25	23.5
20	16QAM	1	0	22.38	22.39	22.44	
20	16QAM	1	49	22.59	22.57	22.54	
20	16QAM	1	99	22.60	22.43	22.46	22.5
20	16QAM	50	0	21.11	21.40	21.27	
20	16QAM	50	24	21.21	21.33	21.30	
20	16QAM	50	50	21.24	21.44	21.30	22.5
20	16QAM	100	0	21.12	21.31	21.22	
20	64QAM	1	0	21.24	21.31	21.35	
20	64QAM	1	49	21.40	21.44	21.42	22.5
20	64QAM	1	99	21.43	21.35	21.36	
20	64QAM	50	0	20.15	20.41	20.27	
20	64QAM	50	24	20.22	20.32	20.28	21.5
20	64QAM	50	50	20.22	20.42	20.27	
20	64QAM	100	0	20.18	20.41	20.23	
20	256QAM	1	0	18.15	18.28	18.20	19.5
20	256QAM	1	49	18.27	18.24	18.32	
20	256QAM	1	99	18.36	18.35	18.23	
20	256QAM	50	0	17.96	18.33	18.20	19.5
20	256QAM	50	24	18.10	18.12	18.22	
20	256QAM	50	50	18.21	18.34	18.23	
20	256QAM	100	0	18.09	18.24	18.18	
Channel				133197	133297	133397	
Frequency (MHz)				670.5	680.5	690.5	Tune-up limit (dBm)
15	QPSK	1	0	22.55	22.74	22.73	23.5
15	QPSK	1	37	22.69	22.60	22.58	
15	QPSK	1	74	22.66	22.59	22.72	
15	QPSK	36	0	22.14	22.35	22.25	23.5
15	QPSK	36	20	22.21	22.30	22.29	
15	QPSK	36	39	22.22	22.39	22.21	
15	QPSK	75	0	22.12	22.26	22.25	23.5
15	16QAM	1	0	22.37	22.34	22.44	
15	16QAM	1	37	22.57	22.48	22.48	
15	16QAM	1	74	22.51	22.41	22.44	22.5
15	16QAM	36	0	21.11	21.35	21.18	
15	16QAM	36	20	21.14	21.23	21.24	
15	16QAM	36	39	21.21	21.35	21.29	22.5
15	16QAM	75	0	21.03	21.31	21.19	
15	64QAM	1	0	21.15	21.26	21.26	
15	64QAM	1	37	21.32	21.36	21.41	22.5
15	64QAM	1	74	21.38	21.26	21.34	
15	64QAM	36	0	20.08	20.34	20.23	
15	64QAM	36	20	20.19	20.29	20.26	21.5
15	64QAM	36	39	20.20	20.42	20.26	
15	64QAM	75	0	20.16	20.37	20.16	
15	256QAM	1	0	18.13	18.22	18.17	19.5
15	256QAM	1	37	18.21	18.17	18.32	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	1	74	18.36	18.26	18.15	19.5
15	256QAM	36	0	17.95	18.32	18.18	
15	256QAM	36	20	18.06	18.07	18.13	
15	256QAM	36	39	18.12	18.33	18.13	
15	256QAM	75	0	17.99	18.20	18.11	
Channel				133172	133297	133422	Tune-up limit (dBm)
Frequency (MHz)				668	680.5	693	
10	QPSK	1	0	22.45	22.69	22.74	23.5
10	QPSK	1	25	22.65	22.64	22.58	
10	QPSK	1	49	22.74	22.56	22.66	
10	QPSK	25	0	22.16	22.35	22.26	23.5
10	QPSK	25	12	22.22	22.28	22.25	
10	QPSK	25	25	22.21	22.39	22.23	
10	QPSK	50	0	22.10	22.25	22.15	
10	16QAM	1	0	22.36	22.32	22.43	23.5
10	16QAM	1	25	22.58	22.49	22.44	
10	16QAM	1	49	22.58	22.41	22.46	
10	16QAM	25	0	21.04	21.38	21.22	22.5
10	16QAM	25	12	21.15	21.28	21.25	
10	16QAM	25	25	21.23	21.44	21.30	
10	16QAM	50	0	21.08	21.21	21.21	
10	64QAM	1	0	21.15	21.29	21.33	22.5
10	64QAM	1	25	21.40	21.39	21.41	
10	64QAM	1	49	21.37	21.26	21.33	
10	64QAM	25	0	20.14	20.41	20.17	21.5
10	64QAM	25	12	20.14	20.23	20.22	
10	64QAM	25	25	20.20	20.36	20.22	
10	64QAM	50	0	20.16	20.38	20.20	
10	256QAM	1	0	18.14	18.22	18.12	19.5
10	256QAM	1	25	18.20	18.20	18.23	
10	256QAM	1	49	18.30	18.28	18.13	
10	256QAM	25	0	17.93	18.25	18.20	19.5
10	256QAM	25	12	18.09	18.05	18.22	
10	256QAM	25	25	18.18	18.33	18.17	
10	256QAM	50	0	17.99	18.14	18.13	
Channel				133147	133297	133447	Tune-up limit (dBm)
Frequency (MHz)				665.5	680.5	695.5	
5	QPSK	1	0	22.38	22.69	22.68	23.5
5	QPSK	1	12	22.62	22.56	22.55	
5	QPSK	1	24	22.71	22.56	22.62	
5	QPSK	12	0	22.11	22.30	22.18	23.5
5	QPSK	12	7	22.21	22.18	22.23	
5	QPSK	12	13	22.21	22.39	22.17	
5	QPSK	25	0	22.01	22.24	22.07	
5	16QAM	1	0	22.31	22.28	22.38	23.5
5	16QAM	1	12	22.54	22.39	22.36	
5	16QAM	1	24	22.52	22.36	22.45	
5	16QAM	12	0	21.03	21.36	21.21	22.5
5	16QAM	12	7	21.13	21.25	21.22	
5	16QAM	12	13	21.22	21.40	21.30	
5	16QAM	25	0	21.05	21.19	21.16	
5	64QAM	1	0	21.14	21.28	21.32	22.5
5	64QAM	1	12	21.37	21.34	21.39	
5	64QAM	1	24	21.30	21.25	21.25	
5	64QAM	12	0	20.12	20.35	20.13	21.5
5	64QAM	12	7	20.09	20.23	20.13	
5	64QAM	12	13	20.12	20.36	20.20	
5	64QAM	25	0	20.15	20.29	20.17	
5	256QAM	1	0	18.14	18.20	18.03	19.5
5	256QAM	1	12	18.20	18.10	18.19	
5	256QAM	1	24	18.28	18.24	18.08	
5	256QAM	12	0	17.88	18.21	18.14	19.5
5	256QAM	12	7	18.08	18.01	18.17	

5	256QAM	12	13	18.17	18.30	18.13	
5	256QAM	25	0	17.89	18.11	18.13	

<TDD LTE SAR Measurement>

TDD LTE configuration setup for SAR measurement

SAR was tested with a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by 3GPP.

- 3GPP TS 36.211 section 4.2 for Type 2 Frame Structure and Table 4.2-2 for uplink-downlink configurations
- “special subframe S” contains both uplink and downlink transmissions, it has been taken into consideration to determine the transmission duty factor according to the worst case uplink and downlink cyclic prefix requirements for UpPTS
- Establishing connections with base station simulators ensure a consistent means for testing SAR and recommended for evaluating SAR. The Anritsu MT8820C (firmware: #22.52#004) was used for LTE output power measurements and SAR testing.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity).

Table 4.2-2: Uplink-downlink configurations.

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number									
		0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS).

Special subframe configuration	Normal cyclic prefix in downlink			Extended cyclic prefix in downlink		
	DwPTS	UpPTS		DwPTS	UpPTS	
		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
0	$6592 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$	$7680 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$
1	$19760 \cdot T_s$			$20480 \cdot T_s$		
2	$21952 \cdot T_s$			$23040 \cdot T_s$		
3	$24144 \cdot T_s$			$25600 \cdot T_s$		
4	$26336 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$	$7680 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$
5	$6592 \cdot T_s$			$20480 \cdot T_s$		
6	$19760 \cdot T_s$			$23040 \cdot T_s$		
7	$21952 \cdot T_s$			$12800 \cdot T_s$		
8	$24144 \cdot T_s$			-	-	-
9	$13168 \cdot T_s$			-	-	-

Special subframe (30720·T _s): Normal cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~4	7.13%	8.33%
	5~9	14.3%	16.7%

Special subframe(30720·T _s): Extended cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~3	7.13%	8.33%
	4~7	14.3%	16.7%

The highest duty factor is resulted from:

- Uplink-downlink configuration: 0. In a half-frame consisted of 5 subframes, uplink operation is in 3 uplink subframes and 1 special subframe.
- special subframe configuration: 5-9 for normal cyclic prefix in downlink, 4-7 for extended cyclic prefix in downlink
- for special subframe with extended cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.167)/5 = 63.3\%$
- for special subframe with normal cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.143)/5 = 62.9\%$
- For TDD LTE SAR measurement, the duty cycle 1:1.59 (62.9 %) was used perform testing and considering the theoretical duty cycle of 63.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 62.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix $63.3\%/62.9\% = 1.006$ is applied to scale-up the measured SAR result. The scaled TDD LTE SAR = measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.
- The device supports Power Class 3 uplink-downlink configurations 0 and 6, and Power Class 2 uplink-downlink configurations 1 to 5 operations for LTE Band 41.
- The highest available duty cycle for Power Class 2 operation is 43.3% using UL-DL configuration 1, for Power Class 3 operation is 63.3% using UL-DL configuration 0. Per FCC Guidance, all SAR tests were performed using Power Class 3. SAR with Power Class 2 at the available duty factor was additionally performed for the Power Class 3 configuration with the highest SAR among all exposure condition.



<Default Power Mode(Main) LTE Band 38>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				37850	38000	38150	
Frequency (MHz)				2580	2595	2610	
20	QPSK	1	0	23.50	23.48	23.47	24
20	QPSK	1	49	23.46	23.40	23.43	
20	QPSK	1	99	23.43	23.37	23.36	
20	QPSK	50	0	22.68	22.63	22.64	23
20	QPSK	50	24	22.66	22.62	22.62	
20	QPSK	50	50	22.59	22.53	22.57	
20	QPSK	100	0	22.58	22.55	22.54	23
20	16QAM	1	0	22.71	22.67	22.64	
20	16QAM	1	49	22.77	22.71	22.75	
20	16QAM	1	99	22.68	22.65	22.67	22
20	16QAM	50	0	21.68	21.66	21.63	
20	16QAM	50	24	21.71	21.63	21.65	
20	16QAM	50	50	21.61	21.55	21.58	22
20	16QAM	100	0	21.59	21.54	21.51	
20	64QAM	1	0	21.59	21.56	21.49	
20	64QAM	1	49	21.68	21.61	21.61	22
20	64QAM	1	99	21.55	21.52	21.56	
20	64QAM	50	0	20.59	20.61	20.60	
20	64QAM	50	24	20.61	20.60	20.60	21
20	64QAM	50	50	20.56	20.52	20.56	
20	64QAM	100	0	20.56	20.54	20.52	
20	256QAM	1	0	18.47	18.49	18.56	19
20	256QAM	1	49	18.48	18.45	18.57	
20	256QAM	1	99	18.43	18.39	18.37	
20	256QAM	50	0	18.59	18.57	18.53	19
20	256QAM	50	24	18.44	18.52	18.57	
20	256QAM	50	50	18.53	18.33	18.52	
20	256QAM	100	0	18.37	18.43	18.43	
Channel				37825	38000	38175	Tune-up limit (dBm)
Frequency (MHz)				2577.5	2595	2612.5	
15	QPSK	1	0	23.48	23.39	23.40	24
15	QPSK	1	37	23.36	23.33	23.34	
15	QPSK	1	74	23.40	23.27	23.33	
15	QPSK	36	0	22.60	22.58	22.59	23
15	QPSK	36	20	22.60	22.62	22.59	
15	QPSK	36	39	22.57	22.48	22.47	
15	QPSK	75	0	22.53	22.50	22.49	23
15	16QAM	1	0	22.69	22.59	22.60	
15	16QAM	1	37	22.71	22.67	22.67	
15	16QAM	1	74	22.61	22.58	22.58	22
15	16QAM	36	0	21.67	21.57	21.59	
15	16QAM	36	20	21.70	21.61	21.58	
15	16QAM	36	39	21.54	21.52	21.58	22
15	16QAM	75	0	21.51	21.50	21.50	
15	64QAM	1	0	21.49	21.49	21.49	
15	64QAM	1	37	21.67	21.53	21.53	22
15	64QAM	1	74	21.46	21.49	21.56	
15	64QAM	36	0	20.53	20.59	20.55	
15	64QAM	36	20	20.61	20.54	20.59	21
15	64QAM	36	39	20.52	20.48	20.46	
15	64QAM	75	0	20.50	20.50	20.50	
15	256QAM	1	0	18.41	18.48	18.53	19
15	256QAM	1	37	18.38	18.35	18.52	
15	256QAM	1	74	18.33	18.35	18.35	
15	256QAM	36	0	18.51	18.57	18.52	19
15	256QAM	36	20	18.40	18.47	18.56	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	18.49	18.25	18.46	Tune-up limit (dBm)
15	256QAM	75	0	18.32	18.41	18.38	
Channel				37800	38000	38200	
Frequency (MHz)				2575	2595	2615	24
10	QPSK	1	0	23.42	23.34	23.34	
10	QPSK	1	25	23.28	23.28	23.26	
10	QPSK	1	49	23.40	23.20	23.31	23
10	QPSK	25	0	22.52	22.57	22.59	
10	QPSK	25	12	22.58	22.55	22.57	
10	QPSK	25	25	22.48	22.39	22.38	23
10	QPSK	50	0	22.47	22.42	22.49	
10	16QAM	1	0	22.60	22.58	22.50	
10	16QAM	1	25	22.69	22.57	22.57	23
10	16QAM	1	49	22.56	22.58	22.58	
10	16QAM	25	0	21.64	21.47	21.49	
10	16QAM	25	12	21.60	21.61	21.49	22
10	16QAM	25	25	21.50	21.47	21.58	
10	16QAM	50	0	21.49	21.42	21.41	
10	64QAM	1	0	21.43	21.41	21.47	22
10	64QAM	1	25	21.62	21.44	21.51	
10	64QAM	1	49	21.37	21.48	21.47	
10	64QAM	25	0	20.51	20.54	20.46	21
10	64QAM	25	12	20.55	20.47	20.58	
10	64QAM	25	25	20.42	20.41	20.40	
10	64QAM	50	0	20.47	20.43	20.48	19
10	256QAM	1	0	18.36	18.39	18.44	
10	256QAM	1	25	18.35	18.26	18.47	
10	256QAM	1	49	18.23	18.34	18.30	19
10	256QAM	25	0	18.51	18.49	18.51	
10	256QAM	25	12	18.37	18.38	18.55	
10	256QAM	25	25	18.44	18.21	18.42	Tune-up limit (dBm)
10	256QAM	50	0	18.28	18.40	18.34	
Channel				37775	38000	38225	
Frequency (MHz)				2572.5	2595	2617.5	24
5	QPSK	1	0	23.46	23.39	23.35	
5	QPSK	1	12	23.27	23.31	23.33	
5	QPSK	1	24	23.32	23.23	23.25	23
5	QPSK	12	0	22.56	22.55	22.51	
5	QPSK	12	7	22.59	22.55	22.56	
5	QPSK	12	13	22.48	22.45	22.37	23
5	QPSK	25	0	22.45	22.49	22.48	
5	16QAM	1	0	22.66	22.49	22.59	
5	16QAM	1	12	22.70	22.59	22.57	23
5	16QAM	1	24	22.59	22.50	22.54	
5	16QAM	12	0	21.59	21.56	21.53	
5	16QAM	12	7	21.61	21.57	21.49	22
5	16QAM	12	13	21.44	21.50	21.53	
5	16QAM	25	0	21.48	21.49	21.41	
5	64QAM	1	0	21.47	21.45	21.44	22
5	64QAM	1	12	21.63	21.46	21.44	
5	64QAM	1	24	21.45	21.39	21.46	
5	64QAM	12	0	20.43	20.55	20.51	21
5	64QAM	12	7	20.51	20.45	20.56	
5	64QAM	12	13	20.51	20.42	20.43	
5	64QAM	25	0	20.42	20.45	20.40	19
5	256QAM	1	0	18.38	18.39	18.43	
5	256QAM	1	12	18.35	18.35	18.42	
5	256QAM	1	24	18.27	18.30	18.29	19
5	256QAM	12	0	18.41	18.50	18.44	
5	256QAM	12	7	18.33	18.41	18.52	
5	256QAM	12	13	18.45	18.18	18.44	19
5	256QAM	25	0	18.29	18.36	18.36	



<Reduced Power Mode(Main) LTE Band 38>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				37850	38000	38150	
Frequency (MHz)				2580	2595	2610	
20	QPSK	1	0	18.69	18.65	18.65	19
20	QPSK	1	49	18.59	18.55	18.54	
20	QPSK	1	99	18.52	18.48	18.52	
20	QPSK	50	0	18.55	18.45	18.45	19
20	QPSK	50	24	18.49	18.44	18.47	
20	QPSK	50	50	18.43	18.39	18.42	
20	QPSK	100	0	18.43	18.36	18.40	19
20	16QAM	1	0	18.26	18.22	18.17	
20	16QAM	1	49	18.37	18.34	18.34	
20	16QAM	1	99	18.22	18.18	18.27	19
20	16QAM	50	0	18.46	18.45	18.46	
20	16QAM	50	24	18.51	18.44	18.48	
20	16QAM	50	50	18.46	18.39	18.44	19
20	16QAM	100	0	18.45	18.41	18.43	
20	64QAM	1	0	18.42	18.40	18.32	
20	64QAM	1	49	18.52	18.46	18.47	19
20	64QAM	1	99	18.37	18.33	18.36	
20	64QAM	50	0	18.44	18.46	18.46	19
20	64QAM	50	24	18.49	18.42	18.47	
20	64QAM	50	50	18.42	18.37	18.42	
20	64QAM	100	0	18.43	18.38	18.41	19
20	256QAM	1	0	18.35	18.33	18.26	
20	256QAM	1	49	18.36	18.46	18.40	
20	256QAM	1	99	18.25	18.16	18.34	19
20	256QAM	50	0	18.34	18.28	18.39	
20	256QAM	50	24	18.44	18.32	18.39	
20	256QAM	50	50	18.29	18.24	18.37	19
20	256QAM	100	0	18.38	18.28	18.33	
Channel				37825	38000	38175	Tune-up limit (dBm)
Frequency (MHz)				2577.5	2595	2612.5	
15	QPSK	1	0	18.66	18.56	18.61	19
15	QPSK	1	37	18.49	18.52	18.51	
15	QPSK	1	74	18.44	18.39	18.52	
15	QPSK	36	0	18.47	18.37	18.41	19
15	QPSK	36	20	18.43	18.37	18.46	
15	QPSK	36	39	18.33	18.29	18.37	
15	QPSK	75	0	18.37	18.35	18.38	19
15	16QAM	1	0	18.26	18.17	18.11	
15	16QAM	1	37	18.32	18.25	18.28	
15	16QAM	1	74	18.22	18.11	18.20	19
15	16QAM	36	0	18.38	18.37	18.40	
15	16QAM	36	20	18.43	18.40	18.46	
15	16QAM	36	39	18.40	18.32	18.36	19
15	16QAM	75	0	18.35	18.39	18.43	
15	64QAM	1	0	18.35	18.32	18.24	
15	64QAM	1	37	18.45	18.37	18.40	19
15	64QAM	1	74	18.37	18.28	18.27	
15	64QAM	36	0	18.39	18.37	18.40	
15	64QAM	36	20	18.45	18.42	18.37	19
15	64QAM	36	39	18.37	18.29	18.39	
15	64QAM	75	0	18.35	18.33	18.39	
15	256QAM	1	0	18.30	18.33	18.19	19
15	256QAM	1	37	18.26	18.39	18.38	
15	256QAM	1	74	18.17	18.12	18.33	
15	256QAM	36	0	18.24	18.28	18.36	19
15	256QAM	36	20	18.36	18.22	18.33	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	18.23	18.18	18.30	
15	256QAM	75	0	18.28	18.26	18.30	
Channel				37800	38000	38200	Tune-up limit (dBm)
Frequency (MHz)				2575	2595	2615	
10	QPSK	1	0	18.64	18.48	18.52	19
10	QPSK	1	25	18.40	18.52	18.41	
10	QPSK	1	49	18.36	18.31	18.46	
10	QPSK	25	0	18.42	18.29	18.32	19
10	QPSK	25	12	18.39	18.34	18.42	
10	QPSK	25	25	18.26	18.25	18.35	
10	QPSK	50	0	18.29	18.27	18.33	
10	16QAM	1	0	18.17	18.08	18.09	19
10	16QAM	1	25	18.28	18.23	18.22	
10	16QAM	1	49	18.19	18.07	18.15	
10	16QAM	25	0	18.32	18.35	18.32	19
10	16QAM	25	12	18.38	18.30	18.42	
10	16QAM	25	25	18.36	18.24	18.33	
10	16QAM	50	0	18.30	18.31	18.37	
10	64QAM	1	0	18.34	18.25	18.16	19
10	64QAM	1	25	18.41	18.28	18.37	
10	64QAM	1	49	18.27	18.27	18.20	
10	64QAM	25	0	18.33	18.28	18.30	19
10	64QAM	25	12	18.44	18.36	18.33	
10	64QAM	25	25	18.37	18.25	18.31	
10	64QAM	50	0	18.27	18.25	18.30	
10	256QAM	1	0	18.28	18.31	18.16	19
10	256QAM	1	25	18.22	18.38	18.36	
10	256QAM	1	49	18.13	18.12	18.31	
10	256QAM	25	0	18.20	18.26	18.33	19
10	256QAM	25	12	18.33	18.14	18.24	
10	256QAM	25	25	18.15	18.16	18.24	
10	256QAM	50	0	18.21	18.20	18.27	
Channel				37775	38000	38225	Tune-up limit (dBm)
Frequency (MHz)				2572.5	2595	2617.5	
5	QPSK	1	0	18.65	18.48	18.55	19
5	QPSK	1	12	18.42	18.45	18.43	
5	QPSK	1	24	18.37	18.38	18.45	
5	QPSK	12	0	18.41	18.31	18.39	19
5	QPSK	12	7	18.36	18.33	18.44	
5	QPSK	12	13	18.27	18.28	18.29	
5	QPSK	25	0	18.31	18.30	18.36	
5	16QAM	1	0	18.24	18.14	18.07	19
5	16QAM	1	12	18.26	18.23	18.23	
5	16QAM	1	24	18.14	18.08	18.16	
5	16QAM	12	0	18.29	18.27	18.38	19
5	16QAM	12	7	18.33	18.33	18.42	
5	16QAM	12	13	18.37	18.24	18.29	
5	16QAM	25	0	18.31	18.32	18.37	
5	64QAM	1	0	18.35	18.23	18.17	19
5	64QAM	1	12	18.42	18.34	18.37	
5	64QAM	1	24	18.28	18.26	18.22	
5	64QAM	12	0	18.34	18.33	18.39	19
5	64QAM	12	7	18.44	18.36	18.34	
5	64QAM	12	13	18.35	18.20	18.34	
5	64QAM	25	0	18.29	18.33	18.39	
5	256QAM	1	0	18.25	18.31	18.18	19
5	256QAM	1	12	18.22	18.37	18.29	
5	256QAM	1	24	18.07	18.07	18.32	
5	256QAM	12	0	18.18	18.19	18.35	19
5	256QAM	12	7	18.36	18.16	18.32	
5	256QAM	12	13	18.17	18.08	18.27	
5	256QAM	25	0	18.23	18.20	18.23	



<Default Power Mode(Main) LTE Band 41>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	23.08	22.39	22.68	23.52	22.51	24
20	QPSK	1	49	23.06	22.21	22.54	23.07	22.48	
20	QPSK	1	99	22.80	22.20	22.43	23.00	22.41	
20	QPSK	50	0	22.15	21.40	21.73	22.25	21.59	23
20	QPSK	50	24	22.11	21.25	21.60	22.22	21.53	
20	QPSK	50	50	22.03	21.16	21.48	22.18	21.41	
20	QPSK	100	0	22.09	21.28	21.59	22.21	21.50	23
20	16QAM	1	0	22.44	21.52	21.62	22.27	21.75	
20	16QAM	1	49	22.39	21.43	21.84	22.30	21.76	
20	16QAM	1	99	22.10	21.26	21.97	22.23	21.30	22
20	16QAM	50	0	21.16	20.41	20.49	21.18	20.61	
20	16QAM	50	24	21.13	20.26	20.62	21.23	20.57	
20	16QAM	50	50	21.07	20.20	20.72	21.16	20.45	22
20	16QAM	100	0	21.14	20.29	20.58	21.20	20.54	
20	64QAM	1	0	21.29	20.38	20.45	21.12	20.59	
20	64QAM	1	49	21.19	20.29	20.67	21.15	20.63	21
20	64QAM	1	99	20.95	20.11	20.75	21.09	20.17	
20	64QAM	50	0	20.16	19.40	19.45	20.16	19.59	
20	64QAM	50	24	20.11	19.25	19.58	20.19	19.58	19
20	64QAM	50	50	20.05	19.15	19.73	20.16	19.45	
20	64QAM	100	0	20.11	19.25	19.55	20.14	19.51	
20	256QAM	1	0	18.04	17.31	17.39	18.06	17.44	19
20	256QAM	1	49	17.99	17.15	17.40	18.12	17.58	
20	256QAM	1	99	18.00	17.09	17.72	17.98	17.29	
20	256QAM	50	0	18.00	17.40	17.27	18.05	17.51	19
20	256QAM	50	24	17.98	17.10	17.50	18.02	17.55	
20	256QAM	50	50	17.95	17.08	17.60	18.13	17.27	
20	256QAM	100	0	18.07	17.22	17.51	18.12	17.45	
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	23.08	22.39	22.63	23.01	22.47	24.00
15	QPSK	1	37	23.06	22.16	22.46	23.04	22.39	
15	QPSK	1	74	22.77	22.10	22.35	22.98	22.36	
15	QPSK	36	0	22.10	22.17	22.01	22.20	22.00	23
15	QPSK	36	20	22.10	21.20	21.56	22.18	21.48	
15	QPSK	36	39	22.01	21.15	21.39	22.08	21.34	
15	QPSK	75	0	22.09	21.27	21.51	22.21	21.40	23
15	16QAM	1	0	22.43	21.43	21.55	22.19	21.72	
15	16QAM	1	37	22.30	21.40	21.77	22.30	21.69	
15	16QAM	1	74	22.06	21.24	21.96	22.15	21.22	22
15	16QAM	36	0	21.08	20.40	20.43	21.18	20.59	
15	16QAM	36	20	21.13	20.20	20.61	21.13	20.52	
15	16QAM	36	39	20.97	20.19	20.72	21.13	20.38	22
15	16QAM	75	0	21.04	20.19	20.54	21.20	20.54	
15	64QAM	1	0	21.28	20.30	20.40	21.12	20.56	
15	64QAM	1	37	21.18	20.23	20.67	21.09	20.55	21
15	64QAM	1	74	20.90	20.06	20.72	21.09	20.13	
15	64QAM	36	0	20.09	19.36	19.44	20.11	19.49	
15	64QAM	36	20	20.01	19.19	19.56	20.13	19.57	19
15	64QAM	36	39	20.02	19.13	19.69	20.08	19.44	
15	64QAM	75	0	20.04	19.21	19.50	20.11	19.42	
15	256QAM	1	0	18.00	17.31	17.32	17.99	17.44	19
15	256QAM	1	37	17.94	17.10	17.36	18.02	17.55	
15	256QAM	1	74	17.97	17.00	17.72	17.90	17.28	
15	256QAM	36	0	17.91	17.38	17.23	18.03	17.43	19



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	20	17.91	17.04	17.42	18.02	17.53	
15	256QAM	36	39	17.93	17.15	17.51	18.09	17.27	
15	256QAM	75	0	18.03	17.20	17.45	18.06	17.45	
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	23.02	22.38	22.53	22.96	22.45	24.00
10	QPSK	1	25	23.01	22.09	22.45	22.94	22.30	
10	QPSK	1	49	22.75	22.08	22.33	22.90	22.32	
10	QPSK	25	0	22.07	21.29	21.62	22.11	21.50	23
10	QPSK	25	12	22.05	21.17	21.56	22.12	21.40	
10	QPSK	25	25	21.92	21.06	21.36	22.08	21.27	
10	QPSK	50	0	22.00	21.21	21.43	22.18	21.40	23
10	16QAM	1	0	22.38	21.35	21.54	22.14	21.68	
10	16QAM	1	25	22.28	21.35	21.67	22.30	21.66	
10	16QAM	1	49	22.04	21.16	21.92	22.12	21.21	22
10	16QAM	25	0	21.08	20.32	20.34	21.11	20.53	
10	16QAM	25	12	21.05	20.16	20.57	21.04	20.49	
10	16QAM	25	25	20.89	20.13	20.69	21.06	20.32	22
10	16QAM	50	0	20.98	20.13	20.44	21.16	20.52	
10	64QAM	1	0	21.28	20.21	20.31	21.12	20.49	
10	64QAM	1	25	21.14	20.19	20.67	21.02	20.51	21
10	64QAM	1	49	20.82	20.03	20.63	21.03	20.04	
10	64QAM	25	0	19.99	19.36	19.44	20.08	19.48	
10	64QAM	25	12	19.96	19.18	19.46	20.12	19.50	19
10	64QAM	25	25	19.93	19.05	19.64	20.07	19.41	
10	64QAM	50	0	19.98	19.19	19.43	20.08	19.41	
10	256QAM	1	0	17.95	17.24	17.32	17.91	17.38	19
10	256QAM	1	25	17.90	17.04	17.36	18.01	17.53	
10	256QAM	1	49	17.87	17.23	17.64	17.83	17.28	
10	256QAM	25	0	17.86	17.32	17.22	17.99	17.34	19
10	256QAM	25	12	17.83	17.02	17.37	17.95	17.48	
10	256QAM	25	25	17.84	17.07	17.49	18.05	17.17	
10	256QAM	50	0	17.93	17.18	17.40	18.03	17.42	
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	23.02	22.35	22.44	22.89	22.41	24.00
5	QPSK	1	12	22.92	22.01	22.44	22.93	22.29	
5	QPSK	1	24	22.71	22.21	22.30	22.90	22.31	
5	QPSK	12	0	21.99	21.24	21.57	22.11	21.45	23
5	QPSK	12	7	22.04	21.13	21.53	22.02	21.33	
5	QPSK	12	13	21.85	21.02	21.30	22.08	21.27	
5	QPSK	25	0	21.90	21.19	21.35	22.10	21.36	23
5	16QAM	1	0	22.30	21.30	21.52	22.09	21.62	
5	16QAM	1	12	22.19	21.29	21.62	22.28	21.65	
5	16QAM	1	24	21.94	21.12	21.89	22.11	21.13	22
5	16QAM	12	0	21.07	20.22	20.31	21.10	20.44	
5	16QAM	12	7	21.05	20.11	20.51	21.02	20.46	
5	16QAM	12	13	20.81	20.08	20.67	21.00	20.32	22
5	16QAM	25	0	20.88	20.07	20.34	21.06	20.52	
5	64QAM	1	0	21.20	20.14	20.26	21.09	20.44	
5	64QAM	1	12	21.13	20.17	20.63	20.96	20.50	21
5	64QAM	1	24	20.76	20.03	20.55	21.03	20.00	
5	64QAM	12	0	19.91	19.26	19.40	20.06	19.46	
5	64QAM	12	7	19.86	19.17	19.43	20.12	19.43	19
5	64QAM	12	13	19.89	19.03	19.55	20.04	19.33	
5	64QAM	25	0	19.96	19.19	19.35	20.08	19.36	
5	256QAM	1	0	17.85	17.16	17.25	17.89	17.35	19
5	256QAM	1	12	17.85	17.00	17.33	17.94	17.47	
5	256QAM	1	24	17.82	17.23	17.55	17.82	17.23	
5	256QAM	12	0	17.86	17.29	17.18	17.92	17.28	19
5	256QAM	12	7	17.82	17.24	17.37	17.93	17.44	
5	256QAM	12	13	17.80	17.02	17.45	18.04	17.13	
5	256QAM	25	0	17.87	17.09	17.32	17.94	17.38	



<Reduced Power Mode(Main) LTE Band 41>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	18.81	17.91	18.05	18.90	18.15	19.5
20	QPSK	1	49	18.73	17.74	18.16	18.64	18.13	
20	QPSK	1	99	18.49	17.66	18.28	18.69	17.75	
20	QPSK	50	0	18.73	18.01	18.05	18.79	18.23	19.5
20	QPSK	50	24	18.75	17.82	18.15	18.77	18.23	
20	QPSK	50	50	18.68	17.75	18.27	18.70	18.01	
20	QPSK	100	0	18.72	17.86	18.14	18.73	18.13	19.5
20	16QAM	1	0	18.79	17.86	17.92	18.55	18.03	
20	16QAM	1	49	18.84	17.85	18.25	18.69	18.24	
20	16QAM	1	99	18.57	17.77	18.37	18.76	17.82	19.5
20	16QAM	50	0	18.81	17.98	18.07	18.76	18.24	
20	16QAM	50	24	18.77	17.84	18.16	18.80	18.21	
20	16QAM	50	50	18.71	17.76	18.29	18.72	18.06	19.5
20	16QAM	100	0	18.75	17.88	18.15	18.74	18.14	
20	64QAM	1	0	18.59	17.66	17.71	18.37	17.82	
20	64QAM	1	49	18.51	17.55	17.96	18.47	17.93	19.5
20	64QAM	1	99	18.26	17.59	18.08	18.53	17.58	
20	64QAM	50	0	18.78	18.01	18.06	18.72	18.22	
20	64QAM	50	24	18.74	17.86	18.13	18.73	18.20	19.5
20	64QAM	50	50	18.67	17.74	18.28	18.70	18.05	
20	64QAM	100	0	18.73	17.87	18.14	18.73	18.14	
20	256QAM	1	0	18.50	17.62	17.56	18.29	17.75	19.5
20	256QAM	1	49	18.49	17.50	17.77	18.34	17.88	
20	256QAM	1	99	18.10	17.53	18.06	18.43	17.51	
20	256QAM	50	0	18.78	17.89	17.98	18.62	18.06	19.5
20	256QAM	50	24	18.66	17.67	18.12	18.59	18.18	
20	256QAM	50	50	18.55	17.60	18.18	18.55	17.92	
20	256QAM	100	0	18.73	17.67	18.05	18.67	18.08	Tune-up limit (dBm)
Channel				39725	40173	40620	41068	41515	
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	18.80	17.83	18.00	18.59	18.09	
15	QPSK	1	37	18.65	17.67	18.13	18.60	18.03	19.50
15	QPSK	1	74	18.40	17.58	18.25	18.64	17.73	
15	QPSK	36	0	18.70	18.00	18.05	18.71	18.23	
15	QPSK	36	20	18.66	17.82	18.07	18.70	18.22	19.5
15	QPSK	36	39	18.59	17.67	18.21	18.68	18.01	
15	QPSK	75	0	18.72	17.82	18.12	18.73	18.11	
15	16QAM	1	0	18.75	17.82	17.92	18.55	17.94	19.5
15	16QAM	1	37	18.77	17.82	18.16	18.63	18.21	
15	16QAM	1	74	18.50	17.70	18.32	18.67	17.74	
15	16QAM	36	0	18.75	17.94	18.05	18.68	18.20	19.5
15	16QAM	36	20	18.75	17.74	18.10	18.75	18.12	
15	16QAM	36	39	18.70	17.72	18.25	18.72	18.02	
15	16QAM	75	0	18.75	17.78	18.11	18.66	18.12	19.5
15	64QAM	1	0	18.57	17.65	17.71	18.27	17.78	
15	64QAM	1	37	18.51	17.54	17.94	18.47	17.91	
15	64QAM	1	74	18.19	17.52	18.03	18.52	17.57	19.5
15	64QAM	36	0	18.73	17.98	18.05	18.62	18.12	
15	64QAM	36	20	18.73	17.77	18.11	18.66	18.12	
15	64QAM	36	39	18.65	17.71	18.25	18.64	18.03	19.5
15	64QAM	75	0	18.72	17.83	18.14	18.72	18.10	
15	256QAM	1	0	18.42	17.60	17.52	18.21	17.66	
15	256QAM	1	37	18.46	17.61	17.71	18.29	17.87	19.5
15	256QAM	1	74	18.04	17.68	18.00	18.35	17.66	
15	256QAM	36	0	18.76	17.81	17.91	18.60	17.96	
15	256QAM	36	20	18.66	17.58	18.11	18.53	18.08	19.5



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	18.48	17.56	18.08	18.46	17.90	Tune-up limit (dBm)
15	256QAM	75	0	18.69	17.62	17.98	18.57	17.99	
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	18.85	17.82	17.91	18.58	18.04	19.50
10	QPSK	1	25	18.60	17.59	18.10	18.57	17.98	
10	QPSK	1	49	18.37	17.57	18.17	18.62	17.72	
10	QPSK	25	0	18.61	17.95	17.95	18.69	18.13	19.5
10	QPSK	25	12	18.65	17.80	18.03	18.64	18.16	
10	QPSK	25	25	18.57	17.61	18.21	18.62	17.93	
10	QPSK	50	0	18.71	17.76	18.10	18.70	18.07	
10	16QAM	1	0	18.70	17.76	17.92	18.46	17.84	19.5
10	16QAM	1	25	18.72	17.81	18.14	18.60	18.15	
10	16QAM	1	49	18.44	17.63	18.29	18.65	17.72	
10	16QAM	25	0	18.71	17.91	18.03	18.62	18.15	19.5
10	16QAM	25	12	18.74	17.71	18.04	18.70	18.12	
10	16QAM	25	25	18.66	17.65	18.23	18.67	17.92	
10	16QAM	50	0	18.73	17.69	18.01	18.61	18.04	
10	64QAM	1	0	18.51	17.56	17.70	18.26	17.72	19.5
10	64QAM	1	25	18.51	17.54	17.86	18.40	17.85	
10	64QAM	1	49	18.18	17.55	17.93	18.51	17.52	
10	64QAM	25	0	18.67	17.91	17.96	18.53	18.10	19.5
10	64QAM	25	12	18.71	17.70	18.07	18.60	18.02	
10	64QAM	25	25	18.61	17.70	18.21	18.63	17.98	
10	64QAM	50	0	18.64	17.79	18.05	18.67	18.04	
10	256QAM	1	0	18.41	17.56	17.56	18.11	17.61	19.5
10	256QAM	1	25	18.46	17.58	17.70	18.19	17.84	
10	256QAM	1	49	18.04	17.65	17.91	18.32	17.58	
10	256QAM	25	0	18.69	17.73	17.84	18.53	17.96	19.5
10	256QAM	25	12	18.62	17.52	18.02	18.53	18.08	
10	256QAM	25	25	18.40	17.51	17.98	18.36	17.86	
10	256QAM	50	0	18.68	17.58	17.97	18.48	17.97	
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	18.82	17.83	17.97	18.58	18.06	19.50
5	QPSK	1	12	18.59	17.64	18.13	18.51	18.01	
5	QPSK	1	24	18.37	17.54	18.20	18.61	17.66	
5	QPSK	12	0	18.63	17.99	18.01	18.69	18.20	19.5
5	QPSK	12	7	18.59	17.72	18.07	18.70	18.17	
5	QPSK	12	13	18.56	17.59	18.12	18.61	17.94	
5	QPSK	25	0	18.68	17.78	18.02	18.66	18.02	
5	16QAM	1	0	18.70	17.75	17.91	18.49	17.84	19.5
5	16QAM	1	12	18.74	17.73	18.09	18.63	18.13	
5	16QAM	1	24	18.41	17.65	18.23	18.62	17.70	
5	16QAM	12	0	18.66	17.92	17.97	18.63	18.12	19.5
5	16QAM	12	7	18.75	17.66	18.10	18.66	18.03	
5	16QAM	12	13	18.62	17.66	18.15	18.63	17.96	
5	16QAM	25	0	18.68	17.73	18.10	18.65	18.02	
5	64QAM	1	0	18.54	17.59	17.68	18.27	17.78	19.5
5	64QAM	1	12	18.50	17.61	17.93	18.41	17.81	
5	64QAM	1	24	18.11	17.66	17.99	18.43	17.57	
5	64QAM	12	0	18.71	17.98	18.01	18.56	18.02	19.5
5	64QAM	12	7	18.71	17.71	18.02	18.58	18.02	
5	64QAM	12	13	18.61	17.67	18.17	18.63	17.98	
5	64QAM	25	0	18.62	17.75	18.11	18.64	18.06	
5	256QAM	1	0	18.36	17.54	17.70	18.12	17.66	19.5
5	256QAM	1	12	18.37	17.61	17.69	18.24	17.86	
5	256QAM	1	24	17.95	17.58	17.98	18.29	17.58	
5	256QAM	12	0	18.74	17.77	17.87	18.55	17.92	19.5
5	256QAM	12	7	18.65	17.57	18.09	18.51	18.06	
5	256QAM	12	13	18.48	17.56	18.08	18.40	17.81	
5	256QAM	25	0	18.60	17.57	17.90	18.51	17.93	



<Default Power Mode(MIMO2) LTE Band 41>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	23.46	23.32	23.54	23.42	23.53	24
20	QPSK	1	49	23.32	23.30	23.50	23.38	23.41	
20	QPSK	1	99	22.99	23.13	23.49	23.31	23.12	
20	QPSK	50	0	22.50	22.48	22.69	22.53	22.66	23
20	QPSK	50	24	22.44	22.40	22.59	22.54	22.62	
20	QPSK	50	50	22.27	22.31	22.50	22.46	22.48	
20	QPSK	100	0	22.40	22.43	22.57	22.49	22.56	23
20	16QAM	1	0	22.18	22.59	22.71	22.71	22.68	
20	16QAM	1	49	22.59	22.53	22.84	22.64	22.83	
20	16QAM	1	99	22.76	22.42	22.82	22.61	22.44	22
20	16QAM	50	0	21.29	21.49	21.56	21.58	21.63	
20	16QAM	50	24	21.42	21.40	21.61	21.52	21.68	
20	16QAM	50	50	21.55	21.32	21.65	21.52	21.47	22
20	16QAM	100	0	21.36	21.42	21.57	21.50	21.57	
20	64QAM	1	0	21.03	21.46	21.53	21.55	21.47	
20	64QAM	1	49	21.47	21.41	21.62	21.51	21.67	21
20	64QAM	1	99	21.61	21.31	21.63	21.48	21.30	
20	64QAM	50	0	20.21	20.48	20.51	20.52	20.62	
20	64QAM	50	24	20.37	20.39	20.57	20.50	20.62	19
20	64QAM	50	50	20.50	20.32	20.60	20.52	20.52	
20	64QAM	100	0	20.36	20.40	20.56	20.45	20.54	
20	256QAM	1	0	17.93	18.27	18.51	18.36	18.41	19
20	256QAM	1	49	18.27	18.29	18.61	18.48	18.48	
20	256QAM	1	99	18.43	18.13	18.60	18.46	18.11	
20	256QAM	50	0	18.13	18.36	18.32	18.47	18.54	19
20	256QAM	50	24	18.21	18.21	18.40	18.33	18.58	
20	256QAM	50	50	18.37	18.13	18.58	18.46	18.39	
20	256QAM	100	0	18.18	18.40	18.39	18.37	18.45	
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	23.40	23.26	23.44	23.39	23.45	24.00
15	QPSK	1	37	23.28	23.28	23.43	23.30	23.34	
15	QPSK	1	74	22.99	23.11	23.48	23.29	23.07	
15	QPSK	36	0	22.40	22.47	22.60	22.46	22.61	23
15	QPSK	36	20	22.37	22.32	22.49	22.52	22.59	
15	QPSK	36	39	22.19	22.27	22.41	22.40	22.44	
15	QPSK	75	0	22.36	22.34	22.53	22.41	22.46	23
15	16QAM	1	0	22.12	22.55	22.66	22.69	22.60	
15	16QAM	1	37	22.57	22.43	22.79	22.58	22.79	
15	16QAM	1	74	22.69	22.35	22.79	22.52	22.38	22
15	16QAM	36	0	21.25	21.44	21.46	21.50	21.62	
15	16QAM	36	20	21.41	21.30	21.61	21.48	21.63	
15	16QAM	36	39	21.49	21.25	21.57	21.42	21.43	22
15	16QAM	75	0	21.33	21.42	21.54	21.46	21.47	
15	64QAM	1	0	20.97	21.39	21.50	21.46	21.39	
15	64QAM	1	37	21.46	21.31	21.60	21.51	21.60	21
15	64QAM	1	74	21.55	21.22	21.58	21.46	21.23	
15	64QAM	36	0	20.18	20.44	20.44	20.52	20.55	
15	64QAM	36	20	20.31	20.33	20.52	20.41	20.59	19
15	64QAM	36	39	20.45	20.30	20.52	20.46	20.47	
15	64QAM	75	0	20.36	20.30	20.54	20.42	20.54	
15	256QAM	1	0	17.85	18.24	18.50	18.30	18.41	19
15	256QAM	1	37	18.23	18.23	18.54	18.42	18.40	
15	256QAM	1	74	18.41	18.12	18.59	18.38	18.09	
15	256QAM	36	0	18.10	18.34	18.32	18.47	18.53	19



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	20	18.21	18.17	18.32	18.30	18.50	
15	256QAM	36	39	18.29	18.07	18.52	18.45	18.35	
15	256QAM	75	0	18.16	18.31	18.37	18.29	18.37	
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	23.36	23.31	23.47	23.34	23.53	24.00
10	QPSK	1	25	23.25	23.30	23.50	23.29	23.35	
10	QPSK	1	49	22.89	23.11	23.47	23.29	23.04	
10	QPSK	25	0	22.42	22.46	22.61	22.43	22.58	23
10	QPSK	25	12	22.42	22.37	22.59	22.47	22.62	
10	QPSK	25	25	22.22	22.22	22.42	22.46	22.48	
10	QPSK	50	0	22.35	22.35	22.57	22.41	22.46	23
10	16QAM	1	0	22.10	22.49	22.71	22.67	22.61	
10	16QAM	1	25	22.50	22.43	22.82	22.64	22.75	
10	16QAM	1	49	22.76	22.36	22.76	22.52	22.38	22
10	16QAM	25	0	21.29	21.44	21.46	21.53	21.55	
10	16QAM	25	12	21.41	21.35	21.55	21.46	21.58	
10	16QAM	25	25	21.53	21.22	21.65	21.47	21.40	22
10	16QAM	50	0	21.29	21.41	21.50	21.49	21.56	
10	64QAM	1	0	20.98	21.42	21.53	21.46	21.41	
10	64QAM	1	25	21.41	21.32	21.53	21.49	21.58	21
10	64QAM	1	49	21.55	21.21	21.58	21.48	21.24	
10	64QAM	25	0	20.21	20.39	20.43	20.42	20.62	
10	64QAM	25	12	20.37	20.38	20.50	20.40	20.58	19
10	64QAM	25	25	20.41	20.28	20.54	20.46	20.52	
10	64QAM	50	0	20.30	20.35	20.55	20.43	20.54	
10	256QAM	1	0	17.85	18.22	18.48	18.27	18.32	19
10	256QAM	1	25	18.21	18.26	18.56	18.48	18.45	
10	256QAM	1	49	18.39	18.05	18.52	18.38	18.06	
10	256QAM	25	0	18.07	18.36	18.22	18.45	18.50	19
10	256QAM	25	12	18.19	18.20	18.30	18.24	18.55	
10	256QAM	25	25	18.31	18.10	18.50	18.45	18.29	
10	256QAM	50	0	18.12	18.35	18.36	18.27	18.40	
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	23.34	23.22	23.46	23.31	23.52	24.00
5	QPSK	1	12	23.16	23.26	23.43	23.22	23.27	
5	QPSK	1	24	22.86	23.11	23.43	23.20	22.94	
5	QPSK	12	0	22.37	22.40	22.52	22.42	22.55	23
5	QPSK	12	7	22.32	22.34	22.52	22.38	22.52	
5	QPSK	12	13	22.12	22.22	22.33	22.44	22.42	
5	QPSK	25	0	22.32	22.29	22.55	22.38	22.40	23
5	16QAM	1	0	22.02	22.47	22.61	22.61	22.60	
5	16QAM	1	12	22.40	22.35	22.72	22.54	22.68	
5	16QAM	1	24	22.73	22.36	22.74	22.44	22.30	22
5	16QAM	12	0	21.28	21.40	21.36	21.47	21.51	
5	16QAM	12	7	21.33	21.27	21.47	21.38	21.50	
5	16QAM	12	13	21.47	21.20	21.56	21.37	21.36	22
5	16QAM	25	0	21.27	21.39	21.50	21.46	21.53	
5	64QAM	1	0	20.88	21.33	21.43	21.40	21.37	
5	64QAM	1	12	21.33	21.27	21.46	21.48	21.55	21
5	64QAM	1	24	21.51	21.14	21.52	21.41	21.23	
5	64QAM	12	0	20.15	20.35	20.41	20.37	20.54	
5	64QAM	12	7	20.36	20.28	20.49	20.37	20.52	19
5	64QAM	12	13	20.32	20.18	20.54	20.38	20.52	
5	64QAM	25	0	20.22	20.33	20.52	20.41	20.44	
5	256QAM	1	0	17.76	18.14	18.41	18.26	18.25	19
5	256QAM	1	12	18.18	18.26	18.46	18.38	18.39	
5	256QAM	1	24	18.39	18.00	18.44	18.29	18.05	
5	256QAM	12	0	18.00	18.35	18.14	18.40	18.47	19
5	256QAM	12	7	18.10	18.18	18.27	18.22	18.47	
5	256QAM	12	13	18.30	18.02	18.45	18.38	18.23	
5	256QAM	25	0	18.03	18.32	18.33	18.22	18.31	



<Reduced Power Mode(MIMO2) LTE Band 41>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	21.18	21.01	21.22	21.09	21.20	22
20	QPSK	1	49	21.01	20.97	21.21	21.04	21.01	
20	QPSK	1	99	20.80	20.86	21.18	20.99	20.84	
20	QPSK	50	0	21.11	21.00	21.17	21.07	21.16	22
20	QPSK	50	24	20.97	20.98	21.11	21.04	21.15	
20	QPSK	50	50	20.89	20.96	21.03	20.99	21.00	
20	QPSK	100	0	20.93	20.97	21.10	21.04	21.09	22
20	16QAM	1	0	20.51	20.92	20.90	20.95	20.87	
20	16QAM	1	49	20.96	20.87	21.11	20.96	21.09	
20	16QAM	1	99	21.08	20.75	21.10	20.94	20.72	21.5
20	16QAM	50	0	20.81	21.08	21.08	21.05	21.14	
20	16QAM	50	24	20.94	20.96	21.13	21.04	21.20	
20	16QAM	50	50	21.08	20.94	21.15	21.01	21.06	21.5
20	16QAM	100	0	20.89	20.96	21.11	21.03	21.07	
20	64QAM	1	0	20.27	20.70	20.73	20.74	20.72	
20	64QAM	1	49	20.75	20.68	20.92	20.78	20.92	20.5
20	64QAM	1	99	20.90	20.54	20.94	20.74	20.58	
20	64QAM	50	0	19.76	20.00	20.06	20.00	20.16	
20	64QAM	50	24	19.92	19.93	20.10	20.03	20.15	18
20	64QAM	50	50	20.03	19.87	20.15	20.03	20.03	
20	64QAM	100	0	19.90	19.94	20.08	20.00	20.09	
20	256QAM	1	0	16.78	17.18	17.22	17.27	17.19	18
20	256QAM	1	49	17.12	17.15	17.40	17.32	17.40	
20	256QAM	1	99	17.35	17.05	17.41	17.23	17.04	
20	256QAM	50	0	16.70	17.00	17.09	17.03	17.20	18
20	256QAM	50	24	16.85	16.91	17.04	16.98	17.10	
20	256QAM	50	50	17.06	16.88	17.15	16.96	17.05	
20	256QAM	100	0	16.85	16.87	17.04	17.01	17.13	Tune-up limit (dBm)
Channel				39725	40173	40620	41068	41515	
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	21.08	20.86	21.05	21.06	21.18	22.00
15	QPSK	1	37	20.90	20.95	21.15	20.84	20.87	
15	QPSK	1	74	20.64	20.80	21.08	20.85	20.66	
15	QPSK	36	0	21.07	20.98	20.97	21.06	21.08	22
15	QPSK	36	20	20.87	20.96	20.94	20.90	21.14	
15	QPSK	36	39	20.84	20.86	20.92	20.87	20.98	
15	QPSK	75	0	20.75	20.78	20.97	20.89	20.92	22
15	16QAM	1	0	20.37	20.88	20.90	20.90	20.77	
15	16QAM	1	37	20.85	20.82	20.92	20.78	20.94	
15	16QAM	1	74	20.91	20.56	21.00	20.75	20.55	21.5
15	16QAM	36	0	20.71	20.92	20.89	20.94	20.97	
15	16QAM	36	20	20.93	20.78	21.05	20.86	21.11	
15	16QAM	36	39	21.01	20.78	21.14	20.85	20.96	21.5
15	16QAM	75	0	20.89	20.84	21.00	20.91	20.95	
15	64QAM	1	0	20.08	20.69	20.69	20.54	20.70	
15	64QAM	1	37	20.74	20.48	20.75	20.70	20.72	20.5
15	64QAM	1	74	20.76	20.35	20.77	20.61	20.46	
15	64QAM	36	0	19.68	19.83	19.89	19.93	20.03	
15	64QAM	36	20	19.84	19.76	19.99	19.96	19.99	18
15	64QAM	36	39	19.90	19.75	20.08	19.88	19.91	
15	64QAM	75	0	19.79	19.77	19.91	20.00	20.05	
15	256QAM	1	0	16.60	17.02	17.09	17.14	17.10	18
15	256QAM	1	37	16.92	17.07	17.22	17.29	17.36	
15	256QAM	1	74	17.35	16.99	17.24	17.15	16.86	
15	256QAM	36	0	16.82	16.85	16.99	16.87	17.14	18



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	20	16.70	16.90	16.88	16.88	17.10	
15	256QAM	36	39	17.04	16.88	17.13	16.90	16.89	
15	256QAM	75	0	16.66	16.72	16.89	16.96	17.07	
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	21.02	20.99	21.21	21.02	21.05	22.00
10	QPSK	1	25	20.86	20.87	21.02	20.97	20.95	
10	QPSK	1	49	20.67	20.74	21.05	20.84	20.65	
10	QPSK	25	0	20.99	20.83	21.02	21.03	21.06	22
10	QPSK	25	12	20.79	20.97	20.93	20.89	21.15	
10	QPSK	25	25	20.78	20.91	21.00	20.82	20.81	
10	QPSK	50	0	20.85	20.92	21.03	20.97	21.07	22
10	16QAM	1	0	20.33	20.80	20.77	20.75	20.79	
10	16QAM	1	25	20.91	20.70	21.10	20.92	20.97	
10	16QAM	1	49	20.92	20.62	20.99	20.94	20.60	21.5
10	16QAM	25	0	20.75	21.04	20.95	20.87	21.06	
10	16QAM	25	12	20.87	20.95	21.12	20.96	21.00	
10	16QAM	25	25	20.93	20.94	21.06	20.82	20.89	21.5
10	16QAM	50	0	20.72	20.80	20.96	21.02	20.96	
10	64QAM	1	0	20.17	20.63	20.70	20.62	20.71	
10	64QAM	1	25	20.55	20.54	20.92	20.72	20.84	20.5
10	64QAM	1	49	20.76	20.53	20.91	20.66	20.44	
10	64QAM	25	0	19.66	19.91	19.98	19.80	20.04	
10	64QAM	25	12	19.73	19.81	19.96	19.87	20.10	18
10	64QAM	25	25	20.01	19.69	20.10	19.93	19.87	
10	64QAM	50	0	19.72	19.77	19.98	19.93	19.89	
10	256QAM	1	0	16.60	17.08	17.17	17.24	17.12	18
10	256QAM	1	25	17.12	17.10	17.24	17.25	17.30	
10	256QAM	1	49	17.18	16.99	17.39	17.10	17.03	
10	256QAM	25	0	16.64	16.89	16.92	16.98	17.00	18
10	256QAM	25	12	16.75	16.87	16.87	16.86	16.91	
10	256QAM	25	25	16.89	16.87	17.04	16.90	16.96	
10	256QAM	50	0	16.67	16.80	16.90	16.95	16.93	
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	20.90	20.98	21.19	20.82	20.87	22.00
5	QPSK	1	12	20.72	20.76	21.02	20.83	20.82	
5	QPSK	1	24	20.61	20.57	21.03	20.64	20.57	
5	QPSK	12	0	20.85	20.68	20.84	20.96	20.97	22
5	QPSK	12	7	20.79	20.82	20.81	20.71	21.08	
5	QPSK	12	13	20.68	20.76	20.91	20.74	20.71	
5	QPSK	25	0	20.79	20.90	20.94	20.81	20.90	22
5	16QAM	1	0	20.19	20.67	20.62	20.58	20.62	
5	16QAM	1	12	20.79	20.58	21.03	20.90	20.83	
5	16QAM	1	24	20.89	20.43	20.79	20.87	20.53	21.5
5	16QAM	12	0	20.75	20.85	20.77	20.69	21.01	
5	16QAM	12	7	20.67	20.93	20.99	20.85	20.92	
5	16QAM	12	13	20.91	20.81	21.03	20.75	20.70	21.5
5	16QAM	25	0	20.52	20.67	20.89	20.94	20.89	
5	64QAM	1	0	20.16	20.54	20.52	20.54	20.65	
5	64QAM	1	12	20.37	20.44	20.81	20.63	20.71	20.5
5	64QAM	1	24	20.56	20.50	20.91	20.47	20.24	
5	64QAM	12	0	19.52	19.77	19.85	19.62	20.01	
5	64QAM	12	7	19.63	19.69	19.91	19.67	20.06	18
5	64QAM	12	13	19.91	19.49	19.93	19.86	19.78	
5	64QAM	25	0	19.61	19.64	19.80	19.89	19.89	
5	256QAM	1	0	16.54	16.90	17.13	17.16	16.94	18
5	256QAM	1	12	17.02	16.91	17.19	17.08	17.26	
5	256QAM	1	24	17.09	16.97	17.35	17.02	16.90	
5	256QAM	12	0	16.52	16.75	16.73	16.90	16.91	18
5	256QAM	12	7	16.66	16.73	16.85	16.67	16.72	
5	256QAM	12	13	16.88	16.69	17.01	16.85	16.80	
5	256QAM	25	0	16.52	16.66	16.81	16.81	16.89	



<Default Power Mode(MIMO2) LTE Band 48>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	21.75	21.70	21.68	21.36	22
20	QPSK	1	49	21.73	21.68	21.54	21.33	
20	QPSK	1	99	21.59	21.42	21.21	21.06	
20	QPSK	50	0	20.90	20.89	20.72	20.54	21
20	QPSK	50	24	20.78	20.75	20.65	20.43	
20	QPSK	50	50	20.74	20.69	20.55	20.31	
20	QPSK	100	0	20.75	20.72	20.58	20.39	21
20	16QAM	1	0	21.00	20.97	20.95	20.67	
20	16QAM	1	49	20.94	20.86	20.87	20.61	
20	16QAM	1	99	20.84	20.76	20.53	20.28	20
20	16QAM	50	0	19.80	19.85	19.75	19.51	
20	16QAM	50	24	19.77	19.79	19.62	19.44	
20	16QAM	50	50	19.74	19.67	19.57	19.33	20
20	16QAM	100	0	19.75	19.75	19.58	19.39	
20	64QAM	1	0	19.83	19.88	19.76	19.50	
20	64QAM	1	49	19.85	19.79	19.64	19.40	20
20	64QAM	1	99	19.68	19.51	19.29	19.10	
20	64QAM	50	0	18.80	18.83	18.67	18.51	
20	64QAM	50	24	18.74	18.78	18.57	18.40	19
20	64QAM	50	50	18.71	18.64	18.50	18.25	
20	64QAM	100	0	18.72	18.70	18.54	18.35	
20	256QAM	1	0	16.72	16.75	16.61	16.34	17
20	256QAM	1	49	16.81	16.68	16.61	16.32	
20	256QAM	1	99	16.57	16.43	16.11	16.08	
20	256QAM	50	0	16.70	16.66	16.67	16.32	17
20	256QAM	50	24	16.71	16.60	16.52	16.21	
20	256QAM	50	50	16.57	16.61	16.49	16.24	
20	256QAM	100	0	16.63	16.54	16.45	16.28	
Channel				55315	55820	56160	56665	Tune-up limit (dBm)
Frequency (MHz)				3557.5	3608	3642	3692.5	
15	QPSK	1	0	21.74	21.62	21.60	21.29	22
15	QPSK	1	37	21.72	21.68	21.51	21.30	
15	QPSK	1	74	21.58	21.40	21.14	21.06	
15	QPSK	36	0	20.86	20.84	20.72	20.48	21
15	QPSK	36	20	20.77	20.67	20.62	20.43	
15	QPSK	36	39	20.73	20.64	20.49	20.31	
15	QPSK	75	0	20.65	20.71	20.55	20.35	21
15	16QAM	1	0	20.98	20.93	20.90	20.65	
15	16QAM	1	37	20.85	20.85	20.77	20.61	
15	16QAM	1	74	20.77	20.73	20.51	20.28	20
15	16QAM	36	0	19.77	19.84	19.66	19.50	
15	16QAM	36	20	19.70	19.74	19.62	19.42	
15	16QAM	36	39	19.69	19.58	19.53	19.24	20
15	16QAM	75	0	19.75	19.69	19.49	19.32	
15	64QAM	1	0	19.78	19.87	19.68	19.42	
15	64QAM	1	37	19.76	19.79	19.64	19.38	20
15	64QAM	1	74	19.59	19.46	19.28	19.08	
15	64QAM	36	0	18.73	18.79	18.62	18.49	
15	64QAM	36	20	18.68	18.78	18.52	18.30	19
15	64QAM	36	39	18.65	18.62	18.46	18.22	
15	64QAM	75	0	18.67	18.70	18.48	18.32	
15	256QAM	1	0	16.64	16.71	16.60	16.29	17
15	256QAM	1	37	16.76	16.61	16.57	16.30	
15	256QAM	1	74	16.53	16.38	16.05	16.06	
15	256QAM	36	0	16.67	16.66	16.67	16.26	17



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	20	16.61	16.50	16.51	16.17	
15	256QAM	36	39	16.48	16.60	16.41	16.22	
15	256QAM	75	0	16.61	16.51	16.41	16.24	
Channel				55290	55815	56165	56690	Tune-up limit (dBm)
Frequency (MHz)				3555	3607.5	3642.5	3695	
10	QPSK	1	0	21.70	21.69	21.64	21.30	22
10	QPSK	1	25	21.72	21.63	21.44	21.24	
10	QPSK	1	49	21.50	21.34	21.20	21.05	
10	QPSK	25	0	20.80	20.86	20.62	20.52	21
10	QPSK	25	12	20.73	20.65	20.57	20.39	
10	QPSK	25	25	20.64	20.68	20.48	20.23	
10	QPSK	50	0	20.74	20.65	20.55	20.35	
10	16QAM	1	0	20.90	20.93	20.88	20.67	21
10	16QAM	1	25	20.92	20.84	20.80	20.58	
10	16QAM	1	49	20.76	20.67	20.43	20.26	
10	16QAM	25	0	19.71	19.81	19.75	19.49	20
10	16QAM	25	12	19.67	19.78	19.57	19.40	
10	16QAM	25	25	19.73	19.61	19.52	19.25	
10	16QAM	50	0	19.73	19.68	19.50	19.39	
10	64QAM	1	0	19.80	19.88	19.73	19.43	20
10	64QAM	1	25	19.78	19.73	19.61	19.31	
10	64QAM	1	49	19.67	19.43	19.26	19.05	
10	64QAM	25	0	18.75	18.74	18.63	18.51	19
10	64QAM	25	12	18.70	18.72	18.48	18.34	
10	64QAM	25	25	18.68	18.63	18.43	18.15	
10	64QAM	50	0	18.70	18.64	18.53	18.28	
10	256QAM	1	0	16.62	16.67	16.61	16.32	17
10	256QAM	1	25	16.81	16.59	16.52	16.22	
10	256QAM	1	49	16.54	16.39	16.03	16.08	
10	256QAM	25	0	16.60	16.65	16.60	16.26	17
10	256QAM	25	12	16.63	16.59	16.51	16.14	
10	256QAM	25	25	16.48	16.57	16.43	16.18	
10	256QAM	50	0	16.60	16.52	16.35	16.22	
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	21.74	21.60	21.61	21.34	22
5	QPSK	1	12	21.72	21.68	21.51	21.23	
5	QPSK	1	24	21.52	21.39	21.21	21.03	
5	QPSK	12	0	20.90	20.88	20.70	20.54	21
5	QPSK	12	7	20.71	20.65	20.57	20.42	
5	QPSK	12	13	20.68	20.61	20.47	20.26	
5	QPSK	25	0	20.71	20.72	20.56	20.30	
5	16QAM	1	0	20.98	20.92	20.95	20.65	21
5	16QAM	1	12	20.90	20.82	20.83	20.51	
5	16QAM	1	24	20.84	20.68	20.51	20.26	
5	16QAM	12	0	19.75	19.76	19.72	19.41	20
5	16QAM	12	7	19.71	19.70	19.56	19.35	
5	16QAM	12	13	19.74	19.58	19.55	19.32	
5	16QAM	25	0	19.74	19.75	19.51	19.32	
5	64QAM	1	0	19.80	19.83	19.75	19.50	20
5	64QAM	1	12	19.75	19.76	19.59	19.35	
5	64QAM	1	24	19.67	19.45	19.20	19.05	
5	64QAM	12	0	18.73	18.83	18.66	18.44	19
5	64QAM	12	7	18.71	18.73	18.47	18.33	
5	64QAM	12	13	18.71	18.54	18.46	18.18	
5	64QAM	25	0	18.62	18.70	18.48	18.32	
5	256QAM	1	0	16.65	16.75	16.51	16.30	17
5	256QAM	1	12	16.77	16.63	16.60	16.30	
5	256QAM	1	24	16.50	16.38	16.03	16.00	
5	256QAM	12	0	16.68	16.59	16.59	16.27	17
5	256QAM	12	7	16.64	16.56	16.48	16.14	
5	256QAM	12	13	16.51	16.55	16.48	16.16	
5	256QAM	25	0	16.61	16.52	16.40	16.27	

**<Reduced Power Mode(MIMO2) LTE Band 48>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				55340	55830	56150	56640	
Frequency (MHz)				3560	3609	3641	3690	
20	QPSK	1	0	20.32	20.26	20.21	20.22	20.5
20	QPSK	1	49	20.23	20.23	20.08	19.82	
20	QPSK	1	99	20.10	19.97	19.78	19.78	
20	QPSK	50	0	20.29	20.23	20.14	19.85	20.5
20	QPSK	50	24	20.23	20.19	20.07	19.80	
20	QPSK	50	50	20.14	20.06	19.92	19.72	
20	QPSK	100	0	20.16	20.13	20.01	19.76	
20	16QAM	1	0	20.14	20.11	20.10	19.81	20.5
20	16QAM	1	49	20.21	20.14	20.03	19.75	
20	16QAM	1	99	20.03	19.90	19.70	19.46	
20	16QAM	50	0	19.73	19.76	19.68	19.39	20.5
20	16QAM	50	24	19.72	19.67	19.58	19.31	
20	16QAM	50	50	19.62	19.57	19.48	19.18	
20	16QAM	100	0	19.65	19.63	19.50	19.27	
20	64QAM	1	0	19.41	19.42	19.42	19.09	19.5
20	64QAM	1	49	19.49	19.42	19.29	19.04	
20	64QAM	1	99	19.28	19.14	18.98	18.72	
20	64QAM	50	0	18.70	18.73	18.64	18.37	19.5
20	64QAM	50	24	18.69	18.64	18.58	18.30	
20	64QAM	50	50	18.58	18.52	18.47	18.19	
20	64QAM	100	0	18.63	18.61	18.50	18.26	
20	256QAM	1	0	16.89	16.93	16.97	16.58	18
20	256QAM	1	49	16.97	16.90	16.66	16.58	
20	256QAM	1	99	16.73	16.73	16.37	16.21	
20	256QAM	50	0	17.44	17.58	17.29	17.06	18
20	256QAM	50	24	17.51	17.35	17.17	16.97	
20	256QAM	50	50	17.41	17.18	17.08	16.93	
20	256QAM	100	0	17.44	17.28	17.16	16.96	
Channel				55315	55820	56160	56665	Tune-up limit (dBm)
Frequency (MHz)				3557.5	3608	3642	3692.5	
15	QPSK	1	0	20.29	20.18	20.07	19.92	20.5
15	QPSK	1	37	20.10	20.13	20.04	19.72	
15	QPSK	1	74	20.02	19.95	19.58	19.66	
15	QPSK	36	0	20.29	20.08	20.08	19.82	20.5
15	QPSK	36	20	20.12	20.17	20.01	19.73	
15	QPSK	36	39	20.07	19.93	19.74	19.56	
15	QPSK	75	0	20.00	20.08	19.98	19.73	20.5
15	16QAM	1	0	20.07	20.00	19.97	19.72	
15	16QAM	1	37	20.01	20.00	19.96	19.65	
15	16QAM	1	74	20.00	19.89	19.56	19.36	20.5
15	16QAM	36	0	19.59	19.58	19.56	19.23	
15	16QAM	36	20	19.54	19.51	19.49	19.29	
15	16QAM	36	39	19.59	19.50	19.38	19.02	
15	16QAM	75	0	19.58	19.44	19.36	19.19	19.5
15	64QAM	1	0	19.24	19.34	19.26	19.02	
15	64QAM	1	37	19.38	19.29	19.17	18.91	
15	64QAM	1	74	19.28	18.99	18.85	18.62	19.5
15	64QAM	36	0	18.56	18.57	18.47	18.25	
15	64QAM	36	20	18.51	18.44	18.44	18.12	
15	64QAM	36	39	18.56	18.45	18.38	18.16	
15	64QAM	75	0	18.54	18.50	18.34	18.26	18
15	256QAM	1	0	16.75	16.90	16.77	16.38	
15	256QAM	1	37	16.91	16.73	16.54	16.41	
15	256QAM	1	74	16.58	16.64	16.35	16.01	18
15	256QAM	36	0	17.43	17.48	17.20	16.89	
15	256QAM	36	20	17.48	17.21	17.08	16.77	



FCC SAR TEST REPORT

Report No. : FA2O2008

15	256QAM	36	39	17.26	17.16	17.02	16.93	Tune-up limit (dBm)
15	256QAM	75	0	17.36	17.24	17.04	16.86	
Channel				55290	55815	56165	56690	Tune-up limit (dBm)
Frequency (MHz)				3555	3607.5	3642.5	3695	
10	QPSK	1	0	20.18	20.21	20.05	19.75	20.5
10	QPSK	1	25	20.14	20.11	20.03	19.62	
10	QPSK	1	49	20.05	19.87	19.76	19.66	
10	QPSK	25	0	20.20	20.08	20.04	19.72	20.5
10	QPSK	25	12	20.15	20.12	20.02	19.79	
10	QPSK	25	25	19.97	19.98	19.74	19.57	
10	QPSK	50	0	20.03	20.12	19.89	19.70	
10	16QAM	1	0	19.94	19.92	20.06	19.69	20.5
10	16QAM	1	25	20.18	19.98	19.91	19.72	
10	16QAM	1	49	19.95	19.78	19.51	19.26	
10	16QAM	25	0	19.73	19.70	19.51	19.29	20.5
10	16QAM	25	12	19.62	19.48	19.52	19.23	
10	16QAM	25	25	19.45	19.41	19.41	19.16	
10	16QAM	50	0	19.58	19.61	19.41	19.10	
10	64QAM	1	0	19.38	19.22	19.31	19.09	19.5
10	64QAM	1	25	19.32	19.41	19.19	18.97	
10	64QAM	1	49	19.13	18.96	18.95	18.55	
10	64QAM	25	0	18.59	18.55	18.51	18.33	19.5
10	64QAM	25	12	18.60	18.58	18.41	18.11	
10	64QAM	25	25	18.43	18.38	18.47	18.05	
10	64QAM	50	0	18.62	18.60	18.38	18.10	
10	256QAM	1	0	16.74	16.80	16.91	16.54	18
10	256QAM	1	25	16.86	16.74	16.50	16.38	
10	256QAM	1	49	16.72	16.55	16.36	16.19	
10	256QAM	25	0	17.29	17.55	17.29	16.94	18
10	256QAM	25	12	17.33	17.31	16.97	16.86	
10	256QAM	25	25	17.31	17.05	16.95	16.86	
10	256QAM	50	0	17.31	17.22	17.10	16.85	
Channel				55265	55810	56170	56715	Tune-up limit (dBm)
Frequency (MHz)				3552.5	3607	3643	3697.5	
5	QPSK	1	0	20.21	20.23	20.07	19.92	20.5
5	QPSK	1	12	20.15	20.17	20.03	19.81	
5	QPSK	1	24	20.01	19.86	19.60	19.60	
5	QPSK	12	0	20.15	20.22	20.07	19.70	20.5
5	QPSK	12	7	20.16	20.04	20.07	19.61	
5	QPSK	12	13	19.97	19.93	19.79	19.69	
5	QPSK	25	0	20.05	20.09	19.86	19.62	
5	16QAM	1	0	20.12	20.08	20.07	19.71	20.5
5	16QAM	1	12	20.14	20.07	19.87	19.63	
5	16QAM	1	24	20.03	19.86	19.51	19.40	
5	16QAM	12	0	19.62	19.75	19.65	19.32	20.5
5	16QAM	12	7	19.52	19.63	19.41	19.13	
5	16QAM	12	13	19.49	19.39	19.40	19.10	
5	16QAM	25	0	19.49	19.54	19.49	19.12	
5	64QAM	1	0	19.35	19.38	19.27	19.03	19.5
5	64QAM	1	12	19.32	19.29	19.14	18.92	
5	64QAM	1	24	19.20	18.97	18.98	18.53	
5	64QAM	12	0	18.67	18.68	18.63	18.29	19.5
5	64QAM	12	7	18.61	18.63	18.40	18.26	
5	64QAM	12	13	18.42	18.52	18.33	18.05	
5	64QAM	25	0	18.50	18.61	18.39	18.06	
5	256QAM	1	0	16.74	16.86	16.77	16.57	18
5	256QAM	1	12	16.93	16.90	16.64	16.55	
5	256QAM	1	24	16.64	16.63	16.37	16.12	
5	256QAM	12	0	17.39	17.54	17.21	17.02	18
5	256QAM	12	7	17.41	17.29	17.07	16.85	
5	256QAM	12	13	17.24	17.07	16.96	16.77	
5	256QAM	25	0	17.26	17.19	17.10	16.79	

<LTE Carrier Aggregation combinations>
General Note:

1. This device supports Carrier Aggregation on downlink only for inter and intra band, Uplink CA is not supported. For the device supports combination bands and configurations are according to 3GPP.
2. In applying the existing power measurement procedure of KDB 941225 D05A for DL CA SAR test exclusion, only the subset with the largest number of combinations of the frequency band and CCs in each row need consideration, and that configurations require power measurement should be highlighted in the below table.
3. All permutations exist. No restrictions on Pcell & Scell combinations. Only LTE Band 29A is limited to Scell.

2CC Downlink Carrier Aggregation			3CC Downlink Carrier Aggregation			4CC Downlink Carrier Aggregation			5CC Downlink Carrier Aggregation		
NO.	Combination	Covered by measurement superset	NO.	Combination	Covered by measurement superset	NO.	Combination	Covered by measurement superset	NO.	Combination	Covered by measurement superset
	2A-2A			2A-2A-4A			2A-2A-4A-4A			2A-2A-5A-66A-66A	
	2A-4A			2A-2A-5A			2A-2A-4A-5A			2A-2A-5A-66B	
	2A-5A			2A-2A-12A			2A-2A-4A-12A			2A-2A-5A-66C	
	2A-7A			2A-2A-13A			2A-2A-4A-71A			2A-2A-12A-30A-66A	
	2A-12A			2A-2A-14A			2A-2A-5A-66A			2A-2A-12A-66A-66A	
	2A-13A			2A-2A-30A			2A-2A-12A-30A			2A-2A-13A-66A-66A	
	2A-14A			2A-2A-66A			2A-2A-12A-66A			2A-2A-13A-66B	
	2A-30A			2A-2A-71A			2A-2A-13A-66A			2A-2A-14A-30A-66A	
	2A-48A			2A-4A-4A			2A-2A-14A-30A			2A-2A-14A-66A-66A	
	2A-66A			2A-4A-5A			2A-2A-14A-66A			2A-5A-48A-48A-66A	
	2A-71A			2A-4A-7A			2A-2A-30A-66A			2A-5A-48A-48C	
	4A-4A			2A-4A-12A			2A-2A-66A-66A			2A-5A-48C-66A	
	4A-5A			2A-4A-13A			2A-2A-66A-71A			2A-5A-48D	
	4A-7A			2A-4A-30A			2A-2A-66B			2A-5B-30A-66A	
	4A-12A			2A-4A-71A			2A-2A-66C			2A-5B-66A-66A	
	4A-13A			2A-5A-30A			2A-4A-4A-5A			2A-5B-66B	
	4A-30A			2A-5A-48A			2A-4A-4A-12A			2A-5B-66C	
	4A-71A			2A-5A-66A			2A-4A-5A-30A			2A-12A-30A-66A-66A	
	5A-5A			2A-5B			2A-4A-5B			2A-13A-48A-48A-66A	
	5A-7A			2A-12A-30A			2A-4A-12A-30A			2A-13A-48A-48C	
	5A-30A			2A-12A-66A			2A-5A-30A-66A			2A-13A-48C-66A	
	5A-48A			2A-13A-48A			2A-5A-48A-48A			2A-13A-48D	
	5A-66A			2A-13A-66A			2A-5A-48A-66A			2A-14A-30A-66A-66A	
	7A-7A			2A-14A-30A			2A-5A-48C			2A-14A-66A-66A-66A	
	12A-30A			2A-14A-66A			2A-5A-66A-66A			2A-48A-48C-66A	
	12A-66A			2A-30A-66A			2A-5A-66B			2A-48A-48D	
	13A-48A			2A-48A-48A			2A-5A-66C			2A-48C-48C	
	13A-66A			2A-48A-66A			2A-5B-30A			2A-48D-66A	
	14A-30A			2A-48C			2A-5B-66A			2A-48E	
	14A-66A			2A-66A-66A			2A-12A-30A-66A			5A-48A-48C-66A	
	25A-25A			2A-66A-71A			2A-12A-66A-66A			5A-48A-48D	
	25A-26A			2A-66B			2A-12A-66C			5A-48C-48C	
	26A-41A			2A-66C			2A-13A-48A-48A			5A-48D-66A	
	30A-66A			2C-66A			2A-13A-48A-66A			5A-48E	
	38C			4A-4A-5A			2A-13A-48C			13A-48A-48C-66A	
	41A-41A			4A-4A-12A			2A-13A-66A-66A			13A-48C-48C	
	41C			4A-4A-13A			2A-13A-66B			13A-48C-66B	
	48A-48A			4A-4A-30A			2A-13A-66C			13A-48C-66C	
	48A-66A			4A-4A-71A			2A-14A-30A-66A			13A-48D-66A	
	48C			4A-5A-30A			2A-14A-66A-66A			13A-48E	
	66A-66A			4A-5B			2A-30A-66A-66A			41F	
	66A-71A			4A-12A-30A			2A-48A-48A-66A			48A-48A-48D	
	66B			5A-5A-66A			2A-48A-48C			48A-48C-48C	
	66C			5A-7A-7A			2A-48C-66A			48A-48C-66B	



FCC SAR TEST REPORT

Report No. : FA2O2008

25A-41A		5A-30A-66A		2A-48D		48A-48C-66C	
4A-17A		5A-48A-48A		2A-66A-66A-66A		48A-48D-66A	
		5A-48A-66A		2A-66A-66A-71A		48C-48C-66A	
		5A-48C		2A-66C-71A		48C-66A-66A-66A	
		5A-66A-66A		2C-66A-66A		48E-66A	
		5A-66B		4A-4A-5B		48F	
		5A-66C		4A-4A-12A-30A		2A-5A-5A-66A-66A	
		5B-30A		5A-5A-66A-66A		2A-2A-5B-66A	
		5B-66A		5A-5A-66B			
		12A-30A-66A		5A-5A-66C			
		12A-66A-66A		5A-48A-48A-66A			
		13A-48A-48A		5A-48A-48C			
		13A-48A-66A		5A-48C-66A			
		13A-48C		5A-48D			
		13A-66A-66A		5B-30A-66A			
		13A-66B		5B-66A-66A			
		13A-66C		5B-66B			
		14A-30A-66A		5B-66C			
		14A-66A-66A		12A-30A-66A-66A			
		26A-41C		12A-66C			
		30A-66A-66A		13A-48A-48A-66A			
		41A-41C		13A-48A-48C			
		41D		13A-48A-66B			
		48A-48A-48A		13A-48A-66C			
		48A-48A-66A		13A-48C-66A			
		48A-48C		13A-48D			
		48A-66A-66A		14A-30A-66A-66A			
		48A-66B		14A-66A-66A-66A			
		48A-66C		30A-66A-66A-66A			
		48C-66A		41A-41D			
		48D		41C-41C			
		66A-66A-66A		41E			
		66A-66A-71A		48A-48A-48C			
		66A-66C		48A-48A-66A-66A			
		66C-71A		48A-48A-66B			
		2A-5A-5A		48A-48A-66C			
		25A-41C		48A-48C-66A			
				48A-48D			
				48A-66A-66A-66A			
				48C-48C			
				48C-66A-66A			
				48C-66B			
				48C-66C			
				48D-66A			
				48E			
				2A-2A-5A-30A			
				2A-5A-5A-66A			
				5A-30A-66A-66A			
				13A-66A-66A-66A			
				25A-41D			
				2A-2A-5B			

<Power verification when LTE Carrier Aggregation Active>
General Note:

- According to KDB941225 D05A v01r02, Uplink maximum output power measurement with downlink carrier aggregation active should be measured, using the highest output channel measured without downlink carrier aggregation, to confirm that uplink maximum output power with downlink carrier aggregation active remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output measured without downlink carrier aggregation active.
- Uplink maximum output power with downlink carrier aggregation active does not show more than ¼ dB higher than the maximum output power without downlink carrier aggregation active, therefore SAR evaluation with downlink carrier aggregation active can be excluded.
- The device supports downlink two carrier aggregation. For power measurement were control and acknowledge data is sent on uplink channels that operate identical to specifications when downlink carrier aggregation is inactive.
- Selected highest measured power when downlink carrier aggregation is inactive for conducted power comparison with downlink carrier aggregation is active, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive.
- For non-contiguous intra-band CA, the SCC selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band.
- For Intra-band, contiguous CA, the downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements.

$$\text{Nominal channel spacing} = \left\lceil \frac{BW_{\text{Channel}(1)} + BW_{\text{Channel}(2)} - 0.1 |BW_{\text{Channel}(1)} - BW_{\text{Channel}(2)}|}{0.6} \right\rceil 0.3 \text{ [MHz]}$$

<Two Carrier power verification>


Configure		CA Configuration (BCS)	PCC						SCC				Power		
			LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)
Inter-Band		25A-26A	25	20	1905	26590	QPSK	1	0	26	15	876.5	8865	23.11	23.15
		4A-17A	4	20	1745	20300	QPSK	1	0	17	10	740	5790	23.01	23.08
Intra-Band	Contiguous	38C	38	20	2580	37850	QPSK	1	1	38	20	2599.80	38048	23.46	23.54

<Three Carrier power verification>

Configure	CA Configuration (BCS)	PCC							SCC1				SCC2				Power	
		LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)
Inter-Band	2A-4A-7A	2	20	1900	19100	QPSK	1	0	4	20	2132.5	2175	7	20	2655	3100	23.11	23.21
	2A-4A-13A	2	20	1900	19100	QPSK	1	0	4	20	2132.5	2175	13	10	751	5230	23.14	23.21
	5A-7A-7A	5	10	836.5	20525	QPSK	1	0	7	20	2655	3100	7	5	2687.5	3425	23.01	23.07
	26A-41C	26	15	831.5	26865	QPSK	1	0	41	20	2593	40620	41	20	2612.8	40818	22.97	23.11

<Four Carrier power verification>

Configure	CA Configuration (BCS)	PCC							SCC1				SCC2				SCC3				Power	
		LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)
Inter-Band	2A-2A-4A-71A	2	20	1900	19100	QPSK	1	0	2	5	1980	1100	4	20	2132.5	2175	71	20	634.5	68761	23.09	23.21
	2A-2A-66A-71A	2	20	1900	19100	QPSK	1	0	2	5	1980	1100	66	20	2155	66886	71	20	634.5	68761	23.18	23.21
	2A-4A-5A-30A	2	20	1900	19100	QPSK	1	0	4	20	2132.5	2175	5	10	881.5	2525	30	10	2355	9820	23.01	23.21
	2A-4A-12A-30A	2	20	1900	19100	QPSK	1	0	4	20	2132.5	2175	12	10	737.5	5095	30	10	2355	9820	23.09	23.21
	2A-66C-71A	2	20	1900	19100	QPSK	1	0	66	20	2155	66886	66	20	2139.8	66734	71	20	634.5	68761	23.00	23.21
	25A-41D	25	20	1905	26590	QPSK	1	0	41	20	2593	40620	41	20	2612.8	2175	41	20	2636.2	41052	22.95	23.15

**<Five Carrier power verification>**

Configure	CA Configuration (BCS)	PCC							SCC1				SCC2				SCC3				SCC4				Power	
		LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx.Power (dBm)	W/O CA Tx.Power (dBm)
Inter-Band	2A-2A-12A-30A-66A	2	20	1900	19100	QPSK	1	0	2	5	1980	1100	12	10	737.5	5095	30	10	2355	9820	66	20	2155	66886	22.97	23.21
	2A-2A-14A-30A-66A	2	20	1900	19100	QPSK	1	0	2	5	1980	1100	14	10	763	5330	30	10	2355	9820	66	20	2155	66886	22.95	23.21
	2A-5A-48C-66A	2	20	1900	19100	QPSK	1	0	5	10	881.5	2525	48	20	3625	55990	48	20	3644.8	56188	66	20	2155	66886	23.03	23.21
	2A-5B-30A-66A	2	20	1900	19100	QPSK	1	0	5	10	881.5	2525	5	10	891.4	2624	30	10	2355	9820	66	20	2155	66886	23.08	23.21
	2A-12A-30A-66A-66A	2	20	1900	19100	QPSK	1	0	12	10	737.5	5095	30	10	2355	9820	66	20	2139.8	66734	66	5	2197.5	67311	22.99	23.21
	2A-13A-48A-48A-66A	2	20	1900	19100	QPSK	1	0	13	10	751	5230	48	20	3625	55990	48	20	3648.6	56226	66	20	2139.8	66734	22.95	23.21
	2A-14A-30A-66A-66A	2	20	1900	19100	QPSK	1	0	14	10	763	5330	30	10	2355	9820	66	20	2155	66886	66	20	2164.8	67084	23.09	23.21

<LTE Uplink carrier aggregation>

2CC Uplink Carrier Aggregation		
Number	Combination	
	Main_ Ant	MIMO2_ Ant
1	5B	
2	7C	7C
3	66B	66B
4	66C	66C
5	38C	41C
6	41C	48C

<Intra-band>
General Note:

- i. The device supports intra-band uplink carrier aggregation for LTE B66/B41/B48 with a maximum of two 20MHz component carriers. For intra band contiguous carrier aggregation scenarios, 3GPP 36.101 table 6.2.2A-1 specifies that the aggregate maximum allowed output power is equivalent to the single carrier scenario. 3GPP 36.101 6.2.3A allows for several dB of MPR to be applied when not-contiguous RB allocation is implemented. The conducted power and MPR setting in this device are permanently implemented pre 3GPP requirement.
- ii. The device supports uplink carrier aggregation with a maximum of two 20MHz component carriers. For intra band contiguous carrier aggregation scenarios, 3GPP 36.101 table 6.2.2A-1 specifies that the aggregate maximum allowed output power is equivalent to the single carrier scenario. 3GPP 36.101 6.2.3A allows for several dB of MPR to be applied when not-contiguous RB allocation is implemented. The conducted power and MPR setting in this device are permanently implemented pre the 3GPP requirement.
- iii. According TCB workshop, the output power with uplink CA active was measured for the configuration with the highest reported SAR with single carrier for each exposure condition. The power was measured with wideband signal integration over both component carriers.
- iv. According TCB workshop, the output power with uplink CA active was measured for the configuration with the highest reported SAR with single carrier for each exposure condition. The power was measured with wideband signal integration over both component carriers.
- v. Additional SAR measurement for LTE UL CA whit other DL CA combinations active were not required since the maximum output power for this configuration was not > 0.25dB higher than the maximum output power for UL CA active.

Default Power Mode (Main)

CA_5B										
Combination 10MHz+10MHz (50RB+50RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20450	20549	QPSK	1	0	0	0	1	0	23.02	24
20575	20476	QPSK	1	0	1	49	2	0	23.05	24
20600	20501	QPSK	1	0	1	49	2	0	23.11	24

CA_7C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20850	21048	QPSK	1	0	0	0	1	0	23.42	24
21100	20902	QPSK	1	0	1	99	2	0	23.45	24
21350	21152	QPSK	1	0	1	99	2	0	23.53	24

CA_66B										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132047	132140	QPSK	1	0	0	0	1	0	23.15	24
132322	132229	QPSK	1	0	1	24	2	0	23	24
132597	132504	QPSK	1	0	1	24	2	0	23.03	24

CA_66C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	0	0	0	1	0	23.11	24
132322	132124	QPSK	1	0	1	99	2	0	23.03	24
132572	132374	QPSK	1	0	1	99	2	0	23.01	24

CA_38C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
37850	38048	QPSK	1	0	0	0	1	0	23.51	24
37901	38099	QPSK	1	0	0	0	1	0	23.45	24
38150	37952	QPSK	1	0	1	99	2	0	23.43	24

CA_41C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
39750	39948	QPSK	1	0	0	0	1	0	23	24
40185	39987	QPSK	1	0	0	0	1	0	22.35	24
40620	40422	QPSK	1	0	0	0	1	0	22.57	24
41055	40857	QPSK	1	0	0	0	1	0	23.05	24
41490	41292	QPSK	1	0	0	0	1	0	22.49	24

Default Power Mode (MIMO2)

CA_7C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20850	21048	QPSK	1	0	0	0	1	0	23.26	24
21100	20902	QPSK	1	0	1	99	2	0	23.37	24
21350	21152	QPSK	1	0	1	99	2	0	23.45	24

CA_66B										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132047	132140	QPSK	1	0	0	0	1	0	22.61	24
132322	132229	QPSK	1	0	1	24	2	0	22.75	24
132597	132504	QPSK	1	0	1	24	2	0	22.7	24

CA_66C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	0	0	0	1	0	22.57	24
132322	132124	QPSK	1	0	1	99	2	0	22.74	24
132572	132374	QPSK	1	0	1	99	2	0	22.73	24

CA_41C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
39750	39948	QPSK	1	0	0	0	1	0	23.45	24
40185	39987	QPSK	1	0	0	0	1	0	23.31	24
40620	40422	QPSK	1	0	0	0	1	0	23.54	24
41055	40857	QPSK	1	0	0	0	1	0	23.39	24
41490	41292	QPSK	1	0	0	0	1	0	23.52	24

CA_48C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
55340	55538	QPSK	1	0	0	0	1	0	21.72	22
55830	55632	QPSK	1	0	1	99	2	0	21.68	22
56150	55952	QPSK	1	0	1	99	2	0	21.6	22
56640	56442	QPSK	1	0	1	99	2	0	21.33	22

Reduced Power Mode (Main)

CA_5B										
Combination 10MHz+10MHz (50RB+50RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20450	20549	QPSK	1	0	0	0	1	0	19.71	20.5
20575	20476	QPSK	1	0	1	49	2	0	19.43	20.5
20600	20501	QPSK	1	0	1	49	2	0	19.33	20.5

CA_7C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20850	21048	QPSK	1	0	0	0	1	0	16.05	16.5
21100	20902	QPSK	1	0	1	99	2	0	16.02	16.5
21350	21152	QPSK	1	0	1	99	2	0	15.98	16.5

CA_66B										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132047	132140	QPSK	1	0	0	0	1	0	15.02	16
132322	132229	QPSK	1	0	1	24	2	0	14.98	16
132597	132504	QPSK	1	0	1	24	2	0	14.87	16

CA_66C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	0	0	0	1	0	15.01	16
132322	132124	QPSK	1	0	1	99	2	0	14.99	16
132572	132374	QPSK	1	0	1	99	2	0	14.93	16

CA_38C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
37850	38048	QPSK	1	0	0	0	1	0	18.65	19.5
37901	38099	QPSK	1	0	0	0	1	0	18.61	19.5
38150	37952	QPSK	1	0	1	99	2	0	18.6	19.5

CA_41C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
39750	39948	QPSK	1	0	0	0	1	0	18.49	19.5
40185	39987	QPSK	1	0	0	0	1	0	17.9	19.5
40620	40422	QPSK	1	0	0	0	1	0	18.02	19.5
41055	40857	QPSK	1	0	0	0	1	0	18.46	19.5
41490	41292	QPSK	1	0	0	0	1	0	18.14	19.5

Reduced Power Mode (MIMO2)

CA_7C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
20850	21048	QPSK	1	0	0	0	1	0	19.21	20
21100	20902	QPSK	1	0	1	99	2	0	19.23	20
21350	21152	QPSK	1	0	1	99	2	0	19.15	20

CA_66B										
Combination 15MHz+5MHz (75RB+25RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132047	132140	QPSK	1	0	0	0	1	0	20.75	21.5
132322	132229	QPSK	1	0	1	24	2	0	20.79	21.5
132597	132504	QPSK	1	0	1	24	2	0	20.71	21.5

CA_66C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
132072	132270	QPSK	1	0	0	0	1	0	20.73	21.5
132322	132124	QPSK	1	0	1	99	2	0	20.69	21.5
132572	132374	QPSK	1	0	1	99	2	0	20.7	21.5

CA_41C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
39750	39948	QPSK	1	0	0	0	1	0	20.94	22
40185	39987	QPSK	1	0	0	0	1	0	20.87	22
40620	40422	QPSK	1	0	0	0	1	0	20.88	22
41055	40857	QPSK	1	0	0	0	1	0	20.91	22
41490	41292	QPSK	1	0	0	0	1	0	20.96	22

CA_48C										
Combination 20MHz+20MHz (100RB+100RB)										
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset				
55340	55538	QPSK	1	0	0	0	1	0	19.95	20.5
55830	55632	QPSK	1	0	1	99	2	0	19.98	20.5
56150	55952	QPSK	1	0	1	99	2	0	20.01	20.5
56640	56442	QPSK	1	0	1	99	2	0	19.89	20.5

12. 5G NR Output Power (Unit: dBm)

General Note:

1. The device support SCS 15KHz and 30KHz for NR FDD and TDD and have the same maximum power, in this report only select SCS 15KHz for NR FDD and SCS 30KHz for NR TDD power measurement, due to SCS 15KHz for FDD and SCS 30KHz for TDD have highest support bandwidth, and the NR SAR is < 1g SAR 1.45W/kg. Output power and SAR measurement for SCS30KHz for FDD and SCS15KHz for TDD shall be not necessary.
2. Referencing the procedure in KDB 941225, the test procedures are outlined as below
 - a. For DFT-OFDM output power measurement, full measurement was done for Pi/2 BPSK and QPSK and for the largest supported bandwidth, repeat test for 16QAM/64QAM/256QAM under 1RB 1Offset configuration. For smaller bandwidth, measure conducted power for Pi/2 BPSK and 1RB 1Offset configuration.
 - b. According to the tune-up, CP-OFDM output power is not ½ dB higher than DFT-OFDM mode, and the reported SAR of DFT-OFDM mode reported SAR is ≤ 1.45 W/kg, SAR test and thus conducted power for CP-OFDM mode is not required.
 - c. To start SAR test for the largest channel bandwidth for Pi/2 BPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. Also do SAR test for 50% RB allocation for Pi/2 BPSK SAR testing using 1RB Pi/2 BPSK allocation procedure
 - d. For Pi/2 BPSK with 100% RB allocation, SAR test is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
 - e. For higher modulation QPSK/16QAM/64QAM/256QAM, according to tune-up document the power level is not ½ dB higher than the same configuration in Pi/2 BPSK, also reported SAR for the Pi/2 BPSK configuration is less than 1.45 W/kg, QPSK/16QAM/64QAM/256QAM SAR testing are not required.
 - f. Smaller bandwidth output power for each RB allocation configuration for this device is not ½ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg, smaller bandwidth SAR testing is not required for this device
3. Due to test setup limitations, SAR testing for NR was performed using Factory Test Mode software to establish the connection and perform SAR with 100% transmission. And only for TDD power class2 was performed using Factory Test Mode software to establish the connection and perform SAR with 50% transmission

<3GPP 38.101 MPR for EN-DC>

Table 6.2.2-1 Maximum power reduction (MPR) for power class 3

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	$\leq 3.5^1$	$\leq 1.2^1$	$\leq 0.2^1$
		$\leq 0.5^2$	$\leq 0.5^2$	0 ²
	QPSK	≤ 1		0
	16 QAM	≤ 2		≤ 1
	64 QAM		≤ 2.5	
CP-OFDM	256 QAM		≤ 4.5	
	QPSK	≤ 3		≤ 1.5
	16 QAM	≤ 3		≤ 2
	64 QAM		≤ 3.5	
	256 QAM		≤ 6.5	

NOTE 1: Applicable for UE operating in TDD mode with Pi/2 BPSK modulation and UE indicates support for UE capability *powerBoosting-pi2BPSK* and if the IE *powerBoostPi2BPSK* is set to 1 and 40 % or less slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79. The reference power of 0 dB MPR is 26 dBm.

NOTE 2: Applicable for UE operating in FDD mode, or in TDD mode in bands other than n40, n41, n77, n78 and n79 with Pi/2 BPSK modulation and if the IE *powerBoostPi2BPSK* is set to 0 and if more than 40 % of slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79.

Table 6.2.2-2 Maximum power reduction (MPR) for power class 2

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	≤ 3.5	≤ 0.5	0
	QPSK	≤ 3.5	≤ 1	0
	16 QAM	≤ 3.5	≤ 2	≤ 1
	64 QAM	≤ 3.5		≤ 2.5
	256 QAM		≤ 4.5	
CP-OFDM	QPSK	≤ 3.5	≤ 3	≤ 1.5
	16 QAM	≤ 3.5	≤ 3	≤ 2
	64 QAM		≤ 3.5	
	256 QAM		≤ 6.5	



<Default Power Mode(Main) FR1 n2>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376000	380000	24.0
Frequency (MHz)				1860	1880	1900	
20	PI/2 BPSK	1	1	22.99	23.32	23.18	
20	PI/2 BPSK	1	53	22.98	23.20	23.16	23.5
20	PI/2 BPSK	1	104	22.82	23.02	22.86	
20	PI/2 BPSK	50	0	22.09	22.47	22.32	
20	PI/2 BPSK	50	28	22.83	23.02	22.76	23.5
20	PI/2 BPSK	50	56	22.42	22.65	22.64	
20	PI/2 BPSK	100	0	22.37	22.64	22.55	
20	QPSK	1	1	22.38	22.73	22.55	24.0
20	QPSK	1	53	22.79	23.17	23.11	
20	QPSK	1	104	22.66	22.99	22.85	
20	QPSK	50	0	21.73	22.03	21.90	23.0
20	QPSK	50	28	22.98	23.26	23.17	
20	QPSK	50	56	21.75	22.13	22.04	
20	QPSK	100	0	21.81	22.12	21.97	23.0
20	16QAM	1	1	21.66	21.77	21.65	
20	64QAM	1	1	19.59	19.95	19.78	
20	256QAM	1	1	18.16	18.44	18.30	19.5
Channel				371500	376000	380500	24.0
Frequency (MHz)				1857.5	1880	1902.5	
15	PI/2 BPSK	1	1	22.71	22.69	22.98	
Channel				371000	376000	381000	24.0
Frequency (MHz)				1855	1880	1905	
10	PI/2 BPSK	1	1	22.78	22.65	22.93	
Channel				370500	376000	381500	24.0
Frequency (MHz)				1852.5	1880	1907.5	
5	PI/2 BPSK	1	1	22.69	22.58	22.85	



<Reduced Power Mode(Main) FR1 n2>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376000	380000	16.5
Frequency (MHz)				1860	1880	1900	
20	PI/2 BPSK	1	1	16.00	16.37	16.08	
20	PI/2 BPSK	1	53	15.60	15.74	15.58	16.5
20	PI/2 BPSK	1	104	15.82	16.00	15.69	
20	PI/2 BPSK	50	0	16.12	16.13	16.13	
20	PI/2 BPSK	50	28	15.94	16.24	16.04	16.5
20	PI/2 BPSK	50	56	15.88	16.13	15.80	16.5
20	PI/2 BPSK	100	0	15.95	15.97	15.96	
20	QPSK	1	1	15.62	15.74	15.48	
20	QPSK	1	53	16.06	16.12	15.95	16.5
20	QPSK	1	104	15.82	15.79	15.84	
20	QPSK	50	0	15.87	15.80	15.81	
20	QPSK	50	28	16.04	16.13	16.01	16.5
20	QPSK	50	56	15.92	16.01	15.72	16.5
20	QPSK	100	0	15.69	15.92	15.75	
20	16QAM	1	1	15.59	15.70	15.57	
20	64QAM	1	1	15.22	15.30	15.20	16.5
20	256QAM	1	1	15.73	15.79	15.76	16.5
Channel				371500	376000	380500	16.5
Frequency (MHz)				1857.5	1880	1902.5	
15	PI/2 BPSK	1	1	15.86	16.22	16.12	
Channel				371000	376000	381000	16.5
Frequency (MHz)				1855	1880	1905	
10	PI/2 BPSK	1	1	15.87	16.34	16.05	
Channel				370500	376000	381500	16.5
Frequency (MHz)				1852.5	1880	1907.5	
5	PI/2 BPSK	1	1	15.96	16.24	16.03	



<Default Power Mode(MIMO2) FR1 n2>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376000	380000	24.0
Frequency (MHz)				1860	1880	1900	
20	PI/2 BPSK	1	1	23.45	23.28	23.39	
20	PI/2 BPSK	1	53	22.93	23.05	22.97	23.5
20	PI/2 BPSK	1	104	22.89	22.86	22.95	
20	PI/2 BPSK	50	0	22.98	23.02	23.11	
20	PI/2 BPSK	50	28	23.18	23.11	23.02	23.5
20	PI/2 BPSK	50	56	22.44	22.41	22.44	
20	PI/2 BPSK	100	0	22.27	22.34	22.60	
20	QPSK	1	1	22.57	22.63	22.52	24.0
20	QPSK	1	53	22.94	22.99	22.86	
20	QPSK	1	104	22.85	22.78	22.70	
20	QPSK	50	0	21.75	21.83	21.76	23.0
20	QPSK	50	28	22.28	22.30	22.11	
20	QPSK	50	56	21.90	21.94	21.95	
20	QPSK	100	0	21.82	21.81	21.73	23.0
20	16QAM	1	1	21.58	21.70	21.51	
20	64QAM	1	1	19.74	19.83	19.74	
20	256QAM	1	1	18.13	18.31	18.09	19.5
Channel				371500	376000	380500	24.0
Frequency (MHz)				1857.5	1880	1902.5	
15	PI/2 BPSK	1	1	23.31	23.15	23.30	
Channel				371000	376000	381000	24.0
Frequency (MHz)				1855	1880	1905	
10	PI/2 BPSK	1	1	23.41	23.08	23.38	
Channel				370500	376000	381500	24.0
Frequency (MHz)				1852.5	1880	1907.5	
5	PI/2 BPSK	1	1	23.39	23.27	23.23	



<Reduced Power Mode(MIMO2) FR1 n2>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376000	380000	21.5
Frequency (MHz)				1860	1880	1900	
20	PI/2 BPSK	1	1	20.91	21.01	21.06	
20	PI/2 BPSK	1	53	20.40	20.46	20.60	21.5
20	PI/2 BPSK	1	104	20.49	20.64	20.74	
20	PI/2 BPSK	50	0	20.67	20.83	20.98	
20	PI/2 BPSK	50	28	20.56	20.80	20.69	21.5
20	PI/2 BPSK	50	56	20.74	20.89	20.80	21.5
20	PI/2 BPSK	100	0	20.71	20.77	20.80	
20	QPSK	1	1	20.37	20.38	20.47	
20	QPSK	1	53	20.74	20.88	20.81	21.5
20	QPSK	1	104	20.59	20.64	20.69	
20	QPSK	50	0	20.38	20.45	20.62	
20	QPSK	50	28	20.77	20.78	20.98	21.5
20	QPSK	50	56	20.78	20.93	20.88	21.5
20	QPSK	100	0	20.70	20.78	20.76	
20	16QAM	1	1	20.18	20.38	20.51	
20	64QAM	1	1	20.56	20.67	20.72	21.5
20	256QAM	1	1	18.94	19.10	19.16	20.5
Channel				371500	376000	380500	21.5
Frequency (MHz)				1857.5	1880	1902.5	
15	PI/2 BPSK	1	1	20.84	20.92	21.00	
Channel				371000	376000	381000	21.5
Frequency (MHz)				1855	1880	1905	
10	PI/2 BPSK	1	1	20.80	20.82	21.05	
Channel				370500	376000	381500	21.5
Frequency (MHz)				1852.5	1880	1907.5	
5	PI/2 BPSK	1	1	20.76	20.83	21.03	



<Default Power Mode(Main) FR1 n5>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				166800	167300	167800	
Frequency (MHz)				834	836.5	839	
20	PI/2 BPSK	1	1	22.94	23.06	23.04	24.0
20	PI/2 BPSK	1	53	22.76	22.79	22.74	
20	PI/2 BPSK	1	104	22.90	22.94	22.91	
20	PI/2 BPSK	50	0	22.42	22.45	22.37	23.5
20	PI/2 BPSK	50	28	23.03	23.04	22.85	24.0
20	PI/2 BPSK	50	56	22.41	22.58	22.54	23.5
20	PI/2 BPSK	100	0	22.34	22.48	22.44	
20	QPSK	1	1	22.61	22.71	22.62	24.0
20	QPSK	1	53	22.94	22.97	22.82	
20	QPSK	1	104	22.77	22.83	22.75	
20	QPSK	50	0	21.90	22.02	21.95	23.0
20	QPSK	50	28	23.04	23.02	22.84	24.0
20	QPSK	50	56	21.97	22.04	21.85	23.0
20	QPSK	100	0	22.03	22.01	21.96	
20	16QAM	1	1	21.53	21.70	21.50	23.0
20	64QAM	1	1	19.86	19.96	19.89	21.5
20	256QAM	1	1	18.31	18.47	18.28	19.5
Channel				166300	167300	168300	Tune-up limit (dBm)
Frequency (MHz)				831.5	836.5	841.5	
15	PI/2 BPSK	1	1	22.66	22.59	22.58	24.0
Channel				165800	167300	168800	Tune-up limit (dBm)
Frequency (MHz)				829	836.5	844	
10	PI/2 BPSK	1	1	22.70	22.67	22.73	24.0
Channel				165300	167300	169300	Tune-up limit (dBm)
Frequency (MHz)				826.5	836.5	846.5	
5	PI/2 BPSK	1	1	22.75	22.64	22.57	24.0



<Reduced Power Mode(Mian) FR1 n5>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				166800	167300	167800	20.0
Frequency (MHz)				834	836.5	839	
20	PI/2 BPSK	1	1	19.64	19.87	19.67	
20	PI/2 BPSK	1	53	19.39	19.72	19.50	20.0
20	PI/2 BPSK	1	104	19.31	19.62	19.31	
20	PI/2 BPSK	50	0	19.49	19.69	19.35	
20	PI/2 BPSK	50	28	19.20	19.37	19.37	20.0
20	PI/2 BPSK	50	56	19.46	19.60	19.37	20.0
20	PI/2 BPSK	100	0	19.29	19.58	19.41	
20	QPSK	1	1	19.16	19.48	19.21	
20	QPSK	1	53	19.34	19.52	19.38	20.0
20	QPSK	1	104	19.36	19.49	19.27	
20	QPSK	50	0	19.26	19.64	19.46	
20	QPSK	50	28	19.36	19.71	19.45	20.0
20	QPSK	50	56	19.28	19.65	19.29	20.0
20	QPSK	100	0	19.49	19.69	19.42	
20	16QAM	1	1	19.17	19.40	19.15	
20	64QAM	1	1	18.80	18.85	18.83	19.0
20	256QAM	1	1	18.32	18.47	18.26	19.0
Channel				166300	167300	168300	20.0
Frequency (MHz)				831.5	836.5	841.5	
15	PI/2 BPSK	1	1	19.59	19.70	19.62	
Channel				165800	167300	168800	20.0
Frequency (MHz)				829	836.5	844	
10	PI/2 BPSK	1	1	19.52	19.81	19.63	
Channel				165300	167300	169300	20.0
Frequency (MHz)				826.5	836.5	846.5	
5	PI/2 BPSK	1	1	19.62	19.70	19.59	

<Default Power Mode(Main) FR1 n7>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				502000	507000	512000	
Frequency (MHz)				2510	2535	2560	
20	PI/2 BPSK	1	1	22.70	23.09	22.90	24.0
20	PI/2 BPSK	1	53	22.97	22.92	23.05	
20	PI/2 BPSK	1	104	23.02	23.00	23.06	
20	PI/2 BPSK	50	0	22.94	22.67	22.98	23.5
20	PI/2 BPSK	50	28	22.47	23.04	22.47	24.0
20	PI/2 BPSK	50	56	22.66	22.64	22.61	23.5
20	PI/2 BPSK	100	0	22.49	22.65	22.54	
20	QPSK	1	1	22.95	22.90	22.94	24.0
20	QPSK	1	53	23.08	23.03	22.87	
20	QPSK	1	104	22.91	22.90	23.01	
20	QPSK	50	0	21.91	21.97	21.89	23.0
20	QPSK	50	28	23.03	23.00	23.01	24.0
20	QPSK	50	56	22.06	22.02	21.96	23.0
20	QPSK	100	0	21.89	21.98	22.00	
20	16QAM	1	1	21.71	21.82	21.80	23.0
20	64QAM	1	1	19.94	19.98	19.87	21.5
20	256QAM	1	1	18.45	18.40	18.43	19.5
Channel				501500	507000	512500	Tune-up limit (dBm)
Frequency (MHz)				2507.5	2535	2562.5	
15	PI/2 BPSK	1	1	22.56	23.03	22.74	24.0
Channel				501000	507000	513000	Tune-up limit (dBm)
Frequency (MHz)				2505	2535	2565	
10	PI/2 BPSK	1	1	22.51	22.89	22.82	24.0
Channel				500500	507000	513500	Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5	
5	PI/2 BPSK	1	1	22.62	23.03	22.82	24.0



<Reduced Power Mode(Main) FR1 n7>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				502000	507000	512000	17.5
Frequency (MHz)				2510	2535	2560	
20	PI/2 BPSK	1	1	17.07	17.28	17.29	
20	PI/2 BPSK	1	53	16.74	16.85	16.87	17.5
20	PI/2 BPSK	1	104	16.64	16.90	16.86	
20	PI/2 BPSK	50	0	16.90	17.10	17.11	
20	PI/2 BPSK	50	28	16.66	17.02	16.78	17.5
20	PI/2 BPSK	50	56	16.88	17.08	17.06	17.5
20	PI/2 BPSK	100	0	16.82	16.92	16.92	
20	QPSK	1	1	16.71	16.98	16.94	
20	QPSK	1	53	16.70	16.86	16.80	17.5
20	QPSK	1	104	16.70	16.97	16.93	
20	QPSK	50	0	16.31	16.51	16.55	
20	QPSK	50	28	16.26	16.45	16.37	17.5
20	QPSK	50	56	16.31	16.55	16.45	17.5
20	QPSK	100	0	16.48	16.67	16.62	
20	16QAM	1	1	16.75	16.90	16.80	
20	64QAM	1	1	16.51	16.56	16.55	17.5
20	256QAM	1	1	16.75	16.95	16.87	17.5
Channel				501500	507000	512500	17.5
Frequency (MHz)				2507.5	2535	2562.5	
15	PI/2 BPSK	1	1	17.02	17.19	17.11	
Channel				501000	507000	513000	17.5
Frequency (MHz)				2505	2535	2565	
10	PI/2 BPSK	1	1	16.90	17.09	17.28	
Channel				500500	507000	513500	17.5
Frequency (MHz)				2502.5	2535	2567.5	
5	PI/2 BPSK	1	1	16.90	17.26	17.10	



<Default Power Mode(Main) FR1 n25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376500	381000	24.0
Frequency (MHz)				1860	1882.5	1905	
20	PI/2 BPSK	1	1	23.43	23.39	23.51	
20	PI/2 BPSK	1	53	23.16	22.88	23.16	23.5
20	PI/2 BPSK	1	104	22.95	22.82	23.03	
20	PI/2 BPSK	50	0	22.95	23.05	23.26	
20	PI/2 BPSK	50	28	23.11	23.26	23.28	24.0
20	PI/2 BPSK	50	56	22.52	22.50	22.54	
20	PI/2 BPSK	100	0	22.37	22.55	22.59	
20	QPSK	1	1	22.75	22.73	22.73	24.0
20	QPSK	1	53	23.12	22.99	22.93	
20	QPSK	1	104	22.79	22.88	22.82	
20	QPSK	50	0	21.68	21.87	21.72	23.0
20	QPSK	50	28	23.04	22.85	23.16	
20	QPSK	50	56	22.00	21.98	21.91	
20	QPSK	100	0	21.82	22.01	22.05	23.0
20	16QAM	1	1	21.81	21.86	21.64	
20	64QAM	1	1	19.98	20.01	19.99	
20	256QAM	1	1	18.46	18.47	18.63	19.5
Channel				371500	376500	381500	24.0
Frequency (MHz)				1857.5	1882.5	1907.5	
15	PI/2 BPSK	1	1	23.35	23.34	23.43	
Channel				371000	376500	382000	24.0
Frequency (MHz)				1855	1882.5	1910	
10	PI/2 BPSK	1	1	23.38	23.35	23.34	
Channel				370500	376500	382500	24.0
Frequency (MHz)				1852.5	1882.5	1912.5	
5	PI/2 BPSK	1	1	23.42	23.39	23.50	



<Reduced Power Mode(Main) FR1 n25>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				372000	376500	381000	16.5
Frequency (MHz)				1860	1882.5	1905	
20	PI/2 BPSK	1	1	16.02	16.38	16.21	
20	PI/2 BPSK	1	53	15.79	15.86	15.71	16.5
20	PI/2 BPSK	1	104	15.94	16.09	15.87	
20	PI/2 BPSK	50	0	16.28	16.30	16.13	
20	PI/2 BPSK	50	28	16.12	16.27	16.09	16.5
20	PI/2 BPSK	50	56	16.05	16.14	15.95	16.5
20	PI/2 BPSK	100	0	16.01	16.14	16.04	
20	QPSK	1	1	15.72	15.89	15.67	
20	QPSK	1	53	16.10	16.22	16.06	16.5
20	QPSK	1	104	15.85	15.99	15.84	
20	QPSK	50	0	15.93	15.99	15.87	
20	QPSK	50	28	16.04	16.13	16.04	16.5
20	QPSK	50	56	15.95	16.07	15.89	16.5
20	QPSK	100	0	15.87	16.05	15.82	
20	16QAM	1	1	15.61	15.81	15.62	
20	64QAM	1	1	15.33	15.47	15.29	16.5
20	256QAM	1	1	15.85	15.96	15.84	16.5
Channel				371500	376500	381500	16.5
Frequency (MHz)				1857.5	1882.5	1907.5	
15	PI/2 BPSK	1	1	15.94	16.33	16.12	
Channel				371000	376500	382000	16.5
Frequency (MHz)				1855	1882.5	1910	
10	PI/2 BPSK	1	1	15.89	16.25	16.06	
Channel				370500	376500	382500	16.5
Frequency (MHz)				1852.5	1882.5	1912.5	
5	PI/2 BPSK	1	1	15.79	16.18	15.94	



<Default Power Mode(Main) FR1 n30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					462000		
Frequency (MHz)					2310		
10	PI/2 BPSK	1	1		22.46		23.0
10	PI/2 BPSK	1	26		22.03		
10	PI/2 BPSK	1	50		21.99		
10	PI/2 BPSK	25	0		21.90		22.5
10	PI/2 BPSK	25	14		21.91		23.0
10	PI/2 BPSK	25	27		21.80		22.5
10	PI/2 BPSK	50	0		21.92		
10	QPSK	1	1		22.02		23.0
10	QPSK	1	26		22.04		
10	QPSK	1	50		21.93		
10	QPSK	25	0		21.38		22.0
10	QPSK	25	14		22.00		23.0
10	QPSK	25	27		21.35		22.0
10	QPSK	50	0		21.31		
10	16QAM	1	1		21.23		22.0
10	64QAM	1	1		19.46		20.5
10	256QAM	1	1		18.00		18.5

<Reduced Power Mode(Main) FR1 n30>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					462000		
Frequency (MHz)					2310		
10	PI/2 BPSK	1	1		16.17		16.5
10	PI/2 BPSK	1	26		16.15		
10	PI/2 BPSK	1	50		16.11		
10	PI/2 BPSK	25	0		16.15		16.5
10	PI/2 BPSK	25	14		16.11		16.5
10	PI/2 BPSK	25	27		15.91		16.5
10	PI/2 BPSK	50	0		16.08		
10	QPSK	1	1		16.05		16.5
10	QPSK	1	26		16.04		
10	QPSK	1	50		16.05		
10	QPSK	25	0		16.06		16.5
10	QPSK	25	14		16.02		16.5
10	QPSK	25	27		15.81		16.5
10	QPSK	50	0		16.03		
10	16QAM	1	1		16.04		16.5
10	64QAM	1	1		16.01		16.5
10	256QAM	1	1		16.11		16.5



<Default Power Mode(Main) FR1 n66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				346000	349000	352000	
Frequency (MHz)				1730	1745	1760	
40	PI/2 BPSK	1	1	22.93	22.95	23.05	24.0
40	PI/2 BPSK	1	108	22.74	22.81	22.80	
40	PI/2 BPSK	1	214	22.41	22.39	22.28	
40	PI/2 BPSK	108	0	22.62	22.63	22.60	23.5
40	PI/2 BPSK	108	54	22.51	22.60	22.68	24.0
40	PI/2 BPSK	108	108	21.96	22.07	22.14	23.5
40	PI/2 BPSK	216	0	22.06	22.12	22.15	
40	QPSK	1	1	22.34	22.46	22.34	24.0
40	QPSK	1	108	22.85	22.78	22.79	
40	QPSK	1	214	22.38	22.30	22.31	
40	QPSK	108	0	21.49	21.56	21.59	23.0
40	QPSK	108	54	22.71	22.83	22.78	24.0
40	QPSK	108	108	21.41	21.43	21.44	23.0
40	QPSK	216	0	21.72	21.64	21.52	
40	16QAM	1	1	21.32	21.38	21.33	23.0
40	64QAM	1	1	19.52	19.52	19.58	21.5
40	256QAM	1	1	18.53	18.80	18.64	19.5
Channel				344000	349000	354000	Tune-up limit (dBm)
Frequency (MHz)				1720	1745	1770	
20	PI/2 BPSK	1	1	22.86	22.88	23.02	24.0
Channel				343500	349000	354500	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	PI/2 BPSK	1	1	22.84	22.87	22.87	24.0
Channel				343000	349000	355000	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	PI/2 BPSK	1	1	22.81	22.95	22.92	24.0
Channel				342500	349000	355500	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1745	1777.5	
5	PI/2 BPSK	1	1	22.86	22.92	22.92	24.0

**<Reduced Power Mode(Main) FR1 n66>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				346000	349000	352000	16.0
Frequency (MHz)				1730	1745	1760	
40	PI/2 BPSK	1	1	15.91	15.94	15.89	
40	PI/2 BPSK	1	108	15.25	15.43	15.42	16.0
40	PI/2 BPSK	1	214	15.35	15.46	15.38	
40	PI/2 BPSK	108	0	15.85	15.93	15.75	
40	PI/2 BPSK	108	54	15.81	15.84	15.83	16.0
40	PI/2 BPSK	108	108	15.64	15.75	15.65	16.0
40	PI/2 BPSK	216	0	15.71	15.79	15.75	
40	QPSK	1	1	15.19	15.38	15.27	
40	QPSK	1	108	15.78	15.92	15.74	16.0
40	QPSK	1	214	15.42	15.46	15.41	
40	QPSK	108	0	15.86	15.86	15.82	
40	QPSK	108	54	15.91	15.91	15.90	16.0
40	QPSK	108	108	15.72	15.76	15.71	16.0
40	QPSK	216	0	15.72	15.75	15.63	
40	16QAM	1	1	15.32	15.49	15.32	
40	64QAM	1	1	15.13	15.19	15.12	16.0
40	256QAM	1	1	15.48	15.66	15.54	16.0
Channel				344000	349000	354000	Tune-up limit (dBm)
Frequency (MHz)				1720	1745	1770	
20	PI/2 BPSK	1	1	15.71	15.85	15.83	16.0
Channel				343500	349000	354500	Tune-up limit (dBm)
Frequency (MHz)				1717.5	1745	1772.5	
15	PI/2 BPSK	1	1	15.87	15.84	15.73	16.0
Channel				343000	349000	355000	Tune-up limit (dBm)
Frequency (MHz)				1715	1745	1775	
10	PI/2 BPSK	1	1	15.80	15.92	15.70	16.0
Channel				342500	349000	355500	Tune-up limit (dBm)
Frequency (MHz)				1712.5	1745	1777.5	
5	PI/2 BPSK	1	1	15.84	15.86	15.75	16.0

<Default Power Mode(MIMO2)FR1 n66>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				346000	349000	352000	24.0
Frequency (MHz)				1730	1745	1760	
40	PI/2 BPSK	1	1	22.74	22.85	23.27	
40	PI/2 BPSK	1	108	23.02	23.14	23.22	23.5
40	PI/2 BPSK	1	214	22.81	22.77	22.88	
40	PI/2 BPSK	108	0	22.49	22.41	22.21	
40	PI/2 BPSK	108	54	22.94	23.02	23.05	24.0
40	PI/2 BPSK	108	108	22.63	22.63	22.57	
40	PI/2 BPSK	216	0	22.45	22.46	22.50	
40	QPSK	1	1	22.48	22.53	22.50	24.0
40	QPSK	1	108	23.12	23.08	23.09	
40	QPSK	1	214	22.80	22.83	22.68	
40	QPSK	108	0	21.87	21.96	21.99	23.0
40	QPSK	108	54	22.56	22.46	22.57	
40	QPSK	108	108	21.89	21.96	21.96	
40	QPSK	216	0	21.94	21.89	21.80	23.0
40	16QAM	1	1	21.61	21.46	21.44	
40	64QAM	1	1	19.61	19.73	19.80	
40	256QAM	1	1	18.24	18.20	18.27	19.5
Channel				344000	349000	354000	24.0
Frequency (MHz)				1720	1745	1770	
20	PI/2 BPSK	1	1	22.69	22.78	23.22	
Channel				343500	349000	354500	24.0
Frequency (MHz)				1717.5	1745	1772.5	
15	PI/2 BPSK	1	1	22.69	22.83	23.20	
Channel				343000	349000	355000	24.0
Frequency (MHz)				1715	1745	1775	
10	PI/2 BPSK	1	1	22.72	22.85	23.25	
Channel				342500	349000	355500	24.0
Frequency (MHz)				1712.5	1745	1777.5	
5	PI/2 BPSK	1	1	22.67	22.81	23.20	

**<Reduced Power Mode(MIMO2) FR1 n66>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				346000	349000	352000	22.0
Frequency (MHz)				1730	1745	1760	
40	PI/2 BPSK	1	1	20.86	21.15	21.12	
40	PI/2 BPSK	1	108	20.22	20.31	20.22	21.5
40	PI/2 BPSK	1	214	20.45	20.53	20.38	
40	PI/2 BPSK	108	0	20.83	20.97	20.95	
40	PI/2 BPSK	108	54	20.68	20.81	20.60	21.5
40	PI/2 BPSK	108	108	20.73	20.90	20.68	
40	PI/2 BPSK	216	0	20.72	20.90	20.64	
40	QPSK	1	1	20.18	20.27	20.13	22.0
40	QPSK	1	108	20.80	20.92	20.75	
40	QPSK	1	214	20.41	20.48	20.39	
40	QPSK	108	0	20.64	20.76	20.56	21.0
40	QPSK	108	54	20.86	20.98	20.77	
40	QPSK	108	108	20.74	20.84	20.68	
40	QPSK	216	0	20.74	20.87	20.67	20.5
40	16QAM	1	1	20.15	20.28	20.09	
40	64QAM	1	1	20.24	20.36	20.21	
40	256QAM	1	1	17.82	17.96	17.84	18.5
Channel				344000	349000	354000	22.0
Frequency (MHz)				1720	1745	1770	
20	PI/2 BPSK	1	1	20.85	20.92	21.04	
Channel				343500	349000	354500	22.0
Frequency (MHz)				1717.5	1745	1772.5	
15	PI/2 BPSK	1	1	20.77	20.87	20.97	
Channel				343000	349000	355000	22.0
Frequency (MHz)				1715	1745	1775	
10	PI/2 BPSK	1	1	20.70	20.78	20.91	
Channel				342500	349000	355500	22.0
Frequency (MHz)				1712.5	1745	1777.5	
5	PI/2 BPSK	1	1	20.63	20.72	20.88	



<Default Power Moded(Main)FR1 n71>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				134600	136100	137600	
Frequency (MHz)				673	680.5	688	
20	PI/2 BPSK	1	1	23.51	23.73	23.71	24.0
20	PI/2 BPSK	1	53	22.91	22.86	22.89	
20	PI/2 BPSK	1	104	22.90	22.88	22.79	
20	PI/2 BPSK	50	0	22.73	22.81	22.83	23.5
20	PI/2 BPSK	50	28	22.66	22.85	22.84	24.0
20	PI/2 BPSK	50	56	22.07	22.12	22.04	23.5
20	PI/2 BPSK	100	0	21.96	21.89	22.01	
20	QPSK	1	1	22.71	22.78	22.85	24.0
20	QPSK	1	53	22.66	22.77	22.76	
20	QPSK	1	104	22.69	22.74	22.65	
20	QPSK	50	0	21.36	21.42	21.50	23.0
20	QPSK	50	28	22.54	22.78	22.83	24.0
20	QPSK	50	56	21.59	21.48	21.55	23.0
20	QPSK	100	0	21.42	21.43	21.21	
20	16QAM	1	1	21.13	21.13	21.26	23.0
20	64QAM	1	1	19.53	19.63	19.54	21.5
20	256QAM	1	1	17.81	18.00	17.97	19.5
Channel				134100	136100	138100	Tune-up limit (dBm)
Frequency (MHz)				670.5	680.5	690.5	
15	PI/2 BPSK	1	1	23.43	23.45	23.55	24.0
Channel				133600	136100	138600	Tune-up limit (dBm)
Frequency (MHz)				668	680.5	693	
10	PI/2 BPSK	1	1	23.34	23.46	23.58	24.0
Channel				133100	136100	139100	Tune-up limit (dBm)
Frequency (MHz)				665.5	680.5	695.5	
5	PI/2 BPSK	1	1	23.37	23.61	23.66	24.0



<Default Power Mode(Main) FR1 n38>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				516000	519000	522000	
Frequency (MHz)				2580	2595	2610	
20	PI/2 BPSK	1	1	23.03	23.18	23.14	24.0
20	PI/2 BPSK	1	26	22.79	22.98	22.74	
20	PI/2 BPSK	1	49	22.73	22.85	22.71	
20	PI/2 BPSK	25	0	22.99	22.96	22.86	23.5
20	PI/2 BPSK	25	13	22.26	23.00	22.43	24.0
20	PI/2 BPSK	25	26	22.94	22.84	22.91	23.5
20	PI/2 BPSK	50	0	22.44	22.45	22.42	
20	QPSK	1	1	22.64	22.73	22.67	24.0
20	QPSK	1	26	22.79	22.81	22.73	
20	QPSK	1	49	22.71	22.80	22.79	
20	QPSK	25	0	22.05	22.05	22.09	24.0
20	QPSK	25	13	22.80	22.98	22.97	
20	QPSK	25	26	22.93	22.08	22.88	
20	QPSK	50	0	21.85	21.86	21.76	23.0
20	16QAM	1	1	21.67	21.65	21.67	23.0
20	64QAM	1	1	19.81	19.85	20.00	21.5
20	256QAM	1	1	18.46	18.59	18.38	19.5
Channel				515500	519000	522500	Tune-up limit (dBm)
Frequency (MHz)				2577.5	2595	2612.5	
15	PI/2 BPSK	1	1	22.93	23.04	23.05	24.0
Channel				515000	519000	523000	Tune-up limit (dBm)
Frequency (MHz)				2575	2595	2615	
10	PI/2 BPSK	1	1	22.84	23.11	23.03	24.0



<Reduced Power Mode(Main) FR1 n38>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				516000	519000	522000	19.0
Frequency (MHz)				2580	2595	2610	
20	PI/2 BPSK	1	1	18.31	18.32	18.25	
20	PI/2 BPSK	1	26	18.25	18.17	18.09	19.0
20	PI/2 BPSK	1	49	18.19	18.01	18.06	
20	PI/2 BPSK	25	0	18.13	18.31	18.01	
20	PI/2 BPSK	25	13	17.95	18.12	17.88	19.0
20	PI/2 BPSK	25	26	17.86	18.20	17.99	19.0
20	PI/2 BPSK	50	0	18.08	18.25	17.90	
20	QPSK	1	1	18.06	18.07	17.92	
20	QPSK	1	26	17.97	18.14	18.01	19.0
20	QPSK	1	49	18.07	18.14	17.70	
20	QPSK	25	0	17.91	18.05	17.74	
20	QPSK	25	13	17.99	18.14	17.66	19.0
20	QPSK	25	26	17.90	17.94	17.99	
20	QPSK	50	0	18.11	18.07	18.07	
20	16QAM	1	1	18.01	18.03	17.83	19.0
20	64QAM	1	1	17.77	17.76	17.64	19.0
20	256QAM	1	1	17.75	17.88	17.70	19.0
Channel				515500	519000	522500	19.0
Frequency (MHz)				2577.5	2595	2612.5	
15	PI/2 BPSK	1	1	18.23	18.28	18.08	
Channel				515000	519000	523000	19.0
Frequency (MHz)				2575	2595	2615	
10	PI/2 BPSK	1	1	18.32	18.23	18.18	



<Reduced Power Mode(MIMO2) FR1 n38>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				516000	519000	522000	21.5
Frequency (MHz)				2580	2595	2610	
20	PI/2 BPSK	1	1	20.86	21.03	20.88	
20	PI/2 BPSK	1	26	20.67	20.75	20.55	21.5
20	PI/2 BPSK	1	49	20.55	20.78	20.61	
20	PI/2 BPSK	25	0	20.67	20.91	20.65	
20	PI/2 BPSK	25	13	20.65	20.78	20.58	21.5
20	PI/2 BPSK	25	26	20.62	20.89	20.67	21.5
20	PI/2 BPSK	50	0	20.48	20.81	20.49	
20	QPSK	1	1	20.85	20.88	20.48	
20	QPSK	1	26	20.64	20.92	20.50	21.5
20	QPSK	1	49	20.66	20.72	20.50	
20	QPSK	25	0	20.64	20.96	20.64	
20	QPSK	25	13	20.66	20.69	20.47	21.5
20	QPSK	25	26	20.44	20.69	20.40	
20	QPSK	50	0	20.51	20.59	20.37	
20	16QAM	1	1	20.75	20.79	20.53	21.5
20	64QAM	1	1	20.10	19.92	19.93	21.5
20	256QAM	1	1	18.54	18.59	18.50	20.5
Channel				515500	519000	522500	21.5
Frequency (MHz)				2577.5	2595	2612.5	
15	PI/2 BPSK	1	1	20.92	20.95	20.82	
Channel				515000	519000	523000	21.5
Frequency (MHz)				2575	2595	2615	
10	PI/2 BPSK	1	1	20.86	20.98	20.79	

**<Default Power Mode(Main) FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	23.96	22.80	22.42	24.0
100	PI/2 BPSK	1	137	22.91	22.86	22.84	
100	PI/2 BPSK	1	271	22.71	22.59	22.68	
100	PI/2 BPSK	135	0	22.74	22.71	22.63	23.5
100	PI/2 BPSK	135	69	22.95	22.86	22.79	24.0
100	PI/2 BPSK	135	138	22.37	22.34	22.21	23.5
100	PI/2 BPSK	270	0	22.50	22.47	22.47	
100	QPSK	1	1	23.18	23.00	23.16	23.5
100	QPSK	1	137	22.74	22.68	22.58	
100	QPSK	1	271	22.57	22.39	22.57	
100	QPSK	135	0	21.88	21.71	21.71	23.5
100	QPSK	135	69	22.82	22.71	22.70	
100	QPSK	135	138	21.65	21.56	21.60	
100	QPSK	270	0	21.70	21.65	21.51	23.0
100	16QAM	1	1	22.14	22.07	22.01	23.0
100	64QAM	1	1	20.42	20.37	20.25	21.5
100	256QAM	1	1	19.02	18.93	19.01	19.5
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	23.93	22.79	22.31	24.0
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	23.80	22.70	22.42	24.0
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	23.84	22.66	22.28	24.0
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	23.79	22.64	22.30	24.0
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	23.75	22.70	22.26	24.0
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	23.83	22.61	22.40	24.0
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	23.84	22.80	22.23	24.0
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	23.88	22.73	22.36	24.0

**<Reduced Power Mode(Main) FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	19.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	18.34	18.37	18.36	
100	PI/2 BPSK	1	137	18.17	18.19	18.10	19.0
100	PI/2 BPSK	1	271	18.12	18.04	18.04	
100	PI/2 BPSK	135	0	18.17	18.30	17.98	
100	PI/2 BPSK	135	69	18.05	18.12	17.97	19.0
100	PI/2 BPSK	135	138	17.94	18.19	17.93	19.0
100	PI/2 BPSK	270	0	18.02	18.18	17.85	
100	QPSK	1	1	18.10	18.03	17.90	
100	QPSK	1	137	17.94	18.15	17.96	19.0
100	QPSK	1	271	17.98	18.12	17.77	
100	QPSK	135	0	17.84	18.03	17.77	
100	QPSK	135	69	17.96	18.07	17.72	19.0
100	QPSK	135	138	17.94	18.04	17.95	
100	QPSK	270	0	18.04	18.17	18.05	
100	16QAM	1	1	17.97	18.03	17.83	19.0
100	64QAM	1	1	17.73	17.78	17.59	19.0
100	256QAM	1	1	17.61	17.66	17.41	19.0
Channel				508200	518598	528996	19.0
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	18.25	18.15	18.25	
Channel				507204	518598	529998	19.0
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	18.16	18.18	18.22	
Channel				505200	518598	531996	19.0
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	18.22	18.25	18.22	
Channel				504204	518598	532998	19.0
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	18.30	18.24	18.23	
Channel				503202	518598	534000	19.0
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	18.22	18.16	18.08	
Channel				501204	518598	535998	19.0
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	18.18	18.21	18.17	
Channel				500700	518598	536496	19.0
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	18.18	18.14	18.13	
Channel				500202	518598	537000	19.0
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	18.23	18.15	18.12	

**<Default Power Mode(MIMO2) FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	24.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	22.16	22.71	22.07	
100	PI/2 BPSK	1	137	22.17	22.45	22.01	23.5
100	PI/2 BPSK	1	271	22.30	22.30	22.49	
100	PI/2 BPSK	135	0	22.42	22.60	22.50	
100	PI/2 BPSK	135	69	22.44	22.61	22.51	23.5
100	PI/2 BPSK	135	138	22.29	22.38	22.27	
100	PI/2 BPSK	270	0	21.85	22.01	22.09	
100	QPSK	1	1	22.02	22.00	22.11	24.0
100	QPSK	1	137	22.02	22.03	22.03	
100	QPSK	1	271	22.42	22.36	22.49	
100	QPSK	135	0	22.09	22.06	22.04	24.0
100	QPSK	135	69	22.03	22.04	22.10	
100	QPSK	135	138	22.33	22.47	22.46	
100	QPSK	270	0	22.00	21.96	21.96	23.0
100	16QAM	1	1	21.42	21.40	21.24	23.0
100	64QAM	1	1	21.06	21.02	20.94	21.5
100	256QAM	1	1	19.44	19.48	19.44	19.5
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	22.07	22.35	22.11	24.0
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	22.11	22.37	22.13	24.0
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	22.22	22.47	22.14	24.0
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	22.19	22.48	22.14	24.0
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	22.19	22.43	22.11	24.0
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	22.07	22.39	22.02	24.0
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	22.14	22.51	22.15	24.0
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	22.26	22.50	22.16	24.0

**<Reduced Power Mode(MIMO2) FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	20.5
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	20.03	20.15	19.99	
100	PI/2 BPSK	1	137	19.74	19.94	19.61	20.5
100	PI/2 BPSK	1	271	19.71	19.81	19.61	
100	PI/2 BPSK	135	0	19.74	19.99	19.79	
100	PI/2 BPSK	135	69	19.68	19.93	19.69	20.5
100	PI/2 BPSK	135	138	19.78	19.94	19.76	20.5
100	PI/2 BPSK	270	0	19.67	19.87	19.54	
100	QPSK	1	1	19.85	19.96	19.61	
100	QPSK	1	137	19.76	19.98	19.69	20.5
100	QPSK	1	271	19.75	19.89	19.53	
100	QPSK	135	0	19.76	19.98	19.82	
100	QPSK	135	69	19.72	19.86	19.58	20.5
100	QPSK	135	138	19.61	19.85	19.53	
100	QPSK	270	0	19.52	19.79	19.54	
100	16QAM	1	1	19.75	19.88	19.58	20.5
100	64QAM	1	1	19.12	19.11	19.06	20.5
100	256QAM	1	1	18.55	18.56	18.60	19.5
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	19.86	19.98	19.86	
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	19.92	20.03	19.80	
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	19.83	20.12	19.80	
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	19.95	20.09	19.80	
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	20.03	20.05	19.82	
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	20.01	20.00	19.89	
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	19.83	20.12	19.95	
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	19.92	20.00	19.79	

**<Default Power Mode(MIMO3) FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	15.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	14.18	14.38	14.13	
100	PI/2 BPSK	1	137	14.15	14.21	14.16	15.0
100	PI/2 BPSK	1	271	14.19	14.22	14.20	
100	PI/2 BPSK	135	0	14.19	14.25	14.23	
100	PI/2 BPSK	135	69	14.01	14.10	14.02	15.0
100	PI/2 BPSK	135	138	14.03	14.09	14.09	15.0
100	PI/2 BPSK	270	0	14.16	14.16	14.11	
100	QPSK	1	1	14.11	14.17	14.14	
100	QPSK	1	137	14.02	14.04	14.01	15.0
100	QPSK	1	271	14.03	14.09	14.01	
100	QPSK	135	0	13.93	13.99	13.93	
100	QPSK	135	69	13.97	13.97	13.88	15.0
100	QPSK	135	138	13.79	13.89	13.79	
100	QPSK	270	0	14.07	14.15	14.14	
100	16QAM	1	1	14.08	14.08	14.00	15.0
100	64QAM	1	1	13.80	13.85	13.82	15.0
100	256QAM	1	1	14.11	14.20	14.20	15.0
Channel				508200	518598	528996	15.0
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	14.14	14.27	13.91	
Channel				507204	518598	529998	15.0
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	14.07	14.24	13.92	
Channel				505200	518598	531996	15.0
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	13.98	14.23	14.01	
Channel				504204	518598	532998	15.0
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	14.16	14.23	13.94	
Channel				503202	518598	534000	15.0
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	14.11	14.12	13.84	
Channel				501204	518598	535998	15.0
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	14.10	14.09	13.95	
Channel				500700	518598	536496	15.0
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	14.04	14.20	13.98	
Channel				500202	518598	537000	15.0
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	14.17	14.10	13.90	

**<Default Power Mode(Aux)FR1 n41>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	18.5
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	17.63	17.77	17.59	
100	PI/2 BPSK	1	137	17.68	17.70	17.70	18.5
100	PI/2 BPSK	1	271	17.69	17.69	17.60	
100	PI/2 BPSK	135	0	17.64	17.74	17.70	
100	PI/2 BPSK	135	69	17.55	17.64	17.56	18.5
100	PI/2 BPSK	135	138	17.56	17.66	17.66	18.5
100	PI/2 BPSK	270	0	17.63	17.63	17.61	
100	QPSK	1	1	17.71	17.73	17.68	
100	QPSK	1	137	17.62	17.71	17.71	18.5
100	QPSK	1	271	17.67	17.69	17.69	
100	QPSK	135	0	17.50	17.58	17.52	
100	QPSK	135	69	17.45	17.55	17.51	18.5
100	QPSK	135	138	17.64	17.64	17.60	
100	QPSK	270	0	17.66	17.66	17.63	
100	16QAM	1	1	17.65	17.66	17.57	18.5
100	64QAM	1	1	17.42	17.48	17.42	18.5
100	256QAM	1	1	17.58	17.67	17.63	18.5
Channel				508200	518598	528996	18.5
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	17.53	17.72	17.54	
Channel				507204	518598	529998	18.5
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	17.55	17.67	17.58	
Channel				505200	518598	531996	18.5
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	17.55	17.71	17.54	
Channel				504204	518598	532998	18.5
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	17.60	17.68	17.51	
Channel				503202	518598	534000	18.5
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	17.55	17.72	17.51	
Channel				501204	518598	535998	18.5
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	17.61	17.69	17.57	
Channel				500700	518598	536496	18.5
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	17.55	17.71	17.56	
Channel				500202	518598	537000	18.5
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	17.59	17.75	17.59	

**<Default Power Mode(Main) FR1 n41 HPUE>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	25.80	25.80	25.96	27.0
100	PI/2 BPSK	1	137	25.68	25.62	25.54	
100	PI/2 BPSK	1	271	25.75	25.68	25.65	
100	PI/2 BPSK	135	0	25.77	25.69	25.64	26.5
100	PI/2 BPSK	135	69	25.83	25.84	25.87	27.0
100	PI/2 BPSK	135	138	25.81	25.70	25.79	26.5
100	PI/2 BPSK	270	0	25.24	25.15	25.19	
100	QPSK	1	1	25.47	25.47	25.48	27.0
100	QPSK	1	137	25.38	25.47	25.43	
100	QPSK	1	271	25.49	25.50	25.47	
100	QPSK	135	0	25.08	25.12	25.13	27.0
100	QPSK	135	69	25.67	25.75	25.66	
100	QPSK	135	138	25.68	25.77	25.62	
100	QPSK	270	0	24.74	24.73	24.79	26.0
100	16QAM	1	1	24.51	24.54	24.57	26.0
100	64QAM	1	1	22.71	22.89	22.79	24.5
100	256QAM	1	1	21.28	21.17	21.16	22.5
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	25.83	25.74	25.79	27.0
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	25.84	25.86	25.84	27.0
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	25.72	25.73	25.70	27.0
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	25.70	25.80	25.88	27.0
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	25.73	25.70	25.83	27.0
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	25.90	25.72	25.81	27.0
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	25.79	25.78	25.85	27.0
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	25.87	25.82	25.83	27.0



<Reduced Power Mode(Main) FR1 n41 HPUE>

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	22.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	20.70	20.77	20.87	
100	PI/2 BPSK	1	137	20.71	20.57	20.79	21.5
100	PI/2 BPSK	1	271	20.61	20.61	20.63	
100	PI/2 BPSK	135	0	20.79	20.73	20.81	
100	PI/2 BPSK	135	69	20.44	20.50	20.63	21.5
100	PI/2 BPSK	135	138	20.48	20.67	20.70	
100	PI/2 BPSK	270	0	19.96	19.96	20.04	
100	QPSK	1	1	20.23	20.46	20.41	22.0
100	QPSK	1	137	20.12	20.44	20.24	
100	QPSK	1	271	20.42	20.48	20.34	
100	QPSK	135	0	20.11	20.01	20.09	22.0
100	QPSK	135	69	20.48	20.66	20.56	
100	QPSK	135	138	20.69	20.76	20.62	
100	QPSK	270	0	19.50	19.69	19.61	21.0
100	16QAM	1	1	19.44	19.52	19.37	21.0
100	64QAM	1	1	17.78	17.89	17.96	19.5
100	256QAM	1	1	17.42	17.46	17.32	17.5
Channel				508200	518598	528996	22.0
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	20.12	20.20	20.25	
Channel				507204	518598	529998	22.0
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	20.00	20.22	20.22	
Channel				505200	518598	531996	22.0
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	20.07	20.08	20.24	
Channel				504204	518598	532998	22.0
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	20.09	20.22	20.20	
Channel				503202	518598	534000	22.0
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	20.16	20.25	20.14	
Channel				501204	518598	535998	22.0
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	20.03	20.10	20.20	
Channel				500700	518598	536496	22.0
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	20.10	20.16	20.17	
Channel				500202	518598	537000	22.0
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	20.09	20.26	20.18	

**<Default Power Mode(MIMO2) FR1 n41 HPUE>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	27.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	25.45	25.41	25.36	
100	PI/2 BPSK	1	137	25.17	25.31	25.36	26.5
100	PI/2 BPSK	1	271	25.03	25.09	25.10	
100	PI/2 BPSK	135	0	25.26	25.28	25.24	
100	PI/2 BPSK	135	69	25.40	25.32	25.26	26.5
100	PI/2 BPSK	135	138	25.03	25.20	25.10	
100	PI/2 BPSK	270	0	25.15	25.08	25.16	
100	QPSK	1	1	25.18	25.21	25.21	27.0
100	QPSK	1	137	25.36	25.35	25.20	
100	QPSK	1	271	25.01	25.00	25.10	
100	QPSK	135	0	25.18	25.12	25.03	27.0
100	QPSK	135	69	25.30	25.26	25.38	
100	QPSK	135	138	25.11	25.09	25.04	
100	QPSK	270	0	24.32	24.16	24.24	26.0
100	16QAM	1	1	24.03	24.06	24.19	26.0
100	64QAM	1	1	22.68	22.53	22.55	24.5
100	256QAM	1	1	20.73	20.69	20.60	22.5
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	25.35	25.26	25.34	27.0
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	25.35	25.24	25.24	27.0
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	25.27	25.26	25.36	27.0
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	25.27	25.32	25.32	27.0
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	25.30	25.39	25.22	27.0
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	25.32	25.22	25.26	27.0
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	25.26	25.21	25.25	27.0
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	25.32	25.22	25.29	27.0

**<Reduced Power Mode(MIMO2) PFR1 n41 HPUE>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	23.5
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	23.35	23.31	23.26	
100	PI/2 BPSK	1	137	22.96	23.06	23.23	23.0
100	PI/2 BPSK	1	271	22.73	22.97	22.83	
100	PI/2 BPSK	135	0	22.94	22.79	22.77	
100	PI/2 BPSK	135	69	23.15	23.00	23.06	23.0
100	PI/2 BPSK	135	138	22.90	22.80	22.87	
100	PI/2 BPSK	270	0	22.94	22.91	22.95	
100	QPSK	1	1	23.06	23.05	22.97	23.5
100	QPSK	1	137	23.21	23.06	22.92	
100	QPSK	1	271	22.74	22.81	22.94	
100	QPSK	135	0	22.98	22.97	22.93	22.5
100	QPSK	135	69	23.04	23.10	23.20	
100	QPSK	135	138	22.87	22.88	22.92	
100	QPSK	270	0	22.17	21.91	22.10	21.5
100	16QAM	1	1	21.93	21.95	21.89	
100	64QAM	1	1	20.45	20.36	20.31	
100	256QAM	1	1	18.51	18.51	18.42	19.5
Channel				508200	518598	528996	23.5
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	23.33	23.24	23.24	
Channel				507204	518598	529998	23.5
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	23.21	23.21	23.24	
Channel				505200	518598	531996	23.5
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	23.29	23.29	23.08	
Channel				504204	518598	532998	23.5
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	23.15	23.12	23.26	
Channel				503202	518598	534000	23.5
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	23.29	23.24	23.26	
Channel				501204	518598	535998	23.5
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	23.31	23.24	23.08	
Channel				500700	518598	536496	23.5
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	23.20	23.29	23.18	
Channel				500202	518598	537000	23.5
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	23.32	23.25	23.17	

**<Default Power Mode(MIMO3) FR1 n41 HPUE>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	18.0
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	17.56	17.50	17.65	
100	PI/2 BPSK	1	137	17.52	17.42	17.50	
100	PI/2 BPSK	1	271	17.47	17.44	17.33	18.0
100	PI/2 BPSK	135	0	17.25	17.47	17.48	
100	PI/2 BPSK	135	69	17.36	17.41	17.36	
100	PI/2 BPSK	135	138	17.24	17.43	17.21	
100	PI/2 BPSK	270	0	17.43	17.24	17.34	18.0
100	QPSK	1	1	17.46	17.38	17.37	
100	QPSK	1	137	17.45	17.54	17.36	
100	QPSK	1	271	17.39	17.51	17.41	
100	QPSK	135	0	17.37	17.32	17.37	18.0
100	QPSK	135	69	17.42	17.43	17.58	
100	QPSK	135	138	17.31	17.36	17.31	
100	QPSK	270	0	16.60	16.32	16.48	
100	16QAM	1	1	16.50	16.36	16.34	18.0
100	64QAM	1	1	16.95	16.85	16.82	18.0
100	256QAM	1	1	16.88	17.00	16.82	18.0
Channel				508200	518598	528996	Tune-up limit (dBm)
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	17.55	17.46	17.65	18.0
Channel				507204	518598	529998	Tune-up limit (dBm)
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	17.42	17.49	17.63	18.0
Channel				505200	518598	531996	Tune-up limit (dBm)
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	17.53	17.50	17.62	18.0
Channel				504204	518598	532998	Tune-up limit (dBm)
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	17.41	17.47	17.52	18.0
Channel				503202	518598	534000	Tune-up limit (dBm)
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	17.42	17.46	17.48	18.0
Channel				501204	518598	535998	Tune-up limit (dBm)
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	17.39	17.35	17.59	18.0
Channel				500700	518598	536496	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	17.55	17.31	17.52	18.0
Channel				500202	518598	537000	Tune-up limit (dBm)
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	17.39	17.31	17.48	18.0

**<Default Power Mode(Aux) FR1 n41 HPUE>**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				509202	518598	528000	21.5
Frequency (MHz)				2546.01	2592.99	2640	
100	PI/2 BPSK	1	1	21.00	21.30	20.98	
100	PI/2 BPSK	1	137	20.51	20.66	20.66	21.5
100	PI/2 BPSK	1	271	20.52	20.55	20.56	
100	PI/2 BPSK	135	0	20.59	20.59	20.50	
100	PI/2 BPSK	135	69	20.43	20.55	20.45	21.5
100	PI/2 BPSK	135	138	20.40	20.61	20.49	21.5
100	PI/2 BPSK	270	0	20.50	20.63	20.47	
100	QPSK	1	1	20.67	20.57	20.62	
100	QPSK	1	137	20.60	20.54	20.54	21.5
100	QPSK	1	271	20.49	20.54	20.60	
100	QPSK	135	0	20.30	20.58	20.44	
100	QPSK	135	69	20.41	20.39	20.31	21.5
100	QPSK	135	138	20.60	20.53	20.60	
100	QPSK	270	0	20.50	20.48	20.50	
100	16QAM	1	1	20.56	20.61	20.42	21.5
100	64QAM	1	1	20.33	20.30	20.36	21.5
100	256QAM	1	1	20.45	20.56	20.55	21.5
Channel				508200	518598	528996	21.5
Frequency (MHz)				2541	2592.99	2644.98	
90	PI/2 BPSK	1	1	20.91	21.21	20.83	
Channel				507204	518598	529998	21.5
Frequency (MHz)				2536.02	2592.99	2649.99	
80	PI/2 BPSK	1	1	20.95	21.17	20.79	
Channel				505200	518598	531996	21.5
Frequency (MHz)				2526	2592.99	2659.98	
60	PI/2 BPSK	1	1	20.89	21.27	20.87	
Channel				504204	518598	532998	21.5
Frequency (MHz)				2521.02	2592.99	2664.99	
50	PI/2 BPSK	1	1	20.86	21.10	20.82	
Channel				503202	518598	534000	21.5
Frequency (MHz)				2516.01	2592.99	2670	
40	PI/2 BPSK	1	1	21.00	21.13	20.95	
Channel				501204	518598	535998	21.5
Frequency (MHz)				2506.02	2592.99	2679.99	
20	PI/2 BPSK	1	1	20.99	21.13	20.88	
Channel				500700	518598	536496	21.5
Frequency (MHz)				2503.5	2592.99	2682.48	
15	PI/2 BPSK	1	1	20.99	21.20	20.96	
Channel				500202	518598	537000	21.5
Frequency (MHz)				2501.01	2592.99	2685	
10	PI/2 BPSK	1	1	20.81	21.29	20.94	

**<Default Power Mode(Main) FR1 n77> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	24.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	22.45	22.70	22.73	
100	PI/2 BPSK	1	137	22.10	22.48	22.51	23.5
100	PI/2 BPSK	1	271	22.08	22.25	22.27	
100	PI/2 BPSK	135	0	22.07	22.32	22.36	
100	PI/2 BPSK	135	69	22.36	22.55	22.56	23.5
100	PI/2 BPSK	135	138	22.10	22.22	22.45	
100	PI/2 BPSK	270	0	21.99	22.31	22.41	
100	QPSK	1	1	22.05	22.06	22.25	24.0
100	QPSK	1	137	22.13	22.36	22.55	
100	QPSK	1	271	22.05	22.27	22.10	
100	QPSK	135	0	22.01	22.16	22.19	24.0
100	QPSK	135	69	22.16	22.40	22.63	
100	QPSK	135	138	22.10	22.27	22.19	
100	QPSK	270	0	22.05	22.15	22.31	23.0
100	16QAM	1	1	21.45	21.60	21.55	23.0
100	64QAM	1	1	19.60	19.76	19.73	21.5
100	256QAM	1	1	18.34	18.69	18.84	19.5
Channel				649668	656000	662332	24.0
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	22.32	22.64	22.70	
Channel				649334	656000	662666	24.0
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	22.31	22.64	22.63	
Channel				648668	656000	663332	24.0
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	22.34	22.58	22.60	
Channel				648334	656000	663666	24.0
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	22.43	22.72	22.61	
Channel				648000	656000	664000	24.0
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	22.27	22.55	22.52	
Channel				647334	656000	664666	24.0
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	22.28	22.57	22.69	
Channel				647168	656000	664832	24.0
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	22.34	22.69	22.66	
Channel				647000	656000	665000	24.0
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	22.30	22.59	22.53	

**<Reduced Power Mode(Main) FR1 n77> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	14.5
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	13.41	13.53	13.35	
100	PI/2 BPSK	1	137	13.35	13.45	13.25	14.5
100	PI/2 BPSK	1	271	13.36	13.40	13.30	
100	PI/2 BPSK	135	0	13.38	13.51	13.32	
100	PI/2 BPSK	135	69	13.34	13.45	13.27	14.5
100	PI/2 BPSK	135	138	13.35	13.48	13.28	14.5
100	PI/2 BPSK	270	0	13.34	13.42	13.30	
100	QPSK	1	1	13.13	13.20	13.11	
100	QPSK	1	137	13.38	13.48	13.28	14.5
100	QPSK	1	271	13.23	13.33	13.25	
100	QPSK	135	0	13.31	13.46	13.25	
100	QPSK	135	69	13.37	13.49	13.26	14.5
100	QPSK	135	138	13.30	13.44	13.22	
100	QPSK	270	0	13.37	13.45	13.27	
100	16QAM	1	1	13.04	13.06	12.99	14.5
100	64QAM	1	1	12.78	12.82	12.76	14.5
100	256QAM	1	1	13.28	13.30	13.28	14.5
Channel				649668	656000	662332	14.5
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	13.35	13.39	13.22	
Channel				649334	656000	662666	14.5
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	13.24	13.36	13.25	
Channel				648668	656000	663332	14.5
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	13.24	13.34	13.28	
Channel				648334	656000	663666	14.5
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	13.40	13.47	13.24	
Channel				648000	656000	664000	14.5
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	13.41	13.43	13.25	
Channel				647334	656000	664666	14.5
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	13.34	13.45	13.33	
Channel				647168	656000	664832	14.5
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	13.37	13.38	13.35	
Channel				647000	656000	665000	14.5
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	13.23	13.33	13.32	

**<Default Power Mode(MIMO2) FR1 n77> (Part 27O)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	24.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	22.23	22.45	22.76	
100	PI/2 BPSK	1	137	22.01	22.32	22.47	23.5
100	PI/2 BPSK	1	271	22.11	22.18	22.13	
100	PI/2 BPSK	135	0	22.19	22.22	22.29	
100	PI/2 BPSK	135	69	22.31	22.35	22.43	23.5
100	PI/2 BPSK	135	138	21.98	22.20	22.30	
100	PI/2 BPSK	270	0	21.93	22.15	22.29	
100	QPSK	1	1	22.04	22.01	22.06	24.0
100	QPSK	1	137	22.05	22.27	22.49	
100	QPSK	1	271	22.02	22.13	22.02	
100	QPSK	135	0	22.00	22.10	22.08	24.0
100	QPSK	135	69	22.08	22.22	22.59	
100	QPSK	135	138	22.02	22.11	22.11	
100	QPSK	270	0	21.98	22.05	22.28	23.0
100	16QAM	1	1	21.30	21.58	21.35	23.0
100	64QAM	1	1	19.51	19.58	19.55	21.5
100	256QAM	1	1	18.22	18.62	18.80	19.5
Channel				649668	656000	662332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	22.15	22.44	22.58	24.0
Channel				649334	656000	662666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	22.13	22.38	22.70	24.0
Channel				648668	656000	663332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	22.15	22.40	22.52	24.0
Channel				648334	656000	663666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	22.08	22.25	22.68	24.0
Channel				648000	656000	664000	Tune-up limit (dBm)
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	22.16	22.28	22.62	24.0
Channel				647334	656000	664666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	22.12	22.33	22.59	24.0
Channel				647168	656000	664832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	22.16	22.27	22.57	24.0
Channel				647000	656000	665000	Tune-up limit (dBm)
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	22.08	22.32	22.63	24.0

**<Reduced Power Mode(MIMO2) FR1 n77> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	16.5
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	15.02	15.08	15.12	
100	PI/2 BPSK	1	137	14.72	14.85	14.62	16.5
100	PI/2 BPSK	1	271	14.64	14.79	14.69	
100	PI/2 BPSK	135	0	14.67	14.86	14.68	
100	PI/2 BPSK	135	69	14.70	14.85	14.96	16.5
100	PI/2 BPSK	135	138	14.65	14.85	14.67	16.5
100	PI/2 BPSK	270	0	14.65	14.81	14.91	
100	QPSK	1	1	14.50	14.64	14.83	
100	QPSK	1	137	14.69	14.67	14.83	16.5
100	QPSK	1	271	14.68	14.77	14.88	
100	QPSK	135	0	14.70	14.82	14.92	
100	QPSK	135	69	14.64	14.84	14.81	16.5
100	QPSK	135	138	14.65	14.82	14.76	
100	QPSK	270	0	14.64	14.82	14.88	
100	16QAM	1	1	14.64	14.81	14.85	16.5
100	64QAM	1	1	14.51	14.55	14.67	16.5
100	256QAM	1	1	14.56	14.50	14.56	16.5
Channel				649668	656000	662332	16.5
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	14.60	14.75	14.84	
Channel				649334	656000	662666	16.5
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	14.58	14.74	14.88	
Channel				648668	656000	663332	16.5
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	14.56	14.80	14.86	
Channel				648334	656000	663666	16.5
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	14.71	14.73	14.96	
Channel				648000	656000	664000	16.5
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	14.73	14.89	14.80	
Channel				647334	656000	664666	16.5
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	14.74	14.84	15.00	
Channel				647168	656000	664832	16.5
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	14.63	14.90	14.81	
Channel				647000	656000	665000	16.5
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	14.63	14.81	14.98	

**<Default Power Mode(MIMO3) FR1 n77> (Part 27O)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	13.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	12.68	12.71	12.65	
100	PI/2 BPSK	1	137	12.49	12.32	12.19	13.0
100	PI/2 BPSK	1	271	12.13	12.11	12.08	
100	PI/2 BPSK	135	0	12.36	12.69	12.26	
100	PI/2 BPSK	135	69	11.92	12.41	12.28	13.0
100	PI/2 BPSK	135	138	12.23	12.32	12.16	13.0
100	PI/2 BPSK	270	0	12.20	12.01	11.88	
100	QPSK	1	1	11.96	12.44	12.41	
100	QPSK	1	137	12.36	12.23	12.15	13.0
100	QPSK	1	271	12.16	12.15	12.10	
100	QPSK	135	0	12.09	12.33	12.30	
100	QPSK	135	69	12.32	12.05	11.93	13.0
100	QPSK	135	138	12.04	12.11	11.98	
100	QPSK	270	0	12.03	11.98	11.94	
100	16QAM	1	1	11.79	12.22	12.13	13.0
100	64QAM	1	1	12.11	12.36	12.30	13.0
100	256QAM	1	1	12.27	12.25	12.16	13.0
Channel				649668	656000	662332	13.0
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	12.63	12.54	12.62	
Channel				649334	656000	662666	13.0
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	12.63	12.51	12.48	
Channel				648668	656000	663332	13.0
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	12.52	12.70	12.45	
Channel				648334	656000	663666	13.0
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	12.60	12.55	12.45	
Channel				648000	656000	664000	13.0
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	12.57	12.60	12.56	
Channel				647334	656000	664666	13.0
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	12.64	12.59	12.60	
Channel				647168	656000	664832	13.0
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	12.56	12.58	12.55	
Channel				647000	656000	665000	13.0
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	12.55	12.59	12.52	

**<Default Power Mode(Aux) FR1 n77> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	15.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	14.85	14.90	14.80	
100	PI/2 BPSK	1	137	14.50	14.89	14.68	15.0
100	PI/2 BPSK	1	271	14.43	14.51	14.44	
100	PI/2 BPSK	135	0	14.74	14.80	14.79	
100	PI/2 BPSK	135	69	14.79	14.88	14.85	15.0
100	PI/2 BPSK	135	138	14.76	14.87	14.83	15.0
100	PI/2 BPSK	270	0	14.80	14.81	14.79	
100	QPSK	1	1	14.12	14.18	14.10	
100	QPSK	1	137	14.76	14.86	14.79	15.0
100	QPSK	1	271	14.30	14.38	14.36	
100	QPSK	135	0	14.63	14.68	14.60	
100	QPSK	135	69	14.65	14.70	14.63	15.0
100	QPSK	135	138	14.67	14.77	14.69	
100	QPSK	270	0	14.76	14.76	14.67	
100	16QAM	1	1	14.00	14.07	14.01	15.0
100	64QAM	1	1	14.25	14.35	14.29	15.0
100	256QAM	1	1	14.10	14.15	14.10	15.0
Channel				649668	656000	662332	15.0
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	14.70	14.82	14.69	
Channel				649334	656000	662666	15.0
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	14.84	14.79	14.65	
Channel				648668	656000	663332	15.0
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	14.72	14.87	14.70	
Channel				648334	656000	663666	15.0
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	14.67	14.79	14.64	
Channel				648000	656000	664000	15.0
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	14.59	14.67	14.62	
Channel				647334	656000	664666	15.0
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	14.67	14.73	14.63	
Channel				647168	656000	664832	15.0
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	14.74	14.89	14.77	
Channel				647000	656000	665000	15.0
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	14.83	14.80	14.62	



<Default Power Mode(Main) FR1 n77 HPUE> (Part 270)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	25.55	25.82	25.84	27.0
100	PI/2 BPSK	1	137	25.28	25.61	25.64	
100	PI/2 BPSK	1	271	25.07	25.38	25.39	
100	PI/2 BPSK	135	0	25.13	25.36	25.38	26.5
100	PI/2 BPSK	135	69	25.43	25.55	25.56	27.0
100	PI/2 BPSK	135	138	25.16	25.30	25.54	26.5
100	PI/2 BPSK	270	0	25.17	25.38	25.50	
100	QPSK	1	1	25.08	25.21	25.31	27.0
100	QPSK	1	137	25.22	25.40	25.60	
100	QPSK	1	271	25.25	25.31	25.02	
100	QPSK	135	0	25.14	25.26	25.30	27.0
100	QPSK	135	69	25.21	25.49	25.69	
100	QPSK	135	138	25.15	25.28	25.31	
100	QPSK	270	0	25.15	25.33	25.38	26.0
100	16QAM	1	1	24.46	24.69	24.62	26.0
100	64QAM	1	1	22.75	22.85	22.86	24.5
100	256QAM	1	1	21.47	21.76	21.87	22.5
Channel				649668	656000	662332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	25.36	25.81	25.79	27.0
Channel				649334	656000	662666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	25.41	25.65	25.74	27.0
Channel				648668	656000	663332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	25.44	25.73	25.79	27.0
Channel				648334	656000	663666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	25.46	25.65	25.67	27.0
Channel				648000	656000	664000	Tune-up limit (dBm)
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	25.50	25.64	25.69	27.0
Channel				647334	656000	664666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	25.52	25.66	25.81	27.0
Channel				647168	656000	664832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	25.39	25.70	25.81	27.0
Channel				647000	656000	665000	Tune-up limit (dBm)
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	25.46	25.69	25.79	27.0

**<Reduced Power Mode(Main) FR1 n77 HPUE> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	17.5
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	16.53	16.73	16.78	
100	PI/2 BPSK	1	137	16.15	16.55	16.55	17.5
100	PI/2 BPSK	1	271	15.93	16.25	16.36	
100	PI/2 BPSK	135	0	16.41	16.35	16.49	
100	PI/2 BPSK	135	69	16.02	16.35	16.19	17.5
100	PI/2 BPSK	135	138	15.96	16.24	16.34	17.5
100	PI/2 BPSK	270	0	16.13	16.21	16.43	
100	QPSK	1	1	15.92	16.10	16.22	
100	QPSK	1	137	16.19	16.34	16.54	17.5
100	QPSK	1	271	16.24	16.17	15.95	
100	QPSK	135	0	16.03	16.18	16.25	
100	QPSK	135	69	16.10	16.37	16.60	17.5
100	QPSK	135	138	16.10	16.13	16.25	
100	QPSK	270	0	15.97	16.17	16.25	
100	16QAM	1	1	16.34	16.34	16.34	17.5
100	64QAM	1	1	16.63	16.63	16.63	17.5
100	256QAM	1	1	16.31	16.31	16.31	17.5
Channel				649668	656000	662332	17.5
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	16.33	16.49	16.29	
Channel				649334	656000	662666	17.5
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	16.49	16.60	16.66	
Channel				648668	656000	663332	17.5
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	16.51	16.55	16.60	
Channel				648334	656000	663666	17.5
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	16.46	16.56	16.66	
Channel				648000	656000	664000	17.5
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	16.42	16.62	16.60	
Channel				647334	656000	664666	17.5
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	16.52	16.67	16.77	
Channel				647168	656000	664832	17.5
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	16.39	16.58	16.65	
Channel				647000	656000	665000	17.5
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	16.49	16.69	16.60	



<Default Power Mode(MIMO2) FR1 n77 HPUE> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	27.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	25.80	25.89	25.90	
100	PI/2 BPSK	1	137	25.72	25.89	25.79	26.5
100	PI/2 BPSK	1	271	25.36	25.65	25.58	
100	PI/2 BPSK	135	0	25.54	25.65	25.60	
100	PI/2 BPSK	135	69	25.71	25.63	25.77	26.5
100	PI/2 BPSK	135	138	25.64	25.61	25.49	
100	PI/2 BPSK	270	0	25.44	25.68	25.63	
100	QPSK	1	1	25.60	25.87	25.84	27.0
100	QPSK	1	137	25.56	25.76	25.56	
100	QPSK	1	271	25.36	25.50	25.40	
100	QPSK	135	0	25.56	25.73	25.63	27.0
100	QPSK	135	69	25.40	25.71	25.64	
100	QPSK	135	138	25.47	25.71	25.56	
100	QPSK	270	0	24.40	24.67	24.63	26.0
100	16QAM	1	1	24.14	24.28	24.08	26.0
100	64QAM	1	1	23.22	23.48	23.48	24.5
100	256QAM	1	1	21.65	21.76	21.81	22.5
Channel				649668	656000	662332	27.0
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	25.73	25.85	25.84	
Channel				649334	656000	662666	27.0
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	25.74	25.85	25.66	
Channel				648668	656000	663332	27.0
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	25.78	25.71	25.79	
Channel				648334	656000	663666	27.0
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	25.75	25.81	25.73	
Channel				648000	656000	664000	27.0
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	25.74	25.77	25.67	
Channel				647334	656000	664666	27.0
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	25.76	25.71	25.75	
Channel				647168	656000	664832	27.0
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	25.78	25.78	25.72	
Channel				647000	656000	665000	27.0
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	25.66	25.84	25.84	

**<Reduced Power Mode(MIMO2) FR1 n77 HPUE> (Part 27O)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	19.5
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	18.58	18.73	18.86	
100	PI/2 BPSK	1	137	18.56	18.68	18.55	19.5
100	PI/2 BPSK	1	271	18.54	18.65	18.57	
100	PI/2 BPSK	135	0	18.53	18.70	18.52	
100	PI/2 BPSK	135	69	18.57	18.63	18.78	19.5
100	PI/2 BPSK	135	138	18.51	18.61	18.57	19.5
100	PI/2 BPSK	270	0	18.56	18.60	18.72	
100	QPSK	1	1	18.56	18.53	18.68	
100	QPSK	1	137	18.66	18.54	18.64	19.5
100	QPSK	1	271	18.54	18.57	18.72	
100	QPSK	135	0	18.56	18.66	18.68	
100	QPSK	135	69	18.61	18.64	18.64	19.5
100	QPSK	135	138	18.66	18.58	18.60	
100	QPSK	270	0	18.58	18.59	18.69	
100	16QAM	1	1	18.52	18.64	18.68	19.5
100	64QAM	1	1	18.55	18.51	18.52	19.5
100	256QAM	1	1	18.56	18.57	18.56	19.5
Channel				649668	656000	662332	19.5
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	18.50	18.73	18.67	
Channel				649334	656000	662666	19.5
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	18.43	18.54	18.77	
Channel				648668	656000	663332	19.5
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	18.42	18.60	18.68	
Channel				648334	656000	663666	19.5
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	18.38	18.72	18.83	
Channel				648000	656000	664000	19.5
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	18.38	18.72	18.83	
Channel				647334	656000	664666	19.5
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	18.54	18.62	18.73	
Channel				647168	656000	664832	19.5
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	18.45	18.65	18.84	
Channel				647000	656000	665000	19.5
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	18.38	18.54	18.78	



FCC SAR TEST REPORT

Report No. : FA2O2008

<Default Power Mode(MIMO3) FR1 n77 HPUE> (Part 270)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	16.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	15.49	15.56	15.47	16.0
100	PI/2 BPSK	1	137	15.46	15.15	15.08	
100	PI/2 BPSK	1	271	15.04	14.98	15.08	
100	PI/2 BPSK	135	0	14.98	14.99	14.95	16.0
100	PI/2 BPSK	135	69	14.74	15.32	15.20	16.0
100	PI/2 BPSK	135	138	15.13	15.14	15.04	16.0
100	PI/2 BPSK	270	0	15.07	14.85	14.81	
100	QPSK	1	1	14.89	15.44	15.26	16.0
100	QPSK	1	137	15.24	15.13	14.96	
100	QPSK	1	271	15.15	15.11	15.02	
100	QPSK	135	0	15.05	15.16	15.13	16.0
100	QPSK	135	69	15.17	15.01	14.75	
100	QPSK	135	138	14.91	15.05	14.85	
100	QPSK	270	0	14.94	14.94	14.74	16.0
100	16QAM	1	1	14.60	15.18	14.98	16.0
100	64QAM	1	1	15.07	15.18	15.30	16.0
100	256QAM	1	1	15.07	15.05	15.08	16.0
Channel				649668	656000	662332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	15.33	15.51	15.33	16.0
Channel				649334	656000	662666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	15.33	15.54	15.44	16.0
Channel				648668	656000	663332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	15.46	15.49	15.44	16.0
Channel				648334	656000	663666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	15.38	15.55	15.44	16.0
Channel				648000	656000	664000	Tune-up limit (dBm)
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	15.32	15.39	15.39	16.0
Channel				647334	656000	664666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	15.35	15.41	15.36	16.0
Channel				647168	656000	664832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	15.38	15.39	15.38	16.0
Channel				647000	656000	665000	Tune-up limit (dBm)
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	15.31	15.51	15.46	16.0

**<Default Power Mode(Aux) FR1 n77 HPUE> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				650000	656000	662000	18.0
Frequency (MHz)				3750	3840	3930	
100	PI/2 BPSK	1	1	17.81	17.90	17.79	
100	PI/2 BPSK	1	137	17.37	17.70	17.51	18.0
100	PI/2 BPSK	1	271	17.29	17.48	17.30	
100	PI/2 BPSK	135	0	17.59	17.78	17.64	
100	PI/2 BPSK	135	69	17.77	17.82	17.83	18.0
100	PI/2 BPSK	135	138	17.66	17.70	17.73	18.0
100	PI/2 BPSK	270	0	17.65	17.76	17.76	
100	QPSK	1	1	17.01	17.16	16.91	
100	QPSK	1	137	17.68	17.79	17.71	18.0
100	QPSK	1	271	17.13	17.21	17.36	
100	QPSK	135	0	17.47	17.52	17.45	
100	QPSK	135	69	17.59	17.49	17.55	18.0
100	QPSK	135	138	17.59	17.65	17.62	
100	QPSK	270	0	17.72	17.74	17.59	
100	16QAM	1	1	16.99	16.88	16.86	18.0
100	64QAM	1	1	17.19	17.26	17.18	18.0
100	256QAM	1	1	16.95	17.08	16.96	18.0
Channel				649668	656000	662332	18.0
Frequency (MHz)				3745.02	3840	3934.98	
90	PI/2 BPSK	1	1	17.85	17.85	17.64	
Channel				649334	656000	662666	18.0
Frequency (MHz)				3740.01	3840	3939.99	
80	PI/2 BPSK	1	1	17.76	17.74	17.76	
Channel				648668	656000	663332	18.0
Frequency (MHz)				3730.02	3840	3949.98	
60	PI/2 BPSK	1	1	17.77	17.81	17.76	
Channel				648334	656000	663666	18.0
Frequency (MHz)				3725.01	3840	3954.99	
50	PI/2 BPSK	1	1	17.77	17.73	17.60	
Channel				648000	656000	664000	18.0
Frequency (MHz)				3720	3840	3960	
40	PI/2 BPSK	1	1	17.80	17.83	17.63	
Channel				647334	656000	664666	18.0
Frequency (MHz)				3710.01	3840	3969.99	
20	PI/2 BPSK	1	1	17.71	17.82	17.73	
Channel				647168	656000	664832	18.0
Frequency (MHz)				3707.52	3840	3972.48	
15	PI/2 BPSK	1	1	17.82	17.73	17.74	
Channel				647000	656000	665000	18.0
Frequency (MHz)				3705	3840	3975	
10	PI/2 BPSK	1	1	17.73	17.82	17.73	

<Default Power Mode(Main) FR1 n77> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		22.44		24.0
100	PI/2 BPSK	1	137		22.23		
100	PI/2 BPSK	1	271		22.27		
100	PI/2 BPSK	135	0		22.19		23.5
100	PI/2 BPSK	135	69		22.42		24.0
100	PI/2 BPSK	135	138		22.06		23.5
100	PI/2 BPSK	270	0		22.00		
100	QPSK	1	1		22.06		24.0
100	QPSK	1	137		22.12		
100	QPSK	1	271		22.14		
100	QPSK	135	0		22.24		24.0
100	QPSK	135	69		22.18		
100	QPSK	135	138		22.12		
100	QPSK	270	0		22.02		23.0
100	16QAM	1	1		21.32		23.0
100	64QAM	1	1		19.55		21.5
100	256QAM	1	1		18.36		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	22.19	22.31	22.32	24.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	22.22	22.21	22.33	24.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	22.31	22.26	22.18	24.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	22.16	22.20	22.35	24.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	22.24	22.18	22.30	24.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	22.31	22.24	22.20	24.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	22.28	22.31	22.36	24.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	22.19	22.25	22.29	24.0

**<Reduced Power Mode(Main) FR1 n77> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		14.5
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		13.40		
100	PI/2 BPSK	1	137		13.39		14.5
100	PI/2 BPSK	1	271		13.38		
100	PI/2 BPSK	135	0		13.38		
100	PI/2 BPSK	135	69		13.06		14.5
100	PI/2 BPSK	135	138		13.00		14.5
100	PI/2 BPSK	270	0		13.02		
100	QPSK	1	1		13.31		
100	QPSK	1	137		13.35		14.5
100	QPSK	1	271		13.22		
100	QPSK	135	0		13.20		
100	QPSK	135	69		13.19		14.5
100	QPSK	135	138		13.08		
100	QPSK	270	0		13.00		
100	16QAM	1	1		13.22		14.5
100	64QAM	1	1		13.22		14.5
100	256QAM	1	1		13.25		14.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	13.35	13.36	13.34	
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	13.22	13.16	13.17	
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	13.22	13.08	13.21	
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	13.28	13.21	13.30	
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	13.28	13.25	13.15	
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	13.21	13.21	13.22	
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	13.25	13.20	13.28	
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	13.35	13.27	13.20	



<Default Power Mode(MIMO2) FR1 n77> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		22.33		24.0
100	PI/2 BPSK	1	137		22.18		
100	PI/2 BPSK	1	271		22.12		
100	PI/2 BPSK	135	0		22.08		23.5
100	PI/2 BPSK	135	69		22.20		24.0
100	PI/2 BPSK	135	138		21.91		23.5
100	PI/2 BPSK	270	0		21.78		
100	QPSK	1	1		22.04		24.0
100	QPSK	1	137		22.06		
100	QPSK	1	271		22.00		
100	QPSK	135	0		22.16		24.0
100	QPSK	135	69		22.04		
100	QPSK	135	138		22.13		
100	QPSK	270	0		21.78		23.0
100	16QAM	1	1		21.27		23.0
100	64QAM	1	1		19.50		21.5
100	256QAM	1	1		18.11		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	22.32	22.23	22.22	24.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	22.22	22.17	22.14	24.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	22.19	22.29	22.15	24.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	22.32	22.28	22.15	24.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	22.27	22.12	22.15	24.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	22.25	22.24	22.17	24.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	22.14	22.12	22.29	24.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	22.15	22.18	22.22	24.0



<Reduced Power Mode(MIMO2) FR1 n77> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		15.93		16.5
100	PI/2 BPSK	1	137		15.86		
100	PI/2 BPSK	1	271		15.79		
100	PI/2 BPSK	135	0		15.82		16.5
100	PI/2 BPSK	135	69		15.77		16.5
100	PI/2 BPSK	135	138		15.76		16.5
100	PI/2 BPSK	270	0		15.77		
100	QPSK	1	1		15.87		16.5
100	QPSK	1	137		15.83		
100	QPSK	1	271		15.81		
100	QPSK	135	0		15.75		16.5
100	QPSK	135	69		15.79		
100	QPSK	135	138		15.72		
100	QPSK	270	0		15.82		16.5
100	16QAM	1	1		15.84		16.5
100	64QAM	1	1		15.57		16.5
100	256QAM	1	1		15.07		16.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	15.74	15.85	15.71	16.5
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	15.54	15.66	15.55	16.5
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	15.72	15.80	15.63	16.5
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	15.63	15.66	15.68	16.5
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	15.55	15.67	15.69	16.5
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	15.54	15.71	15.52	16.5
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	15.71	15.80	15.56	16.5
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	15.69	15.71	15.55	16.5



<Default Power Mode(MIMO3) FR1 n77> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		12.18		13.0
100	PI/2 BPSK	1	137		11.56		
100	PI/2 BPSK	1	271		11.25		
100	PI/2 BPSK	135	0		12.08		13.0
100	PI/2 BPSK	135	69		11.61		13.0
100	PI/2 BPSK	135	138		11.66		13.0
100	PI/2 BPSK	270	0		11.33		
100	QPSK	1	1		11.08		13.0
100	QPSK	1	137		11.59		
100	QPSK	1	271		11.64		
100	QPSK	135	0		11.41		13.0
100	QPSK	135	69		11.05		
100	QPSK	135	138		11.11		
100	QPSK	270	0		11.25		13.0
100	16QAM	1	1		11.36		13.0
100	64QAM	1	1		11.44		13.0
100	256QAM	1	1		11.65		13.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	11.87	11.92	11.84	13.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	11.88	11.87	11.74	13.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	11.78	11.90	11.77	13.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	11.72	11.87	11.79	13.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	11.83	11.75	11.69	13.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	11.68	11.77	11.82	13.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	11.76	11.89	11.74	13.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	11.76	11.93	11.82	13.0

**<Default Power Mode(Aux) FR1 n77> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		14.80		15.0
100	PI/2 BPSK	1	137		14.65		
100	PI/2 BPSK	1	271		14.26		
100	PI/2 BPSK	135	0		14.71		15.0
100	PI/2 BPSK	135	69		14.70		15.0
100	PI/2 BPSK	135	138		14.69		15.0
100	PI/2 BPSK	270	0		14.66		
100	QPSK	1	1		13.90		15.0
100	QPSK	1	137		14.79		
100	QPSK	1	271		14.36		
100	QPSK	135	0		14.59		15.0
100	QPSK	135	69		14.43		
100	QPSK	135	138		14.52		
100	QPSK	270	0		14.52		15.0
100	16QAM	1	1		13.94		15.0
100	64QAM	1	1		14.26		15.0
100	256QAM	1	1		14.04		15.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	14.68	14.72	14.66	15.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	14.63	14.74	14.59	15.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	14.70	14.59	14.73	15.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	14.75	14.67	14.56	15.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	14.65	14.69	14.68	15.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	14.73	14.78	14.66	15.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	14.70	14.67	14.67	15.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	14.60	14.67	14.74	15.0



<Default Power Mode(Main) FR1 n77 HPUE> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		25.75		27.0
100	PI/2 BPSK	1	137		25.57		
100	PI/2 BPSK	1	271		25.22		
100	PI/2 BPSK	135	0		25.37		26.5
100	PI/2 BPSK	135	69		25.39		27.0
100	PI/2 BPSK	135	138		25.30		26.5
100	PI/2 BPSK	270	0		25.42		
100	QPSK	1	1		25.20		27.0
100	QPSK	1	137		25.22		
100	QPSK	1	271		25.09		
100	QPSK	135	0		25.17		27.0
100	QPSK	135	69		25.52		
100	QPSK	135	138		25.24		
100	QPSK	270	0		25.22		26.0
100	16QAM	1	1		24.67		26.0
100	64QAM	1	1		22.70		24.5
100	256QAM	1	1		21.66		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	25.70	25.54	25.70	27.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	25.60	25.70	25.64	27.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	25.74	25.70	25.61	27.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	25.56	25.71	25.70	27.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	25.55	25.73	25.62	27.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	25.73	25.58	25.60	27.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	25.66	25.57	25.73	27.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	25.58	25.56	25.62	27.0



<Reduced Power Mode(Main) FR1 n77 HPUE> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		16.58		17.5
100	PI/2 BPSK	1	137		16.22		
100	PI/2 BPSK	1	271		15.90		
100	PI/2 BPSK	135	0		16.03		17.5
100	PI/2 BPSK	135	69		16.08		17.5
100	PI/2 BPSK	135	138		15.94		17.5
100	PI/2 BPSK	270	0		15.81		
100	QPSK	1	1		15.88		17.5
100	QPSK	1	137		15.94		
100	QPSK	1	271		15.82		
100	QPSK	135	0		15.85		17.5
100	QPSK	135	69		16.03		
100	QPSK	135	138		15.93		
100	QPSK	270	0		15.83		17.5
100	16QAM	1	1		16.23		17.5
100	64QAM	1	1		16.38		17.5
100	256QAM	1	1		16.38		17.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	16.35	16.50	16.49	17.5
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	16.22	16.33	16.47	17.5
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	16.18	16.34	16.40	17.5
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	16.35	16.33	16.34	17.5
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	16.34	16.50	16.33	17.5
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	16.26	16.40	16.36	17.5
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	16.29	16.39	16.35	17.5
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	16.25	16.35	16.46	17.5



<Default Power Mode(MIMO2) FR1 n77 HPUE> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		25.86		27.0
100	PI/2 BPSK	1	137		25.75		
100	PI/2 BPSK	1	271		25.58		
100	PI/2 BPSK	135	0		25.50		26.5
100	PI/2 BPSK	135	69		25.62		27.0
100	PI/2 BPSK	135	138		25.49		26.5
100	PI/2 BPSK	270	0		25.54		
100	QPSK	1	1		25.72		27.0
100	QPSK	1	137		25.58		
100	QPSK	1	271		25.50		
100	QPSK	135	0		25.59		27.0
100	QPSK	135	69		25.54		
100	QPSK	135	138		25.47		
100	QPSK	270	0		24.55		26.0
100	16QAM	1	1		24.21		26.0
100	64QAM	1	1		23.29		24.5
100	256QAM	1	1		21.85		22.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	25.67	25.71	25.79	27.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	25.83	25.74	25.77	27.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	25.80	25.74	25.85	27.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	25.75	25.65	25.73	27.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	25.71	25.83	25.67	27.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	25.81	25.83	25.68	27.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	25.83	25.70	25.76	27.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	25.76	25.72	25.71	27.0

**<Reduced Power Mode(MIMO2) FR1 n77 HPUE> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		18.75		19.5
100	PI/2 BPSK	1	137		18.54		
100	PI/2 BPSK	1	271		18.67		
100	PI/2 BPSK	135	0		18.66		19.5
100	PI/2 BPSK	135	69		18.61		19.5
100	PI/2 BPSK	135	138		18.56		19.5
100	PI/2 BPSK	270	0		18.51		
100	QPSK	1	1		18.55		19.5
100	QPSK	1	137		18.58		
100	QPSK	1	271		18.54		
100	QPSK	135	0		18.59		19.5
100	QPSK	135	69		18.61		
100	QPSK	135	138		18.63		
100	QPSK	270	0		18.53		19.5
100	16QAM	1	1		18.64		19.5
100	64QAM	1	1		18.54		19.5
100	256QAM	1	1		18.50		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	18.57	18.55	18.70	19.5
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	18.56	18.36	18.63	19.5
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	18.44	18.42	18.64	19.5
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	18.53	18.53	18.69	19.5
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	18.40	18.42	18.58	19.5
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	18.43	18.49	18.67	19.5
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	18.51	18.44	18.67	19.5
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	18.51	18.44	18.67	19.5



<Default Power Mode(MIMO3) FR1 n77 HPUE> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		15.08		16.0
100	PI/2 BPSK	1	137		14.54		
100	PI/2 BPSK	1	271		14.25		
100	PI/2 BPSK	135	0		14.97		16.0
100	PI/2 BPSK	135	69		14.55		16.0
100	PI/2 BPSK	135	138		14.60		16.0
100	PI/2 BPSK	270	0		14.19		
100	QPSK	1	1		14.10		16.0
100	QPSK	1	137		14.52		
100	QPSK	1	271		14.54		
100	QPSK	135	0		14.30		16.0
100	QPSK	135	69		14.20		
100	QPSK	135	138		14.21		
100	QPSK	270	0		14.19		16.0
100	16QAM	1	1		14.29		16.0
100	64QAM	1	1		14.44		16.0
100	256QAM	1	1		14.56		16.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	14.98	14.87	14.94	16.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	14.79	14.87	14.80	16.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	14.96	14.84	14.79	16.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	14.92	14.80	14.76	16.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	14.88	14.73	14.81	16.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	14.84	14.72	14.94	16.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	14.97	14.76	14.83	16.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	14.86	14.87	14.78	16.0

**<Default Power Mode(Aux) FR1 n77 HPUE> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		17.80		18.0
100	PI/2 BPSK	1	137		17.58		
100	PI/2 BPSK	1	271		17.25		
100	PI/2 BPSK	135	0		17.63		18.0
100	PI/2 BPSK	135	69		17.65		18.0
100	PI/2 BPSK	135	138		17.66		18.0
100	PI/2 BPSK	270	0		17.61		
100	QPSK	1	1		16.74		18.0
100	QPSK	1	137		17.71		
100	QPSK	1	271		17.36		
100	QPSK	135	0		17.52		18.0
100	QPSK	135	69		17.40		
100	QPSK	135	138		17.51		
100	QPSK	270	0		17.32		18.0
100	16QAM	1	1		16.78		18.0
100	64QAM	1	1		17.06		18.0
100	256QAM	1	1		17.02		18.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	17.67	17.67	17.54	18.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	17.74	17.64	17.54	18.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	17.68	17.57	17.65	18.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	17.64	17.61	17.67	18.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	17.78	17.55	17.55	18.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	17.64	17.70	17.55	18.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	17.79	17.67	17.65	18.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	17.68	17.74	17.68	18.0



<Default Power Mode(Main) FR1 n78> (Part 270)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		22.20		24.0
100	PI/2 BPSK	1	137		22.10		
100	PI/2 BPSK	1	271		22.01		
100	PI/2 BPSK	135	0		22.06		23.5
100	PI/2 BPSK	135	69		22.19		24.0
100	PI/2 BPSK	135	138		22.03		23.5
100	PI/2 BPSK	270	0		21.85		
100	QPSK	1	1		22.04		24.0
100	QPSK	1	137		22.04		
100	QPSK	1	271		22.01		
100	QPSK	135	0		22.11		24.0
100	QPSK	135	69		22.12		
100	QPSK	135	138		22.04		
100	QPSK	270	0		21.88		23.0
100	16QAM	1	1		21.26		23.0
100	64QAM	1	1		19.56		21.5
100	256QAM	1	1		18.14		19.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	22.13	22.15	22.20	24.0
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	22.14	22.19	22.22	24.0
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	22.17	22.24	22.18	24.0
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	22.26	22.14	22.22	24.0
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	22.15	22.15	22.10	24.0
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	22.17	22.26	22.08	24.0
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	22.14	22.25	22.20	24.0
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	22.06	22.26	22.09	24.0

**<Reduced Power Mode(Main) FR1 n78> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		13.32		14.5
100	PI/2 BPSK	1	137		13.15		
100	PI/2 BPSK	1	271		13.10		
100	PI/2 BPSK	135	0		13.20		14.5
100	PI/2 BPSK	135	69		13.10		14.5
100	PI/2 BPSK	135	138		13.11		14.5
100	PI/2 BPSK	270	0		13.13		
100	QPSK	1	1		13.20		14.5
100	QPSK	1	137		13.31		
100	QPSK	1	271		13.15		
100	QPSK	135	0		13.23		14.5
100	QPSK	135	69		13.22		
100	QPSK	135	138		13.25		
100	QPSK	270	0		13.19		14.5
100	16QAM	1	1		13.20		14.5
100	64QAM	1	1		13.19		14.5
100	256QAM	1	1		13.20		14.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	12.85	12.87	12.86	14.5
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	12.88	12.96	12.89	14.5
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	12.82	13.02	12.87	14.5
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	12.75	13.01	12.98	14.5
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	12.74	12.90	12.86	14.5
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	12.75	13.02	12.86	14.5
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	12.89	12.93	12.88	14.5
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	12.88	13.02	12.97	14.5

**<Default Power Mode(MIMO2) FR1 n78> (Part 27O)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		22.22		24.0
100	PI/2 BPSK	1	137		22.08		
100	PI/2 BPSK	1	271		22.05		
100	PI/2 BPSK	135	0		22.12		23.5
100	PI/2 BPSK	135	69		22.20		24.0
100	PI/2 BPSK	135	138		21.87		23.5
100	PI/2 BPSK	270	0		21.86		
100	QPSK	1	1		22.00		24.0
100	QPSK	1	137		22.13		
100	QPSK	1	271		22.19		
100	QPSK	135	0		22.06		24.0
100	QPSK	135	69		22.03		
100	QPSK	135	138		22.06		
100	QPSK	270	0		21.94		23.0
100	16QAM	1	1		21.16		23.0
100	64QAM	1	1		19.64		21.5
100	256QAM	1	1		18.18		19.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	22.06	22.09	22.09	24.0
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	22.18	22.12	22.15	24.0
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	22.07	22.13	22.02	24.0
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	22.14	22.21	22.20	24.0
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	22.11	22.08	22.18	24.0
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	22.14	22.08	22.06	24.0
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	22.20	22.03	22.08	24.0
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	22.16	22.17	22.08	24.0

**<Reduced Power Mode(MIMO2) FR1 n78> (Part 270)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		16.5
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		15.42		
100	PI/2 BPSK	1	137		15.33		16.5
100	PI/2 BPSK	1	271		15.35		
100	PI/2 BPSK	135	0		15.26		
100	PI/2 BPSK	135	69		15.17		16.5
100	PI/2 BPSK	135	138		15.40		16.5
100	PI/2 BPSK	270	0		15.36		
100	QPSK	1	1		15.38		
100	QPSK	1	137		15.33		16.5
100	QPSK	1	271		15.39		
100	QPSK	135	0		15.25		
100	QPSK	135	69		15.27		16.5
100	QPSK	135	138		15.30		
100	QPSK	270	0		15.32		
100	16QAM	1	1		15.30		16.5
100	64QAM	1	1		15.07		16.5
100	256QAM	1	1		15.09		16.5
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	15.33	15.33	15.27	
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	15.24	15.18	15.18	
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	15.18	15.32	15.22	
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	15.17	15.26	15.17	
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	15.17	15.20	15.12	
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	15.28	15.30	15.14	
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	15.29	15.31	15.22	
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	15.33	15.13	15.10	

**<Default Power Mode(MIMO3) FR1 n78> (Part 27O)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		12.03		13.0
100	PI/2 BPSK	1	137		11.40		
100	PI/2 BPSK	1	271		11.22		
100	PI/2 BPSK	135	0		11.96		13.0
100	PI/2 BPSK	135	69		11.56		13.0
100	PI/2 BPSK	135	138		11.64		13.0
100	PI/2 BPSK	270	0		11.27		
100	QPSK	1	1		11.08		13.0
100	QPSK	1	137		11.46		
100	QPSK	1	271		11.49		
100	QPSK	135	0		11.37		13.0
100	QPSK	135	69		11.09		
100	QPSK	135	138		11.08		
100	QPSK	270	0		11.20		13.0
100	16QAM	1	1		11.26		13.0
100	64QAM	1	1		11.24		13.0
100	256QAM	1	1		11.62		13.0
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	12.01	11.77	11.92	13.0
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	11.86	11.77	11.87	13.0
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	11.99	11.75	11.76	13.0
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	11.87	11.90	11.88	13.0
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	11.90	11.76	11.84	13.0
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	11.97	11.89	11.76	13.0
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	11.89	11.74	11.90	13.0
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	11.85	11.88	11.73	13.0



<Default Power Mode(Aux) FR1 n78> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					650000		
Frequency (MHz)					3750		
100	PI/2 BPSK	1	1		14.35		15.0
100	PI/2 BPSK	1	137		13.00		
100	PI/2 BPSK	1	271		13.51		
100	PI/2 BPSK	135	0		13.33		15.0
100	PI/2 BPSK	135	69		13.80		15.0
100	PI/2 BPSK	135	138		13.38		15.0
100	PI/2 BPSK	270	0		13.38		
100	QPSK	1	1		13.03		15.0
100	QPSK	1	137		13.89		
100	QPSK	1	271		13.37		
100	QPSK	135	0		13.00		15.0
100	QPSK	135	69		13.98		
100	QPSK	135	138		13.00		
100	QPSK	270	0		13.03		15.0
100	16QAM	1	1		13.02		15.0
100	64QAM	1	1		13.14		15.0
100	256QAM	1	1		13.64		15.0
Channel				649668	650000	650332	Tune-up limit (dBm)
Frequency (MHz)				3745.02	3750	3754.98	
90	PI/2 BPSK	1	1	14.00	14.02	14.14	15.0
Channel				649334	650000	650666	Tune-up limit (dBm)
Frequency (MHz)				3740.01	3750	3759.99	
80	PI/2 BPSK	1	1	14.20	14.10	14.14	15.0
Channel				648668	650000	651332	Tune-up limit (dBm)
Frequency (MHz)				3730.02	3750	3769.98	
60	PI/2 BPSK	1	1	14.12	14.20	14.08	15.0
Channel				648334	650000	651666	Tune-up limit (dBm)
Frequency (MHz)				3725.01	3750	3774.99	
50	PI/2 BPSK	1	1	14.14	14.19	14.13	15.0
Channel				648000	650000	652000	Tune-up limit (dBm)
Frequency (MHz)				3720	3750	3780	
40	PI/2 BPSK	1	1	14.15	14.21	14.15	15.0
Channel				647334	650000	652666	Tune-up limit (dBm)
Frequency (MHz)				3710.01	3750	3789.99	
20	PI/2 BPSK	1	1	14.21	14.23	14.22	15.0
Channel				647168	650000	652832	Tune-up limit (dBm)
Frequency (MHz)				3707.52	3750	3792.48	
15	PI/2 BPSK	1	1	14.12	14.25	14.30	15.0
Channel				647000	650000	653000	Tune-up limit (dBm)
Frequency (MHz)				3705	3750	3795	
10	PI/2 BPSK	1	1	14.18	14.17	14.28	15.0

按一下這裡以輸入文字。



FCC SAR TEST REPORT

Report No. : FA2O2008

<Default Power Mode(Main) FR1 n78> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		24.0
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		22.33		24.0
100	PI/2 BPSK	1	137		22.26		
100	PI/2 BPSK	1	271		22.21		
100	PI/2 BPSK	135	0		22.10		23.5
100	PI/2 BPSK	135	69		22.31		24.0
100	PI/2 BPSK	135	138		22.08		23.5
100	PI/2 BPSK	270	0		21.94		
100	QPSK	1	1		22.06		24.0
100	QPSK	1	137		22.07		
100	QPSK	1	271		22.21		
100	QPSK	135	0		22.21		24.0
100	QPSK	135	69		22.14		
100	QPSK	135	138		22.20		
100	QPSK	270	0		21.90		23.0
100	16QAM	1	1		21.34		23.0
100	64QAM	1	1		19.61		21.5
100	256QAM	1	1		18.18		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	22.15	22.15	22.18	24.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	22.19	22.19	22.25	24.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	22.30	22.24	22.26	24.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	22.26	22.14	22.19	24.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	22.26	22.15	22.17	24.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	22.26	22.26	22.24	24.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	22.29	22.26	22.20	24.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	22.22	22.14	22.21	24.0

**<Reduced Power Mode(Main)FR1 n78> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		14.5
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		13.14		14.5
100	PI/2 BPSK	1	137		13.08		
100	PI/2 BPSK	1	271		13.03		
100	PI/2 BPSK	135	0		13.20		14.5
100	PI/2 BPSK	135	69		12.92		14.5
100	PI/2 BPSK	135	138		13.07		14.5
100	PI/2 BPSK	270	0		13.10		
100	QPSK	1	1		13.08		14.5
100	QPSK	1	137		13.16		
100	QPSK	1	271		13.14		
100	QPSK	135	0		13.10		14.5
100	QPSK	135	69		13.13		
100	QPSK	135	138		13.09		
100	QPSK	270	0		13.06		14.5
100	16QAM	1	1		13.08		14.5
100	64QAM	1	1		13.10		14.5
100	256QAM	1	1		13.00		14.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	12.91	12.88	12.96	14.5
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	12.88	13.05	13.01	14.5
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	12.99	12.94	12.87	14.5
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	12.98	13.01	12.88	14.5
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	12.89	13.00	12.89	14.5
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	12.98	13.02	12.88	14.5
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	12.89	13.02	13.01	14.5
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	13.03	13.00	12.97	14.5

**<Default Power Mode(MIMO2)FR1 n78> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		22.33		24.0
100	PI/2 BPSK	1	137		22.23		
100	PI/2 BPSK	1	271		22.12		
100	PI/2 BPSK	135	0		22.01		23.5
100	PI/2 BPSK	135	69		22.26		24.0
100	PI/2 BPSK	135	138		21.89		23.5
100	PI/2 BPSK	270	0		22.02		
100	QPSK	1	1		22.18		24.0
100	QPSK	1	137		22.13		
100	QPSK	1	271		22.32		
100	QPSK	135	0		22.12		24.0
100	QPSK	135	69		22.08		
100	QPSK	135	138		22.12		
100	QPSK	270	0		22.08		23.0
100	16QAM	1	1		21.28		23.0
100	64QAM	1	1		19.70		21.5
100	256QAM	1	1		18.32		19.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	22.10	22.08	22.09	24.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	22.22	22.10	22.15	24.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	22.06	22.13	22.19	24.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	22.19	22.28	22.20	24.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	22.16	22.27	22.25	24.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	22.19	22.08	22.14	24.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	22.20	22.06	22.01	24.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	22.26	22.17	22.07	24.0

**<Reduced Power Mode(MIMO2)FR1 n78> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		16.5
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		15.56		16.5
100	PI/2 BPSK	1	137		15.39		
100	PI/2 BPSK	1	271		15.38		
100	PI/2 BPSK	135	0		15.29		16.5
100	PI/2 BPSK	135	69		15.17		16.5
100	PI/2 BPSK	135	138		15.55		16.5
100	PI/2 BPSK	270	0		15.38		
100	QPSK	1	1		15.55		16.5
100	QPSK	1	137		15.44		
100	QPSK	1	271		15.44		
100	QPSK	135	0		15.25		16.5
100	QPSK	135	69		15.39		
100	QPSK	135	138		15.39		
100	QPSK	270	0		15.36		16.5
100	16QAM	1	1		15.50		16.5
100	64QAM	1	1		15.09		16.5
100	256QAM	1	1		15.21		16.5
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	15.46	15.33	15.52	16.5
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	15.33	15.18	15.49	16.5
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	15.38	15.21	15.22	16.5
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	15.27	15.26	15.29	16.5
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	15.35	15.50	15.12	16.5
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	15.49	15.54	15.33	16.5
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	15.39	15.31	15.26	16.5
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	15.37	15.47	15.10	16.5


**<Default Power Mode(MIMO3)FR1 n78> (Part 27Q)**

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		12.16		13.0
100	PI/2 BPSK	1	137		11.46		
100	PI/2 BPSK	1	271		11.25		
100	PI/2 BPSK	135	0		11.99		13.0
100	PI/2 BPSK	135	69		11.75		13.0
100	PI/2 BPSK	135	138		11.84		13.0
100	PI/2 BPSK	270	0		11.46		
100	QPSK	1	1		11.15		13.0
100	QPSK	1	137		11.47		
100	QPSK	1	271		11.60		
100	QPSK	135	0		11.40		13.0
100	QPSK	135	69		11.13		
100	QPSK	135	138		11.16		
100	QPSK	270	0		11.38		13.0
100	16QAM	1	1		11.41		13.0
100	64QAM	1	1		11.29		13.0
100	256QAM	1	1		11.71		13.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	12.01	11.80	11.91	13.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	11.96	11.77	11.88	13.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	11.88	11.86	11.89	13.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	11.88	11.90	11.87	13.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	11.89	11.76	11.85	13.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	11.96	11.85	11.87	13.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	11.91	11.96	11.90	13.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	11.92	12.00	11.95	13.0

<Default Power Mode(Aux)FR1 n78> (Part 27Q)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel					633332		
Frequency (MHz)					3499.98		
100	PI/2 BPSK	1	1		14.38		15.0
100	PI/2 BPSK	1	137		13.12		
100	PI/2 BPSK	1	271		13.56		
100	PI/2 BPSK	135	0		13.50		15.0
100	PI/2 BPSK	135	69		13.90		15.0
100	PI/2 BPSK	135	138		13.56		15.0
100	PI/2 BPSK	270	0		13.58		
100	QPSK	1	1		13.16		15.0
100	QPSK	1	137		14.09		
100	QPSK	1	271		13.52		
100	QPSK	135	0		13.10		15.0
100	QPSK	135	69		14.09		
100	QPSK	135	138		13.20		
100	QPSK	270	0		13.13		15.0
100	16QAM	1	1		13.17		15.0
100	64QAM	1	1		13.26		15.0
100	256QAM	1	1		13.77		15.0
Channel				633000	633332	633666	Tune-up limit (dBm)
Frequency (MHz)				3495	3499.98	3504.99	
90	PI/2 BPSK	1	1	14.21	14.01	14.14	15.0
Channel				632668	633332	634000	Tune-up limit (dBm)
Frequency (MHz)				3490.02	3499.98	3510	
80	PI/2 BPSK	1	1	14.20	14.11	14.15	15.0
Channel				632000	633332	634666	Tune-up limit (dBm)
Frequency (MHz)				3480	3499.98	3519.99	
60	PI/2 BPSK	1	1	14.15	14.13	14.11	15.0
Channel				631668	633332	635000	Tune-up limit (dBm)
Frequency (MHz)				3475.02	3499.98	3525	
50	PI/2 BPSK	1	1	14.19	14.18	14.14	15.0
Channel				631334	633332	635332	Tune-up limit (dBm)
Frequency (MHz)				3470.01	3499.98	3529.98	
40	PI/2 BPSK	1	1	14.21	14.22	14.19	15.0
Channel				630668	633332	636000	Tune-up limit (dBm)
Frequency (MHz)				3460.02	3499.98	3540	
20	PI/2 BPSK	1	1	14.29	14.21	14.22	15.0
Channel				630500	633332	636166	Tune-up limit (dBm)
Frequency (MHz)				3457.5	3499.98	3542.49	
15	PI/2 BPSK	1	1	14.11	14.25	14.20	15.0
Channel				630334	633332	636332	Tune-up limit (dBm)
Frequency (MHz)				3455.01	3499.98	3544.98	
10	PI/2 BPSK	1	1	14.19	14.17	14.25	15.0

13. Antenna Location



The separation distance for antenna to edge :

Antenna	To Bottom of Laptop (mm)
WWAN Main Antenna	<5
WWAN Aux Antenna	<5
WWAN MIMO2 Antenna	<5
WWAN MIMO3 Antenna	<5
WLAN Main	<5
WLAN/BT Aux	<5

14. SAR Test Results

General Note:

1. Per KDB 447498 D01v06, the reported SAR is the measured SAR value adjusted for maximum tune-up tolerance.
 - a. Tune-up scaling Factor = tune-up limit power (mW) / EUT RF power (mW), where tune-up limit is the maximum rated power among all production units.
 - b. For WWAN: Reported SAR(W/kg)= Measured SAR(W/kg)*Tune-up Scaling Factor
 - c. For TDD LTE SAR measurement, the duty cycle 1:1.59 (62.9 %) was used perform testing and considering the theoretical duty cycle of 63.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 62.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix $63.3\%/62.9\% = 1.006$ is applied to scale-up the measured SAR result. The Reported TDD LTE SAR = measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.
2. Per KDB 447498 D01v06, for each exposure position, testing of other required channels within the operating mode of a frequency band is not required when the *reported* 1-g or 10-g SAR for the mid-band or highest output power channel is:
 - ≤ 0.8 W/kg or 2.0 W/kg, for 1-g or 10-g respectively, when the transmission band is ≤ 100 MHz
 - ≤ 0.6 W/kg or 1.5 W/kg, for 1-g or 10-g respectively, when the transmission band is between 100 MHz and 200 MHz
 - ≤ 0.4 W/kg or 1.0 W/kg, for 1-g or 10-g respectively, when the transmission band is ≥ 200 MHz
3. Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required only when the measured SAR is ≥ 0.8 W/kg.
4. For the exposure positions that proximity sensor power reduction is applied for SAR compliance, additional SAR testing with EUT transmitting full power in sensor trigger distance was performed according to section 4. The test results just verification the sensor trigger distance to meet KDB 616217 requirement, when in normal usage will not operate at trigger distance, therefore, these results were not using performed Sim-Tx analysis.

UMTS Note:

1. Per KDB 941225 D01v03r01, for SAR testing is measured using a 12.2 kbps RMC with TPC bits configured to all "1's".
2. Per KDB 941225 D01v03r01, RMC 12.2kbps setting is used to evaluate SAR. The maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq 1/4$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA, and according to the following RF output power, the output power results of the secondary modes (HSUPA, HSDPA, DC-HSDPA) are less than $1/4$ dB higher than the primary modes; therefore, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA.

LTE Note:

1. Per KDB 941225 D05v02r05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
2. Per KDB 941225 D05v02r05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
3. Per KDB 941225 D05v02r05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
4. Per KDB 941225 D05v02r05, 16QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, 16QAM SAR testing is not required.
5. Per KDB 941225 D05v02r05, Smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, smaller bandwidth SAR testing is not required.
6. For LTE B4/B5/B12/B17/B26/B38/B71 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.
7. LTE band 2/4/5/17/38 SAR test was covered by Band 25/66/26/12/41; according to TCB workshop, SAR test for overlapping LTE bands can be reduced if
 - a. The maximum output power, including tolerance, for the smaller band is $\leq$ the larger band to qualify for the SAR test exclusion.
 - b. The channel bandwidth and other operating parameters for the smaller band are fully supported by the larger band.

5G NR Note:

1. Referencing the procedure in KDB 941225, the test procedures are outlined as below:
 - a. To start SAR test for the largest channel bandwidth for PI/2 BPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. Also do SAR test for 50% RB allocation for PI/2 BPSK SAR testing using 1RB PI/2 BPSK allocation procedure
 - b. For PI/2 BPSK with 100% RB allocation, SAR test is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
 - c. For higher modulation QPSK/16QAM/64QAM/256QAM, according to tune-up document the power level is not $\frac{1}{2}$ dB higher than the same configuration in PI/2 BPSK, also reported SAR for the PI/2 BPSK configuration is less than 1.45 W/kg, QPSK/16QAM/64QAM/256QAM SAR testing are not required.
 - d. Smaller bandwidth output power for each RB allocation configuration for this device is not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg, smaller bandwidth SAR testing is not required for this device
 - e. For 5G FR1 n5/n12/n41/n71/n77, the maximum channel bandwidth does not support three non-overlapping channels in the frequency band, the middle channel of the group of overlapping channels were selected for testing.
 - f. NR band 78 SAR test was covered by Band 77; due to the maximum power is equal or less than larger band and channel bandwidth for the smaller band are fully supported by the larger band, SAR test for overlapping NR bands can be reduced.
 - g. Due to test setup limitations, SAR testing for NR was performed using Factory Test Mode software to establish the connection and perform SAR with 100% transmission. And only for TDD power class2 was performed using Factory Test Mode software to establish the connection and perform SAR with 50% transmission

14.1 Body SAR

<WCDMA SAR>

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
01	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9538	1907.6	Speed	16.04	16.50	1.112	-0.04	0.925	1.028
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9262	1852.4	Speed	15.92	16.50	1.143	0.17	1.030	1.177
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9400	1880	Speed	15.96	16.50	1.132	-0.06	0.973	1.102
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	18mm	Main	OFF	9262	1852.4	Speed	23.62	24.50	1.225	0.14	0.369	0.452
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9538	1907.6	WNC	16.04	16.50	1.112	-0.14	0.857	0.953
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9262	1852.4	WNC	15.92	16.50	1.143	0.17	0.922	1.054
	WCDMA II	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	9400	1880	WNC	15.96	16.50	1.132	-0.03	0.869	0.984
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1413	1732.6	Speed	15.73	16.00	1.064	-0.04	0.811	0.863
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1312	1712.4	Speed	15.71	16.00	1.069	-0.03	0.824	0.881
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1513	1752.6	Speed	15.56	16.00	1.107	0.03	0.857	0.948
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	18mm	Main	OFF	1513	1752.6	Speed	23.88	24.50	1.153	-0.19	0.522	0.602
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1413	1732.6	WNC	15.73	16.00	1.064	0.02	0.892	0.949
	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1312	1712.4	WNC	15.71	16.00	1.069	0.01	0.907	0.970
02	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1513	1752.6	WNC	15.56	16.00	1.107	0	1.000	1.107
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4182	836.4	Speed	19.76	20.50	1.186	0.16	0.631	0.748
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4132	826.4	Speed	19.75	20.50	1.189	0.1	0.698	0.830
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4233	846.6	Speed	19.70	20.50	1.202	0.1	0.712	0.856
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	18mm	Main	OFF	4233	846.6	Speed	23.34	24.50	1.306	0.18	0.211	0.276
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4182	836.4	WNC	19.76	20.50	1.186	0.01	0.813	0.964
	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4132	826.4	WNC	19.75	20.50	1.189	0.13	0.856	1.017
03	WCDMA V	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	4233	846.6	WNC	19.70	20.50	1.202	-0.13	0.791	0.951



<FDD LTE SAR>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	21350	2560	Speed	16.35	16.50	1.035	0	0.984	1.019
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	20850	2510	Speed	16.17	16.50	1.079	-0.19	0.987	0.968
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	21100	2535	Speed	16.33	16.50	1.040	-0.11	0.938	0.975
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	21350	2560	Speed	16.13	16.50	1.089	0.03	0.866	0.943
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	20850	2510	Speed	15.88	16.50	1.153	0.03	0.796	0.918
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	21100	2535	Speed	16.08	16.50	1.102	0.03	0.793	0.874
	LTE Band 7	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	21350	2560	Speed	16.03	16.50	1.114	0.03	0.786	0.876
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	21350+21152	2560	Speed	15.98	16.50	1.127	0.01	0.833	0.939
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	20850+21048	2510	Speed	16.05	16.50	1.109	0.07	0.859	0.953
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	21100+20902	2535	Speed	16.02	16.50	1.117	-0.16	0.814	0.909
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	21350	2560	Speed	23.57	24.00	1.104	-0.14	0.487	0.538
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	18mm	Main	OFF	21350	2560	Speed	22.54	23.00	1.112	-0.05	0.401	0.446
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	21350	2560	WNC	16.35	16.50	1.035	0.13	0.637	0.659
04	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21100	2535	Speed	19.55	20.00	1.109	0.09	0.950	1.054
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	20850	2510	Speed	19.37	20.00	1.156	0.15	0.841	0.972
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21350	2560	Speed	19.53	20.00	1.114	-0.09	0.888	0.989
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	21100	2535	Speed	19.29	20.00	1.178	-0.09	0.788	0.928
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	20850	2510	Speed	19.13	20.00	1.222	0.15	0.696	0.850
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	21350	2560	Speed	19.27	20.00	1.183	-0.09	0.737	0.872
	LTE Band 7	20M	QPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	21100	2535	Speed	19.18	20.00	1.208	-0.09	0.792	0.957
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21100+20902	2535	Speed	19.23	20.00	1.194	-0.06	0.798	0.953
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	20850+21048	2510	Speed	19.21	20.00	1.199	0.12	0.811	0.973
	LTE Band 7C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21350+21152	2560	Speed	19.15	20.00	1.216	0.01	0.769	0.935
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	21100	2535	Speed	23.39	24.00	1.151	0.14	0.211	0.243
	LTE Band 7	20M	QPSK	50	0	Bottom of Laptop	11mm	MIMO2	OFF	21100	2535	Speed	22.43	23.00	1.140	0.14	0.171	0.195
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21100	2535	WNC	19.55	20.00	1.109	0.03	0.774	0.859
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	20850	2510	WNC	19.37	20.00	1.156	0.16	0.708	0.819
	LTE Band 7	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	21350	2560	WNC	19.53	20.00	1.114	-0.04	0.741	0.826
	LTE Band 12	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	Speed	22.19	22.50	1.074	0.12	0.833	0.895
	LTE Band 12	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	Speed	21.92	22.50	1.143	0.09	0.774	0.885
	LTE Band 12	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	Speed	21.80	22.50	1.175	0.01	0.774	0.909
	LTE Band 12	10M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	23095	707.5	Speed	23.30	24.00	1.175	0.04	0.121	0.142
	LTE Band 12	10M	QPSK	25	0	Bottom of Laptop	18mm	Main	OFF	23095	707.5	Speed	22.23	23.00	1.194	-0.08	0.097	0.116
05	LTE Band 12	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	WNC	22.19	22.50	1.074	0.17	0.936	1.005
	LTE Band 12	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	WNC	21.92	22.50	1.143	-0.13	0.863	0.986
	LTE Band 12	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23095	707.5	WNC	21.80	22.50	1.175	0.14	0.832	0.978
	LTE Band 13	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23230	782	Speed	20.84	21.50	1.164	0.16	0.836	0.973
	LTE Band 13	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23230	782	Speed	20.54	21.50	1.247	0.06	0.751	0.937
	LTE Band 13	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23230	782	Speed	20.47	21.50	1.268	0.12	0.713	0.904
	LTE Band 13	10M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	23230	782	Speed	23.10	24.00	1.230	-0.14	0.197	0.242
	LTE Band 13	10M	QPSK	25	0	Bottom of Laptop	18mm	Main	OFF	23230	782	Speed	22.06	23.00	1.242	-0.06	0.161	0.200
06	LTE Band 13	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23230	782	WNC	20.84	21.50	1.164	0.12	0.964	1.122
	LTE Band 13	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23230	782	WNC	20.54	21.50	1.247	0.03	0.891	1.111
	LTE Band 13	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23230	782	WNC	20.47	21.50	1.268	0.07	0.833	1.056



FCC SAR TEST REPORT

Report No. : FA2O2008

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	LTE Band 14	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23330	793	Speed	20.86	21.50	1.159	-0.06	0.864	1.001
	LTE Band 14	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23330	793	Speed	20.59	21.50	1.233	-0.11	0.755	0.931
	LTE Band 14	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23330	793	Speed	20.52	21.50	1.253	-0.15	0.721	0.904
	LTE Band 14	10M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	23330	793	Speed	23.05	24.00	1.245	0.06	0.178	0.222
	LTE Band 14	10M	QPSK	25	0	Bottom of Laptop	18mm	Main	OFF	23330	793	Speed	22.07	23.00	1.239	-0.01	0.140	0.173
07	LTE Band 14	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	23330	793	WNC	20.86	21.50	1.159	0.18	0.973	1.127
	LTE Band 14	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	23330	793	WNC	20.59	21.50	1.233	-0.14	0.909	1.121
	LTE Band 14	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	23330	793	WNC	20.52	21.50	1.253	-0.1	0.801	1.004
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26590	1905	Speed	16.08	16.50	1.102	0.05	0.830	0.914
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26140	1860	Speed	15.72	16.50	1.197	-0.14	0.833	0.997
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26340	1880	Speed	15.85	16.50	1.161	-0.19	0.801	0.930
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26590	1905	Speed	15.68	16.50	1.208	-0.03	0.820	0.990
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26140	1860	Speed	15.47	16.50	1.268	-0.12	0.794	1.007
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26340	1880	Speed	15.58	16.50	1.236	-0.1	0.817	1.010
	LTE Band 25	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	26590	1905	Speed	15.59	16.50	1.233	0	0.807	0.995
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	26140	1860	Speed	22.96	24.00	1.271	0.19	0.288	0.366
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	18mm	Main	OFF	26140	1860	Speed	21.89	23.00	1.291	0.13	0.203	0.262
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26590	1905	WNC	16.08	16.50	1.102	0.1	0.850	0.936
08	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26140	1860	WNC	15.72	16.50	1.197	0.13	0.854	1.022
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26340	1880	WNC	15.85	16.50	1.161	0.08	0.815	0.947
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26590	1905	WNC	15.68	16.50	1.208	0.06	0.831	1.004
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26140	1860	WNC	15.47	16.50	1.268	0.11	0.725	0.919
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	26340	1880	WNC	15.58	16.50	1.236	-0.03	0.803	0.992
	LTE Band 25	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	26590	1905	WNC	15.59	16.50	1.233	-0.15	0.813	1.003
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	26590	1905	Speed	21.10	21.50	1.096	0.08	0.785	0.861
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	26140	1860	Speed	20.96	21.50	1.132	0.04	0.849	0.961
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	26340	1880	Speed	21.07	21.50	1.104	-0.08	0.823	0.909
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	26590	1905	Speed	20.99	21.50	1.125	-0.11	0.757	0.851
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	26140	1860	Speed	20.75	21.50	1.189	-0.12	0.801	0.952
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	26340	1880	Speed	20.90	21.50	1.148	-0.08	0.732	0.840
	LTE Band 25	20M	QPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	26590	1905	Speed	20.95	21.50	1.135	-0.11	0.795	0.902
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	26590	1905	Speed	23.10	24.00	1.230	-0.06	0.193	0.237
	LTE Band 25	20M	QPSK	50	0	Bottom of Laptop	11mm	MIMO2	OFF	26590	1905	Speed	22.00	23.00	1.259	-0.01	0.150	0.189
	LTE Band 25	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	26140	1860	WNC	20.96	21.50	1.132	0.18	0.695	0.787
	LTE Band 26	15M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	Speed	19.85	20.50	1.161	0.01	0.782	0.908
	LTE Band 26	15M	QPSK	36	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	Speed	19.55	20.50	1.245	0.09	0.827	1.029
	LTE Band 26	15M	QPSK	75	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	Speed	19.44	20.50	1.276	0.04	0.798	1.019
	LTE Band 5_5B	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	20575+20476	841.5	Speed	19.43	20.50	1.279	-0.15	0.741	0.948
	LTE Band 26	15M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	26865	831.5	Speed	23.11	24.00	1.227	0.01	0.243	0.298
	LTE Band 26	15M	QPSK	36	0	Bottom of Laptop	18mm	Main	OFF	26865	831.5	Speed	22.19	23.00	1.205	0.01	0.194	0.234
09	LTE Band 26	15M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	WNC	19.85	20.50	1.161	0.1	0.890	1.034
	LTE Band 26	15M	QPSK	36	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	WNC	19.55	20.50	1.245	0.06	0.792	0.986
	LTE Band 26	15M	QPSK	75	0	Bottom of Laptop	0mm	Main	ON	26865	831.5	WNC	19.44	20.50	1.276	0.11	0.801	1.022



FCC SAR TEST REPORT

Report No. : FA2O2008

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	27710	2310	Speed	17.13	17.50	1.089	0.09	1.010	1.100
	LTE Band 30	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	27710	2310	Speed	16.89	17.50	1.151	0.13	0.924	1.063
	LTE Band 30	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	27710	2310	Speed	16.70	17.50	1.202	0.1	0.903	1.086
	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	27710	2310	Speed	22.20	23.00	1.202	-0.13	0.305	0.367
	LTE Band 30	10M	QPSK	25	0	Bottom of Laptop	18mm	Main	OFF	27710	2310	Speed	21.25	22.00	1.189	0.09	0.236	0.280
10	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	27710	2310	WNC	17.13	17.50	1.089	0	1.090	1.187
	LTE Band 30	10M	QPSK	25	0	Bottom of Laptop	0mm	Main	ON	27710	2310	WNC	16.89	17.50	1.151	0.04	0.957	1.101
	LTE Band 30	10M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	27710	2310	WNC	16.70	17.50	1.202	0.09	0.932	1.121
	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	27710	2310	Speed	21.26	22.50	1.330	0.04	0.727	0.967
	LTE Band 30	10M	QPSK	25	0	Bottom of Laptop	0mm	MIMO2	ON	27710	2310	Speed	20.82	21.50	1.169	0.16	0.652	0.763
	LTE Band 30	10M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	27710	2310	Speed	20.73	21.50	1.194	0.1	0.621	0.741
	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	27710	2310	Speed	21.75	23.00	1.334	-0.13	0.204	0.272
	LTE Band 30	10M	QPSK	25	0	Bottom of Laptop	11mm	MIMO2	OFF	27710	2310	Speed	20.77	22.00	1.327	-0.13	0.161	0.214
	LTE Band 30	10M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	27710	2310	WNC	21.26	22.50	1.330	-0.14	0.706	0.939
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132072	1720	Speed	15.38	16.00	1.153	-0.04	0.791	0.912
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132322	1745	Speed	15.26	16.00	1.186	-0.19	0.785	0.931
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132572	1770	Speed	15.21	16.00	1.199	-0.08	0.801	0.961
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132072	1720	Speed	15.04	16.00	1.247	-0.19	0.730	0.911
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132322	1745	Speed	15.00	16.00	1.259	-0.15	0.717	0.903
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132572	1770	Speed	14.97	16.00	1.268	-0.09	0.708	0.897
	LTE Band 66	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	132072	1720	Speed	14.99	16.00	1.262	-0.15	0.702	0.886
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132047+132140	1717.5	Speed	15.02	16.00	1.253	0.12	0.715	0.896
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132322+132229	1745	Speed	14.98	16.00	1.265	0.01	0.722	0.913
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132597+132504	1772.5	Speed	14.87	16.00	1.297	0.03	0.698	0.905
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132597+132504	1772.5	Speed	15.01	16.00	1.256	-0.06	0.696	0.874
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132322+132229	1745	Speed	14.99	16.00	1.262	-0.12	0.711	0.897
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132047+132140	1717.5	Speed	14.93	16.00	1.279	0.05	0.688	0.880
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	132572	1770	Speed	23.03	24.00	1.250	-0.18	0.359	0.449
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	18mm	Main	OFF	132572	1770	Speed	22.00	23.00	1.259	0.14	0.284	0.358
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132072	1720	WNC	15.38	16.00	1.153	0.17	0.906	1.045
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132322	1745	WNC	15.26	16.00	1.186	-0.1	0.900	1.067
11	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	132572	1770	WNC	15.21	16.00	1.199	0	0.918	1.101
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132072	1720	WNC	15.04	16.00	1.247	-0.06	0.837	1.044
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132322	1745	WNC	15.00	16.00	1.259	-0.01	0.822	1.035
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	132572	1770	WNC	14.97	16.00	1.268	-0.17	0.811	1.028
	LTE Band 66	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	132072	1720	WNC	14.99	16.00	1.262	-0.18	0.804	1.015
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132322	1745	Speed	21.05	21.50	1.109	0.12	0.880	0.976
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132072	1720	Speed	20.96	21.50	1.132	-0.14	0.792	0.897
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132572	1770	Speed	20.98	21.50	1.127	-0.01	0.846	0.954
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	132322	1745	Speed	20.85	21.50	1.161	-0.06	0.675	0.784
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	132072	1720	Speed	20.65	21.50	1.216	-0.14	0.592	0.720
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	132572	1770	Speed	20.69	21.50	1.205	-0.01	0.659	0.794
	LTE Band 66	20M	QPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	132322	1745	Speed	20.75	21.50	1.189	-0.06	0.647	0.769
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132047+132140	1717.5	Speed	20.75	21.50	1.189	0.11	0.777	0.923
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132322+132229	1745	Speed	20.79	21.50	1.178	0.03	0.752	0.886
	LTE Band 66B	15M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132597+132504	1772.5	Speed	20.71	21.50	1.199	0.09	0.741	0.889
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132597+132504	1772.5	Speed	20.73	21.50	1.194	-0.1	0.703	0.839
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132322+132229	1745	Speed	20.69	21.50	1.205	0.06	0.729	0.878
	LTE Band 66C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132047+132140	1717.5	Speed	20.70	21.50	1.202	0.05	0.738	0.887
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	132322	1745	Speed	22.98	24.00	1.265	-0.18	0.234	0.296
	LTE Band 66	20M	QPSK	50	0	Bottom of Laptop	11mm	MIMO2	OFF	132322	1745	Speed	21.88	23.00	1.294	-0.18	0.179	0.232
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132322	1745	WNC	21.05	21.50	1.109	0.04	0.795	0.882
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132072	1720	WNC	20.96	21.50	1.132	0.13	0.853	0.966
	LTE Band 66	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	132572	1770	WNC	20.98	21.50	1.127	0.12	0.833	0.939
	LTE Band 71	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	Speed	22.79	23.50	1.178	-0.08	0.743	0.875
	LTE Band 71	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	Speed	22.41	23.50	1.285	-0.15	0.653	0.839
	LTE Band 71	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	Speed	22.29	23.50	1.321	-0.1	0.617	0.815
	LTE Band 71	20M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	133297	680.5	Speed	23.17	24.00	1.211	-0.17	0.103	0.125
	LTE Band 71	20M	QPSK	50	0	Bottom of Laptop	18mm	Main	OFF	133297	680.5	Speed	22.34	23.00	1.164	-0.19	0.085	0.099
12	LTE Band 71	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	WNC	22.79	23.50	1.178	0.19	0.756	0.890
	LTE Band 71	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	WNC	22.41	23.50	1.285	-0.16	0.688	0.884
	LTE Band 71	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	133297	680.5	WNC	22.29	23.50	1.321	-0.06	0.631	0.834

TEL : 886-3-327-3456

FAX : 886-3-328-4978

Template version: 211220

Page 218 of 232

Issued Date : Feb. 06, 2023



<TDD LTE SAR>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41055	2636.5	Speed	18.90	19.50	1.148	62.9	1.006	0	0.902	1.042
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	39750	2506	Speed	18.81	19.50	1.172	62.9	1.006	0.15	0.717	0.846
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40185	2549.5	Speed	17.91	19.50	1.442	62.9	1.006	-0.14	0.596	0.865
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40620	2593	Speed	18.05	19.50	1.396	62.9	1.006	0.14	0.731	1.027
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41490	2680	Speed	18.15	19.50	1.365	62.9	1.006	0.02	0.751	1.031
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	41055	2636.5	Speed	18.79	19.50	1.178	62.9	1.006	0.03	0.693	0.821
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	39750	2506	Speed	18.73	19.50	1.194	62.9	1.006	-0.05	0.689	0.828
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	40185	2549.5	Speed	18.01	19.50	1.409	62.9	1.006	-0.14	0.677	0.960
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	40620	2593	Speed	18.05	19.50	1.396	62.9	1.006	0.01	0.664	0.933
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	Main	ON	41490	2680	Speed	18.23	19.50	1.340	62.9	1.006	0.02	0.677	0.912
	LTE Band 41	20M	QPSK	100	0	Bottom of Laptop	0mm	Main	ON	41055	2636.5	Speed	18.73	19.50	1.194	62.9	1.006	0.01	0.612	0.735
	LTE Band 38C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	37850	2636.5	Speed	18.65	19.50	1.216	62.9	1.006	0.05	0.812	0.993
	LTE Band 38C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	37901	2636.5	Speed	18.61	19.50	1.227	62.9	1.006	-0.06	0.711	0.878
	LTE Band 38C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	38150	2636.5	Speed	18.60	19.50	1.230	62.9	1.006	-0.03	0.742	0.918
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	39750	2506	Speed	18.49	19.50	1.262	62.9	1.006	-0.11	0.698	0.886
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40185	2549.5	Speed	17.90	19.50	1.445	62.9	1.006	-0.18	0.674	0.980
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40620	2593	Speed	18.02	19.50	1.406	62.9	1.006	0.08	0.665	0.941
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41055	2636.5	Speed	18.46	19.50	1.271	62.9	1.006	0.07	0.648	0.828
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41490	2680	Speed	18.14	19.50	1.368	62.9	1.006	-0.02	0.639	0.879
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	18mm	Main	OFF	41055	2636.5	Speed	23.52	24.00	1.117	62.9	1.006	0.19	0.303	0.340
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	18mm	Main	OFF	41055	2636.5	Speed	22.25	23.00	1.189	62.9	1.006	-0.12	0.251	0.300
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41055	2636.5	WNC	18.90	19.50	1.148	62.9	1.006	0.19	0.737	0.851
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	39750	2506	WNC	18.81	19.50	1.172	62.9	1.006	-0.07	0.624	0.736
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40185	2549.5	WNC	17.91	19.50	1.442	62.9	1.006	-0.15	0.383	0.556
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	40620	2593	WNC	18.05	19.50	1.396	62.9	1.006	0.14	0.439	0.617
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	Main	ON	41490	2680	WNC	18.15	19.50	1.365	62.9	1.006	0.14	0.651	0.894
	LTE Band 41	20M	QPSK	1	0	Back of Display Screen	25mm	MIMO2	OFF	40620	2593	Speed	23.54	24.00	1.112	62.9	1.006	-0.07	0.001	0.001
	LTE Band 41	20M	QPSK	50	0	Back of Display Screen	25mm	MIMO2	OFF	40620	2593	Speed	22.69	23.00	1.074	62.9	1.006	0.18	0.001	0.001
13	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40620	2593	Speed	21.22	22.00	1.197	62.9	1.006	0.01	0.877	1.056
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	39750	2506	Speed	21.18	22.00	1.208	62.9	1.006	-0.03	0.605	0.735
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40185	2549.5	Speed	21.01	22.00	1.256	62.9	1.006	-0.07	0.627	0.792
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41055	2636.5	Speed	21.09	22.00	1.233	62.9	1.006	-0.11	0.777	0.964
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41490	2680	Speed	21.20	22.00	1.202	62.9	1.006	-0.13	0.783	0.947
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	40620	2593	Speed	21.17	22.00	1.211	62.9	1.006	0.19	0.749	0.912
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	39750	2506	Speed	21.11	22.00	1.227	62.9	1.006	-0.02	0.612	0.756
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	40185	2549.5	Speed	21.00	22.00	1.259	62.9	1.006	-0.09	0.698	0.884
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	41055	2636.5	Speed	21.07	22.00	1.239	62.9	1.006	0.11	0.645	0.804
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	41490	2680	Speed	21.16	22.00	1.213	62.9	1.006	0.08	0.653	0.797
	LTE Band 41	20M	QPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	40620	2593	Speed	21.10	22.00	1.230	62.9	1.006	0.07	0.761	0.942
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	39750	2506	Speed	20.94	22.00	1.276	62.9	1.006	0.01	0.811	1.041
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40185	2549.5	Speed	20.87	22.00	1.297	62.9	1.006	0.09	0.715	0.933
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40620	2593	Speed	20.88	22.00	1.294	62.9	1.006	0.15	0.589	0.767
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41055	2636.5	Speed	20.91	22.00	1.285	62.9	1.006	0.18	0.555	0.718
	LTE Band 41C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41490	2680	Speed	20.96	22.00	1.271	62.9	1.006	0.03	0.549	0.702
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	40620	2593	Speed	23.54	24.00	1.112	62.9	1.006	-0.11	0.163	0.182
	LTE Band 41	20M	QPSK	50	0	Bottom of Laptop	11mm	MIMO2	OFF	40620	2593	Speed	22.69	23.00	1.074	62.9	1.006	0.11	0.135	0.146
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40620	2593	WNC	21.22	22.00	1.197	62.9	1.006	0.1	0.777	0.935
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	39750	2506	WNC	21.18	22.00	1.208	62.9	1.006	0.17	0.594	0.722
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	40185	2549.5	WNC	21.01	22.00	1.256	62.9	1.006	-0.04	0.561	0.709
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41055	2636.5	WNC	21.09	22.00	1.233	62.9	1.006	0.15	0.699	0.867
	LTE Band 41	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	41490	2680	WNC	21.20	22.00	1.202	62.9	1.006	0.04	0.694	0.839



Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	Speed	20.32	20.50	1.042	62.9	1.006	-0.15	0.755	0.792
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	Speed	20.29	20.50	1.050	62.9	1.006	-0.06	0.733	0.774
	LTE Band 48C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	Speed	19.95	20.50	1.135	62.9	1.006	0.03	0.846	0.966
	LTE Band 48C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	55830	3609	Speed	19.98	20.50	1.127	62.9	1.006	-0.03	0.831	0.942
	LTE Band 48C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	56150	3641	Speed	20.01	20.50	1.119	62.9	1.006	0.05	0.748	0.842
	LTE Band 48C	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	56640	3690	Speed	19.89	20.50	1.151	62.9	1.006	-0.06	0.711	0.823
	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	11mm	MIMO2	OFF	56640	3690	Speed	21.36	22.00	1.159	62.9	1.006	-0.05	0.170	0.198
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	11mm	MIMO2	OFF	56640	3690	Speed	20.54	21.00	1.112	62.9	1.006	0.03	0.130	0.145
	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	WNC	20.32	20.50	1.042	62.9	1.006	0.06	0.790	0.828
	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	55830	3609	WNC	20.26	20.50	1.057	62.9	1.006	-0.07	0.843	0.896
	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	56150	3641	WNC	20.21	20.50	1.069	62.9	1.006	0.17	0.889	0.956
14	LTE Band 48	20M	QPSK	1	0	Bottom of Laptop	0mm	MIMO2	ON	56640	3690	WNC	20.22	20.50	1.067	62.9	1.006	0.06	0.962	1.032
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	WNC	20.29	20.50	1.050	62.9	1.006	0.01	0.899	0.949
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	55830	3609	WNC	20.23	20.50	1.064	62.9	1.006	-0.08	0.817	0.875
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	56150	3641	WNC	20.14	20.50	1.086	62.9	1.006	0.15	0.803	0.878
	LTE Band 48	20M	QPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	56640	3690	WNC	19.85	20.50	1.161	62.9	1.006	0.1	0.798	0.932
	LTE Band 48	20M	QPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	55340	3560	WNC	20.16	20.50	1.081	62.9	1.006	0.04	0.765	0.832




<5G NR SAR>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
15	FR1 n2	20M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	380000	1900	Speed	21.06	21.50	1.107	-0.04	0.785	0.869
	FR1 n2	20M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	372000	1860	Speed	20.91	21.50	1.146	-0.03	0.906	1.038
	FR1 n2	20M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	376000	1880	Speed	21.01	21.50	1.119	-0.03	0.792	0.887
	FR1 n2	20M	BPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	380000	1900	Speed	20.98	21.50	1.127	-0.17	0.761	0.858
	FR1 n2	20M	BPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	372000	1860	Speed	20.67	21.50	1.211	-0.03	0.759	0.919
	FR1 n2	20M	BPSK	50	0	Bottom of Laptop	0mm	MIMO2	ON	376000	1880	Speed	20.83	21.50	1.167	0.03	0.785	0.916
	FR1 n2	20M	BPSK	100	0	Bottom of Laptop	0mm	MIMO2	ON	380000	1900	Speed	20.80	21.50	1.175	0.17	0.741	0.871
	FR1 n2	20M	BPSK	1	1	Bottom of Laptop	11mm	MIMO2	OFF	372000	1860	Speed	23.45	24.00	1.135	0.12	0.229	0.260
	FR1 n2	20M	BPSK	50	28	Bottom of Laptop	11mm	MIMO2	OFF	372000	1860	Speed	23.18	24.00	1.208	0.12	0.210	0.254
	FR1 n2	20M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	380000	1900	WNC	21.06	21.50	1.107	0.11	0.679	0.751
16	FR1 n5	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	167300	836.5	Speed	19.87	20.00	1.030	0.1	0.707	0.728
	FR1 n5	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	167300	836.5	Speed	19.69	20.00	1.074	0.07	0.649	0.697
	FR1 n5	20M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	167300	836.5	Speed	23.06	24.00	1.242	0.01	0.273	0.339
	FR1 n5	20M	BPSK	50	28	Bottom of Laptop	18mm	Main	OFF	167300	836.5	Speed	23.04	24.00	1.247	0.01	0.261	0.326
	FR1 n5	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	167300	836.5	WNC	19.87	20.00	1.030	0	0.853	0.879
17	FR1 n5	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	167300	836.5	WNC	19.69	20.00	1.074	-0.06	0.806	0.866
	FR1 n5	20M	BPSK	100	0	Bottom of Laptop	0mm	Main	ON	167300	836.5	WNC	19.58	20.00	1.102	-0.06	0.701	0.772
	FR1 n7	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	512000	2560	Speed	17.29	17.50	1.050	0	1.100	1.154
	FR1 n7	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	502000	2510	Speed	17.07	17.50	1.104	-0.14	0.985	1.088
	FR1 n7	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	507000	2535	Speed	17.28	17.50	1.052	0.18	1.080	1.136
	FR1 n7	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	512000	2560	Speed	17.11	17.50	1.094	-0.07	0.948	1.037
	FR1 n7	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	502000	2510	Speed	16.90	17.50	1.148	-0.07	0.854	0.981
	FR1 n7	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	507000	2535	Speed	17.10	17.50	1.096	-0.07	0.935	1.025
	FR1 n7	20M	BPSK	100	0	Bottom of Laptop	0mm	Main	ON	512000	2560	Speed	16.92	17.50	1.143	-0.07	0.882	1.008
	FR1 n7	20M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	512000	2560	Speed	22.90	24.00	1.288	-0.17	0.398	0.513
18	FR1 n7	20M	BPSK	50	28	Bottom of Laptop	18mm	Main	OFF	512000	2560	Speed	22.47	24.00	1.422	-0.17	0.390	0.555
	FR1 n7	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	512000	2560	WNC	17.29	17.50	1.050	-0.15	0.623	0.654
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	376500	1882.5	Speed	16.38	16.50	1.028	0.11	1.060	1.090
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	381000	1905	Speed	16.21	16.50	1.069	-0.01	0.959	1.025
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	372000	1860	Speed	16.02	16.50	1.117	0.17	0.901	1.006
	FR1 n25	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	376500	1882.5	Speed	16.30	16.50	1.047	0.11	0.897	0.939
	FR1 n25	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	381000	1905	Speed	16.13	16.50	1.089	-0.01	0.904	0.984
	FR1 n25	20M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	372000	1860	Speed	16.28	16.50	1.052	0.17	0.852	0.896
	FR1 n25	20M	BPSK	100	0	Bottom of Laptop	0mm	Main	ON	376500	1882.5	Speed	16.14	16.50	1.086	0.11	0.903	0.981
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	376500	1882.5	Speed	23.39	24.00	1.151	-0.03	0.250	0.288
19	FR1 n25	20M	BPSK	50	28	Bottom of Laptop	18mm	Main	OFF	376500	1882.5	Speed	23.26	24.00	1.186	-0.09	0.233	0.276
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	376500	1882.5	WNC	16.38	16.50	1.028	0.15	0.900	0.925
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	381000	1905	WNC	16.21	16.50	1.069	0.17	0.913	0.976
	FR1 n25	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	372000	1860	WNC	16.02	16.50	1.117	-0.07	0.876	0.978
	FR1 n30	10M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	462000	2310	Speed	16.17	16.50	1.079	0.07	0.819	0.884
	FR1 n30	10M	BPSK	25	0	Bottom of Laptop	0mm	Main	ON	462000	2310	Speed	16.15	16.50	1.084	0.09	0.793	0.860
	FR1 n30	10M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	462000	2310	Speed	16.08	16.50	1.102	-0.11	0.687	0.757
	FR1 n30	10M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	462000	2310	Speed	22.46	23.00	1.132	-0.01	0.160	0.181
	FR1 n30	10M	BPSK	25	14	Bottom of Laptop	18mm	Main	OFF	462000	2310	Speed	21.91	23.00	1.285	-0.16	0.172	0.221
	FR1 n30	10M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	462000	2310	WNC	16.17	16.50	1.079	0	0.894	0.965
19	FR1 n30	10M	BPSK	25	0	Bottom of Laptop	0mm	Main	ON	462000	2310	WNC	16.15	16.50	1.084	0.02	0.846	0.917
	FR1 n30	10M	BPSK	50	0	Bottom of Laptop	0mm	Main	ON	462000	2310	WNC	16.08	16.50	1.102	0.15	0.818	0.901



Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	349000	1745	Speed	15.94	16.00	1.014	-0.18	0.881	0.893
	FR1 n66	40M	BPSK	108	0	Bottom of Laptop	0mm	Main	ON	349000	1745	Speed	15.93	16.00	1.016	-0.19	0.815	0.828
	FR1 n66	40M	BPSK	216	0	Bottom of Laptop	0mm	Main	ON	349000	1745	Speed	15.79	16.00	1.050	0.03	0.781	0.820
	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	349000	1745	Speed	22.95	24.00	1.274	-0.18	0.315	0.401
	FR1 n66	40M	BPSK	108	54	Bottom of Laptop	18mm	Main	OFF	349000	1745	Speed	22.60	24.00	1.380	0.03	0.297	0.410
	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	349000	1745	WNC	15.94	16.00	1.014	0	0.749	0.759
20	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	349000	1745	Speed	21.15	22.00	1.216	-0.13	0.752	0.915
	FR1 n66	40M	BPSK	108	0	Bottom of Laptop	0mm	MIMO2	ON	349000	1745	Speed	20.97	21.50	1.130	-0.08	0.725	0.819
	FR1 n66	40M	BPSK	216	0	Bottom of Laptop	0mm	MIMO2	ON	349000	1745	Speed	20.90	21.50	1.148	-0.08	0.703	0.807
	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	11mm	MIMO2	OFF	349000	1745	Speed	22.85	24.00	1.303	-0.05	0.259	0.338
	FR1 n66	40M	BPSK	108	54	Bottom of Laptop	11mm	MIMO2	OFF	349000	1745	Speed	23.02	24.00	1.253	0.18	0.233	0.292
	FR1 n66	40M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	349000	1745	WNC	21.15	22.00	1.216	-0.08	0.635	0.772
	FR1 n71	20M	BPSK	1	1	Bottom of Laptop	0mm	Main	OFF	136100	680.5	Speed	23.73	24.00	1.064	-0.01	0.384	0.409
	FR1 n71	20M	BPSK	50	28	Bottom of Laptop	0mm	Main	OFF	136100	680.5	Speed	22.85	24.00	1.303	-0.15	0.345	0.450
21	FR1 n71	20M	BPSK	50	28	Bottom of Laptop	0mm	Main	OFF	136100	680.5	WNC	22.85	24.00	1.303	0	0.603	0.786
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	518598	2592.99	Speed	18.37	19.00	1.156	0	0.906	1.047
	FR1 n41	100M	BPSK	135	0	Bottom of Laptop	0mm	Main	ON	518598	2592.99	Speed	18.30	19.00	1.175	0.14	0.861	1.012
	FR1 n41	100M	BPSK	270	0	Bottom of Laptop	0mm	Main	ON	518598	2592.99	Speed	18.18	19.00	1.208	0.13	0.826	0.998
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	518598	2592.99	Speed	22.80	24.00	1.318	-0.18	0.263	0.347
	FR1 n41	100M	BPSK	135	69	Bottom of Laptop	18mm	Main	OFF	518598	2592.99	Speed	22.86	24.00	1.300	0.01	0.241	0.313
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	518598	2592.99	WNC	18.37	19.00	1.156	0.03	0.874	1.010
	FR1 n41_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	518598	2592.99	Speed	20.77	22.00	1.327	0.06	0.711	0.944
22	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	518598	2592.99	Speed	20.15	20.50	1.084	0.01	1.090	1.181
	FR1 n41	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO2	ON	518598	2592.99	Speed	19.99	20.50	1.125	-0.01	0.727	0.818
	FR1 n41	100M	BPSK	270	0	Bottom of Laptop	0mm	MIMO2	ON	518598	2592.99	Speed	19.87	20.50	1.156	0.02	0.711	0.822
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	11mm	MIMO2	OFF	518598	2592.99	Speed	22.71	24.00	1.346	-0.16	0.169	0.227
	FR1 n41	100M	BPSK	135	69	Bottom of Laptop	11mm	MIMO2	OFF	518598	2592.99	Speed	22.61	24.00	1.377	0.05	0.154	0.212
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	518598	2592.99	WNC	20.15	20.50	1.084	0.03	0.637	0.690
	FR1 n41_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	518598	2592.99	Speed	23.31	23.50	1.045	0.03	1.040	1.087
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	518598	2592.99	Speed	17.77	18.50	1.183	0	0.990	1.171
	FR1 n41	100M	BPSK	135	0	Bottom of Laptop	0mm	Aux	OFF	518598	2592.99	Speed	17.74	18.50	1.191	0.18	0.887	1.057
	FR1 n41	100M	BPSK	270	0	Bottom of Laptop	0mm	Aux	OFF	518598	2592.99	Speed	17.63	18.50	1.222	0.03	0.825	1.008
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	518598	2592.99	WNC	17.77	18.50	1.183	0.08	0.739	0.874
	FR1 n41_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	518598	2592.99	Speed	21.30	21.50	1.047	0.03	1.020	1.068
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	518598	2592.99	Speed	14.38	15.00	1.153	0	0.303	0.349
	FR1 n41	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	518598	2592.99	Speed	14.25	15.00	1.189	0.14	0.291	0.346
	FR1 n41	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	518598	2592.99	WNC	14.38	15.00	1.153	-0.03	0.228	0.263
	FR1 n41_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	518598	2592.99	Speed	17.50	18.00	1.122	0.03	0.281	0.315



FCC SAR TEST REPORT

Report No. : FA2O2008

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	656000	3840	Speed	13.53	14.50	1.250	0.01	0.864	1.080
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	Main	ON	656000	3840	Speed	13.51	14.50	1.256	0.14	1.023	1.285
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Main	ON	656000	3840	Speed	13.42	14.50	1.282	0.05	0.889	1.140
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	656000	3840	Speed	22.70	24.00	1.349	0.17	0.319	0.430
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	18mm	Main	OFF	656000	3840	Speed	22.55	24.00	1.396	0.09	0.298	0.416
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	13.53	14.50	1.250	0.01	0.997	1.247
23	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	13.51	14.50	1.256	-0.18	1.150	1.444
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	13.42	14.50	1.282	0.05	1.020	1.308
	FR1 n77_HPUE	100M	BPSK	135	0	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	16.35	17.50	1.303	-0.18	1.030	1.342
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	633332	3499.98	Speed	13.40	14.50	1.288	0.03	0.868	1.118
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	Main	ON	633332	3499.98	Speed	13.38	14.50	1.294	0.08	0.710	0.919
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Main	ON	633332	3499.98	Speed	13.02	14.50	1.406	0.01	0.693	0.974
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	18mm	Main	OFF	633332	3499.98	Speed	22.44	24.00	1.432	-0.19	0.187	0.268
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	18mm	Main	OFF	633332	3499.98	Speed	22.42	24.00	1.439	0.01	0.174	0.250
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	633332	3499.98	WNC	13.40	14.50	1.288	-0.06	0.823	1.060
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	Main	ON	633332	3499.98	Speed	16.58	17.50	1.236	-0.15	0.822	1.016
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	Speed	15.08	16.50	1.387	0.14	0.497	0.689
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	Speed	14.86	16.50	1.459	-0.1	0.490	0.715
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	11mm	MIMO2	OFF	656000	3840	Speed	22.45	24.00	1.429	0.14	0.249	0.356
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	11mm	MIMO2	OFF	656000	3840	Speed	22.35	24.00	1.462	0.06	0.231	0.338
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	WNC	15.08	16.50	1.387	-0.04	1.020	1.414
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	WNC	14.86	16.50	1.459	-0.03	0.902	1.316
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	WNC	14.81	16.50	1.476	0.02	0.851	1.256
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	656000	3840	WNC	18.73	19.50	1.194	-0.04	1.090	1.301
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	Speed	15.93	16.50	1.140	-0.03	0.790	0.901
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	Speed	15.82	16.50	1.169	-0.01	0.685	0.801
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	Speed	15.77	16.50	1.183	-0.12	0.544	0.644
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	11mm	MIMO2	OFF	633332	3499.98	Speed	22.33	24.00	1.469	0	0.566	0.831
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	11mm	MIMO2	OFF	633332	3499.98	Speed	22.20	24.00	1.514	-0.01	0.539	0.816
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	WNC	15.93	16.50	1.140	0.06	0.875	0.998
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	WNC	15.82	16.50	1.169	0.03	0.791	0.925
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	WNC	15.77	16.50	1.183	0.1	0.774	0.916
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO2	ON	633332	3499.98	WNC	18.75	19.50	1.189	0	0.751	0.893
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	656000	3840	Speed	14.90	15.00	1.023	0.07	1.050	1.074
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	0mm	Aux	OFF	656000	3840	Speed	14.88	15.00	1.028	-0.14	0.824	0.847
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Aux	OFF	656000	3840	Speed	14.81	15.00	1.045	0.16	0.911	0.952
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	656000	3840	WNC	14.90	15.00	1.023	-0.02	1.080	1.105
	FR1 n77	100M	BPSK	135	69	Bottom of Laptop	0mm	Aux	OFF	656000	3840	WNC	14.88	15.00	1.028	-0.1	0.973	1.000
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Aux	OFF	656000	3840	WNC	14.81	15.00	1.045	-0.09	1.000	1.045
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	656000	3840	WNC	17.90	18.00	1.023	0.05	1.010	1.034
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	Speed	14.80	15.00	1.047	0.19	0.674	0.706
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	Speed	14.71	15.00	1.069	0.19	0.748	0.800
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	Speed	14.66	15.00	1.081	0.03	0.691	0.747
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	WNC	14.80	15.00	1.047	0.19	0.693	0.726
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	WNC	14.71	15.00	1.069	0.16	0.774	0.827
	FR1 n77	100M	BPSK	270	0	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	WNC	14.66	15.00	1.081	0.03	0.715	0.773
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	Aux	OFF	633332	3499.98	WNC	17.80	18.00	1.047	-0.09	0.723	0.757
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	656000	3840	Speed	12.71	13.00	1.069	-0.08	0.280	0.299
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	656000	3840	Speed	12.69	13.00	1.074	0.06	0.323	0.347
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	656000	3840	WNC	12.69	13.00	1.074	0.17	0.228	0.245
	FR1 n77_HPUE	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	656000	3840	Speed	15.56	16.00	1.107	0.17	0.289	0.320
	FR1 n77	100M	BPSK	1	1	Bottom of Laptop	0mm	MIMO3	OFF	633332	3499.98	Speed	12.18	13.00	1.208	0.18	0.190	0.229
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	633332	3499.98	Speed	12.08	13.00	1.236	0.16	0.279	0.345
	FR1 n77	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	633332	3499.98	WNC	12.08	13.00	1.236	-0.01	0.260	0.321
	FR1 n77_HPUE	100M	BPSK	135	0	Bottom of Laptop	0mm	MIMO3	OFF	633332	3499.98	Speed	14.97	16.00	1.268	0.12	0.251	0.318

14.2 Repeated SAR Measurement

No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power Reduction	Ch.	Freq. (MHz)	Antenna Vendor	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Ratio	Reported 1g SAR (W/kg)
1st	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1513	1752.6	WNC	15.56	16.00	1.107	-	-	0	1.000	-	1.107
2nd	WCDMA IV	RMC 12.2Kbps	Bottom of Laptop	0mm	Main	ON	1513	1752.6	WNC	15.56	16.00	1.107	-	-	0.15	0.941	1.06	1.041
1st	LTE Band 14	10M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	23330	793	WNC	20.86	21.50	1.159	-	-	0.18	0.973	-	1.127
2nd	LTE Band 14	10M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	23330	793	WNC	20.86	21.50	1.159	-	-	0.01	0.965	1.01	1.118
1st	LTE Band 26	15M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	26865	831.5	WNC	19.85	20.50	1.161	-	-	0.1	0.890	-	1.034
2nd	LTE Band 26	15M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	26865	831.5	WNC	19.85	20.50	1.161	-	-	0.12	0.812	1.10	0.943
1st	LTE Band 30	10M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	27710	2310	WNC	17.13	17.50	1.089	-	-	0	1.090	-	1.187
2nd	LTE Band 30	10M_QPSK_1_0	Bottom of Laptop	0mm	Main	ON	27710	2310	WNC	17.13	17.50	1.089	-	-	0.06	0.983	1.11	1.070
1st	LTE Band 48	20M_QPSK_1_0	Bottom of Laptop	0mm	MIMO2	ON	56640	3690	WNC	20.22	20.50	1.067	62.9	1.006	0.06	0.962	-	1.032
2nd	LTE Band 48	20M_QPSK_1_0	Bottom of Laptop	0mm	MIMO2	ON	56640	3690	WNC	20.22	20.50	1.067	62.9	1.006	0.12	0.954	1.01	1.024
1st	FR1 n7	20M_BPSK_1_0	Bottom of Laptop	0mm	Main	ON	512000	2560	Speed	17.29	17.50	1.050	-	-	0	1.100	-	1.154
2nd	FR1 n7	20M_BPSK_1_0	Bottom of Laptop	0mm	Main	ON	512000	2560	Speed	17.29	17.50	1.050	-	-	0.03	1.060	1.03	1.113
1st	FR1 n25	20M_BPSK_1_0	Bottom of Laptop	0mm	Main	ON	376500	1882.5	Speed	16.38	16.50	1.028	-	-	0.11	1.060	-	1.090
2nd	FR1 n25	20M_BPSK_1_0	Bottom of Laptop	0mm	Main	ON	376500	1882.5	Speed	16.38	16.50	1.028	-	-	0.06	1.030	1.03	1.059
1st	FR1 n77	100M_BPSK_135_0	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	13.51	14.50	1.256	-	-	-0.18	1.150	-	1.444
2nd	FR1 n77	100M_BPSK_135_0	Bottom of Laptop	0mm	Main	ON	656000	3840	WNC	13.51	14.50	1.256	-	-	0.01	1.030	1.12	1.294

General Note:

1. Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required only when the measured SAR is $\geq 0.8\text{W/kg}$.
2. Per KDB 865664 D01v01r04, if the ratio among the repeated measurement is ≤ 1.2 and the measured SAR $< 1.45\text{W/kg}$, only one repeated measurement is required.
3. The ratio is the difference in percentage between original and repeated *measured SAR*.
4. All measurement SAR result is scaled-up to account for tune-up tolerance and is compliant.

14.1 FR1 n41/n77 Power Class 2 and Power Class 3 Linearity

This device support Power Class 2 and Power Class 3 operations for FR1 n41/n77. The highest available duty cycle for Power Class 2 operation is 50% using UL-DL configuration 1. Per FCC Guidance based on the device behavior, all SAR tests were performed using Power Class 3. Power Class 2 is tested using the highest SAR test configuration in Power Class 3 for each FR1 configuration and exposure condition combination, according to the highest time averaged power for all applicable uplink-downlink configurations in Power Class 2. When the reported SAR vs. output power is linearly scaled with < 10% discrepancy between power classes and all reported SAR are < 1.4 W/kg, Separate SAR testing for Power Class 2 is not required.

Use PC3 power level and SAR to estimated PC2 SAR linearly, and check if the deviation from the measured PC2 SAR is <10%

Default Power Mode

	FR1 n41_Main (Power Class 3)	FR1 n41_Main (Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.347	0.334
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.35	
% deviation from expected linearity		-3.52%

	FR1 n41_Mimo 2 (Power Class 3)	FR1 n41_Mimo 2 (Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.227	0.206
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.23	
% deviation from expected linearity		-9.04%

	FR1 n77 27O_Main (Power Class 3)	FR1 n77 27O_Main (Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.43	0.395
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.43	
% deviation from expected linearity		-7.92%

	FR1 n77 27Q_Main (Power Class 3)	FR1 n77 27Q_Main (Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.268	0.247
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.27	
% deviation from expected linearity		-7.62%

	FR1 n77 27Q_Mimo 2 (Power Class 3)	FR1 n77 27Q_Mimo 2 (Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.356	0.331
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.36	
% deviation from expected linearity		-6.80%

	FR1 n77 27Q_Mimo 2	FR1 n77 27Q_Mimo 2
	(Power Class 3)	(Power Class 2)
Maximum Tune up Power (dBm)	24	27
Reported 1g SAR (W/kg)	0.831	0.763
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59
Linearity SAR(W/kg)	0.83	
% deviation from expected linearity		-7.96%

Reduced Power Mode

	FR1 n41_Main	FR1 n41_Main
	(Power Class 3)	(Power Class 2)
Maximum Tune up Power (dBm)	19	22
Reported 1g SAR (W/kg)	1.047	0.944
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	79.43	79.24
Linearity SAR(W/kg)	1.04	
% deviation from expected linearity		-9.62%

	FR1 n41_Mimo 2	FR1 n41_Mimo 2
	(Power Class 3)	(Power Class 2)
Maximum Tune up Power (dBm)	20.5	23.5
Reported 1g SAR (W/kg)	1.181	1.087
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	112.20	111.94
Linearity SAR(W/kg)	1.18	
% deviation from expected linearity		-7.74%

	FR1 n41_Mimo 3	FR1 n41_Mimo 3
	(Power Class 3)	(Power Class 2)
Maximum Tune up Power (dBm)	15	18
Reported 1g SAR (W/kg)	0.349	0.315
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	31.62	31.55
Linearity SAR(W/kg)	0.35	
% deviation from expected linearity		-9.53%

	FR1 n41_Aux	FR1 n41_Aux
	(Power Class 3)	(Power Class 2)
Maximum Tune up Power (dBm)	18.5	21.5
Reported 1g SAR (W/kg)	1.171	1.068
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	70.79	70.63
Linearity SAR(W/kg)	1.17	
% deviation from expected linearity		-8.58%

	FR1 n77 27O_Main (Power Class 3)	FR1 n77 27O_Main (Power Class 2)
Maximum Tune up Power (dBm)	14.5	17.5
Reported 1g SAR (W/kg)	1.444	1.342
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	28.18	28.12
Linearity SAR(W/kg)	1.44	
% deviation from expected linearity		-6.84%

	FR1 n77 27O_Mimo 2 (Power Class 3)	FR1 n77 27O_Mimo 2 (Power Class 2)
Maximum Tune up Power (dBm)	16.5	19.5
Reported 1g SAR (W/kg)	1.414	1.301
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	44.67	44.56
Linearity SAR(W/kg)	1.41	
% deviation from expected linearity		-7.77%

	FR1 n77 27O_Mimo 3 (Power Class 3)	FR1 n77 27O_Mimo 3 (Power Class 2)
Maximum Tune up Power (dBm)	13	16
Reported 1g SAR (W/kg)	0.347	0.32
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	19.95	19.91
Linearity SAR(W/kg)	0.35	
% deviation from expected linearity		-7.56%

	FR1 n77 27O_Aux (Power Class 3)	FR1 n77 27O_Aux (Power Class 2)
Maximum Tune up Power (dBm)	15	18
Reported 1g SAR (W/kg)	1.105	1.034
Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	31.62	31.55
Linearity SAR(W/kg)	1.10	
% deviation from expected linearity		-6.20%

15. Simultaneous Transmission Analysis

NO.	Simultaneous Transmission Configurations	Body
1.	WWAN Main + WWAN MIMO 2 + 2.4GHz WLAN Main + 2.4GHz WLAN Aux	Yes
2.	WWAN Main + WWAN MIMO 2 + 2.4GHz WLAN Main + Bluetooth Aux	Yes
3.	WWAN Main + WWAN MIMO 2 + 5/6GHz WLAN Main + 5/6GHz WLAN Aux + Bluetooth Aux	Yes
4.	WWAN MIMO 3 + 2.4GHz WLAN Main + 2.4GHz WLAN Aux	Yes
5.	WWAN MIMO 3 + 2.4GHz WLAN Main + Bluetooth Aux	Yes
6.	WWAN MIMO 3 + 5/6GHz WLAN Main + 5/6GHz WLAN Aux + Bluetooth Aux	Yes
7.	WWAN Aux+ 2.4GHz WLAN Main + 2.4GHz WLAN Aux	Yes
8.	WWAN Aux + 2.4GHz WLAN Main + Bluetooth Aux	Yes
9.	WWAN Aux + 5/6GHz WLAN Main + 5/6GHz WLAN Aux + Bluetooth Aux	Yes

General Note:

1. The Intel AX211D2W WLAN/BT module is also integrated into this host. The WLAN 2.4GHz/5GHz and Bluetooth SAR results are referenced from Intel SAR report, report number: 221017-03.TR01 (FCC ID: PD9AX211D2), WLAN 6GHz SAR refers new report No.: 221017-03.TR02 (FCC ID: PD9AX211D2)
2. When the EN-DC is active only operating at WWAN main and MIMO2 antenna combination.
3. The worst case reported SAR for each configuration was used for SAR summation. Therefore, the following summations represent the absolute worst cases for simultaneous transmission.
4. The Scaled SAR summation is calculated based on the same configuration and test position.
5. Per KDB 447498 D01v06, simultaneous transmission SAR is compliant if,
 - i) Scalar SAR summation < 1.6W/kg.
 - ii) $SPLSR = (SAR1 + SAR2)^{1.5} / (\text{min. separation distance, mm})$, and the peak separation distance is determined from the square root of $[(x1-x2)^2 + (y1-y2)^2 + (z1-z2)^2]$, where (x1, y1, z1) and (x2, y2, z2) are the coordinates of the extrapolated peak SAR locations in the zoom scan.
 - iii) If $SPLSR \leq 0.04$, simultaneously transmission SAR measurement is not necessary.
 - iv) Simultaneously transmission SAR measurement, and the reported multi-band SAR < 1.6W/kg.
 - v) The SPLSR calculated results please refer to section 15.2.

**15.1 Body Exposure Conditions****Main & MIMO2**

Exposure Position	1	2	3	4	5	6	7	1+2+3+7 Summed 1g SAR (W/kg)	1+2+3+4 Summed 1g SAR (W/kg)	1+2+5+6+7 Summed 1g SAR (W/kg)	SPLSR	Case No
	WWAN Main max	WWAN Mimo2 max	WLAN2.4GHz Main	WLAN2.4GHz Aux	WLAN5/6GHz Main	WLAN5/6GHz Aux	Bluetooth Aux					
	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)					
Bottom of Laptop at 0mm	1.444	1.414	0.300	0.290	0.780	0.730	0.080	3.238	3.448	4.448	0.03	Case 1

MIMO3

Exposure Position	1	2	3	4	5	6	1+2+6 Summed 1g SAR (W/kg)	1+2+3 Summed 1g SAR (W/kg)	1+4+5+6 Summed 1g SAR (W/kg)	SPLSR	Case No
	WWAN Mimo3 MAX	WLAN2.4GHz Main	WLAN2.4GHz Aux	WLAN5/6GHz Main	WLAN5/6GHz Aux	Bluetooth Aux					
	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)					
Bottom of Laptop at 0mm	0.349	0.300	0.290	0.780	0.730	0.080	0.729	0.939	1.939	0.03	Case 2

Aux

Exposure Position	1	2	3	4	5	6	1+2+6 Summed 1g SAR (W/kg)	1+2+3 Summed 1g SAR (W/kg)	1+4+5+6 Summed 1g SAR (W/kg)	SPLSR	Case No
	WWAN AUX Max	WLAN2.4GHz Main	WLAN2.4GHz Aux	WLAN5/6GHz Main	WLAN5/6GHz Aux	Bluetooth Aux					
	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)					
Bottom of Laptop at 0mm	1.171	0.300	0.290	0.780	0.730	0.080	1.551	1.761	2.761	0.02	Case 3


15.2 SPLSR Evaluation and Analysis

General Note:

1. Simultaneous transmission SAR test exclusion is determined for each operating configuration and exposure condition according to the reported standalone SAR of each applicable simultaneously transmitting antenna. When the sum of 1-g or 10-g SAR of all simultaneously transmitting antennas in an operating mode and exposure condition combination is within the SAR limit, SAR test exclusion applies to that simultaneous transmission configuration. Therefore, the adjacent transmit antennas will be summed first, and then the SPLSR calculation will be evaluated with the farther transmitted antennas.
2. $SPLSR = (SAR_1 + SAR_2)^{1.5} / (\text{min. separation distance, mm})$. If $SPLSR \leq 0.04$, simultaneously transmission SAR measurement is not necessary
3. The detail hotspot point for each transmitter in each exposure condition are showing as below figure and the minimum 3D distance for each sum combination is used for SPLSR analysis.

	Band	Position	SAR (W/kg)	Gap (mm)	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
					X	Y	Z				
Case 1	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	1.36	196.7	2.86	0.02	Not required
	WWAN MIMO2 MAX		1.414	0mm	-41.58	140.59	1.01				
	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	-177	110.1	1.74	0.02	Not required
	WLAN2.4GHz Main		0.3	0mm	86.8	111.1	-177				
	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	-177	100.1	1.73	0.02	Not required
	WLAN2.4GHz Aux		0.29	0mm	90.2	-98.2	-177				
	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	-177	110.1	2.22	0.03	Not required
	WLAN5/6GHz Main		0.78	0mm	86.8	111.1	-177				
	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	-177	100.1	2.17	0.03	Not required
	WLAN5/6GHz Aux		0.73	0mm	90.2	-98.2	-177				
	WWAN Main MAX	Bottom of Laptop	1.444	0mm	97.64	1.58	-177	100.1	1.61	0.02	Not required
	Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
	WWAN MIMO2 MAX	Bottom of Laptop	1.414	0mm	-41.58	140.59	-177	131.7	1.71	0.02	Not required
	WLAN2.4GHz Main		0.3	0mm	86.8	111.1	-177				
	WWAN MIMO2 MAX	Bottom of Laptop	1.414	0mm	-41.58	140.59	-177	272.7	1.70	0.01	Not required
	WLAN2.4GHz Aux		0.29	0mm	90.2	-98.2	-177				
	WWAN MIMO2 MAX	Bottom of Laptop	1.414	0mm	-41.58	140.59	-177	131.7	2.19	0.02	Not required
	WLAN5/6GHz Main		0.78	0mm	86.8	111.1	-177				
	WWAN MIMO2 MAX	Bottom of Laptop	1.414	0mm	-41.58	140.59	-177	272.7	2.14	0.01	Not required
	WLAN5/6GHz Aux		0.73	0mm	90.2	-98.2	-177				
	WWAN MIMO2 MAX	Bottom of Laptop	1.414	0mm	-41.58	140.59	-177	272.7	1.58	0.01	Not required
	Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
	WLAN2.4GHz Main	Bottom of Laptop	0.3	0mm	86.8	111.1	-177	209.3	0.59	0.00	Not required
	WLAN2.4GHz Aux		0.29	0mm	90.2	-98.2	-177				
	WLAN2.4GHz Main	Bottom of Laptop	0.3	0mm	86.8	111.1	-177	209.3	0.47	0.00	Not required
	Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
	WLAN5/6GHz Main	Bottom of Laptop	0.78	0mm	86.8	111.1	-177	209.3	1.51	0.01	Not required
	WLAN5/6GHz Aux+ BT		0.73	0mm	90.2	-98.2	-177				
Case 2	Band	Position	SAR (W/kg)	Gap (mm)	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
	WWAN Mimo3 MAX	Bottom of Laptop	0.384	0mm	92.84	-63.4	-177	174.6	1.16	0.01	Not required
	WLAN5/6GHz Main		0.78	0mm	86.8	111.1	-177				
	WWAN Mimo3 MAX	Bottom of Laptop	0.384	0mm	92.84	-63.4	-177	34.9	1.11	0.03	Not required
	WLAN5/6GHz Aux		0.73	0mm	90.2	-98.2	-177				
	WWAN Mimo3 MAX	Bottom of Laptop	0.384	0mm	92.84	-63.4	-177	34.9	0.55	0.01	Not required
	Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
	WLAN5/6GHz Main	Bottom of Laptop	0.78	0mm	86.8	111.1	-177	209.3	1.68	0.01	Not required
	WLAN5/6GHz Aux+BT		0.9	0mm	90.2	-98.2	-177				
Case 3	Band	Position	SAR (W/kg)	Gap (mm)	SAR peak location (cm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
	WWAN Aux MAX	Bottom of Laptop	1.171	0mm	-79.16	-132.02	-177	294.4	1.47	0.01	Not required

WLAN2.4GHz Main		0.3	0mm	86.8	111.1	-177				
WWAN Aux MAX	Bottom of Laptop	1.171	0mm	-79.16	-132.02	-177	172.7	1.46	0.01	Not required
WLAN2.4GHz Aux		0.29	0mm	90.2	-98.2	-177				
WWAN Aux MAX	Bottom of Laptop	1.171	0mm	-79.16	-132.02	-177	294.4	1.95	0.01	Not required
WLAN5/6GHz Main		0.78	0mm	86.8	111.1	-177				
WWAN Aux MAX	Bottom of Laptop	1.171	0mm	-79.16	-132.02	-177	172.7	1.90	0.02	Not required
WLAN5/6GHz Aux		0.73	0mm	90.2	-98.2	-177				
WWAN Aux MAX	Bottom of Laptop	1.171	0mm	-79.16	-132.02	-177	172.7	1.34	0.01	Not required
Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
WLAN2.4GHz Main	Bottom of Laptop	0.3	0mm	86.8	111.1	-177	209.3	0.59	0.00	Not required
WLAN2.4GHz Aux		0.29	0mm	90.2	-98.2	-177				
WLAN2.4GHz Main	Bottom of Laptop	0.3	0mm	86.8	111.1	-177	209.3	0.47	0.00	Not required
Bluetooth Aux		0.17	0mm	90.2	-98.2	-177				
WLAN5/6GHz Main	Bottom of Laptop	0.78	0mm	86.8	111.1	-177	209.3	1.68	0.01	Not required
WLAN5/6GHz Aux+BT		0.9	0mm	90.2	-98.2	-177				



Test Engineer : Hank Chiang and Lu Chen

16. Uncertainty Assessment

Per KDB 865664 D01 SAR measurement 100MHz to 6GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg and the measured 10-g SAR within a frequency band is < 3.75 W/kg. The expanded SAR measurement uncertainty must be $\leq 30\%$, for a confidence interval of $k = 2$. If these conditions are met, extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. For this device, the highest measured 1-g SAR is less 1.5W/kg. Therefore, the measurement uncertainty table is not required in this report.

Declaration of Conformity:

The test results with all measurement uncertainty excluded is presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

17. References

- [1] FCC 47 CFR Part 2 "Frequency Allocations and Radio Treaty Matters; General Rules and Regulations"
- [2] ANSI/IEEE Std. C95.1-1992, "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz", September 1992
- [3] IEEE Std. 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", Sep 2013
- [4] SPEAG DASY System Handbook
- [5] FCC KDB 447498 D01 v06, "Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies", Oct 2015
- [6] FCC KDB 941225 D01 v03r01, "3G SAR MEAUREMENT PROCEDURES", Oct 2015
- [7] FCC KDB 941225 D05 v02r05, "SAR Evaluation Considerations for LTE Devices", Dec 2015
- [8] FCC KDB 941225 D05A v01r02, "Rel. 10 LTE SAR Test Guidance and KDB Inquiries", Oct 2015
- [9] FCC KDB 616217 D04 v01r02, "SAR Evaluation Considerations for Laptop, Notebook, Netbook and Tablet Computers", Oct 2015
- [10] FCC KDB 865664 D01 v01r04, "SAR Measurement Requirements for 100 MHz to 6 GHz", Aug 2015.
- [11] FCC KDB 865664 D02 v01r02, "RF Exposure Compliance Reporting and Documentation Considerations" Oct 2015.