



A Specifications

Physical and Environmental Specifications

Physical Dimensions (excluding overmold)

Length:	16.0 cm (6.3")
Width:	8.1 cm (3.2")
Height:	3.3 cm (1.3") with standard battery 2.8 cm (1.1") with extended battery
Weight:	Non-WAN units - 14 oz WAN units w/standard battery - 15 to 16 oz WAN units w/extended battery - 16 to 17 oz

Hardware

Microprocessor:	Intel XScale PXA270
Application Processor:	520 MHz RAM
Memory:	128 MB RAM
Persistent Storage:	128 MB NAND Flash, provides onboard non-volatile storage of applications and data
Removable Storage:	miniSD Card Slot, user-accessible
Keypad:	numeric or QWERTY; w/LED backlighting
Scanner Options:	EA11, EA11HD scan engine or Color Camera

Operating System

Microsoft Windows Mobile 5.0

Software

Development Environments:	Embedded Visual C++ 4.0, .NET Compact Framework (VB, NET, C#)
IDL:	Integrates with leading development environments; supports device-specific features and bar code scanning
Browser support:	Internet Explorer 6-compatible

Bar Code Scanning

Options of Integrated 2D Area Imager or 1D & PDF417 Linear Imager
Supports all popular 1D and 2D symbologies including Australian Post, British Post, Codabar, Codablock A, Codablock F, Code 11, Code 2 of 5, Code 39, Code 93, Code 93i, Code 128, Datamatrix, Dutch Post, ISBT 128, Interleaved 2 of 5, Macro 2 of 5, Matrix 2 of 5, Maxicode, Micro PDF417, MSI, PDF417, Planet, Plessey, Postnet, QR Code, RSS 14, RSS Expanded, RSS Limited, Telepen, TLC39, UCC-EAN Composite Code, UPC/EAN

Standard Communications

USB host, USB client, Bluetooth, 802.11b/g, GPRS, CDMA, GPS

Wireless LAN

Standards Compliant:	IEEE 802.11g (2.4 GHz - OFDM) IEEE 802.11b (2.4 GHz - DSSS)
Data Rates:	Up to 54 Mbps for 802.11g Up to 11 Mbps for 802.11b
Radio Power Output:	100 mW
Security:	WEP, WPA, 802.11i, 802.1x (EAP-TLS, TTLS, LEAP, PEAP, EAP-FAST)
Certifications:	Wi-Fi, WPA, WPA2, Cisco Compatible Extensions

Device Management

SmartSystems™ Support:	Centralized remote support capability; configures, updates, and maintains single devices or entire populations; real-time or batch, wired or wireless. Based on Wavelink Avalanche™ with Intermec value added utilities.
------------------------	---

Power Specifications

Operating:	Removable, rechargeable LiIon batteries; AB8 standard pack, 3.7 VDC, 2.2 AHr, (8 W-hr - 4 hr charge time); or AB9 extended pack, 3.7 VDC, 4.0 A Hr, (14 W-hr - 5 hr charge time); battery life is application-dependent; typical recharge cycle time is 4 hours or less
Backup:	Super capacitor supplies 5 minutes bridge time while replacing the AB8 or AB9 Battery

Electrical Specifications

External Charge Power:	5 V +/-5% @ 3.5 A max. (18 W max.)
------------------------	------------------------------------

Environment

Operating temperature:	-10° to 50°C (14° to 122°F)
Storage temperature:	-20° to 70°C (-13° to 158°F)
Humidity:	5% to 95% noncondensing
Electrostatic Discharge:	±8 kV Contact Discharge; ±15 kV Discharge
Rain and Dust Resistance:	IP54 compliant
Drop Survival:	Multiple 1.2 m (4 ft) drops to steel or concrete

Screen Specifications

Transflective TFT; QVGA Color with touch panel; 240x320 pixels; 8.9 cm (3.5 in) diagonal active area; 5-level LED backlight control with settings

Regulatory Approvals

UL and cUL Listed, UL 60950 and UL 1604 and CSA 22.2 No. 157, FCC Part 15, TUV, CE mark

Accessories for the Computer

AC14 Quad Battery Charger (P/N 852-065-001)

Use the quad battery charger to charge up to four CN3 battery packs.

AD10 Single Dock (P/N 871-025-001)

Use the single dock to hold a CN3 with its battery installed, charge a spare battery pack, charge the main battery, and provide power to the CN3. The dock has USB host and client connectors. Optional modules are available to convert the USB host to Ethernet or to a landline modem.

AD11 Multidock (P/N 871-026-001)

Use the multidock to hold up to four CN3s with batteries installed. The multidock charges the batteries and provides power and Ethernet connections to each CN3.

AD12 Charge-Only Multidock (P/N 875-026-002)

Use the charge-only multidock to hold up to four CN3s with batteries installed, charge batteries, and provide power to CN3s.

AV6 Vehicle Dock (P/N 871-027-001)

Use the vehicle dock to hold and charge the CN3 while using it on a vehicle.

AR1 Magnetic Card Reader (P/N 850-557-001)

The magnetic card reader provides magnetic stripe reading capability to the CN3.



Numerics

- 1D area imager reading distances, 8
- 802.11
 - ISpyWiFi utility, 150
 - WPA authentication
 - Zero Configuration, 179
 - WPA authentication with pre-shared key
 - Zero Configuration, 179
 - WPA2 authentication
 - Zero Configuration, 180
 - WPA2 authentication with pre-shared key
 - Zero Configuration, 180
 - zero configuration
 - WEP encryption, 178
- 802.1x authentication
 - Funk, 159
- 802.1x security
 - troubleshooting, 104

A

- AB8 batteries, 9
- AB9 batteries, 9
- Access points
 - scanning for information, 150
- Accounts
 - via Messaging, 65
- ActiveSync
 - ActiveSync Help, 45
 - adding programs, 42
 - adding programs to Start menu, 44
 - Folder behavior connected to email server, 64
 - installing applications, 77
 - Internet Explorer Mobile
 - favorite links, 72
 - mobile favorites, 72
 - Mobile Favorites folder, 72
 - URL, 44
 - Windows Mobile, 44
- Adding programs
 - ActiveSync, 42
 - to the Start menu, 43
 - via ActiveSync, 44
 - via File Explorer, 43
 - Windows Mobile, 41
- Address assigned to CN3, 95
- Adjusting settings
 - Windows Mobile, 41
- Advanced Encryption Standard, 183
- AES (Advanced Encryption Standard), 183
- AllDay events
 - Calendar, 47
 - creating, 49
- Applets
 - backlight, 19

- Bluetooth Audio, 119
 - intemec settings
 - beeper volume, 185
 - Intermec Settings, 94, 95
 - area imager, 7
 - beeper volume, 23
 - Bluetooth, 122
 - funk security, 156
 - SF51 scanner information, 96
 - SmartSystems, 185
 - smartsystems, 15
 - vibrate, 26
 - ISpyWiFi, 150
 - phone settings
 - GSM radios, 131, 138
 - pictures & videos, 92
 - power, 11
 - battery status, 9
 - unattended mode, 20
 - sounds & notifications, 12
 - vibrate mode, 26
 - wireless manager
 - bluetooth, 111
 - phone, 127, 135
 - wireless printing, 116
 - Appointments
 - Calendar
 - adding a note, 50
 - assigning to a category, 51
 - changing, 48
 - creating, 48
 - deleting, 53
 - finding, 53
 - making recurring, 51
 - setting a reminder, 50
 - viewing, 48
 - via Calendar, 46
 - Area Imager, 7
 - Audio
 - camera, 94
 - audio device icons, 120
 - Audio device settings
 - Bluetooth, 122
 - Avalanche, 79
- B**
- Backlight applet
 - idle mode, 19
 - timeout value, 19
 - Bar codes
 - troubleshooting, 105
 - Battery
 - low battery warnings, 12
 - status, 9

- Beeper
 - enabling via Sounds & Notifications applet, 12
 - volume
 - turning it on, 22, 25
- Block recognizer
 - Windows Mobile input panel, 35
- Bluetooth, 120
 - Audio applet, 119
 - audio device settings, 122
 - connecting to headsets, 121
 - connecting with remote devices, 123
 - connection status, 120
 - default status, 120
 - enabling for SF51 Scanners, 95
 - intermec settings, 122
 - searching for headsets, 119
 - wireless manager, 111
 - Wireless Printing applet, 116
- Bluetooth applet, 95
 - address assigned to CN3, 95
- Bluetooth Audio applet
 - Bluetooth, 119
- Browsing the Internet
 - Internet Explorer Mobile, 74
- C**
- Calendar
 - all day events, 47
 - creating, 49
 - appointments
 - adding a note, 50
 - assigning to a category, 51
 - changing, 48
 - creating, 48
 - deleting, 53
 - finding, 53
 - making recurring, 51
 - setting a reminder, 50
 - viewing, 48
 - categories, 46
 - meetings
 - sending a request, 52
 - options
 - changing, 54
 - Pocket Outlook, 46
 - recurrence pattern, 48
 - Start menu icon, 31
 - synchronizing, 46
- Call history
 - Phone application
 - CDMA radios, 131
 - GSM/EDGE radios, 137
- Camera
 - audio, 94
 - capturing an image, 14
 - compression, 93
 - configuring, 92
 - pixel size, 92
 - rotating the image, 92
 - screen saver, 93
 - slide show, 93
 - storing images, 93
 - type of image, 93
 - using the, 14
 - video time limit, 94
- Capacitor
 - internal super, 9
- Capturing thoughts and ideas
 - via Notes, 61
- Categories
 - calendar, 46
 - contacts
 - assigning to, 57
- CDMA
 - phone application, 127
- CDMA radios
 - phone activation, 128
 - phone application, 127
- Cisco Key Integrity Protocol, 183
- Cisco Lightweight EAP, 171
- CKIP (Cisco Key Integrity Protocol), 183
- Clean boot process, 5
- Cleaning the scanner window and screen, 106
- CompactFlash cards
 - installing applications, 78
- Compression, camera, 93
- Configuration parameters, 97
- Configuring location settings
 - Phone
 - CDMA radios, 131
- Configuring roaming range
 - Phone
 - CDMA radios, 134
- Configuring security, 156
- Configuring service settings
 - Phone
 - GSM/EDGE radios, 138
- Configuring the Computer
 - troubleshooting, 103
- Connecting to
 - an ISP, 140
 - work, 143
- Connecting to a mail server
 - via Messaging, 64
- Connection labels
 - SF51 scanners, 95

Index

- Connections
 - ending, 147
 - to an ISP, 140
 - via modem, 140
 - to work, 143
 - via VPN server, 145
 - via modem
 - to an ISP, 140
 - via VPN server
 - to work, 145
 - via wireless network, 177
- Contacts
 - adding a note, 57
 - adding a telephone number
 - GSM/EDGE radios, 137
 - assigning to a category, 57
 - changing, 57
 - changing options, 59
 - copying, 58
 - creating, 55, 57
 - deleting, 59
 - finding, 58
 - Pocket Outlook, 54
 - sending a message, 58
 - Start menu icon, 31
 - synchronizing, 55
 - viewing, 56
- Converting writing to text, 37
- Converting writing to text on the screen, 37
- Copying
 - contacts, 58
- Creating
 - a modem connection
 - to an ISP, 140
 - a VPN server connection
 - to work, 145
 - a wireless network connection, 177
 - contacts via Contacts, 55
 - document via Word Mobile, 66
 - drawing via Notes, 38
 - note via Notes, 61
 - task via Tasks, 60
 - workbook via Excel Mobile, 69
- D**
- Detect rogue APs, 174
- E**
- EAP (Extensible Authentication Protocol), 183
- EAP-FAST, 183, 184
 - profile security information, 172
 - WEP encryption, 172
- EAP-TLS, 167
- EAP-Tunneled TLS, 168
- EasySet
 - scan bar code labels, 97
- EasySet application, 94
 - creating Bluetooth connection label, 95
- Edition information, 4
- Ending a connection, 147
- Ethernet
 - iConnect, 148
- Excel Mobile
 - about, 69
 - creating a workbook, 69
 - tips, 69
- Extensible Authentication Protocol, 183
- F**
- FAST (Flexible Authentication via Secure Tunneling), 183, 184
- Favorite links
 - Internet Explorer Mobile, 72
- File Explorer
 - adding programs to Start menu, 43
 - removing programs, 44
 - Windows Mobile, 40
- Flash File Store
 - packaging an application, 77
- Flexible Authentication via Secure Tunneling (FAST), 183, 184
- Folder behavior connected to email server
 - ActiveSync, 64
 - IMAP4, 64
 - POP3, 64
 - SMS, 64
- Funk security, 156
 - 802.1x, 159
 - selecting a profile, 156
 - static WEP, 161
 - WPA, 157
- G**
- Getting connected
 - ISP, 139
 - to an ISP, 140
 - creating a modem connection, 140
 - to work, 143
 - creating a VPN server connection, 145
 - creating a wireless network connection, 177
 - Windows Mobile, 139
- GPS
 - described, 27
- GSM/EDGE
 - phone application, 135

- GSM/EDGE radios
 - phone activation, 136
 - phone application, 135
 - using the phone, 130, 137
- H**
- Headsets
 - connecting, 121
 - discovering, 119
 - setting to default, 121
- I**
- iConnect, 148
 - disabling network communications, 148
 - network support, 148
 - ping test, 149
- Idle mode, 19
- IDLs
 - Bluetooth, 110, 116
 - device resource kit, 92
 - smartsystems, 102
 - URL, 21
- Imager
 - beeper volume
 - turning it on, 25
 - configuration parameters, 97
- Images
 - capturing via camera, 14
- IMAP4
 - Folder behavior connected to email server, 64
- Input panel
 - block recognizer, 35
 - keyboard, 34
 - letter recognizer, 35
 - selecting typed text, 36
 - transcriber, 35
 - Windows Mobile, 32
 - Word Mobile, 67
 - word suggestions, 34
- Installing applications
 - Avalanche, 79
 - SmartSystems, 79
 - using a storage card, 78
 - using Secure Digital cards, 78
 - with ActiveSync, 77
 - with InstallSelect, 80
- InstallSelect
 - installing applications, 80
- Intermec settings
 - beeper volume, 185
- Intermec Settings applet
 - area imager, 7
 - Bluetooth, 122
 - enable speaker, 23
 - Funk security, 156
 - imager settings, 94
 - set vibrator, 26
 - SmartSystems, 185
 - viewing SF51 information, 96
- Intermec settings applet
 - smartsystems, 15
- Internal scanners
 - reading distances
 - EA11, 8
- Internet Explorer Mobile
 - about, 72
 - browsing the Internet, 74
 - favorite links, 72
 - getting connected, 139
 - mobile favorites, 72
 - Mobile Favorites folder, 72
 - viewing mobile favorites and channels, 74
- ISP
 - connecting to via Windows Mobile, 140
 - creating
 - a modem connection, 140
 - Internet Explorer Mobile, 72
 - Windows Mobile, 139
- ISpyWiFi utility, 150
 - NIC, configuration, AP, RFID, 151
 - pinging hosts, 154
 - scanning for access point information, 152
 - scoping the network, 152
 - shortcut in Start Menu, 150
 - starting the utility, 150
 - supplicant, 153
 - supplicant logging, 155
- K**
- Keeping a todo list
 - via Tasks, 59
- Key remapper functions, 92
- Keyboard
 - Windows Mobile input panel, 34
- Keypads
 - capitalizing characters, 17
 - Caps Lock, 17
 - numeric, 16
 - numeric characters, 18
 - power switch, 19
 - QWERTY, 16
 - QWERTY characters, 17
 - using color-coded keys, 17
- Keypads, remapping, 92

Index

L

- LEAP security
 - fast roaming (CCKM), 174
 - Microsoft, 171
- LED status, 17, 18
- Letter recognizer
 - Windows Mobile input panel, 35
- Loading certificates, 182
 - Microsoft, 170

M

- Managing email messages and folders
 - via Messaging, 63
- Meetings
 - Calendar
 - sending a request, 52
 - via Calendar, 46
- Messages
 - sending to
 - contacts, 58
 - via Messaging
 - composing/sending, 65
- Messaging
 - accounts, 65
 - composing/sending messages, 65
 - connecting to a mail server, 64
 - getting connected, 139
 - managing email messages and folders, 63
 - Pocket Outlook, 62
 - Start menu icon, 31
 - synchronizing email messages, 63
 - using My Text, 40
- Microsoft security, 156
 - allow fast roaming (CCKM), 174
 - detect rogue APs, 174
 - enable mixed cell, 174
 - LEAP, 171
 - PEAP, 165
 - TLS, 167
 - TTLS, 168
- Mixed cell
 - enable via Microsoft security, 174
- Mobile Favorites
 - Internet Explorer Mobile, 72
- Mobile Favorites folder
 - Internet Explorer Mobile, 72
- Modems
 - creating a connection
 - to an ISP, 140
- MP3 files
 - Windows Media Player, 71

N

- Network adapters, 148
- Network settings
 - phone application
 - GSM/EDGE radios, 139
- Notes
 - adding to
 - appointments, 50
 - contacts, 57
 - creating a note, 61
 - drawing on the screen, 38
 - creating a drawing, 38
 - selecting a drawing, 38
 - Pocket Outlook, 61
 - recording a message, 39
 - synchronizing notes, 62
 - writing on the screen, 36
 - alternate writing, 37
 - converting writing to text, 37
 - selecting the writing, 36
 - tips for good recognition, 37
- O
- Object store
 - packaging an application, 76
- Operating the Computer
 - troubleshooting, 103
- Outlook Mobile, 45
- P
- Packaging an application
 - Flash File Store, 77
 - object store (user store), 76
 - Secure Digital storage cards, 76
 - SmartSystems Platform Bundles, 76
- Passcodes, 119
- PEAP security
 - Microsoft, 165
- Phone
 - activation, 128, 136
 - CDMA radios
 - call history, 131
 - location settings, 131
 - version information, 134
 - GSM/EDGE radios
 - adding contact to speed dial, 137
 - call history, 137
 - finding, setting, selecting networks, 139
 - service settings, 138
 - using the application, 130, 137
 - wireless manager, 127, 135

- Phone application
 - CDMA radios, 127
 - roaming range, 134
 - GSM radios
 - customizing phone settings, 131, 138
 - GSM/EDGE radios, 135
- Phone Settings applet
 - CDMA roaming range, 134
 - customizing via Phone application
 - GSM radios, 131, 138
 - GSM radios, 131, 138
 - network settings
 - GSM/EDGE radios, 139
- Pictures & Videos applet
 - audio, 94
 - compression, 93
 - configuring the camera, 92
 - pixel size, 92
 - rotating the image, 92
 - screensaver, 93
 - slide show, 93
 - storing images, 93
 - type of image, 93
 - video time limit, 94
- Ping test
 - iConnect, 149
- Pixels, camera, 92
- Pocket Internet Explorer
 - Start menu icon, 31
- Pocket Outlook
 - Calendar, 46
- POP3
 - Folder behavior connected to email server, 64
- Power
 - applet
 - battery status, 9
- Power applet
 - battery status, 11
 - timeout value, 20
 - unattended mode, 20
- Power switch, 19, 20
- PowerPoint Mobile
 - starting a slide show presentation, 70
 - Windows Mobile, 70
- Profile Wizard
 - Advanced
 - supplicant logging for ISpyWiFi, 155
- Programs, adding or removing
 - Windows Mobile, 41
- Protected EAP, 165
- R**
- Reader commands, 97
- Reading distances
 - EA11, 8
- Record button
 - recording a message, 39
- Recording
 - via Notes, 39
- Recurrence pattern
 - Calendar, 48
- Remapping the keypad, 92
- Removing programs
 - Windows Mobile, 41, 44
- Reset methods
 - clean boot, 5
 - preferred, 5
 - secondary, 5
- Resource kits
 - Bluetooth, 110, 116
 - smartsystems, 102
 - URL, 21
- Roaming
 - Microsoft security, 174
- Rotating the image, 92
- S**
- Scanning bar codes
 - troubleshooting, 105
- Scheduling appointments and meetings
 - via Calendar, 46
- Screen saver, 93
- Secure Digital cards
 - installing applications, 78
 - packaging an application, 76
- Security
 - choosing between Funk and Microsoft, 156
 - configuring, 156
 - loading certificates, 182
 - wireless network, 182
- Selecting
 - drawing via Notes, 38
- Selecting the writing on the screen, 36
- Sending and receiving messages
 - via Messaging, 62
- Services
 - phone application
 - CDMA radios, 131
 - GSM/EDGE radios, 138
- Setting image type, 93
- Settings applets
 - Intermec Settings
 - Bluetooth, 122
 - funk security, 156
 - SF51 scanner information, 96
 - wireless printing, 116

Index

- SF51 Scanner
 - configuring, 94
 - creating connection label, 95
 - enabling Bluetooth, 95
- SF51 scanner
 - viewing information from CN3, 96
- Slide show, camera, 93
- SmartSystems, 15, 79, 185
- SMS
 - Folder behavior connected to email server, 64
- Sounds & Notifications applet
 - enable beeper, 12
 - set vibrate mode, 26
- Speakers, 21
 - beeper volume
 - turning it on, 22
 - enabling via Intermec Settings applet, 23
- Speed dial
 - phone application
 - GSM/EDGE radios, 137
- SSPB
 - packaging an application, 76
- Start Menu
 - adding programs, 43
 - via ActiveSync, 44
 - via File Explorer, 43
- Static WEP security
 - Funk, 161
- Status icons
 - Windows Mobile, 31
- Storing images, camera, 93
- Synchronize system time, 89
- Synchronizing
 - Calendar, 46
 - contacts, 55
 - email messages, 63
 - favorite links, 72
 - mobile favorites, 72
 - notes, 62
 - Tasks, 60
 - Word Mobile, 68
- System software updates, 100
- System time, 89
- T**
- Tasks
 - creating a task, 60
 - Pocket Outlook, 59
 - Start menu icon, 31
 - synchronizing, 60
- Temporal Key Integrity Protocol, 183
- Text messages
 - Windows Mobile, 40
- Time server, 89
- Tips for working
 - Excel Mobile, 69
- TKIP (Temporal Key Integrity Protocol), 183
- TLS security
 - Microsoft, 167
- Today screen
 - Windows Mobile, 30
- Tools CD
 - CAB files, 78
- Tracking people
 - via Contacts, 54
- Transcriber
 - Windows Mobile input panel, 35
- Troubleshooting, 103
 - 802.1x security, 104
 - bar code scanning, 105
 - CN3 configuration, 103
 - CN3 operation, 103
 - wireless connectivity, 104
- TTLS security
 - Microsoft, 168
- Typing mode
 - Word Mobile, 67
- Typing on the screen
 - Word Mobile, 67
- U**
- Unattended mode
 - changing timeout value, 20
- Updating
 - bootloader, 77
- Updating the system software, 100
- Upgrading the operating system, 100
- URLs
 - ActiveSync, 44
 - Microsoft support, 30
 - Windows Mobile, 30
 - Windows Mobile support, 30
- User store
 - packaging an application, 76
- V**
- Version information
 - Phone
 - CDMA radios, 134
- Vibrate mode
 - enabling via sounds & notifications applet, 26
 - enabling via Intermec Settings applet, 26
- Video time limit, camera, 94
- Viewing mobile favorites and channels
 - Internet Explorer Mobile, 74
- VPN server
 - creating a connection
 - to work, 145

W

- WAP pages
 - connecting to an ISP, 140
- Wavelink Avalanche, 79
- Web pages, 72
 - connecting to an ISP, 140
- WEP (Wired Equivalent Privacy) encryption, 183
- WEP encryption
 - EAP-FAST security method, 172
 - zero configuration, 178
- Wi-Fi Protected Access, 157, 183
- Windows Media files
 - Windows Media Player, 71
- Windows Media Player Mobile
 - Start menu icon, 32
- Windows Mobile
 - ActiveSync, 44
 - basic usage, 30
 - Calendar, 46
 - command bar, 32
 - Contacts, 54
 - Excel Mobile, 69
 - getting connected, 139
 - Messaging, 62
 - navigation bar, 32
 - Notes, 61
 - notifications, 32
 - popup menus, 32
 - PowerPoint Mobile, 70
 - programs, 31
 - status icons, 31
 - support URLs, 30
 - Tasks, 59
 - Today screen, 30
 - where to find information, 30
 - Word Mobile, 66
 - writing on the screen, 36
- Wired Equivalent Privacy, 161, 183
- Wireless 802.11b/g
 - iConnect, 148
- Wireless connectivity
 - troubleshooting, 104
- Wireless Manager applet
 - bluetooth, 111
 - phone, 127, 135
- Wireless network
 - creating a connection, 177
 - security, 182
- Wireless Printing applet, 116
- Word Mobile
 - about, 66
 - creating a document, 66
 - synchronizing, 68
 - typing mode, 67
 - writing mode, 68
- Work
 - creating
 - a VPN server connection, 145
 - getting connected, 143
- WPA (Wi-Fi Protected Access), 183
- WPA authentication
 - 802.11 radio module
 - Zero Configuration, 179
 - with pre-shared key
 - Zero Configuration, 179
- WPA security
 - Funk, 157
- WPA2 (Wi-Fi Protected Access), 183
- WPA2 authentication
 - 802.11 radio module
 - Zero Configuration, 180
 - with pre-shared key
 - Zero Configuration, 180
- Writing mode
 - Word Mobile, 68
- Writing on the screen
 - Word Mobile, 68
- www.intermec.com/idl/, 28



Corporate Headquarters
6001 36th Avenue West
Everett, Washington 98203
U.S.A.

tel 425.348.2600

fax 425.355.9551

www.intermec.com

CN3 Mobile Computer User's Manual



P/N 935-003-003