

1

2

3



4

A





B

C

D



SWITCH POS	FUNCTION
0	LED DISABLE
1	SENSITIVITY
2	K2 TIME 1
3	K2 TIME 2
4	AND/OR
5	DAY/NIGHT
6	SPARE



* SEE BOM FOR VALUE/USAGE

2-19-2003_11-07
**** PROPRIETARY DATA ****
Data contained herein shall not be
used, duplicated or disclosed in whole
or in part outside Bosch Security Systems,
without expressed written permission of same

BOSCH SECURITY SYSTEMS
130 PERINTON PARKWAY
FAIRPORT, NEW YORK 14450-9199 U.S.A.
TEL: (585) 223-4060
FAX: (585) 223-9180

BOSCH

Design Approval	Initial Date	Title	OD850 MAIN BOARD SCHEMATIC
Design Review Date			
Manuf. Reviewed			
Test Reviewed	Drawn By: RHC		
Release Approval	Created: 11-28-2000	Part Number	D47268 Rev F
Release Date	Sheet: 1 OF 1		

PART #	QTY	REFDES	COMP_CLASS	DEVICE	COST/PER	TOTAL COST
	14	H1, H2, H3, H4, H5, H6, H7, H8, H9, H10, H11, H12, H13, H14				
	2	FID3, FID4				
	2	FID1, FID2				
14505	1	D3	DIODE	1N4007	0.009	0.00900
16839	1	C21	CAPACITOR	47UF	0.026	0.02600
17154	1	K2	RELAY		1.1	1.10000
17857	2	R1, R2	RESISTOR	4.7	0.0036	0.00720
19295	2	C19, C26	CAPACITOR	4.7UF	0.018	0.03600
19538	4	C2, C5, C7, C31	CAPACITOR	100UF	0.0185	0.07400
19599	1	J1	MISC		0.017	0.01700
19951	1	U3	IC	LM324	0.082	0.08200
20401	1	D4	DIODE	BAV99	0.0113	0.01130
20402	1	D2	DIODE	BAV70	0.023	0.02300
20505	1	U4	IC	LM358	0.082	0.08200
20712	1	S1	SWITCH		0.4	0.40000
21103	1	U1	IC	78L05A	0.1	0.10000
21126	1	S11	SWITCH		0.131	0.13100
21377	1	U5	IC	4051B	0.159	0.15900
21599	1	RV1	SURGE	18VDC	0.032	0.03200
21600	3	RV2, RV3, RV4	SURGE	31VDC	0.032	0.09600
23480	1	Q5	TRANSISTOR	MMBT4401	0.02	0.02000
23481	3	Q1, Q3, Q4	TRANSISTOR	MMBT4403	0.018	0.05400
25084	4	C6, C17, C28, C29	CAPACITOR	10UF	0.0222	0.08880
26124	1	R38	RESISTOR	475K	0.00165	0.00165
26707	5	C1, C12, C14, C24, C38	CAPACITOR	.1UF	0.011	0.05500
28439	1	C33	CAPACITOR	10UF	0.0211	0.02110
30337	2	Q2, Q7	FET	J176	0.12	0.24000
31011	1	C20	CAPACITOR	.22UF	0.034	0.03400
31401	2	C11, C13	CAPACITOR	33UF	0.0268	0.05360
31522	1	R36	RESISTOR	243K	0.0017	0.00170
32116	1	RT1	THERMISTOR	10K	0.115	0.11500
32145	1	D1	DIODE	BAS16LT1	0.015	0.01500
34045	1	DS1	DETECTOR	DSI-2	0.56	0.56000
35891	2	R57, R58	RESISTOR	5K	0.042	0.08400
36891	1	U2	IC	PIC16C72	2	2.00000
43900	1	K1	RELAY		0.32	0.32000
45116	6	C3, C15, C16, C23, C43, C44	CAPACITOR	27PF	0.0092	0.05520

PART #	QTY	REFDES	COMP_CLASS	DEVICE	COST/PER	TOTAL COST
45136	6	C4, C8, C10, C27, C32, C45	CAPACITOR	.01UF	0.0125	0.07500
45180	2	R39, R43	RESISTOR	1M	0.0008	0.00160
45183	2	R40, R44	RESISTOR	12K	0.00165	0.00330
45184	9	R12, R22, R26, R27, R32, R42, R56, R61, R68	RESISTOR	10K	0.0008	0.00720
45191	3	R21, R52, R53	RESISTOR	0	0.0008	0.00240
46048	4	C18, C22, C25, C30	CAPACITOR	.0022UF	0.01	0.04000
46054	2	C34, C35	CAPACITOR	.0068UF	0.00268	0.00536
46201	1	R9	RESISTOR	82	0.0015	0.00150
46206	1	R63	RESISTOR	150	0.0007	0.00070
46206	1	R51	RESISTOR	150	0.0015	0.00150
46209	1	R55	RESISTOR	200	0.0015	0.00150
46214	2	R60, R62	RESISTOR	330	0.0008	0.00160
46224	7	R19, R28, R45, R47, R54, R59, R65	RESISTOR	1K	0.0008	0.00560
46236	1	R64	RESISTOR	3.3K	0.0007	0.00070
46238	2	R17, R34	RESISTOR	3.9K	0.0015	0.00300
46240	3	R11, R49, R50	RESISTOR	4.7K	0.0008	0.00240
46242	3	R14, R16, R35	RESISTOR	5.6K	0.0015	0.00450
46251	2	R20, R29	RESISTOR	18K	0.0008	0.00160
46260	2	R25, R30	RESISTOR	47K	0.0008	0.00160
46268	8	R3, R4, R5, R6, R7, R8, R10, R46	RESISTOR	100K	0.0008	0.00640
46277	2	R23, R48	RESISTOR	270K	0.0015	0.00300
46281	1	R37	RESISTOR	390K	0.0008	0.00080
46287	5	R13, R15, R18, R33, R41	RESISTOR	680K	0.0008	0.00400
46313	2	R24, R31	RESISTOR	10M	0.0015	0.00300
47196	1	LDR1	DETECTOR	NSL-19M51	0.25	0.25000
48205	1	LED1	LED	L2523SURC	0.15	0.15000
49139	1	C9	CAPACITOR	1UF	0.0248	0.02480
49739	1	TS1	T/STRIP		0.27	0.27000
4998130748	1	LED2	LED	L113VGC	0.135	0.13500
4998131342	2	U7, U8	IC	M261	0.32	0.64000
4998131343	1	U6	IC	M262	0.54	0.54000
---						-----
156						8.29