





11BE40MIMO\_Ant2\_2437\_30~1000



Date: 11.NOV.2024 06:00:25

11BE40MIMO\_Ant2\_2437\_1000~26500




Date: 11.NOV.2024 06:00:42






11BE40MIMO\_Ant4\_2437\_30~1000



Date: 11.NOV.2024 06:02:50


11BE40MIMO\_Ant4\_2437\_1000~26500



Date: 11.NOV.2024 06:03:07




11BE40MIMO\_Ant1\_2452\_30~1000



Date: 11.NOV.2024 06:24:01


11BE40MIMO\_Ant1\_2452\_1000~26500



Date: 11.NOV.2024 06:24:18




11BE40MIMO\_Ant2\_2452\_30~1000



Date: 11.NOV.2024 06:25:23


11BE40MIMO\_Ant2\_2452\_1000~26500




Date: 11.NOV.2024 06:25:40



11BE40MIMO\_Ant3\_2452\_30~1000




11BE40MIMO\_Ant3\_2452\_1000~26500






11BE40MIMO\_Ant4\_2452\_30~1000



Date: 11.NOV.2024 06:28:21

11BE40MIMO\_Ant4\_2452\_1000~26500




Date: 11.NOV.2024 06:28:38



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.155	51.73	-14.01	65.74	41.19	0.12	10.42	QP
2	0.155	35.83	-19.91	55.74	25.29	0.12	10.42	Average
3	0.175	48.71	-16.01	64.72	38.20	0.10	10.41	QP
4	0.175	32.81	-21.91	54.72	22.30	0.10	10.41	Average
5	0.189	45.70	-18.36	64.06	35.20	0.09	10.41	QP
6	0.189	30.70	-23.36	54.06	20.20	0.09	10.41	Average
7	0.207	44.98	-18.34	63.32	34.50	0.08	10.40	QP
8	0.207	33.98	-19.34	53.32	23.50	0.08	10.40	Average
9	0.269	40.94	-20.22	61.16	30.50	0.09	10.35	QP
10	0.269	32.24	-18.92	51.16	21.80	0.09	10.35	Average
11	0.555	33.37	-22.63	56.00	23.29	-0.12	10.20	QP
12	0.555	25.17	-20.83	46.00	15.09	-0.12	10.20	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	52.34	-13.48	65.82	41.80	0.12	10.42	QP
2	0.153	36.14	-19.68	55.82	25.60	0.12	10.42	Average
3	0.167	49.74	-15.38	65.12	39.20	0.12	10.42	QP
4	0.167	33.84	-21.28	55.12	23.30	0.12	10.42	Average
5	0.177	48.74	-15.90	64.64	38.20	0.13	10.41	QP
6	0.177	33.14	-21.50	54.64	22.60	0.13	10.41	Average
7	0.203	48.13	-15.36	63.49	37.60	0.12	10.41	QP
8 *	0.203	40.13	-13.36	53.49	29.60	0.12	10.41	Average
9	0.270	41.50	-19.62	61.12	31.21	-0.06	10.35	QP
10	0.270	31.90	-19.22	51.12	21.61	-0.06	10.35	Average
11	0.579	36.63	-19.37	56.00	26.60	-0.16	10.19	QP
12	0.579	28.33	-17.67	46.00	18.30	-0.16	10.19	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	45 ~ 48 %
		Temperature :	24 ~ 26 °C

### Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 1S4T	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 1S4T	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 1S4T	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 1S4T	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 1S4T	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 1S4T	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 1S4T	802.11be EHT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	CDD 1S4T	802.11be EHT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	CDD 1S4T	802.11be EHT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	CDD 1S4T	802.11be EHT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	CDD 1S4T	802.11be EHT40	06	2437	MCS0	-	-
Mode 12	2400-2483.5	CDD 1S4T	802.11be EHT40	09	2452	MCS0	-	-
Mode 13	2400-2483.5	CDD 1S4T	802.11be EHT20	1	2412	MCS0	52RU*4	-
Mode 14	2400-2483.5	CDD 1S4T	802.11be EHT20	11	2462	MCS0	52RU*4	-
Mode 15	2400-2483.5	TxBF 1S4T	802.11be EHT20	01	2412	MCS0	-	-
Mode 16	2400-2483.5	TxBF 1S4T	802.11be EHT20	06	2437	MCS0	-	-
Mode 17	2400-2483.5	TxBF 1S4T	802.11be EHT20	11	2462	MCS0	-	-
Mode 18	2400-2483.5	TxBF 1S4T	802.11be EHT40	03	2422	MCS0	-	-
Mode 19	2400-2483.5	TxBF 1S4T	802.11be EHT40	06	2437	MCS0	-	-
Mode 20	2400-2483.5	TxBF 1S4T	802.11be EHT40	09	2452	MCS0	-	-
Mode 21	2400-2483.5	TxBF 1S4T	802.11be EHT20	2	2417	MCS0	-	-
Mode 22	2400-2483.5	TxBF 1S4T	802.11be EHT20	3	2422	MCS0	-	-
Mode 23	2400-2483.5	TxBF 1S4T	802.11be EHT20	10	2457	MCS0	-	-
Mode 24	2400-2483.5	TxBF 1S4T	802.11be EHT20	9	2452	MCS0	-	-

### Co-Location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 25	2400-2483.5	2400-2483.5	TxBF 1S4T	802.11be EHT40	09	2452	MCS0	Full RU	-
	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full RU	-



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2380.98	50.02	54.00	-3.98	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4000.00	47.72	54.00	-6.28	V	Average	Pass	Harmonic
2	802.11b	06	2490.64	51.01	54.00	-2.99	H	AVERAGE	Pass	Band Edge
2	802.11b	06	4000.00	48.54	74.00	-25.46	V	Peak	Pass	Harmonic
3	802.11b	11	2487.10	51.15	54.00	-2.85	V	AVERAGE	Pass	Band Edge
3	802.11b	11	4000.00	48.74	74.00	-25.26	V	Peak	Pass	Harmonic
4	802.11g	01	2389.95	53.24	54.00	-0.76	V	AVERAGE	Pass	Band Edge
4	802.11g	01	4000.00	47.88	74.00	-26.12	V	Peak	Pass	Harmonic
5	802.11g	06	2497.72	49.73	54.00	-4.27	H	AVERAGE	Pass	Band Edge
5	802.11g	06	4000.00	49.14	74.00	-24.86	V	Peak	Pass	Harmonic
6	802.11g	11	2483.50	53.08	54.00	-0.92	V	AVERAGE	Pass	Band Edge
6	802.11g	11	4000.00	47.18	74.00	-26.82	V	Peak	Pass	Harmonic
7	802.11be EHT20	01	2389.95	53.76	54.00	-0.24	V	AVERAGE	Pass	Band Edge
7	802.11be EHT20	01	4000.00	47.75	74.00	-26.25	V	Peak	Pass	Harmonic
8	802.11be EHT20	06	2486.50	50.03	54.00	-3.97	H	AVERAGE	Pass	Band Edge
8	802.11be EHT20	06	4000.00	48.96	74.00	-25.04	V	Peak	Pass	Harmonic
9	802.11be EHT20	11	2483.50	53.35	54.00	-0.65	V	AVERAGE	Pass	Band Edge
9	802.11be EHT20	11	4000.00	48.69	74.00	-25.31	V	Peak	Pass	Harmonic
10	802.11be EHT40	03	2389.95	53.07	54.00	-0.93	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	03	4000.00	48.21	74.00	-25.79	V	Peak	Pass	Harmonic
12	802.11be EHT40	09	2488.36	53.61	54.00	-0.39	V	AVERAGE	Pass	Band Edge
12	802.11be EHT40	09	4000.00	48.31	74.00	-25.69	V	Peak	Pass	Harmonic
13	802.11be EHT20	1	2387.61	51.33	54.00	-2.67	V	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT20	11	2483.50	53.68	54.00	-0.32	H	AVERAGE	Pass	Band Edge
14	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
15	802.11be EHT20	01	2389.69	53.09	54.00	-0.91	V	AVERAGE	Pass	Band Edge
15	802.11be EHT20	01	4000.00	46.39	74.00	-27.61	V	Peak	Pass	Harmonic
16	802.11be EHT20	06	2483.68	50.35	54.00	-3.65	V	AVERAGE	Pass	Band Edge
16	802.11be EHT20	06	4000.00	45.11	74.00	-28.89	V	Peak	Pass	Harmonic
17	802.11be EHT20	11	2483.80	73.16	74.00	-0.84	V	PEAK	Pass	Band Edge
17	802.11be EHT20	11	4000.00	45.75	74.00	-28.25	V	Peak	Pass	Harmonic
18	802.11be EHT40	03	2389.30	53.60	54.00	-0.40	V	AVERAGE	Pass	Band Edge
18	802.11be EHT40	03	4844.00	41.19	74.00	-32.81	V	PEAK	Pass	Harmonic
19	802.11be EHT40	06	2483.56	53.35	54.00	-0.65	V	AVERAGE	Pass	Band Edge
19	802.11be EHT40	06	7311.00	42.50	74.00	-31.50	H	PEAK	Pass	Harmonic







20	802.11be EHT40	09	2483.62	53.86	54.00	-0.14	V	AVERAGE	Pass	Band Edge
20	802.11be EHT40	09	4904.00	42.25	74.00	-31.75	V	PEAK	Pass	Harmonic
21	802.11be EHT20	2	2389.82	53.40	54.00	-0.60	V	Average	Pass	Band Edge
21	802.11be EHT20	2	7251.00	42.25	74.00	-31.75	V	PEAK	Pass	Harmonic
22	802.11be EHT20	3	2389.04	49.54	54.00	-4.46	V	AVERAGE	Pass	Band Edge
22	802.11be EHT20	3	7266.00	42.72	74.00	-31.28	H	PEAK	Pass	Harmonic
23	802.11be EHT20	10	2483.50	52.95	54.00	-1.05	V	AVERAGE	Pass	Band Edge
23	802.11be EHT20	10	7371.00	42.20	74.00	-31.80	V	PEAK	Pass	Harmonic
24	802.11be EHT20	9	2487.76	71.88	74.00	-2.12	V	PEAK	Pass	Band Edge
24	802.11be EHT20	9	7356.00	42.05	74.00	-31.95	H	PEAK	Pass	Harmonic





Co-Location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
25	802.11be EHT40	09	2483.50	53.26	54.00	-0.74	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	09	5825.00	61.57	74.00	-12.43	V	PEAK	Pass	Harmonic
	802.11be EHT20	165	5452.00	53.70	54.00	-0.30	V	Average	Pass	Band Edge
	802.11be EHT20	165	11650.00	46.96	54.00	-7.04	H	AVERAGE	Pass	Harmonic



	1																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.12</td> <td>62.12</td> <td>74.00</td> <td>-11.88</td> <td>54.00</td> <td>32.08</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.12	62.12	74.00	-11.88	54.00	32.08	7.09	37.05	6.00	100	288	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>124.50</td> <td>-----</td> <td>-----</td> <td>116.05</td> <td>32.32</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	124.50	-----	-----	116.05	32.32	7.14	37.01	6.00	100	288	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2378.12	62.12	74.00	-11.88	54.00	32.08	7.09	37.05	6.00	100	288	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	124.50	-----	-----	116.05	32.32	7.14	37.01	6.00	100	288	PEAK																																																																								
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.93</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>41.56</td> <td>32.13</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.93	49.73	54.00	-4.27	41.56	32.13	7.09	37.05	6.00	100	288	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>120.14</td> <td>-----</td> <td>-----</td> <td>111.69</td> <td>32.32</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	120.14	-----	-----	111.69	32.32	7.14	37.01	6.00	100	288	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2382.93	49.73	54.00	-4.27	41.56	32.13	7.09	37.05	6.00	100	288	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	120.14	-----	-----	111.69	32.32	7.14	37.01	6.00	100	288	AVERAGE																																																																								







	1																																																																																	
Mode	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.36</td> <td>63.26</td> <td>74.00</td> <td>-10.74</td> <td>55.07</td> <td>32.14</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>282</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2384.36	63.26	74.00	-10.74	55.07	32.14	7.10	37.05	6.00	282	332	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>123.20</td> <td>-----</td> <td>-----</td> <td>114.75</td> <td>32.32</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>282</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	123.20	-----	-----	114.75	32.32	7.14	37.01	6.00	282	332	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2384.36	63.26	74.00	-10.74	55.07	32.14	7.10	37.05	6.00	282	332	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	123.20	-----	-----	114.75	32.32	7.14	37.01	6.00	282	332	PEAK																																																																						
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2380.98</td> <td>50.02</td> <td>54.00</td> <td>-3.98</td> <td>41.87</td> <td>32.11</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>282</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2380.98	50.02	54.00	-3.98	41.87	32.11	7.09	37.05	6.00	282	332	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>119.30</td> <td>-----</td> <td>-----</td> <td>110.85</td> <td>32.32</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>282</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2412.00	119.30	-----	-----	110.85	32.32	7.14	37.01	6.00	282	332	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2380.98	50.02	54.00	-3.98	41.87	32.11	7.09	37.05	6.00	282	332	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2412.00	119.30	-----	-----	110.85	32.32	7.14	37.01	6.00	282	332	AVERAGE																																																																						



<b>Mode</b>	<b>1</b>																																																																																																										
	<b>Harmonic</b>																																																																																																										
	<b>2400-2483.5_802.11b_CH01_2412MHz</b>																																																																																																										
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																																										
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																									
<b>Peak Avg</b>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>70.24</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>42.50</td> <td>74.00</td> <td>-31.50</td> <td>63.66</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.06	74.00	-26.94	70.24	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	42.50	74.00	-31.50	63.66	34.10	10.23	65.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>70.77</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>42.01</td> <td>74.00</td> <td>-31.99</td> <td>63.17</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.59	74.00	-26.41	70.77	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	42.01	74.00	-31.99	63.17	34.10	10.23	65.49	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4000.00	47.06	74.00	-26.94	70.24	33.32	9.30	65.80	0.00	---	---	Peak																																																																																															
2	4824.00	42.50	74.00	-31.50	63.66	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4000.00	47.59	74.00	-26.41	70.77	33.32	9.30	65.80	0.00	---	---	Peak																																																																																															
2	4824.00	42.01	74.00	-31.99	63.17	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																															







	2																																																																															
<b>Mode</b>	Band Edge - L																																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																																															
<b>ANT</b>	CDD 1S4T																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2379.42</td> <td>61.84</td> <td>74.00</td> <td>-12.16</td> <td>53.71</td> <td>32.09</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>135</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2379.42	61.84	74.00	-12.16	53.71	32.09	7.09	37.05	6.00	135	55 PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>124.00</td> <td>-----</td> <td>-----</td> <td>115.49</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>135</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	124.00	-----	-----	115.49	32.37	7.18	36.96	6.00	135	55 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2379.42	61.84	74.00	-12.16	53.71	32.09	7.09	37.05	6.00	135	55 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	124.00	-----	-----	115.49	32.37	7.18	36.96	6.00	135	55 PEAK																																																																						
<b>Avg</b>	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2382.00</td> <td>49.83</td> <td>54.00</td> <td>-4.17</td> <td>41.66</td> <td>32.13</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>135</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2382.00	49.83	54.00	-4.17	41.66	32.13	7.09	37.05	6.00	135	55 AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>119.50</td> <td>-----</td> <td>-----</td> <td>110.91</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>135</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	119.50	-----	-----	110.91	32.37	7.18	36.96	6.00	135	55 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2382.00	49.83	54.00	-4.17	41.66	32.13	7.09	37.05	6.00	135	55 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	119.50	-----	-----	110.91	32.37	7.18	36.96	6.00	135	55 AVERAGE																																																																						



	<b>2</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>2400-2483.5_802.11b_CH06_2437MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1" data-bbox="268 1115 774 1234"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.06</td> <td>63.61</td> <td>74.00</td> <td>-10.39</td> <td>54.71</td> <td>32.48</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>135</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2488.06	63.61	74.00	-10.39	54.71	32.48	7.26	36.84	6.00	135	55	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2488.06	63.61	74.00	-10.39	54.71	32.48	7.26	36.84	6.00	135	55	PEAK																																							
<b>Avg</b>	<table border="1" data-bbox="268 1794 774 1912"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.64</td> <td>51.01</td> <td>54.00</td> <td>-2.99</td> <td>42.09</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>6.00</td> <td>135</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2490.64	51.01	54.00	-2.99	42.09	32.48	7.27	36.83	6.00	135	55	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2490.64	51.01	54.00	-2.99	42.09	32.48	7.27	36.83	6.00	135	55	AVERAGE																																							



Mode	2																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>61.80</td> <td>74.00</td> <td>-12.20</td> <td>53.54</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	61.80	74.00	-12.20	53.54	32.20	7.11	37.05	6.00	100	167	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>122.00</td> <td>-----</td> <td>-----</td> <td>113.39</td> <td>32.38</td> <td>7.18</td> <td>36.95</td> <td>6.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	122.00	-----	-----	113.39	32.38	7.18	36.95	6.00	100	167	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.82	61.80	74.00	-12.20	53.54	32.20	7.11	37.05	6.00	100	167	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	122.00	-----	-----	113.39	32.38	7.18	36.95	6.00	100	167	PEAK																																																																								
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.83</td> <td>49.87</td> <td>54.00</td> <td>-4.13</td> <td>41.65</td> <td>32.17</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.83	49.87	54.00	-4.13	41.65	32.17	7.10	37.05	6.00	100	167	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>117.85</td> <td>-----</td> <td>-----</td> <td>109.24</td> <td>32.38</td> <td>7.18</td> <td>36.95</td> <td>6.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.85	-----	-----	109.24	32.38	7.18	36.95	6.00	100	167	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.83	49.87	54.00	-4.13	41.65	32.17	7.10	37.05	6.00	100	167	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	117.85	-----	-----	109.24	32.38	7.18	36.95	6.00	100	167	AVERAGE																																																																								







	2																																																			
Mode	Band Edge - R																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																			
ANT	CDD 1S4T																																																			
Pol.	Vertical	Fundamental																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.86</td> <td>62.94</td> <td>74.00</td> <td>-11.06</td> <td>53.99</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2495.86	62.94	74.00	-11.06	53.99	32.49	7.28	36.82	6.00	100	167	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
cm	deg																																																			
1	2495.86	62.94	74.00	-11.06	53.99	32.49	7.28	36.82	6.00	100	167	PEAK																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.88</td> <td>50.94</td> <td>54.00</td> <td>-3.06</td> <td>41.99</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	2496.88	50.94	54.00	-3.06	41.99	32.49	7.28	36.82	6.00	100	167	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
cm	deg																																																			
1	2496.88	50.94	54.00	-3.06	41.99	32.49	7.28	36.82	6.00	100	167	AVERAGE																																								



Mode	2																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>69.33</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.74</td> <td>74.00</td> <td>-32.26</td> <td>62.84</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.19</td> <td>74.00</td> <td>-30.81</td> <td>61.04</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	46.15	74.00	-27.85	69.33	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.74	74.00	-32.26	62.84	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	43.19	74.00	-30.81	61.04	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>71.72</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.59</td> <td>74.00</td> <td>-32.41</td> <td>62.69</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.31</td> <td>74.00</td> <td>-31.69</td> <td>60.16</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	48.54	74.00	-25.46	71.72	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.59	74.00	-32.41	62.69	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	42.31	74.00	-31.69	60.16	35.72	12.72	66.29	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4000.00	46.15	74.00	-27.85	69.33	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																														
2	4874.00	41.74	74.00	-32.26	62.84	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																														
3	7311.00	43.19	74.00	-30.81	61.04	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4000.00	48.54	74.00	-25.46	71.72	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																														
2	4874.00	41.59	74.00	-32.41	62.69	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																														
3	7311.00	42.31	74.00	-31.69	60.16	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																														



	3																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																															
<b>ANT</b>	<b>CDD 1S4T</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal between 2400 and 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A peak is observed at 2497.72 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2497.72</td> <td>63.63</td> <td>74.00</td> <td>-10.37</td> <td>54.67</td> <td>32.50</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>102</td> <td>290 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2497.72	63.63	74.00	-10.37	54.67	32.50	7.28	36.82	6.00	102	290 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is observed at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>123.58</td> <td>-----</td> <td>-----</td> <td>114.84</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>102</td> <td>290 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	123.58	-----	-----	114.84	32.42	7.22	36.90	6.00	102	290 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2497.72	63.63	74.00	-10.37	54.67	32.50	7.28	36.82	6.00	102	290 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	123.58	-----	-----	114.84	32.42	7.22	36.90	6.00	102	290 PEAK																																																																						
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The plot shows a signal between 2400 and 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. The average level is 51.06 dBuV/m at 2486.56 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2486.56</td> <td>51.06</td> <td>54.00</td> <td>-2.94</td> <td>42.17</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>102</td> <td>290 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2486.56	51.06	54.00	-2.94	42.17	32.47	7.26	36.84	6.00	102	290 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a signal between 1000 and 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. The average level is 119.26 dBuV/m at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>119.26</td> <td>-----</td> <td>-----</td> <td>110.52</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>102</td> <td>290 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	119.26	-----	-----	110.52	32.42	7.22	36.90	6.00	102	290 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2486.56	51.06	54.00	-2.94	42.17	32.47	7.26	36.84	6.00	102	290 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	119.26	-----	-----	110.52	32.42	7.22	36.90	6.00	102	290 AVERAGE																																																																						







	3																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																															
<b>ANT</b>	<b>CDD 1S4T</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2488.90</td> <td>63.77</td> <td>74.00</td> <td>-10.23</td> <td>54.86</td> <td>32.48</td> <td>7.27</td> <td>36.84</td> <td>6.00</td> <td>300</td> <td>333 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2488.90	63.77	74.00	-10.23	54.86	32.48	7.27	36.84	6.00	300	333 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>124.60</td> <td>-----</td> <td>-----</td> <td>115.86</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>300</td> <td>333 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	124.60	-----	-----	115.86	32.42	7.22	36.90	6.00	300	333 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2488.90	63.77	74.00	-10.23	54.86	32.48	7.27	36.84	6.00	300	333 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	124.60	-----	-----	115.86	32.42	7.22	36.90	6.00	300	333 PEAK																																																																						
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2487.10</td> <td>51.15</td> <td>54.00</td> <td>-2.85</td> <td>42.26</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>300</td> <td>333 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2487.10	51.15	54.00	-2.85	42.26	32.47	7.26	36.84	6.00	300	333 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>119.79</td> <td>-----</td> <td>-----</td> <td>111.05</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>300</td> <td>333 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	119.79	-----	-----	111.05	32.42	7.22	36.90	6.00	300	333 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2487.10	51.15	54.00	-2.85	42.26	32.47	7.26	36.84	6.00	300	333 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	119.79	-----	-----	111.05	32.42	7.22	36.90	6.00	300	333 AVERAGE																																																																						



Mode	3																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																					
ANT	CDD 1S4T																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>69.48</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>41.62</td> <td>74.00</td> <td>-32.38</td> <td>62.64</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.83</td> <td>74.00</td> <td>-31.17</td> <td>60.79</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	46.30	74.00	-27.70	69.48	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	41.62	74.00	-32.38	62.64	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.83	74.00	-31.17	60.79	35.80	12.73	66.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.74</td> <td>74.00</td> <td>-25.26</td> <td>71.92</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>41.86</td> <td>74.00</td> <td>-32.14</td> <td>62.88</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.59</td> <td>74.00</td> <td>-31.41</td> <td>60.55</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	48.74	74.00	-25.26	71.92	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	41.86	74.00	-32.14	62.88	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.59	74.00	-31.41	60.55	35.80	12.73	66.49	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4000.00	46.30	74.00	-27.70	69.48	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																										
2	4924.00	41.62	74.00	-32.38	62.64	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																										
3	7386.00	42.83	74.00	-31.17	60.79	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4000.00	48.74	74.00	-25.26	71.92	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																										
2	4924.00	41.86	74.00	-32.14	62.88	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																										
3	7386.00	42.59	74.00	-31.41	60.55	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																										



	<b>4</b>																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																			
	<b>2400-2483.5_802.11g_CH01_2412MHz</b>																																																																																			
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal peak around 2412 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 70 dBuV/m. The peak level is significantly above this limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>64.91</td> <td>74.00</td> <td>-9.09</td> <td>56.65</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	64.91	74.00	-9.09	56.65	32.20	7.11	37.05	6.00	100	286	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp signal peak at 2412 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 70 dBuV/m. The peak level is above this limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>124.69</td> <td>-----</td> <td>-----</td> <td>116.23</td> <td>32.33</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	124.69	-----	-----	116.23	32.33	7.14	37.01	6.00	100	286	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.82	64.91	74.00	-9.09	56.65	32.20	7.11	37.05	6.00	100	286	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	124.69	-----	-----	116.23	32.33	7.14	37.01	6.00	100	286	PEAK																																																																								
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, averaged. The plot shows a signal peak around 2412 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 50 dBuV/m. The peak level is above this limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.76</td> <td>54.00</td> <td>-3.24</td> <td>42.50</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.76	54.00	-3.24	42.50	32.20	7.11	37.05	6.00	100	286	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, averaged. The plot shows a sharp signal peak at 2412 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 50 dBuV/m. The peak level is above this limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>114.48</td> <td>-----</td> <td>-----</td> <td>106.02</td> <td>32.33</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.48	-----	-----	106.02	32.33	7.14	37.01	6.00	100	286	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	50.76	54.00	-3.24	42.50	32.20	7.11	37.05	6.00	100	286	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	114.48	-----	-----	106.02	32.33	7.14	37.01	6.00	100	286	AVERAGE																																																																								







	<b>4</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>2400-2483.5_802.11g_CH01_2412MHz</b>																																																																															
<b>ANT</b>	<b>CDD 1S4T</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>68.34</td> <td>74.00</td> <td>-5.66</td> <td>60.00</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>145 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	68.34	74.00	-5.66	60.00	32.20	7.11	37.05	6.00	100	145 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>122.21</td> <td>-----</td> <td>-----</td> <td>113.77</td> <td>32.32</td> <td>7.14</td> <td>37.02</td> <td>6.00</td> <td>100</td> <td>145 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	122.21	-----	-----	113.77	32.32	7.14	37.02	6.00	100	145 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.95	68.34	74.00	-5.66	60.00	32.20	7.11	37.05	6.00	100	145 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2412.00	122.21	-----	-----	113.77	32.32	7.14	37.02	6.00	100	145 PEAK																																																																						
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>53.24</td> <td>54.00</td> <td>-0.76</td> <td>44.98</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>145 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	53.24	54.00	-0.76	44.98	32.20	7.11	37.05	6.00	100	145 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>112.36</td> <td>-----</td> <td>-----</td> <td>103.92</td> <td>32.32</td> <td>7.14</td> <td>37.02</td> <td>6.00</td> <td>100</td> <td>145 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	112.36	-----	-----	103.92	32.32	7.14	37.02	6.00	100	145 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.95	53.24	54.00	-0.76	44.98	32.20	7.11	37.05	6.00	100	145 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2412.00	112.36	-----	-----	103.92	32.32	7.14	37.02	6.00	100	145 AVERAGE																																																																						



Mode	4																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.06</td> <td>74.00</td> <td>-27.94</td> <td>69.24</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>41.66</td> <td>74.00</td> <td>-32.34</td> <td>62.82</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	46.06	74.00	-27.94	69.24	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	41.66	74.00	-32.34	62.82	34.10	10.23	65.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>71.06</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>41.43</td> <td>74.00</td> <td>-32.57</td> <td>62.59</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.88	74.00	-26.12	71.06	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	41.43	74.00	-32.57	62.59	34.10	10.23	65.49	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4000.00	46.06	74.00	-27.94	69.24	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																
2	4824.00	41.66	74.00	-32.34	62.82	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4000.00	47.88	74.00	-26.12	71.06	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																
2	4824.00	41.43	74.00	-32.57	62.59	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																																



Mode	5																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2311.43</td> <td>61.75</td> <td>74.00</td> <td>-12.25</td> <td>54.43</td> <td>31.41</td> <td>6.99</td> <td>37.08</td> <td>6.00</td> <td>100</td> <td>7 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2311.43	61.75	74.00	-12.25	54.43	31.41	6.99	37.08	6.00	100	7 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>123.56</td> <td>-----</td> <td>-----</td> <td>115.00</td> <td>32.36</td> <td>7.17</td> <td>36.97</td> <td>6.00</td> <td>100</td> <td>7 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	123.56	-----	-----	115.00	32.36	7.17	36.97	6.00	100	7 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2311.43	61.75	74.00	-12.25	54.43	31.41	6.99	37.08	6.00	100	7 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	123.56	-----	-----	115.00	32.36	7.17	36.97	6.00	100	7 PEAK																																																																							
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.59</td> <td>54.00</td> <td>-5.41</td> <td>40.33</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>7 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.59	54.00	-5.41	40.33	32.20	7.11	37.05	6.00	100	7 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>114.14</td> <td>-----</td> <td>-----</td> <td>105.58</td> <td>32.36</td> <td>7.17</td> <td>36.97</td> <td>6.00</td> <td>100</td> <td>7 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	114.14	-----	-----	105.58	32.36	7.17	36.97	6.00	100	7 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	48.59	54.00	-5.41	40.33	32.20	7.11	37.05	6.00	100	7 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	114.14	-----	-----	105.58	32.36	7.17	36.97	6.00	100	7 AVERAGE																																																																							



	<b>5</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>2400-2483.5_802.11g_CH06_2437MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.96</td> <td>63.33</td> <td>74.00</td> <td>-10.67</td> <td>54.38</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>100</td> <td>7</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2494.96	63.33	74.00	-10.67	54.38	32.49	7.28	36.82	6.00	100	7	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2494.96	63.33	74.00	-10.67	54.38	32.49	7.28	36.82	6.00	100	7	PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.72</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>40.77</td> <td>32.50</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>100</td> <td>7</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2497.72	49.73	54.00	-4.27	40.77	32.50	7.28	36.82	6.00	100	7	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2497.72	49.73	54.00	-4.27	40.77	32.50	7.28	36.82	6.00	100	7	AVERAGE																																							



	5																																																																																			
<b>Mode</b>	Band Edge - L																																																																																			
	2400-2483.5_802.11g_CH06_2437MHz																																																																																			
<b>ANT</b>	CDD 1S4T																																																																																			
<b>Pol.</b>	Vertical	Fundamental																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2353.42</td> <td>61.63</td> <td>74.00</td> <td>-12.37</td> <td>53.81</td> <td>31.83</td> <td>7.05</td> <td>37.06</td> <td>6.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2353.42	61.63	74.00	-12.37	53.81	31.83	7.05	37.06	6.00	100	116	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>122.89</td> <td>-----</td> <td>-----</td> <td>114.30</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	122.89	-----	-----	114.30	32.37	7.18	36.96	6.00	100	116	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2353.42	61.63	74.00	-12.37	53.81	31.83	7.05	37.06	6.00	100	116	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	122.89	-----	-----	114.30	32.37	7.18	36.96	6.00	100	116	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>48.58</td> <td>54.00</td> <td>-5.42</td> <td>40.32</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	48.58	54.00	-5.42	40.32	32.20	7.11	37.05	6.00	100	116	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>112.75</td> <td>-----</td> <td>-----</td> <td>104.16</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	112.75	-----	-----	104.16	32.37	7.18	36.96	6.00	100	116	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.82	48.58	54.00	-5.42	40.32	32.20	7.11	37.05	6.00	100	116	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	112.75	-----	-----	104.16	32.37	7.18	36.96	6.00	100	116	AVERAGE																																																																								







	5	
Mode	Band Edge - R	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	CDD 1S4T	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	







Mode	5																																																																																																																																				
	Harmonic																																																																																																																																				
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>70.72</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.80</td> <td>74.00</td> <td>-32.20</td> <td>62.90</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.73</td> <td>74.00</td> <td>-31.27</td> <td>60.58</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.54	74.00	-26.46	70.72	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.80	74.00	-32.20	62.90	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	42.73	74.00	-31.27	60.58	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>49.14</td> <td>74.00</td> <td>-24.86</td> <td>72.32</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.98</td> <td>74.00</td> <td>-32.02</td> <td>63.08</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.66</td> <td>74.00</td> <td>-30.34</td> <td>61.51</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	49.14	74.00	-24.86	72.32	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.98	74.00	-32.02	63.08	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	43.66	74.00	-30.34	61.51	35.72	12.72	66.29	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	4000.00	47.54	74.00	-26.46	70.72	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																									
2	4874.00	41.80	74.00	-32.20	62.90	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																									
3	7311.00	42.73	74.00	-31.27	60.58	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	4000.00	49.14	74.00	-24.86	72.32	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																									
2	4874.00	41.98	74.00	-32.02	63.08	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																									
3	7311.00	43.66	74.00	-30.34	61.51	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																									



	6																																																																																	
Mode	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.34</td> <td>66.60</td> <td>74.00</td> <td>-7.40</td> <td>57.72</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.34	66.60	74.00	-7.40	57.72	32.47	7.26	36.85	6.00	203	0	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>123.75</td> <td>-----</td> <td>-----</td> <td>115.01</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	123.75	-----	-----	115.01	32.42	7.22	36.90	6.00	203	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2484.34	66.60	74.00	-7.40	57.72	32.47	7.26	36.85	6.00	203	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	123.75	-----	-----	115.01	32.42	7.22	36.90	6.00	203	0	PEAK																																																																						
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>51.36</td> <td>54.00</td> <td>-2.64</td> <td>42.48</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>203</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.50	51.36	54.00	-2.64	42.48	32.47	7.26	36.85	6.00	203	0	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>114.07</td> <td>-----</td> <td>-----</td> <td>105.35</td> <td>32.42</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>203</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	114.07	-----	-----	105.35	32.42	7.21	36.91	6.00	203	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.50	51.36	54.00	-2.64	42.48	32.47	7.26	36.85	6.00	203	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2462.00	114.07	-----	-----	105.35	32.42	7.21	36.91	6.00	203	0	AVERAGE																																																																						







	6																																																																																			
Mode	Band Edge																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>66.71</td> <td>74.00</td> <td>-7.29</td> <td>57.83</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>240</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	66.71	74.00	-7.29	57.83	32.47	7.26	36.85	6.00	240	339	PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>124.99</td> <td>-----</td> <td>-----</td> <td>116.25</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>240</td> <td>339</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	124.99	-----	-----	116.25	32.42	7.22	36.90	6.00	240	339	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.68	66.71	74.00	-7.29	57.83	32.47	7.26	36.85	6.00	240	339	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	124.99	-----	-----	116.25	32.42	7.22	36.90	6.00	240	339	PEAK																																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>53.00</td> <td>54.00</td> <td>-0.92</td> <td>44.20</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>240</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.00	54.00	-0.92	44.20	32.47	7.26	36.85	6.00	240	339	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>115.12</td> <td>-----</td> <td>-----</td> <td>106.38</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>240</td> <td>339</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	115.12	-----	-----	106.38	32.42	7.22	36.90	6.00	240	339	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.50	53.00	54.00	-0.92	44.20	32.47	7.26	36.85	6.00	240	339	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	115.12	-----	-----	106.38	32.42	7.22	36.90	6.00	240	339	AVERAGE																																																																								



Mode	6																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																					
ANT	CDD 1S4T																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>69.27</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>42.07</td> <td>74.00</td> <td>-31.93</td> <td>63.09</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.72</td> <td>74.00</td> <td>-31.28</td> <td>60.68</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	46.09	74.00	-27.91	69.27	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	42.07	74.00	-31.93	63.09	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.72	74.00	-31.28	60.68	35.80	12.73	66.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.18</td> <td>74.00</td> <td>-26.82</td> <td>70.36</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>41.35</td> <td>74.00</td> <td>-32.65</td> <td>62.37</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.64</td> <td>74.00</td> <td>-31.36</td> <td>60.60</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.18	74.00	-26.82	70.36	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	41.35	74.00	-32.65	62.37	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.64	74.00	-31.36	60.60	35.80	12.73	66.49	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4000.00	46.09	74.00	-27.91	69.27	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																										
2	4924.00	42.07	74.00	-31.93	63.09	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																										
3	7386.00	42.72	74.00	-31.28	60.68	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4000.00	47.18	74.00	-26.82	70.36	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																										
2	4924.00	41.35	74.00	-32.65	62.37	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																										
3	7386.00	42.64	74.00	-31.36	60.60	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																										



	7																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																			
	<b>2400-2483.5_802.11be EHT20_CH01_2412MHz</b>																																																																																			
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line labeled 'FCC PART 15C' is at approximately 70 dBuV/m. The spectrum shows a peak at 2412 MHz reaching approximately 115 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.74</td> <td>63.85</td> <td>74.00</td> <td>-10.15</td> <td>55.62</td> <td>32.18</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	63.85	74.00	-10.15	55.62	32.18	7.10	37.05	6.00	100	281	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line labeled 'FCC PART 15C' is at approximately 70 dBuV/m. The spectrum shows a sharp peak at 2412 MHz reaching approximately 115 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>123.55</td> <td>-----</td> <td>-----</td> <td>115.09</td> <td>32.33</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	123.55	-----	-----	115.09	32.33	7.14	37.01	6.00	100	281	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2387.74	63.85	74.00	-10.15	55.62	32.18	7.10	37.05	6.00	100	281	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	123.55	-----	-----	115.09	32.33	7.14	37.01	6.00	100	281	PEAK																																																																								
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, averaged. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line labeled 'FCC PART 15C (AVG)' is at approximately 50 dBuV/m. The spectrum shows a peak at 2412 MHz reaching approximately 110 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>51.29</td> <td>54.00</td> <td>-2.71</td> <td>43.03</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>100</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.29	54.00	-2.71	43.03	32.20	7.11	37.05	6.00	100	281	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, averaged. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line labeled 'FCC PART 15C (AVG)' is at approximately 50 dBuV/m. The spectrum shows a sharp peak at 2412 MHz reaching approximately 110 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>112.56</td> <td>-----</td> <td>-----</td> <td>104.10</td> <td>32.33</td> <td>7.14</td> <td>37.01</td> <td>6.00</td> <td>100</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.56	-----	-----	104.10	32.33	7.14	37.01	6.00	100	281	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	51.29	54.00	-2.71	43.03	32.20	7.11	37.05	6.00	100	281	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	112.56	-----	-----	104.10	32.33	7.14	37.01	6.00	100	281	AVERAGE																																																																								



	7																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																			
	<b>2400-2483.5_802.11be EHT20_CH01_2412MHz</b>																																																																																			
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>67.37</td> <td>74.00</td> <td>-6.63</td> <td>59.13</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>247</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	67.37	74.00	-6.63	59.13	32.19	7.10	37.05	6.00	247	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>123.36</td> <td>-----</td> <td>-----</td> <td>114.92</td> <td>32.32</td> <td>7.14</td> <td>37.02</td> <td>6.00</td> <td>247</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	123.36	-----	-----	114.92	32.32	7.14	37.02	6.00	247	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.30	67.37	74.00	-6.63	59.13	32.19	7.10	37.05	6.00	247	0	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	123.36	-----	-----	114.92	32.32	7.14	37.02	6.00	247	0	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>53.76</td> <td>54.00</td> <td>-0.24</td> <td>45.50</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>247</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.76	54.00	-0.24	45.50	32.20	7.11	37.05	6.00	247	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.65</td> <td>-----</td> <td>-----</td> <td>103.21</td> <td>32.32</td> <td>7.14</td> <td>37.02</td> <td>6.00</td> <td>247</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.65	-----	-----	103.21	32.32	7.14	37.02	6.00	247	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	53.76	54.00	-0.24	45.50	32.20	7.11	37.05	6.00	247	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	111.65	-----	-----	103.21	32.32	7.14	37.02	6.00	247	0	AVERAGE																																																																								





Mode	7																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11be EHT20_CH01_2412MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.92</td> <td>74.00</td> <td>-27.08</td> <td>70.10</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>42.30</td> <td>74.00</td> <td>-31.70</td> <td>63.46</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	46.92	74.00	-27.08	70.10	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	42.30	74.00	-31.70	63.46	34.10	10.23	65.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>47.75</td> <td>74.00</td> <td>-26.25</td> <td>70.93</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>41.15</td> <td>74.00</td> <td>-32.85</td> <td>62.31</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	47.75	74.00	-26.25	70.93	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	41.15	74.00	-32.85	62.31	34.10	10.23	65.49	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4000.00	46.92	74.00	-27.08	70.10	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																
2	4824.00	42.30	74.00	-31.70	63.46	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4000.00	47.75	74.00	-26.25	70.93	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																
2	4824.00	41.15	74.00	-32.85	62.31	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																																



<b>8</b>																																										
<b>Mode</b>	<b>Band Edge - L</b>																																									
<b>2400-2483.5_802.11be EHT20_CH06_2437MHz</b>																																										
<b>ANT</b>	<b>CDD 1S4T</b>																																									
<b>Pol.</b>	<b>Horizontal</b>																																									
<b>Peak</b>	<b>Fundamental</b>																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>61.50</td> <td>74.00</td> <td>-12.50</td> <td>53.27</td> <td>32.18</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>293</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	61.50	74.00	-12.50	53.27	32.18	7.10	37.05	6.00	293	49	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2387.87	61.50	74.00	-12.50	53.27	32.18	7.10	37.05	6.00	293	49	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>124.89</td> <td>-----</td> <td>-----</td> <td>116.34</td> <td>32.36</td> <td>7.17</td> <td>36.98</td> <td>6.00</td> <td>293</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	124.89	-----	-----	116.34	32.36	7.17	36.98	6.00	293	49	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2437.00	124.89	-----	-----	116.34	32.36	7.17	36.98	6.00	293	49	PEAK																														
<b>Avg</b>	<b>Horizontal</b>																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>48.86</td> <td>54.00</td> <td>-5.14</td> <td>40.60</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>293</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	48.86	54.00	-5.14	40.60	32.20	7.11	37.05	6.00	293	49	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.82	48.86	54.00	-5.14	40.60	32.20	7.11	37.05	6.00	293	49	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>113.96</td> <td>-----</td> <td>-----</td> <td>105.40</td> <td>32.36</td> <td>7.17</td> <td>36.97</td> <td>6.00</td> <td>293</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	113.96	-----	-----	105.40	32.36	7.17	36.97	6.00	293	49	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2437.00	113.96	-----	-----	105.40	32.36	7.17	36.97	6.00	293	49	AVERAGE																														



	<b>8</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	 <table border="1" data-bbox="268 1115 794 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.56</td> <td>63.53</td> <td>74.00</td> <td>-10.47</td> <td>54.64</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>293</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2486.56	63.53	74.00	-10.47	54.64	32.47	7.26	36.84	6.00	293	49	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2486.56	63.53	74.00	-10.47	54.64	32.47	7.26	36.84	6.00	293	49	PEAK																																							
<b>Avg</b>	 <table border="1" data-bbox="268 1796 794 1919"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.50</td> <td>50.03</td> <td>54.00</td> <td>-3.97</td> <td>41.14</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>293</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2486.50	50.03	54.00	-3.97	41.14	32.47	7.26	36.84	6.00	293	49	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2486.50	50.03	54.00	-3.97	41.14	32.47	7.26	36.84	6.00	293	49	AVERAGE																																							



	<b>8</b>																																																																																			
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>2400-2483.5_802.11be EHT20_CH06_2437MHz</b>																																																																																			
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.29</td> <td>61.74</td> <td>74.00</td> <td>-12.26</td> <td>53.61</td> <td>32.09</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>126</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.29	61.74	74.00	-12.26	53.61	32.09	7.09	37.05	6.00	126	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>123.67</td> <td>-----</td> <td>-----</td> <td>115.08</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>126</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	123.67	-----	-----	115.08	32.37	7.18	36.96	6.00	126	117	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2379.29	61.74	74.00	-12.26	53.61	32.09	7.09	37.05	6.00	126	117	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	123.67	-----	-----	115.08	32.37	7.18	36.96	6.00	126	117	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.58</td> <td>48.90</td> <td>54.00</td> <td>-5.10</td> <td>40.71</td> <td>32.14</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>126</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.58	48.90	54.00	-5.10	40.71	32.14	7.10	37.05	6.00	126	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>112.83</td> <td>-----</td> <td>-----</td> <td>104.24</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>126</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	112.83	-----	-----	104.24	32.37	7.18	36.96	6.00	126	117	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2383.58	48.90	54.00	-5.10	40.71	32.14	7.10	37.05	6.00	126	117	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	112.83	-----	-----	104.24	32.37	7.18	36.96	6.00	126	117	AVERAGE																																																																								



	<b>8</b>																																									
<b>Mode</b>	<b>Band Edge - R</b>																																									
	<b>2400-2483.5_802.11be EHT20_CH06_2437MHz</b>																																									
<b>ANT</b>	<b>CDD 1S4T</b>																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.72</td> <td>63.61</td> <td>74.00</td> <td>-10.39</td> <td>54.69</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>6.00</td> <td>126</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2491.72	63.61	74.00	-10.39	54.69	32.48	7.27	36.83	6.00	126	117	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2491.72	63.61	74.00	-10.39	54.69	32.48	7.27	36.83	6.00	126	117	PEAK																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.68</td> <td>50.03</td> <td>54.00</td> <td>-3.97</td> <td>41.08</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>126</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2495.68	50.03	54.00	-3.97	41.08	32.49	7.28	36.82	6.00	126	117	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2495.68	50.03	54.00	-3.97	41.08	32.49	7.28	36.82	6.00	126	117	AVERAGE																														



<b>Mode</b>	<b>8</b>																																																																																																																																								
	<b>Harmonic</b>																																																																																																																																								
	<b>2400-2483.5_802.11be EHT20_CH06_2437MHz</b>																																																																																																																																								
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																																																							
<b>Peak Avg</b>																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.56</td> <td>74.00</td> <td>-27.44</td> <td>69.74</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>42.00</td> <td>74.00</td> <td>-32.00</td> <td>63.10</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.67</td> <td>74.00</td> <td>-30.33</td> <td>61.52</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	46.56	74.00	-27.44	69.74	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	42.00	74.00	-32.00	63.10	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	43.67	74.00	-30.33	61.52	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.96</td> <td>74.00</td> <td>-25.04</td> <td>72.14</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>42.28</td> <td>74.00</td> <td>-31.72</td> <td>63.38</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.11</td> <td>74.00</td> <td>-30.89</td> <td>60.96</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	48.96	74.00	-25.04	72.14	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	42.28	74.00	-31.72	63.38	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	43.11	74.00	-30.89	60.96	35.72	12.72	66.29	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4000.00	46.56	74.00	-27.44	69.74	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																													
2	4874.00	42.00	74.00	-32.00	63.10	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																													
3	7311.00	43.67	74.00	-30.33	61.52	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4000.00	48.96	74.00	-25.04	72.14	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																													
2	4874.00	42.28	74.00	-31.72	63.38	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																													
3	7311.00	43.11	74.00	-30.89	60.96	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																													



	<b>9</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>2400-2483.5_802.11be EHT20_CH11_2462MHz</b>																																																																															
<b>ANT</b>	<b>CDD 1S4T</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.98</td> <td>64.61</td> <td>74.00</td> <td>-9.39</td> <td>55.73</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>204</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.98	64.61	74.00	-9.39	55.73	32.47	7.26	36.85	6.00	204	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>122.91</td> <td>-----</td> <td>-----</td> <td>114.19</td> <td>32.42</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>204</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	122.91	-----	-----	114.19	32.42	7.21	36.91	6.00	204	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.98	64.61	74.00	-9.39	55.73	32.47	7.26	36.85	6.00	204	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	122.91	-----	-----	114.19	32.42	7.21	36.91	6.00	204	0 PEAK																																																																						
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>51.45</td> <td>54.00</td> <td>-2.55</td> <td>42.57</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>204</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	51.45	54.00	-2.55	42.57	32.47	7.26	36.85	6.00	204	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>111.43</td> <td>-----</td> <td>-----</td> <td>102.71</td> <td>32.42</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>204</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	111.43	-----	-----	102.71	32.42	7.21	36.91	6.00	204	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.50	51.45	54.00	-2.55	42.57	32.47	7.26	36.85	6.00	204	0 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2462.00	111.43	-----	-----	102.71	32.42	7.21	36.91	6.00	204	0 AVERAGE																																																																						







	<b>9</b>																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																													
	<b>2400-2483.5_802.11be EHT20_CH11_2462MHz</b>																																																																													
<b>ANT</b>	<b>CDD 1S4T</b>																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.86</td> <td>68.04</td> <td>74.00</td> <td>-5.96</td> <td>59.16</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>242 342 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.86	68.04	74.00	-5.96	59.16	32.47	7.26	36.85	6.00	242 342 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>124.24</td> <td>-----</td> <td>-----</td> <td>115.50</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>242 342 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	124.24	-----	-----	115.50	32.42	7.22	36.90	6.00	242 342 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.86	68.04	74.00	-5.96	59.16	32.47	7.26	36.85	6.00	242 342 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	124.24	-----	-----	115.50	32.42	7.22	36.90	6.00	242 342 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>53.35</td> <td>54.00</td> <td>-0.65</td> <td>44.47</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>242 342 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	53.35	54.00	-0.65	44.47	32.47	7.26	36.85	6.00	242 342 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>112.88</td> <td>-----</td> <td>-----</td> <td>104.14</td> <td>32.42</td> <td>7.22</td> <td>36.90</td> <td>6.00</td> <td>242 342 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	112.88	-----	-----	104.14	32.42	7.22	36.90	6.00	242 342 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	53.35	54.00	-0.65	44.47	32.47	7.26	36.85	6.00	242 342 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2462.00	112.88	-----	-----	104.14	32.42	7.22	36.90	6.00	242 342 AVERAGE																																																																					



Mode	9																																																																																																																																								
	Harmonic																																																																																																																																								
	2400-2483.5_802.11be EHT20_CH11_2462MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>69.51</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>42.58</td> <td>74.00</td> <td>-31.42</td> <td>63.60</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.84</td> <td>74.00</td> <td>-31.16</td> <td>60.80</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	46.33	74.00	-27.67	69.51	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	42.58	74.00	-31.42	63.60	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.84	74.00	-31.16	60.80	35.80	12.73	66.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.69</td> <td>74.00</td> <td>-25.31</td> <td>71.87</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>42.21</td> <td>74.00</td> <td>-31.79</td> <td>63.23</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.48</td> <td>74.00</td> <td>-31.52</td> <td>60.44</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	48.69	74.00	-25.31	71.87	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	42.21	74.00	-31.79	63.23	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.48	74.00	-31.52	60.44	35.80	12.73	66.49	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4000.00	46.33	74.00	-27.67	69.51	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																													
2	4924.00	42.58	74.00	-31.42	63.60	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																													
3	7386.00	42.84	74.00	-31.16	60.80	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4000.00	48.69	74.00	-25.31	71.87	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																													
2	4924.00	42.21	74.00	-31.79	63.23	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																													
3	7386.00	42.48	74.00	-31.52	60.44	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																													



	10																																																																													
<b>Mode</b>	Band Edge - L																																																																													
	2400-2483.5_802.11be EHT40_CH03_2422MHz																																																																													
<b>ANT</b>	CDD 1S4T																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. The signal level rises sharply after 2388 MHz, exceeding the limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.00</td> <td>68.14</td> <td>74.00</td> <td>-5.86</td> <td>59.91</td> <td>32.18</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>292 48 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.00	68.14	74.00	-5.86	59.91	32.18	7.10	37.05	6.00	292 48 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is visible at 2422 MHz, exceeding the limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>121.19</td> <td>-----</td> <td>-----</td> <td>112.60</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>292 48 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	121.19	-----	-----	112.60	32.37	7.18	36.96	6.00	292 48 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2388.00	68.14	74.00	-5.86	59.91	32.18	7.10	37.05	6.00	292 48 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2422.00	121.19	-----	-----	112.60	32.37	7.18	36.96	6.00	292 48 PEAK																																																																					
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. The signal level rises after 2388 MHz, exceeding the limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>53.07</td> <td>54.00</td> <td>-0.93</td> <td>44.81</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>292 48 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	53.07	54.00	-0.93	44.81	32.20	7.11	37.05	6.00	292 48 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A sharp peak is visible at 2422 MHz, exceeding the limit.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>110.19</td> <td>-----</td> <td>-----</td> <td>101.60</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>6.00</td> <td>292 48 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	110.19	-----	-----	101.60	32.37	7.18	36.96	6.00	292 48 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.95	53.07	54.00	-0.93	44.81	32.20	7.11	37.05	6.00	292 48 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2422.00	110.19	-----	-----	101.60	32.37	7.18	36.96	6.00	292 48 AVERAGE																																																																					



	<b>10</b>																																																											
<b>Mode</b>	<b>Band Edge - R</b>																																																											
	<b>2400-2483.5_802.11be EHT40_CH03_2422MHz</b>																																																											
<b>ANT</b>	<b>CDD 1S4T</b>																																																											
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.12</td> <td>63.05</td> <td>74.00</td> <td>-10.95</td> <td>54.10</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>292</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2497.12	63.05	74.00	-10.95	54.10	32.49	7.28	36.82	6.00	292	48	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2497.12	63.05	74.00	-10.95	54.10	32.49	7.28	36.82	6.00	292	48	PEAK																																																
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.72</td> <td>49.71</td> <td>54.00</td> <td>-4.29</td> <td>40.75</td> <td>32.50</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>292</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2497.72	49.71	54.00	-4.29	40.75	32.50	7.28	36.82	6.00	292	48	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2497.72	49.71	54.00	-4.29	40.75	32.50	7.28	36.82	6.00	292	48	AVERAGE																																																



	10																																																																													
<b>Mode</b>	Band Edge - L																																																																													
	2400-2483.5_802.11be EHT40_CH03_2422MHz																																																																													
<b>ANT</b>	CDD 1S4T																																																																													
<b>Pol.</b>	Vertical	Fundamental																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2385.01</td> <td>68.14</td> <td>74.00</td> <td>-5.86</td> <td>59.94</td> <td>32.15</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>108 148 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2385.01	68.14	74.00	-5.86	59.94	32.15	7.10	37.05	6.00	108 148 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>120.33</td> <td>-----</td> <td>-----</td> <td>111.71</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>6.00</td> <td>108 148 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	120.33	-----	-----	111.71	32.38	7.19	36.95	6.00	108 148 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2385.01	68.14	74.00	-5.86	59.94	32.15	7.10	37.05	6.00	108 148 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2422.00	120.33	-----	-----	111.71	32.38	7.19	36.95	6.00	108 148 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2384.10</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>42.64</td> <td>32.14</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>108 148 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2384.10	50.83	54.00	-3.17	42.64	32.14	7.10	37.05	6.00	108 148 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00</td> <td>109.39</td> <td>-----</td> <td>-----</td> <td>100.77</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>6.00</td> <td>108 148 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2422.00	109.39	-----	-----	100.77	32.38	7.19	36.95	6.00	108 148 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2384.10	50.83	54.00	-3.17	42.64	32.14	7.10	37.05	6.00	108 148 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2422.00	109.39	-----	-----	100.77	32.38	7.19	36.95	6.00	108 148 AVERAGE																																																																					







	<b>10</b>																																																											
<b>Mode</b>	<b>Band Edge - R</b>																																																											
	<b>2400-2483.5_802.11be EHT40_CH03_2422MHz</b>																																																											
<b>ANT</b>	<b>CDD 1S4T</b>																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																										
<b>Peak</b>	<table border="1" data-bbox="268 1115 775 1234"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.96</td> <td>62.59</td> <td>74.00</td> <td>-11.41</td> <td>53.64</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>108</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2494.96	62.59	74.00	-11.41	53.64	32.49	7.28	36.82	6.00	108	148	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2494.96	62.59	74.00	-11.41	53.64	32.49	7.28	36.82	6.00	108	148	PEAK																																																
<b>Avg</b>	<table border="1" data-bbox="268 1794 775 1912"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.50</td> <td>49.68</td> <td>54.00</td> <td>-4.32</td> <td>40.73</td> <td>32.49</td> <td>7.28</td> <td>36.82</td> <td>6.00</td> <td>108</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2495.50	49.68	54.00	-4.32	40.73	32.49	7.28	36.82	6.00	108	148	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	2495.50	49.68	54.00	-4.32	40.73	32.49	7.28	36.82	6.00	108	148	AVERAGE																																																



Mode	10																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_802.11be EHT40_CH03_2422MHz																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>69.17</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>100</td> <td>238</td> <td></td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>41.77</td> <td>74.00</td> <td>-32.23</td> <td>62.91</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>42.79</td> <td>74.00</td> <td>-31.21</td> <td>60.55</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	45.99	74.00	-28.01	69.17	33.32	9.30	65.80	0.00	100	238		2	4844.00	41.77	74.00	-32.23	62.91	34.12	10.25	65.51	0.00	---	---	PEAK	3	7266.00	42.79	74.00	-31.21	60.55	35.70	12.72	66.18	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.21</td> <td>74.00</td> <td>-25.79</td> <td>71.39</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4844.00</td> <td>41.77</td> <td>74.00</td> <td>-32.23</td> <td>62.91</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4999.00</td> <td>44.34</td> <td>74.00</td> <td>-29.66</td> <td>65.25</td> <td>34.26</td> <td>10.45</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7266.00</td> <td>44.43</td> <td>74.00</td> <td>-29.57</td> <td>62.19</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	48.21	74.00	-25.79	71.39	33.32	9.30	65.80	0.00	---	---	Peak	2	4844.00	41.77	74.00	-32.23	62.91	34.12	10.25	65.51	0.00	---	---	PEAK	3	4999.00	44.34	74.00	-29.66	65.25	34.26	10.45	65.62	0.00	---	---	Peak	4	7266.00	44.43	74.00	-29.57	62.19	35.70	12.72	66.18	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4000.00	45.99	74.00	-28.01	69.17	33.32	9.30	65.80	0.00	100	238																																																																																																																																									
2	4844.00	41.77	74.00	-32.23	62.91	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																																																								
3	7266.00	42.79	74.00	-31.21	60.55	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4000.00	48.21	74.00	-25.79	71.39	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																																								
2	4844.00	41.77	74.00	-32.23	62.91	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																																																								
3	4999.00	44.34	74.00	-29.66	65.25	34.26	10.45	65.62	0.00	---	---	Peak																																																																																																																																								
4	7266.00	44.43	74.00	-29.57	62.19	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																																																								



	11																																																																															
<b>Mode</b>	Band Edge - L																																																																															
	2400-2483.5_802.11be EHT40_CH06_2437MHz																																																																															
<b>ANT</b>	CDD 1S4T																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A blue trace shows the signal level, which rises sharply after 2388 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.69</td> <td>63.57</td> <td>74.00</td> <td>-10.43</td> <td>55.31</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>219</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.69	63.57	74.00	-10.43	55.31	32.20	7.11	37.05	6.00	219	0 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A blue trace shows a sharp peak at 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>119.93</td> <td>-----</td> <td>-----</td> <td>111.22</td> <td>32.41</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>219</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	119.93	-----	-----	111.22	32.41	7.21	36.91	6.00	219	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.69	63.57	74.00	-10.43	55.31	32.20	7.11	37.05	6.00	219	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	119.93	-----	-----	111.22	32.41	7.21	36.91	6.00	219	0 PEAK																																																																						
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A blue trace shows the average signal level.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.43</td> <td>49.95</td> <td>54.00</td> <td>-4.05</td> <td>41.71</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>219</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.43	49.95	54.00	-4.05	41.71	32.19	7.10	37.05	6.00	219	0 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A blue trace shows the average signal level with a peak at 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>109.55</td> <td>-----</td> <td>-----</td> <td>100.85</td> <td>32.41</td> <td>7.21</td> <td>36.92</td> <td>6.00</td> <td>219</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	109.55	-----	-----	100.85	32.41	7.21	36.92	6.00	219	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.43	49.95	54.00	-4.05	41.71	32.19	7.10	37.05	6.00	219	0 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	109.55	-----	-----	100.85	32.41	7.21	36.92	6.00	219	0 AVERAGE																																																																						



	<b>11</b>																																														
<b>Mode</b>	<b>Band Edge - R</b>																																														
	<b>2400-2483.5_802.11be EHT40_CH06_2437MHz</b>																																														
<b>ANT</b>	<b>CDD 1S4T</b>																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																													
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2486.14</td> <td>70.55</td> <td>74.00</td> <td>-3.45</td> <td>61.66</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>219 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2486.14	70.55	74.00	-3.45	61.66	32.47	7.26	36.84	6.00									219 0 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2486.14	70.55	74.00	-3.45	61.66	32.47	7.26	36.84	6.00																																							
								219 0 PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.68</td> <td>53.52</td> <td>54.00</td> <td>-0.48</td> <td>44.64</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>219 0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.68	53.52	54.00	-0.48	44.64	32.47	7.26	36.85	6.00									219 0 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.68	53.52	54.00	-0.48	44.64	32.47	7.26	36.85	6.00																																							
								219 0 AVERAGE																																							



	11																																																																													
<b>Mode</b>	Band Edge - L																																																																													
	2400-2483.5_802.11be EHT40_CH06_2437MHz																																																																													
<b>ANT</b>	CDD 1S4T																																																																													
<b>Pol.</b>	Vertical	Fundamental																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2386.31</td> <td>62.41</td> <td>74.00</td> <td>-11.59</td> <td>54.20</td> <td>32.16</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>239 341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2386.31	62.41	74.00	-11.59	54.20	32.16	7.10	37.05	6.00	239 341 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>121.93</td> <td>-----</td> <td>-----</td> <td>113.22</td> <td>32.41</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>239 341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	121.93	-----	-----	113.22	32.41	7.21	36.91	6.00	239 341 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2386.31	62.41	74.00	-11.59	54.20	32.16	7.10	37.05	6.00	239 341 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2437.00	121.93	-----	-----	113.22	32.41	7.21	36.91	6.00	239 341 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.91</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>40.79</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>239 341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.91	49.03	54.00	-4.97	40.79	32.19	7.10	37.05	6.00	239 341 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>110.29</td> <td>-----</td> <td>-----</td> <td>101.58</td> <td>32.41</td> <td>7.21</td> <td>36.91</td> <td>6.00</td> <td>239 341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	110.29	-----	-----	101.58	32.41	7.21	36.91	6.00	239 341 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2388.91	49.03	54.00	-4.97	40.79	32.19	7.10	37.05	6.00	239 341 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2437.00	110.29	-----	-----	101.58	32.41	7.21	36.91	6.00	239 341 AVERAGE																																																																					



	<b>11</b>																																									
<b>Mode</b>	<b>Band Edge - R</b>																																									
	<b>2400-2483.5_802.11be EHT40_CH06_2437MHz</b>																																									
<b>ANT</b>	<b>CDD 1S4T</b>																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.34</td> <td>70.70</td> <td>74.00</td> <td>-3.30</td> <td>61.78</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>6.00</td> <td>239</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2490.34	70.70	74.00	-3.30	61.78	32.48	7.27	36.83	6.00	239	341	PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2490.34	70.70	74.00	-3.30	61.78	32.48	7.27	36.83	6.00	239	341	PEAK																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.34</td> <td>51.98</td> <td>54.00</td> <td>-2.02</td> <td>43.10</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>239</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.34	51.98	54.00	-2.02	43.10	32.47	7.26	36.85	6.00	239	341	AVERAGE	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2484.34	51.98	54.00	-2.02	43.10	32.47	7.26	36.85	6.00	239	341	AVERAGE																														



Mode	11																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_802.11be EHT40_CH06_2437MHz																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.05</td> <td>74.00</td> <td>-27.95</td> <td>69.23</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.94</td> <td>74.00</td> <td>-32.06</td> <td>63.04</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.14</td> <td>74.00</td> <td>-30.86</td> <td>60.99</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	46.05	74.00	-27.95	69.23	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.94	74.00	-32.06	63.04	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	43.14	74.00	-30.86	60.99	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.81</td> <td>74.00</td> <td>-25.19</td> <td>71.99</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.94</td> <td>74.00</td> <td>-32.06</td> <td>63.04</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5001.00</td> <td>43.27</td> <td>74.00</td> <td>-30.73</td> <td>64.18</td> <td>34.26</td> <td>10.45</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>43.48</td> <td>74.00</td> <td>-30.52</td> <td>61.33</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	48.81	74.00	-25.19	71.99	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.94	74.00	-32.06	63.04	34.14	10.29	65.53	0.00	---	---	PEAK	3	5001.00	43.27	74.00	-30.73	64.18	34.26	10.45	65.62	0.00	---	---	Peak	4	7311.00	43.48	74.00	-30.52	61.33	35.72	12.72	66.29	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4000.00	46.05	74.00	-27.95	69.23	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																																								
2	4874.00	41.94	74.00	-32.06	63.04	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																																								
3	7311.00	43.14	74.00	-30.86	60.99	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4000.00	48.81	74.00	-25.19	71.99	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																																								
2	4874.00	41.94	74.00	-32.06	63.04	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																																								
3	5001.00	43.27	74.00	-30.73	64.18	34.26	10.45	65.62	0.00	---	---	Peak																																																																																																																																								
4	7311.00	43.48	74.00	-30.52	61.33	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																																								



	12																																																																																	
Mode	Band Edge - L																																																																																	
	2400-2483.5_802.11be EHT40_CH09_2452MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2345.88</td> <td>61.49</td> <td>74.00</td> <td>-12.51</td> <td>53.76</td> <td>31.76</td> <td>7.04</td> <td>37.07</td> <td>6.00</td> <td>217</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2345.88	61.49	74.00	-12.51	53.76	31.76	7.04	37.07	6.00	217	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>118.32</td> <td>-----</td> <td>-----</td> <td>109.65</td> <td>32.40</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>217</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	118.32	-----	-----	109.65	32.40	7.20	36.93	6.00	217	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2345.88	61.49	74.00	-12.51	53.76	31.76	7.04	37.07	6.00	217	0 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	118.32	-----	-----	109.65	32.40	7.20	36.93	6.00	217	0 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.55</td> <td>54.00</td> <td>-5.45</td> <td>40.29</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>6.00</td> <td>217</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.55	54.00	-5.45	40.29	32.20	7.11	37.05	6.00	217	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>107.80</td> <td>-----</td> <td>-----</td> <td>99.13</td> <td>32.40</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>217</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	107.80	-----	-----	99.13	32.40	7.20	36.93	6.00	217	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	48.55	54.00	-5.45	40.29	32.20	7.11	37.05	6.00	217	0 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	107.80	-----	-----	99.13	32.40	7.20	36.93	6.00	217	0 AVERAGE																																																																							



	12																																									
Mode	Band Edge - R																																									
	2400-2483.5_802.11be EHT40_CH09_2452MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.28</td> <td>69.15</td> <td>74.00</td> <td>-4.85</td> <td>60.27</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>6.00</td> <td>217</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.28	69.15	74.00	-4.85	60.27	32.47	7.26	36.85	6.00	217	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2484.28	69.15	74.00	-4.85	60.27	32.47	7.26	36.85	6.00	217	0	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.34</td> <td>53.09</td> <td>54.00</td> <td>-0.91</td> <td>44.20</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>217</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2487.34	53.09	54.00	-0.91	44.20	32.47	7.26	36.84	6.00	217	0	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2487.34	53.09	54.00	-0.91	44.20	32.47	7.26	36.84	6.00	217	0	AVERAGE																														



	12																																																																													
<b>Mode</b>	Band Edge - L																																																																													
	2400-2483.5_802.11be EHT40_CH09_2452MHz																																																																													
<b>ANT</b>	CDD 1S4T																																																																													
<b>Pol.</b>	Vertical	Fundamental																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2382.93</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>53.96</td> <td>32.13</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>279 343 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2382.93	62.13	74.00	-11.87	53.96	32.13	7.09	37.05	6.00	279 343 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>119.49</td> <td>-----</td> <td>-----</td> <td>110.82</td> <td>32.40</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>279 343 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	119.49	-----	-----	110.82	32.40	7.20	36.93	6.00	279 343 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2382.93	62.13	74.00	-11.87	53.96	32.13	7.09	37.05	6.00	279 343 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2452.00	119.49	-----	-----	110.82	32.40	7.20	36.93	6.00	279 343 PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2388.13</td> <td>48.51</td> <td>54.00</td> <td>-5.49</td> <td>40.28</td> <td>32.18</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>279 343 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.13	48.51	54.00	-5.49	40.28	32.18	7.10	37.05	6.00	279 343 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2452.00</td> <td>108.66</td> <td>-----</td> <td>-----</td> <td>99.99</td> <td>32.40</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>279 343 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2452.00	108.66	-----	-----	99.99	32.40	7.20	36.93	6.00	279 343 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2388.13	48.51	54.00	-5.49	40.28	32.18	7.10	37.05	6.00	279 343 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2452.00	108.66	-----	-----	99.99	32.40	7.20	36.93	6.00	279 343 AVERAGE																																																																					



	<b>12</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>2400-2483.5_802.11be EHT40_CH09_2452MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.42</td> <td>69.55</td> <td>74.00</td> <td>-4.45</td> <td>60.65</td> <td>32.48</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>279</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2488.42	69.55	74.00	-4.45	60.65	32.48	7.26	36.84	6.00	279	343	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2488.42	69.55	74.00	-4.45	60.65	32.48	7.26	36.84	6.00	279	343	PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.36</td> <td>53.61</td> <td>54.00</td> <td>-0.39</td> <td>44.71</td> <td>32.48</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>279</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2488.36	53.61	54.00	-0.39	44.71	32.48	7.26	36.84	6.00	279	343	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2488.36	53.61	54.00	-0.39	44.71	32.48	7.26	36.84	6.00	279	343	AVERAGE																																							



Mode	12																																																																																																																																																														
	Harmonic																																																																																																																																																														
	2400-2483.5_802.11be EHT40_CH09_2452MHz																																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>68.87</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>42.56</td> <td>74.00</td> <td>-31.44</td> <td>63.61</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5001.00</td> <td>43.44</td> <td>74.00</td> <td>-30.56</td> <td>64.35</td> <td>34.26</td> <td>10.45</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>42.95</td> <td>74.00</td> <td>-31.05</td> <td>60.83</td> <td>35.80</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	45.69	74.00	-28.31	68.87	33.32	9.30	65.80	0.00	---	Peak	2	4904.00	42.56	74.00	-31.44	63.61	34.17	10.33	65.55	0.00	---	PEAK	3	5001.00	43.44	74.00	-30.56	64.35	34.26	10.45	65.62	0.00	---	Peak	4	7356.00	42.95	74.00	-31.05	60.83	35.80	12.73	66.41	0.00	---	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>48.31</td> <td>74.00</td> <td>-25.69</td> <td>71.49</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4904.00</td> <td>42.57</td> <td>74.00</td> <td>-31.43</td> <td>63.62</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4999.00</td> <td>43.92</td> <td>74.00</td> <td>-30.08</td> <td>64.83</td> <td>34.26</td> <td>10.45</td> <td>65.62</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7356.00</td> <td>43.06</td> <td>74.00</td> <td>-30.94</td> <td>60.94</td> <td>35.80</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	48.31	74.00	-25.69	71.49	33.32	9.30	65.80	0.00	---	Peak	2	4904.00	42.57	74.00	-31.43	63.62	34.17	10.33	65.55	0.00	---	PEAK	3	4999.00	43.92	74.00	-30.08	64.83	34.26	10.45	65.62	0.00	---	Peak	4	7356.00	43.06	74.00	-30.94	60.94	35.80	12.73	66.41	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	4000.00	45.69	74.00	-28.31	68.87	33.32	9.30	65.80	0.00	---	Peak																																																																																																																																																				
2	4904.00	42.56	74.00	-31.44	63.61	34.17	10.33	65.55	0.00	---	PEAK																																																																																																																																																				
3	5001.00	43.44	74.00	-30.56	64.35	34.26	10.45	65.62	0.00	---	Peak																																																																																																																																																				
4	7356.00	42.95	74.00	-31.05	60.83	35.80	12.73	66.41	0.00	---	PEAK																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	4000.00	48.31	74.00	-25.69	71.49	33.32	9.30	65.80	0.00	---	Peak																																																																																																																																																				
2	4904.00	42.57	74.00	-31.43	63.62	34.17	10.33	65.55	0.00	---	PEAK																																																																																																																																																				
3	4999.00	43.92	74.00	-30.08	64.83	34.26	10.45	65.62	0.00	---	Peak																																																																																																																																																				
4	7356.00	43.06	74.00	-30.94	60.94	35.80	12.73	66.41	0.00	---	PEAK																																																																																																																																																				



<b>Mode</b>	15																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_802.11be EHT20_CH01_MHz																																																																																																										
<b>ANT</b>	TxBF 1S4T																																																																																																										
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																									
<b>Peak Avg</b>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>44.85</td> <td>74.00</td> <td>-29.15</td> <td>68.03</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>40.42</td> <td>74.00</td> <td>-33.58</td> <td>61.58</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	44.85	74.00	-29.15	68.03	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	40.42	74.00	-33.58	61.58	34.10	10.23	65.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>69.57</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>41.59</td> <td>74.00</td> <td>-32.41</td> <td>62.75</td> <td>34.10</td> <td>10.23</td> <td>65.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4000.00	46.39	74.00	-27.61	69.57	33.32	9.30	65.80	0.00	---	---	Peak	2	4824.00	41.59	74.00	-32.41	62.75	34.10	10.23	65.49	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4000.00	44.85	74.00	-29.15	68.03	33.32	9.30	65.80	0.00	---	---	Peak																																																																																															
2	4824.00	40.42	74.00	-33.58	61.58	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	4000.00	46.39	74.00	-27.61	69.57	33.32	9.30	65.80	0.00	---	---	Peak																																																																																															
2	4824.00	41.59	74.00	-32.41	62.75	34.10	10.23	65.49	0.00	---	---	PEAK																																																																																															







Mode	16																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11be EHT20_CH06_MHz																																																																																																																																									
ANT	TxBF 1S4T																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>43.95</td> <td>74.00</td> <td>-30.05</td> <td>67.13</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.53</td> <td>74.00</td> <td>-32.47</td> <td>62.63</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.75</td> <td>74.00</td> <td>-31.25</td> <td>60.60</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	43.95	74.00	-30.05	67.13	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	41.53	74.00	-32.47	62.63	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	42.75	74.00	-31.25	60.60	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>68.29</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>40.99</td> <td>74.00</td> <td>-33.01</td> <td>62.09</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.45</td> <td>74.00</td> <td>-31.55</td> <td>60.30</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	45.11	74.00	-28.89	68.29	33.32	9.30	65.80	0.00	---	---	Peak	2	4874.00	40.99	74.00	-33.01	62.09	34.14	10.29	65.53	0.00	---	---	PEAK	3	7311.00	42.45	74.00	-31.55	60.30	35.72	12.72	66.29	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4000.00	43.95	74.00	-30.05	67.13	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																														
2	4874.00	41.53	74.00	-32.47	62.63	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																														
3	7311.00	42.75	74.00	-31.25	60.60	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4000.00	45.11	74.00	-28.89	68.29	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																														
2	4874.00	40.99	74.00	-33.01	62.09	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																																														
3	7311.00	42.45	74.00	-31.55	60.30	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																																														



Mode	17																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_802.11be EHT20_CH11_MHz																																																																																																																																							
ANT	TxBF 1S4T																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg																																																																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>43.70</td> <td>74.00</td> <td>-30.30</td> <td>66.88</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>40.82</td> <td>74.00</td> <td>-33.18</td> <td>61.84</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.74</td> <td>74.00</td> <td>-31.26</td> <td>60.70</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	43.70	74.00	-30.30	66.88	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	40.82	74.00	-33.18	61.84	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.74	74.00	-31.26	60.70	35.80	12.73	66.49	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4000.00</td> <td>45.75</td> <td>74.00</td> <td>-28.25</td> <td>68.93</td> <td>33.32</td> <td>9.30</td> <td>65.80</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>41.68</td> <td>74.00</td> <td>-32.32</td> <td>62.70</td> <td>34.19</td> <td>10.35</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.70</td> <td>74.00</td> <td>-31.30</td> <td>60.66</td> <td>35.80</td> <td>12.73</td> <td>66.49</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	45.75	74.00	-28.25	68.93	33.32	9.30	65.80	0.00	---	---	Peak	2	4924.00	41.68	74.00	-32.32	62.70	34.19	10.35	65.56	0.00	---	---	PEAK	3	7386.00	42.70	74.00	-31.30	60.66	35.80	12.73	66.49	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4000.00	43.70	74.00	-30.30	66.88	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																												
2	4924.00	40.82	74.00	-33.18	61.84	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																												
3	7386.00	42.74	74.00	-31.26	60.70	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4000.00	45.75	74.00	-28.25	68.93	33.32	9.30	65.80	0.00	---	---	Peak																																																																																																																												
2	4924.00	41.68	74.00	-32.32	62.70	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																												
3	7386.00	42.70	74.00	-31.30	60.66	35.80	12.73	66.49	0.00	---	---	PEAK																																																																																																																												







		<b>18</b>																																																																																		
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz</b>																																																																																			
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level that rises from approximately 60 dBuV/m at 2310 MHz to about 110 dBuV/m at 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 75 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.24</td> <td>62.53</td> <td>74.00</td> <td>-11.47</td> <td>50.54</td> <td>31.98</td> <td>7.07</td> <td>37.06</td> <td>10.00</td> <td>341</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.24	62.53	74.00	-11.47	50.54	31.98	7.07	37.06	10.00	341	219	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level that rises from approximately 60 dBuV/m at 1000 MHz to about 110 dBuV/m at 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 75 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>116.50</td> <td>-----</td> <td>-----</td> <td>103.88</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>10.00</td> <td>341</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	116.50	-----	-----	103.88	32.38	7.19	36.95	10.00	341	219	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2368.24	62.53	74.00	-11.47	50.54	31.98	7.07	37.06	10.00	341	219	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	116.50	-----	-----	103.88	32.38	7.19	36.95	10.00	341	219	PEAK																																																																								
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The plot shows a signal level that rises from approximately 50 dBuV/m at 2310 MHz to about 100 dBuV/m at 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 55 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.65</td> <td>49.12</td> <td>54.00</td> <td>-4.88</td> <td>36.88</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>341</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	49.12	54.00	-4.88	36.88	32.19	7.10	37.05	10.00	341	219	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a signal level that rises from approximately 50 dBuV/m at 1000 MHz to about 100 dBuV/m at 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 55 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>105.58</td> <td>-----</td> <td>-----</td> <td>92.96</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>10.00</td> <td>341</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	105.58	-----	-----	92.96	32.38	7.19	36.95	10.00	341	219	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.65	49.12	54.00	-4.88	36.88	32.19	7.10	37.05	10.00	341	219	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	105.58	-----	-----	92.96	32.38	7.19	36.95	10.00	341	219	AVERAGE																																																																								



	<b>18</b>																																							
<b>Mode</b>	<b>Band Edge - R</b>																																							
	<b>2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz</b>																																							
<b>ANT</b>	<b>TxBF 1S4T</b>																																							
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																						
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2491.18</td> <td>62.80</td> <td>74.00</td> <td>-11.20</td> <td>49.88</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>10.00</td> <td>341 219 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2491.18	62.80	74.00	-11.20	49.88	32.48	7.27	36.83	10.00	341 219 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 2491.18	62.80	74.00	-11.20	49.88	32.48	7.27	36.83	10.00	341 219 PEAK																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2498.14</td> <td>49.99</td> <td>54.00</td> <td>-4.01</td> <td>37.03</td> <td>32.50</td> <td>7.28</td> <td>36.82</td> <td>10.00</td> <td>341 219 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2498.14	49.99	54.00	-4.01	37.03	32.50	7.28	36.82	10.00	341 219 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 2498.14	49.99	54.00	-4.01	37.03	32.50	7.28	36.82	10.00	341 219 AVERAGE																															



		18																																																																																		
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz																																																																																			
ANT	TxBF 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="255 1097 798 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.70</td> <td>69.12</td> <td>74.00</td> <td>-4.88</td> <td>56.90</td> <td>32.17</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>114</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	69.12	74.00	-4.88	56.90	32.17	7.10	37.05	10.00	114	203	PEAK	 <table border="1" data-bbox="877 1097 1420 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>119.91</td> <td>-----</td> <td>-----</td> <td>107.41</td> <td>32.34</td> <td>7.15</td> <td>36.99</td> <td>10.00</td> <td>114</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	119.91	-----	-----	107.41	32.34	7.15	36.99	10.00	114	203	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.70	69.12	74.00	-4.88	56.90	32.17	7.10	37.05	10.00	114	203	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	119.91	-----	-----	107.41	32.34	7.15	36.99	10.00	114	203	PEAK																																																																								
Avg	 <table border="1" data-bbox="255 1769 798 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>53.60</td> <td>54.00</td> <td>-0.40</td> <td>41.36</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>114</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	53.60	54.00	-0.40	41.36	32.19	7.10	37.05	10.00	114	203	AVERAGE	 <table border="1" data-bbox="877 1769 1420 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>107.75</td> <td>-----</td> <td>-----</td> <td>95.25</td> <td>32.34</td> <td>7.15</td> <td>36.99</td> <td>10.00</td> <td>114</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	107.75	-----	-----	95.25	32.34	7.15	36.99	10.00	114	203	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.30	53.60	54.00	-0.40	41.36	32.19	7.10	37.05	10.00	114	203	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	107.75	-----	-----	95.25	32.34	7.15	36.99	10.00	114	203	AVERAGE																																																																								







	<b>18</b>																																									
<b>Mode</b>	<b>Band Edge - R</b>																																									
	<b>2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz</b>																																									
<b>ANT</b>	<b>TxBF 1S4T</b>																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.00</td> <td>62.84</td> <td>74.00</td> <td>-11.16</td> <td>49.87</td> <td>32.50</td> <td>7.28</td> <td>36.81</td> <td>10.00</td> <td>114</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2500.00	62.84	74.00	-11.16	49.87	32.50	7.28	36.81	10.00	114	203	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2500.00	62.84	74.00	-11.16	49.87	32.50	7.28	36.81	10.00	114	203	PEAK																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.32</td> <td>50.15</td> <td>54.00</td> <td>-3.85</td> <td>37.18</td> <td>32.50</td> <td>7.28</td> <td>36.81</td> <td>10.00</td> <td>114</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2498.32	50.15	54.00	-3.85	37.18	32.50	7.28	36.81	10.00	114	203	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2498.32	50.15	54.00	-3.85	37.18	32.50	7.28	36.81	10.00	114	203	AVERAGE																														



<b>Mode</b>	<b>18</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_802.11be EHT40_CH03_Full RU_2422MHz</b>																																																																																																													
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>41.12</td> <td>74.00</td> <td>-32.88</td> <td>62.26</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>41.14</td> <td>74.00</td> <td>-32.86</td> <td>58.90</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.12	74.00	-32.88	62.26	34.12	10.25	65.51	0.00	---	---	PEAK	2	7266.00	41.14	74.00	-32.86	58.90	35.70	12.72	66.18	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>41.19</td> <td>74.00</td> <td>-32.81</td> <td>62.33</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>41.13</td> <td>74.00</td> <td>-32.87</td> <td>58.89</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	41.19	74.00	-32.81	62.33	34.12	10.25	65.51	0.00	---	---	PEAK	2	7266.00	41.13	74.00	-32.87	58.89	35.70	12.72	66.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4844.00	41.12	74.00	-32.88	62.26	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																		
2	7266.00	41.14	74.00	-32.86	58.90	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4844.00	41.19	74.00	-32.81	62.33	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																		
2	7266.00	41.13	74.00	-32.87	58.89	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																		







		<b>19</b>																																																																																		
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz</b>																																																																																			
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'FCC PART 15C'. A blue peak is visible at approximately 2388 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.98</td> <td>62.06</td> <td>74.00</td> <td>-11.94</td> <td>49.91</td> <td>32.11</td> <td>7.09</td> <td>37.05</td> <td>10.00</td> <td>233</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.98	62.06	74.00	-11.94	49.91	32.11	7.09	37.05	10.00	233	231	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'FCC PART 15C'. A blue peak is visible at approximately 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>119.06</td> <td>-----</td> <td>-----</td> <td>106.37</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>233</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.06	-----	-----	106.37	32.40	7.21	36.92	10.00	233	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.98	62.06	74.00	-11.94	49.91	32.11	7.09	37.05	10.00	233	231	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	119.06	-----	-----	106.37	32.40	7.21	36.92	10.00	233	231	PEAK																																																																								
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line at 52.5 dBuV/m is labeled 'FCC PART 15C (AVG)'. A blue peak is visible at approximately 2388 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>49.16</td> <td>54.00</td> <td>-4.84</td> <td>36.92</td> <td>32.19</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>233</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	49.16	54.00	-4.84	36.92	32.19	7.10	37.05	10.00	233	231	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line at 52.5 dBuV/m is labeled 'FCC PART 15C (AVG)'. A blue peak is visible at approximately 2437 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>107.10</td> <td>-----</td> <td>-----</td> <td>94.39</td> <td>32.41</td> <td>7.21</td> <td>36.91</td> <td>10.00</td> <td>233</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	107.10	-----	-----	94.39	32.41	7.21	36.91	10.00	233	231	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2388.52	49.16	54.00	-4.84	36.92	32.19	7.10	37.05	10.00	233	231	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	107.10	-----	-----	94.39	32.41	7.21	36.91	10.00	233	231	AVERAGE																																																																								



	19																																									
Mode	Band Edge - R																																									
	2400-2483.5_802.11be EHT40_CH06_Full RU _2437MHz																																									
ANT	TxBF 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>64.91</td> <td>74.00</td> <td>-9.09</td> <td>52.03</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> <td>233</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.00	64.91	74.00	-9.09	52.03	32.47	7.26	36.85	10.00	233	231	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2483.00	64.91	74.00	-9.09	52.03	32.47	7.26	36.85	10.00	233	231	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>50.74</td> <td>54.00</td> <td>-3.26</td> <td>37.86</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> <td>233</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.86	50.74	54.00	-3.26	37.86	32.47	7.26	36.85	10.00	233	231	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2483.86	50.74	54.00	-3.26	37.86	32.47	7.26	36.85	10.00	233	231	AVERAGE																														



	19																																																																																			
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz																																																																																			
ANT	TxBF 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a rising signal starting around 2380 MHz, crossing a red limit line at 70.0 dBuV/m, and reaching a peak of approximately 120 dBuV/m at 2437 MHz. A vertical blue line marks the peak at 2387.87 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>70.18</td> <td>74.00</td> <td>-3.82</td> <td>57.95</td> <td>32.18</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>139</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	70.18	74.00	-3.82	57.95	32.18	7.10	37.05	10.00	139	203	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at 2437 MHz, reaching a level of approximately 120 dBuV/m. A red limit line is at 70.0 dBuV/m. A vertical blue line marks the peak at 2437.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>119.76</td> <td>-----</td> <td>-----</td> <td>107.07</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>139</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.76	-----	-----	107.07	32.40	7.21	36.92	10.00	139	203	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2387.87	70.18	74.00	-3.82	57.95	32.18	7.10	37.05	10.00	139	203	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	119.76	-----	-----	107.07	32.40	7.21	36.92	10.00	139	203	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization (Average). The plot shows a rising signal starting around 2380 MHz, crossing a red limit line at 52.5 dBuV/m, and reaching an average level of approximately 105 dBuV/m at 2437 MHz. A vertical blue line marks the peak at 2389.95 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.71</td> <td>54.00</td> <td>-3.29</td> <td>38.45</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>10.00</td> <td>139</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.71	54.00	-3.29	38.45	32.20	7.11	37.05	10.00	139	203	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a sharp peak at 2437 MHz, reaching an average level of approximately 105 dBuV/m. A red limit line is at 52.5 dBuV/m. A vertical blue line marks the peak at 2437.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>108.88</td> <td>-----</td> <td>-----</td> <td>96.18</td> <td>32.41</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>139</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.88	-----	-----	96.18	32.41	7.21	36.92	10.00	139	203	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	50.71	54.00	-3.29	38.45	32.20	7.11	37.05	10.00	139	203	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	108.88	-----	-----	96.18	32.41	7.21	36.92	10.00	139	203	AVERAGE																																																																								







	<b>19</b>																																														
<b>Mode</b>	<b>Band Edge - R</b>																																														
<b>ANT</b>	<b>TxBF 1S4T</b>																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																													
<b>Peak</b>	<table border="1" data-bbox="268 1115 778 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>70.09</td> <td>74.00</td> <td>-3.91</td> <td>57.21</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>139 283 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.56	70.09	74.00	-3.91	57.21	32.47	7.26	36.85	10.00									139 283 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.56	70.09	74.00	-3.91	57.21	32.47	7.26	36.85	10.00																																							
								139 283 PEAK																																							
<b>Avg</b>	<table border="1" data-bbox="268 1798 778 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>53.35</td> <td>54.00</td> <td>-0.65</td> <td>40.47</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>139 283 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.56	53.35	54.00	-0.65	40.47	32.47	7.26	36.85	10.00									139 283 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.56	53.35	54.00	-0.65	40.47	32.47	7.26	36.85	10.00																																							
								139 283 AVERAGE																																							



<b>Mode</b>	<b>19</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_802.11be EHT40_CH06_Full RU_2437MHz</b>																																																																																																													
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.31</td> <td>74.00</td> <td>-32.69</td> <td>62.41</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>42.50</td> <td>74.00</td> <td>-31.50</td> <td>60.35</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.31	74.00	-32.69	62.41	34.14	10.29	65.53	0.00	---	---	PEAK	2	7311.00	42.50	74.00	-31.50	60.35	35.72	12.72	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>40.76</td> <td>74.00</td> <td>-33.24</td> <td>61.86</td> <td>34.14</td> <td>10.29</td> <td>65.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>41.79</td> <td>74.00</td> <td>-32.21</td> <td>59.64</td> <td>35.72</td> <td>12.72</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.76	74.00	-33.24	61.86	34.14	10.29	65.53	0.00	---	---	PEAK	2	7311.00	41.79	74.00	-32.21	59.64	35.72	12.72	66.29	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	41.31	74.00	-32.69	62.41	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																		
2	7311.00	42.50	74.00	-31.50	60.35	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	40.76	74.00	-33.24	61.86	34.14	10.29	65.53	0.00	---	---	PEAK																																																																																																		
2	7311.00	41.79	74.00	-32.21	59.64	35.72	12.72	66.29	0.00	---	---	PEAK																																																																																																		







		<b>20</b>																																																																																		
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																																																																			
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Peak at 2387.35 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.35</td> <td>61.99</td> <td>74.00</td> <td>-12.01</td> <td>49.77</td> <td>32.17</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>316</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	61.99	74.00	-12.01	49.77	32.17	7.10	37.05	10.00	316	227	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 2452.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>115.60</td> <td>-----</td> <td>-----</td> <td>102.81</td> <td>32.44</td> <td>7.23</td> <td>36.88</td> <td>10.00</td> <td>316</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	115.60	-----	-----	102.81	32.44	7.23	36.88	10.00	316	227	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2387.35	61.99	74.00	-12.01	49.77	32.17	7.10	37.05	10.00	316	227	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	115.60	-----	-----	102.81	32.44	7.23	36.88	10.00	316	227	PEAK																																																																								
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Average level at 2385.40 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.40</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>36.83</td> <td>32.15</td> <td>7.10</td> <td>37.05</td> <td>10.00</td> <td>316</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.40	49.03	54.00	-4.97	36.83	32.15	7.10	37.05	10.00	316	227	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average level at 2452.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>103.72</td> <td>-----</td> <td>-----</td> <td>90.93</td> <td>32.44</td> <td>7.23</td> <td>36.88</td> <td>10.00</td> <td>316</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	103.72	-----	-----	90.93	32.44	7.23	36.88	10.00	316	227	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2385.40	49.03	54.00	-4.97	36.83	32.15	7.10	37.05	10.00	316	227	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	103.72	-----	-----	90.93	32.44	7.23	36.88	10.00	316	227	AVERAGE																																																																								



	<b>20</b>																																									
<b>Mode</b>	<b>Band Edge - R</b>																																									
	<b>2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																									
<b>ANT</b>	<b>TxBF 1S4T</b>																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.36</td> <td>62.90</td> <td>74.00</td> <td>-11.10</td> <td>50.01</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>10.00</td> <td>316</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2485.36	62.90	74.00	-11.10	50.01	32.47	7.26	36.84	10.00	316	227	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2485.36	62.90	74.00	-11.10	50.01	32.47	7.26	36.84	10.00	316	227	PEAK																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.70</td> <td>50.13</td> <td>54.00</td> <td>-3.87</td> <td>37.23</td> <td>32.48</td> <td>7.26</td> <td>36.84</td> <td>10.00</td> <td>316</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2487.70	50.13	54.00	-3.87	37.23	32.48	7.26	36.84	10.00	316	227	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2487.70	50.13	54.00	-3.87	37.23	32.48	7.26	36.84	10.00	316	227	AVERAGE																														



		20																																																																																		
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																			
ANT	TxBF 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'FCC PART 15C'. A peak is observed at approximately 2371.75 MHz, reaching a level of about 110 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2371.75</td> <td>61.76</td> <td>74.00</td> <td>-12.24</td> <td>49.71</td> <td>32.02</td> <td>7.08</td> <td>37.05</td> <td>10.00</td> <td>137</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.75	61.76	74.00	-12.24	49.71	32.02	7.08	37.05	10.00	137	209	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line at 70.0 dBuV/m is labeled 'FCC PART 15C'. A sharp peak is observed at 2452.00 MHz, reaching a level of approximately 119.14 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>119.14</td> <td>-----</td> <td>-----</td> <td>106.47</td> <td>32.40</td> <td>7.20</td> <td>36.93</td> <td>10.00</td> <td>137</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	119.14	-----	-----	106.47	32.40	7.20	36.93	10.00	137	209	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2371.75	61.76	74.00	-12.24	49.71	32.02	7.08	37.05	10.00	137	209	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	119.14	-----	-----	106.47	32.40	7.20	36.93	10.00	137	209	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization showing average levels. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line at 52.5 dBuV/m is labeled 'FCC PART 15C (AVG)'. The average level at 2389.95 MHz is 49.19 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>36.93</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>10.00</td> <td>137</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.19	54.00	-4.81	36.93	32.20	7.11	37.05	10.00	137	209	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization showing average levels. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line at 52.5 dBuV/m is labeled 'FCC PART 15C (AVG)'. The average level at 2452.00 MHz is 106.87 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>106.87</td> <td>-----</td> <td>-----</td> <td>94.17</td> <td>32.41</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>137</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.87	-----	-----	94.17	32.41	7.21	36.92	10.00	137	209	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	49.19	54.00	-4.81	36.93	32.20	7.11	37.05	10.00	137	209	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	106.87	-----	-----	94.17	32.41	7.21	36.92	10.00	137	209	AVERAGE																																																																								



	<b>20</b>																																					
<b>Mode</b>	<b>Band Edge - R</b>																																					
	<b>2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																					
<b>ANT</b>	<b>TxBF 1S4T</b>																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																				
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>69.43</td> <td>74.00</td> <td>-4.57</td> <td>56.55</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	69.43	74.00	-4.57	56.55	32.47	7.26	36.85	10.00	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 2483.50	69.43	74.00	-4.57	56.55	32.47	7.26	36.85	10.00																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>53.86</td> <td>54.00</td> <td>-0.14</td> <td>40.98</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.62	53.86	54.00	-0.14	40.98	32.47	7.26	36.85	10.00	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 2483.62	53.86	54.00	-0.14	40.98	32.47	7.26	36.85	10.00																														



<b>Mode</b>	<b>20</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																																																																																													
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>41.47</td> <td>74.00</td> <td>-32.53</td> <td>62.52</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>42.16</td> <td>74.00</td> <td>-31.84</td> <td>60.04</td> <td>35.00</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.47	74.00	-32.53	62.52	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	42.16	74.00	-31.84	60.04	35.00	12.73	66.41	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.25</td> <td>74.00</td> <td>-31.75</td> <td>63.30</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>42.05</td> <td>74.00</td> <td>-31.95</td> <td>59.93</td> <td>35.80</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.25	74.00	-31.75	63.30	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	42.05	74.00	-31.95	59.93	35.80	12.73	66.41	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	41.47	74.00	-32.53	62.52	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	42.16	74.00	-31.84	60.04	35.00	12.73	66.41	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	42.25	74.00	-31.75	63.30	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	42.05	74.00	-31.95	59.93	35.80	12.73	66.41	0.00	---	---	PEAK																																																																																																		



<b>Mode</b>	<b>21</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_802.11be EHT20_CH2_MHz</b>																																																																																																													
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4834.00</td> <td>40.80</td> <td>74.00</td> <td>-33.20</td> <td>61.95</td> <td>34.11</td> <td>10.24</td> <td>65.50</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.00</td> <td>42.23</td> <td>74.00</td> <td>-31.77</td> <td>59.95</td> <td>35.70</td> <td>12.72</td> <td>66.14</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	40.80	74.00	-33.20	61.95	34.11	10.24	65.50	0.00	---	---	PEAK	2	7251.00	42.23	74.00	-31.77	59.95	35.70	12.72	66.14	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4834.00</td> <td>40.96</td> <td>74.00</td> <td>-33.04</td> <td>62.11</td> <td>34.11</td> <td>10.24</td> <td>65.50</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.00</td> <td>42.25</td> <td>74.00</td> <td>-31.75</td> <td>59.97</td> <td>35.70</td> <td>12.72</td> <td>66.14</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	40.96	74.00	-33.04	62.11	34.11	10.24	65.50	0.00	---	---	PEAK	2	7251.00	42.25	74.00	-31.75	59.97	35.70	12.72	66.14	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4834.00	40.80	74.00	-33.20	61.95	34.11	10.24	65.50	0.00	---	---	PEAK																																																																																																		
2	7251.00	42.23	74.00	-31.77	59.95	35.70	12.72	66.14	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4834.00	40.96	74.00	-33.04	62.11	34.11	10.24	65.50	0.00	---	---	PEAK																																																																																																		
2	7251.00	42.25	74.00	-31.75	59.97	35.70	12.72	66.14	0.00	---	---	PEAK																																																																																																		



<b>Mode</b>	22																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_802.11be EHT20_CH3_MHz																																																																																																													
<b>ANT</b>	TxBF 1S4T																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>40.78</td> <td>74.00</td> <td>-33.22</td> <td>61.92</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>42.72</td> <td>74.00</td> <td>-31.28</td> <td>60.48</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	40.78	74.00	-33.22	61.92	34.12	10.25	65.51	0.00	---	---	PEAK	2	7266.00	42.72	74.00	-31.28	60.48	35.70	12.72	66.18	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>40.70</td> <td>74.00</td> <td>-33.30</td> <td>61.84</td> <td>34.12</td> <td>10.25</td> <td>65.51</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>42.60</td> <td>74.00</td> <td>-31.40</td> <td>60.36</td> <td>35.70</td> <td>12.72</td> <td>66.18</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	40.70	74.00	-33.30	61.84	34.12	10.25	65.51	0.00	---	---	PEAK	2	7266.00	42.60	74.00	-31.40	60.36	35.70	12.72	66.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4844.00	40.78	74.00	-33.22	61.92	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																		
2	7266.00	42.72	74.00	-31.28	60.48	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4844.00	40.70	74.00	-33.30	61.84	34.12	10.25	65.51	0.00	---	---	PEAK																																																																																																		
2	7266.00	42.60	74.00	-31.40	60.36	35.70	12.72	66.18	0.00	---	---	PEAK																																																																																																		



Mode	23																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_802.11be EHT20_CH10_MHz																																																																																																											
ANT	TxBF 1S4T																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>40.39</td> <td>74.00</td> <td>-33.61</td> <td>61.43</td> <td>34.18</td> <td>10.34</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.03</td> <td>74.00</td> <td>-31.97</td> <td>59.95</td> <td>35.00</td> <td>12.73</td> <td>66.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4914.00	40.39	74.00	-33.61	61.43	34.18	10.34	65.56	0.00	---	---	PEAK	2	7371.00	42.03	74.00	-31.97	59.95	35.00	12.73	66.45	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>40.21</td> <td>74.00</td> <td>-33.79</td> <td>61.25</td> <td>34.18</td> <td>10.34</td> <td>65.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.20</td> <td>74.00</td> <td>-31.80</td> <td>60.12</td> <td>35.80</td> <td>12.73</td> <td>66.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4914.00	40.21	74.00	-33.79	61.25	34.18	10.34	65.56	0.00	---	---	PEAK	2	7371.00	42.20	74.00	-31.80	60.12	35.80	12.73	66.45	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4914.00	40.39	74.00	-33.61	61.43	34.18	10.34	65.56	0.00	---	---	PEAK																																																																																																
2	7371.00	42.03	74.00	-31.97	59.95	35.00	12.73	66.45	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4914.00	40.21	74.00	-33.79	61.25	34.18	10.34	65.56	0.00	---	---	PEAK																																																																																																
2	7371.00	42.20	74.00	-31.80	60.12	35.80	12.73	66.45	0.00	---	---	PEAK																																																																																																



<b>Mode</b>	<b>24</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_802.11be EHT20_CH9_MHz</b>																																																																																																													
<b>ANT</b>	<b>TxBF 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>62.10</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>42.05</td> <td>74.00</td> <td>-31.95</td> <td>59.93</td> <td>35.00</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.05	74.00	-32.95	62.10	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	42.05	74.00	-31.95	59.93	35.00	12.73	66.41	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.72</td> <td>74.00</td> <td>-33.28</td> <td>61.77</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>41.93</td> <td>74.00</td> <td>-32.07</td> <td>59.81</td> <td>35.80</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	40.72	74.00	-33.28	61.77	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	41.93	74.00	-32.07	59.81	35.80	12.73	66.41	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	41.05	74.00	-32.95	62.10	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	42.05	74.00	-31.95	59.93	35.00	12.73	66.41	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	40.72	74.00	-33.28	61.77	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	41.93	74.00	-32.07	59.81	35.80	12.73	66.41	0.00	---	---	PEAK																																																																																																		



Mode	20	
	18G-25G	
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz	
ANT	TxBF 1S4T	
Pol.	Horizontal	Vertical
Peak Avg	<p>The plot shows the average level (blue line) fluctuating around 48.8 dBuV/m, which is below the FCC Part 15C (AVG) limit of 50 dBuV/m. The peak level (red line) is around 65.0 dBuV/m, which is below the FCC Part 15C peak limit of 70 dBuV/m.</p>	<p>The plot shows the average level (blue line) fluctuating around 48.8 dBuV/m, which is below the FCC Part 15C (AVG) limit of 50 dBuV/m. The peak level (red line) is around 65.0 dBuV/m, which is below the FCC Part 15C peak limit of 70 dBuV/m.</p>



Mode	20																																																																																																																																																																																							
	30-1G																																																																																																																																																																																							
	2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																																																																																																																							
ANT	TxBF 1S4T																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																						
Peak	<p>Data: 1</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Read Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>114.39</td><td>31.97</td><td>43.50</td><td>-11.53</td><td>46.34</td><td>16.88</td><td>1.61</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>189.08</td><td>29.42</td><td>43.50</td><td>-14.08</td><td>44.54</td><td>15.63</td><td>2.09</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>250.19</td><td>29.19</td><td>46.00</td><td>-16.81</td><td>41.12</td><td>18.42</td><td>2.42</td><td>32.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>411.21</td><td>25.35</td><td>46.00</td><td>-20.65</td><td>33.27</td><td>21.87</td><td>3.09</td><td>32.88</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>720.64</td><td>26.95</td><td>46.00</td><td>-19.05</td><td>30.32</td><td>25.48</td><td>4.11</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>955.38</td><td>29.28</td><td>46.00</td><td>-16.72</td><td>28.60</td><td>27.53</td><td>4.72</td><td>31.57</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	114.39	31.97	43.50	-11.53	46.34	16.88	1.61	32.86	0.00	---	---	Peak	2	189.08	29.42	43.50	-14.08	44.54	15.63	2.09	32.84	0.00	---	---	Peak	3	250.19	29.19	46.00	-16.81	41.12	18.42	2.42	32.77	0.00	---	---	Peak	4	411.21	25.35	46.00	-20.65	33.27	21.87	3.09	32.88	0.00	---	---	Peak	5	720.64	26.95	46.00	-19.05	30.32	25.48	4.11	32.96	0.00	---	---	Peak	6	955.38	29.28	46.00	-16.72	28.60	27.53	4.72	31.57	0.00	---	---	Peak	<p>Data: 2</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Read Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>50.37</td><td>32.49</td><td>40.00</td><td>-7.51</td><td>50.01</td><td>14.33</td><td>1.06</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>31.13</td><td>43.50</td><td>-12.37</td><td>46.03</td><td>16.49</td><td>1.48</td><td>32.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>190.05</td><td>25.15</td><td>43.50</td><td>-18.35</td><td>40.29</td><td>15.61</td><td>2.09</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>524.70</td><td>25.54</td><td>46.00</td><td>-20.46</td><td>30.70</td><td>24.35</td><td>3.50</td><td>33.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>773.02</td><td>27.41</td><td>46.00</td><td>-18.59</td><td>29.90</td><td>26.03</td><td>4.25</td><td>32.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>891.36</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>29.21</td><td>26.66</td><td>4.57</td><td>31.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	50.37	32.49	40.00	-7.51	50.01	14.33	1.06	32.91	0.00	---	---	Peak	2	96.93	31.13	43.50	-12.37	46.03	16.49	1.48	32.87	0.00	---	---	Peak	3	190.05	25.15	43.50	-18.35	40.29	15.61	2.09	32.84	0.00	---	---	Peak	4	524.70	25.54	46.00	-20.46	30.70	24.35	3.50	33.01	0.00	---	---	Peak	5	773.02	27.41	46.00	-18.59	29.90	26.03	4.25	32.77	0.00	---	---	Peak	6	891.36	28.53	46.00	-17.47	29.21	26.66	4.57	31.91	0.00	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																																											
1	114.39	31.97	43.50	-11.53	46.34	16.88	1.61	32.86	0.00	---	---	Peak																																																																																																																																																																												
2	189.08	29.42	43.50	-14.08	44.54	15.63	2.09	32.84	0.00	---	---	Peak																																																																																																																																																																												
3	250.19	29.19	46.00	-16.81	41.12	18.42	2.42	32.77	0.00	---	---	Peak																																																																																																																																																																												
4	411.21	25.35	46.00	-20.65	33.27	21.87	3.09	32.88	0.00	---	---	Peak																																																																																																																																																																												
5	720.64	26.95	46.00	-19.05	30.32	25.48	4.11	32.96	0.00	---	---	Peak																																																																																																																																																																												
6	955.38	29.28	46.00	-16.72	28.60	27.53	4.72	31.57	0.00	---	---	Peak																																																																																																																																																																												
Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																																												
1	50.37	32.49	40.00	-7.51	50.01	14.33	1.06	32.91	0.00	---	---	Peak																																																																																																																																																																												
2	96.93	31.13	43.50	-12.37	46.03	16.49	1.48	32.87	0.00	---	---	Peak																																																																																																																																																																												
3	190.05	25.15	43.50	-18.35	40.29	15.61	2.09	32.84	0.00	---	---	Peak																																																																																																																																																																												
4	524.70	25.54	46.00	-20.46	30.70	24.35	3.50	33.01	0.00	---	---	Peak																																																																																																																																																																												
5	773.02	27.41	46.00	-18.59	29.90	26.03	4.25	32.77	0.00	---	---	Peak																																																																																																																																																																												
6	891.36	28.53	46.00	-17.47	29.21	26.66	4.57	31.91	0.00	---	---	Peak																																																																																																																																																																												







Co-Location

Mode	25																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																			
ANT	TxBF 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2339.90</td> <td>62.12</td> <td>74.00</td> <td>-11.88</td> <td>50.46</td> <td>31.70</td> <td>7.03</td> <td>37.07</td> <td>10.00</td> <td>100</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2339.90	62.12	74.00	-11.88	50.46	31.70	7.03	37.07	10.00	100	102	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>117.34</td> <td>-----</td> <td>-----</td> <td>104.55</td> <td>32.44</td> <td>7.23</td> <td>36.88</td> <td>10.00</td> <td>100</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	117.34	-----	-----	104.55	32.44	7.23	36.88	10.00	100	102	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2339.90	62.12	74.00	-11.88	50.46	31.70	7.03	37.07	10.00	100	102	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	117.34	-----	-----	104.55	32.44	7.23	36.88	10.00	100	102	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>36.46</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>10.00</td> <td>100</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.72	54.00	-5.28	36.46	32.20	7.11	37.05	10.00	100	102	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>105.36</td> <td>-----</td> <td>-----</td> <td>92.57</td> <td>32.44</td> <td>7.23</td> <td>36.88</td> <td>10.00</td> <td>100</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	105.36	-----	-----	92.57	32.44	7.23	36.88	10.00	100	102	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	48.72	54.00	-5.28	36.46	32.20	7.11	37.05	10.00	100	102	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	105.36	-----	-----	92.57	32.44	7.23	36.88	10.00	100	102	AVERAGE																																																																								



	<b>25</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																																		
<b>ANT</b>	<b>TxBF 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.68</td> <td>62.48</td> <td>74.00</td> <td>-11.52</td> <td>49.56</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>10.00</td> <td>100</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2489.68	62.48	74.00	-11.52	49.56	32.48	7.27	36.83	10.00	100	102	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2489.68	62.48	74.00	-11.52	49.56	32.48	7.27	36.83	10.00	100	102	PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.04</td> <td>50.19</td> <td>54.00</td> <td>-3.81</td> <td>37.31</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> <td>100</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2484.04	50.19	54.00	-3.81	37.31	32.47	7.26	36.85	10.00	100	102	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2484.04	50.19	54.00	-3.81	37.31	32.47	7.26	36.85	10.00	100	102	AVERAGE																																							



		25																																																																																		
Mode	Band Edge - L																																																																																			
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																			
ANT	TxBF 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 2375.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.00</td> <td>61.67</td> <td>74.00</td> <td>-12.33</td> <td>49.59</td> <td>32.05</td> <td>7.08</td> <td>37.05</td> <td>10.00</td> <td>130</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.00	61.67	74.00	-12.33	49.59	32.05	7.08	37.05	10.00	130	59	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 2452.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>120.20</td> <td>-----</td> <td>-----</td> <td>107.50</td> <td>32.41</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>130</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	120.20	-----	-----	107.50	32.41	7.21	36.92	10.00	130	59	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2375.00	61.67	74.00	-12.33	49.59	32.05	7.08	37.05	10.00	130	59	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	120.20	-----	-----	107.50	32.41	7.21	36.92	10.00	130	59	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 2389.95 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.93</td> <td>54.00</td> <td>-5.07</td> <td>36.67</td> <td>32.20</td> <td>7.11</td> <td>37.05</td> <td>10.00</td> <td>130</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.93	54.00	-5.07	36.67	32.20	7.11	37.05	10.00	130	59	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 2452.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>107.50</td> <td>-----</td> <td>-----</td> <td>94.84</td> <td>32.39</td> <td>7.20</td> <td>36.93</td> <td>10.00</td> <td>130</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	107.50	-----	-----	94.84	32.39	7.20	36.93	10.00	130	59	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.95	48.93	54.00	-5.07	36.67	32.20	7.11	37.05	10.00	130	59	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	107.50	-----	-----	94.84	32.39	7.20	36.93	10.00	130	59	AVERAGE																																																																								



	<b>25</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz</b>																																								
<b>ANT</b>	<b>TxBF 1S4T</b>																																								
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2488.90</td> <td>66.84</td> <td>74.00</td> <td>-7.16</td> <td>53.93</td> <td>32.48</td> <td>7.27</td> <td>36.84</td> <td>10.00</td> <td>130</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2488.90	66.84	74.00	-7.16	53.93	32.48	7.27	36.84	10.00	130	59 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2488.90	66.84	74.00	-7.16	53.93	32.48	7.27	36.84	10.00	130	59 PEAK																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>53.26</td> <td>54.00</td> <td>-0.74</td> <td>40.38</td> <td>32.47</td> <td>7.26</td> <td>36.85</td> <td>10.00</td> <td>130</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	53.26	54.00	-0.74	40.38	32.47	7.26	36.85	10.00	130	59 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 2483.50	53.26	54.00	-0.74	40.38	32.47	7.26	36.85	10.00	130	59 AVERAGE																															






<b>Mode</b>	25																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_2400-2483.5_802.11be EHT40_CH09_Full RU_2452MHz																																																																																																											
<b>ANT</b>	TxBF 1S4T																																																																																																											
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																										
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>39.66</td> <td>74.00</td> <td>-34.34</td> <td>60.71</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>60.51</td> <td>74.00</td> <td>-13.49</td> <td>79.60</td> <td>35.04</td> <td>11.31</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4904.00	39.66	74.00	-34.34	60.71	34.17	10.33	65.55	0.00	---	---	PEAK	2	5825.00	60.51	74.00	-13.49	79.60	35.04	11.31	65.44	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>39.85</td> <td>74.00</td> <td>-34.15</td> <td>60.90</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>61.57</td> <td>74.00</td> <td>-12.43</td> <td>80.66</td> <td>35.04</td> <td>11.31</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4904.00	39.85	74.00	-34.15	60.90	34.17	10.33	65.55	0.00	---	---	PEAK	2	5825.00	61.57	74.00	-12.43	80.66	35.04	11.31	65.44	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4904.00	39.66	74.00	-34.34	60.71	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																
2	5825.00	60.51	74.00	-13.49	79.60	35.04	11.31	65.44	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	4904.00	39.85	74.00	-34.15	60.90	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																
2	5825.00	61.57	74.00	-12.43	80.66	35.04	11.31	65.44	0.00	---	---	PEAK																																																																																																



	25																																																																																																																																			
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>88.44</td> <td>112.27</td> <td>-23.83</td> <td>71.36</td> <td>35.07</td> <td>11.33</td> <td>39.32</td> <td>10.00</td> <td>97 PEAK</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>86.47</td> <td>106.14</td> <td>-19.67</td> <td>69.34</td> <td>35.08</td> <td>11.35</td> <td>39.30</td> <td>10.00</td> <td>97 PEAK</td> </tr> <tr> <td>3</td> <td>5923.20</td> <td>66.56</td> <td>69.53</td> <td>-2.97</td> <td>49.25</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>10.00</td> <td>97 PEAK</td> </tr> <tr> <td>4</td> <td>5929.60</td> <td>64.16</td> <td>68.20</td> <td>-4.04</td> <td>46.82</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>10.00</td> <td>97 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	88.44	112.27	-23.83	71.36	35.07	11.33	39.32	10.00	97 PEAK	2	5872.00	86.47	106.14	-19.67	69.34	35.08	11.35	39.30	10.00	97 PEAK	3	5923.20	66.56	69.53	-2.97	49.25	35.13	11.40	39.22	10.00	97 PEAK	4	5929.60	64.16	68.20	-4.04	46.82	35.14	11.41	39.21	10.00	97 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>110.06</td> <td>-----</td> <td>-----</td> <td>97.37</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>100 97 Peak</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>121.71</td> <td>-----</td> <td>-----</td> <td>104.13</td> <td>35.03</td> <td>11.30</td> <td>38.75</td> <td>10.00</td> <td>100 97 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.06	-----	-----	97.37	32.40	7.21	36.92	10.00	100 97 Peak	2	5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	100 97 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5854.40	88.44	112.27	-23.83	71.36	35.07	11.33	39.32	10.00	97 PEAK																																																																																																																										
2	5872.00	86.47	106.14	-19.67	69.34	35.08	11.35	39.30	10.00	97 PEAK																																																																																																																										
3	5923.20	66.56	69.53	-2.97	49.25	35.13	11.40	39.22	10.00	97 PEAK																																																																																																																										
4	5929.60	64.16	68.20	-4.04	46.82	35.14	11.41	39.21	10.00	97 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	2452.00	110.06	-----	-----	97.37	32.40	7.21	36.92	10.00	100 97 Peak																																																																																																																										
2	5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	100 97 PEAK																																																																																																																										
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>100.54</td> <td>-----</td> <td>-----</td> <td>87.85</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>97 Average</td> </tr> <tr> <td>2</td> <td>5434.00</td> <td>53.15</td> <td>54.00</td> <td>-0.85</td> <td>33.92</td> <td>34.67</td> <td>10.81</td> <td>36.25</td> <td>10.00</td> <td>240 84 Average</td> </tr> <tr> <td>3</td> <td>5825.00</td> <td>112.55</td> <td>-----</td> <td>-----</td> <td>94.97</td> <td>35.03</td> <td>11.30</td> <td>38.75</td> <td>10.00</td> <td>100 97 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	100.54	-----	-----	87.85	32.40	7.21	36.92	10.00	97 Average	2	5434.00	53.15	54.00	-0.85	33.92	34.67	10.81	36.25	10.00	240 84 Average	3	5825.00	112.55	-----	-----	94.97	35.03	11.30	38.75	10.00	100 97 AVERAGE																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	2452.00	100.54	-----	-----	87.85	32.40	7.21	36.92	10.00	97 Average																																																																																																																										
2	5434.00	53.15	54.00	-0.85	33.92	34.67	10.81	36.25	10.00	240 84 Average																																																																																																																										
3	5825.00	112.55	-----	-----	94.97	35.03	11.30	38.75	10.00	100 97 AVERAGE																																																																																																																										



	25																																																																																																																																					
Mode	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																					
ANT	CDD 1S4T																																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																																				
Peak	 <table border="1" data-bbox="263 1052 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>84.32</td> <td>111.36</td> <td>-27.04</td> <td>67.24</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>10.00</td> <td>154</td> <td>79 PEAK</td> </tr> <tr> <td>2</td> <td>5870.00</td> <td>87.42</td> <td>106.70</td> <td>-19.28</td> <td>70.30</td> <td>35.08</td> <td>11.35</td> <td>39.31</td> <td>10.00</td> <td>154</td> <td>79 PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>61.64</td> <td>68.64</td> <td>-7.00</td> <td>44.33</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>10.00</td> <td>154</td> <td>79 PEAK</td> </tr> <tr> <td>4</td> <td>5926.80</td> <td>63.42</td> <td>68.20</td> <td>-4.78</td> <td>46.09</td> <td>35.14</td> <td>11.40</td> <td>39.21</td> <td>10.00</td> <td>154</td> <td>79 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	84.32	111.36	-27.04	67.24	35.07	11.34	39.33	10.00	154	79 PEAK	2	5870.00	87.42	106.70	-19.28	70.30	35.08	11.35	39.31	10.00	154	79 PEAK	3	5924.40	61.64	68.64	-7.00	44.33	35.13	11.40	39.22	10.00	154	79 PEAK	4	5926.80	63.42	68.20	-4.78	46.09	35.14	11.40	39.21	10.00	154	79 PEAK	 <table border="1" data-bbox="901 1052 1412 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>104.52</td> <td>68.20</td> <td>-----</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>154</td> <td>79 Peak</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>119.90</td> <td>122.30</td> <td>-----</td> <td>35.04</td> <td>11.31</td> <td>38.86</td> <td>10.00</td> <td>154</td> <td>79 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.52	68.20	-----	32.40	7.21	36.92	10.00	154	79 Peak	2	5825.00	119.90	122.30	-----	35.04	11.31	38.86	10.00	154	79 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5854.80	84.32	111.36	-27.04	67.24	35.07	11.34	39.33	10.00	154	79 PEAK																																																																																																																											
2	5870.00	87.42	106.70	-19.28	70.30	35.08	11.35	39.31	10.00	154	79 PEAK																																																																																																																											
3	5924.40	61.64	68.64	-7.00	44.33	35.13	11.40	39.22	10.00	154	79 PEAK																																																																																																																											
4	5926.80	63.42	68.20	-4.78	46.09	35.14	11.40	39.21	10.00	154	79 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	2452.00	104.52	68.20	-----	32.40	7.21	36.92	10.00	154	79 Peak																																																																																																																												
2	5825.00	119.90	122.30	-----	35.04	11.31	38.86	10.00	154	79 PEAK																																																																																																																												
Avg	Blank	 <table border="1" data-bbox="901 1724 1412 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>92.58</td> <td>-----</td> <td>79.89</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>10.00</td> <td>154</td> <td>79 Average</td> </tr> <tr> <td>2</td> <td>5452.00</td> <td>53.70</td> <td>54.00</td> <td>-0.30</td> <td>34.41</td> <td>34.69</td> <td>10.83</td> <td>36.23</td> <td>10.00</td> <td>129</td> <td>80 Average</td> </tr> <tr> <td>3</td> <td>5825.00</td> <td>110.52</td> <td>-----</td> <td>93.10</td> <td>35.05</td> <td>11.31</td> <td>38.94</td> <td>10.00</td> <td>154</td> <td>79 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.58	-----	79.89	32.40	7.21	36.92	10.00	154	79 Average	2	5452.00	53.70	54.00	-0.30	34.41	34.69	10.83	36.23	10.00	129	80 Average	3	5825.00	110.52	-----	93.10	35.05	11.31	38.94	10.00	154	79 AVERAGE																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	2452.00	92.58	-----	79.89	32.40	7.21	36.92	10.00	154	79 Average																																																																																																																												
2	5452.00	53.70	54.00	-0.30	34.41	34.69	10.83	36.23	10.00	129	80 Average																																																																																																																											
3	5825.00	110.52	-----	93.10	35.05	11.31	38.94	10.00	154	79 AVERAGE																																																																																																																												



Mode	25																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>58.40</td> <td>74.00</td> <td>-15.60</td> <td>70.02</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>84 PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>58.58</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>84 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	58.40	74.00	-15.60	70.02	38.25	16.46	66.33	0.00	100	84 PEAK	2	11650.00	46.96	54.00	-7.04	58.58	38.25	16.46	66.33	0.00	100	84 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>57.71</td> <td>74.00</td> <td>-16.29</td> <td>69.33</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>119</td> <td>77 PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>44.22</td> <td>54.00</td> <td>-9.78</td> <td>55.82</td> <td>38.26</td> <td>16.47</td> <td>66.33</td> <td>0.00</td> <td>119</td> <td>77 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.71	74.00	-16.29	69.33	38.25	16.46	66.33	0.00	119	77 PEAK	2	11650.00	44.22	54.00	-9.78	55.82	38.26	16.47	66.33	0.00	119	77 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11650.00	58.40	74.00	-15.60	70.02	38.25	16.46	66.33	0.00	100	84 PEAK																																																																																																					
2	11650.00	46.96	54.00	-7.04	58.58	38.25	16.46	66.33	0.00	100	84 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11650.00	57.71	74.00	-16.29	69.33	38.25	16.46	66.33	0.00	119	77 PEAK																																																																																																					
2	11650.00	44.22	54.00	-9.78	55.82	38.26	16.47	66.33	0.00	119	77 AVERAGE																																																																																																					

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.




### Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2+3+4	802.11b	81.48	0.660	1.515	1.6KHz
1+2+3+4	802.11g	99.00	-	-	10Hz
1+2+3+4	802.11be EHT20	98.03	-	-	10Hz
1+2+3+4	802.11be EHT40	98.20	-	-	10Hz
1+2+3+4	802.11be EHT20 RU 52*4	90.29	5.210	0.192	0.2kHz
1+2+3+4	802.11be EHT20-TXBF	95.75	2.930	0.341	0.4KHz
1+2+3+4	802.11be EHT40-TXBF	95.80	3.650	0.274	0.4kHz



802.11b




802.11g






802.11be EHT20




802.11be EHT40






802.11be EHT20 RU 52\*4



802.11be EHT20-TXBF





802.11be EHT40-TXBF

