


EXHIBIT D

[FCC Ref. 2.1033(b)(5)]


"Block and Schematic Diagrams"




27957A

COMPANY: CCT TECH GROUP	
DESIGNED BY: RICKY LAM	TITLE: USA/CAN 40CK CORDLESS PHONE WITH SPEAKERPHONE (BASE Pd Linc)
APPROVED BY:	DATE: 4 Sep 2004
FILE NAME:	SHEET: 05

- NOTES:
1. ALL RESISTOR ARE 5% UNLESS SPECIFIED OTHERWISE
 2. ALL CAPS ARE 5% UNLESS SPECIFIED OTHERWISE
 3. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS SPECIFIED
 4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS SPECIFIED
 5. MAKE FOR SAFETY COMPONENTS --
 6. COMPONENT VALUE TO BE ADJUSTED TO MEET SPEC
 7. ESD PASS TERMINAL




27957A



COMPANY: CCT TECH GROUP	
DESIGNED BY: RICKY LAM	TITLE: G9H2-7923A
CHECKED BY:	DATE: 3 SEP 2004
APPROVED BY:	REV: 00
FILE NAME: 7923A.MCU	SHEET: 3 OF 9

- NOTES:
1. ALL RESISTOR ARE SMD UNLESS SPECIFIED OTHERWISE
 2. AND THE UNIT IS 1
 3. ALL DIMS ARE IN MM UNLESS SPECIFIED
 4. 5. MARK FOR SAFETY COMPLIANT --
 6. 4.000 UNITS PER INCH
- COMPONENT VALUES TO BE ADJUSTED TO MEET SPEC



OCT R&D LTD.	
DATE: 20-02-2004	REV: 00
DRAWN: JHP	FILE: 27957A
CHECKED: JHP	DRAWING NO: 27957A-0000
APPROVED BY:	SHEET 2 OF 4
BS RF SCH	

FCC ID: G9H2-7923A
 Marstech Report No. 25087D
 EXHIBIT D(2)-3