



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 03:40:12

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:16:16

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-95.14	peak	24.04	-71.10	-13.00	150	155	-58.10	
	87.2345	-96.97	peak	23.87	-73.10	-13.00	150	305	-60.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:33:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-89.46	peak	23.66	-65.80	-13.00	150	285	-52.80	
	85.8717	-91.12	peak	22.91	-68.21	-13.00	150	205	-55.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:51:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	252.9058	-53.78	peak	-11.86	-65.64	-13.00	150	165	-52.64	
*	764.3287	-61.84	peak	-2.64	-64.48	-13.00	150	210	-51.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:55:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-55.83	peak	-6.97	-62.80	-13.00	150	315	-49.80	
	664.9300	-60.42	peak	-2.78	-63.20	-13.00	150	255	-50.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:42:13

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-56.65	peak	6.19	-50.46	-13.00	150	125	-37.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:45:39

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3482.966	-58.59	peak	10.41	-48.18	-13.00	150	255	-35.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:42:54

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-49.71	peak	7.86	-41.85	-13.00	150	135	-28.85	
	5747.495	-63.69	peak	10.99	-52.70	-13.00	150	205	-39.70	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:46:16

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-53.76	peak	8.73	-45.03	-13.00	150	330	-32.03	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 04:43:39

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8

Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 04:47:03

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:43:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:47:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:44:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 04:47:27

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -1.4M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2024/7/14

Temperature: 22 °C

Time: 上午 10:17:29

Humidity: 55 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	165.5912	-93.67	peak	23.79	-69.88	-13.00	150	250	-56.88	
*	182.9660	-91.62	peak	23.46	-68.16	-13.00	150	225	-55.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:32:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.4970	-92.35	peak	23.57	-68.78	-13.00	150	290	-55.78	
*	85.5311	-91.22	peak	22.93	-68.29	-13.00	150	285	-55.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:51:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	789.9800	-64.31	peak	-1.75	-66.06	-13.00	150	185	-53.06	
	924.6493	-73.22	peak	-0.46	-73.68	-13.00	150	150	-60.68	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:54:01

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.3287	-70.19	peak	-1.98	-72.17	-13.00	150	285	-59.17	
*	943.8878	-66.82	peak	-1.01	-67.83	-13.00	150	65	-54.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:04:38

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3488.978	-60.63	peak	6.18	-54.45	-13.00	150	75	-41.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:23:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-55.55	peak	10.32	-45.23	-13.00	150	110	-32.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:05:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-52.53	peak	7.86	-44.67	-13.00	150	130	-31.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:34:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-56.05	peak	8.73	-47.32	-13.00	150	280	-34.32	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 05:20:50

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 05:35:55

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 05:21:02

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 05:21:14

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:36:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 -20M-QPSK-1RB-CH132322 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:18:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	169.3387	-86.25	peak	21.49	-64.76	-13.00	150	105	-51.76	
	178.5370	-86.65	peak	21.12	-65.53	-13.00	150	140	-52.53	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:22:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.9038	-90.82	peak	21.47	-69.35	-13.00	150	65	-56.35	
*	87.2345	-88.41	peak	20.70	-67.71	-13.00	150	200	-54.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:56:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	469.3387	-63.30	peak	-8.46	-71.76	-13.00	150	70	-58.76	
*	765.9320	-64.24	peak	-4.73	-68.97	-13.00	150	165	-55.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:55:39

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-52.67	peak	-13.05	-65.72	-13.00	150	330	-52.72	
	924.6493	-68.71	peak	-2.72	-71.43	-13.00	150	235	-58.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:49:26

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1120.241	-54.91	peak	3.64	-51.27	-13.00	150	155	-38.27	
*	2040.080	-53.19	peak	3.59	-49.60	-13.00	150	250	-36.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:52:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1360.721	-56.42	peak	3.49	-52.93	-13.00	150	255	-39.93	
*	2040.080	-46.39	peak	8.12	-38.27	-13.00	150	305	-25.27	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 03:50:02

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:52:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 03:50:44

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -5M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:19:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Activ

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.4970	-98.15	peak	22.11	-76.04	-13.00	150	165	-63.04	
	84.1683	-98.88	peak	21.56	-77.32	-13.00	150	90	-64.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2

Date: 2024/7/14

Temperature: 22 °C

Time: 上午 10:21:22

Humidity: 55 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-90.10	peak	21.47	-68.63	-13.00	150	250	-55.63	
	86.5531	-91.58	peak	20.73	-70.85	-13.00	150	215	-57.85	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:52:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	297.7955	-63.59	peak	-11.25	-74.84	-13.00	150	95	-61.84	
*	777.1543	-65.70	peak	-4.35	-70.05	-13.00	150	185	-57.05	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:53:44

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	296.1923	-65.65	peak	-9.14	-74.79	-13.00	150	105	-61.79	
*	943.8877	-67.95	peak	-3.16	-71.11	-13.00	150	275	-58.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:25:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1360.721	-57.61	peak	3.58	-54.03	-13.00	150	165	-41.03	
*	2040.080	-46.99	peak	3.59	-43.40	-13.00	150	110	-30.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:28:27

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1360.721	-57.43	peak	3.49	-53.94	-13.00	150	195	-40.94	
*	2040.080	-45.39	peak	8.12	-37.27	-13.00	150	255	-24.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:25:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature:22 °C

0.0 dBm

Time: 下午 04:29:04

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2024/7/12

Temperature: 22 °C

Time: 下午 04:26:52

Humidity: 55 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:29:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 -20M-QPSK-1RB-CH133297 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 04:57:53

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	42.6100	34.08	QP	-13.21	20.87	40.00	100	181	-19.13	
	166.2850	33.91	QP	-12.65	21.26	43.50	100	264	-22.24	
	209.4500	37.20	QP	-15.92	21.28	43.50	100	207	-22.22	
	400.0550	34.26	QP	-9.83	24.43	46.00	100	71	-21.57	
	497.5400	33.70	QP	-7.55	26.15	46.00	100	85	-19.85	
*	619.2750	33.69	QP	-4.84	28.85	46.00	100	270	-17.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 04:58:37

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.6400	42.91	QP	-13.33	29.58	40.00	100	246	-10.42	
	50.3700	39.78	QP	-12.62	27.16	40.00	100	22	-12.84	
	69.2850	39.07	QP	-14.93	24.14	40.00	100	117	-15.86	
	108.5700	35.88	QP	-15.82	20.06	43.50	100	85	-23.44	
	163.3750	33.80	QP	-12.42	21.38	43.50	100	212	-22.12	
	488.3250	35.77	QP	-7.73	28.04	46.00	100	8	-17.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:30:42

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2298.500	34.68	peak	-4.83	29.85	74.00	100	241	-44.15	
	2298.500	26.96	AVG	-4.83	22.13	54.00	100	241	-31.87	
	3593.500	34.43	peak	-1.19	33.24	74.00	100	158	-40.76	
	3593.500	26.50	AVG	-1.19	25.31	54.00	100	158	-28.69	
	7212.500	34.16	peak	10.04	44.20	74.00	100	39	-29.80	
*	7212.500	26.14	AVG	10.04	36.18	54.00	100	39	-17.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #5


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:33:16

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2298.500	35.08	peak	-4.83	30.25	74.00	100	285	-43.75	
	2298.500	27.55	AVG	-4.83	22.72	54.00	100	285	-31.28	
	3215.500	36.97	peak	-2.78	34.19	74.00	100	99	-39.81	
	3215.500	28.98	AVG	-2.78	26.20	54.00	100	99	-27.80	
	6481.000	33.97	peak	9.08	43.05	74.00	100	198	-30.95	
*	6481.000	25.46	AVG	9.08	34.54	54.00	100	198	-19.46	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:31:31

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #6

Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:33:58

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #3

Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:32:21

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #7


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:34:48

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #4


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:32:32

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #8


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:34:58

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:00:23

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	48.4300	33.28	QP	-12.71	20.57	40.00	100	288	-19.43	
	158.0400	33.12	QP	-12.16	20.96	43.50	100	219	-22.54	
	204.1150	36.56	QP	-15.87	20.69	43.50	100	267	-22.81	
	323.9100	33.87	QP	-11.54	22.33	46.00	100	64	-23.67	
	470.8650	34.71	QP	-8.05	26.66	46.00	100	267	-19.34	
*	680.3850	33.41	QP	-3.75	29.66	46.00	100	170	-16.34	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:01:07

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.5500	46.90	QP	-12.97	33.93	40.00	100	101	-6.07	
	52.3100	39.61	QP	-12.68	26.93	40.00	100	359	-13.07	
	67.3450	38.62	QP	-14.51	24.11	40.00	100	343	-15.89	
	88.6850	39.07	QP	-18.34	20.73	43.50	100	359	-22.77	
	170.1650	33.51	QP	-12.97	20.54	43.50	100	355	-22.96	
	279.7750	34.57	QP	-12.63	21.94	46.00	100	359	-24.06	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:38:00

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2291.500	35.28	peak	-4.86	30.42	74.00	100	110	-43.58	
	2291.500	27.99	AVG	-4.86	23.13	54.00	100	110	-30.87	
	3485.000	35.42	peak	-1.91	33.51	74.00	100	14	-40.49	
	3485.000	27.58	AVG	-1.91	25.67	54.00	100	14	-28.33	
	7198.500	34.28	peak	10.03	44.31	74.00	100	125	-29.69	
*	7198.500	26.34	AVG	10.03	36.37	54.00	100	125	-17.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #5


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:40:34

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2183.000	35.40	peak	-5.43	29.97	74.00	100	102	-44.03	
	2183.000	27.96	AVG	-5.43	22.53	54.00	100	102	-31.47	
	3520.000	34.72	peak	-1.70	33.02	74.00	100	310	-40.98	
	3520.000	26.57	AVG	-1.70	24.87	54.00	100	310	-29.13	
	7244.000	34.50	peak	10.04	44.54	74.00	100	141	-29.46	
*	7244.000	26.55	AVG	10.04	36.59	54.00	100	141	-17.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #2

Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:38:48

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #6


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:41:15

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #3


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:39:39

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:42:06

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #4


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:39:50

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #8


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:42:16

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:02:50

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.1600	33.80	QP	-12.84	20.96	40.00	100	145	-19.04	
	150.7650	33.66	QP	-12.18	21.48	43.50	100	263	-22.02	
	248.2500	34.12	QP	-13.85	20.27	46.00	100	56	-25.73	
	401.0250	34.53	QP	-9.81	24.72	46.00	100	138	-21.28	
	502.8750	34.05	QP	-7.40	26.65	46.00	100	179	-19.35	
*	648.8600	33.53	QP	-4.20	29.33	46.00	100	91	-16.67	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:03:34

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	42.6100	43.56	QP	-13.21	30.35	40.00	100	2	-9.65	
	48.4300	38.72	QP	-12.71	26.01	40.00	100	359	-13.99	
	68.3150	38.54	QP	-14.72	23.82	40.00	100	140	-16.18	
	158.0400	33.86	QP	-12.16	21.70	43.50	100	71	-21.80	
	207.0250	35.58	QP	-15.90	19.68	43.50	100	248	-23.82	
	371.9250	33.89	QP	-10.46	23.43	46.00	100	310	-22.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:44:20

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2246.000	34.79	peak	-5.10	29.69	74.00	100	130	-44.31	
	2246.000	26.57	AVG	-5.10	21.47	54.00	100	130	-32.53	
	3593.500	34.71	peak	-1.19	33.52	74.00	100	145	-40.48	
	3593.500	26.44	AVG	-1.19	25.25	54.00	100	145	-28.75	
	7254.500	34.18	peak	10.03	44.21	74.00	100	355	-29.79	
*	7254.500	26.03	AVG	10.03	36.06	54.00	100	355	-17.94	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #3


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:45:47

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2295.000	34.82	peak	-4.85	29.97	74.00	100	258	-44.03	
	2295.000	26.68	AVG	-4.85	21.83	54.00	100	258	-32.17	
	3215.500	35.94	peak	-2.78	33.16	74.00	100	99	-40.84	
	3215.500	27.87	AVG	-2.78	25.09	54.00	100	99	-28.91	
	7286.000	34.13	peak	10.03	44.16	74.00	100	120	-29.84	
*	7286.000	26.14	AVG	10.03	36.17	54.00	100	120	-17.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:45:01

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #4

Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:46:29

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:05:22

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.0350	33.96	QP	-12.92	21.04	40.00	100	172	-18.96	
	162.8900	34.10	QP	-12.38	21.72	43.50	100	17	-21.78	
	343.7950	34.09	QP	-11.17	22.92	46.00	100	112	-23.08	
	460.1950	33.88	QP	-8.25	25.63	46.00	100	267	-20.37	
	634.3100	34.60	QP	-4.52	30.08	46.00	100	287	-15.92	
*	722.0950	33.60	QP	-2.96	30.64	46.00	100	355	-15.36	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:06:06

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	42.6100	43.86	QP	-13.21	30.65	40.00	100	35	-9.35	
	52.3100	39.11	QP	-12.68	26.43	40.00	100	90	-13.57	
	69.2850	38.44	QP	-14.93	23.51	40.00	100	124	-16.49	
	88.6850	38.57	QP	-18.34	20.23	43.50	100	342	-23.27	
	278.8050	35.24	QP	-12.67	22.57	46.00	100	56	-23.43	
	548.4650	34.81	QP	-6.59	28.22	46.00	100	145	-17.78	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:48:43

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2260.000	35.16	peak	-5.02	30.14	74.00	100	189	-43.86	
	2260.000	27.13	AVG	-5.02	22.11	54.00	100	189	-31.89	
	3534.000	35.08	peak	-1.60	33.48	74.00	100	97	-40.52	
	3534.000	27.11	AVG	-1.60	25.51	54.00	100	97	-28.49	
	7307.000	33.92	peak	10.03	43.95	74.00	100	28	-30.05	
*	7307.000	26.85	AVG	10.03	36.88	54.00	100	28	-17.12	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:50:10

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2172.500	35.87	peak	-5.48	30.39	74.00	100	156	-43.61	
	2172.500	27.49	AVG	-5.48	22.01	54.00	100	156	-31.99	
	3565.500	34.68	peak	-1.38	33.30	74.00	100	254	-40.70	
	3565.500	26.45	AVG	-1.38	25.07	54.00	100	254	-28.93	
	7272.000	34.13	peak	10.03	44.16	74.00	100	37	-29.84	
*	7272.000	25.98	AVG	10.03	36.01	54.00	100	37	-17.99	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:49:25

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #4

Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:50:52

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:07:54

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	48.4300	33.59	QP	-12.71	20.88	40.00	100	251	-19.12	
	88.2000	38.45	QP	-18.29	20.16	43.50	100	313	-23.34	
	153.6750	33.26	QP	-12.17	21.09	43.50	100	0	-22.41	
	201.6900	38.12	QP	-15.85	22.27	43.50	100	272	-21.23	
	400.5400	34.44	QP	-9.82	24.62	46.00	100	65	-21.38	
	460.1950	34.31	QP	-8.25	26.06	46.00	100	10	-19.94	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:08:38

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.6400	43.02	QP	-13.33	29.69	40.00	100	36	-10.31	
	51.8250	39.63	QP	-12.67	26.96	40.00	100	269	-13.04	
	67.8300	38.57	QP	-14.61	23.96	40.00	100	91	-16.04	
	89.1700	39.11	QP	-18.40	20.71	43.50	100	199	-22.79	
	375.8050	35.53	QP	-10.30	25.23	46.00	100	159	-20.77	
	615.8800	34.35	QP	-4.91	29.44	46.00	100	355	-16.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:52:57

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2298.500	35.28	peak	-4.83	30.45	74.00	100	199	-43.55	
	2298.500	27.63	AVG	-4.83	22.80	54.00	100	199	-31.20	
	3579.500	34.54	peak	-1.28	33.26	74.00	100	97	-40.74	
	3579.500	26.88	AVG	-1.28	25.60	54.00	100	97	-28.40	
	7247.500	33.96	peak	10.03	43.99	74.00	100	288	-30.01	
*	7247.500	26.00	AVG	10.03	36.03	54.00	100	288	-17.97	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:54:24

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2284.500	35.52	peak	-4.90	30.62	74.00	100	27	-43.38	
	2284.500	27.10	AVG	-4.90	22.20	54.00	100	27	-31.80	
	3548.000	35.23	peak	-1.50	33.73	74.00	100	315	-40.27	
	3548.000	27.41	AVG	-1.50	25.91	54.00	100	315	-28.09	
	7244.000	33.81	peak	10.04	43.85	74.00	100	285	-30.15	
*	7244.000	25.99	AVG	10.04	36.03	54.00	100	285	-17.97	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:53:38

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:55:05

Humidity:45.2 %



Site : 966A Chamber
Condition : FCC_part 15 RE-Class B_Above 1GHz_PK
EUT : W6M22407-23595
M/N:
Test Mode : LTE Band13 Idle
Note :

Polarization: Vertical
Power : 120 V.a.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:10:38

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.8850	34.10	QP	-12.62	21.48	40.00	100	216	-18.52	
	163.3750	34.96	QP	-12.42	22.54	43.50	100	5	-20.96	
	200.2350	37.76	QP	-15.84	21.92	43.50	100	209	-21.58	
	284.1400	34.55	QP	-12.49	22.06	46.00	100	141	-23.94	
	447.1000	34.36	QP	-8.40	25.96	46.00	100	195	-20.04	
*	594.5400	33.64	QP	-5.39	28.25	46.00	100	303	-17.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:11:22

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.1550	42.65	QP	-13.39	29.26	40.00	100	359	-10.74	
	51.8250	39.75	QP	-12.67	27.08	40.00	100	98	-12.92	
	69.7700	38.71	QP	-15.03	23.68	40.00	100	139	-16.32	
	89.1700	38.84	QP	-18.40	20.44	43.50	100	187	-23.06	
	159.9800	33.56	QP	-12.15	21.41	43.50	100	283	-22.09	
	355.4350	34.29	QP	-11.04	23.25	46.00	100	173	-22.75	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:57:10

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2295.000	34.91	peak	-4.85	30.06	74.00	100	112	-43.94	
	2295.000	26.99	AVG	-4.85	22.14	54.00	100	122	-31.86	
	3583.000	34.69	peak	-1.26	33.43	74.00	100	314	-40.57	
	3583.000	26.85	AVG	-1.26	25.59	54.00	100	314	-28.41	
	7251.000	34.40	peak	10.03	44.43	74.00	100	255	-29.57	
*	7251.000	26.47	AVG	10.03	36.50	54.00	100	255	-17.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #5


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:59:43

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2123.500	35.69	peak	-5.76	29.93	74.00	100	266	-44.07	
	2123.500	27.69	AVG	-5.76	21.93	54.00	100	266	-32.07	
	3597.000	34.34	peak	-1.16	33.18	74.00	100	71	-40.82	
	3597.000	26.88	AVG	-1.16	25.72	54.00	100	71	-28.28	
	7293.000	33.76	peak	10.03	43.79	74.00	100	288	-30.21	
*	7293.000	25.41	AVG	10.03	35.44	54.00	100	288	-18.56	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:57:58

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 06:00:25

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 05:58:49

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #7


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 06:01:16

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #4


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 05:58:59

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #8


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 06:01:26

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band66 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:13:16

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	51.8250	33.53	QP	-12.67	20.86	40.00	100	78	-19.14	
	163.8600	33.36	QP	-12.46	20.90	43.50	100	309	-22.60	
	199.7500	36.65	QP	-15.83	20.82	43.50	100	98	-22.68	
	317.6050	34.52	QP	-11.70	22.82	46.00	100	84	-23.18	
	442.2500	33.95	QP	-8.54	25.41	46.00	100	50	-20.59	
*	549.9200	33.97	QP	-6.55	27.42	46.00	100	360	-18.58	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2


Date: 2024/7/8

Temperature: 25.0 °C

80.0 dBuV/m

Time: 下午 05:14:00

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.1550	43.68	QP	-13.39	30.29	40.00	100	359	-9.71	
	51.3400	39.43	QP	-12.65	26.78	40.00	100	186	-13.22	
	67.8300	39.23	QP	-14.61	24.62	40.00	100	186	-15.38	
	89.6550	37.93	QP	-18.45	19.48	43.50	100	14	-24.02	
	165.3150	33.95	QP	-12.58	21.37	43.50	100	229	-22.13	
	272.9850	34.15	QP	-12.89	21.26	46.00	100	229	-24.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #1


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 06:03:35

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2232.000	34.94	peak	-5.17	29.77	74.00	100	297	-44.23	
	2232.000	27.01	AVG	-5.17	21.84	54.00	100	297	-32.16	
	3586.500	34.44	peak	-1.23	33.21	74.00	100	355	-40.79	
	3586.500	26.88	AVG	-1.23	25.65	54.00	100	355	-28.35	
	7303.500	34.13	peak	10.03	44.16	74.00	100	163	-29.84	
*	7303.500	26.39	AVG	10.03	36.42	54.00	100	163	-17.58	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #3


Date: 2024/7/8

Temperature: 25.0 °C

90.0 dBuV/m

Time: 下午 06:05:02

Humidity: 45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2270.500	34.77	peak	-4.97	29.80	74.00	100	277	-44.20	
	2270.500	26.96	AVG	-4.97	21.99	54.00	100	277	-32.01	
	3485.000	35.08	peak	-1.91	33.17	74.00	100	18	-40.83	
	3485.000	27.03	AVG	-1.91	25.12	54.00	100	18	-28.88	
	7251.000	34.32	peak	10.03	44.35	74.00	100	196	-29.65	
*	7251.000	26.22	AVG	10.03	36.25	54.00	100	196	-17.75	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 06:04:17

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/7/8

Temperature:25.0 °C

90.0 dBuV/m

Time: 下午 06:05:43

Humidity:45.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band71 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin