





11AX20MIMO_Ant7_5320_52Tone_RU40




11AX20MIMO_Ant7_5320_106Tone_RU54






11AX20MIMO_Ant6_5500_26Tone_RU0




11AX20MIMO_Ant6_5500_52Tone_RU37






11AX20MIMO_Ant6_5500_106Tone_RU53




11AX20MIMO_Ant7_5500_26Tone_RU0






11AX20MIMO_Ant7_5500_52Tone_RU37




11AX20MIMO_Ant7_5500_106Tone_RU53






11AX20MIMO_Ant6_5580_26Tone_RU0




11AX20MIMO_Ant6_5580_52Tone_RU37






11AX20MIMO_Ant6_5580_106Tone_RU53




11AX20MIMO_Ant7_5580_26Tone_RU0






11AX20MIMO_Ant7_5580_52Tone_RU37




11AX20MIMO_Ant7_5580_106Tone_RU53






11AX20MIMO_Ant6_5700_26Tone_RU8




11AX20MIMO_Ant6_5700_52Tone_RU40






11AX20MIMO_Ant6_5700_106Tone_RU54




11AX20MIMO_Ant7_5700_26Tone_RU8






11AX20MIMO_Ant7_5700_52Tone_RU40




11AX20MIMO_Ant7_5700_106Tone_RU54






11AX20MIMO_Ant6_5720_26Tone_RU8




11AX20MIMO_Ant6_5720_52Tone_RU40






11AX20MIMO_Ant6_5720_106Tone_RU54




11AX20MIMO_Ant7_5720_26Tone_RU8






11AX20MIMO_Ant7_5720_52Tone_RU40




11AX20MIMO_Ant7_5720_106Tone_RU54






11AX20MIMO_Ant6_5745_26Tone_RU0




11AX20MIMO_Ant6_5745_52Tone_RU37






11AX20MIMO_Ant6_5745_106Tone_RU53




11AX20MIMO_Ant7_5745_26Tone_RU0






11AX20MIMO_Ant7_5745_52Tone_RU37




11AX20MIMO_Ant7_5745_106Tone_RU53






11AX20MIMO_Ant6_5785_26Tone_RU0




11AX20MIMO_Ant6_5785_52Tone_RU37






11AX20MIMO_Ant6_5785_106Tone_RU53




11AX20MIMO_Ant7_5785_26Tone_RU0






11AX20MIMO_Ant7_5785_52Tone_RU37




11AX20MIMO_Ant7_5785_106Tone_RU53






11AX20MIMO_Ant6_5825_26Tone_RU8




11AX20MIMO_Ant6_5825_52Tone_RU40






11AX20MIMO_Ant6_5825_106Tone_RU54




11AX20MIMO_Ant7_5825_26Tone_RU8






11AX20MIMO_Ant7_5825_52Tone_RU40




11AX20MIMO_Ant7_5825_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38.40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.219	37.08	-25.80	62.88	26.61	0.08	10.39	QP
2	0.219	23.98	-28.90	52.88	13.51	0.08	10.39	Average
3 *	0.479	36.34	-20.02	56.36	26.20	-0.09	10.23	QP
4	0.479	24.34	-22.02	46.36	14.20	-0.09	10.23	Average
5	1.619	33.07	-22.93	56.00	23.20	-0.21	10.08	QP
6	1.619	22.07	-23.93	46.00	12.20	-0.21	10.08	Average
7	2.809	33.40	-22.60	56.00	23.50	-0.17	10.07	QP
8	2.809	22.10	-23.90	46.00	12.20	-0.17	10.07	Average
9	20.704	33.13	-26.87	60.00	22.20	-0.44	11.37	QP
10	20.704	23.13	-26.87	50.00	12.20	-0.44	11.37	Average
11	25.864	34.37	-25.63	60.00	23.20	-0.38	11.55	QP
12	25.864	23.47	-26.53	50.00	12.30	-0.38	11.55	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38.40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.421	35.63	-21.79	57.42	25.50	-0.14	10.27	QP
2	0.421	24.33	-23.09	47.42	14.20	-0.14	10.27	Average
3 *	0.489	35.68	-20.51	56.19	25.60	-0.15	10.23	QP
4	0.489	24.28	-21.91	46.19	14.20	-0.15	10.23	Average
5	0.604	33.52	-22.48	56.00	23.50	-0.16	10.18	QP
6	0.604	22.62	-23.38	46.00	12.60	-0.16	10.18	Average
7	20.594	33.49	-26.51	60.00	22.49	-0.37	11.37	QP
8	20.594	22.59	-27.41	50.00	11.59	-0.37	11.37	Average
9	22.180	34.20	-25.80	60.00	23.19	-0.42	11.43	QP
10	22.180	22.60	-27.40	50.00	11.59	-0.42	11.43	Average
11	25.727	35.55	-24.45	60.00	24.50	-0.50	11.55	QP
12	25.727	23.65	-26.35	50.00	12.60	-0.50	11.55	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake	Relative Humidity :	51~53%
		Temperature :	25.2~26.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE20	140	5700	MCS0	RU106/54	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 6+7	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-2A	5.15-5.35	CDD 6+7	802.11ax HE160	50	5250	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.725	CDD 6+7	802.11ax HE160	114	5570	MCS0	Full	-
Mode 44	U-NII-3	5.725-5.85	CDD 6+7	802.11a	149	5745	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 6+7	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	CDD 6+7	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	149	5745	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	157	5785	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	165	5825	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE40	151	5755	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE40	159	5795	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE80	155	5775	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	CDD 6+7	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.85	CDD 6+7	802.11a	144	5720	6Mbps	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD 6+7	802.11ax HE20	144	5720	MCS0	-	-
Mode 61	U-NII-2C	5.47-5.85	CDD 6+7	802.11ax HE40	142	5710	MCS0	-	-
Mode 62	U-NII-2C	5.47-5.85	CDD 6+7	802.11ax HE80	138	5690	MCS0	-	-

**Co-Location**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 63	2400-2483.5	2400-2483.5	6	Bluetooth-LE	39	2480	2Mbps	Full	-
	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 64	2400-2483.5	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	Full	-
	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 65	Part 27D N30 BW=10M								
	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 66	Part 27D N30 BW=10M								
	2400-2483.5	2400-2483.5	6	Bluetooth-LE	39	2480	2Mbps	Full	-
	U-NII-2A	5.25-5.35	CDD 6+7	802.11ax HE80	58	5290	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	49.90	54.00	-4.10	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	43.13	54.00	-10.87	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	48.88	54.00	-5.12	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	45.04	54.00	-8.96	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	45.36	54.00	-8.64	H	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	45.57	54.00	-8.43	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	50.17	54.00	-3.83	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	46.17	54.00	-7.83	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5468.72	63.40	68.20	-4.80	V	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	61.74	68.20	-6.46	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	62.52	68.20	-5.68	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.16	62.99	68.20	-5.21	V	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	64.05	68.20	-4.15	H	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5149.80	49.66	54.00	-4.34	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	15540.00	42.26	54.00	-11.74	H	AVERAGE	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	46.87	54.00	-7.13	H	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	50.43	54.00	-3.57	H	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	46.85	54.00	-7.15	H	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	49.12	54.00	-4.88	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.00	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	48.00	54.00	-6.00	H	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5467.28	62.78	68.20	-5.42	V	PEAK	Pass	Band Edge
16	802.11ax HE20	100	16500.00	64.47	68.20	-3.73	H	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	64.59	68.20	-3.61	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11ax HE20	140	5726.04	64.14	68.20	-4.06	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	17100.00	65.09	68.20	-3.11	H	PEAK	Pass	Harmonic
19	802.11ax HE20	36	5149.10	43.65	54.00	-10.35	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5361.90	42.82	54.00	-11.18	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5457.20	42.88	54.00	-11.12	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5730.20	61.71	68.20	-6.49	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5149.90	43.32	54.00	-10.68	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.00	42.87	54.00	-11.13	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5458.32	43.33	54.00	-10.67	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5737.56	64.35	68.20	-3.85	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.40	68.92	74.00	-5.08	H	PEAK	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.10	45.79	54.00	-8.21	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5463.92	64.54	68.20	-3.66	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5750.60	63.87	68.20	-4.33	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.60	50.20	54.00	-3.80	V	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	15570.00	42.64	54.00	-11.36	H	AVERAGE	Pass	Harmonic
32	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	46	15690.00	47.30	54.00	-6.70	H	AVERAGE	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	15810.00	45.08	54.00	-8.92	V	AVERAGE	Pass	Harmonic
34	802.11ax HE40	62	5350.00	49.68	54.00	-4.32	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	15930.00	44.65	54.00	-9.35	H	AVERAGE	Pass	Harmonic
35	802.11ax HE40	102	5468.08	64.45	68.20	-3.75	V	PEAK	Pass	Band Edge
35	802.11ax HE40	102	16530.00	60.22	68.20	-7.98	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	16650.00	65.10	68.20	-3.10	H	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5737.56	64.14	68.20	-4.06	V	Peak	Pass	Band Edge
37	802.11ax HE40	134	17010.00	63.17	68.20	-5.03	H	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5149.60	50.50	54.00	-3.50	V	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	15630.00	41.16	54.00	-12.84	H	AVERAGE	Pass	Harmonic
39	802.11ax HE80	58	5350.00	50.97	54.00	-3.03	V	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	15870.00	39.22	54.00	-14.78	H	AVERAGE	Pass	Harmonic
40	802.11ax HE80	106	5457.36	50.89	54.00	-3.11	V	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	16590.00	53.09	68.20	-15.11	H	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5726.68	64.87	68.20	-3.33	V	PEAK	Pass	Band Edge
41	802.11ax HE80	122	16830.00	51.02	68.20	-17.18	H	PEAK	Pass	Harmonic
42	802.11ax HE160	50	5399.31	50.48	54.00	-3.52	V	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	15750.00	38.70	54.00	-15.30	H	AVERAGE	Pass	Harmonic
43	802.11ax HE160	114	5456.92	50.60	54.00	-3.40	V	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	16710.00	50.34	68.20	-17.86	H	PEAK	Pass	Harmonic
44	802.11a	149	5602.40	57.47	68.20	-10.73	V	PEAK	Pass	Band Edge
44	802.11a	149	17235.00	64.33	68.20	-3.87	H	PEAK	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	17355.00	64.70	68.20	-3.50	H	PEAK	Pass	Harmonic
46	802.11a	165	5934.40	56.86	68.20	-11.34	V	PEAK	Pass	Band Edge
46	802.11a	165	11650.00	49.77	54.00	-4.23	H	AVERAGE	Pass	Harmonic
47	802.11ax HE20	149	5603.60	57.45	68.20	-10.75	H	PEAK	Pass	Band Edge
47	802.11ax HE20	149	17235.00	64.53	68.20	-3.67	H	PEAK	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	17355.00	63.43	68.20	-4.77	H	PEAK	Pass	Harmonic
49	802.11ax HE20	165	5958.40	55.28	68.20	-12.92	V	PEAK	Pass	Band Edge
49	802.11ax HE20	165	17475.00	64.56	68.20	-3.64	H	PEAK	Pass	Harmonic
50	802.11ax HE40	151	5628.06	64.23	68.20	-3.97	V	PEAK	Pass	Band Edge
50	802.11ax HE40	151	17265.00	62.67	68.20	-5.53	H	PEAK	Pass	Harmonic
51	802.11ax HE40	159	5640.00	59.12	68.20	-9.08	H	PEAK	Pass	Band Edge
51	802.11ax HE40	159	11590.00	45.28	54.00	-8.72	H	AVERAGE	Pass	Harmonic
52	802.11ax HE80	155	5650.00	64.75	68.20	-3.45	V	PEAK	Pass	Band Edge
52	802.11ax HE80	155	11550.00	42.73	54.00	-11.27	H	AVERAGE	Pass	Harmonic
53	802.11ax HE20	149	5634.80	55.36	68.20	-12.84	V	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11ax HE20	165	5933.20	51.33	68.20	-16.87	V	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5618.00	57.50	68.20	-10.70	V	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5979.20	56.58	68.20	-11.62	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	149	5636.00	59.33	68.20	-8.87	V	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5934.40	64.30	68.20	-3.90	V	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	17160.00	61.53	68.20	-6.67	V	PEAK	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE20	144	17160.00	63.83	68.20	-4.37	H	PEAK	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	142	17130.00	64.58	68.20	-3.62	V	PEAK	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE80	138	17070.00	62.24	68.20	-5.96	H	PEAK	Pass	Harmonic





**Co-Location**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	Bluetooth-LE	39	2483.68	40.41	54.00	-13.59	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	4960.00	39.71	74.00	-34.29	V	Peak	Pass	Harmonic
	802.11ax HE80	58	5351.90	48.81	54.00	-5.19	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	15870.00	40.26	54.00	-13.74	H	AVERAGE	Pass	Harmonic
64	802.11ax HE20	11	2483.50	50.87	54.00	-3.13	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	39.86	74.00	-34.14	H	Peak	Pass	Harmonic
	802.11ax HE80	58	5350.00	49.24	54.00	-4.76	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	7053.53	48.36	68.20	-19.84	V	Peak	Pass	Harmonic
65	802.11ax HE80	58	5350.00	48.56	54.00	-5.44	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	7053.90	48.86	68.20	-19.34	V	Peak	Pass	Harmonic
66	Bluetooth-LE	39	2492.68	45.75	54.00	-8.25	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	4960.00	42.28	74.00	-31.72	V	Peak	Pass	Harmonic
	802.11ax HE80	58	5350.00	48.89	54.00	-5.11	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	7052.80	49.85	68.20	-18.35	V	Peak	Pass	Harmonic



Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.30</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>52.14</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>110</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.30	60.49	74.00	-13.51	52.14	34.40	10.61	36.66	0.00	110	334	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.19</td><td>-----</td><td>-----</td><td>105.73</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>110</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.19	-----	-----	105.73	34.43	10.64	36.61	0.00	110	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.30	60.49	74.00	-13.51	52.14	34.40	10.61	36.66	0.00	110	334	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	114.19	-----	-----	105.73	34.43	10.64	36.61	0.00	110	334	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>41.54</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>110</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	49.90	54.00	-4.10	41.54	34.40	10.61	36.65	0.00	110	334	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.42</td><td>-----</td><td>-----</td><td>97.96</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>110</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.42	-----	-----	97.96	34.43	10.64	36.61	0.00	110	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	49.90	54.00	-4.10	41.54	34.40	10.61	36.65	0.00	110	334	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	106.42	-----	-----	97.96	34.43	10.64	36.61	0.00	110	334	AVERAGE																																																																																																			



Mode	1																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.70</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>50.62</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>197 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.70	58.96	74.00	-15.04	50.62	34.40	10.60	36.66	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5144.70	58.96	74.00	-15.04	50.62	34.40	10.60	36.66	0.00	197 0 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.70</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>38.96</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>197 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.70	47.31	54.00	-6.69	38.96	34.40	10.61	36.66	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.70	47.31	54.00	-6.69	38.96	34.40	10.61	36.66	0.00	197 0 AVERAGE																																												
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.11</td><td>-----</td><td>-----</td><td>103.65</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>197 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.11	-----	-----	103.65	34.43	10.64	36.61	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	112.11	-----	-----	103.65	34.43	10.64	36.61	0.00	197 0 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.00</td><td>-----</td><td>-----</td><td>97.54</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>197 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.00	-----	-----	97.54	34.43	10.64	36.61	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	106.00	-----	-----	97.54	34.43	10.64	36.61	0.00	197 0 AVERAGE																																												





Mode	1																																																																												
	Harmonic																																																																												
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																												
ANT	CDD 6+7																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>63.88</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>59.56</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>235</td><td>0 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>48.45</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>235</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	49.73	68.20	-18.47	63.88	37.36	15.45	66.96	0.00	--	PEAK	2	15540.00	54.24	74.00	-19.76	59.56	39.74	19.04	64.10	0.00	235	0 PEAK	3	15540.00	43.13	54.00	-10.87	48.45	39.74	19.04	64.10	0.00	235	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	10360.00	49.73	68.20	-18.47	63.88	37.36	15.45	66.96	0.00	--	PEAK																																																																		
2	15540.00	54.24	74.00	-19.76	59.56	39.74	19.04	64.10	0.00	235	0 PEAK																																																																		
3	15540.00	43.13	54.00	-10.87	48.45	39.74	19.04	64.10	0.00	235	0 AVERAGE																																																																		
Vertical																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>45.04</td><td>68.20</td><td>-23.16</td><td>59.19</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>55.50</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>100</td><td>19 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>40.15</td><td>54.00</td><td>-13.85</td><td>45.47</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>100</td><td>19 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	45.04	68.20	-23.16	59.19	37.36	15.45	66.96	0.00	--	PEAK	2	15540.00	50.18	74.00	-23.82	55.50	39.74	19.04	64.10	0.00	100	19 PEAK	3	15540.00	40.15	54.00	-13.85	45.47	39.74	19.04	64.10	0.00	100	19 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	10360.00	45.04	68.20	-23.16	59.19	37.36	15.45	66.96	0.00	--	PEAK																																																																		
2	15540.00	50.18	74.00	-23.82	55.50	39.74	19.04	64.10	0.00	100	19 PEAK																																																																		
3	15540.00	40.15	54.00	-13.85	45.47	39.74	19.04	64.10	0.00	100	19 AVERAGE																																																																		



		2																																																																																																																																																																			
Mode		Harmonic																																																																																																																																																																			
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																																			
ANT		CDD 6+7																																																																																																																																																																			
Pol.		Horizontal												Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>48.29</td><td>68.20</td><td>-19.91</td><td>62.25</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>59.42</td><td>74.00</td><td>-14.58</td><td>64.52</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>20</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>53.98</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>20</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	48.29	68.20	-19.91	62.25	37.44	15.52	66.92	0.00	--	--	PEAK	2	15660.00	59.42	74.00	-14.58	64.52	39.86	19.12	64.08	0.00	100	20	PEAK	3	15660.00	48.88	54.00	-5.12	53.98	39.86	19.12	64.08	0.00	100	20	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>48.96</td><td>68.20</td><td>-19.24</td><td>62.92</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>61.28</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>22</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>50.19</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>22</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	48.96	68.20	-19.24	62.92	37.44	15.52	66.92	0.00	--	--	PEAK	2	15660.00	56.18	74.00	-17.82	61.28	39.86	19.12	64.08	0.00	100	22	PEAK	3	15660.00	45.09	54.00	-8.91	50.19	39.86	19.12	64.08	0.00	100	22
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	10440.00	48.29	68.20	-19.91	62.25	37.44	15.52	66.92	0.00	--	--	PEAK																																																																																																																																																									
2	15660.00	59.42	74.00	-14.58	64.52	39.86	19.12	64.08	0.00	100	20	PEAK																																																																																																																																																									
3	15660.00	48.88	54.00	-5.12	53.98	39.86	19.12	64.08	0.00	100	20	AVERAGE																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	10440.00	48.96	68.20	-19.24	62.92	37.44	15.52	66.92	0.00	--	--	PEAK																																																																																																																																																									
2	15660.00	56.18	74.00	-17.82	61.28	39.86	19.12	64.08	0.00	100	22	PEAK																																																																																																																																																									
3	15660.00	45.09	54.00	-8.91	50.19	39.86	19.12	64.08	0.00	100	22	AVERAGE																																																																																																																																																									



Mode	3																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>46.25</td><td>68.20</td><td>-21.95</td><td>60.10</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>61.45</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>50.01</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>280</td><td>360</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10480.00	46.25	68.20	-21.95	60.10	37.48	15.56	66.89	0.00	--	--	PEAK	2	15720.00	56.48	74.00	-17.52	61.45	39.94	19.16	64.07	0.00	280	360	PEAK	3	15720.00	45.04	54.00	-8.96	50.01	39.94	19.16	64.07	0.00	280	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	10480.00	46.25	68.20	-21.95	60.10	37.48	15.56	66.89	0.00	--	--	PEAK																																																																												
2	15720.00	56.48	74.00	-17.52	61.45	39.94	19.16	64.07	0.00	280	360	PEAK																																																																												
3	15720.00	45.04	54.00	-8.96	50.01	39.94	19.16	64.07	0.00	280	360	AVERAGE																																																																												







Mode	4																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																				
ANT	CDD 6+7																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.11</td><td>68.20</td><td>-22.09</td><td>59.86</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>61.38</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>278</td><td>1</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>50.16</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>278</td><td>1</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	46.11	68.20	-22.09	59.86	37.52	15.60	66.87	0.00	--	--	PEAK	2	15780.00	56.58	74.00	-17.42	61.38	40.06	19.20	64.06	0.00	278	1	PEAK	3	15780.00	45.36	54.00	-8.64	50.16	40.06	19.20	64.06	0.00	278	1	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>60.42</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>54.74</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>40.04</td><td>54.00</td><td>-13.96</td><td>44.84</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	46.67	68.20	-21.53	60.42	37.52	15.60	66.87	0.00	--	--	PEAK	2	15780.00	49.94	74.00	-24.06	54.74	40.06	19.20	64.06	0.00	100	0	PEAK	3	15780.00	40.04	54.00	-13.96	44.84	40.06	19.20	64.06	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10520.00	46.11	68.20	-22.09	59.86	37.52	15.60	66.87	0.00	--	--	PEAK																																																																																																																																																									
2	15780.00	56.58	74.00	-17.42	61.38	40.06	19.20	64.06	0.00	278	1	PEAK																																																																																																																																																									
3	15780.00	45.36	54.00	-8.64	50.16	40.06	19.20	64.06	0.00	278	1	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10520.00	46.67	68.20	-21.53	60.42	37.52	15.60	66.87	0.00	--	--	PEAK																																																																																																																																																									
2	15780.00	49.94	74.00	-24.06	54.74	40.06	19.20	64.06	0.00	100	0	PEAK																																																																																																																																																									
3	15780.00	40.04	54.00	-13.96	44.84	40.06	19.20	64.06	0.00	100	0	AVERAGE																																																																																																																																																									







Mode	5																																																																																
	Harmonic																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																
ANT	CDD 6+7																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7066.00</td><td>44.87</td><td>68.20</td><td>-23.33</td><td>62.35</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 10600.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>58.47</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 15900.00</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>61.40</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>279 345 PEAK</td></tr><tr><td>4 15900.00</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>50.13</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>279 345 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7066.00	44.87	68.20	-23.33	62.35	35.63	12.54	65.65	0.00	-- -- Peak	2 10600.00	44.91	74.00	-29.09	58.47	37.60	15.67	66.83	0.00	-- -- PEAK	3 15900.00	56.84	74.00	-17.16	61.40	40.20	19.28	64.04	0.00	279 345 PEAK	4 15900.00	45.57	54.00	-8.43	50.13	40.20	19.28	64.04	0.00	279 345 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																							
1 7066.00	44.87	68.20	-23.33	62.35	35.63	12.54	65.65	0.00	-- -- Peak																																																																								
2 10600.00	44.91	74.00	-29.09	58.47	37.60	15.67	66.83	0.00	-- -- PEAK																																																																								
3 15900.00	56.84	74.00	-17.16	61.40	40.20	19.28	64.04	0.00	279 345 PEAK																																																																								
4 15900.00	45.57	54.00	-8.43	50.13	40.20	19.28	64.04	0.00	279 345 AVERAGE																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7066.73</td><td>49.33</td><td>68.20</td><td>-18.87</td><td>66.81</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 10600.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>59.73</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 15900.00</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>60.53</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100 20 PEAK</td></tr><tr><td>4 15900.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>49.49</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100 20 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7066.73	49.33	68.20	-18.87	66.81	35.63	12.54	65.65	0.00	-- -- Peak	2 10600.00	46.17	74.00	-27.83	59.73	37.60	15.67	66.83	0.00	-- -- PEAK	3 15900.00	55.97	74.00	-18.03	60.53	40.20	19.28	64.04	0.00	100 20 PEAK	4 15900.00	44.93	54.00	-9.07	49.49	40.20	19.28	64.04	0.00	100 20 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																								
1 7066.73	49.33	68.20	-18.87	66.81	35.63	12.54	65.65	0.00	-- -- Peak																																																																								
2 10600.00	46.17	74.00	-27.83	59.73	37.60	15.67	66.83	0.00	-- -- PEAK																																																																								
3 15900.00	55.97	74.00	-18.03	60.53	40.20	19.28	64.04	0.00	100 20 PEAK																																																																								
4 15900.00	44.93	54.00	-9.07	49.49	40.20	19.28	64.04	0.00	100 20 AVERAGE																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7066.73</td><td>49.33</td><td>68.20</td><td>-18.87</td><td>66.81</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 10600.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>59.73</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 15900.00</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>60.53</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100 20 PEAK</td></tr><tr><td>4 15900.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>49.49</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100 20 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7066.73	49.33	68.20	-18.87	66.81	35.63	12.54	65.65	0.00	-- -- Peak	2 10600.00	46.17	74.00	-27.83	59.73	37.60	15.67	66.83	0.00	-- -- PEAK	3 15900.00	55.97	74.00	-18.03	60.53	40.20	19.28	64.04	0.00	100 20 PEAK	4 15900.00	44.93	54.00	-9.07	49.49	40.20	19.28	64.04	0.00	100 20 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																								
1 7066.73	49.33	68.20	-18.87	66.81	35.63	12.54	65.65	0.00	-- -- Peak																																																																								
2 10600.00	46.17	74.00	-27.83	59.73	37.60	15.67	66.83	0.00	-- -- PEAK																																																																								
3 15900.00	55.97	74.00	-18.03	60.53	40.20	19.28	64.04	0.00	100 20 PEAK																																																																								
4 15900.00	44.93	54.00	-9.07	49.49	40.20	19.28	64.04	0.00	100 20 AVERAGE																																																																								



Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>63.39</td><td>74.00</td><td>-10.61</td><td>54.42</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>102</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	63.39	74.00	-10.61	54.42	34.59	10.75	36.37	0.00	102	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	63.39	74.00	-10.61	54.42	34.59	10.75	36.37	0.00	102	330	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.33</td><td>-----</td><td>-----</td><td>104.45</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>102</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.33	-----	-----	104.45	34.56	10.73	36.41	0.00	102	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	113.33	-----	-----	104.45	34.56	10.73	36.41	0.00	102	330	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>41.20</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>102</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	50.17	54.00	-3.83	41.20	34.59	10.75	36.37	0.00	102	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.10	50.17	54.00	-3.83	41.20	34.59	10.75	36.37	0.00	102	330	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.40</td><td>-----</td><td>-----</td><td>97.52</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>102</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.40	-----	-----	97.52	34.56	10.73	36.41	0.00	102	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	106.40	-----	-----	97.52	34.56	10.73	36.41	0.00	102	330	AVERAGE																																											







		6																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																											
ANT		CDD 6+7																																																																																																											
Pol.	Vertical											Fundamental																																																																																																	
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>59.57</td><td>74.00</td><td>-14.43</td><td>50.60</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>306</td><td>0</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	59.57	74.00	-14.43	50.60	34.59	10.75	36.37	0.00	306	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>114.31</td><td>-----</td><td>-----</td><td>105.43</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>306</td><td>0</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	114.31	-----	-----	105.43	34.56	10.73	36.41	0.00	306	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5350.00	59.57	74.00	-14.43	50.60	34.59	10.75	36.37	0.00	306	0	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	114.31	-----	-----	105.43	34.56	10.73	36.41	0.00	306	0	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>49.51</td><td>54.00</td><td>-4.49</td><td>40.54</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>306</td><td>0</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.51	54.00	-4.49	40.54	34.59	10.75	36.37	0.00	306	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.45</td><td>-----</td><td>-----</td><td>98.57</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>306</td><td>0</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.45	-----	-----	98.57	34.56	10.73	36.41	0.00	306	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5350.00	49.51	54.00	-4.49	40.54	34.59	10.75	36.37	0.00	306	0	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	107.45	-----	-----	98.57	34.56	10.73	36.41	0.00	306	0	AVERAGE																																																																																																	







Mode	6																																																																																					
	Harmonic																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																					
ANT	CDD 6+7																																																																																					
Pol.	Horizontal																																																																																					
Peak Avg																																																																																						
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.13</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>62.55</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>58.05</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>62.40</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>264</td><td>351</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>50.50</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>264</td><td>351</td><td>AVERAGE</td></tr></table>												Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.13	45.10	68.20	-23.10	62.55	35.69	12.58	65.72	0.00	--	--	Peak	2	10640.00	44.55	74.00	-29.45	58.05	37.60	15.71	66.81	0.00	--	--	PEAK	3	15960.00	58.07	74.00	-15.93	62.40	40.38	19.32	64.03	0.00	264	351	PEAK	4	15960.00	46.17	54.00	-7.83	50.50	40.38	19.32	64.03	0.00	264	351	AVERAGE
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
	1	7093.13	45.10	68.20	-23.10	62.55	35.69	12.58	65.72	0.00	--	--	Peak																																																																									
2	10640.00	44.55	74.00	-29.45	58.05	37.60	15.71	66.81	0.00	--	--	PEAK																																																																										
3	15960.00	58.07	74.00	-15.93	62.40	40.38	19.32	64.03	0.00	264	351	PEAK																																																																										
4	15960.00	46.17	54.00	-7.83	50.50	40.38	19.32	64.03	0.00	264	351	AVERAGE																																																																										
Vertical																																																																																						
<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.13</td><td>48.23</td><td>68.20</td><td>-19.97</td><td>65.68</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>59.20</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>61.55</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>105</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>46.12</td><td>54.00</td><td>-7.88</td><td>50.45</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>105</td><td>21</td><td>AVERAGE</td></tr></table>												Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.13	48.23	68.20	-19.97	65.68	35.69	12.58	65.72	0.00	--	--	Peak	2	10640.00	45.70	74.00	-28.30	59.20	37.60	15.71	66.81	0.00	--	--	PEAK	3	15960.00	57.22	74.00	-16.78	61.55	40.38	19.32	64.03	0.00	105	21	PEAK	4	15960.00	46.12	54.00	-7.88	50.45	40.38	19.32	64.03	0.00	105	21	AVERAGE	
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7093.13	48.23	68.20	-19.97	65.68	35.69	12.58	65.72	0.00	--	--	Peak																																																																										
2	10640.00	45.70	74.00	-28.30	59.20	37.60	15.71	66.81	0.00	--	--	PEAK																																																																										
3	15960.00	57.22	74.00	-16.78	61.55	40.38	19.32	64.03	0.00	105	21	PEAK																																																																										
4	15960.00	46.12	54.00	-7.88	50.45	40.38	19.32	64.03	0.00	105	21	AVERAGE																																																																										



		7																																																																	
Mode		Band Edge																																																																	
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																	
ANT		CDD 6+7																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>57.77</td><td>74.00</td><td>-16.23</td><td>48.45</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>62.27</td><td>68.20</td><td>-5.93</td><td>52.91</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	57.77	74.00	-16.23	48.45	34.70	10.84	36.22	0.00	100	329	PEAK	2	5469.52	62.27	68.20	-5.93	52.91	34.71	10.85	36.20	0.00	100	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.60	57.77	74.00	-16.23	48.45	34.70	10.84	36.22	0.00	100	329	PEAK																																																							
2	5469.52	62.27	68.20	-5.93	52.91	34.71	10.85	36.20	0.00	100	329	PEAK																																																							
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.17</td><td>54.00</td><td>-5.83</td><td>38.84</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.17	54.00	-5.83	38.84	34.70	10.84	36.21	0.00	100	329	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	48.17	54.00	-5.83	38.84	34.70	10.84	36.21	0.00	100	329	AVERAGE																																																							
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.77</td><td>-----</td><td>-----</td><td>103.33</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.77	-----	-----	103.33	34.73	10.88	36.17	0.00	100	329	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	112.77	-----	-----	103.33	34.73	10.88	36.17	0.00	100	329	PEAK																																																							
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.90</td><td>-----</td><td>-----</td><td>96.44</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.90	-----	-----	96.44	34.73	10.89	36.16	0.00	100	329	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	105.90	-----	-----	96.44	34.73	10.89	36.16	0.00	100	329	AVERAGE																																																							



		7																																																															
Mode	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																
ANT	CDD 6+7																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>59.10</td><td>74.00</td><td>-14.90</td><td>49.78</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>264 0 PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>63.40</td><td>68.20</td><td>-4.80</td><td>54.05</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>264 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	59.10	74.00	-14.90	49.78	34.70	10.84	36.22	0.00	264 0 PEAK	2	5468.72	63.40	68.20	-4.80	54.05	34.70	10.85	36.20	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.60	59.10	74.00	-14.90	49.78	34.70	10.84	36.22	0.00	264 0 PEAK																																																							
2	5468.72	63.40	68.20	-4.80	54.05	34.70	10.85	36.20	0.00	264 0 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.15</td><td>-----</td><td>-----</td><td>106.69</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>264 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.15	-----	-----	106.69	34.73	10.89	36.16	0.00	264 0 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	116.15	-----	-----	106.69	34.73	10.89	36.16	0.00	264 0 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>48.22</td><td>54.00</td><td>-5.78</td><td>38.91</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>264 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	48.22	54.00	-5.78	38.91	34.69	10.84	36.22	0.00	264 0 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.16	48.22	54.00	-5.78	38.91	34.69	10.84	36.22	0.00	264 0 AVERAGE																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.52</td><td>-----</td><td>-----</td><td>99.06</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>264 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.52	-----	-----	99.06	34.73	10.89	36.16	0.00	264 0 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	108.52	-----	-----	99.06	34.73	10.89	36.16	0.00	264 0 AVERAGE																																																							






Mode	7																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																								
ANT	CDD 6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>58.62</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>61.74</td><td>68.20</td><td>-6.46</td><td>65.20</td><td>40.91</td><td>19.68</td><td>64.05</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	45.95	74.00	-28.05	58.62	37.90	16.04	66.61	0.00	--	PEAK	2	16500.00	61.74	68.20	-6.46	65.20	40.91	19.68	64.05	0.00	100	31 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>59.10</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>60.19</td><td>68.20</td><td>-8.01</td><td>63.68</td><td>40.89</td><td>19.67</td><td>64.05</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.43	74.00	-27.57	59.10	37.90	16.04	66.61	0.00	--	PEAK	2	16500.00	60.19	68.20	-8.01	63.68	40.89	19.67	64.05	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11000.00	45.95	74.00	-28.05	58.62	37.90	16.04	66.61	0.00	--	PEAK																																																																																																														
2	16500.00	61.74	68.20	-6.46	65.20	40.91	19.68	64.05	0.00	100	31 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11000.00	46.43	74.00	-27.57	59.10	37.90	16.04	66.61	0.00	--	PEAK																																																																																																														
2	16500.00	60.19	68.20	-8.01	63.68	40.89	19.67	64.05	0.00	100	23 PEAK																																																																																																														






Mode	8																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																										
ANT	CDD 6+7																																																																										
Pol.	Horizontal						Vertical																																																																				
Peak Avg																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Line Margin</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>57.86</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>62.52</td><td>68.20</td><td>-5.68</td><td>65.47</td><td>41.28</td><td>19.83</td><td>64.06</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Line Margin	Factor	Loss Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.35	74.00	-28.65	57.86	37.86	16.15	66.52	0.00	--	--	PEAK	2	16740.00	62.52	68.20	-5.68	65.47	41.28	19.83	64.06	0.00	100	28	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq		Level	Line Margin	Level	Line Margin	Factor	Loss Factor	Factor	Factor																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	11160.00	45.35	74.00	-28.65	57.86	37.86	16.15	66.52	0.00	--	--	PEAK																																																															
2	16740.00	62.52	68.20	-5.68	65.47	41.28	19.83	64.06	0.00	100	28	PEAK																																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Line Margin</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>58.50</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>62.90</td><td>41.28</td><td>19.83</td><td>64.06</td><td>0.00</td><td>100</td><td>19</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Line Margin	Factor	Loss Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.99	74.00	-28.01	58.50	37.86	16.15	66.52	0.00	--	--	PEAK	2	16740.00	59.95	68.20	-8.25	62.90	41.28	19.83	64.06	0.00	100	19	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq		Level	Line Margin	Level	Line Margin	Factor	Loss Factor	Factor	Factor																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	11160.00	45.99	74.00	-28.01	58.50	37.86	16.15	66.52	0.00	--	--	PEAK																																																															
2	16740.00	59.95	68.20	-8.25	62.90	41.28	19.83	64.06	0.00	100	19	PEAK																																																															



Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5726.28</td><td>60.24</td><td>68.20</td><td>-7.96</td><td>51.42</td><td>34.95</td><td>11.18</td><td>37.31</td><td>0.00</td><td>157</td><td>360 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.28	60.24	68.20	-7.96	51.42	34.95	11.18	37.31	0.00	157	360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>110.47</td><td>-----</td><td>-----</td><td>101.35</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>157</td><td>360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	110.47	-----	-----	101.35	34.93	11.15	36.96	0.00	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5726.28	60.24	68.20	-7.96	51.42	34.95	11.18	37.31	0.00	157	360 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	110.47	-----	-----	101.35	34.93	11.15	36.96	0.00	157	360 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>103.31</td><td>-----</td><td>-----</td><td>94.19</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>157</td><td>360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	103.31	-----	-----	94.19	34.93	11.15	36.96	0.00	157	360 AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	103.31	-----	-----	94.19	34.93	11.15	36.96	0.00	157	360 AVERAGE																																																																																								







Mode	9																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																					
ANT	CDD 6+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.16</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>54.16</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.16	62.99	68.20	-5.21	54.16	34.95	11.18	37.30	0.00	236	0 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>115.91</td><td>-----</td><td>-----</td><td>106.72</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	115.91	-----	-----	106.72	34.92	11.14	36.87	0.00	236	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5725.16	62.99	68.20	-5.21	54.16	34.95	11.18	37.30	0.00	236	0 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	115.91	-----	-----	106.72	34.92	11.14	36.87	0.00	236	0 PEAK																																																																												
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>107.72</td><td>-----</td><td>-----</td><td>98.53</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>236</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	107.72	-----	-----	98.53	34.92	11.14	36.87	0.00	236	0 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	107.72	-----	-----	98.53	34.92	11.14	36.87	0.00	236	0 AVERAGE																																																																												







Mode	9																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																					
Peak Avg	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The red line has a step-like pattern with a peak at 17100 MHz. The blue line is relatively flat with some noise. Vertical blue lines mark the peak at 17100 MHz and the average at 11400 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11400.00</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>67.04</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>112</td><td>329 PEAK</td></tr><tr><td>2 11400.00</td><td>43.98</td><td>54.00</td><td>-10.02</td><td>56.07</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>112</td><td>329 AVERAGE</td></tr><tr><td>3 17100.00</td><td>64.05</td><td>68.20</td><td>-4.15</td><td>67.05</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>138</td><td>360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	54.95	74.00	-19.05	67.04	38.00	16.30	66.39	0.00	112	329 PEAK	2 11400.00	43.98	54.00	-10.02	56.07	38.00	16.30	66.39	0.00	112	329 AVERAGE	3 17100.00	64.05	68.20	-4.15	67.05	41.10	20.07	64.17	0.00	138	360 PEAK	Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The red line has a step-like pattern with a peak at 17100 MHz. The blue line is relatively flat with some noise. Vertical blue lines mark the peak at 17100 MHz and the average at 11400 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11400.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>58.50</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 17100.00</td><td>61.96</td><td>68.20</td><td>-6.24</td><td>64.96</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>118</td><td>23 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	46.41	74.00	-27.59	58.50	38.00	16.30	66.39	0.00	--	-- PEAK	2 17100.00	61.96	68.20	-6.24	64.96	41.10	20.07	64.17	0.00	118	23 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 11400.00	54.95	74.00	-19.05	67.04	38.00	16.30	66.39	0.00	112	329 PEAK																																																																																																													
2 11400.00	43.98	54.00	-10.02	56.07	38.00	16.30	66.39	0.00	112	329 AVERAGE																																																																																																													
3 17100.00	64.05	68.20	-4.15	67.05	41.10	20.07	64.17	0.00	138	360 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 11400.00	46.41	74.00	-27.59	58.50	38.00	16.30	66.39	0.00	--	-- PEAK																																																																																																													
2 17100.00	61.96	68.20	-6.24	64.96	41.10	20.07	64.17	0.00	118	23 PEAK																																																																																																													



Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>52.14</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	60.50	74.00	-13.50	52.14	34.40	10.61	36.65	0.00	100	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.73</td><td>-----</td><td>-----</td><td>105.27</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.73	-----	-----	105.27	34.43	10.64	36.61	0.00	100	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.20	60.50	74.00	-13.50	52.14	34.40	10.61	36.65	0.00	100	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	113.73	-----	-----	105.27	34.43	10.64	36.61	0.00	100	331	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>40.63</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.99	54.00	-5.01	40.63	34.40	10.61	36.65	0.00	100	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.78</td><td>-----</td><td>-----</td><td>96.32</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.78	-----	-----	96.32	34.43	10.64	36.61	0.00	100	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	48.99	54.00	-5.01	40.63	34.40	10.61	36.65	0.00	100	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	104.78	-----	-----	96.32	34.43	10.64	36.61	0.00	100	331	AVERAGE																																																																																							





Mode	10																																																																																																												
	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>60.11</td><td>74.00</td><td>-13.89</td><td>51.75</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>341</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	60.11	74.00	-13.89	51.75	34.40	10.61	36.65	0.00	341	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>115.99</td><td>-----</td><td>-----</td><td>107.53</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>341</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	115.99	-----	-----	107.53	34.43	10.64	36.61	0.00	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5150.00	60.11	74.00	-13.89	51.75	34.40	10.61	36.65	0.00	341	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	115.99	-----	-----	107.53	34.43	10.64	36.61	0.00	341	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.00</td><td>49.66</td><td>54.00</td><td>-4.34</td><td>41.30</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>341</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	49.66	54.00	-4.34	41.30	34.40	10.61	36.65	0.00	341	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.15</td><td>-----</td><td>-----</td><td>98.69</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>341</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.15	-----	-----	98.69	34.43	10.64	36.61	0.00	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.00	49.66	54.00	-4.34	41.30	34.40	10.61	36.65	0.00	341	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	107.15	-----	-----	98.69	34.43	10.64	36.61	0.00	341	0 AVERAGE																																																																																																		





		10																																																																								
Mode		Harmonic																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																								
ANT		CDD 6+7																																																																								
Pol.		Horizontal					Vertical																																																																			
Peak Avg																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>49.01</td><td>68.20 -19.19</td><td>63.16</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>54.84</td><td>74.00 -19.16</td><td>68.16</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>42.26</td><td>54.00 -11.74</td><td>47.58</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	49.01	68.20 -19.19	63.16	37.36	15.45	66.96	0.00	--	--	PEAK	2 15540.00	54.84	74.00 -19.16	68.16	39.74	19.04	64.10	0.00	300	0	PEAK	3 15540.00	42.26	54.00 -11.74	47.58	39.74	19.04	64.10	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 10360.00	49.01	68.20 -19.19	63.16	37.36	15.45	66.96	0.00	--	--	PEAK																																																																
2 15540.00	54.84	74.00 -19.16	68.16	39.74	19.04	64.10	0.00	300	0	PEAK																																																																
3 15540.00	42.26	54.00 -11.74	47.58	39.74	19.04	64.10	0.00	300	0	AVERAGE																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>45.96</td><td>68.20 -22.24</td><td>60.11</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>49.17</td><td>74.00 -24.83</td><td>54.49</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>38.44</td><td>54.00 -15.56</td><td>43.76</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.96	68.20 -22.24	60.11	37.36	15.45	66.96	0.00	--	--	PEAK	2 15540.00	49.17	74.00 -24.83	54.49	39.74	19.04	64.10	0.00	100	0	PEAK	3 15540.00	38.44	54.00 -15.56	43.76	39.74	19.04	64.10	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1 10360.00	45.96	68.20 -22.24	60.11	37.36	15.45	66.96	0.00	--	--	PEAK																																																																
2 15540.00	49.17	74.00 -24.83	54.49	39.74	19.04	64.10	0.00	100	0	PEAK																																																																
3 15540.00	38.44	54.00 -15.56	43.76	39.74	19.04	64.10	0.00	100	0	AVERAGE																																																																





		11																																																																																																																																																																														
Mode		Harmonic																																																																																																																																																																														
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																																																																																														
ANT		CDD 6+7																																																																																																																																																																														
Pol.		Horizontal											Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>48.25</td><td>68.20</td><td>-19.95</td><td>62.21</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>60.84</td><td>74.00</td><td>-13.16</td><td>65.94</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>19 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>51.97</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>19 AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	48.25	68.20	-19.95	62.21	37.44	15.52	66.92	0.00	--	PEAK	2	15660.00	60.84	74.00	-13.16	65.94	39.86	19.12	64.08	0.00	100	19 PEAK	3	15660.00	46.87	54.00	-7.13	51.97	39.86	19.12	64.08	0.00	100	19 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>49.35</td><td>68.20</td><td>-18.85</td><td>63.31</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>61.98</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>48.57</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>100</td><td>20 AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	49.35	68.20	-18.85	63.31	37.44	15.52	66.92	0.00	--	PEAK	2	15660.00	56.88	74.00	-17.12	61.98	39.86	19.12	64.08	0.00	100	20 PEAK	3	15660.00	43.47	54.00	-10.53	48.57	39.86	19.12	64.08	0.00	100	20 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																							
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																								
1	10440.00	48.25	68.20	-19.95	62.21	37.44	15.52	66.92	0.00	--	PEAK																																																																																																																																																																					
2	15660.00	60.84	74.00	-13.16	65.94	39.86	19.12	64.08	0.00	100	19 PEAK																																																																																																																																																																					
3	15660.00	46.87	54.00	-7.13	51.97	39.86	19.12	64.08	0.00	100	19 AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																								
1	10440.00	49.35	68.20	-18.85	63.31	37.44	15.52	66.92	0.00	--	PEAK																																																																																																																																																																					
2	15660.00	56.88	74.00	-17.12	61.98	39.86	19.12	64.08	0.00	100	20 PEAK																																																																																																																																																																					
3	15660.00	43.47	54.00	-10.53	48.57	39.86	19.12	64.08	0.00	100	20 AVERAGE																																																																																																																																																																					



Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																																									
ANT	CDD 6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10480.00</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>61.40</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15720.00</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>69.75</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>100 19 PEAK</td></tr><tr><td>3 15720.00</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>55.39</td><td>39.95</td><td>19.16</td><td>64.07</td><td>0.00</td><td>100 19 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	47.55	68.20	-20.65	61.40	37.48	15.56	66.89	0.00	-- -- PEAK	2 15720.00	64.78	74.00	-9.22	69.75	39.94	19.16	64.07	0.00	100 19 PEAK	3 15720.00	50.43	54.00	-3.57	55.39	39.95	19.16	64.07	0.00	100 19 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10480.00</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>63.24</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15720.00</td><td>60.86</td><td>74.00</td><td>-13.14</td><td>65.83</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>120 22 PEAK</td></tr><tr><td>3 15720.00</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>52.25</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>120 22 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	49.39	68.20	-18.81	63.24	37.48	15.56	66.89	0.00	-- -- PEAK	2 15720.00	60.86	74.00	-13.14	65.83	39.94	19.16	64.07	0.00	120 22 PEAK	3 15720.00	47.28	54.00	-6.72	52.25	39.94	19.16	64.07	0.00	120 22 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10480.00	47.55	68.20	-20.65	61.40	37.48	15.56	66.89	0.00	-- -- PEAK																																																																																																																	
2 15720.00	64.78	74.00	-9.22	69.75	39.94	19.16	64.07	0.00	100 19 PEAK																																																																																																																	
3 15720.00	50.43	54.00	-3.57	55.39	39.95	19.16	64.07	0.00	100 19 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10480.00	49.39	68.20	-18.81	63.24	37.48	15.56	66.89	0.00	-- -- PEAK																																																																																																																	
2 15720.00	60.86	74.00	-13.14	65.83	39.94	19.16	64.07	0.00	120 22 PEAK																																																																																																																	
3 15720.00	47.28	54.00	-6.72	52.25	39.94	19.16	64.07	0.00	120 22 AVERAGE																																																																																																																	







		13																																																																															
Mode		Harmonic																																																																															
		U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																															
ANT		CDD 6+7																																																																															
Pol.		Horizontal					Vertical																																																																										
Peak Avg																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7013.20</td><td>46.83</td><td>68.20</td><td>-21.37</td><td>64.27</td><td>35.60</td><td>12.47</td><td>65.51</td><td>0.00 -- Peak</td></tr><tr><td>2</td><td>10522.93</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>63.22</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00 -- Peak</td></tr><tr><td>3</td><td>15780.00</td><td>61.05</td><td>74.00</td><td>-12.95</td><td>65.85</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00 300 4 PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>51.65</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00 300 4 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7013.20	46.83	68.20	-21.37	64.27	35.60	12.47	65.51	0.00 -- Peak	2	10522.93	49.47	68.20	-18.73	63.22	37.52	15.60	66.87	0.00 -- Peak	3	15780.00	61.05	74.00	-12.95	65.85	40.06	19.20	64.06	0.00 300 4 PEAK	4	15780.00	46.85	54.00	-7.15	51.65	40.06	19.20	64.06	0.00 300 4 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1	7013.20	46.83	68.20	-21.37	64.27	35.60	12.47	65.51	0.00 -- Peak																																																																								
2	10522.93	49.47	68.20	-18.73	63.22	37.52	15.60	66.87	0.00 -- Peak																																																																								
3	15780.00	61.05	74.00	-12.95	65.85	40.06	19.20	64.06	0.00 300 4 PEAK																																																																								
4	15780.00	46.85	54.00	-7.15	51.65	40.06	19.20	64.06	0.00 300 4 AVERAGE																																																																								
																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7013.20</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>67.25</td><td>35.60</td><td>12.47</td><td>65.51</td><td>0.00 -- Peak</td></tr><tr><td>2</td><td>10516.33</td><td>48.75</td><td>68.20</td><td>-19.45</td><td>62.50</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00 -- Peak</td></tr><tr><td>3</td><td>15780.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>59.18</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00 100 0 PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>46.58</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00 100 0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7013.20	49.81	68.20	-18.39	67.25	35.60	12.47	65.51	0.00 -- Peak	2	10516.33	48.75	68.20	-19.45	62.50	37.52	15.60	66.87	0.00 -- Peak	3	15780.00	54.38	74.00	-19.62	59.18	40.06	19.20	64.06	0.00 100 0 PEAK	4	15780.00	41.78	54.00	-12.22	46.58	40.06	19.20	64.06	0.00 100 0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1	7013.20	49.81	68.20	-18.39	67.25	35.60	12.47	65.51	0.00 -- Peak																																																																								
2	10516.33	48.75	68.20	-19.45	62.50	37.52	15.60	66.87	0.00 -- Peak																																																																								
3	15780.00	54.38	74.00	-19.62	59.18	40.06	19.20	64.06	0.00 100 0 PEAK																																																																								
4	15780.00	41.78	54.00	-12.22	46.58	40.06	19.20	64.06	0.00 100 0 AVERAGE																																																																								





Mode	14																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal																																																																																																				
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.73</td><td>45.81</td><td>68.20</td><td>-22.39</td><td>63.29</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>58.34</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>63.68</td><td>74.00</td><td>-10.32</td><td>68.24</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>53.68</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>100</td><td>24</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7066.73	45.81	68.20	-22.39	63.29	35.63	12.54	65.65	0.00	--	--	Peak	2	10600.00	44.78	74.00	-29.22	58.34	37.60	15.67	66.83	0.00	--	--	PEAK	3	15900.00	63.68	74.00	-10.32	68.24	40.20	19.28	64.04	0.00	100	24	PEAK	4	15900.00	49.12	54.00	-4.88	53.68	40.20	19.28	64.04	0.00	100	24	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																									
1	7066.73	45.81	68.20	-22.39	63.29	35.63	12.54	65.65	0.00	--	--	Peak																																																																																									
2	10600.00	44.78	74.00	-29.22	58.34	37.60	15.67	66.83	0.00	--	--	PEAK																																																																																									
3	15900.00	63.68	74.00	-10.32	68.24	40.20	19.28	64.04	0.00	100	24	PEAK																																																																																									
4	15900.00	49.12	54.00	-4.88	53.68	40.20	19.28	64.04	0.00	100	24	AVERAGE																																																																																									
Vertical																																																																																																					
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.73</td><td>48.44</td><td>68.20</td><td>-19.76</td><td>65.92</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>60.21</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15900.00</td><td>58.49</td><td>74.00</td><td>-15.51</td><td>63.05</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>347</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>49.02</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>347</td><td>326</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7066.73	48.44	68.20	-19.76	65.92	35.63	12.54	65.65	0.00	--	--	Peak	2	10600.00	46.65	74.00	-27.35	60.21	37.60	15.67	66.83	0.00	--	--	PEAK	3	15900.00	58.49	74.00	-15.51	63.05	40.20	19.28	64.04	0.00	347	326	PEAK	4	15900.00	44.46	54.00	-9.54	49.02	40.20	19.28	64.04	0.00	347	326	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1	7066.73	48.44	68.20	-19.76	65.92	35.63	12.54	65.65	0.00	--	--	Peak																																																																																									
2	10600.00	46.65	74.00	-27.35	60.21	37.60	15.67	66.83	0.00	--	--	PEAK																																																																																									
3	15900.00	58.49	74.00	-15.51	63.05	40.20	19.28	64.04	0.00	347	326	PEAK																																																																																									
4	15900.00	44.46	54.00	-9.54	49.02	40.20	19.28	64.04	0.00	347	326	AVERAGE																																																																																									





	15																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.90</td><td>64.00</td><td>74.00</td><td>-10.00</td><td>55.03</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.90	64.00	74.00	-10.00	55.03	34.59	10.75	36.37	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.90	64.00	74.00	-10.00	55.03	34.59	10.75	36.37	0.00	100	327	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.77</td><td>-----</td><td>-----</td><td>104.89</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.77	-----	-----	104.89	34.56	10.73	36.41	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	113.77	-----	-----	104.89	34.56	10.73	36.41	0.00	100	327	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>41.71</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.68	54.00	-3.32	41.71	34.59	10.75	36.37	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	50.68	54.00	-3.32	41.71	34.59	10.75	36.37	0.00	100	327	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.98</td><td>-----</td><td>-----</td><td>96.10</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.98	-----	-----	96.10	34.56	10.73	36.41	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	104.98	-----	-----	96.10	34.56	10.73	36.41	0.00	100	327	AVERAGE																																											







		15																																																					
Mode		Band Edge																																																					
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																					
ANT		CDD 6+7																																																					
Pol.		Fundamental																																																					
Peak	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>62.36</td><td>74.00</td><td>-11.64</td><td>53.39</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>291</td><td>0</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	62.36	74.00	-11.64	53.39	34.59	10.75	36.37	0.00	291	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	62.36	74.00	-11.64	53.39	34.59	10.75	36.37	0.00	291	0	PEAK																																											
Avg	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>41.39</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>291</td><td>0</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.36	54.00	-3.64	41.39	34.59	10.75	36.37	0.00	291	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	50.36	54.00	-3.64	41.39	34.59	10.75	36.37	0.00	291	0	AVERAGE																																											







		15																																																																					
Mode		Harmonic																																																																					
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																					
ANT		CDD 6+7																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.16	44.62	68.20	-23.58	62.07	35.69	12.58	65.72	0.00	--	-- PEAK	2	10640.00	44.74	74.00	-29.26	58.24	37.60	15.71	66.81	0.00	--	-- PEAK	3	15960.00	62.15	74.00	-11.85	66.48	40.38	19.32	64.03	0.00	100	30 PEAK	4	15960.00	48.00	54.00	-6.00	52.33	40.38	19.32	64.03	0.00	100
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7093.16	44.62	68.20	-23.58	62.07	35.69	12.58	65.72	0.00	--	-- PEAK																																																												
2	10640.00	44.74	74.00	-29.26	58.24	37.60	15.71	66.81	0.00	--	-- PEAK																																																												
3	15960.00	62.15	74.00	-11.85	66.48	40.38	19.32	64.03	0.00	100	30 PEAK																																																												
4	15960.00	48.00	54.00	-6.00	52.33	40.38	19.32	64.03	0.00	100	30 AVERAGE																																																												
		Vertical																																																																					
Peak Avg																																																																							
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7093.16	46.54	68.20	-21.66	63.99	35.69	12.58	65.72	0.00	--	-- PEAK	2	10640.00	45.13	74.00	-28.87	58.63	37.60	15.71	66.81	0.00	--	-- PEAK	3	15960.00	61.21	74.00	-12.79	65.54	40.38	19.32	64.03	0.00	107	25 PEAK	4	15960.00	47.46	54.00	-6.54	51.79	40.38	19.32	64.03	0.00	107
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7093.16	46.54	68.20	-21.66	63.99	35.69	12.58	65.72	0.00	--	-- PEAK																																																												
2	10640.00	45.13	74.00	-28.87	58.63	37.60	15.71	66.81	0.00	--	-- PEAK																																																												
3	15960.00	61.21	74.00	-12.79	65.54	40.38	19.32	64.03	0.00	107	25 PEAK																																																												
4	15960.00	47.46	54.00	-6.54	51.79	40.38	19.32	64.03	0.00	107	25 AVERAGE																																																												



Mode	16																																																																				
	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																				
ANT	CDD 6+7																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>58.83</td><td>74.00</td><td>-15.17</td><td>49.52</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>59.19</td><td>68.20</td><td>-9.01</td><td>49.84</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	58.83	74.00	-15.17	49.52	34.69	10.84	36.22	0.00	100	328	PEAK	2	5467.12	59.19	68.20	-9.01	49.84	34.70	10.85	36.20	0.00	100	328	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5456.40	58.83	74.00	-15.17	49.52	34.69	10.84	36.22	0.00	100	328	PEAK																																																									
2	5467.12	59.19	68.20	-9.01	49.84	34.70	10.85	36.20	0.00	100	328	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>38.65</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	47.97	54.00	-6.03	38.65	34.70	10.84	36.22	0.00	100	328	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.76	47.97	54.00	-6.03	38.65	34.70	10.84	36.22	0.00	100	328	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>114.26</td><td>-----</td><td>-----</td><td>104.80</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.26	-----	-----	104.80	34.73	10.89	36.16	0.00	100	328	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	114.26	-----	-----	104.80	34.73	10.89	36.16	0.00	100	328	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.86</td><td>-----</td><td>-----</td><td>94.40</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.86	-----	-----	94.40	34.73	10.89	36.16	0.00	100	328	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	103.86	-----	-----	94.40	34.73	10.89	36.16	0.00	100	328	AVERAGE																																																									






Mode	16																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.00</td><td>58.70</td><td>74.00</td><td>-15.30</td><td>49.44</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>62.78</td><td>68.20</td><td>-5.42</td><td>53.43</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.00	58.70	74.00	-15.30	49.44	34.68	10.82	36.24	0.00	263	0 PEAK	2	5467.28	62.78	68.20	-5.42	53.43	34.70	10.85	36.20	0.00	263	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5442.00	58.70	74.00	-15.30	49.44	34.68	10.82	36.24	0.00	263	0 PEAK																																																							
2	5467.28	62.78	68.20	-5.42	53.43	34.70	10.85	36.20	0.00	263	0 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.93</td><td>-----</td><td>-----</td><td>107.47</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>263</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.93	-----	-----	107.47	34.73	10.89	36.16	0.00	263	0 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	116.93	-----	-----	107.47	34.73	10.89	36.16	0.00	263	0 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>39.08</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>263</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.41	54.00	-5.59	39.08	34.70	10.84	36.21	0.00	263	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.92	48.41	54.00	-5.59	39.08	34.70	10.84	36.21	0.00	263	0 AVERAGE																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.19</td><td>-----</td><td>-----</td><td>97.73</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>263</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.19	-----	-----	97.73	34.73	10.89	36.16	0.00	263	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	107.19	-----	-----	97.73	34.73	10.89	36.16	0.00	263	0 AVERAGE																																																							






		16																																																																									
Mode		Harmonic																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																									
ANT		CDD 6+7																																																																									
Pol.		Horizontal					Vertical																																																																				
Peak Avg																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7699.60</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>61.21</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 11000.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>58.07</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 16500.00</td><td>64.47</td><td>68.20</td><td>-3.73</td><td>67.95</td><td>40.90</td><td>19.67</td><td>64.05</td><td>0.00</td><td>275</td><td>2 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7699.60	43.54	74.00	-30.46	61.21	36.10	13.11	66.88	0.00	--	-- Peak	2 11000.00	45.40	74.00	-28.60	58.07	37.90	16.04	66.61	0.00	--	-- PEAK	3 16500.00	64.47	68.20	-3.73	67.95	40.90	19.67	64.05	0.00	275	2 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 7699.60	43.54	74.00	-30.46	61.21	36.10	13.11	66.88	0.00	--	-- Peak																																																																	
2 11000.00	45.40	74.00	-28.60	58.07	37.90	16.04	66.61	0.00	--	-- PEAK																																																																	
3 16500.00	64.47	68.20	-3.73	67.95	40.90	19.67	64.05	0.00	275	2 PEAK																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7695.20</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>64.40</td><td>36.09</td><td>13.10</td><td>66.88</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 11000.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.45</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 16500.00</td><td>62.44</td><td>68.20</td><td>-5.76</td><td>65.93</td><td>40.89</td><td>19.67</td><td>64.05</td><td>0.00</td><td>100</td><td>24 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7695.20	46.71	74.00	-27.29	64.40	36.09	13.10	66.88	0.00	--	-- Peak	2 11000.00	44.78	74.00	-29.22	57.45	37.90	16.04	66.61	0.00	--	-- PEAK	3 16500.00	62.44	68.20	-5.76	65.93	40.89	19.67	64.05	0.00	100	24 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 7695.20	46.71	74.00	-27.29	64.40	36.09	13.10	66.88	0.00	--	-- Peak																																																																	
2 11000.00	44.78	74.00	-29.22	57.45	37.90	16.04	66.61	0.00	--	-- PEAK																																																																	
3 16500.00	62.44	68.20	-5.76	65.93	40.89	19.67	64.05	0.00	100	24 PEAK																																																																	



		17																																																																																																																																																							
Mode		Harmonic																																																																																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																																																							
ANT		CDD 6+7																																																																																																																																																							
Pol.	Horizontal										Vertical																																																																																																																																														
Peak Avg																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7807.40</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>61.59</td><td>36.21</td><td>13.20</td><td>66.93</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>59.61</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16740.00</td><td>64.40</td><td>68.20</td><td>-3.80</td><td>67.35</td><td>41.28</td><td>19.83</td><td>64.06</td><td>0.00</td><td>100</td><td>34 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7807.40	44.07	68.20	-24.13	61.59	36.21	13.20	66.93	0.00	--	Peak	2	11160.00	47.10	74.00	-26.90	59.61	37.86	16.15	66.52	0.00	--	PEAK	3	16740.00	64.40	68.20	-3.80	67.35	41.28	19.83	64.06	0.00	100	34 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7810.33</td><td>47.02</td><td>68.20</td><td>-21.18</td><td>64.52</td><td>36.22</td><td>13.21</td><td>66.93</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>58.47</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16740.00</td><td>64.59</td><td>68.20</td><td>-3.61</td><td>67.54</td><td>41.28</td><td>19.83</td><td>64.06</td><td>0.00</td><td>126</td><td>28 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7810.33	47.02	68.20	-21.18	64.52	36.22	13.21	66.93	0.00	--	Peak	2	11160.00	45.96	74.00	-28.04	58.47	37.86	16.15	66.52	0.00	--	PEAK	3	16740.00	64.59	68.20	-3.61	67.54	41.28	19.83	64.06	0.00	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7807.40	44.07	68.20	-24.13	61.59	36.21	13.20	66.93	0.00	--	Peak																																																																																																																																														
2	11160.00	47.10	74.00	-26.90	59.61	37.86	16.15	66.52	0.00	--	PEAK																																																																																																																																														
3	16740.00	64.40	68.20	-3.80	67.35	41.28	19.83	64.06	0.00	100	34 PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7810.33	47.02	68.20	-21.18	64.52	36.22	13.21	66.93	0.00	--	Peak																																																																																																																																														
2	11160.00	45.96	74.00	-28.04	58.47	37.86	16.15	66.52	0.00	--	PEAK																																																																																																																																														
3	16740.00	64.59	68.20	-3.61	67.54	41.28	19.83	64.06	0.00	126	28 PEAK																																																																																																																																														

Mode	18																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>51.55</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>143</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5725.00	60.39	68.20	-7.81	51.55	34.95	11.18	37.29	0.00	143	332	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.69</td><td>-----</td><td>-----</td><td>102.57</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>143</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	111.69	-----	-----	102.57	34.93	11.15	36.96	0.00	143	332	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5725.00	60.39	68.20	-7.81	51.55	34.95	11.18	37.29	0.00	143	332	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1	5700.00	111.69	-----	-----	102.57	34.93	11.15	36.96	0.00	143	332	PEAK																																																																																										
Avg	Blank																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.35</td><td>-----</td><td>-----</td><td>93.23</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>143</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	102.35	-----	-----	93.23	34.93	11.15	36.96	0.00	143	332	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1	5700.00	102.35	-----	-----	93.23	34.93	11.15	36.96	0.00	143	332	AVERAGE																																																																																										







Mode	18																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5726.04</td><td>64.14</td><td>68.20</td><td>-4.06</td><td>55.32</td><td>34.95</td><td>11.18</td><td>37.31</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.04	64.14	68.20	-4.06	55.32	34.95	11.18	37.31	0.00	236	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>116.43</td><td>-----</td><td>-----</td><td>107.24</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	116.43	-----	-----	107.24	34.92	11.14	36.87	0.00	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5726.04	64.14	68.20	-4.06	55.32	34.95	11.18	37.31	0.00	236	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	116.43	-----	-----	107.24	34.92	11.14	36.87	0.00	236	0 PEAK																																																																																					
Avg	Blank																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.58</td><td>-----</td><td>-----</td><td>97.39</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>236</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.58	-----	-----	97.39	34.92	11.14	36.87	0.00	236	0 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	106.58	-----	-----	97.39	34.92	11.14	36.87	0.00	236	0 AVERAGE																																																																																					







Mode	18																																																						
	Harmonic																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal																																																						
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>59.64</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>17100.00</td><td>65.09</td><td>68.20</td><td>-3.11</td><td>68.09</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>100</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	11400.00	47.55	74.00	-26.45	59.64	38.00	16.30	66.39	0.00	--	2	17100.00	65.09	68.20	-3.11	68.09	41.10	20.07	64.17	0.00	100
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	11400.00	47.55	74.00	-26.45	59.64	38.00	16.30	66.39	0.00	--																																													
2	17100.00	65.09	68.20	-3.11	68.09	41.10	20.07	64.17	0.00	100																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>59.64</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>17100.00</td><td>65.09</td><td>68.20</td><td>-3.11</td><td>68.09</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>100</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	11400.00	47.55	74.00	-26.45	59.64	38.00	16.30	66.39	0.00	--	2	17100.00	65.09	68.20	-3.11	68.09	41.10	20.07	64.17	0.00	100	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	11400.00	47.55	74.00	-26.45	59.64	38.00	16.30	66.39	0.00	--																																													
2	17100.00	65.09	68.20	-3.11	68.09	41.10	20.07	64.17	0.00	100																																													
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>58.49</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>17100.00</td><td>63.68</td><td>68.20</td><td>-4.52</td><td>66.68</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>131</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	11400.00	46.40	74.00	-27.60	58.49	38.00	16.30	66.39	0.00	--	2	17100.00	63.68	68.20	-4.52	66.68	41.10	20.07	64.17	0.00	131
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	11400.00	46.40	74.00	-27.60	58.49	38.00	16.30	66.39	0.00	--																																													
2	17100.00	63.68	68.20	-4.52	66.68	41.10	20.07	64.17	0.00	131																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>58.49</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>17100.00</td><td>63.68</td><td>68.20</td><td>-4.52</td><td>66.68</td><td>41.10</td><td>20.07</td><td>64.17</td><td>0.00</td><td>131</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	11400.00	46.40	74.00	-27.60	58.49	38.00	16.30	66.39	0.00	--	2	17100.00	63.68	68.20	-4.52	66.68	41.10	20.07	64.17	0.00	131	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	11400.00	46.40	74.00	-27.60	58.49	38.00	16.30	66.39	0.00	--																																													
2	17100.00	63.68	68.20	-4.52	66.68	41.10	20.07	64.17	0.00	131																																													







Mode	19																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.90</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>47.51</td><td>34.39</td><td>10.59</td><td>36.67</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.90	55.82	74.00	-18.18	47.51	34.39	10.59	36.67	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5135.90	55.82	74.00	-18.18	47.51	34.39	10.59	36.67	0.00	100	333	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>115.31</td><td>-----</td><td>-----</td><td>106.89</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	115.31	-----	-----	106.89	34.42	10.63	36.63	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	115.31	-----	-----	106.89	34.42	10.63	36.63	0.00	100	333	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.10</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>35.29</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.10	43.65	54.00	-10.35	35.29	34.40	10.61	36.65	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.10	43.65	54.00	-10.35	35.29	34.40	10.61	36.65	0.00	100	333	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.95</td><td>-----</td><td>-----</td><td>99.53</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.95	-----	-----	99.53	34.42	10.63	36.63	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.95	-----	-----	99.53	34.42	10.63	36.63	0.00	100	333	AVERAGE																																											







Mode	19																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.60</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>46.92</td><td>34.38</td><td>10.58</td><td>36.70</td><td>0.00</td><td>308</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.60	55.18	74.00	-18.82	46.92	34.38	10.58	36.70	0.00	308	334	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>115.93</td><td>-----</td><td>-----</td><td>107.51</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>308</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	115.93	-----	-----	107.51	34.42	10.63	36.63	0.00	308	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5119.60	55.18	74.00	-18.82	46.92	34.38	10.58	36.70	0.00	308	334	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	115.93	-----	-----	107.51	34.42	10.63	36.63	0.00	308	334	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>35.07</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>308</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	43.42	54.00	-10.58	35.07	34.40	10.61	36.66	0.00	308	334	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.64</td><td>-----</td><td>-----</td><td>100.22</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>308</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.64	-----	-----	100.22	34.42	10.63	36.63	0.00	308	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.50	43.42	54.00	-10.58	35.07	34.40	10.61	36.66	0.00	308	334	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	108.64	-----	-----	100.22	34.42	10.63	36.63	0.00	308	334	AVERAGE																																																																																							







		20																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>44.52</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>100</td><td>328 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.00	53.52	74.00	-20.48	44.52	34.60	10.75	36.35	0.00	100	328 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.44</td><td>-----</td><td>-----</td><td>100.54</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>328 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	109.44	-----	-----	100.54	34.57	10.73	36.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5362.00	53.52	74.00	-20.48	44.52	34.60	10.75	36.35	0.00	100	328 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5320.00	109.44	-----	-----	100.54	34.57	10.73	36.40	0.00	100	328 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.90</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>33.82</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>100</td><td>328 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5361.90	42.82	54.00	-11.18	33.82	34.60	10.75	36.35	0.00	100	328 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.49</td><td>-----</td><td>-----</td><td>95.57</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>100</td><td>328 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	104.49	-----	-----	95.57	34.58	10.74	36.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5361.90	42.82	54.00	-11.18	33.82	34.60	10.75	36.35	0.00	100	328 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5320.00	104.49	-----	-----	95.57	34.58	10.74	36.40	0.00	100	328 AVERAGE																																																																																										







Mode	20																																																					
	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.30</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>44.68</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>292 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5361.30	53.68	74.00	-20.32	44.68	34.60	10.75	36.35	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5361.30	53.68	74.00	-20.32	44.68	34.60	10.75	36.35	0.00	292 0 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>120.31</td><td>-----</td><td>-----</td><td>111.39</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>292 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	120.31	-----	-----	111.39	34.58	10.74	36.40	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5320.00	120.31	-----	-----	111.39	34.58	10.74	36.40	0.00	292 0 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.00</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>33.43</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>292 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.00	42.43	54.00	-11.57	33.43	34.60	10.75	36.35	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5362.00	42.43	54.00	-11.57	33.43	34.60	10.75	36.35	0.00	292 0 AVERAGE																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.11</td><td>-----</td><td>-----</td><td>101.21</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>292 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.11	-----	-----	101.21	34.57	10.73	36.40	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5320.00	110.11	-----	-----	101.21	34.57	10.73	36.40	0.00	292 0 AVERAGE																																												






Mode	21																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.76</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>43.84</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>103</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5461.36</td><td>52.78</td><td>68.20</td><td>-15.42</td><td>43.45</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>103</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.76	53.07	74.00	-20.93	43.84	34.67	10.81	36.25	0.00	103	328	PEAK	2	5461.36	52.78	68.20	-15.42	43.45	34.70	10.84	36.21	0.00	103	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.17</td><td>-----</td><td>-----</td><td>106.73</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>103</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.17	-----	-----	106.73	34.73	10.88	36.17	0.00	103	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5431.76	53.07	74.00	-20.93	43.84	34.67	10.81	36.25	0.00	103	328	PEAK																																																																																																																
2	5461.36	52.78	68.20	-15.42	43.45	34.70	10.84	36.21	0.00	103	328	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	116.17	-----	-----	106.73	34.73	10.88	36.17	0.00	103	328	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.24</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>33.41</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>103</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	42.72	54.00	-11.28	33.41	34.69	10.84	36.22	0.00	103	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.82</td><td>-----</td><td>-----</td><td>98.38</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>103</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.82	-----	-----	98.38	34.73	10.88	36.17	0.00	103	328	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.24	42.72	54.00	-11.28	33.41	34.69	10.84	36.22	0.00	103	328	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	107.82	-----	-----	98.38	34.73	10.88	36.17	0.00	103	328	AVERAGE																																																																																																																






Mode	21																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.72</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>44.75</td><td>34.66</td><td>10.79</td><td>36.28</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>45.01</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.72	53.92	74.00	-20.08	44.75	34.66	10.79	36.28	0.00	100	339	PEAK	2	5466.96	54.36	68.20	-13.84	45.01	34.70	10.85	36.20	0.00	100	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>115.04</td><td>-----</td><td>-----</td><td>105.60</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.04	-----	-----	105.60	34.73	10.88	36.17	0.00	100	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5416.72	53.92	74.00	-20.08	44.75	34.66	10.79	36.28	0.00	100	339	PEAK																																																																																																				
2	5466.96	54.36	68.20	-13.84	45.01	34.70	10.85	36.20	0.00	100	339	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	115.04	-----	-----	105.60	34.73	10.88	36.17	0.00	100	339	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.20</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>33.57</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	42.88	54.00	-11.12	33.57	34.69	10.84	36.22	0.00	100	339	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.12</td><td>-----</td><td>-----</td><td>97.68</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.12	-----	-----	97.68	34.73	10.88	36.17	0.00	100	339	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.20	42.88	54.00	-11.12	33.57	34.69	10.84	36.22	0.00	100	339	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	107.12	-----	-----	97.68	34.73	10.88	36.17	0.00	100	339	AVERAGE																																																																																																				







		22																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																		
ANT		CDD 6+7																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.20</td><td>61.71</td><td>68.20</td><td>-6.49</td><td>52.96</td><td>34.95</td><td>11.18</td><td>37.38</td><td>0.00</td><td>367</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5730.20	61.71	68.20	-6.49	52.96	34.95	11.18	37.38	0.00	367	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.58</td><td>-----</td><td>-----</td><td>102.55</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>367</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.58	-----	-----	102.55	34.93	11.16	37.06	0.00	367
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5730.20	61.71	68.20	-6.49	52.96	34.95	11.18	37.38	0.00	367	0 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	111.58	-----	-----	102.55	34.93	11.16	37.06	0.00	367	0 PEAK																																																																																									
Avg	Blank																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.44</td><td>-----</td><td>-----</td><td>95.41</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>367</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	104.44	-----	-----	95.41	34.93	11.16	37.06	0.00	367	0 AVERAGE																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	104.44	-----	-----	95.41	34.93	11.16	37.06	0.00	367	0 AVERAGE																																																																																									







Mode	22																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.24</td><td>54.45</td><td>68.20</td><td>-13.75</td><td>45.62</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>219</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.24	54.45	68.20	-13.75	45.62	34.95	11.18	37.30	0.00	219	360	PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>119.18</td><td>-----</td><td>-----</td><td>110.15</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>219</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	119.18	-----	-----	110.15	34.93	11.16	37.06	0.00	219	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.24	54.45	68.20	-13.75	45.62	34.95	11.18	37.30	0.00	219	360	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	119.18	-----	-----	110.15	34.93	11.16	37.06	0.00	219	360	PEAK																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.83</td><td>-----</td><td>-----</td><td>101.80</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>219</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.83	-----	-----	101.80	34.93	11.16	37.06	0.00	219	360	AVERAGE																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	110.83	-----	-----	101.80	34.93	11.16	37.06	0.00	219	360	AVERAGE																																																																																								







Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.10</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>46.27</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.10	54.61	74.00	-19.39	46.27	34.40	10.60	36.66	0.00	100	334	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.55</td><td>-----</td><td>-----</td><td>104.13</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.55	-----	-----	104.13	34.42	10.63	36.63	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.10	54.61	74.00	-19.39	46.27	34.40	10.60	36.66	0.00	100	334	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	112.55	-----	-----	104.13	34.42	10.63	36.63	0.00	100	334	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.40</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>34.94</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.40	43.26	54.00	-10.74	34.94	34.39	10.60	36.67	0.00	100	334	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.41</td><td>-----</td><td>-----</td><td>96.99</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.41	-----	-----	96.99	34.42	10.63	36.63	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5138.40	43.26	54.00	-10.74	34.94	34.39	10.60	36.67	0.00	100	334	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.41	-----	-----	96.99	34.42	10.63	36.63	0.00	100	334	AVERAGE																																																																																							







		23																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																																								
ANT		CDD 6+7																																																																																																								
Pol.		Vertical										Fundamental																																																																																														
Peak																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.50</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>46.32</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.50	54.66	74.00	-19.34	46.32	34.40	10.60	36.66	0.00	292	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.31</td><td>-----</td><td>-----</td><td>105.89</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.31	-----	-----	105.89	34.42	10.63	36.63	0.00	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5145.50	54.66	74.00	-19.34	46.32	34.40	10.60	36.66	0.00	292	0 PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5180.00	114.31	-----	-----	105.89	34.42	10.63	36.63	0.00	292	0 PEAK																																																																																															
Avg																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>34.96</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>292</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	43.32	54.00	-10.68	34.96	34.40	10.61	36.65	0.00	292	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.81</td><td>-----</td><td>-----</td><td>97.39</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>292</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.81	-----	-----	97.39	34.42	10.63	36.63	0.00	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5149.90	43.32	54.00	-10.68	34.96	34.40	10.61	36.65	0.00	292	0 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5180.00	105.81	-----	-----	97.39	34.42	10.63	36.63	0.00	292	0 AVERAGE																																																																																															



		24																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.70</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>43.48</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>262</td><td>317</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.70	52.51	74.00	-21.49	43.48	34.61	10.76	36.34	0.00	262	317	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.63</td><td>-----</td><td>-----</td><td>101.73</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>262</td><td>317</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.63	-----	-----	101.73	34.57	10.73	36.40	0.00	262	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5369.70	52.51	74.00	-21.49	43.48	34.61	10.76	36.34	0.00	262	317	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	110.63	-----	-----	101.73	34.57	10.73	36.40	0.00	262	317	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>32.98</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>262</td><td>317</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	41.95	54.00	-12.05	32.98	34.59	10.75	36.37	0.00	262	317	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.74</td><td>-----</td><td>-----</td><td>94.84</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>262</td><td>317</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.74	-----	-----	94.84	34.57	10.73	36.40	0.00	262	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.20	41.95	54.00	-12.05	32.98	34.59	10.75	36.37	0.00	262	317	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	103.74	-----	-----	94.84	34.57	10.73	36.40	0.00	262	317	AVERAGE																																																																																																			



		24																																																			
Mode		Band Edge																																																			
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																			
ANT		CDD 6+7																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.50</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>45.17</td><td>34.62</td><td>10.76</td><td>36.33</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.50	54.22	74.00	-19.78	45.17	34.62	10.76	36.33	0.00	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5378.50	54.22	74.00	-19.78	45.17	34.62	10.76	36.33	0.00	291	0 PEAK																																										
Fundamental																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>116.33</td><td>-----</td><td>-----</td><td>107.43</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>291</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	116.33	-----	-----	107.43	34.57	10.73	36.40	0.00	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	116.33	-----	-----	107.43	34.57	10.73	36.40	0.00	291	0 PEAK																																										
Avg																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>33.90</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>291</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	42.87	54.00	-11.13	33.90	34.59	10.75	36.37	0.00	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.00	42.87	54.00	-11.13	33.90	34.59	10.75	36.37	0.00	291	0 AVERAGE																																										
Avg																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.64</td><td>-----</td><td>-----</td><td>98.74</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>291</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.64	-----	-----	98.74	34.57	10.73	36.40	0.00	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	107.64	-----	-----	98.74	34.57	10.73	36.40	0.00	291	0 AVERAGE																																										






		25																																																																																																																					
Mode		Band Edge																																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																																					
ANT		CDD 6+7																																																																																																																					
Pol.	Horizontal										Fundamental																																																																																																												
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5458.80</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>45.10</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>104</td><td>329 PEAK</td></tr><tr><td>2</td><td>5464.88</td><td>52.99</td><td>68.20</td><td>-15.21</td><td>43.65</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>104</td><td>329 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.80	54.42	74.00	-19.58	45.10	34.70	10.84	36.22	0.00	104	329 PEAK	2	5464.88	52.99	68.20	-15.21	43.65	34.70	10.85	36.21	0.00	104	329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.68</td><td>-----</td><td>-----</td><td>105.24</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>104</td><td>329 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	114.68	-----	-----	105.24	34.73	10.88	36.17	0.00	104
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5458.80	54.42	74.00	-19.58	45.10	34.70	10.84	36.22	0.00	104	329 PEAK																																																																																																												
2	5464.88	52.99	68.20	-15.21	43.65	34.70	10.85	36.21	0.00	104	329 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	114.68	-----	-----	105.24	34.73	10.88	36.17	0.00	104	329 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>33.49</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>104</td><td>329 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.16	42.80	54.00	-11.20	33.49	34.69	10.84	36.22	0.00	104	329 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.13</td><td>-----</td><td>-----</td><td>96.69</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>104</td><td>329 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	106.13	-----	-----	96.69	34.73	10.88	36.17	0.00	104	329 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5458.16	42.80	54.00	-11.20	33.49	34.69	10.84	36.22	0.00	104	329 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	106.13	-----	-----	96.69	34.73	10.88	36.17	0.00	104	329 AVERAGE																																																																																																												






Mode	25																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>44.40</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>52.87</td><td>68.20</td><td>-15.33</td><td>43.53</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	53.71	74.00	-20.29	44.40	34.69	10.84	36.22	0.00	100	345	PEAK	2	5465.84	52.87	68.20	-15.33	43.53	34.70	10.85	36.21	0.00	100	345
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5456.40	53.71	74.00	-20.29	44.40	34.69	10.84	36.22	0.00	100	345	PEAK																																																								
2	5465.84	52.87	68.20	-15.33	43.53	34.70	10.85	36.21	0.00	100	345	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>34.02</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	43.33	54.00	-10.67	34.02	34.69	10.84	36.22	0.00	100	345	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.32	43.33	54.00	-10.67	34.02	34.69	10.84	36.22	0.00	100	345	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.86</td><td>-----</td><td>-----</td><td>106.42</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.86	-----	-----	106.42	34.73	10.88	36.17	0.00	100	345	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	115.86	-----	-----	106.42	34.73	10.88	36.17	0.00	100	345	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.47</td><td>-----</td><td>-----</td><td>98.03</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.47	-----	-----	98.03	34.73	10.88	36.17	0.00	100	345	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.47	-----	-----	98.03	34.73	10.88	36.17	0.00	100	345	AVERAGE																																																								







Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																
ANT	CDD 6+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5742.52</td><td>55.32</td><td>68.20</td><td>-12.88</td><td>46.73</td><td>34.96</td><td>11.20</td><td>37.57</td><td>0.00</td><td>254</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5742.52	55.32	68.20	-12.88	46.73	34.96	11.20	37.57	0.00	254	338	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>111.11</td><td>-----</td><td>-----</td><td>101.99</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>254</td><td>338</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5700.00	111.11	-----	-----	101.99	34.93	11.15	36.96	0.00	254	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5742.52	55.32	68.20	-12.88	46.73	34.96	11.20	37.57	0.00	254	338	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5700.00	111.11	-----	-----	101.99	34.93	11.15	36.96	0.00	254	338	PEAK																																																																																					
Avg	Blank																																																																																																
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>103.37</td><td>-----</td><td>-----</td><td>94.25</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>254</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5700.00	103.37	-----	-----	94.25	34.93	11.15	36.96	0.00	254	338	AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5700.00	103.37	-----	-----	94.25	34.93	11.15	36.96	0.00	254	338	AVERAGE																																																																																					







Mode	26																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5737.56</td><td>64.35</td><td>68.20</td><td>-3.85</td><td>55.69</td><td>34.96</td><td>11.19</td><td>37.49</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.56	64.35	68.20	-3.85	55.69	34.96	11.19	37.49	0.00	173	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>116.31</td><td>-----</td><td>-----</td><td>107.19</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	116.31	-----	-----	107.19	34.93	11.15	36.96	0.00	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5737.56	64.35	68.20	-3.85	55.69	34.96	11.19	37.49	0.00	173	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	116.31	-----	-----	107.19	34.93	11.15	36.96	0.00	173	0 PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.61</td><td>-----</td><td>-----</td><td>99.49</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.61	-----	-----	99.49	34.93	11.15	36.96	0.00	173	0 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	108.61	-----	-----	99.49	34.93	11.15	36.96	0.00	173	0 AVERAGE																																																																																					







Mode	27																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>68.92</td><td>74.00</td><td>-5.08</td><td>60.56</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>336</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	68.92	74.00	-5.08	60.56	34.40	10.61	36.65	0.00	100	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.40	68.92	74.00	-5.08	60.56	34.40	10.61	36.65	0.00	100	336	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.13</td><td>-----</td><td>-----</td><td>102.71</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>336</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.13	-----	-----	102.71	34.42	10.63	36.63	0.00	100	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	111.13	-----	-----	102.71	34.42	10.63	36.63	0.00	100	336	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>36.92</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>336</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	45.28	54.00	-8.72	36.92	34.40	10.61	36.65	0.00	100	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.50	45.28	54.00	-8.72	36.92	34.40	10.61	36.65	0.00	100	336	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.03</td><td>-----</td><td>-----</td><td>94.61</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>336</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.03	-----	-----	94.61	34.42	10.63	36.63	0.00	100	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	103.03	-----	-----	94.61	34.42	10.63	36.63	0.00	100	336	AVERAGE																																											







		27																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.20</td><td>64.79</td><td>74.00</td><td>-9.21</td><td>56.43</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>290</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.20	64.79	74.00	-9.21	56.43	34.40	10.61	36.65	0.00	290	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.74</td><td>-----</td><td>-----</td><td>103.29</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>290</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	111.74	-----	-----	103.29	34.43	10.64	36.62	0.00	290	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5149.20	64.79	74.00	-9.21	56.43	34.40	10.61	36.65	0.00	290	0	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	111.74	-----	-----	103.29	34.43	10.64	36.62	0.00	290	0	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>35.16</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>290</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.00	43.52	54.00	-10.48	35.16	34.40	10.61	36.65	0.00	290	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.69</td><td>-----</td><td>-----</td><td>96.24</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>290</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.69	-----	-----	96.24	34.43	10.64	36.62	0.00	290	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5149.00	43.52	54.00	-10.48	35.16	34.40	10.61	36.65	0.00	290	0	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	104.69	-----	-----	96.24	34.43	10.64	36.62	0.00	290	0	AVERAGE																																																																																						



Mode	28																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.60</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>49.98</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.60	58.96	74.00	-15.04	49.98	34.60	10.75	36.37	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.60	58.96	74.00	-15.04	49.98	34.60	10.75	36.37	0.00	100	327	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.98</td><td>-----</td><td>-----</td><td>102.10</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.98	-----	-----	102.10	34.56	10.73	36.41	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	110.98	-----	-----	102.10	34.56	10.73	36.41	0.00	100	327	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.60</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>33.11</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.60	42.08	54.00	-11.92	33.11	34.59	10.75	36.37	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.60	42.08	54.00	-11.92	33.11	34.59	10.75	36.37	0.00	100	327	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.36</td><td>-----</td><td>-----</td><td>94.48</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.36	-----	-----	94.48	34.56	10.73	36.41	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	103.36	-----	-----	94.48	34.56	10.73	36.41	0.00	100	327	AVERAGE																																											



	28																																																																																																
Mode	Band Edge																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																																
ANT	CDD 6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.50</td><td>64.77</td><td>74.00</td><td>-9.23</td><td>55.75</td><td>34.61</td><td>10.76</td><td>36.35</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.50	64.77	74.00	-9.23	55.75	34.61	10.76	36.35	0.00	292	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.85</td><td>-----</td><td>-----</td><td>104.95</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.85	-----	-----	104.95	34.57	10.73	36.40	0.00	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5364.50	64.77	74.00	-9.23	55.75	34.61	10.76	36.35	0.00	292	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5320.00	113.85	-----	-----	104.95	34.57	10.73	36.40	0.00	292	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>36.82</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>292</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	45.79	54.00	-8.21	36.82	34.59	10.75	36.37	0.00	292	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.63</td><td>-----</td><td>-----</td><td>96.73</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>292</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.63	-----	-----	96.73	34.57	10.73	36.40	0.00	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5350.10	45.79	54.00	-8.21	36.82	34.59	10.75	36.37	0.00	292	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5320.00	105.63	-----	-----	96.73	34.57	10.73	36.40	0.00	292	0 AVERAGE																																																																																						