



Report No.: FG451315F

: 1 of 10

Page Number

FCC Part 96.47 TEST REPORT

FCC ID : HFS-QTAWUA Equipment : 5G USB Modem

Model Name : QTAWUA

Applicant : Quanta Computer Inc.

NO.188, Wenhua 2nd Rd., Guishan Dist.,

Taoyuan City 33377, Taiwan

Manufacturer : Quanta Computer Inc.

NO.188, Wenhua 2nd Rd., Guishan Dist.,

Taoyuan City 33377, Taiwan

Standard : FCC Part 96.47

RF Interface : NR n48

The product was received on May 31, 2024, and testing was performed from Jun. 25, 2024 to Jun. 25, 2024. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

TEL: 886-3-327-0868

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C)

FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024 Report Template No.: BU5-FGLTE96.47 Version 2.0 Report Version : 01

Table of Contents

Report No.: FG451315F

His	story o	of this test report	3
		ry of Test Result	
1		eral Description	
-		Product Feature of Equipment Under Test	
	1.2	Modification of EUT	5
	1.3	Testing Laboratory	5
		Applicable Standards	
2		Configuration of Equipment Under Test	
		Connection Diagram of Test System	
3		User Device additional requirement	
		Test Requirement	
	3.2	Test Procedure	7
	3.3	Test Result	8
4	Meas	suring Equipment List	10
Αp	pendi	ix A. Setup Photographs	

TEL: 886-3-327-0868 Page Number : 2 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

History of this test report

Report No.: FG451315F

Report No. Version		Description	Issue Date		
FG451315F	01	Initial issue of report	Dec. 24, 2024		

TEL: 886-3-327-0868 Page Number : 3 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

Summary of Test Result

Report No.: FG451315F

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

Conformity Assessment Condition:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng Report Producer: Lucy Wu

TEL: 886-3-327-0868 Page Number : 4 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature				
General Specs				
LTE and 5G NR.				
Antenna Type				
WWAN: PIFA Antenna				

Report No.: FG451315F

Remark: The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

1.2 Modification of EUT

No modifications are made to the EUT during the entire test sessions.

1.3 Testing Laboratory

Test Site	Sporton International Inc. Wensan Laboratory		
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855		
Test Site No.	Sporton Site No.		
rest site No.	TH05-HY		
Test Engineer	Thomas Chen		
Temperature	22 ~ 24 °C		
Relative Humidity	48 ~ 52 %		

FCC designation No.: TW3786

1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification


Remark:

- 1. All test items were verified and recorded according to the standards and without any deviation during the test.
- 2. The TAF code is not including all the FCC KDB listed without accreditation.

TEL: 886-3-327-0868 Page Number : 5 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



Report No.: FG451315F

The companion device is a certified NR CBSD (FCC ID: WBK-RU4370)

TEL: 886-3-327-0868 Page Number : 6 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

- (a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.
- (1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

Report No.: FG451315F


3.2 Test Procedure

The following procedure is following in accordance with WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, using the certified Airspan NR CBSD (FCC ID: WBK-RU4370) as companion device to present compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Configure SAS granted CBSD to operate at frequency 3560-3600 MHz and power level 30 dBm/MHz
- 2. Enable CBSD service from BTI management
- 3. Check EUD Tx Frequency and power
- 4. Disable CBSD service from BTI management
 - a. Check if EUD stops transmission within 10 seconds.
- 5. Configure SAS granted CBSD to operate at frequency 3650-3690 MHz and power level 20 dBm/MHz
- 6. Enable CBSD service from BTI management
- 7. Check EUD Tx Frequency and power
- 8. Disable CBSD service from BTI management
 - a. Check if EUD stops transmission within 10 seconds.

TEL: 886-3-327-0868 Page Number : 7 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

3.3 Test Result



Report No.: FG451315F




TEL: 886-3-327-0868 Page Number : 8 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

[Step 5] Configure SAS granted CBSD to operate at frequency 3650-3690 MHz & power level 20 dBm/MHz

Report No.: FG451315F

[Step 7] Check EUD Tx Frequency and power



[Step 8.a.] After changing the frequency and power level,

The EUD discontinues operating, changes frequencies, or changes its operational power level within 10 seconds right after receiving instructions from its associated CBSD. Test result is a PASS.



TEL: 886-3-327-0868 Page Number : 9 of 10
FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024

4 Measuring Equipment List

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV3044	101435	10Hz~44GHz	Nov. 01, 2023	Jun. 25, 2024	Oct. 31, 2024	Conducted (TH05-HY)

Report No.: FG451315F

TEL: 886-3-327-0868 Page Number : 10 of 10 FAX: 886-3-327-0855 Issue Date : Dec. 24, 2024