





FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0070	PASS
40	Normal Voltage	0.0108	
30	Normal Voltage	0.0056	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0113	
0	Normal Voltage	0.0040	
-10	Normal Voltage	0.0107	
-20	Normal Voltage	0.0112	
-30	Normal Voltage	0.0095	
20	Maximum Voltage	0.0114	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0125	

Note:

1. Normal Voltage = 5.0 V. ; Battery End Point (BEP) = 4.5 V. ; Maximum Voltage = 5.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
2	Part 22H	NR SA n5	L	3304	-54.21	RMS	29.60	-20.77	0.26	-95.23	31.93	-13.00	-41.21	H	8
2	Part 24E	NR SA n2	H	7485	-43.98	RMS	36.23	-16.78	0.44	-95.23	31.36	-13.00	-30.98	H	3
3	Part 24E	EN-DC B66+n2	M	7485	-43.87	RMS	36.23	-16.78	0.44	-95.23	31.47	-13.00	-30.87	H	3+8
1	Part 27Q	NR SA n77	M	13827	-33.07	RMS	40.50	-11.94	0.42	-95.23	33.18	-13.00	-20.07	H	1
2	Part 27Q	NR SA n77	L	13807	-33.42	RMS	40.50	-11.95	0.42	-95.23	32.84	-13.00	-20.42	H	3
3	Part 27Q	NR SA n77	M	13826	-33.76	RMS	40.50	-11.94	0.42	-95.23	32.49	-13.00	-20.76	V	5
4	Part 27Q	NR SA n77	L	13803	-33.99	RMS	40.50	-11.95	0.42	-95.23	32.27	-13.00	-20.99	H	6
5	Part 27Q	NR SA n77	H	13847	-34.07	RMS	40.50	-11.92	0.42	-95.23	32.16	-13.00	-21.07	V	1+6
6	Part 27Q	NR SA n77	M	13805	-33.68	RMS	40.50	-11.95	0.42	-95.23	32.58	-13.00	-20.68	H	1+5
7	Part 27Q	NR SA n77	M	13805	-34.29	RMS	40.50	-11.95	0.42	-95.23	31.97	-13.00	-21.29	V	1+3
8	Part 27Q	NR SA n77	M	13805	-34.46	RMS	40.50	-11.95	0.42	-95.23	31.80	-13.00	-21.46	V	3+6
9	Part 27Q	NR SA n77	M	13805	-34.32	RMS	40.50	-11.95	0.42	-95.23	31.94	-13.00	-21.32	V	3+5
10	Part 27Q	NR SA n77	M	13805	-34.34	RMS	40.50	-11.95	0.42	-95.23	31.92	-13.00	-21.34	H	5+6
1	Part 27O	NR SA n77	L	14805	-32.94	RMS	40.19	-11.10	0.50	-95.23	32.70	-13.00	-19.94	H	1
2	Part 27O	NR SA n77	L	14805	-33.66	RMS	40.19	-11.10	0.50	-95.23	31.98	-13.00	-20.66	H	3
3	Part 27O	NR SA n77	L	14805	-33.55	RMS	40.19	-11.10	0.50	-95.23	32.09	-13.00	-20.55	H	5
4	Part 27O	NR SA n77	L	14805	-33.76	RMS	40.19	-11.10	0.50	-95.23	31.88	-13.00	-20.76	H	6
5	Part 27O	NR SA n77	L	14805	-33.89	RMS	40.19	-11.10	0.50	-95.23	31.75	-13.00	-20.89	V	1+6
6	Part 27O	NR SA n77	M	15165	-34.60	RMS	39.07	-10.78	0.54	-95.23	31.80	-13.00	-21.60	V	1+5
7	Part 27O	NR SA n77	M	15165	-34.78	RMS	39.07	-10.78	0.54	-95.23	31.62	-13.00	-21.78	H	1+3
8	Part 27O	NR SA n77	M	15165	-33.80	RMS	39.07	-10.78	0.54	-95.23	32.60	-13.00	-20.80	V	3+6
9	Part 27O	NR SA n77	M	15165	-34.21	RMS	39.07	-10.78	0.54	-95.23	32.19	-13.00	-21.21	H	3+5
10	Part 27O	NR SA n77	M	15165	-34.04	RMS	39.07	-10.78	0.54	-95.23	32.36	-13.00	-21.04	V	5+6
5	Part 27L	NR SA n66	H	6969	-44.76	RMS	35.80	-17.12	0.38	-95.23	31.41	-13.00	-31.76	V	3
6	Part 27L	EN-DC B2+n66	M	6909	-45.46	RMS	35.80	-17.07	0.39	-95.23	30.65	-13.00	-32.46	V	3+8




Ant. 8

Part 22H Mode 2


NR SA n5 20M Ch166800 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch166800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBm	dB		
1	1648.00	-61.00	RMS	25.02	-23.95	0.52	-95.23	32.64	-13.00	-48.00	Horizontal		
2	2472.00	-58.02	RMS	27.62	-22.24	0.33	-95.23	31.50	-13.00	-45.02	Horizontal		
3	3304.00	-54.21	RMS	29.60	-20.77	0.26	-95.23	31.93	-13.00	-41.21	Horizontal		



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch166800 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBm	dB		
1	1648.00	-60.80	RMS	25.02	-23.95	0.52	-95.23	32.84	-13.00	-47.80	Vertical		
2	2472.00	-58.28	RMS	27.62	-22.24	0.33	-95.23	31.24	-13.00	-45.28	Vertical		
3	3304.00	-54.54	RMS	29.60	-20.77	0.26	-95.23	31.60	-13.00	-41.54	Vertical		




Ant. 8

Part 22H Mode 2


NR SA n5 20M Ch167300 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm
1	1656.00	-60.69	RMS	25.00	-23.93	0.52	-95.23	32.95	-13.00	-47.69
2	2480.00	-57.98	RMS	27.70	-22.24	0.33	-95.23	31.46	-13.00	-44.98
3	3312.00	-55.19	RMS	29.60	-20.76	0.26	-95.23	30.94	-13.00	-42.19



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm
1	1656.00	-61.23	RMS	25.00	-23.93	0.52	-95.23	32.41	-13.00	-48.23
2	2480.00	-58.00	RMS	27.70	-22.24	0.33	-95.23	31.44	-13.00	-45.00
3	3312.00	-54.43	RMS	29.60	-20.76	0.26	-95.23	31.70	-13.00	-41.43




Ant. 8

Part 22H Mode 2


NR SA n5 20M Ch167800 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm			dB/m	dB	dB	dB	dB	dB
1	1656.00	-61.25	RMS	25.00	-23.93	0.52	-95.23	32.39	-13.00	-48.25 Horizontal
2	2488.00	-57.61	RMS	27.70	-22.24	0.33	-95.23	31.83	-13.00	-44.61 Horizontal
3	3320.00	-54.75	RMS	29.60	-20.75	0.26	-95.23	31.37	-13.00	-41.75 Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm			dB/m	dB	dB	dB	dB	dB
1	1656.00	-61.34	RMS	25.00	-23.93	0.52	-95.23	32.30	-13.00	-48.34 Vertical
2	2488.00	-57.52	RMS	27.70	-22.24	0.33	-95.23	31.92	-13.00	-44.52 Vertical
3	3320.00	-54.47	RMS	29.60	-20.75	0.26	-95.23	31.65	-13.00	-41.47 Vertical




Ant. 3


Part 24E Mode 2

NR SA n2 40M Ch374000 1RB1 BPSK

L



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3705.00	-53.96	RMS	29.63	-20.12	0.81	-95.23	30.95	-13.00	-40.96	Horizontal	
2	5550.00	-49.73	RMS	32.80	-17.57	0.39	-95.23	29.88	-13.00	-36.73	Horizontal	
3	7410.00	-44.47	RMS	36.38	-16.79	0.38	-95.23	30.79	-13.00	-31.47	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3705.00	-53.45	RMS	29.63	-20.12	0.81	-95.23	31.46	-13.00	-40.45	Vertical	
2	5550.00	-49.83	RMS	32.80	-17.57	0.39	-95.23	29.78	-13.00	-36.83	Vertical	
3	7410.00	-44.46	RMS	36.38	-16.79	0.38	-95.23	30.80	-13.00	-31.46	Vertical	




Ant. 3


Part 24E Mode 2

NR SA n2 40M Ch376000 1RB1 BPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3720.00	-53.97	RMS	29.72	-20.07	0.79	-95.23	30.82	-13.00	-40.97	Horizontal			
2	5580.00	-49.36	RMS	32.80	-17.54	0.39	-95.23	30.22	-13.00	-36.36	Horizontal			
3	7455.00	-44.38	RMS	36.29	-16.79	0.42	-95.23	30.93	-13.00	-31.38	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3720.00	-54.29	RMS	29.72	-20.07	0.79	-95.23	30.50	-13.00	-41.29	Vertical			
2	5580.00	-49.00	RMS	32.80	-17.54	0.39	-95.23	30.58	-13.00	-36.00	Vertical			
3	7455.00	-44.73	RMS	36.29	-16.79	0.42	-95.23	30.58	-13.00	-31.73	Vertical			




Ant. 3


Part 24E Mode 2

NR SA n2 40M Ch378000 1RB1 BPSK

H



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3750.00	-53.71	RMS	29.90	-19.97	0.76	-95.23	30.83	-13.00	-40.71	Horizontal			
2	5610.00	-49.22	RMS	32.84	-17.51	0.39	-95.23	30.29	-13.00	-36.22	Horizontal			
3	7485.00	-43.98	RMS	36.23	-16.78	0.44	-95.23	31.36	-13.00	-30.98	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3750.00	-53.56	RMS	29.90	-19.97	0.76	-95.23	30.98	-13.00	-40.56	Vertical			
2	5610.00	-49.82	RMS	32.84	-17.51	0.39	-95.23	29.69	-13.00	-36.82	Vertical			
3	7485.00	-44.36	RMS	36.23	-16.78	0.44	-95.23	30.98	-13.00	-31.36	Vertical			




Ant. 3+8

Part 24E Mode 3


EN-DC B66+n2 20M + 20M Ch132322 1RB0 QPSK + Ch372000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.00	-53.83	RMS	29.61	-20.12	0.81	-95.23	31.10	-13.00	-40.83 Horizontal
2	5553.00	-49.09	RMS	32.80	-17.57	0.39	-95.23	30.52	-13.00	-36.09 Horizontal
3	7405.00	-44.11	RMS	36.39	-16.80	0.37	-95.23	31.16	-13.00	-31.11 Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3702.00	-53.51	RMS	29.61	-20.12	0.81	-95.23	31.42	-13.00	-40.51 Vertical
2	5553.00	-49.85	RMS	32.80	-17.57	0.39	-95.23	29.76	-13.00	-36.85 Vertical
3	7405.00	-43.97	RMS	36.39	-16.80	0.37	-95.23	31.30	-13.00	-30.97 Vertical




Ant. 3+8

Part 24E Mode 3


EN-DC B66+n2 20M + 20M Ch132322 1RB0 QPSK + Ch376000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3742.00	-53.57	RMS	29.85	-20.00	0.77	-95.23	31.04	-13.00	-40.57 Horizontal
2	5613.00	-49.72	RMS	32.85	-17.51	0.39	-95.23	29.78	-13.00	-36.72 Horizontal
3	7485.00	-43.87	RMS	36.23	-16.78	0.44	-95.23	31.47	-13.00	-30.87 Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3742.00	-53.42	RMS	29.85	-20.00	0.77	-95.23	31.19	-13.00	-40.42 Vertical
2	5613.00	-49.42	RMS	32.85	-17.51	0.39	-95.23	30.08	-13.00	-36.42 Vertical
3	7485.00	-44.24	RMS	36.23	-16.78	0.44	-95.23	31.10	-13.00	-31.24 Vertical




Ant. 3+8

Part 24E Mode 3


EN-DC B66+n2 20M + 20M Ch132322 1RB0 QPSK + Ch380000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3782.00	-52.93	RMS	30.16	-19.87	0.74	-95.23	31.27	-13.00	-39.93 Horizontal
2	5673.00	-48.46	RMS	33.18	-17.48	0.39	-95.23	30.68	-13.00	-35.46 Horizontal
3	7565.00	-44.57	RMS	36.03	-16.66	0.51	-95.23	30.78	-13.00	-31.57 Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 66 20M Ch132322 1RB0 QPSK
: NR SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3782.00	-53.03	RMS	30.16	-19.87	0.74	-95.23	31.17	-13.00	-40.03 Vertical
2	5673.00	-49.14	RMS	33.18	-17.48	0.39	-95.23	30.00	-13.00	-36.14 Vertical
3	7565.00	-44.67	RMS	36.03	-16.66	0.51	-95.23	30.68	-13.00	-31.67 Vertical




Ant. 1

Part 27Q Mode 1


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-43.74	RMS	35.80	-17.06	1.25	-95.23	0.00	-13.00	-30.74	Horizontal			
2	10355.00	-38.72	RMS	38.60	-13.79	0.45	-95.23	31.25	-13.00	-25.72	Horizontal			
3	13807.00	-33.50	RMS	40.50	-11.95	0.42	-95.23	32.76	-13.00	-20.50	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-43.84	RMS	35.80	-17.06	1.25	-95.23	31.40	-13.00	-30.84	Vertical			
2	10355.00	-38.65	RMS	38.60	-13.79	0.45	-95.23	31.32	-13.00	-25.65	Vertical			
3	13807.00	-33.65	RMS	40.50	-11.95	0.42	-95.23	32.61	-13.00	-20.65	Vertical			




Ant. 1

Part 27Q Mode 1


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	6913.00	-43.64	RMS	35.80	-17.07	1.26	-95.23	31.60	-13.00	-30.64	Horizontal			
2	10370.00	-38.40	RMS	38.60	-13.78	0.45	-95.23	31.56	-13.00	-25.40	Horizontal			
3	13827.00	-33.07	RMS	40.50	-11.94	0.42	-95.23	33.18	-13.00	-20.07	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	6913.00	-43.92	RMS	35.80	-17.07	1.26	-95.23	31.32	-13.00	-30.92	Vertical			
2	10370.00	-38.08	RMS	38.60	-13.78	0.45	-95.23	31.88	-13.00	-25.08	Vertical			
3	13827.00	-33.49	RMS	40.50	-11.94	0.42	-95.23	32.76	-13.00	-20.49	Vertical			




Ant. 1

Part 27Q Mode 1


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6923.00	-43.65	RMS	35.80	-17.08	1.27	-95.23	31.59	-13.00	-30.65	Horizontal	
2	10385.00	-38.58	RMS	38.60	-13.78	0.45	-95.23	31.38	-13.00	-25.58	Horizontal	
3	13847.00	-33.44	RMS	40.50	-11.92	0.42	-95.23	32.79	-13.00	-20.44	Horizontal	



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6923.00	-43.43	RMS	35.80	-17.08	1.27	-95.23	31.81	-13.00	-30.43	Vertical	
2	10385.00	-38.78	RMS	38.60	-13.78	0.45	-95.23	31.18	-13.00	-25.78	Vertical	
3	13847.00	-33.31	RMS	40.50	-11.92	0.42	-95.23	32.92	-13.00	-20.31	Vertical	




Ant. 3

Part 27Q Mode 2


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6903.00	-44.21	RMS		35.80	-17.06	1.25	-95.23	0.00	-13.00	-31.21	Horizontal
2	10355.00	-38.61	RMS		38.60	-13.79	0.45	-95.23	31.36	-13.00	-25.61	Horizontal
3	13807.00	-33.42	RMS		40.50	-11.95	0.42	-95.23	32.84	-13.00	-20.42	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6903.00	-44.16	RMS		35.80	-17.06	1.25	-95.23	31.08	-13.00	-31.16	Vertical
2	10355.00	-38.64	RMS		38.60	-13.79	0.45	-95.23	31.33	-13.00	-25.64	Vertical
3	13807.00	-33.58	RMS		40.50	-11.95	0.42	-95.23	32.68	-13.00	-20.58	Vertical




Ant. 3

Part 27Q Mode 2


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-44.29	RMS	35.80	-17.07	1.26	-95.23	30.95	-13.00	-31.29	Horizontal			
2	10370.00	-39.39	RMS	38.60	-13.78	0.45	-95.23	30.57	-13.00	-26.39	Horizontal			
3	13827.00	-34.40	RMS	40.50	-11.94	0.42	-95.23	31.85	-13.00	-21.40	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-44.43	RMS	35.80	-17.07	1.26	-95.23	30.81	-13.00	-31.43	Vertical			
2	10370.00	-39.37	RMS	38.60	-13.78	0.45	-95.23	30.59	-13.00	-26.37	Vertical			
3	13827.00	-33.91	RMS	40.50	-11.94	0.42	-95.23	32.34	-13.00	-20.91	Vertical			




Ant. 3


Part 27Q Mode 2

NR SA n77 90M Ch633666 1RB1 BPSK

H



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-43.79	RMS	35.80	-17.08	1.27	-95.23	31.45	-13.00	-30.79	Horizontal	
2	10385.00	-38.79	RMS	38.60	-13.78	0.45	-95.23	31.17	-13.00	-25.79	Horizontal	
3	13847.00	-33.71	RMS	40.50	-11.92	0.42	-95.23	32.52	-13.00	-20.71	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.02	RMS	35.80	-17.08	1.27	-95.23	31.22	-13.00	-31.02	Vertical	
2	10385.00	-38.94	RMS	38.60	-13.78	0.45	-95.23	31.02	-13.00	-25.94	Vertical	
3	13847.00	-33.81	RMS	40.50	-11.92	0.42	-95.23	32.42	-13.00	-20.81	Vertical	




Ant. 5

Part 27Q Mode 3


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6907.50	-43.99	RMS		35.80	-17.07	1.25	-95.23	0.00	-13.00	-30.99	Horizontal
2	10350.00	-38.56	RMS		38.60	-13.79	0.45	-95.23	31.41	-13.00	-25.56	Horizontal
3	13803.75	-33.77	RMS		40.50	-11.95	0.42	-95.23	32.49	-13.00	-20.77	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6907.50	-44.26	RMS		35.80	-17.07	1.25	-95.23	30.99	-13.00	-31.26	Vertical
2	10350.00	-38.75	RMS		38.60	-13.79	0.45	-95.23	31.22	-13.00	-25.75	Vertical
3	13803.75	-34.12	RMS		40.50	-11.95	0.42	-95.23	32.14	-13.00	-21.12	Vertical




Ant. 5

Part 27Q Mode 3


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit		Margin	Pol
	Factor	l			g	dBm							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6907.50	-44.13	RMS		35.80	-17.07	1.25	-95.23	31.12	-13.00	-31.13	Horizontal	
2	10372.50	-38.92	RMS		38.60	-13.78	0.45	-95.23	31.04	-13.00	-25.92	Horizontal	
3	13826.25	-34.10	RMS		40.50	-11.94	0.42	-95.23	32.15	-13.00	-21.10	Horizontal	



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6907.50	-44.21	RMS	35.80	-17.07	1.25	-95.23	31.04	-13.00	-31.21	Vertical
2	10372.50	-38.88	RMS	38.60	-13.78	0.45	-95.23	31.08	-13.00	-25.88	Vertical
3	13826.25	-33.76	RMS	40.50	-11.94	0.42	-95.23	32.49	-13.00	-20.76	Vertical




Ant. 5

Part 27Q Mode 3


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6918.75	-44.20	RMS		35.80	-17.08	1.26	-95.23	31.05	-13.00	-31.20	Horizontal
2	10383.75	-39.01	RMS		38.60	-13.78	0.45	-95.23	30.95	-13.00	-26.01	Horizontal
3	13848.75	-34.26	RMS		40.50	-11.92	0.42	-95.23	31.97	-13.00	-21.26	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6918.75	-44.13	RMS		35.80	-17.08	1.26	-95.23	31.12	-13.00	-31.13	Vertical
2	10383.75	-38.73	RMS		38.60	-13.78	0.45	-95.23	31.23	-13.00	-25.73	Vertical
3	13848.75	-33.86	RMS		40.50	-11.92	0.42	-95.23	32.37	-13.00	-20.86	Vertical




Ant. 6

Part 27Q Mode 4


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6907.50	-44.51	RMS	35.80	-17.07	1.25	-95.23	0.00	-13.00	-31.51	Horizontal			
2	10350.00	-39.25	RMS	38.60	-13.79	0.45	-95.23	30.72	-13.00	-26.25	Horizontal			
3	13803.75	-33.99	RMS	40.50	-11.95	0.42	-95.23	32.27	-13.00	-20.99	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6907.50	-44.70	RMS	35.80	-17.07	1.25	-95.23	30.55	-13.00	-31.70	Vertical			
2	10350.00	-39.37	RMS	38.60	-13.79	0.45	-95.23	30.60	-13.00	-26.37	Vertical			
3	13803.75	-34.11	RMS	40.50	-11.95	0.42	-95.23	32.15	-13.00	-21.11	Vertical			




Ant. 6


Part 27Q Mode 4

NR SA n77 90M Ch633332 1RB1 BPSK

M



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6907.50	-44.66	RMS	35.80	-17.07	1.25	-95.23	30.59	-13.00	-31.66	Horizontal	
2	10372.50	-39.37	RMS	38.60	-13.78	0.45	-95.23	30.59	-13.00	-26.37	Horizontal	
3	13826.25	-34.48	RMS	40.50	-11.94	0.42	-95.23	31.77	-13.00	-21.48	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6907.50	-44.52	RMS	35.80	-17.07	1.25	-95.23	30.73	-13.00	-31.52	Vertical	
2	10372.50	-39.52	RMS	38.60	-13.78	0.45	-95.23	30.44	-13.00	-26.52	Vertical	
3	13826.25	-34.23	RMS	40.50	-11.94	0.42	-95.23	32.02	-13.00	-21.23	Vertical	




Ant. 6

Part 27Q Mode 4


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6918.75	-44.38	RMS		35.80	-17.08	1.26	-95.23	30.87	-13.00	-31.38	Horizontal
2	10383.75	-39.31	RMS		38.60	-13.78	0.45	-95.23	30.65	-13.00	-26.31	Horizontal
3	13848.75	-34.47	RMS		40.50	-11.92	0.42	-95.23	31.76	-13.00	-21.47	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6918.75	-44.25	RMS		35.80	-17.08	1.26	-95.23	31.00	-13.00	-31.25	Vertical
2	10383.75	-39.51	RMS		38.60	-13.78	0.45	-95.23	30.45	-13.00	-26.51	Vertical
3	13848.75	-34.56	RMS		40.50	-11.92	0.42	-95.23	31.67	-13.00	-21.56	Vertical




Ant. 1+6

Part 27Q Mode 5


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.47	RMS	35.80	-17.06	1.25	-95.23	30.77	-13.00	-31.47	Horizontal			
2	10355.00	-39.61	RMS	38.60	-13.79	0.45	-95.23	30.36	-13.00	-26.61	Horizontal			
3	13807.00	-34.42	RMS	40.50	-11.95	0.42	-95.23	31.84	-13.00	-21.42	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.16	RMS	35.80	-17.06	1.25	-95.23	31.08	-13.00	-31.16	Vertical			
2	10355.00	-39.56	RMS	38.60	-13.79	0.45	-95.23	30.41	-13.00	-26.56	Vertical			
3	13807.00	-34.45	RMS	40.50	-11.95	0.42	-95.23	31.81	-13.00	-21.45	Vertical			




Ant. 1+6

Part 27Q Mode 5


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-44.53	RMS	35.80	-17.07	1.26	-95.23	30.71	-13.00	-31.53	Horizontal			
2	10370.00	-39.36	RMS	38.60	-13.78	0.45	-95.23	30.60	-13.00	-26.36	Horizontal			
3	13827.00	-34.33	RMS	40.50	-11.94	0.42	-95.23	31.92	-13.00	-21.33	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6913.00	-44.59	RMS	35.80	-17.07	1.26	-95.23	30.65	-13.00	-31.59	Vertical			
2	10370.00	-39.53	RMS	38.60	-13.78	0.45	-95.23	30.43	-13.00	-26.53	Vertical			
3	13827.00	-34.53	RMS	40.50	-11.94	0.42	-95.23	31.72	-13.00	-21.53	Vertical			




Ant. 1+6

Part 27Q Mode 5


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	6923.00	-44.29	RMS	35.80	-17.08	1.27	-95.23	30.95	-13.00	-31.29	Horizontal			
2	10385.00	-39.52	RMS	38.60	-13.78	0.45	-95.23	30.44	-13.00	-26.52	Horizontal			
3	13847.00	-34.23	RMS	40.50	-11.92	0.42	-95.23	32.00	-13.00	-21.23	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	6923.00	-44.69	RMS	35.80	-17.08	1.27	-95.23	30.55	-13.00	-31.69	Vertical			
2	10385.00	-39.46	RMS	38.60	-13.78	0.45	-95.23	30.50	-13.00	-26.46	Vertical			
3	13847.00	-34.07	RMS	40.50	-11.92	0.42	-95.23	32.16	-13.00	-21.07	Vertical			




Ant. 1+5

Part 27Q Mode 6


NR SA n77 100M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.31	RMS	35.80	-17.06	1.25	-95.23	30.93	-13.00	-31.31	Horizontal			
2	10354.00	-39.14	RMS	38.60	-13.79	0.45	-95.23	30.83	-13.00	-26.14	Horizontal			
3	13805.00	-33.68	RMS	40.50	-11.95	0.42	-95.23	32.58	-13.00	-20.68	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.40	RMS	35.80	-17.06	1.25	-95.23	30.84	-13.00	-31.40	Vertical			
2	10354.00	-38.82	RMS	38.60	-13.79	0.45	-95.23	31.15	-13.00	-25.82	Vertical			
3	13805.00	-33.92	RMS	40.50	-11.95	0.42	-95.23	32.34	-13.00	-20.92	Vertical			




Ant. 1+3

Part 27Q Mode 7


NR SA n77 100M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.55	RMS	35.80	-17.06	1.25	-95.23	30.69	-13.00	-31.55	Horizontal			
2	10354.00	-39.43	RMS	38.60	-13.79	0.45	-95.23	30.54	-13.00	-26.43	Horizontal			
3	13805.00	-34.65	RMS	40.50	-11.95	0.42	-95.23	31.61	-13.00	-21.65	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.67	RMS	35.80	-17.06	1.25	-95.23	30.57	-13.00	-31.67	Vertical			
2	10354.00	-39.66	RMS	38.60	-13.79	0.45	-95.23	30.31	-13.00	-26.66	Vertical			
3	13805.00	-34.29	RMS	40.50	-11.95	0.42	-95.23	31.97	-13.00	-21.29	Vertical			




Ant. 3+6

Part 27Q Mode 8


NR SA n77 100M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.63	RMS	35.80	-17.06	1.25	-95.23	30.61	-13.00	-31.63	Horizontal			
2	10354.00	-39.75	RMS	38.60	-13.79	0.45	-95.23	30.22	-13.00	-26.75	Horizontal			
3	13805.00	-34.49	RMS	40.50	-11.95	0.42	-95.23	31.77	-13.00	-21.49	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.59	RMS	35.80	-17.06	1.25	-95.23	30.65	-13.00	-31.59	Vertical			
2	10354.00	-39.63	RMS	38.60	-13.79	0.45	-95.23	30.34	-13.00	-26.63	Vertical			
3	13805.00	-34.46	RMS	40.50	-11.95	0.42	-95.23	31.80	-13.00	-21.46	Vertical			




Ant. 3+5

Part 27Q Mode 9


NR SA n77 100M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.63	RMS	35.80	-17.06	1.25	-95.23	30.61	-13.00	-31.63	Horizontal			
2	10354.00	-39.55	RMS	38.60	-13.79	0.45	-95.23	30.42	-13.00	-26.55	Horizontal			
3	13805.00	-34.41	RMS	40.50	-11.95	0.42	-95.23	31.85	-13.00	-21.41	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.61	RMS	35.80	-17.06	1.25	-95.23	30.63	-13.00	-31.61	Vertical			
2	10354.00	-39.60	RMS	38.60	-13.79	0.45	-95.23	30.37	-13.00	-26.60	Vertical			
3	13805.00	-34.32	RMS	40.50	-11.95	0.42	-95.23	31.94	-13.00	-21.32	Vertical			




Ant. 5+6

Part 27Q Mode 10


NR SA n77 100M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.64	RMS	35.80	-17.06	1.25	-95.23	30.60	-13.00	-31.64	Horizontal			
2	10354.00	-39.55	RMS	38.60	-13.79	0.45	-95.23	30.42	-13.00	-26.55	Horizontal			
3	13805.00	-34.34	RMS	40.50	-11.95	0.42	-95.23	31.92	-13.00	-21.34	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-44.64	RMS	35.80	-17.06	1.25	-95.23	30.60	-13.00	-31.64	Vertical			
2	10354.00	-39.80	RMS	38.60	-13.79	0.45	-95.23	30.17	-13.00	-26.80	Vertical			
3	13805.00	-34.54	RMS	40.50	-11.95	0.42	-95.23	31.72	-13.00	-21.54	Vertical			




Ant. 1


Part 270 Mode 1

NR SA n77 100M Ch650000 1RB1 BPSK

L



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.00	-43.03	RMS	36.40	-16.80	0.90	-95.23	0.00	-13.00	-30.03	Horizontal			
2	11103.00	-37.65	RMS	38.70	-13.33	0.44	-95.23	31.77	-13.00	-24.65	Horizontal			
3	14805.00	-32.94	RMS	40.19	-11.10	0.50	-95.23	32.70	-13.00	-19.94	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.00	-43.19	RMS	36.40	-16.80	0.90	-95.23	31.54	-13.00	-30.19	Vertical			
2	11103.00	-37.35	RMS	38.70	-13.33	0.44	-95.23	32.07	-13.00	-24.35	Vertical			
3	14805.00	-33.01	RMS	40.19	-11.10	0.50	-95.23	32.63	-13.00	-20.01	Vertical			




Ant. 1

Part 270 Mode 1


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.18	RMS	36.06	-16.63	0.98	-95.23	31.64	-13.00	-30.18	Horizontal	
2	11373.00	-36.75	RMS	39.00	-13.16	0.44	-95.23	32.20	-13.00	-23.75	Horizontal	
3	15165.00	-33.76	RMS	39.07	-10.78	0.54	-95.23	32.64	-13.00	-20.76	Horizontal	



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.20	RMS	36.06	-16.63	0.98	-95.23	31.62	-13.00	-30.20	Vertical	
2	11373.00	-36.91	RMS	39.00	-13.16	0.44	-95.23	32.04	-13.00	-23.91	Vertical	
3	15165.00	-33.88	RMS	39.07	-10.78	0.54	-95.23	32.52	-13.00	-20.88	Vertical	




Ant. 1

Part 270 Mode 1


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-42.62	RMS		36.47	-16.45	0.88	-95.23	31.71	-13.00	-29.62	Horizontal
2	11643.00	-37.16	RMS		38.31	-13.01	0.44	-95.23	32.33	-13.00	-24.16	Horizontal
3	15525.00	-34.67	RMS		37.80	-10.74	0.58	-95.23	32.92	-13.00	-21.67	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-42.93	RMS		36.47	-16.45	0.88	-95.23	31.40	-13.00	-29.93	Vertical
2	11643.00	-35.63	RMS		38.31	-13.01	0.44	-95.23	33.86	-13.00	-22.63	Vertical
3	15525.00	-35.02	RMS		37.80	-10.74	0.58	-95.23	32.57	-13.00	-22.02	Vertical




Ant. 3


Part 270 Mode 2

NR SA n77 100M Ch650000 1RB1 BPSK

L



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-43.65	RMS	36.40	-16.80	0.90	-95.23	31.08	-13.00	-30.65	Horizontal	
2	11103.00	-38.21	RMS	38.70	-13.33	0.44	-95.23	31.21	-13.00	-25.21	Horizontal	
3	14805.00	-33.66	RMS	40.19	-11.10	0.50	-95.23	31.98	-13.00	-20.66	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-44.17	RMS	36.40	-16.80	0.90	-95.23	30.56	-13.00	-31.17	Vertical	
2	11103.00	-38.16	RMS	38.70	-13.33	0.44	-95.23	31.26	-13.00	-25.16	Vertical	
3	14805.00	-33.92	RMS	40.19	-11.10	0.50	-95.23	31.72	-13.00	-20.92	Vertical	




Ant. 3


Part 270 Mode 2

NR SA n77 100M Ch656000 1RB1 BPSK

M



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7582.00	-43.74	RMS	36.06	-16.63	0.98	-95.23	31.08	-13.00	-30.74	Horizontal	
2	11373.00	-37.18	RMS	39.00	-13.16	0.44	-95.23	31.77	-13.00	-24.18	Horizontal	
3	15165.00	-33.73	RMS	39.07	-10.78	0.54	-95.23	32.67	-13.00	-20.73	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7582.00	-44.07	RMS	36.06	-16.63	0.98	-95.23	30.75	-13.00	-31.07	Vertical	
2	11373.00	-37.50	RMS	39.00	-13.16	0.44	-95.23	31.45	-13.00	-24.50	Vertical	
3	15165.00	-34.35	RMS	39.07	-10.78	0.54	-95.23	32.05	-13.00	-21.35	Vertical	




Ant. 3


Part 270 Mode 2

NR SA n77 100M Ch662000 1RB1 BPSK

H



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.00	-43.57	RMS	36.47	-16.45	0.88	-95.23	30.76	-13.00	-30.57	Horizontal			
2	11643.00	-37.96	RMS	38.31	-13.01	0.44	-95.23	31.53	-13.00	-24.96	Horizontal			
3	15525.00	-35.79	RMS	37.80	-10.74	0.58	-95.23	31.80	-13.00	-22.79	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.00	-43.39	RMS	36.47	-16.45	0.88	-95.23	31.81	-13.00	-30.39	Vertical			
2	11643.00	-37.68	RMS	38.31	-13.01	0.44	-95.23	31.81	-13.00	-24.68	Vertical			
3	15525.00	-35.60	RMS	37.80	-10.74	0.58	-95.23	31.99	-13.00	-22.60	Vertical			




Ant. 5

Part 270 Mode 3


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.50	-44.01	RMS	36.40	-16.80	0.90	-95.23	30.72	-13.00	-31.01	Horizontal			
2	11103.75	-37.86	RMS	38.70	-13.33	0.44	-95.23	31.56	-13.00	-24.86	Horizontal			
3	14805.00	-33.55	RMS	40.19	-11.10	0.50	-95.23	32.09	-13.00	-20.55	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.50	-44.08	RMS	36.40	-16.80	0.90	-95.23	30.65	-13.00	-31.08	Vertical			
2	11103.75	-37.96	RMS	38.70	-13.33	0.44	-95.23	31.46	-13.00	-24.96	Vertical			
3	14805.00	-33.64	RMS	40.19	-11.10	0.50	-95.23	32.00	-13.00	-20.64	Vertical			




Ant. 5


Part 270 Mode 3

NR SA n77 100M Ch656000 1RB1 BPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.50	-44.12	RMS	36.06	-16.63	0.98	-95.23	30.70	-13.00	-31.12	Horizontal			
2	11373.75	-37.62	RMS	39.00	-13.16	0.44	-95.23	31.33	-13.00	-24.62	Horizontal			
3	15165.00	-34.82	RMS	39.07	-10.78	0.54	-95.23	31.58	-13.00	-21.82	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.50	-44.10	RMS	36.06	-16.63	0.98	-95.23	30.72	-13.00	-31.10	Vertical			
2	11373.75	-37.92	RMS	39.00	-13.16	0.44	-95.23	31.03	-13.00	-24.92	Vertical			
3	15165.00	-35.02	RMS	39.07	-10.78	0.54	-95.23	31.38	-13.00	-22.02	Vertical			




Ant. 5


Part 270 Mode 3

NR SA n77 100M Ch662000 1RB1 BPSK

H



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.50	-43.68	RMS	36.47	-16.45	0.88	-95.23	30.64	-13.00	-30.68	Horizontal	
2	11643.75	-37.90	RMS	38.31	-13.01	0.44	-95.23	31.59	-13.00	-24.90	Horizontal	
3	15525.00	-36.18	RMS	37.80	-10.74	0.58	-95.23	31.41	-13.00	-23.18	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.50	-43.41	RMS	36.47	-16.45	0.88	-95.23	30.91	-13.00	-30.41	Vertical	
2	11643.75	-38.07	RMS	38.31	-13.01	0.44	-95.23	31.42	-13.00	-25.07	Vertical	
3	15525.00	-35.58	RMS	37.80	-10.74	0.58	-95.23	32.01	-13.00	-22.58	Vertical	




Ant. 6


Part 270 Mode 4

NR SA n77 100M Ch650000 1RB1 BPSK

L



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.50	-44.04	RMS	36.40	-16.80	0.90	-95.23	30.69	-13.00	-31.04	Horizontal			
2	11103.75	-38.29	RMS	38.70	-13.33	0.44	-95.23	31.13	-13.00	-25.29	Horizontal			
3	14805.00	-33.76	RMS	40.19	-11.10	0.50	-95.23	31.88	-13.00	-20.76	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7402.50	-44.10	RMS	36.40	-16.80	0.90	-95.23	30.63	-13.00	-31.10	Vertical			
2	11103.75	-38.03	RMS	38.70	-13.33	0.44	-95.23	31.39	-13.00	-25.03	Vertical			
3	14805.00	-33.84	RMS	40.19	-11.10	0.50	-95.23	31.80	-13.00	-20.84	Vertical			




Ant. 6

Part 270 Mode 4


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.50	-43.95	RMS	36.06	-16.63	0.98	-95.23	30.87	-13.00	-30.95	Horizontal			
2	11373.75	-37.92	RMS	39.00	-13.16	0.44	-95.23	31.03	-13.00	-24.92	Horizontal			
3	15165.00	-34.99	RMS	39.07	-10.78	0.54	-95.23	31.41	-13.00	-21.99	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.50	-43.87	RMS	36.06	-16.63	0.98	-95.23	30.95	-13.00	-30.87	Vertical			
2	11373.75	-37.61	RMS	39.00	-13.16	0.44	-95.23	31.34	-13.00	-24.61	Vertical			
3	15165.00	-34.83	RMS	39.07	-10.78	0.54	-95.23	31.57	-13.00	-21.83	Vertical			




Ant. 6


Part 270 Mode 4

NR SA n77 100M Ch662000 1RB1 BPSK

H



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.50	-43.74	RMS	36.47	-16.45	0.88	-95.23	30.58	-13.00	-30.74	Horizontal			
2	11643.75	-38.35	RMS	38.31	-13.01	0.44	-95.23	31.14	-13.00	-25.35	Horizontal			
3	15525.00	-35.93	RMS	37.80	-10.74	0.58	-95.23	31.66	-13.00	-22.93	Horizontal			



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7762.50	-43.84	RMS	36.47	-16.45	0.88	-95.23	30.48	-13.00	-30.84	Vertical			
2	11643.75	-38.21	RMS	38.31	-13.01	0.44	-95.23	31.28	-13.00	-25.21	Vertical			
3	15525.00	-36.04	RMS	37.80	-10.74	0.58	-95.23	31.55	-13.00	-23.04	Vertical			




Ant. 1+6

Part 270 Mode 5


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-43.50	RMS		36.40	-16.80	0.90	-95.23	31.23	-13.00	-30.50	Horizontal
2	11103.00	-38.17	RMS		38.70	-13.33	0.44	-95.23	31.25	-13.00	-25.17	Horizontal
3	14805.00	-33.97	RMS		40.19	-11.10	0.50	-95.23	31.67	-13.00	-20.97	Horizontal
4	18512.00	-54.32	RMS		37.75	-49.71	-9.54	-95.23	62.41	-13.00	-41.32	Horizontal
5	22208.00	-59.42	RMS		38.20	-48.17	-9.54	-95.23	55.32	-13.00	-46.42	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-43.59	RMS		36.40	-16.80	0.90	-95.23	31.14	-13.00	-30.59	Vertical
2	11103.00	-38.12	RMS		38.70	-13.33	0.44	-95.23	31.30	-13.00	-25.12	Vertical
3	14805.00	-33.89	RMS		40.19	-11.10	0.50	-95.23	31.75	-13.00	-20.89	Vertical
4	18512.00	-57.92	RMS		37.75	-49.71	-9.54	-95.23	58.81	-13.00	-44.92	Vertical
5	22208.00	-61.42	RMS		38.20	-48.17	-9.54	-95.23	53.32	-13.00	-48.42	Vertical




Ant. 1+6

Part 270 Mode 5


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-44.15	RMS	36.06	-16.63	0.98	-95.23	-95.23	30.67	-13.00	-31.15	Horizontal
2	11373.00	-37.75	RMS	39.00	-13.16	0.44	-95.23	-95.23	31.20	-13.00	-24.75	Horizontal
3	15165.00	-34.34	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.06	-13.00	-21.34	Horizontal
4	18960.00	-54.76	RMS	37.80	-49.25	-9.54	-95.23	-95.23	61.46	-13.00	-41.76	Horizontal
5	22752.00	-58.35	RMS	38.50	-47.93	-9.54	-95.23	-95.23	55.85	-13.00	-45.35	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.86	RMS	36.06	-16.63	0.98	-95.23	-95.23	30.96	-13.00	-30.86	Vertical
2	11373.00	-37.73	RMS	39.00	-13.16	0.44	-95.23	-95.23	31.22	-13.00	-24.73	Vertical
3	15165.00	-34.38	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.02	-13.00	-21.38	Vertical
4	18960.00	-57.88	RMS	37.80	-49.25	-9.54	-95.23	-95.23	58.34	-13.00	-44.88	Vertical
5	22752.00	-58.66	RMS	38.50	-47.93	-9.54	-95.23	-95.23	55.54	-13.00	-45.66	Vertical




Ant. 1+6

Part 270 Mode 5

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7762.00	-43.44	RMS	36.47	-16.45	0.88	-95.23	-95.23	30.89	-13.00	-30.44	Horizontal	
2	11643.00	-38.21	RMS	38.31	-13.01	0.44	-95.23	-95.23	31.28	-13.00	-25.21	Horizontal	
3	15525.00	-36.10	RMS	37.80	-10.74	0.58	-95.23	-95.23	31.49	-13.00	-23.10	Horizontal	
4	19408.00	-53.79	RMS	37.90	-49.01	-9.54	-95.23	-95.23	62.09	-13.00	-40.79	Horizontal	
5	23296.00	-61.73	RMS	38.72	-47.44	-9.54	-95.23	-95.23	51.76	-13.00	-48.73	Horizontal	



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7762.00	-43.64	RMS	36.47	-16.45	0.88	-95.23	-95.23	30.69	-13.00	-30.64	Vertical	
2	11643.00	-37.89	RMS	38.31	-13.01	0.44	-95.23	-95.23	31.60	-13.00	-24.89	Vertical	
3	15525.00	-35.90	RMS	37.80	-10.74	0.58	-95.23	-95.23	31.69	-13.00	-22.90	Vertical	
4	19408.00	-53.32	RMS	37.90	-49.01	-9.54	-95.23	-95.23	62.56	-13.00	-40.32	Vertical	
5	23296.00	-57.10	RMS	38.72	-47.44	-9.54	-95.23	-95.23	56.39	-13.00	-44.10	Vertical	




Ant. 1+5

Part 270 Mode 6


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7582.00	-44.15	RMS		36.06	-16.63	0.98	-95.23	30.67	-13.00	-31.15	Horizontal
2	11373.00	-37.92	RMS		39.00	-13.16	0.44	-95.23	31.03	-13.00	-24.92	Horizontal
3	15165.00	-34.68	RMS		39.07	-10.78	0.54	-95.23	31.72	-13.00	-21.68	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	7582.00	-43.93	RMS		36.06	-16.63	0.98	-95.23	30.89	-13.00	-30.93	Vertical
2	11373.00	-37.52	RMS		39.00	-13.16	0.44	-95.23	31.43	-13.00	-24.52	Vertical
3	15165.00	-34.60	RMS		39.07	-10.78	0.54	-95.23	31.80	-13.00	-21.60	Vertical




Ant. 1+3

Part 270 Mode 7


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	7582.00	-44.08	RMS	36.06	-16.63	0.98	-95.23	30.74	-13.00	-31.08	Horizontal			
2	11373.00	-37.56	RMS	39.00	-13.16	0.44	-95.23	31.39	-13.00	-24.56	Horizontal			
3	15165.00	-34.78	RMS	39.07	-10.78	0.54	-95.23	31.62	-13.00	-21.78	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	7582.00	-43.74	RMS	36.06	-16.63	0.98	-95.23	31.08	-13.00	-30.74	Vertical			
2	11373.00	-37.79	RMS	39.00	-13.16	0.44	-95.23	31.16	-13.00	-24.79	Vertical			
3	15165.00	-34.88	RMS	39.07	-10.78	0.54	-95.23	31.52	-13.00	-21.88	Vertical			




Ant. 3+6

Part 270 Mode 8


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.00	-43.37	RMS	36.06	-16.63	0.98	-95.23	31.45	-13.00	-30.37	Horizontal			
2	11373.00	-36.65	RMS	39.00	-13.16	0.44	-95.23	32.30	-13.00	-23.65	Horizontal			
3	15165.00	-33.99	RMS	39.07	-10.78	0.54	-95.23	32.41	-13.00	-20.99	Horizontal			



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7582.00	-43.52	RMS	36.06	-16.63	0.98	-95.23	31.30	-13.00	-30.52	Vertical			
2	11373.00	-36.81	RMS	39.00	-13.16	0.44	-95.23	32.14	-13.00	-23.81	Vertical			
3	15165.00	-33.80	RMS	39.07	-10.78	0.54	-95.23	32.60	-13.00	-20.80	Vertical			




Ant. 3+5


Part 270 Mode 9

NR SA n77 100M Ch656000 1RB1 BPSK

M



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-44.09	RMS	36.06	-16.63	0.98	-95.23	30.73	-13.00	-31.09	Horizontal	
2	11373.00	-37.35	RMS	39.00	-13.16	0.44	-95.23	31.60	-13.00	-24.35	Horizontal	
3	15165.00	-34.21	RMS	39.07	-10.78	0.54	-95.23	32.19	-13.00	-21.21	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-44.10	RMS	36.06	-16.63	0.98	-95.23	30.72	-13.00	-31.10	Vertical	
2	11373.00	-37.47	RMS	39.00	-13.16	0.44	-95.23	31.48	-13.00	-24.47	Vertical	
3	15165.00	-34.51	RMS	39.07	-10.78	0.54	-95.23	31.89	-13.00	-21.51	Vertical	




Ant. 5+6

Part 270 Mode 10


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
				Factor	1			dBuV	dBm		
	MHz	dBm			dB/m	dB	dB	dB	dB	dB	
1	7582.00	-43.67	RMS		36.06	-16.63	0.98	-95.23	31.15	-13.00	-30.67 Horizontal
2	11373.00	-37.64	RMS		39.00	-13.16	0.44	-95.23	31.31	-13.00	-24.64 Horizontal
3	15165.00	-34.15	RMS		39.07	-10.78	0.54	-95.23	32.25	-13.00	-21.15 Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
				Factor	1			dBuV	dBm		
	MHz	dBm			dB/m	dB	dB	dB	dB	dB	
1	7582.00	-43.71	RMS		36.06	-16.63	0.98	-95.23	31.11	-13.00	-30.71 Vertical
2	11373.00	-37.36	RMS		39.00	-13.16	0.44	-95.23	31.59	-13.00	-24.36 Vertical
3	15165.00	-34.04	RMS		39.07	-10.78	0.54	-95.23	32.36	-13.00	-21.04 Vertical




Ant. 3

Part 27L Mode 5


NR SA n66 20M Ch346000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3424.00	-52.68	RMS	29.45	-20.57	0.91	-95.23	32.76	-13.00	-39.68	Horizontal	
2	5136.00	-49.24	RMS	32.97	-18.06	0.46	-95.23	30.62	-13.00	-36.24	Horizontal	
3	6849.00	-45.08	RMS	35.70	-17.02	0.40	-95.23	31.07	-13.00	-32.08	Horizontal	



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3424.00	-54.03	RMS	29.45	-20.57	0.91	-95.23	31.41	-13.00	-41.03	Vertical	
2	5136.00	-49.13	RMS	32.97	-18.06	0.46	-95.23	30.73	-13.00	-36.13	Vertical	
3	6849.00	-45.31	RMS	35.70	-17.02	0.40	-95.23	30.84	-13.00	-32.31	Vertical	




Ant. 3

Part 27L Mode 5


NR SA n66 20M Ch349000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3454.00	-52.05	RMS	29.40	-20.52	0.91	-95.23	33.39	-13.00	-39.05	Horizontal			
2	5181.00	-49.75	RMS	33.00	-18.01	0.46	-95.23	30.03	-13.00	-36.75	Horizontal			
3	6909.00	-45.32	RMS	35.80	-17.07	0.39	-95.23	30.79	-13.00	-32.32	Horizontal			



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB		
1	3454.00	-51.05	RMS	29.40	-20.52	0.91	-95.23	34.39	-13.00	-38.05	Vertical			
2	5181.00	-49.63	RMS	33.00	-18.01	0.46	-95.23	30.15	-13.00	-36.63	Vertical			
3	6909.00	-45.28	RMS	35.80	-17.07	0.39	-95.23	30.83	-13.00	-32.28	Vertical			




Ant. 3

Part 27L Mode 5


NR SA n66 20M Ch354000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3484.00	-53.49	RMS	29.40	-20.47	0.91	-95.23	31.90	-13.00	-40.49	Horizontal			
2	5226.00	-49.67	RMS	32.95	-17.96	0.45	-95.23	30.12	-13.00	-36.67	Horizontal			
3	6969.00	-45.14	RMS	35.80	-17.12	0.38	-95.23	31.03	-13.00	-32.14	Horizontal			



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3484.00	-53.88	RMS	29.40	-20.47	0.91	-95.23	31.51	-13.00	-40.88	Vertical			
2	5226.00	-49.59	RMS	32.95	-17.96	0.45	-95.23	30.20	-13.00	-36.59	Vertical			
3	6969.00	-44.76	RMS	35.80	-17.12	0.38	-95.23	31.41	-13.00	-31.76	Vertical			




Ant. 3+8

Part 27L Mode 6


EN-DC B2+n66 20M + 40M Ch18900 1RB0 QPSK + Ch346000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-54.41	RMS	29.45	-20.57	0.91	-95.23	31.03	-13.00	-41.41 Horizontal
2	5136.00	-49.97	RMS	32.97	-18.06	0.46	-95.23	29.89	-13.00	-36.97 Horizontal
3	6849.00	-46.11	RMS	35.70	-17.02	0.40	-95.23	30.04	-13.00	-33.11 Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-54.34	RMS	29.45	-20.57	0.91	-95.23	31.10	-13.00	-41.34 Vertical
2	5136.00	-49.62	RMS	32.97	-18.06	0.46	-95.23	30.24	-13.00	-36.62 Vertical
3	6849.00	-45.94	RMS	35.70	-17.02	0.40	-95.23	30.21	-13.00	-32.94 Vertical




Ant. 3+8

Part 27L Mode 6


EN-DC B2+n66 20M + 40M Ch18900 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3454.00	-54.41	RMS	29.40	-20.52	0.91	-95.23	31.03	-13.00	-41.41 Horizontal
2	5181.00	-50.30	RMS	33.00	-18.01	0.46	-95.23	29.48	-13.00	-37.30 Horizontal
3	6909.00	-45.71	RMS	35.80	-17.07	0.39	-95.23	30.40	-13.00	-32.71 Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3454.00	-54.77	RMS	29.40	-20.52	0.91	-95.23	30.67	-13.00	-41.77 Vertical
2	5181.00	-50.30	RMS	33.00	-18.01	0.46	-95.23	29.48	-13.00	-37.30 Vertical
3	6909.00	-45.46	RMS	35.80	-17.07	0.39	-95.23	30.65	-13.00	-32.46 Vertical




Ant. 3+8

Part 27L Mode 6


EN-DC B2+n66 20M + 40M Ch18900 1RB0 QPSK + Ch352000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3484.00	-54.70	RMS	29.40	-20.47	0.91	-95.23	30.69	-13.00	-41.70	Horizontal	
2	5226.00	-50.54	RMS	32.95	-17.96	0.45	-95.23	29.25	-13.00	-37.54	Horizontal	
3	6969.00	-45.75	RMS	35.80	-17.12	0.38	-95.23	30.42	-13.00	-32.75	Horizontal	



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 2 20M Ch18900 1RB0 QPSK
: NR SA n66 40M Ch352000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3484.00	-54.34	RMS	29.40	-20.47	0.91	-95.23	31.05	-13.00	-41.34	Vertical	
2	5226.00	-50.62	RMS	32.95	-17.96	0.45	-95.23	29.17	-13.00	-37.62	Vertical	
3	6969.00	-45.69	RMS	35.80	-17.12	0.38	-95.23	30.48	-13.00	-32.69	Vertical	




Ant. 1

Part 270 Mode 1

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Horizontal

: NR n77 100M Ch650000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm						g			
1	3706.00	27.05 RMS	29.64	9.53	0.00	-95.23	83.11	-13.00	40.05	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Vertical

: NR n77 100M Ch650000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm						g			
1	3706.00	21.19 RMS	29.64	9.53	0.00	-95.23	77.25	-13.00	34.19	Vertical

Remark: #1 is fundamental signal which can be ignored.