

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.400	38.70	74.0	35.30	Peak	131.00	100	Horizontal	Pass
1**	1623.400	28.99	54.0	25.01	AV	131.00	100	Horizontal	Pass
2	4205.400	50.85	74.0	23.15	Peak	270.00	400	Horizontal	Pass
2**	4205.400	40.10	54.0	13.90	AV	270.00	400	Horizontal	Pass
3	5258.600	90.82	--	--	Peak	134.00	200	Horizontal	N/A
3**	5258.600	82.75	--	--	AV	134.00	200	Horizontal	N/A
4	7490.475	51.08	74.0	22.92	Peak	25.00	300	Horizontal	Pass
4**	7490.475	40.86	54.0	13.14	AV	25.00	300	Horizontal	Pass
5	11330.900	52.00	74.0	22.00	Peak	313.00	400	Horizontal	Pass
5**	11330.900	43.16	54.0	10.84	AV	313.00	400	Horizontal	Pass
6	16083.488	53.97	74.0	20.03	Peak	0.00	300	Horizontal	Pass
6**	16083.488	45.34	54.0	8.66	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.900	38.83	74.0	35.17	Peak	110.00	100	Vertical	Pass
1**	1602.900	29.18	54.0	24.82	AV	110.00	100	Vertical	Pass
2	4020.200	50.22	74.0	23.78	Peak	360.00	100	Vertical	Pass
2**	4020.200	40.21	54.0	13.79	AV	360.00	100	Vertical	Pass
3	5257.800	94.67	--	--	Peak	54.00	200	Vertical	N/A
3**	5257.800	88.48	--	--	AV	54.00	200	Vertical	N/A
4	7547.400	50.15	74.0	23.85	Peak	0.00	100	Vertical	Pass
4**	7547.400	41.05	54.0	12.95	AV	0.00	100	Vertical	Pass
5	11044.838	51.78	74.0	22.22	Peak	246.00	300	Vertical	Pass
5**	11044.838	41.95	54.0	12.05	AV	246.00	300	Vertical	Pass
6	16130.475	54.49	74.0	19.51	Peak	268.00	200	Vertical	Pass
6**	16130.475	45.71	54.0	8.29	AV	268.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.600	38.45	74.0	35.55	Peak	80.00	100	Horizontal	Pass
1**	1562.600	29.53	54.0	24.47	AV	80.00	100	Horizontal	Pass
2	4379.600	51.21	74.0	22.79	Peak	77.00	100	Horizontal	Pass
2**	4379.600	41.72	54.0	12.28	AV	77.00	100	Horizontal	Pass
3	5297.200	90.25	--	--	Peak	43.00	200	Horizontal	N/A
3**	5297.200	81.90	--	--	AV	43.00	200	Horizontal	N/A
4	7440.737	50.07	74.0	23.93	Peak	360.00	200	Horizontal	Pass
4**	7440.737	40.53	54.0	13.47	AV	360.00	200	Horizontal	Pass
5	11810.737	51.85	74.0	22.15	Peak	75.00	200	Horizontal	Pass
5**	11810.737	42.48	54.0	11.52	AV	75.00	200	Horizontal	Pass
6	15801.562	53.69	74.0	20.31	Peak	96.00	100	Horizontal	Pass
6**	15801.562	44.30	54.0	9.70	AV	96.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	38.83	74.0	35.17	Peak	77.00	200	Vertical	Pass
1**	1497.900	29.16	54.0	24.84	AV	77.00	200	Vertical	Pass
2	4391.000	49.87	74.0	24.13	Peak	110.00	400	Vertical	Pass
2**	4391.000	40.94	54.0	13.06	AV	110.00	400	Vertical	Pass
3	5303.600	95.55	--	--	Peak	282.00	200	Vertical	N/A
3**	5303.600	88.53	--	--	AV	282.00	200	Vertical	N/A
4	7475.812	49.81	74.0	24.19	Peak	107.00	200	Vertical	Pass
4**	7475.812	40.28	54.0	13.72	AV	107.00	200	Vertical	Pass
5	11898.424	51.73	74.0	22.27	Peak	72.00	400	Vertical	Pass
5**	11898.424	42.50	54.0	11.50	AV	72.00	400	Vertical	Pass
6	16134.150	54.45	74.0	19.55	Peak	95.00	400	Vertical	Pass
6**	16134.150	44.92	54.0	9.08	AV	95.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.600	40.07	74.0	33.93	Peak	168.00	200	Horizontal	Pass
1**	1488.600	29.74	54.0	24.26	AV	168.00	200	Horizontal	Pass
2	4013.600	50.07	74.0	23.93	Peak	341.00	400	Horizontal	Pass
2**	4013.600	39.52	54.0	14.48	AV	341.00	400	Horizontal	Pass
3	5327.200	88.08	--	--	Peak	152.00	150	Horizontal	N/A
3**	5327.200	81.60	--	--	AV	152.00	150	Horizontal	N/A
4	7452.812	50.26	74.0	23.74	Peak	0.00	200	Horizontal	Pass
4**	7452.812	40.69	54.0	13.31	AV	0.00	200	Horizontal	Pass
5	11760.425	52.04	74.0	21.96	Peak	52.00	150	Horizontal	Pass
5**	11760.425	42.16	54.0	11.84	AV	52.00	150	Horizontal	Pass
6	15528.037	54.44	74.0	19.56	Peak	90.00	100	Horizontal	Pass
6**	15528.037	45.22	54.0	8.78	AV	90.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.500	40.15	74.0	33.85	Peak	116.00	200	Vertical	Pass
1**	1607.500	29.26	54.0	24.74	AV	116.00	200	Vertical	Pass
2	3851.200	50.07	74.0	23.93	Peak	236.00	300	Vertical	Pass
2**	3851.200	39.88	54.0	14.12	AV	236.00	300	Vertical	Pass
3	5327.200	93.80	--	--	Peak	247.00	200	Vertical	N/A
3**	5327.200	87.97	--	--	AV	247.00	200	Vertical	N/A
4	7504.563	50.40	74.0	23.60	Peak	237.00	400	Vertical	Pass
4**	7504.563	41.36	54.0	12.64	AV	237.00	400	Vertical	Pass
5	11336.075	52.45	74.0	21.55	Peak	117.00	200	Vertical	Pass
5**	11336.075	42.78	54.0	11.22	AV	117.00	200	Vertical	Pass
6	16123.912	54.61	74.0	19.39	Peak	246.00	100	Vertical	Pass
6**	16123.912	45.17	54.0	8.83	AV	246.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.200	39.00	74.0	35.00	Peak	148.00	100	Horizontal	Pass
1**	1484.200	29.54	54.0	24.46	AV	148.00	100	Horizontal	Pass
2	3851.000	49.64	74.0	24.36	Peak	171.00	100	Horizontal	Pass
2**	3851.000	40.32	54.0	13.68	AV	171.00	100	Horizontal	Pass
3	5254.000	86.08	--	--	Peak	34.00	150	Horizontal	N/A
3**	5254.000	79.82	--	--	AV	34.00	150	Horizontal	N/A
4	7554.013	50.22	74.0	23.78	Peak	253.00	100	Horizontal	Pass
4**	7554.013	40.77	54.0	13.23	AV	253.00	100	Horizontal	Pass
5	11210.724	51.66	74.0	22.34	Peak	31.00	150	Horizontal	Pass
5**	11210.724	42.53	54.0	11.47	AV	31.00	150	Horizontal	Pass
6	15810.487	54.09	74.0	19.91	Peak	146.00	400	Horizontal	Pass
6**	15810.487	45.51	54.0	8.49	AV	146.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.400	38.67	74.0	35.33	Peak	134.00	100	Vertical	Pass
1**	1486.400	30.24	54.0	23.76	AV	134.00	100	Vertical	Pass
2	4061.800	49.90	74.0	24.10	Peak	318.00	200	Vertical	Pass
2**	4061.800	40.83	54.0	13.17	AV	318.00	200	Vertical	Pass
3	5267.600	91.68	--	--	Peak	46.00	100	Vertical	N/A
3**	5267.600	85.00	--	--	AV	46.00	100	Vertical	N/A
4	7448.500	49.96	74.0	24.04	Peak	48.00	100	Vertical	Pass
4**	7448.500	40.77	54.0	13.23	AV	48.00	100	Vertical	Pass
5	10926.963	51.63	74.0	22.37	Peak	204.00	100	Vertical	Pass
5**	10926.963	43.18	54.0	10.82	AV	204.00	100	Vertical	Pass
6	15559.276	54.30	74.0	19.70	Peak	12.00	100	Vertical	Pass
6**	15559.276	44.81	54.0	9.19	AV	12.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.700	39.36	74.0	34.64	Peak	258.00	200	Horizontal	Pass
1**	1557.700	29.50	54.0	24.50	AV	258.00	200	Horizontal	Pass
2	3997.800	50.11	74.0	23.89	Peak	332.00	200	Horizontal	Pass
2**	3997.800	39.75	54.0	14.25	AV	332.00	200	Horizontal	Pass
3	5326.200	85.09	--	--	Peak	246.00	100	Horizontal	N/A
3**	5326.200	79.51	--	--	AV	246.00	100	Horizontal	N/A
4	7471.500	50.45	74.0	23.55	Peak	62.00	200	Horizontal	Pass
4**	7471.500	40.71	54.0	13.29	AV	62.00	200	Horizontal	Pass
5	11936.950	52.22	74.0	21.78	Peak	360.00	150	Horizontal	Pass
5**	11936.950	42.72	54.0	11.28	AV	360.00	150	Horizontal	Pass
6	16071.675	55.68	74.0	18.32	Peak	273.00	300	Horizontal	Pass
6**	16071.675	44.76	54.0	9.24	AV	273.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.900	39.48	74.0	34.52	Peak	136.00	100	Vertical	Pass
1**	1452.900	29.74	54.0	24.26	AV	136.00	100	Vertical	Pass
2	4089.200	50.05	74.0	23.95	Peak	278.00	300	Vertical	Pass
2**	4089.200	40.28	54.0	13.72	AV	278.00	300	Vertical	Pass
3	5307.800	92.06	--	--	Peak	143.00	150	Vertical	N/A
3**	5307.800	85.20	--	--	AV	143.00	150	Vertical	N/A
4	7447.638	51.35	74.0	22.65	Peak	0.00	200	Vertical	Pass
4**	7447.638	41.18	54.0	12.82	AV	0.00	200	Vertical	Pass
5	10921.787	52.23	74.0	21.77	Peak	0.00	100	Vertical	Pass
5**	10921.787	43.16	54.0	10.84	AV	0.00	100	Vertical	Pass
6	16127.062	54.90	74.0	19.10	Peak	333.00	400	Vertical	Pass
6**	16127.062	45.75	54.0	8.25	AV	333.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.100	39.31	74.0	34.69	Peak	224.00	200	Horizontal	Pass
1**	1445.100	29.21	54.0	24.79	AV	224.00	200	Horizontal	Pass
2	4383.400	50.38	74.0	23.62	Peak	261.00	100	Horizontal	Pass
2**	4383.400	41.09	54.0	12.91	AV	261.00	100	Horizontal	Pass
3	5287.400	85.60	--	--	Peak	123.00	150	Horizontal	N/A
3**	5287.400	77.76	--	--	AV	123.00	150	Horizontal	N/A
4	7379.500	50.84	74.0	23.16	Peak	360.00	100	Horizontal	Pass
4**	7379.500	41.43	54.0	12.57	AV	360.00	100	Horizontal	Pass
5	11926.313	52.32	74.0	21.68	Peak	360.00	150	Horizontal	Pass
5**	11926.313	43.43	54.0	10.57	AV	360.00	150	Horizontal	Pass
6	15819.675	55.95	74.0	18.05	Peak	17.00	400	Horizontal	Pass
6**	15819.675	45.64	54.0	8.36	AV	17.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.300	39.38	74.0	34.62	Peak	71.00	400	Vertical	Pass
1**	1596.300	31.05	54.0	22.95	AV	71.00	400	Vertical	Pass
2	4231.000	50.14	74.0	23.86	Peak	146.00	200	Vertical	Pass
2**	4231.000	40.93	54.0	13.07	AV	146.00	200	Vertical	Pass
3	5275.600	93.29	--	--	Peak	0.00	100	Vertical	N/A
3**	5275.600	85.15	--	--	AV	0.00	100	Vertical	N/A
4	7464.312	50.33	74.0	23.67	Peak	330.00	200	Vertical	Pass
4**	7464.312	41.06	54.0	12.94	AV	330.00	200	Vertical	Pass
5	11938.962	52.13	74.0	21.87	Peak	91.00	100	Vertical	Pass
5**	11938.962	43.52	54.0	10.48	AV	91.00	100	Vertical	Pass
6	16138.613	55.36	74.0	18.64	Peak	155.00	100	Vertical	Pass
6**	16138.613	45.83	54.0	8.17	AV	155.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	38.94	74.0	35.06	Peak	63.00	200	Horizontal	Pass
1**	1600.200	30.25	54.0	23.75	AV	63.00	200	Horizontal	Pass
2	4378.200	50.01	74.0	23.99	Peak	54.00	300	Horizontal	Pass
2**	4378.200	40.87	54.0	13.13	AV	54.00	300	Horizontal	Pass
3	5256.600	90.70	--	--	Peak	42.00	200	Horizontal	N/A
3**	5256.600	83.06	--	--	AV	42.00	200	Horizontal	N/A
4	7445.913	50.54	74.0	23.46	Peak	0.00	200	Horizontal	Pass
4**	7445.913	41.24	54.0	12.76	AV	0.00	200	Horizontal	Pass
5	10919.775	51.91	74.0	22.09	Peak	296.00	400	Horizontal	Pass
5**	10919.775	42.73	54.0	11.27	AV	296.00	400	Horizontal	Pass
6	15818.100	54.00	74.0	20.00	Peak	155.00	300	Horizontal	Pass
6**	15818.100	45.19	54.0	8.81	AV	155.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	39.07	74.0	34.93	Peak	106.00	400	Vertical	Pass
1**	1499.300	29.13	54.0	24.87	AV	106.00	400	Vertical	Pass
2	4346.000	49.72	74.0	24.28	Peak	190.00	400	Vertical	Pass
2**	4346.000	40.85	54.0	13.15	AV	190.00	400	Vertical	Pass
3	5261.200	96.88	--	--	Peak	54.00	200	Vertical	N/A
3**	5261.200	88.61	--	--	AV	54.00	200	Vertical	N/A
4	7336.950	50.01	74.0	23.99	Peak	105.00	300	Vertical	Pass
4**	7336.950	40.40	54.0	13.60	AV	105.00	300	Vertical	Pass
5	11329.750	52.17	74.0	21.83	Peak	123.00	400	Vertical	Pass
5**	11329.750	43.33	54.0	10.67	AV	123.00	400	Vertical	Pass
6	16147.276	54.41	74.0	19.59	Peak	114.00	400	Vertical	Pass
6**	16147.276	44.64	54.0	9.36	AV	114.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.400	38.83	74.0	35.17	Peak	360.00	400	Horizontal	Pass
1**	1532.400	29.33	54.0	24.67	AV	360.00	400	Horizontal	Pass
2	4380.800	50.20	74.0	23.80	Peak	249.00	200	Horizontal	Pass
2**	4380.800	40.89	54.0	13.11	AV	249.00	200	Horizontal	Pass
3	5299.000	86.12	--	--	Peak	116.00	200	Horizontal	N/A
3**	5299.000	78.94	--	--	AV	116.00	200	Horizontal	N/A
4	7514.050	50.34	74.0	23.66	Peak	200.00	400	Horizontal	Pass
4**	7514.050	40.47	54.0	13.53	AV	200.00	400	Horizontal	Pass
5	11942.125	51.90	74.0	22.10	Peak	326.00	300	Horizontal	Pass
5**	11942.125	42.54	54.0	11.46	AV	326.00	300	Horizontal	Pass
6	15834.375	54.32	74.0	19.68	Peak	360.00	200	Horizontal	Pass
6**	15834.375	44.93	54.0	9.07	AV	360.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.700	38.87	74.0	35.13	Peak	25.00	200	Vertical	Pass
1**	1531.700	29.21	54.0	24.79	AV	25.00	200	Vertical	Pass
2	4081.400	49.86	74.0	24.14	Peak	0.00	400	Vertical	Pass
2**	4081.400	40.12	54.0	13.88	AV	0.00	400	Vertical	Pass
3	5307.600	95.63	--	--	Peak	76.00	150	Vertical	N/A
3**	5307.600	88.38	--	--	AV	76.00	150	Vertical	N/A
4	7500.537	49.86	74.0	24.14	Peak	240.00	100	Vertical	Pass
4**	7500.537	40.90	54.0	13.10	AV	240.00	100	Vertical	Pass
5	11806.425	51.59	74.0	22.41	Peak	308.00	200	Vertical	Pass
5**	11806.425	42.13	54.0	11.87	AV	308.00	200	Vertical	Pass
6	16134.412	54.21	74.0	19.79	Peak	360.00	300	Vertical	Pass
6**	16134.412	45.12	54.0	8.88	AV	360.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.300	39.32	74.0	34.68	Peak	116.00	400	Horizontal	Pass
1**	1573.300	29.43	54.0	24.57	AV	116.00	400	Horizontal	Pass
2	3970.400	50.78	74.0	23.22	Peak	150.00	100	Horizontal	Pass
2**	3970.400	40.18	54.0	13.82	AV	150.00	100	Horizontal	Pass
3	5326.600	88.81	--	--	Peak	114.00	100	Horizontal	N/A
3**	5326.600	80.54	--	--	AV	114.00	100	Horizontal	N/A
4	7451.950	50.41	74.0	23.59	Peak	100.00	200	Horizontal	Pass
4**	7451.950	41.80	54.0	12.20	AV	100.00	200	Horizontal	Pass
5	11280.300	52.35	74.0	21.65	Peak	151.00	150	Horizontal	Pass
5**	11280.300	41.68	54.0	12.32	AV	151.00	150	Horizontal	Pass
6	15817.575	55.33	74.0	18.67	Peak	360.00	100	Horizontal	Pass
6**	15817.575	45.79	54.0	8.21	AV	360.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.200	39.61	74.0	34.39	Peak	328.00	300	Vertical	Pass
1**	1436.200	29.25	54.0	24.75	AV	328.00	300	Vertical	Pass
2	4388.000	50.42	74.0	23.58	Peak	125.00	300	Vertical	Pass
2**	4388.000	41.41	54.0	12.59	AV	125.00	300	Vertical	Pass
3	5326.600	96.42	--	--	Peak	318.00	150	Vertical	N/A
3**	5326.600	88.12	--	--	AV	318.00	150	Vertical	N/A
4	7503.987	51.10	74.0	22.90	Peak	196.00	100	Vertical	Pass
4**	7503.987	41.12	54.0	12.88	AV	196.00	100	Vertical	Pass
5	11210.150	52.14	74.0	21.86	Peak	140.00	150	Vertical	Pass
5**	11210.150	42.24	54.0	11.76	AV	140.00	150	Vertical	Pass
6	15840.675	55.28	74.0	18.72	Peak	78.00	200	Vertical	Pass
6**	15840.675	45.06	54.0	8.94	AV	78.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.500	38.81	74.0	35.19	Peak	63.00	100	Horizontal	Pass
1**	1555.500	28.66	54.0	25.34	AV	63.00	100	Horizontal	Pass
2	4343.400	50.04	74.0	23.96	Peak	59.00	400	Horizontal	Pass
2**	4343.400	40.45	54.0	13.55	AV	59.00	400	Horizontal	Pass
3	5254.000	85.82	--	--	Peak	35.00	100	Horizontal	N/A
3**	5254.000	79.54	--	--	AV	35.00	100	Horizontal	N/A
4	7450.225	49.80	74.0	24.20	Peak	65.00	400	Horizontal	Pass
4**	7450.225	41.01	54.0	12.99	AV	65.00	400	Horizontal	Pass
5	11330.612	52.60	74.0	21.40	Peak	323.00	150	Horizontal	Pass
5**	11330.612	43.74	54.0	10.26	AV	323.00	150	Horizontal	Pass
6	15512.549	53.79	74.0	20.21	Peak	323.00	400	Horizontal	Pass
6**	15512.549	44.36	54.0	9.64	AV	323.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.200	39.28	74.0	34.72	Peak	360.00	100	Vertical	Pass
1**	1458.200	30.33	54.0	23.67	AV	360.00	100	Vertical	Pass
2	4259.200	50.26	74.0	23.74	Peak	42.00	400	Vertical	Pass
2**	4259.200	40.51	54.0	13.49	AV	42.00	400	Vertical	Pass
3	5276.200	92.49	--	--	Peak	355.00	150	Vertical	N/A
3**	5276.200	86.12	--	--	AV	355.00	150	Vertical	N/A
4	7500.250	50.04	74.0	23.96	Peak	20.00	100	Vertical	Pass
4**	7500.250	41.01	54.0	12.99	AV	20.00	100	Vertical	Pass
5	11938.675	52.02	74.0	21.98	Peak	71.00	150	Vertical	Pass
5**	11938.675	42.78	54.0	11.22	AV	71.00	150	Vertical	Pass
6	15814.162	55.15	74.0	18.85	Peak	0.00	300	Vertical	Pass
6**	15814.162	45.81	54.0	8.19	AV	0.00	300	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.500	38.61	74.0	35.39	Peak	45.00	200	Horizontal	Pass
1**	1451.500	28.57	54.0	25.43	AV	45.00	200	Horizontal	Pass
2	4102.000	50.28	74.0	23.72	Peak	256.00	100	Horizontal	Pass
2**	4102.000	40.05	54.0	13.95	AV	256.00	100	Horizontal	Pass
3	5327.200	88.26	--	--	Peak	149.00	200	Horizontal	N/A
3**	5327.200	82.38	--	--	AV	149.00	200	Horizontal	N/A
4	7505.713	50.07	74.0	23.93	Peak	119.00	100	Horizontal	Pass
4**	7505.713	41.86	54.0	12.14	AV	119.00	100	Horizontal	Pass
5	11330.037	51.97	74.0	22.03	Peak	0.00	150	Horizontal	Pass
5**	11330.037	42.66	54.0	11.34	AV	0.00	150	Horizontal	Pass
6	16106.063	54.19	74.0	19.81	Peak	360.00	100	Horizontal	Pass
6**	16106.063	45.57	54.0	8.43	AV	360.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.100	39.37	74.0	34.63	Peak	9.00	400	Vertical	Pass
1**	1527.100	29.76	54.0	24.24	AV	9.00	400	Vertical	Pass
2	4375.400	49.61	74.0	24.39	Peak	209.00	200	Vertical	Pass
2**	4375.400	41.54	54.0	12.46	AV	209.00	200	Vertical	Pass
3	5327.400	93.77	--	--	Peak	252.00	100	Vertical	N/A
3**	5327.400	87.82	--	--	AV	252.00	100	Vertical	N/A
4	7578.737	49.42	74.0	24.58	Peak	98.00	300	Vertical	Pass
4**	7578.737	40.05	54.0	13.95	AV	98.00	300	Vertical	Pass
5	11336.362	51.84	74.0	22.16	Peak	82.00	100	Vertical	Pass
5**	11336.362	42.41	54.0	11.59	AV	82.00	100	Vertical	Pass
6	15812.325	54.74	74.0	19.26	Peak	24.00	400	Vertical	Pass
6**	15812.325	45.53	54.0	8.47	AV	24.00	400	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.600	39.85	74.0	34.15	Peak	24.00	300	Horizontal	Pass
1**	1537.600	30.33	54.0	23.67	AV	24.00	300	Horizontal	Pass
2	4348.400	50.59	74.0	23.41	Peak	295.00	400	Horizontal	Pass
2**	4348.400	40.45	54.0	13.55	AV	295.00	400	Horizontal	Pass
3	5259.600	85.42	--	--	Peak	125.00	100	Horizontal	N/A
3**	5259.600	78.94	--	--	AV	125.00	100	Horizontal	N/A
4	7506.862	50.26	74.0	23.74	Peak	0.00	200	Horizontal	Pass
4**	7506.862	41.79	54.0	12.21	AV	0.00	200	Horizontal	Pass
5	11938.099	52.26	74.0	21.74	Peak	108.00	200	Horizontal	Pass
5**	11938.099	42.88	54.0	11.12	AV	108.00	200	Horizontal	Pass
6	16009.725	54.89	74.0	19.11	Peak	332.00	400	Horizontal	Pass
6**	16009.725	45.11	54.0	8.89	AV	332.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.500	39.48	74.0	34.52	Peak	48.00	300	Vertical	Pass
1**	1572.500	29.73	54.0	24.27	AV	48.00	300	Vertical	Pass
2	4386.800	50.36	74.0	23.64	Peak	122.00	300	Vertical	Pass
2**	4386.800	41.65	54.0	12.35	AV	122.00	300	Vertical	Pass
3	5269.600	94.14	--	--	Peak	144.00	200	Vertical	N/A
3**	5269.600	86.83	--	--	AV	144.00	200	Vertical	N/A
4	7444.763	50.06	74.0	23.94	Peak	73.00	200	Vertical	Pass
4**	7444.763	41.39	54.0	12.61	AV	73.00	200	Vertical	Pass
5	12568.875	52.63	74.0	21.37	Peak	90.00	200	Vertical	Pass
5**	12568.875	43.36	54.0	10.64	AV	90.00	200	Vertical	Pass
6	15808.912	54.98	74.0	19.02	Peak	95.00	300	Vertical	Pass
6**	15808.912	46.00	54.0	8.00	AV	95.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.400	39.07	74.0	34.93	Peak	0.00	400	Horizontal	Pass
1**	1574.400	30.78	54.0	23.22	AV	0.00	400	Horizontal	Pass
2	4388.400	50.76	74.0	23.24	Peak	170.00	300	Horizontal	Pass
2**	4388.400	41.81	54.0	12.19	AV	170.00	300	Horizontal	Pass
3	5505.200	96.06	--	--	Peak	249.00	150	Horizontal	N/A
3**	5505.200	89.18	--	--	AV	249.00	150	Horizontal	N/A
4	7443.038	50.51	74.0	23.49	Peak	141.00	400	Horizontal	Pass
4**	7443.038	41.37	54.0	12.63	AV	141.00	400	Horizontal	Pass
5	11942.125	52.02	74.0	21.98	Peak	346.00	100	Horizontal	Pass
5**	11942.125	44.04	54.0	9.96	AV	346.00	100	Horizontal	Pass
6	16096.612	55.92	74.0	18.08	Peak	233.00	100	Horizontal	Pass
6**	16096.612	45.47	54.0	8.53	AV	233.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	39.60	74.0	34.40	Peak	106.00	300	Vertical	Pass
1**	1585.000	29.49	54.0	24.51	AV	106.00	300	Vertical	Pass
2	4354.000	50.15	74.0	23.85	Peak	31.00	300	Vertical	Pass
2**	4354.000	40.27	54.0	13.73	AV	31.00	300	Vertical	Pass
3	5505.200	99.23	--	--	Peak	167.00	200	Vertical	N/A
3**	5505.200	92.38	--	--	AV	167.00	200	Vertical	N/A
4	7378.062	51.59	74.0	22.41	Peak	176.00	100	Vertical	Pass
4**	7378.062	41.35	54.0	12.65	AV	176.00	100	Vertical	Pass
5	11782.275	52.00	74.0	22.00	Peak	211.00	200	Vertical	Pass
5**	11782.275	41.97	54.0	12.03	AV	211.00	200	Vertical	Pass
6	16116.300	55.41	74.0	18.59	Peak	360.00	150	Vertical	Pass
6**	16116.300	45.42	54.0	8.58	AV	360.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	39.15	74.0	34.85	Peak	180.00	100	Horizontal	Pass
1**	1489.900	29.92	54.0	24.08	AV	180.00	100	Horizontal	Pass
2	4378.400	50.28	74.0	23.72	Peak	273.00	300	Horizontal	Pass
2**	4378.400	42.47	54.0	11.53	AV	273.00	300	Horizontal	Pass
3	5587.000	95.31	--	--	Peak	229.00	100	Horizontal	N/A
3**	5587.000	89.40	--	--	AV	229.00	100	Horizontal	N/A
4	7443.612	50.40	74.0	23.60	Peak	31.00	400	Horizontal	Pass
4**	7443.612	41.50	54.0	12.50	AV	31.00	400	Horizontal	Pass
5	11929.763	52.11	74.0	21.89	Peak	151.00	200	Horizontal	Pass
5**	11929.763	43.22	54.0	10.78	AV	151.00	200	Horizontal	Pass
6	15508.088	55.08	74.0	18.92	Peak	187.00	400	Horizontal	Pass
6**	15508.088	45.23	54.0	8.77	AV	187.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.000	39.53	74.0	34.47	Peak	88.00	200	Vertical	Pass
1**	1477.000	29.73	54.0	24.27	AV	88.00	200	Vertical	Pass
2	3666.800	50.54	74.0	23.46	Peak	307.00	400	Vertical	Pass
2**	3666.800	39.71	54.0	14.29	AV	307.00	400	Vertical	Pass
3	5572.600	99.52	--	--	Peak	149.00	150	Vertical	N/A
3**	5572.600	92.97	--	--	AV	149.00	150	Vertical	N/A
4	7445.625	50.50	74.0	23.50	Peak	357.00	400	Vertical	Pass
4**	7445.625	41.69	54.0	12.31	AV	357.00	400	Vertical	Pass
5	12448.125	52.28	74.0	21.72	Peak	323.00	100	Vertical	Pass
5**	12448.125	43.06	54.0	10.94	AV	323.00	100	Vertical	Pass
6	15512.287	55.27	74.0	18.73	Peak	12.00	200	Vertical	Pass
6**	15512.287	45.54	54.0	8.46	AV	12.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.700	39.17	74.0	34.83	Peak	63.00	200	Horizontal	Pass
1**	1584.700	30.07	54.0	23.93	AV	63.00	200	Horizontal	Pass
2	4394.800	50.67	74.0	23.33	Peak	351.00	200	Horizontal	Pass
2**	4394.800	40.53	54.0	13.47	AV	351.00	200	Horizontal	Pass
3	5697.800	96.49	--	--	Peak	70.00	100	Horizontal	N/A
3**	5697.800	89.68	--	--	AV	70.00	100	Horizontal	N/A
4	7449.650	51.33	74.0	22.67	Peak	116.00	300	Horizontal	Pass
4**	7449.650	41.55	54.0	12.45	AV	116.00	300	Horizontal	Pass
5	10920.063	52.03	74.0	21.97	Peak	82.00	150	Horizontal	Pass
5**	10920.063	43.22	54.0	10.78	AV	82.00	150	Horizontal	Pass
6	15854.588	54.88	74.0	19.12	Peak	50.00	300	Horizontal	Pass
6**	15854.588	45.03	54.0	8.97	AV	50.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.100	39.25	74.0	34.75	Peak	128.00	100	Vertical	Pass
1**	1589.100	30.37	54.0	23.63	AV	128.00	100	Vertical	Pass
2	4380.000	51.29	74.0	22.71	Peak	205.00	300	Vertical	Pass
2**	4380.000	41.34	54.0	12.66	AV	205.00	300	Vertical	Pass
3	5692.600	99.42	--	--	Peak	149.00	100	Vertical	N/A
3**	5692.600	92.96	--	--	AV	149.00	100	Vertical	N/A
4	7336.950	50.72	74.0	23.28	Peak	360.00	100	Vertical	Pass
4**	7336.950	40.29	54.0	13.71	AV	360.00	100	Vertical	Pass
5	11942.988	51.98	74.0	22.02	Peak	100.00	150	Vertical	Pass
5**	11942.988	42.93	54.0	11.07	AV	100.00	150	Vertical	Pass
6	15813.375	54.97	74.0	19.03	Peak	324.00	300	Vertical	Pass
6**	15813.375	46.11	54.0	7.89	AV	324.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.700	38.98	74.0	35.02	Peak	198.00	300	Horizontal	Pass
1**	1597.700	29.74	54.0	24.26	AV	198.00	300	Horizontal	Pass
2	4342.600	50.29	74.0	23.71	Peak	190.00	300	Horizontal	Pass
2**	4342.600	40.48	54.0	13.52	AV	190.00	300	Horizontal	Pass
3	5506.800	95.80	--	--	Peak	226.00	200	Horizontal	N/A
3**	5506.800	89.46	--	--	AV	226.00	200	Horizontal	N/A
4	7440.737	50.52	74.0	23.48	Peak	345.00	100	Horizontal	Pass
4**	7440.737	41.23	54.0	12.77	AV	345.00	100	Horizontal	Pass
5	12225.887	52.26	74.0	21.74	Peak	51.00	150	Horizontal	Pass
5**	12225.887	42.45	54.0	11.55	AV	51.00	150	Horizontal	Pass
6	16087.162	55.68	74.0	18.32	Peak	322.00	100	Horizontal	Pass
6**	16087.162	45.50	54.0	8.50	AV	322.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	39.03	74.0	34.97	Peak	267.00	300	Vertical	Pass
1**	1489.900	30.41	54.0	23.59	AV	267.00	300	Vertical	Pass
2	4205.200	50.35	74.0	23.65	Peak	318.00	400	Vertical	Pass
2**	4205.200	40.41	54.0	13.59	AV	318.00	400	Vertical	Pass
3	5497.800	98.91	--	--	Peak	149.00	100	Vertical	N/A
3**	5497.800	92.12	--	--	AV	149.00	100	Vertical	N/A
4	7431.825	50.22	74.0	23.78	Peak	323.00	200	Vertical	Pass
4**	7431.825	41.89	54.0	12.11	AV	323.00	200	Vertical	Pass
5	12407.588	52.74	74.0	21.26	Peak	184.00	200	Vertical	Pass
5**	12407.588	42.74	54.0	11.26	AV	184.00	200	Vertical	Pass
6	15825.713	55.14	74.0	18.86	Peak	0.00	300	Vertical	Pass
6**	15825.713	46.37	54.0	7.63	AV	0.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.200	38.86	74.0	35.14	Peak	0.00	100	Horizontal	Pass
1**	1624.200	29.57	54.0	24.43	AV	0.00	100	Horizontal	Pass
2	4230.400	50.62	74.0	23.38	Peak	307.00	400	Horizontal	Pass
2**	4230.400	40.74	54.0	13.26	AV	307.00	400	Horizontal	Pass
3	5586.800	95.29	--	--	Peak	228.00	150	Horizontal	N/A
3**	5586.800	88.88	--	--	AV	228.00	150	Horizontal	N/A
4	7433.263	50.23	74.0	23.77	Peak	360.00	200	Horizontal	Pass
4**	7433.263	42.30	54.0	11.70	AV	360.00	200	Horizontal	Pass
5	10931.276	52.24	74.0	21.76	Peak	252.00	150	Horizontal	Pass
5**	10931.276	42.79	54.0	11.21	AV	252.00	150	Horizontal	Pass
6	15851.963	54.85	74.0	19.15	Peak	109.00	200	Horizontal	Pass
6**	15851.963	45.43	54.0	8.57	AV	109.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.600	38.91	74.0	35.09	Peak	142.00	100	Vertical	Pass
1**	1591.600	29.81	54.0	24.19	AV	142.00	100	Vertical	Pass
2	4000.000	50.58	74.0	23.42	Peak	284.00	200	Vertical	Pass
2**	4000.000	40.70	54.0	13.30	AV	284.00	200	Vertical	Pass
3	5572.600	99.53	--	--	Peak	151.00	200	Vertical	N/A
3**	5572.600	93.03	--	--	AV	151.00	200	Vertical	N/A
4	7448.500	50.34	74.0	23.66	Peak	360.00	200	Vertical	Pass
4**	7448.500	41.95	54.0	12.05	AV	360.00	200	Vertical	Pass
5	11047.425	52.54	74.0	21.46	Peak	355.00	200	Vertical	Pass
5**	11047.425	41.72	54.0	12.28	AV	355.00	200	Vertical	Pass
6	15571.875	54.90	74.0	19.10	Peak	360.00	300	Vertical	Pass
6**	15571.875	45.45	54.0	8.55	AV	360.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.300	38.74	74.0	35.26	Peak	0.00	400	Horizontal	Pass
1**	1586.300	30.18	54.0	23.82	AV	0.00	400	Horizontal	Pass
2	4316.800	50.42	74.0	23.58	Peak	360.00	400	Horizontal	Pass
2**	4316.800	41.60	54.0	12.40	AV	360.00	400	Horizontal	Pass
3	5697.800	96.42	--	--	Peak	73.00	150	Horizontal	N/A
3**	5697.800	90.11	--	--	AV	73.00	150	Horizontal	N/A
4	7509.737	49.81	74.0	24.19	Peak	270.00	300	Horizontal	Pass
4**	7509.737	41.27	54.0	12.73	AV	270.00	300	Horizontal	Pass
5	12572.325	52.37	74.0	21.63	Peak	360.00	150	Horizontal	Pass
5**	12572.325	43.07	54.0	10.93	AV	360.00	150	Horizontal	Pass
6	15825.713	54.63	74.0	19.37	Peak	284.00	200	Horizontal	Pass
6**	15825.713	45.36	54.0	8.64	AV	284.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.100	39.23	74.0	34.77	Peak	180.00	400	Vertical	Pass
1**	1584.100	29.52	54.0	24.48	AV	180.00	400	Vertical	Pass
2	4326.200	50.32	74.0	23.68	Peak	115.00	400	Vertical	Pass
2**	4326.200	40.40	54.0	13.60	AV	115.00	400	Vertical	Pass
3	5697.800	99.49	--	--	Peak	148.00	150	Vertical	N/A
3**	5697.800	92.96	--	--	AV	148.00	150	Vertical	N/A
4	7381.513	50.46	74.0	23.54	Peak	99.00	300	Vertical	Pass
4**	7381.513	41.31	54.0	12.69	AV	99.00	300	Vertical	Pass
5	10922.937	52.50	74.0	21.50	Peak	31.00	100	Vertical	Pass
5**	10922.937	43.34	54.0	10.66	AV	31.00	100	Vertical	Pass
6	16056.188	55.15	74.0	18.85	Peak	70.00	400	Vertical	Pass
6**	16056.188	44.98	54.0	9.02	AV	70.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.900	38.86	74.0	35.14	Peak	235.00	100	Horizontal	Pass
1**	1538.900	28.75	54.0	25.25	AV	235.00	100	Horizontal	Pass
2	4318.600	50.57	74.0	23.43	Peak	102.00	300	Horizontal	Pass
2**	4318.600	41.00	54.0	13.00	AV	102.00	300	Horizontal	Pass
3	5507.800	93.85	--	--	Peak	228.00	150	Horizontal	N/A
3**	5507.800	87.33	--	--	AV	228.00	150	Horizontal	N/A
4	7380.075	50.42	74.0	23.58	Peak	202.00	300	Horizontal	Pass
4**	7380.075	41.08	54.0	12.92	AV	202.00	300	Horizontal	Pass
5	11894.400	51.95	74.0	22.05	Peak	202.00	150	Horizontal	Pass
5**	11894.400	42.33	54.0	11.67	AV	202.00	150	Horizontal	Pass
6	15815.213	55.16	74.0	18.84	Peak	360.00	200	Horizontal	Pass
6**	15815.213	46.10	54.0	7.90	AV	360.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.900	38.90	74.0	35.10	Peak	216.00	300	Vertical	Pass
1**	1490.900	29.92	54.0	24.08	AV	216.00	300	Vertical	Pass
2	4377.200	50.49	74.0	23.51	Peak	47.00	100	Vertical	Pass
2**	4377.200	41.05	54.0	12.95	AV	47.00	100	Vertical	Pass
3	5507.800	96.72	--	--	Peak	160.00	200	Vertical	N/A
3**	5507.800	89.93	--	--	AV	160.00	200	Vertical	N/A
4	7445.625	50.08	74.0	23.92	Peak	269.00	300	Vertical	Pass
4**	7445.625	41.46	54.0	12.54	AV	269.00	300	Vertical	Pass
5	11835.175	52.30	74.0	21.70	Peak	360.00	200	Vertical	Pass
5**	11835.175	42.14	54.0	11.86	AV	360.00	200	Vertical	Pass
6	16080.338	55.05	74.0	18.95	Peak	146.00	300	Vertical	Pass
6**	16080.338	45.67	54.0	8.33	AV	146.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.700	39.41	74.0	34.59	Peak	162.00	100	Horizontal	Pass
1**	1585.700	29.74	54.0	24.26	AV	162.00	100	Horizontal	Pass
2	4380.200	50.41	74.0	23.59	Peak	35.00	100	Horizontal	Pass
2**	4380.200	40.80	54.0	13.20	AV	35.00	100	Horizontal	Pass
3	5587.800	93.63	--	--	Peak	227.00	100	Horizontal	N/A
3**	5587.800	86.95	--	--	AV	227.00	100	Horizontal	N/A
4	7440.737	50.36	74.0	23.64	Peak	360.00	300	Horizontal	Pass
4**	7440.737	41.06	54.0	12.94	AV	360.00	300	Horizontal	Pass
5	11960.526	52.08	74.0	21.92	Peak	271.00	150	Horizontal	Pass
5**	11960.526	42.32	54.0	11.68	AV	271.00	150	Horizontal	Pass
6	15851.963	55.28	74.0	18.72	Peak	266.00	200	Horizontal	Pass
6**	15851.963	46.07	54.0	7.93	AV	266.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.700	38.82	74.0	35.18	Peak	71.00	300	Vertical	Pass
1**	1485.700	29.96	54.0	24.04	AV	71.00	300	Vertical	Pass
2	4389.400	49.80	74.0	24.20	Peak	274.00	200	Vertical	Pass
2**	4389.400	43.09	54.0	10.91	AV	274.00	200	Vertical	Pass
3	5574.000	97.39	--	--	Peak	152.00	150	Vertical	N/A
3**	5574.000	91.11	--	--	AV	152.00	150	Vertical	N/A
4	7466.325	50.12	74.0	23.88	Peak	0.00	300	Vertical	Pass
4**	7466.325	41.20	54.0	12.80	AV	0.00	300	Vertical	Pass
5	10921.787	52.75	74.0	21.25	Peak	116.00	100	Vertical	Pass
5**	10921.787	42.92	54.0	11.08	AV	116.00	100	Vertical	Pass
6	16127.062	55.06	74.0	18.94	Peak	188.00	400	Vertical	Pass
6**	16127.062	45.12	54.0	8.88	AV	188.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.100	39.94	74.0	34.06	Peak	133.00	400	Horizontal	Pass
1**	1595.100	29.11	54.0	24.89	AV	133.00	400	Horizontal	Pass
2	4003.600	50.05	74.0	23.95	Peak	285.00	300	Horizontal	Pass
2**	4003.600	41.61	54.0	12.39	AV	285.00	300	Horizontal	Pass
3	5654.000	92.91	--	V	Peak	229.00	200	Horizontal	N/A
3**	5654.000	87.03	--	--	AV	229.00	200	Horizontal	N/A
4	7449.650	50.87	74.0	23.13	Peak	184.00	100	Horizontal	Pass
4**	7449.650	41.64	54.0	12.36	AV	184.00	100	Horizontal	Pass
5	12556.800	52.21	74.0	21.79	Peak	115.00	200	Horizontal	Pass
5**	12556.800	42.25	54.0	11.75	AV	115.00	200	Horizontal	Pass
6	16131.526	55.12	74.0	18.88	Peak	109.00	400	Horizontal	Pass
6**	16131.526	45.60	54.0	8.40	AV	109.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	39.13	74.0	34.87	Peak	118.00	400	Vertical	Pass
1**	1499.200	29.20	54.0	24.80	AV	118.00	400	Vertical	Pass
2	3761.800	50.55	74.0	23.45	Peak	273.00	300	Vertical	Pass
2**	3761.800	39.94	54.0	14.06	AV	273.00	300	Vertical	Pass
3	5679.400	98.15	--	--	Peak	149.00	200	Vertical	N/A
3**	5679.400	92.04	--	--	AV	149.00	200	Vertical	N/A
4	7477.250	51.34	74.0	22.66	Peak	83.00	100	Vertical	Pass
4**	7477.250	40.78	54.0	13.22	AV	83.00	100	Vertical	Pass
5	11327.450	52.35	74.0	21.65	Peak	133.00	200	Vertical	Pass
5**	11327.450	42.76	54.0	11.24	AV	133.00	200	Vertical	Pass
6	16168.275	54.81	74.0	19.19	Peak	31.00	300	Vertical	Pass
6**	16168.275	45.14	54.0	8.86	AV	31.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.600	39.55	74.0	34.45	Peak	3.00	100	Horizontal	Pass
1**	1546.600	30.15	54.0	23.85	AV	3.00	100	Horizontal	Pass
2	3707.200	50.23	74.0	23.77	Peak	160.00	300	Horizontal	Pass
2**	3707.200	40.10	54.0	13.90	AV	160.00	300	Horizontal	Pass
3	5507.000	95.73	--	--	Peak	226.00	100	Horizontal	N/A
3**	5507.000	89.32	--	--	AV	226.00	100	Horizontal	N/A
4	7473.800	50.51	74.0	23.49	Peak	14.00	100	Horizontal	Pass
4**	7473.800	40.45	54.0	13.55	AV	14.00	100	Horizontal	Pass
5	11330.037	52.62	74.0	21.38	Peak	171.00	200	Horizontal	Pass
5**	11330.037	43.05	54.0	10.95	AV	171.00	200	Horizontal	Pass
6	15832.275	55.83	74.0	18.17	Peak	206.00	200	Horizontal	Pass
6**	15832.275	45.59	54.0	8.41	AV	206.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.700	39.62	74.0	34.38	Peak	266.00	400	Vertical	Pass
1**	1484.700	29.81	54.0	24.19	AV	266.00	400	Vertical	Pass
2	4340.600	50.56	74.0	23.44	Peak	142.00	300	Vertical	Pass
2**	4340.600	40.43	54.0	13.57	AV	142.00	300	Vertical	Pass
3	5497.800	98.92	--	--	Peak	153.00	200	Vertical	N/A
3**	5497.800	92.72	--	--	AV	153.00	200	Vertical	N/A
4	7679.363	50.45	74.0	23.55	Peak	247.00	300	Vertical	Pass
4**	7679.363	39.57	54.0	14.43	AV	247.00	300	Vertical	Pass
5	11944.138	52.19	74.0	21.81	Peak	283.00	150	Vertical	Pass
5**	11944.138	42.98	54.0	11.02	AV	283.00	150	Vertical	Pass
6	15528.825	54.76	74.0	19.24	Peak	178.00	150	Vertical	Pass
6**	15528.825	44.93	54.0	9.07	AV	178.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.700	39.39	74.0	34.61	Peak	10.00	400	Horizontal	Pass
1**	1573.700	29.65	54.0	24.35	AV	10.00	400	Horizontal	Pass
2	4394.200	50.44	74.0	23.56	Peak	171.00	100	Horizontal	Pass
2**	4394.200	40.98	54.0	13.02	AV	171.00	100	Horizontal	Pass
3	5587.400	95.24	--	--	Peak	238.00	100	Horizontal	N/A
3**	5587.400	88.77	--	--	AV	238.00	100	Horizontal	N/A
4	7451.087	50.27	74.0	23.73	Peak	355.00	200	Horizontal	Pass
4**	7451.087	41.28	54.0	12.72	AV	355.00	200	Horizontal	Pass
5	11925.450	52.14	74.0	21.86	Peak	168.00	150	Horizontal	Pass
5**	11925.450	42.93	54.0	11.07	AV	168.00	150	Horizontal	Pass
6	16104.487	55.92	74.0	18.08	Peak	227.00	400	Horizontal	Pass
6**	16104.487	45.39	54.0	8.61	AV	227.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.000	39.15	74.0	34.85	Peak	168.00	100	Vertical	Pass
1**	1529.000	29.43	54.0	24.57	AV	168.00	100	Vertical	Pass
2	4359.400	50.40	74.0	23.60	Peak	81.00	100	Vertical	Pass
2**	4359.400	40.92	54.0	13.08	AV	81.00	100	Vertical	Pass
3	5572.600	99.60	--	--	Peak	148.00	200	Vertical	N/A
3**	5572.600	93.06	--	--	AV	148.00	200	Vertical	N/A
4	7451.087	50.29	74.0	23.71	Peak	173.00	400	Vertical	Pass
4**	7451.087	41.85	54.0	12.15	AV	173.00	400	Vertical	Pass
5	11905.325	52.13	74.0	21.87	Peak	308.00	150	Vertical	Pass
5**	11905.325	42.29	54.0	11.71	AV	308.00	150	Vertical	Pass
6	16079.813	55.49	74.0	18.51	Peak	168.00	400	Vertical	Pass
6**	16079.813	45.95	54.0	8.05	AV	168.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.800	38.81	74.0	35.19	Peak	287.00	100	Horizontal	Pass
1**	1537.800	29.52	54.0	24.48	AV	287.00	100	Horizontal	Pass
2	4343.800	50.46	74.0	23.54	Peak	205.00	200	Horizontal	Pass
2**	4343.800	41.23	54.0	12.77	AV	205.00	200	Horizontal	Pass
3	5697.800	96.52	--	--	Peak	69.00	200	Horizontal	N/A
3**	5697.800	90.33	--	--	AV	69.00	200	Horizontal	N/A
4	7447.063	50.30	74.0	23.70	Peak	200.00	400	Horizontal	Pass
4**	7447.063	41.09	54.0	12.91	AV	200.00	400	Horizontal	Pass
5	11329.463	52.32	74.0	21.68	Peak	99.00	150	Horizontal	Pass
5**	11329.463	43.61	54.0	10.39	AV	99.00	150	Horizontal	Pass
6	16091.362	55.44	74.0	18.56	Peak	0.00	300	Horizontal	Pass
6**	16091.362	46.20	54.0	7.80	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.300	39.36	74.0	34.64	Peak	152.00	100	Vertical	Pass
1**	1438.300	29.73	54.0	24.27	AV	152.00	100	Vertical	Pass
2	4361.200	50.60	74.0	23.40	Peak	204.00	100	Vertical	Pass
2**	4361.200	41.48	54.0	12.52	AV	204.00	100	Vertical	Pass
3	5697.800	99.49	--	--	Peak	147.00	200	Vertical	N/A
3**	5697.800	93.07	--	--	AV	147.00	200	Vertical	N/A
4	7449.362	50.14	74.0	23.86	Peak	0.00	400	Vertical	Pass
4**	7449.362	41.90	54.0	12.10	AV	0.00	400	Vertical	Pass
5	11953.625	51.97	74.0	22.03	Peak	338.00	150	Vertical	Pass
5**	11953.625	42.60	54.0	11.40	AV	338.00	150	Vertical	Pass
6	16095.037	54.97	74.0	19.03	Peak	228.00	400	Vertical	Pass
6**	16095.037	46.11	54.0	7.89	AV	228.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.800	39.08	74.0	34.92	Peak	183.00	300	Horizontal	Pass
1**	1442.800	29.08	54.0	24.92	AV	183.00	300	Horizontal	Pass
2	4210.600	50.80	74.0	23.20	Peak	307.00	100	Horizontal	Pass
2**	4210.600	40.24	54.0	13.76	AV	307.00	100	Horizontal	Pass
3	5507.600	93.88	--	--	Peak	229.00	150	Horizontal	N/A
3**	5507.600	87.13	--	--	AV	229.00	150	Horizontal	N/A
4	7426.937	50.23	74.0	23.77	Peak	65.00	200	Horizontal	Pass
4**	7426.937	41.24	54.0	12.76	AV	65.00	200	Horizontal	Pass
5	10922.651	52.16	74.0	21.84	Peak	355.00	150	Horizontal	Pass
5**	10922.651	43.23	54.0	10.77	AV	355.00	150	Horizontal	Pass
6	16087.950	55.23	74.0	18.77	Peak	343.00	400	Horizontal	Pass
6**	16087.950	45.70	54.0	8.30	AV	343.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.900	39.84	74.0	34.16	Peak	144.00	100	Vertical	Pass
1**	1622.900	30.51	54.0	23.49	AV	144.00	100	Vertical	Pass
2	4396.400	49.95	74.0	24.05	Peak	260.00	300	Vertical	Pass
2**	4396.400	41.03	54.0	12.97	AV	260.00	300	Vertical	Pass
3	5507.600	96.69	--	--	Peak	148.00	150	Vertical	N/A
3**	5507.600	89.99	--	--	AV	148.00	150	Vertical	N/A
4	7449.650	50.57	74.0	23.43	Peak	117.00	300	Vertical	Pass
4**	7449.650	41.19	54.0	12.81	AV	117.00	300	Vertical	Pass
5	12003.937	52.41	74.0	21.59	Peak	304.00	200	Vertical	Pass
5**	12003.937	42.25	54.0	11.75	AV	304.00	200	Vertical	Pass
6	15836.213	54.99	74.0	19.01	Peak	285.00	400	Vertical	Pass
6**	15836.213	45.22	54.0	8.78	AV	285.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.400	39.04	74.0	34.96	Peak	240.00	300	Horizontal	Pass
1**	1561.400	31.78	54.0	22.22	AV	240.00	300	Horizontal	Pass
2	4193.000	50.02	74.0	23.98	Peak	228.00	300	Horizontal	Pass
2**	4193.000	40.86	54.0	13.14	AV	228.00	300	Horizontal	Pass
3	5587.800	93.67	--	--	Peak	228.00	200	Horizontal	N/A
3**	5587.800	86.77	--	--	AV	228.00	200	Horizontal	N/A
4	7453.675	50.24	74.0	23.76	Peak	322.00	300	Horizontal	Pass
4**	7453.675	41.35	54.0	12.65	AV	322.00	300	Horizontal	Pass
5	10922.362	52.89	74.0	21.11	Peak	117.00	200	Horizontal	Pass
5**	10922.362	42.91	54.0	11.09	AV	117.00	200	Horizontal	Pass
6	15657.450	54.89	74.0	19.11	Peak	360.00	100	Horizontal	Pass
6**	15657.450	46.17	54.0	7.83	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.000	39.64	74.0	34.36	Peak	85.00	200	Vertical	Pass
1**	1503.000	30.71	54.0	23.29	AV	85.00	200	Vertical	Pass
2	4363.800	50.33	74.0	23.67	Peak	272.00	200	Vertical	Pass
2**	4363.800	41.12	54.0	12.88	AV	272.00	200	Vertical	Pass
3	5574.000	97.43	--	--	Peak	159.00	150	Vertical	N/A
3**	5574.000	91.71	--	--	AV	159.00	150	Vertical	N/A
4	7378.638	50.50	74.0	23.50	Peak	186.00	300	Vertical	Pass
4**	7378.638	41.20	54.0	12.80	AV	186.00	300	Vertical	Pass
5	11202.388	53.62	74.0	20.38	Peak	271.00	100	Vertical	Pass
5**	11202.388	42.18	54.0	11.82	AV	271.00	100	Vertical	Pass
6	15811.537	54.90	74.0	19.10	Peak	0.00	100	Vertical	Pass
6**	15811.537	45.95	54.0	8.05	AV	0.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.100	39.63	74.0	34.37	Peak	360.00	100	Horizontal	Pass
1**	1489.100	29.66	54.0	24.34	AV	360.00	100	Horizontal	Pass
2	4070.200	50.15	74.0	23.85	Peak	158.00	200	Horizontal	Pass
2**	4070.200	40.19	54.0	13.81	AV	158.00	200	Horizontal	Pass
3	5654.000	93.02	--	--	Peak	227.00	200	Horizontal	N/A
3**	5654.000	86.97	--	--	AV	227.00	200	Horizontal	N/A
4	7450.225	50.73	74.0	23.27	Peak	169.00	300	Horizontal	Pass
4**	7450.225	41.76	54.0	12.24	AV	169.00	300	Horizontal	Pass
5	11196.637	52.12	74.0	21.88	Peak	221.00	200	Horizontal	Pass
5**	11196.637	42.77	54.0	11.23	AV	221.00	200	Horizontal	Pass
6	16110.525	55.36	74.0	18.64	Peak	129.00	100	Horizontal	Pass
6**	16110.525	45.46	54.0	8.54	AV	129.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.100	39.30	74.0	34.70	Peak	192.00	200	Vertical	Pass
1**	1501.100	30.26	54.0	23.74	AV	192.00	200	Vertical	Pass
2	4120.800	51.01	74.0	22.99	Peak	57.00	200	Vertical	Pass
2**	4120.800	40.43	54.0	13.57	AV	57.00	200	Vertical	Pass
3	5679.600	98.11	--	--	Peak	148.00	200	Vertical	N/A
3**	5679.600	91.98	--	--	AV	148.00	200	Vertical	N/A
4	7453.675	50.86	74.0	23.14	Peak	117.00	100	Vertical	Pass
4**	7453.675	41.30	54.0	12.70	AV	117.00	100	Vertical	Pass
5	11523.812	52.75	74.0	21.25	Peak	360.00	150	Vertical	Pass
5**	11523.812	42.17	54.0	11.83	AV	360.00	150	Vertical	Pass
6	16132.312	55.04	74.0	18.96	Peak	67.00	400	Vertical	Pass
6**	16132.312	45.77	54.0	8.23	AV	67.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.600	39.32	74.0	34.68	Peak	17.00	300	Horizontal	Pass
1**	1469.600	29.10	54.0	24.90	AV	17.00	300	Horizontal	Pass
2	4393.000	50.23	74.0	23.77	Peak	350.00	300	Horizontal	Pass
2**	4393.000	41.32	54.0	12.68	AV	350.00	300	Horizontal	Pass
3	5536.200	95.43	--	--	Peak	229.00	100	Horizontal	N/A
3**	5536.200	89.16	--	--	AV	229.00	100	Horizontal	N/A
4	7465.462	49.89	74.0	24.11	Peak	320.00	100	Horizontal	Pass
4**	7465.462	41.32	54.0	12.68	AV	320.00	100	Horizontal	Pass
5	11937.526	52.71	74.0	21.29	Peak	0.00	100	Horizontal	Pass
5**	11937.526	42.50	54.0	11.50	AV	0.00	100	Horizontal	Pass
6	16105.012	54.93	74.0	19.07	Peak	285.00	200	Horizontal	Pass
6**	16105.012	45.94	54.0	8.06	AV	285.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.500	40.05	74.0	33.95	Peak	146.00	300	Vertical	Pass
1**	1610.500	30.05	54.0	23.95	AV	146.00	300	Vertical	Pass
2	4365.200	50.08	74.0	23.92	Peak	237.00	100	Vertical	Pass
2**	4365.200	41.45	54.0	12.55	AV	237.00	100	Vertical	Pass
3	5536.200	98.97	--	--	Peak	157.00	100	Vertical	N/A
3**	5536.200	92.36	--	--	AV	157.00	100	Vertical	N/A
4	7347.588	50.52	74.0	23.48	Peak	289.00	300	Vertical	Pass
4**	7347.588	41.45	54.0	12.55	AV	289.00	300	Vertical	Pass
5	10927.250	52.10	74.0	21.90	Peak	140.00	200	Vertical	Pass
5**	10927.250	43.45	54.0	10.55	AV	140.00	200	Vertical	Pass
6	15809.438	56.54	74.0	17.46	Peak	100.00	300	Vertical	Pass
6**	15809.438	46.26	54.0	7.74	AV	100.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.300	39.10	74.0	34.90	Peak	163.00	200	Horizontal	Pass
1**	1557.300	29.24	54.0	24.76	AV	163.00	200	Horizontal	Pass
2	3940.200	50.85	74.0	23.15	Peak	113.00	100	Horizontal	Pass
2**	3940.200	40.39	54.0	13.61	AV	113.00	100	Horizontal	Pass
3	5594.000	94.06	--	--	Peak	226.00	200	Horizontal	N/A
3**	5594.000	87.85	--	--	AV	226.00	200	Horizontal	N/A
4	7549.412	50.10	74.0	23.90	Peak	135.00	400	Horizontal	Pass
4**	7549.412	40.47	54.0	13.53	AV	135.00	400	Horizontal	Pass
5	11938.099	52.36	74.0	21.64	Peak	65.00	100	Horizontal	Pass
5**	11938.099	42.85	54.0	11.15	AV	65.00	100	Horizontal	Pass
6	16130.213	55.33	74.0	18.67	Peak	69.00	400	Horizontal	Pass
6**	16130.213	45.58	54.0	8.42	AV	69.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.400	39.45	74.0	34.55	Peak	10.00	200	Vertical	Pass
1**	1484.400	29.86	54.0	24.14	AV	10.00	200	Vertical	Pass
2	4322.600	50.07	74.0	23.93	Peak	191.00	400	Vertical	Pass
2**	4322.600	40.94	54.0	13.06	AV	191.00	400	Vertical	Pass
3	5607.800	99.01	--	--	Peak	158.00	100	Vertical	N/A
3**	5607.800	92.22	--	--	AV	158.00	100	Vertical	N/A
4	7451.663	50.75	74.0	23.25	Peak	169.00	400	Vertical	Pass
4**	7451.663	41.09	54.0	12.91	AV	169.00	400	Vertical	Pass
5	11933.213	52.64	74.0	21.36	Peak	306.00	150	Vertical	Pass
5**	11933.213	42.88	54.0	11.12	AV	306.00	150	Vertical	Pass
6	15827.025	55.18	74.0	18.82	Peak	360.00	100	Vertical	Pass
6**	15827.025	46.59	54.0	7.41	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.900	39.23	74.0	34.77	Peak	95.00	200	Horizontal	Pass
1**	1533.900	29.18	54.0	24.82	AV	95.00	200	Horizontal	Pass
2	4385.000	50.73	74.0	23.27	Peak	178.00	300	Horizontal	Pass
2**	4385.000	41.76	54.0	12.24	AV	178.00	300	Horizontal	Pass
3	5507.000	95.65	--	--	Peak	225.00	200	Horizontal	N/A
3**	5507.000	89.48	--	--	AV	225.00	200	Horizontal	N/A
4	7444.188	50.20	74.0	23.80	Peak	89.00	400	Horizontal	Pass
4**	7444.188	41.58	54.0	12.42	AV	89.00	400	Horizontal	Pass
5	11819.650	51.74	74.0	22.26	Peak	124.00	100	Horizontal	Pass
5**	11819.650	42.75	54.0	11.25	AV	124.00	100	Horizontal	Pass
6	16105.012	55.25	74.0	18.75	Peak	283.00	400	Horizontal	Pass
6**	16105.012	46.15	54.0	7.85	AV	283.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.900	39.86	74.0	34.14	Peak	264.00	300	Vertical	Pass
1**	1551.900	29.49	54.0	24.51	AV	264.00	300	Vertical	Pass
2	4385.600	50.85	74.0	23.15	Peak	217.00	400	Vertical	Pass
2**	4385.600	41.41	54.0	12.59	AV	217.00	400	Vertical	Pass
3	5497.800	98.91	--	--	Peak	150.00	150	Vertical	N/A
3**	5497.800	92.46	--	--	AV	150.00	150	Vertical	N/A
4	7463.162	50.64	74.0	23.36	Peak	0.00	200	Vertical	Pass
4**	7463.162	41.19	54.0	12.81	AV	0.00	200	Vertical	Pass
5	11938.099	52.65	74.0	21.35	Peak	47.00	100	Vertical	Pass
5**	11938.099	43.70	54.0	10.30	AV	47.00	100	Vertical	Pass
6	15854.588	54.91	74.0	19.09	Peak	360.00	400	Vertical	Pass
6**	15854.588	45.74	54.0	8.26	AV	360.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.600	38.88	74.0	35.12	Peak	24.00	100	Horizontal	Pass
1**	1469.600	29.29	54.0	24.71	AV	24.00	100	Horizontal	Pass
2	4395.600	50.07	74.0	23.93	Peak	114.00	100	Horizontal	Pass
2**	4395.600	41.00	54.0	13.00	AV	114.00	100	Horizontal	Pass
3	5587.400	95.47	--	--	Peak	230.00	200	Horizontal	N/A
3**	5587.400	89.02	--	--	AV	230.00	200	Horizontal	N/A
4	7338.387	50.67	74.0	23.33	Peak	254.00	100	Horizontal	Pass
4**	7338.387	41.16	54.0	12.84	AV	254.00	100	Horizontal	Pass
5	10928.400	52.02	74.0	21.98	Peak	65.00	150	Horizontal	Pass
5**	10928.400	43.48	54.0	10.52	AV	65.00	150	Horizontal	Pass
6	16128.638	54.71	74.0	19.29	Peak	9.00	200	Horizontal	Pass
6**	16128.638	45.70	54.0	8.30	AV	9.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	39.52	74.0	34.48	Peak	306.00	100	Vertical	Pass
1**	1499.800	31.34	54.0	22.66	AV	306.00	100	Vertical	Pass
2	4355.000	50.09	74.0	23.91	Peak	273.00	200	Vertical	Pass
2**	4355.000	40.43	54.0	13.57	AV	273.00	200	Vertical	Pass
3	5572.600	99.64	--	--	Peak	153.00	150	Vertical	N/A
3**	5572.600	93.45	--	--	AV	153.00	150	Vertical	N/A
4	7434.988	50.72	74.0	23.28	Peak	31.00	400	Vertical	Pass
4**	7434.988	41.66	54.0	12.34	AV	31.00	400	Vertical	Pass
5	12403.276	52.32	74.0	21.68	Peak	167.00	100	Vertical	Pass
5**	12403.276	42.53	54.0	11.47	AV	167.00	100	Vertical	Pass
6	15846.450	54.98	74.0	19.02	Peak	284.00	200	Vertical	Pass
6**	15846.450	46.05	54.0	7.95	AV	284.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.500	38.66	74.0	35.34	Peak	294.00	200	Horizontal	Pass
1**	1463.500	29.68	54.0	24.32	AV	294.00	200	Horizontal	Pass
2	4208.600	50.59	74.0	23.41	Peak	207.00	200	Horizontal	Pass
2**	4208.600	41.62	54.0	12.38	AV	207.00	200	Horizontal	Pass
3	5697.800	96.52	--	--	Peak	71.00	200	Horizontal	N/A
3**	5697.800	89.72	--	--	AV	71.00	200	Horizontal	N/A
4	7379.500	50.00	74.0	24.00	Peak	31.00	300	Horizontal	Pass
4**	7379.500	40.93	54.0	13.07	AV	31.00	300	Horizontal	Pass
5	10921.787	51.88	74.0	22.12	Peak	356.00	200	Horizontal	Pass
5**	10921.787	44.02	54.0	9.98	AV	356.00	200	Horizontal	Pass
6	16102.125	54.94	74.0	19.06	Peak	360.00	300	Horizontal	Pass
6**	16102.125	45.86	54.0	8.14	AV	360.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.700	39.82	74.0	34.18	Peak	0.00	100	Vertical	Pass
1**	1605.700	29.56	54.0	24.44	AV	0.00	100	Vertical	Pass
2	4391.400	50.15	74.0	23.85	Peak	168.00	100	Vertical	Pass
2**	4391.400	40.77	54.0	13.23	AV	168.00	100	Vertical	Pass
3	5697.800	99.50	--	--	Peak	146.00	200	Vertical	N/A
3**	5697.800	93.39	--	--	AV	146.00	200	Vertical	N/A
4	7456.550	50.45	74.0	23.55	Peak	166.00	300	Vertical	Pass
4**	7456.550	41.79	54.0	12.21	AV	166.00	300	Vertical	Pass
5	11809.588	52.31	74.0	21.69	Peak	166.00	100	Vertical	Pass
5**	11809.588	42.32	54.0	11.68	AV	166.00	100	Vertical	Pass
6	15508.088	55.24	74.0	18.76	Peak	0.00	200	Vertical	Pass
6**	15508.088	46.27	54.0	7.73	AV	0.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.700	39.28	74.0	34.72	Peak	321.00	200	Horizontal	Pass
1**	1511.700	29.01	54.0	24.99	AV	321.00	200	Horizontal	Pass
2	4386.400	50.32	74.0	23.68	Peak	138.00	200	Horizontal	Pass
2**	4386.400	41.82	54.0	12.18	AV	138.00	200	Horizontal	Pass
3	5507.800	93.82	--	--	Peak	228.00	150	Horizontal	N/A
3**	5507.800	87.03	--	--	AV	228.00	150	Horizontal	N/A
4	7443.612	50.81	74.0	23.19	Peak	171.00	200	Horizontal	Pass
4**	7443.612	41.77	54.0	12.23	AV	171.00	200	Horizontal	Pass
5	11328.312	52.41	74.0	21.59	Peak	206.00	100	Horizontal	Pass
5**	11328.312	42.74	54.0	11.26	AV	206.00	100	Horizontal	Pass
6	15813.375	55.37	74.0	18.63	Peak	130.00	300	Horizontal	Pass
6**	15813.375	45.89	54.0	8.11	AV	130.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.300	39.20	74.0	34.80	Peak	357.00	200	Vertical	Pass
1**	1556.300	29.33	54.0	24.67	AV	357.00	200	Vertical	Pass
2	4363.600	50.37	74.0	23.63	Peak	85.00	400	Vertical	Pass
2**	4363.600	41.27	54.0	12.73	AV	85.00	400	Vertical	Pass
3	5507.600	96.65	--	--	Peak	153.00	150	Vertical	N/A
3**	5507.600	89.96	--	--	AV	153.00	150	Vertical	N/A
4	7502.837	50.80	74.0	23.20	Peak	65.00	300	Vertical	Pass
4**	7502.837	41.82	54.0	12.18	AV	65.00	300	Vertical	Pass
5	12500.450	52.14	74.0	21.86	Peak	360.00	150	Vertical	Pass
5**	12500.450	42.76	54.0	11.24	AV	360.00	150	Vertical	Pass
6	16102.912	55.18	74.0	18.82	Peak	208.00	300	Vertical	Pass
6**	16102.912	46.10	54.0	7.90	AV	208.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.400	39.35	74.0	34.65	Peak	11.00	100	Horizontal	Pass
1**	1497.400	29.62	54.0	24.38	AV	11.00	100	Horizontal	Pass
2	4385.000	50.44	74.0	23.56	Peak	136.00	100	Horizontal	Pass
2**	4385.000	41.08	54.0	12.92	AV	136.00	100	Horizontal	Pass
3	5587.600	93.75	--	--	Peak	227.00	200	Horizontal	N/A
3**	5587.600	86.95	--	--	AV	227.00	200	Horizontal	N/A
4	7441.025	49.83	74.0	24.17	Peak	253.00	300	Horizontal	Pass
4**	7441.025	41.09	54.0	12.91	AV	253.00	300	Horizontal	Pass
5	10920.350	52.49	74.0	21.51	Peak	236.00	150	Horizontal	Pass
5**	10920.350	43.15	54.0	10.85	AV	236.00	150	Horizontal	Pass
6	15832.537	55.01	74.0	18.99	Peak	51.00	200	Horizontal	Pass
6**	15832.537	46.06	54.0	7.94	AV	51.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	39.72	74.0	34.28	Peak	156.00	400	Vertical	Pass
1**	1584.800	30.02	54.0	23.98	AV	156.00	400	Vertical	Pass
2	4389.000	50.17	74.0	23.83	Peak	202.00	100	Vertical	Pass
2**	4389.000	41.08	54.0	12.92	AV	202.00	100	Vertical	Pass
3	5574.000	97.41	--	--	Peak	157.00	200	Vertical	N/A
3**	5574.000	91.56	--	--	AV	157.00	200	Vertical	N/A
4	7459.425	50.53	74.0	23.47	Peak	152.00	100	Vertical	Pass
4**	7459.425	41.23	54.0	12.77	AV	152.00	100	Vertical	Pass
5	11922.000	52.61	74.0	21.39	Peak	15.00	100	Vertical	Pass
5**	11922.000	42.80	54.0	11.20	AV	15.00	100	Vertical	Pass
6	15826.237	55.15	74.0	18.85	Peak	51.00	300	Vertical	Pass
6**	15826.237	45.45	54.0	8.55	AV	51.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.700	39.12	74.0	34.88	Peak	212.00	300	Horizontal	Pass
1**	1624.700	30.15	54.0	23.85	AV	212.00	300	Horizontal	Pass
2	4297.400	50.69	74.0	23.31	Peak	329.00	400	Horizontal	Pass
2**	4297.400	40.57	54.0	13.43	AV	329.00	400	Horizontal	Pass
3	5654.000	92.85	--	--	Peak	227.00	150	Horizontal	N/A
3**	5654.000	86.54	--	--	AV	227.00	150	Horizontal	N/A
4	7448.500	50.93	74.0	23.07	Peak	32.00	200	Horizontal	Pass
4**	7448.500	41.67	54.0	12.33	AV	32.00	200	Horizontal	Pass
5	12582.100	51.72	74.0	22.28	Peak	186.00	200	Horizontal	Pass
5**	12582.100	42.43	54.0	11.57	AV	186.00	200	Horizontal	Pass
6	15855.375	54.86	74.0	19.14	Peak	227.00	100	Horizontal	Pass
6**	15855.375	45.00	54.0	9.00	AV	227.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.000	39.27	74.0	34.73	Peak	158.00	300	Vertical	Pass
1**	1568.000	29.57	54.0	24.43	AV	158.00	300	Vertical	Pass
2	4283.800	50.57	74.0	23.43	Peak	48.00	400	Vertical	Pass
2**	4283.800	41.03	54.0	12.97	AV	48.00	400	Vertical	Pass
3	5682.000	97.97	--	--	Peak	148.00	200	Vertical	N/A
3**	5682.000	92.07	--	--	AV	148.00	200	Vertical	N/A
4	7449.937	50.18	74.0	23.82	Peak	185.00	200	Vertical	Pass
4**	7449.937	41.46	54.0	12.54	AV	185.00	200	Vertical	Pass
5	11888.938	52.30	74.0	21.70	Peak	30.00	200	Vertical	Pass
5**	11888.938	42.14	54.0	11.86	AV	30.00	200	Vertical	Pass
6	16147.013	55.79	74.0	18.21	Peak	128.00	100	Vertical	Pass
6**	16147.013	45.32	54.0	8.68	AV	128.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.600	39.08	74.0	34.92	Peak	84.00	300	Horizontal	Pass
1**	1597.600	29.97	54.0	24.03	AV	84.00	300	Horizontal	Pass
2	4340.800	50.54	74.0	23.46	Peak	215.00	100	Horizontal	Pass
2**	4340.800	40.22	54.0	13.78	AV	215.00	100	Horizontal	Pass
3	5536.200	95.43	--	--	Peak	227.00	200	Horizontal	N/A
3**	5536.200	88.79	--	--	AV	227.00	200	Horizontal	N/A
4	7446.200	50.27	74.0	23.73	Peak	48.00	100	Horizontal	Pass
4**	7446.200	41.75	54.0	12.25	AV	48.00	100	Horizontal	Pass
5	12389.763	51.93	74.0	22.07	Peak	360.00	200	Horizontal	Pass
5**	12389.763	42.21	54.0	11.79	AV	360.00	200	Horizontal	Pass
6	16132.838	55.07	74.0	18.93	Peak	287.00	300	Horizontal	Pass
6**	16132.838	47.13	54.0	6.87	AV	287.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.400	39.28	74.0	34.72	Peak	6.00	100	Vertical	Pass
1**	1623.400	29.49	54.0	24.51	AV	6.00	100	Vertical	Pass
2	4393.800	50.06	74.0	23.94	Peak	93.00	400	Vertical	Pass
2**	4393.800	41.88	54.0	12.12	AV	93.00	400	Vertical	Pass
3	5536.200	98.89	--	--	Peak	148.00	150	Vertical	N/A
3**	5536.200	92.50	--	--	AV	148.00	150	Vertical	N/A
4	7332.063	50.45	74.0	23.55	Peak	187.00	100	Vertical	Pass
4**	7332.063	40.26	54.0	13.74	AV	187.00	100	Vertical	Pass
5	11920.275	51.91	74.0	22.09	Peak	66.00	100	Vertical	Pass
5**	11920.275	42.63	54.0	11.37	AV	66.00	100	Vertical	Pass
6	15906.037	55.52	74.0	18.48	Peak	287.00	100	Vertical	Pass
6**	15906.037	45.55	54.0	8.45	AV	287.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.400	39.40	74.0	34.60	Peak	12.00	200	Horizontal	Pass
1**	1475.400	29.21	54.0	24.79	AV	12.00	200	Horizontal	Pass
2	4381.600	50.03	74.0	23.97	Peak	190.00	100	Horizontal	Pass
2**	4381.600	41.46	54.0	12.54	AV	190.00	100	Horizontal	Pass
3	5594.000	93.81	--	--	Peak	236.00	200	Horizontal	N/A
3**	5594.000	88.18	--	--	AV	236.00	200	Horizontal	N/A
4	7446.200	50.77	74.0	23.23	Peak	253.00	200	Horizontal	Pass
4**	7446.200	41.49	54.0	12.51	AV	253.00	200	Horizontal	Pass
5	11918.550	52.27	74.0	21.73	Peak	304.00	150	Horizontal	Pass
5**	11918.550	43.38	54.0	10.62	AV	304.00	150	Horizontal	Pass
6	16135.463	54.89	74.0	19.11	Peak	266.00	100	Horizontal	Pass
6**	16135.463	45.74	54.0	8.26	AV	266.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.900	39.32	74.0	34.68	Peak	202.00	400	Vertical	Pass
1**	1503.900	29.37	54.0	24.63	AV	202.00	400	Vertical	Pass
2	4388.200	50.64	74.0	23.36	Peak	360.00	100	Vertical	Pass
2**	4388.200	41.40	54.0	12.60	AV	360.00	100	Vertical	Pass
3	5607.800	99.11	--	--	Peak	157.00	100	Vertical	N/A
3**	5607.800	92.34	--	--	AV	157.00	100	Vertical	N/A
4	7441.025	50.81	74.0	23.19	Peak	171.00	100	Vertical	Pass
4**	7441.025	41.52	54.0	12.48	AV	171.00	100	Vertical	Pass
5	10919.487	52.45	74.0	21.55	Peak	189.00	100	Vertical	Pass
5**	10919.487	42.15	54.0	11.85	AV	189.00	100	Vertical	Pass
6	15817.050	55.66	74.0	18.34	Peak	47.00	300	Vertical	Pass
6**	15817.050	47.41	54.0	6.59	AV	47.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.500	39.00	74.0	35.00	Peak	119.00	200	Horizontal	Pass
1**	1515.500	29.81	54.0	24.19	AV	119.00	200	Horizontal	Pass
2	4228.000	50.22	74.0	23.78	Peak	306.00	100	Horizontal	Pass
2**	4228.000	41.13	54.0	12.87	AV	306.00	100	Horizontal	Pass
3	5742.800	95.94	--	--	Peak	71.00	100	Horizontal	N/A
3**	5742.800	89.78	--	--	AV	71.00	100	Horizontal	N/A
4	7506.288	50.63	74.0	23.37	Peak	341.00	200	Horizontal	Pass
4**	7506.288	41.02	54.0	12.98	AV	341.00	200	Horizontal	Pass
5	11932.637	52.01	74.0	21.99	Peak	288.00	100	Horizontal	Pass
5**	11932.637	42.24	54.0	11.76	AV	288.00	100	Horizontal	Pass
6	16153.838	55.89	74.0	18.11	Peak	360.00	100	Horizontal	Pass
6**	16153.838	45.17	54.0	8.83	AV	360.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.300	39.71	74.0	34.29	Peak	297.00	200	Vertical	Pass
1**	1600.300	31.11	54.0	22.89	AV	297.00	200	Vertical	Pass
2	4244.800	49.98	74.0	24.02	Peak	223.00	100	Vertical	Pass
2**	4244.800	40.40	54.0	13.60	AV	223.00	100	Vertical	Pass
3	5737.600	97.93	--	--	Peak	340.00	150	Vertical	N/A
3**	5737.600	91.56	--	--	AV	340.00	150	Vertical	N/A
4	7448.787	49.91	74.0	24.09	Peak	86.00	300	Vertical	Pass
4**	7448.787	42.14	54.0	11.86	AV	86.00	300	Vertical	Pass
5	11935.799	52.57	74.0	21.43	Peak	0.00	200	Vertical	Pass
5**	11935.799	43.09	54.0	10.91	AV	0.00	200	Vertical	Pass
6	16130.737	55.10	74.0	18.90	Peak	360.00	200	Vertical	Pass
6**	16130.737	46.30	54.0	7.70	AV	360.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.300	39.49	74.0	34.51	Peak	278.00	300	Horizontal	Pass
1**	1557.300	29.37	54.0	24.63	AV	278.00	300	Horizontal	Pass
2	3904.600	50.45	74.0	23.55	Peak	192.00	400	Horizontal	Pass
2**	3904.600	40.63	54.0	13.37	AV	192.00	400	Horizontal	Pass
3	5782.800	96.77	--	--	Peak	72.00	150	Horizontal	N/A
3**	5782.800	90.22	--	--	AV	72.00	150	Horizontal	N/A
4	7343.275	50.11	74.0	23.89	Peak	306.00	400	Horizontal	Pass
4**	7343.275	41.18	54.0	12.82	AV	306.00	400	Horizontal	Pass
5	11947.588	52.20	74.0	21.80	Peak	287.00	150	Horizontal	Pass
5**	11947.588	43.50	54.0	10.50	AV	287.00	150	Horizontal	Pass
6	16143.863	55.42	74.0	18.58	Peak	11.00	100	Horizontal	Pass
6**	16143.863	44.94	54.0	9.06	AV	11.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.100	39.26	74.0	34.74	Peak	305.00	300	Vertical	Pass
1**	1610.100	29.32	54.0	24.68	AV	305.00	300	Vertical	Pass
2	4343.200	50.68	74.0	23.32	Peak	110.00	100	Vertical	Pass
2**	4343.200	41.14	54.0	12.86	AV	110.00	100	Vertical	Pass
3	5782.800	96.82	--	--	Peak	347.00	200	Vertical	N/A
3**	5782.800	90.52	--	--	AV	347.00	200	Vertical	N/A
4	7338.675	50.61	74.0	23.39	Peak	82.00	300	Vertical	Pass
4**	7338.675	41.68	54.0	12.32	AV	82.00	300	Vertical	Pass
5	11942.700	52.45	74.0	21.55	Peak	31.00	150	Vertical	Pass
5**	11942.700	43.16	54.0	10.84	AV	31.00	150	Vertical	Pass
6	15696.562	54.99	74.0	19.01	Peak	66.00	200	Vertical	Pass
6**	15696.562	45.46	54.0	8.54	AV	66.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.300	38.80	74.0	35.20	Peak	306.00	400	Horizontal	Pass
1**	1581.300	29.61	54.0	24.39	AV	306.00	400	Horizontal	Pass
2	4379.600	50.09	74.0	23.91	Peak	360.00	200	Horizontal	Pass
2**	4379.600	41.91	54.0	12.09	AV	360.00	200	Horizontal	Pass
3	5822.800	96.69	--	--	Peak	61.00	100	Horizontal	N/A
3**	5822.800	89.93	--	--	AV	61.00	100	Horizontal	N/A
4	7483.863	50.46	74.0	23.54	Peak	31.00	300	Horizontal	Pass
4**	7483.863	40.83	54.0	13.17	AV	31.00	300	Horizontal	Pass
5	12602.800	52.19	74.0	21.81	Peak	14.00	100	Horizontal	Pass
5**	12602.800	42.26	54.0	11.74	AV	14.00	100	Horizontal	Pass
6	15817.312	55.47	74.0	18.53	Peak	10.00	400	Horizontal	Pass
6**	15817.312	45.99	54.0	8.01	AV	10.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.200	39.62	74.0	34.38	Peak	116.00	400	Vertical	Pass
1**	1486.200	29.95	54.0	24.05	AV	116.00	400	Vertical	Pass
2	4392.800	50.44	74.0	23.56	Peak	56.00	400	Vertical	Pass
2**	4392.800	40.67	54.0	13.33	AV	56.00	400	Vertical	Pass
3	5817.600	96.12	--	--	Peak	316.00	100	Vertical	N/A
3**	5817.600	89.89	--	--	AV	316.00	100	Vertical	N/A
4	7380.938	50.45	74.0	23.55	Peak	360.00	300	Vertical	Pass
4**	7380.938	41.47	54.0	12.53	AV	360.00	300	Vertical	Pass
5	11928.325	51.69	74.0	22.31	Peak	357.00	150	Vertical	Pass
5**	11928.325	43.10	54.0	10.90	AV	357.00	150	Vertical	Pass
6	16096.874	54.91	74.0	19.09	Peak	324.00	100	Vertical	Pass
6**	16096.874	45.41	54.0	8.59	AV	324.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.900	38.96	74.0	35.04	Peak	205.00	300	Horizontal	Pass
1**	1550.900	28.82	54.0	25.18	AV	205.00	300	Horizontal	Pass
2	4392.400	50.21	74.0	23.79	Peak	14.00	200	Horizontal	Pass
2**	4392.400	42.12	54.0	11.88	AV	14.00	200	Horizontal	Pass
3	5742.800	95.76	--	--	Peak	70.00	150	Horizontal	N/A
3**	5742.800	89.53	--	--	AV	70.00	150	Horizontal	N/A
4	7505.425	50.21	74.0	23.79	Peak	360.00	300	Horizontal	Pass
4**	7505.425	41.63	54.0	12.37	AV	360.00	300	Horizontal	Pass
5	11332.338	52.46	74.0	21.54	Peak	0.00	200	Horizontal	Pass
5**	11332.338	44.03	54.0	9.97	AV	0.00	200	Horizontal	Pass
6	15811.276	54.97	74.0	19.03	Peak	48.00	300	Horizontal	Pass
6**	15811.276	45.54	54.0	8.46	AV	48.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.600	38.80	74.0	35.20	Peak	198.00	400	Vertical	Pass
1**	1533.600	29.28	54.0	24.72	AV	198.00	400	Vertical	Pass
2	4083.200	50.35	74.0	23.65	Peak	193.00	300	Vertical	Pass
2**	4083.200	41.00	54.0	13.00	AV	193.00	300	Vertical	Pass
3	5737.600	97.99	--	--	Peak	341.00	150	Vertical	N/A
3**	5737.600	91.94	--	--	AV	341.00	150	Vertical	N/A
4	7464.888	49.83	74.0	24.17	Peak	84.00	300	Vertical	Pass
4**	7464.888	41.33	54.0	12.67	AV	84.00	300	Vertical	Pass
5	11920.275	52.19	74.0	21.81	Peak	203.00	100	Vertical	Pass
5**	11920.275	42.52	54.0	11.48	AV	203.00	100	Vertical	Pass
6	16127.849	55.23	74.0	18.77	Peak	185.00	300	Vertical	Pass
6**	16127.849	46.13	54.0	7.87	AV	185.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.600	39.14	74.0	34.86	Peak	12.00	200	Horizontal	Pass
1**	1488.600	29.68	54.0	24.32	AV	12.00	200	Horizontal	Pass
2	4393.200	50.86	74.0	23.14	Peak	203.00	100	Horizontal	Pass
2**	4393.200	41.48	54.0	12.52	AV	203.00	100	Horizontal	Pass
3	5782.800	97.60	--	--	Peak	67.00	100	Horizontal	N/A
3**	5782.800	90.86	--	--	AV	67.00	100	Horizontal	N/A
4	7333.212	50.20	74.0	23.80	Peak	0.00	400	Horizontal	Pass
4**	7333.212	41.03	54.0	12.97	AV	0.00	400	Horizontal	Pass
5	12498.437	52.69	74.0	21.31	Peak	50.00	100	Horizontal	Pass
5**	12498.437	42.38	54.0	11.62	AV	50.00	100	Horizontal	Pass
6	15814.162	55.50	74.0	18.50	Peak	226.00	300	Horizontal	Pass
6**	15814.162	46.07	54.0	7.93	AV	226.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.500	39.62	74.0	34.38	Peak	285.00	100	Vertical	Pass
1**	1490.500	30.47	54.0	23.53	AV	285.00	100	Vertical	Pass
2	4209.200	51.10	74.0	22.90	Peak	138.00	300	Vertical	Pass
2**	4209.200	40.15	54.0	13.85	AV	138.00	300	Vertical	Pass
3	5782.800	97.71	--	--	Peak	341.00	100	Vertical	N/A
3**	5782.800	91.29	--	--	AV	341.00	100	Vertical	N/A
4	7439.587	50.72	74.0	23.28	Peak	32.00	200	Vertical	Pass
4**	7439.587	41.40	54.0	12.60	AV	32.00	200	Vertical	Pass
5	11935.513	52.12	74.0	21.88	Peak	205.00	150	Vertical	Pass
5**	11935.513	42.92	54.0	11.08	AV	205.00	150	Vertical	Pass
6	16137.300	54.67	74.0	19.33	Peak	265.00	300	Vertical	Pass
6**	16137.300	46.48	54.0	7.52	AV	265.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.900	39.49	74.0	34.51	Peak	0.00	100	Horizontal	Pass
1**	1611.900	29.92	54.0	24.08	AV	0.00	100	Horizontal	Pass
2	3993.800	50.60	74.0	23.40	Peak	248.00	400	Horizontal	Pass
2**	3993.800	40.26	54.0	13.74	AV	248.00	400	Horizontal	Pass
3	5822.800	97.88	--	--	Peak	68.00	150	Horizontal	N/A
3**	5822.800	91.75	--	--	AV	68.00	150	Horizontal	N/A
4	7448.500	50.17	74.0	23.83	Peak	183.00	200	Horizontal	Pass
4**	7448.500	40.87	54.0	13.13	AV	183.00	200	Horizontal	Pass
5	11940.975	52.00	74.0	22.00	Peak	149.00	200	Horizontal	Pass
5**	11940.975	43.19	54.0	10.81	AV	149.00	200	Horizontal	Pass
6	15966.675	54.72	74.0	19.28	Peak	167.00	300	Horizontal	Pass
6**	15966.675	46.24	54.0	7.76	AV	167.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	38.60	74.0	35.40	Peak	348.00	300	Vertical	Pass
1**	1498.700	29.73	54.0	24.27	AV	348.00	300	Vertical	Pass
2	3985.800	49.99	74.0	24.01	Peak	184.00	100	Vertical	Pass
2**	3985.800	39.89	54.0	14.11	AV	184.00	100	Vertical	Pass
3	5817.600	97.19	--	--	Peak	318.00	150	Vertical	N/A
3**	5817.600	90.70	--	--	AV	318.00	150	Vertical	N/A
4	7503.987	50.60	74.0	23.40	Peak	31.00	400	Vertical	Pass
4**	7503.987	41.07	54.0	12.93	AV	31.00	400	Vertical	Pass
5	11948.162	52.47	74.0	21.53	Peak	256.00	150	Vertical	Pass
5**	11948.162	42.90	54.0	11.10	AV	256.00	150	Vertical	Pass
6	15841.463	55.10	74.0	18.90	Peak	245.00	200	Vertical	Pass
6**	15841.463	46.20	54.0	7.80	AV	245.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	39.50	74.0	34.50	Peak	146.00	200	Horizontal	Pass
1**	1599.500	28.77	54.0	25.23	AV	146.00	200	Horizontal	Pass
2	4318.600	50.38	74.0	23.62	Peak	272.00	400	Horizontal	Pass
2**	4318.600	40.30	54.0	13.70	AV	272.00	400	Horizontal	Pass
3	5752.600	96.19	--	--	Peak	68.00	200	Horizontal	N/A
3**	5752.600	89.95	--	--	AV	68.00	200	Horizontal	N/A
4	7392.150	50.18	74.0	23.82	Peak	360.00	300	Horizontal	Pass
4**	7392.150	40.37	54.0	13.63	AV	360.00	300	Horizontal	Pass
5	12524.026	52.13	74.0	21.87	Peak	153.00	100	Horizontal	Pass
5**	12524.026	42.19	54.0	11.81	AV	153.00	100	Horizontal	Pass
6	15812.325	55.45	74.0	18.55	Peak	185.00	200	Horizontal	Pass
6**	15812.325	45.67	54.0	8.33	AV	185.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.000	38.56	74.0	35.44	Peak	241.00	100	Vertical	Pass
1**	1457.000	29.07	54.0	24.93	AV	241.00	100	Vertical	Pass
2	4397.600	50.57	74.0	23.43	Peak	360.00	200	Vertical	Pass
2**	4397.600	41.48	54.0	12.52	AV	360.00	200	Vertical	Pass
3	5752.600	97.86	--	--	Peak	157.00	100	Vertical	N/A
3**	5752.600	91.06	--	--	AV	157.00	100	Vertical	N/A
4	7424.925	50.03	74.0	23.97	Peak	358.00	300	Vertical	Pass
4**	7424.925	40.82	54.0	13.18	AV	358.00	300	Vertical	Pass
5	10932.138	51.82	74.0	22.18	Peak	15.00	200	Vertical	Pass
5**	10932.138	42.58	54.0	11.42	AV	15.00	200	Vertical	Pass
6	15818.100	55.50	74.0	18.50	Peak	89.00	200	Vertical	Pass
6**	15818.100	45.66	54.0	8.34	AV	89.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.500	39.52	74.0	34.48	Peak	147.00	300	Horizontal	Pass
1**	1581.500	29.50	54.0	24.50	AV	147.00	300	Horizontal	Pass
2	4391.000	50.18	74.0	23.82	Peak	157.00	300	Horizontal	Pass
2**	4391.000	41.19	54.0	12.81	AV	157.00	300	Horizontal	Pass
3	5811.200	95.77	--	--	Peak	64.00	100	Horizontal	N/A
3**	5811.200	89.97	--	--	AV	64.00	100	Horizontal	N/A
4	7484.150	50.46	74.0	23.54	Peak	360.00	300	Horizontal	Pass
4**	7484.150	41.28	54.0	12.72	AV	360.00	300	Horizontal	Pass
5	11925.737	52.17	74.0	21.83	Peak	358.00	150	Horizontal	Pass
5**	11925.737	42.92	54.0	11.08	AV	358.00	150	Horizontal	Pass
6	15990.825	54.99	74.0	19.01	Peak	360.00	200	Horizontal	Pass
6**	15990.825	45.57	54.0	8.43	AV	360.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	39.04	74.0	34.96	Peak	336.00	100	Vertical	Pass
1**	1600.000	31.45	54.0	22.55	AV	336.00	100	Vertical	Pass
2	4043.200	51.08	74.0	22.92	Peak	304.00	400	Vertical	Pass
2**	4043.200	41.68	54.0	12.32	AV	304.00	400	Vertical	Pass
3	5779.000	96.34	--	--	Peak	338.00	100	Vertical	N/A
3**	5779.000	90.14	--	--	AV	338.00	100	Vertical	N/A
4	7466.325	50.41	74.0	23.59	Peak	360.00	300	Vertical	Pass
4**	7466.325	41.28	54.0	12.72	AV	360.00	300	Vertical	Pass
5	12402.125	51.67	74.0	22.33	Peak	152.00	100	Vertical	Pass
5**	12402.125	41.91	54.0	12.09	AV	152.00	100	Vertical	Pass
6	15563.737	54.91	74.0	19.09	Peak	303.00	100	Vertical	Pass
6**	15563.737	45.49	54.0	8.51	AV	303.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.300	39.62	74.0	34.38	Peak	25.00	400	Horizontal	Pass
1**	1605.300	28.89	54.0	25.11	AV	25.00	400	Horizontal	Pass
2	4136.000	50.04	74.0	23.96	Peak	2.00	300	Horizontal	Pass
2**	4136.000	41.27	54.0	12.73	AV	2.00	300	Horizontal	Pass
3	5742.800	95.96	--	--	Peak	70.00	100	Horizontal	N/A
3**	5742.800	89.15	--	--	AV	70.00	100	Horizontal	N/A
4	7442.750	50.05	74.0	23.95	Peak	66.00	400	Horizontal	Pass
4**	7442.750	41.34	54.0	12.66	AV	66.00	400	Horizontal	Pass
5	11835.175	52.17	74.0	21.83	Peak	136.00	200	Horizontal	Pass
5**	11835.175	42.04	54.0	11.96	AV	136.00	200	Horizontal	Pass
6	15834.112	54.72	74.0	19.28	Peak	47.00	200	Horizontal	Pass
6**	15834.112	46.31	54.0	7.69	AV	47.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.700	39.03	74.0	34.97	Peak	118.00	300	Vertical	Pass
1**	1443.700	30.32	54.0	23.68	AV	118.00	300	Vertical	Pass
2	3886.600	50.22	74.0	23.78	Peak	125.00	400	Vertical	Pass
2**	3886.600	41.57	54.0	12.43	AV	125.00	400	Vertical	Pass
3	5737.600	97.94	--	--	Peak	341.00	150	Vertical	N/A
3**	5737.600	91.39	--	--	AV	341.00	150	Vertical	N/A
4	7447.350	50.34	74.0	23.66	Peak	118.00	100	Vertical	Pass
4**	7447.350	41.30	54.0	12.70	AV	118.00	100	Vertical	Pass
5	11201.812	51.73	74.0	22.27	Peak	204.00	100	Vertical	Pass
5**	11201.812	42.43	54.0	11.57	AV	204.00	100	Vertical	Pass
6	15973.763	55.46	74.0	18.54	Peak	128.00	200	Vertical	Pass
6**	15973.763	45.38	54.0	8.62	AV	128.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.000	39.06	74.0	34.94	Peak	360.00	400	Horizontal	Pass
1**	1521.000	29.51	54.0	24.49	AV	360.00	400	Horizontal	Pass
2	4368.600	50.37	74.0	23.63	Peak	79.00	300	Horizontal	Pass
2**	4368.600	41.36	54.0	12.64	AV	79.00	300	Horizontal	Pass
3	5782.800	97.75	--	--	Peak	67.00	200	Horizontal	N/A
3**	5782.800	91.32	--	--	AV	67.00	200	Horizontal	N/A
4	7438.437	49.90	74.0	24.10	Peak	101.00	300	Horizontal	Pass
4**	7438.437	41.33	54.0	12.67	AV	101.00	300	Horizontal	Pass
5	11833.162	52.20	74.0	21.80	Peak	359.00	200	Horizontal	Pass
5**	11833.162	42.35	54.0	11.65	AV	359.00	200	Horizontal	Pass
6	15862.725	55.15	74.0	18.85	Peak	72.00	400	Horizontal	Pass
6**	15862.725	44.53	54.0	9.47	AV	72.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.900	39.33	74.0	34.67	Peak	99.00	300	Vertical	Pass
1**	1547.900	29.07	54.0	24.93	AV	99.00	300	Vertical	Pass
2	3771.400	50.57	74.0	23.43	Peak	35.00	300	Vertical	Pass
2**	3771.400	40.28	54.0	13.72	AV	35.00	300	Vertical	Pass
3	5782.800	97.78	--	--	Peak	339.00	100	Vertical	N/A
3**	5782.800	91.37	--	--	AV	339.00	100	Vertical	N/A
4	7433.550	50.26	74.0	23.74	Peak	322.00	400	Vertical	Pass
4**	7433.550	41.29	54.0	12.71	AV	322.00	400	Vertical	Pass
5	11330.037	52.56	74.0	21.44	Peak	66.00	200	Vertical	Pass
5**	11330.037	42.34	54.0	11.66	AV	66.00	200	Vertical	Pass
6	15820.463	55.05	74.0	18.95	Peak	283.00	100	Vertical	Pass
6**	15820.463	46.56	54.0	7.44	AV	283.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.300	38.96	74.0	35.04	Peak	138.00	300	Horizontal	Pass
1**	1491.300	29.72	54.0	24.28	AV	138.00	300	Horizontal	Pass
2	4336.600	50.11	74.0	23.89	Peak	307.00	300	Horizontal	Pass
2**	4336.600	41.30	54.0	12.70	AV	307.00	300	Horizontal	Pass
3	5822.800	97.86	--	--	Peak	70.00	200	Horizontal	N/A
3**	5822.800	91.09	--	--	AV	70.00	200	Horizontal	N/A
4	7615.538	50.30	74.0	23.70	Peak	187.00	300	Horizontal	Pass
4**	7615.538	40.52	54.0	13.48	AV	187.00	300	Horizontal	Pass
5	12571.750	51.92	74.0	22.08	Peak	324.00	100	Horizontal	Pass
5**	12571.750	42.31	54.0	11.69	AV	324.00	100	Horizontal	Pass
6	15562.687	54.88	74.0	19.12	Peak	109.00	300	Horizontal	Pass
6**	15562.687	45.80	54.0	8.20	AV	109.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.000	39.54	74.0	34.46	Peak	53.00	400	Vertical	Pass
1**	1505.000	30.85	54.0	23.15	AV	53.00	400	Vertical	Pass
2	4383.400	50.66	74.0	23.34	Peak	149.00	200	Vertical	Pass
2**	4383.400	40.92	54.0	13.08	AV	149.00	200	Vertical	Pass
3	5817.600	97.18	--	--	Peak	317.00	150	Vertical	N/A
3**	5817.600	90.65	--	--	AV	317.00	150	Vertical	N/A
4	7467.188	51.02	74.0	22.98	Peak	31.00	400	Vertical	Pass
4**	7467.188	40.86	54.0	13.14	AV	31.00	400	Vertical	Pass
5	10918.050	51.89	74.0	22.11	Peak	236.00	200	Vertical	Pass
5**	10918.050	43.92	54.0	10.08	AV	236.00	200	Vertical	Pass
6	15813.112	55.31	74.0	18.69	Peak	360.00	300	Vertical	Pass
6**	15813.112	45.60	54.0	8.40	AV	360.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.300	38.98	74.0	35.02	Peak	95.00	300	Horizontal	Pass
1**	1575.300	29.76	54.0	24.24	AV	95.00	300	Horizontal	Pass
2	4329.000	50.17	74.0	23.83	Peak	329.00	300	Horizontal	Pass
2**	4329.000	40.30	54.0	13.70	AV	329.00	300	Horizontal	Pass
3	5761.200	93.02	--	--	Peak	71.00	200	Horizontal	N/A
3**	5761.200	86.40	--	--	AV	71.00	200	Horizontal	N/A
4	7447.925	50.95	74.0	23.05	Peak	151.00	200	Horizontal	Pass
4**	7447.925	41.56	54.0	12.44	AV	151.00	200	Horizontal	Pass
5	11781.987	52.36	74.0	21.64	Peak	14.00	100	Horizontal	Pass
5**	11781.987	41.81	54.0	12.19	AV	14.00	100	Horizontal	Pass
6	16123.388	54.78	74.0	19.22	Peak	91.00	400	Horizontal	Pass
6**	16123.388	45.22	54.0	8.78	AV	91.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.800	39.24	74.0	34.76	Peak	61.00	200	Vertical	Pass
1**	1492.800	29.45	54.0	24.55	AV	61.00	200	Vertical	Pass
2	3988.000	50.25	74.0	23.75	Peak	204.00	100	Vertical	Pass
2**	3988.000	40.86	54.0	13.14	AV	204.00	100	Vertical	Pass
3	5752.600	94.88	--	--	Peak	147.00	150	Vertical	N/A
3**	5752.600	88.08	--	--	AV	147.00	150	Vertical	N/A
4	7466.900	50.16	74.0	23.84	Peak	15.00	300	Vertical	Pass
4**	7466.900	41.80	54.0	12.20	AV	15.00	300	Vertical	Pass
5	11914.237	52.05	74.0	21.95	Peak	358.00	150	Vertical	Pass
5**	11914.237	42.70	54.0	11.30	AV	358.00	150	Vertical	Pass
6	15848.287	55.21	74.0	18.79	Peak	360.00	200	Vertical	Pass
6**	15848.287	45.87	54.0	8.13	AV	360.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.000	39.16	74.0	34.84	Peak	232.00	300	Horizontal	Pass
1**	1447.000	29.01	54.0	24.99	AV	232.00	300	Horizontal	Pass
2	4359.400	50.63	74.0	23.37	Peak	70.00	300	Horizontal	Pass
2**	4359.400	40.87	54.0	13.13	AV	70.00	300	Horizontal	Pass
3	5779.000	92.87	--	--	Peak	70.00	200	Horizontal	N/A
3**	5779.000	86.64	--	--	AV	70.00	200	Horizontal	N/A
4	7341.263	50.42	74.0	23.58	Peak	14.00	300	Horizontal	Pass
4**	7341.263	40.78	54.0	13.22	AV	14.00	300	Horizontal	Pass
5	10918.625	52.30	74.0	21.70	Peak	14.00	200	Horizontal	Pass
5**	10918.625	42.76	54.0	11.24	AV	14.00	200	Horizontal	Pass
6	15816.263	55.62	74.0	18.38	Peak	245.00	300	Horizontal	Pass
6**	15816.263	46.40	54.0	7.60	AV	245.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.700	39.08	74.0	34.92	Peak	0.00	200	Vertical	Pass
1**	1445.700	29.05	54.0	24.95	AV	0.00	200	Vertical	Pass
2	4388.400	50.10	74.0	23.90	Peak	80.00	200	Vertical	Pass
2**	4388.400	42.83	54.0	11.17	AV	80.00	200	Vertical	Pass
3	5779.000	93.42	--	--	Peak	340.00	200	Vertical	N/A
3**	5779.000	87.24	--	--	AV	340.00	200	Vertical	N/A
4	7489.038	51.00	74.0	23.00	Peak	82.00	400	Vertical	Pass
4**	7489.038	40.90	54.0	13.10	AV	82.00	400	Vertical	Pass
5	12398.387	52.24	74.0	21.76	Peak	238.00	100	Vertical	Pass
5**	12398.387	42.42	54.0	11.58	AV	238.00	100	Vertical	Pass
6	15977.175	55.35	74.0	18.65	Peak	131.00	200	Vertical	Pass
6**	15977.175	44.48	54.0	9.52	AV	131.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.600	39.49	74.0	34.51	Peak	107.00	100	Horizontal	Pass
1**	1581.600	29.41	54.0	24.59	AV	107.00	100	Horizontal	Pass
2	4158.600	50.52	74.0	23.48	Peak	306.00	300	Horizontal	Pass
2**	4158.600	40.49	54.0	13.51	AV	306.00	300	Horizontal	Pass
3	5781.400	93.55	--	--	Peak	67.00	200	Horizontal	N/A
3**	5781.400	86.97	--	--	AV	67.00	200	Horizontal	N/A
4	7449.075	50.48	74.0	23.52	Peak	204.00	200	Horizontal	Pass
4**	7449.075	42.04	54.0	11.96	AV	204.00	200	Horizontal	Pass
5	10922.075	52.45	74.0	21.55	Peak	221.00	200	Horizontal	Pass
5**	10922.075	42.53	54.0	11.47	AV	221.00	200	Horizontal	Pass
6	15519.901	55.08	74.0	18.92	Peak	224.00	200	Horizontal	Pass
6**	15519.901	45.18	54.0	8.82	AV	224.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.700	39.58	74.0	34.42	Peak	154.00	200	Vertical	Pass
1**	1584.700	30.86	54.0	23.14	AV	154.00	200	Vertical	Pass
2	4278.200	50.62	74.0	23.38	Peak	114.00	300	Vertical	Pass
2**	4278.200	41.37	54.0	12.63	AV	114.00	300	Vertical	Pass
3	5759.000	94.61	--	--	Peak	148.00	150	Vertical	N/A
3**	5759.000	88.64	--	--	AV	148.00	150	Vertical	N/A
4	7446.200	50.56	74.0	23.44	Peak	136.00	300	Vertical	Pass
4**	7446.200	41.16	54.0	12.84	AV	136.00	300	Vertical	Pass
5	11217.625	51.87	74.0	22.13	Peak	239.00	100	Vertical	Pass
5**	11217.625	42.72	54.0	11.28	AV	239.00	100	Vertical	Pass
6	15814.950	55.35	74.0	18.65	Peak	105.00	300	Vertical	Pass
6**	15814.950	46.52	54.0	7.48	AV	105.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.600	39.92	74.0	34.08	Peak	104.00	300	Horizontal	Pass
1**	1561.600	30.69	54.0	23.31	AV	104.00	300	Horizontal	Pass
2	4319.800	50.63	74.0	23.37	Peak	225.00	200	Horizontal	Pass
2**	4319.800	40.74	54.0	13.26	AV	225.00	200	Horizontal	Pass
3	5752.400	97.02	--	--	Peak	71.00	200	Horizontal	N/A
3**	5752.400	90.58	--	--	AV	71.00	200	Horizontal	N/A
4	7479.550	50.36	74.0	23.64	Peak	47.00	300	Horizontal	Pass
4**	7479.550	40.59	54.0	13.41	AV	47.00	300	Horizontal	Pass
5	11332.050	51.79	74.0	22.21	Peak	31.00	200	Horizontal	Pass
5**	11332.050	43.18	54.0	10.82	AV	31.00	200	Horizontal	Pass
6	15819.150	54.90	74.0	19.10	Peak	145.00	200	Horizontal	Pass
6**	15819.150	45.80	54.0	8.20	AV	145.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.100	39.81	74.0	34.19	Peak	118.00	400	Vertical	Pass
1**	1522.100	29.98	54.0	24.02	AV	118.00	400	Vertical	Pass
2	4385.600	50.17	74.0	23.83	Peak	262.00	100	Vertical	Pass
2**	4385.600	41.35	54.0	12.65	AV	262.00	100	Vertical	Pass
3	5737.600	99.05	--	--	Peak	341.00	150	Vertical	N/A
3**	5737.600	92.90	--	--	AV	341.00	150	Vertical	N/A
4	7448.500	51.37	74.0	22.63	Peak	335.00	300	Vertical	Pass
4**	7448.500	41.72	54.0	12.28	AV	335.00	300	Vertical	Pass
5	11947.588	52.03	74.0	21.97	Peak	301.00	100	Vertical	Pass
5**	11947.588	43.58	54.0	10.42	AV	301.00	100	Vertical	Pass
6	15820.200	54.95	74.0	19.05	Peak	360.00	200	Vertical	Pass
6**	15820.200	46.55	54.0	7.45	AV	360.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.600	39.19	74.0	34.81	Peak	86.00	200	Horizontal	Pass
1**	1614.600	28.84	54.0	25.16	AV	86.00	200	Horizontal	Pass
2	4371.600	50.47	74.0	23.53	Peak	318.00	300	Horizontal	Pass
2**	4371.600	40.70	54.0	13.30	AV	318.00	300	Horizontal	Pass
3	5782.600	97.76	--	--	Peak	68.00	100	Horizontal	N/A
3**	5782.600	91.05	--	--	AV	68.00	100	Horizontal	N/A
4	7382.375	51.46	74.0	22.54	Peak	322.00	100	Horizontal	Pass
4**	7382.375	40.96	54.0	13.04	AV	322.00	100	Horizontal	Pass
5	11952.187	52.06	74.0	21.94	Peak	15.00	150	Horizontal	Pass
5**	11952.187	42.57	54.0	11.43	AV	15.00	150	Horizontal	Pass
6	15810.750	55.08	74.0	18.92	Peak	228.00	100	Horizontal	Pass
6**	15810.750	46.32	54.0	7.68	AV	228.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.700	39.14	74.0	34.86	Peak	79.00	200	Vertical	Pass
1**	1479.700	29.52	54.0	24.48	AV	79.00	200	Vertical	Pass
2	4379.000	50.48	74.0	23.52	Peak	90.00	300	Vertical	Pass
2**	4379.000	41.74	54.0	12.26	AV	90.00	300	Vertical	Pass
3	5782.600	97.72	--	--	Peak	340.00	100	Vertical	N/A
3**	5782.600	91.07	--	--	AV	340.00	100	Vertical	N/A
4	7446.200	50.49	74.0	23.51	Peak	15.00	400	Vertical	Pass
4**	7446.200	41.89	54.0	12.11	AV	15.00	400	Vertical	Pass
5	11887.787	52.06	74.0	21.94	Peak	170.00	100	Vertical	Pass
5**	11887.787	42.58	54.0	11.42	AV	170.00	100	Vertical	Pass
6	16128.638	54.99	74.0	19.01	Peak	227.00	400	Vertical	Pass
6**	16128.638	45.79	54.0	8.21	AV	227.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.900	39.02	74.0	34.98	Peak	355.00	200	Horizontal	Pass
1**	1561.900	29.46	54.0	24.54	AV	355.00	200	Horizontal	Pass
2	3981.600	50.59	74.0	23.41	Peak	204.00	300	Horizontal	Pass
2**	3981.600	40.89	54.0	13.11	AV	204.00	300	Horizontal	Pass
3	5822.800	98.74	--	--	Peak	69.00	100	Horizontal	N/A
3**	5822.800	92.47	--	--	AV	69.00	100	Horizontal	N/A
4	7497.087	50.79	74.0	23.21	Peak	0.00	400	Horizontal	Pass
4**	7497.087	41.19	54.0	12.81	AV	0.00	400	Horizontal	Pass
5	12410.750	52.09	74.0	21.91	Peak	221.00	200	Horizontal	Pass
5**	12410.750	42.64	54.0	11.36	AV	221.00	200	Horizontal	Pass
6	15816.263	55.10	74.0	18.90	Peak	49.00	400	Horizontal	Pass
6**	15816.263	46.60	54.0	7.40	AV	49.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.900	39.46	74.0	34.54	Peak	143.00	300	Vertical	Pass
1**	1467.900	28.90	54.0	25.10	AV	143.00	300	Vertical	Pass
2	4286.200	50.63	74.0	23.37	Peak	71.00	100	Vertical	Pass
2**	4286.200	40.68	54.0	13.32	AV	71.00	100	Vertical	Pass
3	5817.600	98.25	--	--	Peak	317.00	150	Vertical	N/A
3**	5817.600	92.23	--	--	AV	317.00	150	Vertical	N/A
4	7338.675	50.68	74.0	23.32	Peak	360.00	400	Vertical	Pass
4**	7338.675	41.30	54.0	12.70	AV	360.00	400	Vertical	Pass
5	10925.813	52.28	74.0	21.72	Peak	31.00	200	Vertical	Pass
5**	10925.813	43.15	54.0	10.85	AV	31.00	200	Vertical	Pass
6	16096.612	54.69	74.0	19.31	Peak	305.00	300	Vertical	Pass
6**	16096.612	45.91	54.0	8.09	AV	305.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.600	38.62	74.0	35.38	Peak	19.00	300	Horizontal	Pass
1**	1514.600	28.89	54.0	25.11	AV	19.00	300	Horizontal	Pass
2	4109.000	50.18	74.0	23.82	Peak	239.00	400	Horizontal	Pass
2**	4109.000	40.11	54.0	13.89	AV	239.00	400	Horizontal	Pass
3	5761.200	92.99	--	--	Peak	68.00	100	Horizontal	N/A
3**	5761.200	86.51	--	--	AV	68.00	100	Horizontal	N/A
4	7506.288	50.81	74.0	23.19	Peak	288.00	200	Horizontal	Pass
4**	7506.288	41.22	54.0	12.78	AV	288.00	200	Horizontal	Pass
5	12288.275	52.38	74.0	21.62	Peak	360.00	200	Horizontal	Pass
5**	12288.275	41.85	54.0	12.15	AV	360.00	200	Horizontal	Pass
6	15810.224	56.27	74.0	17.73	Peak	128.00	100	Horizontal	Pass
6**	15810.224	45.66	54.0	8.34	AV	128.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.900	39.10	74.0	34.90	Peak	360.00	400	Vertical	Pass
1**	1484.900	29.53	54.0	24.47	AV	360.00	400	Vertical	Pass
2	4184.600	50.15	74.0	23.85	Peak	158.00	400	Vertical	Pass
2**	4184.600	40.60	54.0	13.40	AV	158.00	400	Vertical	Pass
3	5752.800	94.95	--	--	Peak	148.00	200	Vertical	N/A
3**	5752.800	88.33	--	--	AV	148.00	200	Vertical	N/A
4	7337.525	50.65	74.0	23.35	Peak	360.00	300	Vertical	Pass
4**	7337.525	40.72	54.0	13.28	AV	360.00	300	Vertical	Pass
5	11336.651	51.76	74.0	22.24	Peak	322.00	200	Vertical	Pass
5**	11336.651	42.76	54.0	11.24	AV	322.00	200	Vertical	Pass
6	15625.950	55.02	74.0	18.98	Peak	265.00	300	Vertical	Pass
6**	15625.950	44.61	54.0	9.39	AV	265.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.400	38.98	74.0	35.02	Peak	166.00	400	Horizontal	Pass
1**	1542.400	29.33	54.0	24.67	AV	166.00	400	Horizontal	Pass
2	4395.600	50.39	74.0	23.61	Peak	341.00	200	Horizontal	Pass
2**	4395.600	40.59	54.0	13.41	AV	341.00	200	Horizontal	Pass
3	5779.000	92.85	--	--	Peak	68.00	150	Horizontal	N/A
3**	5779.000	86.55	--	--	AV	68.00	150	Horizontal	N/A
4	7381.800	50.08	74.0	23.92	Peak	169.00	100	Horizontal	Pass
4**	7381.800	40.99	54.0	13.01	AV	169.00	100	Horizontal	Pass
5	11890.662	52.33	74.0	21.67	Peak	84.00	200	Horizontal	Pass
5**	11890.662	42.28	54.0	11.72	AV	84.00	200	Horizontal	Pass
6	15661.912	54.99	74.0	19.01	Peak	205.00	300	Horizontal	Pass
6**	15661.912	45.06	54.0	8.94	AV	205.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.800	39.14	74.0	34.86	Peak	65.00	200	Vertical	Pass
1**	1585.800	29.74	54.0	24.26	AV	65.00	200	Vertical	Pass
2	4327.000	50.17	74.0	23.83	Peak	160.00	400	Vertical	Pass
2**	4327.000	40.50	54.0	13.50	AV	160.00	400	Vertical	Pass
3	5779.000	93.40	--	--	Peak	341.00	100	Vertical	N/A
3**	5779.000	87.35	--	--	AV	341.00	100	Vertical	N/A
4	7441.600	50.49	74.0	23.51	Peak	186.00	100	Vertical	Pass
4**	7441.600	41.32	54.0	12.68	AV	186.00	100	Vertical	Pass
5	11936.663	52.43	74.0	21.57	Peak	306.00	100	Vertical	Pass
5**	11936.663	43.24	54.0	10.76	AV	306.00	100	Vertical	Pass
6	16098.187	55.32	74.0	18.68	Peak	0.00	200	Vertical	Pass
6**	16098.187	46.56	54.0	7.44	AV	0.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.000	39.07	74.0	34.93	Peak	228.00	200	Horizontal	Pass
1**	1496.000	29.50	54.0	24.50	AV	228.00	200	Horizontal	Pass
2	4319.200	50.23	74.0	23.77	Peak	0.00	300	Horizontal	Pass
2**	4319.200	41.51	54.0	12.49	AV	0.00	300	Horizontal	Pass
3	5781.400	93.57	--	--	Peak	69.00	150	Horizontal	N/A
3**	5781.400	86.97	--	--	AV	69.00	150	Horizontal	N/A
4	7346.725	49.86	74.0	24.14	Peak	173.00	400	Horizontal	Pass
4**	7346.725	40.86	54.0	13.14	AV	173.00	400	Horizontal	Pass
5	12192.538	51.77	74.0	22.23	Peak	0.00	100	Horizontal	Pass
5**	12192.538	41.16	54.0	12.84	AV	0.00	100	Horizontal	Pass
6	15822.037	54.72	74.0	19.28	Peak	107.00	300	Horizontal	Pass
6**	15822.037	45.92	54.0	8.08	AV	107.00	300	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.500	39.38	74.0	34.62	Peak	138.00	200	Vertical	Pass
1**	1617.500	29.72	54.0	24.28	AV	138.00	200	Vertical	Pass
2	3747.400	50.64	74.0	23.36	Peak	240.00	400	Vertical	Pass
2**	3747.400	39.91	54.0	14.09	AV	240.00	400	Vertical	Pass
3	5759.000	94.65	--	--	Peak	151.00	200	Vertical	N/A
3**	5759.000	88.33	--	--	AV	151.00	200	Vertical	N/A
4	7461.437	50.88	74.0	23.12	Peak	67.00	400	Vertical	Pass
4**	7461.437	41.19	54.0	12.81	AV	67.00	400	Vertical	Pass
5	10923.225	52.45	74.0	21.55	Peak	187.00	100	Vertical	Pass
5**	10923.225	42.89	54.0	11.11	AV	187.00	100	Vertical	Pass
6	15996.338	55.51	74.0	18.49	Peak	360.00	300	Vertical	Pass
6**	15996.338	44.81	54.0	9.19	AV	360.00	300	Vertical	Pass

Replaceable Antenna Model 2: AF1012

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.900	38.55	74.0	35.45	Peak	103.00	400	Horizontal	Pass
1**	1440.900	28.54	54.0	25.46	AV	103.00	400	Horizontal	Pass
2	4289.750	47.73	74.0	26.27	Peak	249.00	300	Horizontal	Pass
2**	4289.750	38.99	54.0	15.01	AV	249.00	300	Horizontal	Pass
3	5282.250	102.12	--	--	Peak	24.00	150	Horizontal	N/A
3**	5282.250	92.92	--	--	AV	24.00	150	Horizontal	N/A
4	7502.500	53.48	74.0	20.52	Peak	227.00	300	Horizontal	Pass
4**	7502.500	42.89	54.0	11.11	AV	227.00	300	Horizontal	Pass
5	12468.325	54.80	74.0	19.20	Peak	242.00	100	Horizontal	Pass
5**	12468.325	44.55	54.0	9.45	AV	242.00	100	Horizontal	Pass
6	16123.650	54.80	74.0	19.20	Peak	354.00	400	Horizontal	Pass
6**	16123.650	45.01	54.0	8.99	AV	354.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	39.08	74.0	34.92	Peak	5.00	100	Vertical	Pass
1**	1442.200	29.02	54.0	24.98	AV	5.00	100	Vertical	Pass
2	4000.500	47.32	74.0	26.68	Peak	354.00	300	Vertical	Pass
2**	4000.500	37.93	54.0	16.07	AV	354.00	300	Vertical	Pass
3	5294.250	100.38	--	--	Peak	211.00	100	Vertical	N/A
3**	5294.250	91.65	--	--	AV	211.00	100	Vertical	N/A
4	7251.250	52.99	74.0	21.01	Peak	130.00	300	Vertical	Pass
4**	7251.250	44.00	54.0	10.00	AV	130.00	300	Vertical	Pass
5	12500.150	55.04	74.0	18.96	Peak	111.00	100	Vertical	Pass
5**	12500.150	44.54	54.0	9.46	AV	111.00	100	Vertical	Pass
6	15904.987	54.74	74.0	19.26	Peak	199.00	300	Vertical	Pass
6**	15904.987	45.19	54.0	8.81	AV	199.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Test DataReplaceable Antenna Model 1: AE1012

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4828.250	57.71	74.0	16.29	Peak	95.00	100	Vertical	Pass
1**	4828.250	44.85	54.0	9.15	AV	95.00	100	Vertical	Pass
2	5150.000	56.34	74.0	17.66	Peak	115.00	150	Vertical	Pass
2**	5150.000	46.02	54.0	7.98	AV	115.00	150	Vertical	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.04	74.0	18.96	Peak	101.00	200	Vertical	Pass
1**	5350.055	45.76	54.0	8.24	AV	101.00	200	Vertical	Pass
2	5367.215	57.50	74.0	16.50	Peak	110.00	150	Vertical	Pass
2**	5367.215	45.57	54.0	8.43	AV	110.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	58.15	74.0	15.85	Peak	193.00	100	Vertical	Pass
1**	5141.225	46.19	54.0	7.81	AV	193.00	100	Vertical	Pass
2	5150.000	55.57	74.0	18.43	Peak	246.00	200	Vertical	Pass
2**	5150.000	45.74	54.0	8.26	AV	246.00	200	Vertical	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.09	74.0	18.91	Peak	350.00	150	Vertical	Pass
1**	5350.055	45.67	54.0	8.33	AV	350.00	150	Vertical	Pass
2	5457.085	57.28	74.0	16.72	Peak	170.00	100	Vertical	Pass
2**	5457.085	46.34	54.0	7.66	AV	170.00	100	Vertical	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	63.64	74.0	10.36	Peak	56.00	200	Vertical	Pass
1**	5144.150	48.28	54.0	5.72	AV	56.00	200	Vertical	Pass
2	5150.000	62.88	74.0	11.12	Peak	253.00	100	Vertical	Pass
2**	5150.000	49.35	54.0	4.65	AV	253.00	100	Vertical	Pass
3	5145.450	60.18	74.0	13.82	Peak	56.00	150	Vertical	Pass
3**	5145.450	50.42	54.0	3.58	AV	56.00	150	Vertical	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.57	74.0	18.43	Peak	130.00	150	Vertical	Pass
1**	5350.000	45.91	54.0	8.09	AV	130.00	150	Vertical	Pass
2	5456.425	57.83	74.0	16.17	Peak	72.00	100	Vertical	Pass
2**	5456.425	46.17	54.0	7.83	AV	72.00	100	Vertical	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	58.83	74.0	15.17	Peak	20.00	200	Vertical	Pass
1**	5149.675	46.16	54.0	7.84	AV	20.00	200	Vertical	Pass
2	5150.000	55.68	74.0	18.32	Peak	143.00	150	Vertical	Pass
2**	5150.000	46.36	54.0	7.64	AV	143.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.76	74.0	18.24	Peak	315.00	100	Vertical	Pass
1**	5350.000	45.61	54.0	8.39	AV	315.00	100	Vertical	Pass
2	5430.740	57.70	74.0	16.30	Peak	58.00	150	Vertical	Pass
2**	5430.740	46.02	54.0	7.98	AV	58.00	150	Vertical	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	64.61	74.0	9.39	Peak	250.00	200	Vertical	Pass
1**	5149.025	49.83	54.0	4.17	AV	250.00	200	Vertical	Pass
2	5150.000	62.81	74.0	11.19	Peak	263.00	200	Vertical	Pass
2**	5150.000	49.92	54.0	4.08	AV	263.00	200	Vertical	Pass
3	5149.350	61.21	74.0	12.79	Peak	250.00	150	Vertical	Pass
3**	5149.350	49.85	54.0	4.15	AV	250.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.04	74.0	17.96	Peak	55.00	100	Vertical	Pass
1**	5350.055	45.90	54.0	8.10	AV	55.00	100	Vertical	Pass
2	5426.560	57.85	74.0	16.15	Peak	360.00	200	Vertical	Pass
2**	5426.560	46.27	54.0	7.73	AV	360.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	63.85	74.0	10.15	Peak	247.00	200	Vertical	Pass
1**	5148.050	49.44	54.0	4.56	AV	247.00	200	Vertical	Pass
2	5150.000	57.54	74.0	16.46	Peak	277.00	100	Vertical	Pass
2**	5150.000	48.85	54.0	5.15	AV	277.00	100	Vertical	Pass
3	5134.400	57.86	74.0	16.14	Peak	217.00	150	Vertical	Pass
3**	5134.400	50.55	54.0	3.45	AV	217.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.83	74.0	18.17	Peak	8.00	200	Vertical	Pass
1**	5350.000	45.59	54.0	8.41	AV	8.00	200	Vertical	Pass
2	5410.280	58.03	74.0	15.97	Peak	204.00	200	Vertical	Pass
2**	5410.280	45.64	54.0	8.36	AV	204.00	200	Vertical	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	57.96	74.0	16.04	Peak	268.00	100	Vertical	Pass
1**	5143.500	46.51	54.0	7.49	AV	268.00	100	Vertical	Pass
2	5150.000	55.98	74.0	18.02	Peak	58.00	200	Vertical	Pass
2**	5150.000	46.33	54.0	7.67	AV	58.00	200	Vertical	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.29	74.0	18.71	Peak	115.00	200	Vertical	Pass
1**	5350.000	45.64	54.0	8.36	AV	115.00	200	Vertical	Pass
2	5385.585	57.60	74.0	16.40	Peak	357.00	150	Vertical	Pass
2**	5385.585	45.87	54.0	8.13	AV	357.00	150	Vertical	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	64.52	74.0	9.48	Peak	52.00	200	Vertical	Pass
1**	5145.775	49.50	54.0	4.50	AV	52.00	200	Vertical	Pass
2	5150.000	60.45	74.0	13.55	Peak	52.00	200	Vertical	Pass
2**	5150.000	49.03	54.0	4.97	AV	52.00	200	Vertical	Pass
3	5144.475	60.06	74.0	13.94	Peak	52.00	150	Vertical	Pass
3**	5144.475	49.97	54.0	4.03	AV	52.00	150	Vertical	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.59	74.0	18.41	Peak	106.00	100	Vertical	Pass
1**	5350.000	45.65	54.0	8.35	AV	106.00	100	Vertical	Pass
2	5457.470	57.57	74.0	16.43	Peak	70.00	200	Vertical	Pass
2**	5457.470	46.40	54.0	7.60	AV	70.00	200	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	64.29	74.0	9.71	Peak	242.00	150	Vertical	Pass
1**	5126.600	49.01	54.0	4.99	AV	242.00	150	Vertical	Pass
2	5150.000	58.10	74.0	15.90	Peak	238.00	100	Vertical	Pass
2**	5150.000	48.65	54.0	5.35	AV	238.00	100	Vertical	Pass
3	5132.775	57.92	74.0	16.08	Peak	242.00	150	Vertical	Pass
3**	5132.775	50.54	54.0	3.46	AV	242.00	150	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.13	74.0	17.87	Peak	30.00	200	Vertical	Pass
1**	5350.000	45.65	54.0	8.35	AV	30.00	200	Vertical	Pass
2	5459.835	58.01	74.0	15.99	Peak	178.00	150	Vertical	Pass
2**	5459.835	46.37	54.0	7.63	AV	178.00	150	Vertical	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.425	57.26	74.0	16.74	Peak	347.00	200	Vertical	Pass
1**	5120.425	45.86	54.0	8.14	AV	347.00	200	Vertical	Pass
2	5150.000	55.15	74.0	18.85	Peak	327.00	150	Vertical	Pass
2**	5150.000	45.88	54.0	8.12	AV	327.00	150	Vertical	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.36	74.0	18.64	Peak	339.00	100	Vertical	Pass
1**	5350.055	45.69	54.0	8.31	AV	339.00	100	Vertical	Pass
2	5423.150	58.04	74.0	15.96	Peak	225.00	100	Vertical	Pass
2**	5423.150	46.11	54.0	7.89	AV	225.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5079.150	57.62	74.0	16.38	Peak	98.00	150	Vertical	Pass
1**	5079.150	46.12	54.0	7.88	AV	98.00	150	Vertical	Pass
2	5150.000	54.89	74.0	19.11	Peak	62.00	150	Vertical	Pass
2**	5150.000	45.83	54.0	8.17	AV	62.00	150	Vertical	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.72	74.0	18.28	Peak	360.00	200	Vertical	Pass
1**	5350.000	45.86	54.0	8.14	AV	360.00	200	Vertical	Pass
2	5418.805	57.97	74.0	16.03	Peak	73.00	200	Vertical	Pass
2**	5418.805	46.12	54.0	7.88	AV	73.00	200	Vertical	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	57.87	74.0	16.13	Peak	169.00	150	Vertical	Pass
1**	5142.850	46.11	54.0	7.89	AV	169.00	150	Vertical	Pass
2	5150.000	55.43	74.0	18.57	Peak	150.00	200	Vertical	Pass
2**	5150.000	45.82	54.0	8.18	AV	150.00	200	Vertical	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.18	74.0	15.82	Peak	63.00	100	Vertical	Pass
1**	5350.000	46.25	54.0	7.75	AV	63.00	100	Vertical	Pass
2	5350.165	61.63	74.0	12.37	Peak	257.00	200	Vertical	Pass
2**	5350.165	46.54	54.0	7.46	AV	257.00	200	Vertical	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.550	57.49	74.0	16.51	Peak	47.00	200	Vertical	Pass
1**	5115.550	45.99	54.0	8.01	AV	47.00	200	Vertical	Pass
2	5150.000	55.87	74.0	18.13	Peak	100.00	200	Vertical	Pass
2**	5150.000	46.05	54.0	7.95	AV	100.00	200	Vertical	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.94	74.0	18.06	Peak	288.00	100	Vertical	Pass
1**	5350.055	45.94	54.0	8.06	AV	288.00	100	Vertical	Pass
2	5350.385	60.05	74.0	13.95	Peak	48.00	150	Vertical	Pass
2**	5350.385	45.60	54.0	8.40	AV	48.00	150	Vertical	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5087.600	57.39	74.0	16.61	Peak	119.00	100	Vertical	Pass
1**	5087.600	46.01	54.0	7.99	AV	119.00	100	Vertical	Pass
2	5150.000	55.27	74.0	18.73	Peak	85.00	150	Vertical	Pass
2**	5150.000	46.06	54.0	7.94	AV	85.00	150	Vertical	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.65	74.0	14.35	Peak	257.00	100	Vertical	Pass
1**	5350.055	46.37	54.0	7.63	AV	257.00	100	Vertical	Pass
2	5352.750	61.50	74.0	12.50	Peak	261.00	100	Vertical	Pass
2**	5352.750	46.02	54.0	7.98	AV	261.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.575	57.55	74.0	16.45	Peak	250.00	100	Vertical	Pass
1**	5088.575	46.25	54.0	7.75	AV	250.00	100	Vertical	Pass
2	5150.000	55.83	74.0	18.17	Peak	170.00	100	Vertical	Pass
2**	5150.000	45.88	54.0	8.12	AV	170.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.40	74.0	13.60	Peak	84.00	150	Vertical	Pass
1**	5350.055	48.32	54.0	5.68	AV	84.00	150	Vertical	Pass
2	5350.220	64.76	74.0	9.24	Peak	270.00	100	Vertical	Pass
2**	5350.220	49.34	54.0	4.66	AV	270.00	100	Vertical	Pass
3	5377.115	58.32	74.0	15.68	Peak	259.00	150	Vertical	Pass
3**	5377.115	49.98	54.0	4.02	AV	259.00	150	Vertical	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	57.76	74.0	16.24	Peak	217.00	200	Vertical	Pass
1**	5146.100	46.28	54.0	7.72	AV	217.00	200	Vertical	Pass
2	5150.000	56.25	74.0	17.75	Peak	348.00	200	Vertical	Pass
2**	5150.000	46.54	54.0	7.46	AV	348.00	200	Vertical	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	74.0	17.96	Peak	233.00	150	Vertical	Pass
1**	5350.000	45.67	54.0	8.33	AV	233.00	150	Vertical	Pass
2	5350.110	58.73	74.0	15.27	Peak	70.00	150	Vertical	Pass
2**	5350.110	45.66	54.0	8.34	AV	70.00	150	Vertical	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.750	57.42	74.0	16.58	Peak	149.00	150	Vertical	Pass
1**	5081.750	46.11	54.0	7.89	AV	149.00	150	Vertical	Pass
2	5150.000	55.47	74.0	18.53	Peak	260.00	100	Vertical	Pass
2**	5150.000	45.82	54.0	8.18	AV	260.00	100	Vertical	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.54	74.0	13.46	Peak	70.00	100	Vertical	Pass
1**	5350.000	46.20	54.0	7.80	AV	70.00	100	Vertical	Pass
2	5351.210	62.13	74.0	11.87	Peak	70.00	100	Vertical	Pass
2**	5351.210	46.15	54.0	7.85	AV	70.00	100	Vertical	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	57.35	74.0	16.65	Peak	167.00	150	Vertical	Pass
1**	5142.850	46.18	54.0	7.82	AV	167.00	150	Vertical	Pass
2	5150.000	55.76	74.0	18.24	Peak	256.00	200	Vertical	Pass
2**	5150.000	45.97	54.0	8.03	AV	256.00	200	Vertical	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.08	74.0	11.92	Peak	77.00	200	Vertical	Pass
1**	5350.000	48.63	54.0	5.37	AV	77.00	200	Vertical	Pass
2	5363.420	65.94	74.0	8.06	Peak	266.00	100	Vertical	Pass
2**	5363.420	48.98	54.0	5.02	AV	266.00	100	Vertical	Pass
3	5355.995	61.33	74.0	12.67	Peak	77.00	150	Vertical	Pass
3**	5355.995	50.24	54.0	3.76	AV	77.00	150	Vertical	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5397.650	58.26	74.0	15.74	Peak	0.00	100	Vertical	Pass
1**	5397.650	45.53	54.0	8.47	AV	0.00	100	Vertical	Pass
2	5460.000	57.25	74.0	16.75	Peak	65.00	150	Vertical	Pass
2**	5460.000	46.29	54.0	7.71	AV	65.00	150	Vertical	Pass
3	5468.800	60.20	68.2	8.00	Peak	68.00	100	Vertical	Pass
3**	5468.800	47.63	--	--	AV	68.00	100	Vertical	N/A
4	5469.950	57.12	68.2	11.08	Peak	110.00	100	Vertical	Pass
4**	5469.950	46.60	--	--	AV	110.00	100	Vertical	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.41	68.2	10.79	Peak	203.00	200	Vertical	Pass
2	5725.450	63.62	68.2	4.58	Peak	272.00	100	Vertical	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.800	57.82	74.0	16.18	Peak	81.00	150	Vertical	Pass
1**	5458.800	46.26	54.0	7.74	AV	81.00	150	Vertical	Pass
2	5460.000	55.64	74.0	18.36	Peak	15.00	100	Vertical	Pass
2**	5460.000	46.41	54.0	7.59	AV	15.00	100	Vertical	Pass
3	5468.800	63.53	68.2	4.67	Peak	269.00	200	Vertical	Pass
3**	5468.800	46.77	--	--	AV	269.00	200	Vertical	N/A
4	5469.950	56.08	68.2	12.12	Peak	240.00	100	Vertical	Pass
4**	5469.950	46.88	--	--	AV	240.00	100	Vertical	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	58.41	68.2	9.79	Peak	234.00	200	Vertical	Pass
2	5729.150	63.41	68.2	4.79	Peak	66.00	150	Vertical	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.000	62.09	74.0	11.91	Peak	76.00	200	Vertical	Pass
1**	5458.000	46.88	54.0	7.12	AV	76.00	200	Vertical	Pass
2	5460.000	56.17	74.0	17.83	Peak	296.00	150	Vertical	Pass
2**	5460.000	46.82	54.0	7.18	AV	296.00	150	Vertical	Pass
3	5466.100	64.69	68.2	3.51	Peak	71.00	100	Vertical	Pass
3**	5466.100	47.35	--	--	AV	71.00	100	Vertical	N/A
4	5469.950	57.01	68.2	11.19	Peak	71.00	150	Vertical	Pass
4**	5469.950	47.54	--	--	AV	71.00	150	Vertical	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.07	68.2	6.13	Peak	280.00	200	Vertical	Pass
2	5728.800	62.37	68.2	5.83	Peak	275.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.100	58.29	74.0	15.71	Peak	70.00	200	Vertical	Pass
1**	5457.100	46.05	54.0	7.95	AV	70.00	200	Vertical	Pass
2	5460.000	55.91	74.0	18.09	Peak	93.00	150	Vertical	Pass
2**	5460.000	46.26	54.0	7.74	AV	93.00	150	Vertical	Pass
3	5467.950	64.42	68.2	3.78	Peak	70.00	100	Vertical	Pass
3**	5467.950	47.51	--	--	AV	70.00	100	Vertical	N/A
4	5469.950	62.06	68.2	6.14	Peak	87.00	100	Vertical	Pass
4**	5469.950	47.62	--	--	AV	87.00	100	Vertical	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.17	68.2	12.03	Peak	199.00	200	Vertical	Pass
2	5725.100	60.89	68.2	7.31	Peak	61.00	100	Vertical	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.100	60.25	74.0	13.75	Peak	73.00	150	Vertical	Pass
1**	5459.100	46.20	54.0	7.80	AV	73.00	150	Vertical	Pass
2	5460.000	58.20	74.0	15.80	Peak	83.00	200	Vertical	Pass
2**	5460.000	46.31	54.0	7.69	AV	83.00	200	Vertical	Pass
3	5469.900	64.92	68.2	3.28	Peak	258.00	200	Vertical	Pass
3**	5469.900	47.68	--	--	AV	258.00	200	Vertical	N/A
4	5469.950	60.22	68.2	7.98	Peak	207.00	150	Vertical	Pass
4**	5469.950	47.54	--	--	AV	207.00	150	Vertical	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.70	68.2	8.50	Peak	277.00	200	Vertical	Pass
2	5726.900	61.53	68.2	6.67	Peak	62.00	150	Vertical	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.700	61.80	74.0	12.20	Peak	255.00	100	Vertical	Pass
1**	5455.700	46.25	54.0	7.75	AV	255.00	100	Vertical	Pass
2	5460.000	56.41	74.0	17.59	Peak	284.00	200	Vertical	Pass
2**	5460.000	46.94	54.0	7.06	AV	284.00	200	Vertical	Pass
3	5466.800	63.89	68.2	4.31	Peak	73.00	200	Vertical	Pass
3**	5466.800	47.20	--	--	AV	73.00	200	Vertical	N/A
4	5469.950	60.14	68.2	8.06	Peak	231.00	150	Vertical	Pass
4**	5469.950	48.36	--	--	AV	231.00	150	Vertical	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.81	68.2	11.39	Peak	4.00	200	Vertical	Pass
2	5785.700	58.47	68.2	9.73	Peak	76.00	200	Vertical	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.400	57.38	74.0	16.62	Peak	234.00	150	Vertical	Pass
1**	5446.400	45.98	54.0	8.02	AV	234.00	150	Vertical	Pass
2	5460.000	55.19	74.0	18.81	Peak	179.00	150	Vertical	Pass
2**	5460.000	46.17	54.0	7.83	AV	179.00	150	Vertical	Pass
3	5466.750	64.27	68.2	3.93	Peak	65.00	150	Vertical	Pass
3**	5466.750	46.60	--	--	AV	65.00	150	Vertical	N/A
4	5469.950	57.16	68.2	11.04	Peak	234.00	200	Vertical	Pass
4**	5469.950	47.11	--	--	AV	234.00	200	Vertical	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	62.25	68.2	5.95	Peak	88.00	200	Vertical	Pass
2	5728.050	64.98	68.2	3.22	Peak	33.00	150	Vertical	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.150	61.63	74.0	12.37	Peak	271.00	150	Vertical	Pass
1**	5458.150	46.77	54.0	7.23	AV	271.00	150	Vertical	Pass
2	5460.000	60.94	74.0	13.06	Peak	68.00	200	Vertical	Pass
2**	5460.000	46.62	54.0	7.38	AV	68.00	200	Vertical	Pass
3	5461.600	64.45	68.2	3.75	Peak	261.00	200	Vertical	Pass
3**	5461.600	47.64	--	--	AV	261.00	200	Vertical	N/A
4	5469.950	59.04	68.2	9.16	Peak	45.00	100	Vertical	Pass
4**	5469.950	48.37	--	--	AV	45.00	100	Vertical	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.19	68.2	8.01	Peak	77.00	200	Vertical	Pass
2	5725.350	63.13	68.2	5.07	Peak	61.00	150	Vertical	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.450	61.25	74.0	12.75	Peak	63.00	200	Vertical	Pass
1**	5459.450	46.35	54.0	7.65	AV	63.00	200	Vertical	Pass
2	5460.000	57.35	74.0	16.65	Peak	63.00	150	Vertical	Pass
2**	5460.000	46.72	54.0	7.28	AV	63.00	150	Vertical	Pass
3	5465.500	63.74	68.2	4.46	Peak	70.00	200	Vertical	Pass
3**	5465.500	47.48	--	--	AV	70.00	200	Vertical	N/A
4	5469.950	59.48	68.2	8.72	Peak	50.00	200	Vertical	Pass
4**	5469.950	47.51	--	--	AV	50.00	200	Vertical	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.10	68.2	11.10	Peak	60.00	200	Vertical	Pass
2	5804.950	58.66	68.2	9.54	Peak	231.00	150	Vertical	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.550	58.95	68.2	9.25	Peak	25.00	100	Vertical	Pass
2	5650.000	55.97	68.2	12.23	Peak	4.00	200	Vertical	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.29	68.2	11.91	Peak	37.00	150	Vertical	Pass
2	5940.400	58.67	68.2	9.53	Peak	42.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.350	57.80	68.2	10.40	Peak	253.00	100	Vertical	Pass
2	5650.000	56.21	68.2	11.99	Peak	77.00	200	Vertical	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.07	68.2	12.13	Peak	139.00	100	Vertical	Pass
2	5948.200	58.12	68.2	10.08	Peak	276.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.400	58.41	68.2	9.79	Peak	114.00	100	Vertical	Pass
2	5650.000	56.94	68.2	11.26	Peak	318.00	100	Vertical	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.55	68.2	11.65	Peak	117.00	150	Vertical	Pass
2	5933.150	58.56	68.2	9.64	Peak	346.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.350	58.71	68.2	9.49	Peak	297.00	150	Vertical	Pass
2	5650.000	56.62	68.2	11.58	Peak	31.00	200	Vertical	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.48	68.2	11.72	Peak	53.00	150	Vertical	Pass
2	5940.900	58.12	68.2	10.08	Peak	8.00	200	Vertical	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.950	58.49	68.2	9.71	Peak	0.00	100	Vertical	Pass
2	5650.000	56.60	68.2	11.60	Peak	5.00	100	Vertical	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.18	68.2	12.02	Peak	173.00	150	Vertical	Pass
2	5938.750	59.10	68.2	9.10	Peak	78.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.050	58.26	68.2	9.94	Peak	26.00	100	Vertical	Pass
2	5650.000	56.37	68.2	11.83	Peak	360.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.79	68.2	11.41	Peak	170.00	100	Vertical	Pass
2	5947.800	58.62	68.2	9.58	Peak	116.00	200	Vertical	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.450	58.25	68.2	9.95	Peak	75.00	200	Vertical	Pass
2	5650.000	57.81	68.2	10.39	Peak	215.00	150	Vertical	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.27	68.2	11.93	Peak	21.00	200	Vertical	Pass
2	5927.800	58.59	68.2	9.61	Peak	68.00	100	Vertical	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.300	58.03	68.2	10.17	Peak	241.00	200	Vertical	Pass
2	5650.000	55.61	68.2	12.59	Peak	63.00	100	Vertical	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.18	68.2	12.02	Peak	279.00	150	Vertical	Pass
2	5937.650	58.42	68.2	9.78	Peak	315.00	100	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.250	58.84	68.2	9.36	Peak	259.00	100	Vertical	Pass
2	5650.000	56.37	68.2	11.83	Peak	150.00	100	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.01	68.2	12.19	Peak	0.00	200	Vertical	Pass
2	5932.650	58.49	68.2	9.71	Peak	234.00	200	Vertical	Pass

Replaceable Antenna Model 2: AF1012

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.90	74.0	6.10	Peak	40.00	100	Horizontal	Pass
1**	5350.000	48.87	54.0	5.13	AV	40.00	100	Horizontal	Pass
2	5350.605	64.04	74.0	9.96	Peak	8.00	100	Horizontal	Pass
2**	5350.605	51.00	54.0	3.00	AV	8.00	100	Horizontal	Pass
3	5350.880	68.62	74.0	5.38	Peak	37.00	100	Horizontal	Pass
3**	5350.880	48.92	54.0	5.08	AV	37.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2530401-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2530401-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2530401-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--