

802.11ax HE20

CH 100 (Horizontal) Average



CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5388.58	45.78	2.63	43.15	54.00	-8.22	100	297 Average	Horizontal
2	5500.00	103.14	59.65	43.29	54.00	49.14	100	297 Average	Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	51.86	8.60	43.26	54.00	-2.14	100	2 Average	Vertical
2	5500.00	110.18	66.89	43.29	54.00	56.18	100	2 Average	Vertical


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5387.58	57.38	14.23	43.15	74.00	-16.62	107	293	Peak	Horizontal	
2	5460.00	56.86	13.60	43.26	68.20	-11.34	107	293	Peak	Horizontal	
3 *	5580.00	115.47	72.07	43.40	68.20	47.27	107	293	Peak	Horizontal	
4 !	5786.58	64.12	20.31	43.81	68.20	-4.08	107	293	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5435.00	58.27	15.03	43.24	74.00	-15.73	100	121	Peak	Vertical	
2	5460.00	57.89	14.63	43.26	68.20	-10.31	100	121	Peak	Vertical	
3 *	5580.00	122.18	78.78	43.40	68.20	53.98	100	121	Peak	Vertical	
4	6855.00	61.07	15.96	45.11	68.20	-7.13	100	121	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dB/m	dBuV/m	dB	cm	deg							
1	5379.58	45.73	2.62	43.11	54.00	-8.27	107	293	Average	Horizontal	
2	5588.00	103.04	60.44	43.40	54.00	49.84	107	293	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dB/m	dBuV/m	dB	cm	deg							
1	5458.00	47.25	3.99	43.26	54.00	-6.75	100	121	Average	Vertical	
2	5588.00	111.08	67.68	43.40	54.00	57.08	100	121	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5468.00	57.16	13.90	43.26	68.20	-11.04	274	176 Peak	Horizontal	
2	5468.50	57.86	14.60	43.26	68.20	-10.34	274	176 Peak	Horizontal	
3 *	5700.00	116.49	72.83	43.66	68.20	48.29	274	176 Peak	Horizontal	
4 !	5791.50	64.15	20.33	43.82	68.20	-4.05	274	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5468.00	57.11	13.85	43.26	68.20	-11.09	100	6 Peak	Vertical	
2	5468.50	57.29	14.02	43.27	68.20	-10.91	100	6 Peak	Vertical	
3 *	5700.00	119.75	76.09	43.66	68.20	51.55	100	6 Peak	Vertical	
4 !	5731.50	62.78	19.09	43.69	68.20	-5.42	100	6 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
47.39	54.00	-6.61	274	176	Average	Horizontal	
61.09	54.00	56.75	274	176	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
48.72	54.00	-5.28	100	6	Average	Vertical	
66.03	54.00	55.03	100	6	Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5455.00	58.09	15.95	42.14	74.00	-15.91	100	297	Peak	Horizontal	
2	5470.00	62.36	20.15	42.21	68.20	-5.84	100	297	Peak	Horizontal	
3 *	5518.00	112.22	69.88	42.34	68.20	44.02	100	297	Peak	Horizontal	
4	6995.00	59.37	15.62	43.75	68.20	-8.83	100	297	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5456.00	61.44	19.20	42.14	74.00	-12.56	100	126	Peak	Vertical	
2	5470.00	64.74	22.53	42.21	68.20	-3.46	100	126	Peak	Vertical	
3 *	5518.00	115.46	73.12	42.34	68.20	47.26	100	126	Peak	Vertical	
4	6961.00	59.80	16.00	43.80	68.20	-8.40	100	126	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
1 5468.00	49.02	6.85	42.17	54.00	-4.98	100	297 Average Horizontal
2 * 5510.00	102.43	60.09	42.34	54.00	48.43	100	297 Average Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
1 5468.00	51.98	9.81	42.17	54.00	-2.02	100	126 Average Vertical
2 * 5510.00	106.98	64.64	42.34	54.00	52.98	100	126 Average Vertical


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	Level	Line	Limit	cm	deg				
1	5458.00	56.68	14.53	42.15	74.00	-17.32	106	297 Peak	Horizontal
2	5464.50	58.35	16.16	42.19	68.20	-9.85	106	297 Peak	Horizontal
3 *	5558.00	111.31	69.03	42.28	68.20	43.11	106	297 Peak	Horizontal
4	6958.00	59.64	15.84	43.80	68.20	-8.56	106	297 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	Level	Line	Limit	cm	deg				
1	5447.50	62.52	20.38	42.14	74.00	-11.48	100	120 Peak	Vertical
2 !	5467.00	65.92	23.72	42.20	68.20	-2.28	100	120 Peak	Vertical
3 *	5558.00	117.87	75.59	42.28	68.20	49.67	100	120 Peak	Vertical
4	6912.00	59.68	15.97	43.71	68.20	-8.52	100	120 Peak	Vertical


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5469.00	46.89	4.72	42.17	54.00	-7.11	106	297	Average Horizontal
2	5550.00	102.99	60.71	42.28	54.00	48.99	106	297	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.50	50.02	7.87	42.15	54.00	-3.98	100	120	Average Vertical
2	5550.00	108.88	66.69	42.28	54.00	54.88	100	120	Average Vertical


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.59	55.33	13.18	42.15	74.00	-18.67	262	349 Peak	Horizontal	
2	5464.00	55.95	12.86	42.19	68.20	-13.15	262	349 Peak	Horizontal	
3 *	5670.00	114.97	72.55	42.42	68.20	46.77	262	349 Peak	Horizontal	
4	6793.50	59.39	15.60	43.79	68.20	-8.81	262	349 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.00	56.29	14.84	42.25	74.00	-17.71	100	108 Peak	Vertical	
2	5464.00	56.20	14.01	42.19	68.20	-12.00	100	108 Peak	Vertical	
3 *	5670.00	119.59	77.17	42.42	68.20	51.39	100	108 Peak	Vertical	
4	5803.50	60.73	18.00	42.73	68.20	-7.47	100	108 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dB/m	dBuV/m	dB	cm	deg							
1	5438.00	46.78	4.43	42.27	54.00	-7.30	262	349	Average	Horizontal	
2	5678.00	103.81	61.39	42.42	54.00	49.81	262	349	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dB/m	dBuV/m	dB	cm	deg							
1	5438.00	48.21	5.94	42.27	54.00	-5.79	188	188	Average	Vertical	
2	5678.00	109.41	66.99	42.42	54.00	55.41	188	188	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
Freq	Level	Factor	dB/m	dB					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	5458.00	56.58	14.43	42.15	74.00	-17.42	107	295 Peak	Horizontal
2	5469.50	55.15	13.94	42.21	68.20	-12.05	107	295 Peak	Horizontal
3 *	5530.00	103.90	61.59	42.31	68.20	35.70	107	295 Peak	Horizontal
4	6896.00	60.52	16.83	43.69	68.20	-7.68	107	295 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
Freq	Level	Factor	dB/m	dB					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	5454.00	62.50	20.36	42.14	74.00	-11.50	100	4 Peak	Vertical
2 !	5470.00	64.93	22.72	42.21	68.20	-3.27	100	4 Peak	Vertical
3 *	5530.00	109.88	67.57	42.31	68.20	41.68	100	4 Peak	Vertical
4	6815.50	60.87	17.07	43.80	68.20	-7.33	100	4 Peak	Vertical


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
1 5457.58	48.07	5.92	42.15	54.00	-5.93	107	295 Average Horizontal
2 * 5530.00	94.29	51.98	42.31	54.00	40.29	107	295 Average Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
1 5454.00	52.04	9.90	42.14	54.00	-1.96	100	4 Average Vertical
2 * 5530.00	98.16	55.85	42.31	54.00	44.16	100	4 Average Vertical


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	Level	Line	Limit	cm	deg				
1	5430.00	57.98	15.71	42.27	74.00	-16.02	100	293 Peak	Horizontal
2	5465.50	60.55	18.36	42.19	68.20	-7.65	100	293 Peak	Horizontal
3 *	5610.00	109.30	67.04	42.26	68.20	41.10	100	293 Peak	Horizontal
4 !	5725.50	63.08	20.59	42.49	68.20	-5.12	100	293 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	Level	Line	Limit	cm	deg				
1	5458.50	63.41	21.26	42.15	74.00	-10.59	100	3 Peak	Vertical
2 !	5465.50	62.57	20.38	42.19	68.20	-5.63	100	3 Peak	Vertical
3 *	5607.50	116.23	73.98	42.25	68.20	46.83	100	3 Peak	Vertical
4 !	5727.00	64.67	22.17	42.50	68.20	-3.53	100	3 Peak	Vertical


802.11ax HE80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
47.06	54.00	-6.94	100	293	Average	Horizontal	
98.83	54.00	44.83	100	293	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
52.05	54.00	-1.95	100	3	Average	Vertical	
107.45	54.00	53.45	100	3	Average	Vertical	


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5418.00	58.07	15.71	42.36	74.00	-15.93	112	295	Peak	Horizontal	
2	5464.00	57.29	15.10	42.19	68.20	-10.91	112	295	Peak	Horizontal	
3 *	5570.00	98.80	56.55	42.25	68.20	30.60	112	295	Peak	Horizontal	
4	6953.00	59.59	15.79	43.80	68.20	-8.61	112	295	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5417.00	64.30	21.04	42.36	74.00	-9.70	100	6	Peak	Vertical	
2 !	5464.00	65.97	23.78	42.19	68.20	-2.23	100	6	Peak	Vertical	
3 *	5570.00	107.53	65.28	42.25	68.20	39.33	100	6	Peak	Vertical	
4 !	5725.00	62.44	19.95	42.49	68.20	-5.76	100	6	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
49.43	42.36	54.00	-4.57	112	295 Average	Horizontal	
99.28	42.25	54.00	36.28	112	295 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
52.27	42.37	54.00	-1.73	100	6 Average	Vertical	
96.08	42.25	54.00	42.08	100	6 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3
802.11a
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5621.58	57.94	15.62	42.32	68.20	-10.26	100	2	Peak	Vertical	
2	5677.00	58.94	16.53	42.41	89.22	-29.28	100	2	Peak	Vertical	
3	5720.00	68.27	25.80	42.47	110.80	-42.53	100	2	Peak	Vertical	
4	5722.50	71.60	29.12	42.48	116.50	-44.90	100	2	Peak	Vertical	
5	5745.00	119.00	76.42	42.58	122.20	-3.20	100	2	Peak	Vertical	
6	5853.00	57.29	14.62	42.67	115.36	-56.87	100	2	Peak	Vertical	
7	5868.00	56.47	13.79	42.68	107.16	-50.69	100	2	Peak	Vertical	
8	5881.00	57.54	14.85	42.69	100.74	-43.20	100	2	Peak	Vertical	
9	5958.50	56.88	13.93	42.95	68.20	-11.32	100	2	Peak	Vertical	



 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5601.00	56.18	13.97	42.21	68.20	-12.02	100	293	Peak	Horizontal	
2	5693.00	57.24	14.86	42.38	100.04	-42.80	100	293	Peak	Horizontal	
3	5715.00	63.35	20.91	42.44	109.40	-46.05	100	293	Peak	Horizontal	
4	5723.00	65.84	23.36	42.48	117.64	-51.80	100	293	Peak	Horizontal	
5	5745.00	112.79	70.21	42.58	122.20	-9.41	100	293	Peak	Horizontal	
6	5850.50	55.42	12.75	42.67	121.06	-65.64	100	293	Peak	Horizontal	
7	5873.00	56.39	13.71	42.68	105.76	-49.37	100	293	Peak	Horizontal	
8	5883.00	56.42	13.73	42.69	99.26	-42.84	100	293	Peak	Horizontal	
9	5946.50	56.77	13.85	42.92	68.20	-11.43	100	293	Peak	Horizontal	

802.11a
CH 157 (Horizontal) Peak
CH 157 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	5626.00	56.07	14.54	42.33	68.20	-11.33	100	348 Peak	Vertical
2	5685.00	57.15	14.76	42.39	94.13	-36.98	100	348 Peak	Vertical
3	5714.00	59.33	16.89	42.44	109.12	-49.79	100	348 Peak	Vertical
4	5725.00	59.75	17.26	42.49	122.20	-62.45	100	348 Peak	Vertical
5	5785.00	118.58	75.88	42.70	122.20	-3.62	100	348 Peak	Vertical
6	5852.00	58.47	15.00	42.67	117.64	-59.17	100	348 Peak	Vertical
7	5861.00	57.33	14.66	42.67	109.12	-51.79	100	348 Peak	Vertical
8	5919.00	57.18	14.39	42.79	72.62	-15.44	100	348 Peak	Vertical
9	5944.00	57.17	14.26	42.91	68.20	-11.03	100	348 Peak	Vertical


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	5578.00	56.04	13.80	42.24	68.20	-12.16	353	166 Peak	Horizontal
2	5676.50	56.08	13.67	42.41	87.85	-31.77	353	166 Peak	Horizontal
3	5700.50	57.34	14.97	42.37	105.34	-48.00	353	166 Peak	Horizontal
4	5724.00	57.72	15.23	42.49	119.92	-62.20	353	166 Peak	Horizontal
5	5785.00	114.09	71.39	42.70	122.20	-0.11	353	166 Peak	Horizontal
6	5850.50	55.58	12.91	42.67	121.06	-65.48	353	166 Peak	Horizontal
7	5864.50	57.45	14.77	42.68	108.14	-50.69	353	166 Peak	Horizontal
8	5917.00	56.92	14.14	42.78	74.10	-17.18	353	166 Peak	Horizontal
9	5937.50	57.39	14.52	42.87	68.20	-10.81	353	166 Peak	Horizontal


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5649.00	57.19	14.75	42.44	68.20	-11.01	100	3	Peak	Vertical	
2	5674.00	58.35	15.94	42.41	85.00	-27.65	100	3	Peak	Vertical	
3	5705.50	57.89	15.49	42.40	106.74	-48.85	100	3	Peak	Vertical	
4	5723.00	57.15	14.67	42.48	117.64	-60.49	100	3	Peak	Vertical	
5	5825.00	119.07	76.37	42.70	122.20	-3.13	100	3	Peak	Vertical	
6	5850.50	67.30	24.63	42.67	121.06	-53.76	100	3	Peak	Vertical	
7	5855.50	64.49	21.82	42.67	118.66	-46.17	100	3	Peak	Vertical	
8	5882.00	57.89	15.20	42.69	100.00	-42.11	100	3	Peak	Vertical	
9	5955.00	58.19	15.25	42.94	68.20	-10.01	100	3	Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5600.00	56.35	14.00	42.35	68.20	-11.85	356	345	Peak	Horizontal	
2	5670.00	55.72	13.30	42.42	83.04	-27.32	356	345	Peak	Horizontal	
3	5714.00	56.91	14.47	42.44	109.12	-52.21	356	345	Peak	Horizontal	
4	5722.00	55.39	12.91	42.48	115.36	-59.97	356	345	Peak	Horizontal	
5	5825.00	112.02	69.32	42.70	122.20	-10.18	356	345	Peak	Horizontal	
6	5851.00	60.14	17.47	42.67	119.92	-59.78	356	345	Peak	Horizontal	
7	5855.50	58.57	15.90	42.67	118.66	-52.09	356	345	Peak	Horizontal	
8	5912.50	57.11	14.35	42.76	77.42	-20.31	356	345	Peak	Horizontal	
9	5971.00	56.66	13.68	42.98	68.20	-11.54	356	345	Peak	Horizontal	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5647.50	58.00	15.57	42.43	68.20	-18.20	100	1 Peak Vertical
2	5699.00	58.50	16.13	42.37	104.46	-45.96	100	1 Peak Vertical
3	5719.00	63.64	21.17	42.47	110.52	-46.88	100	1 Peak Vertical
4	5723.50	69.03	26.55	42.48	118.78	-49.75	100	1 Peak Vertical
5	5745.00	119.85	77.27	42.58	122.20	-2.35	100	1 Peak Vertical
6	5853.50	56.74	14.07	42.67	114.22	-57.48	100	1 Peak Vertical
7	5869.50	56.86	14.18	42.68	106.74	-49.88	100	1 Peak Vertical
8	5882.50	57.42	14.73	42.69	99.63	-42.21	100	1 Peak Vertical
9	5986.00	57.19	14.17	43.02	68.20	-11.01	100	1 Peak Vertical




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5645.50	55.75	13.33	42.42	68.20	-12.45	272	328 Peak Horizontal
2	5680.50	56.50	14.10	42.40	90.81	-34.31	272	328 Peak Horizontal
3	5720.00	62.28	19.81	42.47	110.80	-48.52	272	328 Peak Horizontal
4	5724.00	65.90	23.41	42.49	119.92	-54.02	272	328 Peak Horizontal
5	5745.00	113.41	70.83	42.58	122.20	-6.79	272	328 Peak Horizontal
6	5852.00	55.63	12.96	42.67	117.64	-62.01	272	328 Peak Horizontal
7	5860.00	56.44	13.77	42.67	109.40	-52.96	272	328 Peak Horizontal
8	5908.00	56.28	13.55	42.73	80.74	-24.46	272	328 Peak Horizontal
9	5985.50	58.42	15.40	43.02	68.20	-9.78	272	328 Peak Horizontal

802.11ax HE20
CH 157 (Horizontal) Peak
CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5588.58	57.32	15.10	42.22	68.20	-18.88	100	7 Peak	Vertical	
2	5678.00	57.73	15.31	42.42	83.04	-25.31	100	7 Peak	Vertical	
3	5713.50	65.30	22.87	42.43	108.98	-43.68	100	7 Peak	Vertical	
4	5723.50	62.72	20.24	42.48	118.78	-56.06	100	7 Peak	Vertical	
5	5785.00	119.36	76.66	42.70	122.20	-2.84	100	7 Peak	Vertical	
6	5853.50	59.27	18.60	42.67	114.22	-54.95	100	7 Peak	Vertical	
7	5867.00	58.97	16.29	42.68	107.44	-48.47	100	7 Peak	Vertical	
8	5920.00	58.02	15.23	42.79	71.89	-13.87	100	7 Peak	Vertical	
9	5948.00	58.09	15.17	42.92	68.20	-10.11	100	7 Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5590.00	55.91	13.68	42.23	68.20	-12.29	310	292 Peak	Horizontal	
2	5682.00	56.62	14.22	42.40	91.92	-35.30	310	292 Peak	Horizontal	
3	5702.50	56.62	14.23	42.39	105.90	-49.28	310	292 Peak	Horizontal	
4	5725.00	56.73	14.24	42.49	122.20	-65.47	310	292 Peak	Horizontal	
5	5785.00	113.77	71.07	42.70	122.20	-6.43	310	292 Peak	Horizontal	
6	5850.00	56.18	13.51	42.67	122.20	-66.02	310	292 Peak	Horizontal	
7	5866.50	56.17	13.49	42.68	107.58	-51.41	310	292 Peak	Horizontal	
8	5900.50	56.32	13.62	42.70	86.29	-29.97	310	292 Peak	Horizontal	
9	5944.50	56.94	14.03	42.91	68.20	-11.26	310	292 Peak	Horizontal	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5544.58	56.39	14.10	42.29	68.20	-11.81	100	8	Peak	Vertical	
2	5698.58	56.89	14.52	42.37	104.09	-47.20	100	8	Peak	Vertical	
3	5705.58	56.65	14.25	42.40	106.74	-50.09	100	8	Peak	Vertical	
4	5721.00	56.41	13.94	42.47	113.08	-56.67	100	8	Peak	Vertical	
5	5825.00	118.78	76.08	42.70	122.20	-3.42	100	8	Peak	Vertical	
6	5850.58	75.00	32.33	42.67	121.06	-46.06	100	8	Peak	Vertical	
7	5856.00	65.51	22.84	42.67	118.52	-45.01	100	8	Peak	Vertical	
8	5890.58	57.99	15.30	42.69	93.70	-35.71	100	8	Peak	Vertical	
9	5926.58	57.52	14.70	42.82	68.20	-10.68	100	8	Peak	Vertical	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5490.58	56.56	14.26	42.30	68.20	-11.64	282	342	Peak	Horizontal	
2	5655.58	56.55	14.11	42.44	72.29	-15.74	282	342	Peak	Horizontal	
3	5709.00	56.27	13.85	42.42	107.72	-51.45	282	342	Peak	Horizontal	
4	5722.00	56.40	13.92	42.48	115.36	-58.96	282	342	Peak	Horizontal	
5	5825.00	114.26	71.56	42.70	122.20	-7.94	282	342	Peak	Horizontal	
6	5850.58	68.68	25.93	42.67	121.06	-52.46	282	342	Peak	Horizontal	
7	5855.00	64.21	21.54	42.67	118.88	-46.59	282	342	Peak	Horizontal	
8	5909.58	57.69	14.95	42.74	79.64	-21.95	282	342	Peak	Horizontal	
9	5952.58	57.94	15.00	42.94	68.20	-10.26	282	342	Peak	Horizontal	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Read Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5616.00	57.94	15.66	42.28	68.20	-10.26	100	134	Peak	Vertical	
2	5697.50	64.86	22.48	42.38	103.36	-38.50	100	134	Peak	Vertical	
3	5719.50	69.60	27.13	42.47	110.66	-41.06	100	134	Peak	Vertical	
4	5723.00	70.47	27.99	42.48	117.64	-47.17	100	134	Peak	Vertical	
5	5755.00	117.68	75.06	42.62	122.20	-4.52	100	134	Peak	Vertical	
6	5853.00	60.11	17.44	42.67	115.36	-55.25	100	134	Peak	Vertical	
7	5858.50	58.66	15.99	42.67	100.82	-51.16	100	134	Peak	Vertical	
8	5892.00	58.62	15.93	42.69	92.58	-33.96	100	134	Peak	Vertical	
9	5930.00	57.25	14.41	42.84	68.20	-10.95	100	134	Peak	Vertical	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Read Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5558.00	55.80	13.53	42.27	68.20	-12.40	100	293	Peak	Horizontal	
2	5691.50	66.46	24.07	42.39	90.93	-32.47	100	293	Peak	Horizontal	
3	5719.00	70.05	27.58	42.47	110.52	-40.47	100	293	Peak	Horizontal	
4	5721.00	69.85	27.38	42.47	113.08	-43.23	100	293	Peak	Horizontal	
5	5755.00	112.03	69.41	42.62	122.20	-10.17	100	293	Peak	Horizontal	
6	5854.00	56.67	14.00	42.67	113.08	-56.41	100	293	Peak	Horizontal	
7	5861.50	56.14	13.47	42.67	100.08	-52.84	100	293	Peak	Horizontal	
8	5882.00	57.35	14.66	42.69	100.00	-42.65	100	293	Peak	Horizontal	
9	5937.50	57.35	14.48	42.87	68.20	-10.85	100	293	Peak	Horizontal	

802.11ax HE40
CH 159 (Horizontal) Peak
CH 159 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5648.58	58.04	15.64	42.40	68.20	-10.16	100	150 Peak	Vertical
2	5698.00	62.91	20.54	42.37	103.73	-40.82	100	150 Peak	Vertical
3	5720.00	68.57	26.10	42.47	110.80	-42.23	100	150 Peak	Vertical
4	5720.00	68.57	26.10	42.47	110.80	-42.23	100	150 Peak	Vertical
5	5795.00	118.96	76.24	42.72	122.20	-3.24	100	150 Peak	Vertical
6	5850.00	72.50	29.83	42.67	122.20	-49.70	100	150 Peak	Vertical
7	5858.50	71.12	28.45	42.67	106.82	-38.70	100	150 Peak	Vertical
8	5879.50	64.44	21.75	42.69	101.86	-37.42	100	150 Peak	Vertical
9	5938.00	57.57	14.70	42.87	68.20	-10.63	100	150 Peak	Vertical


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5623.50	57.07	14.75	42.32	68.20	-11.13	276	160 Peak	Horizontal
2	5698.50	58.69	16.32	42.37	104.09	-45.40	276	160 Peak	Horizontal
3	5716.00	65.56	23.12	42.44	109.68	-44.12	276	160 Peak	Horizontal
4	5724.00	66.59	24.10	42.49	119.92	-53.33	276	160 Peak	Horizontal
5	5795.00	116.22	73.50	42.72	122.20	-5.98	276	160 Peak	Horizontal
6	5851.50	71.16	28.49	42.67	110.78	-47.62	276	160 Peak	Horizontal
7	5861.50	66.55	23.88	42.67	100.98	-42.43	276	160 Peak	Horizontal
8	5875.00	61.07	18.39	42.68	105.20	-44.13	276	160 Peak	Horizontal
9	5943.00	58.02	15.13	42.89	68.20	-10.18	276	160 Peak	Horizontal


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5650.00	66.61	24.17	42.44	68.20	-1.59	100	3	Peak	Vertical	
2	5697.50	76.67	34.29	42.38	103.26	-26.69	100	3	Peak	Vertical	
3	5717.50	81.70	39.25	42.45	110.10	-28.40	100	3	Peak	Vertical	
4	5722.50	79.99	37.51	42.48	116.50	-36.51	100	3	Peak	Vertical	
5	5775.00	117.99	75.32	42.67	122.20	-4.21	100	3	Peak	Vertical	
6	5852.00	75.49	32.82	42.67	117.64	-42.15	100	3	Peak	Vertical	
7	5866.50	75.04	32.36	42.68	107.58	-32.54	100	3	Peak	Vertical	
8	5877.00	68.31	25.63	42.68	103.71	-35.40	100	3	Peak	Vertical	
9	5927.50	60.45	17.62	42.83	68.20	-7.75	100	3	Peak	Vertical	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5650.00	64.26	21.82	42.44	68.20	-3.94	277	352	Peak	Horizontal	
2	5683.00	72.00	29.61	42.39	92.66	-20.66	277	352	Peak	Horizontal	
3	5718.50	75.81	33.35	42.46	110.38	-34.57	277	352	Peak	Horizontal	
4	5721.00	75.37	32.90	42.47	113.08	-37.71	277	352	Peak	Horizontal	
5	5775.00	113.62	70.95	42.67	122.20	-8.58	277	352	Peak	Horizontal	
6	5853.00	72.74	30.07	42.67	115.36	-42.62	277	352	Peak	Horizontal	
7	5858.00	71.50	28.81	42.67	109.96	-38.38	277	352	Peak	Horizontal	
8	5878.50	67.79	25.11	42.68	102.60	-34.81	277	352	Peak	Horizontal	
9	5939.50	59.95	17.07	42.88	68.20	-8.25	277	352	Peak	Horizontal	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1
802.11ax HE80
CH 42(Open) (9kHz ~ 150kHz)
CH 42(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	57.78	38.75	18.95	119.13	-61.43	100	330	QP	Open	
2	0.04	61.78	42.60	19.18	116.45	-54.67	100	240	QP	Open	
3	0.07	53.96	35.38	18.58	110.44	-56.48	100	271	QP	Open	
4	0.11	43.35	25.40	17.95	106.98	-63.63	100	118	QP	Open	
5	0.13	38.33	20.29	18.04	105.29	-66.96	100	254	QP	Open	
6	0.14	38.27	20.10	18.09	104.49	-66.22	100	235	QP	Open	




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.33	47.36	28.61	18.75	97.26	-49.90	100	74	QP	Open	
2	4.42	34.87	15.36	19.51	69.50	-34.63	100	21	QP	Open	
3	12.81	35.52	13.72	21.80	69.50	-33.98	100	193	QP	Open	
4	15.85	35.59	13.58	22.01	69.50	-33.91	100	162	QP	Open	
5	25.02	35.82	13.44	22.38	69.50	-33.68	100	160	QP	Open	
6	26.90	35.79	13.39	22.40	69.50	-33.71	100	159	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-1
802.11ax HE80
CH 42 (Horizontal)
CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
33.88	36.39	44.99	-8.60	40.00	-3.61	300	93	QP
94.82	34.58	48.45	-13.87	43.50	-8.92	400	271	QP
170.65	28.92	36.42	-7.50	43.50	-14.58	200	272	QP
256.98	32.05	39.81	-7.76	46.00	-13.95	100	203	QP
442.25	26.17	29.81	-3.64	46.00	-19.83	300	226	QP
866.14	34.50	31.06	3.44	46.00	-11.50	100	193	QP



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
34.85	38.31	46.70	-8.39	40.00	-1.69	100	124	QP
47.46	36.30	43.68	-7.38	40.00	-3.70	100	278	QP
62.01	33.28	42.10	-8.82	40.00	-6.72	100	84	QP
108.57	35.35	46.44	-11.09	43.50	-8.15	100	214	QP
247.28	26.31	34.33	-8.02	46.00	-19.69	100	88	QP
845.77	33.86	31.02	2.84	46.00	-12.14	400	82	QP

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2023-02-06

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
62.19	67.38	-5.19	68.20	-6.01	400	323 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2023-02-06

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
65.52	70.71	-5.19	68.20	-2.68	100	74 Peak	Vertical


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	Line	Limit					
dB/m	dB/m	dB					
dBuV	dBuV/m	dB					
dB/m	dBuV/m	dB					
63.77	68.88	-5.11	68.20	-4.43	100	151 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor	Line	Limit					
dB/m	dB/m	dB					
dBuV	dBuV/m	dB					
dB/m	dBuV/m	dB					
64.99	70.10	-5.11	68.20	-3.21	100	77 Peak	Vertical


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
63.28	68.13	-4.85	68.20	-4.92	200	360 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
65.03	69.88	-4.85	68.20	-3.17	200	158 Peak	Vertical

802.11ax HE20


CH 36 (Horizontal)

CH 36 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-09




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
64.27	69.46	-5.19	68.20	-3.93	294	3 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Date: 2023-02-09



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
65.24	70.43	-5.19	68.20	-2.96	254	337 Peak	Vertical


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	64.79	69.90	-5.11	68.20	-3.41	295	6	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	64.13	69.24	-5.11	68.20	-4.07	300	338	Peak	Vertical


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
69.48	68.20	-3.57	240	314	Peak	Horizontal	

1 | 10480.00 | 64.63 | 69.48 | -4.85 | 68.20 | -3.57 | 240 | 314 | Peak | Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
69.26	68.20	-3.79	100	39	Peak	Vertical	

1 | 10480.00 | 64.41 | 69.26 | -4.85 | 68.20 | -3.79 | 100 | 39 | Peak | Vertical


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
69.27	68.20	-4.08	238	1	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
70.66	68.20	-2.69	100	92	Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
67.90	68.20	-5.21	300	8	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
69.88	68.20	-3.23	100	68	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10484.00	54.84	59.93	-5.09	68.20	-13.36	260	2 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	55.52	60.56	-5.04	68.20	-12.68	100	80 Peak	Vertical

U-NII-2A




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	47.02	51.79	-4.77	54.00	-6.98	100	140 Average	Horizontal
2	10690.00	61.68	66.45	-4.77	74.00	-12.32	100	140 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	50.97	55.74	-4.77	54.00	-3.03	200	88 Average	Vertical
2	10690.00	65.47	70.24	-4.77	74.00	-8.53	200	88 Peak	Vertical


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
56.10	54.00	-2.59	197	62	Average	Vertical	
70.65	74.00	-8.04	197	62	Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
52.81	54.00	-5.88	100	285	Average	Horizontal	
67.15	74.00	-11.54	100	285	Peak	Horizontal	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
dBuV	dBuV/m	dB	cm	deg			
69.11	68.20	-3.88	344	298	Peak	Horizontal	

1 | 10520.00 64.32 69.11 -4.79 68.20 -3.88 344 298 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
dBuV	dBuV/m	dB	cm	deg			
70.25	68.20	-2.74	100	269	Peak	Vertical	

1 | 10520.00 65.46 70.25 -4.79 68.20 -2.74 100 269 Peak Vertical


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
1 10690.00	48.85	53.62	-4.77	54.00	-5.15	104	18 Average Horizontal
2 10690.00	63.48	68.25	-4.77	74.00	-10.52	104	18 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
1 10690.00	51.28	56.05	-4.77	54.00	-2.72	100	38 Average Vertical
2 10690.00	66.59	71.36	-4.77	74.00	-7.41	100	38 Peak Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
52.19	54.00	-6.50	200	360	Average	Horizontal	
58.54	74.00	-20.15	200	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
55.31	54.00	-3.38	100	292	Average	Vertical	
62.98	74.00	-15.71	100	292	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
66.32	68.20	-6.67	300	7	Peak	Horizontal	

1 | 10540.00 | 61.53 | 66.32 | -4.79 | 68.20 | -6.67 | 300 | 7 | Peak | Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
70.18	68.20	-2.81	100	193	Peak	Vertical	

1 | 10540.00 | 65.39 | 70.18 | -4.79 | 68.20 | -2.81 | 100 | 193 | Peak | Vertical