




802.11be / 80MHz / MCS0 / 6785MHz / Ch167 (EBW)




802.11be / 80MHz / MCS0 / 6785MHz / Ch167 (OBW)




802.11be / 80MHz / MCS0 / 6865MHz / Ch183 (EBW)




802.11be / 80MHz / MCS0 / 6865MHz / Ch183 (OBW)




802.11be / 80MHz / MCS0 / 6945MHz / Ch199 (EBW)



802.11be / 80MHz / MCS0 / 6945MHz / Ch199 (OBW)




802.11be / 80MHz / MCS0 / 7025MHz / Ch215 (EBW)




Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	6.992230 GHz	8.07 dBm	6.984840 GHz	-16.79 dBm	7.005000 GHz	-15.35 dBm	Emission Bandwidth: 80.16 MHz
Port 2	7.011250 GHz	7.97 dBm	6.985000 GHz	-15.15 dBm	7.005000 GHz	-15.16 dBm	Emission Bandwidth: 80 MHz

802.11be / 80MHz / MCS0 / 7025MHz / Ch215 (OBW)




Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	6.988090 GHz	10.05 dBm	6.986798 GHz	2.58 dBm	7.063361 GHz	2.99 dBm	99% OBW: 76.563436563 MHz
Port 2	6.991110 GHz	7.90 dBm	6.986538 GHz	2.15 dBm	7.063321 GHz	1.74 dBm	99% OBW: 76.883116883 MHz

802.11be / 160MHz / MCS0 / 6025MHz / Ch15 (EBW)




Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	5.975910 GHz	11.50 dBm	5.972080 GHz	-14.21 dBm	6.181000 GHz	-14.10 dBm	Emission Bandwidth: 301.92 MHz
Port 2	5.975610 GHz	10.35 dBm	5.882900 GHz	-15.03 dBm	6.181000 GHz	-14.59 dBm	Emission Bandwidth: 298.08 MHz

802.11be / 160MHz / MCS0 / 6025MHz / Ch15 (OBW)




Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	5.975130 GHz	12.73 dBm	5.946358 GHz	7.18 dBm	6.103961 GHz	7.47 dBm	99% OBW: 157.602397602 MHz
Port 2	6.003360 GHz	12.78 dBm	5.946358 GHz	6.44 dBm	6.103961 GHz	6.54 dBm	99% OBW: 157.602397602 MHz

802.11be / 160MHz / MCS0 / 6185MHz / Ch47 (EBW)





Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	6.206100 GHz	11.54 dBm	6.046760 GHz	-14.18 dBm	6.340520 GHz	-12.83 dBm	Emission Bandwidth: 293.76 MHz
Port 2	6.206100 GHz	11.65 dBm	6.051080 GHz	-14.24 dBm	6.341480 GHz	-13.85 dBm	Emission Bandwidth: 290.4 MHz

802.11be / 160MHz / MCS0 / 6185MHz / Ch47 (OBW)



Port	Max Freq	Max Value	Left Freq	Left Value	Right Freq	Right Value	Measurement
Port 1	6.206420 GHz	12.78 dBm	6.106678 GHz	7.81 dBm	6.263961 GHz	6.85 dBm	99% OBW: 157.282717283 MHz
Port 2	6.206420 GHz	12.84 dBm	6.106678 GHz	7.84 dBm	6.263961 GHz	6.88 dBm	99% OBW: 157.282717283 MHz





Appendix C. Test Result of Maximum E.I.R.P. Power

<2Tx,NSS 1>

802.11be (20 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	80.66	22.93	2.06	95.23	10.42	24.00	Pass
6195	79.73	24.03	2.06	95.23	10.59	24.00	Pass
6415	78.14	25.13	2.06	95.23	10.10	24.00	Pass
6435	77.86	25.23	2.06	95.23	9.92	24.00	Pass
6475	77.50	25.43	2.06	95.23	9.76	24.00	Pass
6515	78.12	25.56	2.06	95.23	10.51	24.00	Pass
6535	78.16	25.58	2.06	95.23	10.57	24.00	Pass
6695	78.23	25.75	2.06	95.23	10.81	24.00	Pass
6855	77.73	25.92	2.06	95.23	10.48	24.00	Pass
6875 (U-NII 7~8)	77.41	25.95	2.06	95.23	10.19	24.00	Pass
6895	77.55	25.94	2.06	95.23	10.32	24.00	Pass
7015	77.97	26.11	2.06	95.23	10.91	24.00	Pass
7115	77.82	26.30	2.06	95.23	10.95	24.00	Pass

802.11be (40 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5965	83.38	22.96	2.06	95.23	13.17	24.00	Pass
6205	82.50	24.08	2.06	95.23	13.41	24.00	Pass
6405	80.92	25.08	2.06	95.23	12.83	24.00	Pass
6445	81.13	25.27	2.06	95.23	13.23	24.00	Pass
6485	81.23	25.47	2.06	95.23	13.53	24.00	Pass
6525 (U-NII-6~7)	81.37	25.57	2.06	95.23	13.77	24.00	Pass
6565	80.87	25.61	2.06	95.23	13.31	24.00	Pass
6725	80.61	25.79	2.06	95.23	13.23	24.00	Pass
6845	80.46	25.91	2.06	95.23	13.20	24.00	Pass
6885 (U-NII-7~8)	80.86	25.95	2.06	95.23	13.64	24.00	Pass
6925	80.97	25.99	2.06	95.23	13.79	24.00	Pass
7005	80.93	26.08	2.06	95.23	13.84	24.00	Pass
7085	80.65	26.23	2.06	95.23	13.71	24.00	Pass

802.11be (80 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5985	87.07	23.01	2.06	95.23	16.91	24.00	Pass
6225	85.98	24.18	2.06	95.23	16.99	24.00	Pass
6385	85.11	24.98	2.06	95.23	16.92	24.00	Pass
6465	84.70	25.37	2.06	95.23	16.90	24.00	Pass
6545 (U-NII-6~7)	85.38	25.59	2.06	96.23	16.80	24.00	Pass
6625	84.33	25.67	2.06	95.23	16.83	24.00	Pass
6705	84.20	25.78	2.06	95.23	16.81	24.00	Pass
6785	84.24	25.85	2.06	95.23	16.92	24.00	Pass
6865 (U-NII-7~8)	84.99	25.94	2.06	96.23	16.76	24.00	Pass
6945	84.46	26.02	2.06	95.23	17.31	24.00	Pass
7025	84.26	26.12	2.06	95.23	17.21	24.00	Pass

802.11be (160 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
6025	86.94	23.18	2.06	95.23	16.95	24.00	Pass
6185	86.10	23.99	2.06	95.23	16.92	24.00	Pass
6345	85.32	24.78	2.06	95.23	16.93	24.00	Pass
6505 (U-NII-6~7)	85.41	25.55	2.06	96.23	16.79	24.00	Pass
6665	84.28	25.72	2.06	95.23	16.83	24.00	Pass
6825 (U-NII-7~8)	84.98	25.98	2.06	96.23	16.79	24.00	Pass
6985	84.43	26.06	2.06	95.23	17.32	24.00	Pass

<2Tx,NSS 2>

802.11be (20 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	81.08	22.93	2.02	95.23	10.80	24.00	Pass
6195	79.95	24.03	2.02	95.23	10.77	24.00	Pass
6415	79.03	25.13	2.02	95.23	10.95	24.00	Pass
6435	79.23	25.23	2.02	95.23	11.25	24.00	Pass
6475	78.24	25.43	2.02	95.23	10.46	24.00	Pass
6515	78.77	25.56	2.02	95.23	11.12	24.00	Pass
6535	78.80	25.58	2.02	95.23	11.17	24.00	Pass
6695	78.51	25.75	2.02	95.23	11.05	24.00	Pass
6855	78.10	25.92	2.02	95.23	10.81	24.00	Pass
6875 (U-NII 7~8)	78.31	25.95	2.02	95.23	11.05	24.00	Pass
6895	78.30	25.94	2.02	95.23	11.03	24.00	Pass
7015	77.99	26.11	2.02	95.23	10.89	24.00	Pass
7115	77.88	26.30	2.02	95.23	10.97	24.00	Pass

802.11be (40 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5965	83.18	22.96	2.05	95.23	12.96	24.00	Pass
6205	82.52	24.08	2.05	95.23	13.42	24.00	Pass
6405	81.50	25.08	2.05	95.23	13.40	24.00	Pass
6445	81.72	25.27	2.05	95.23	13.81	24.00	Pass
6485	81.72	25.47	2.05	95.23	14.01	24.00	Pass
6525 (U-NII-6~7)	81.85	25.57	2.05	95.23	14.24	24.00	Pass
6565	81.63	25.61	2.05	95.23	14.06	24.00	Pass
6725	81.14	25.79	2.05	95.23	13.75	24.00	Pass
6845	81.35	25.91	2.05	95.23	14.08	24.00	Pass
6885 (U-NII-7~8)	81.08	25.95	2.05	95.23	13.85	24.00	Pass
6925	80.97	25.99	2.05	95.23	13.78	24.00	Pass
7005	81.09	26.08	2.05	95.23	13.99	24.00	Pass
7085	80.96	26.23	2.05	95.23	14.01	24.00	Pass

802.11be (80 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5985	87.02	23.01	2.02	95.23	16.82	24.00	Pass
6225	85.90	24.18	2.02	95.23	16.87	24.00	Pass
6385	84.96	24.98	2.02	95.23	16.73	24.00	Pass
6465	84.72	25.37	2.02	95.23	16.88	24.00	Pass
6545 (U-NII-6~7)	84.32	25.59	2.02	95.23	16.70	24.00	Pass
6625	84.32	25.67	2.02	95.23	16.78	24.00	Pass
6705	84.16	25.78	2.02	95.23	16.73	24.00	Pass
6785	84.14	25.85	2.02	95.23	16.78	24.00	Pass
6865 (U-NII-7~8)	84.15	25.94	2.02	95.23	16.88	24.00	Pass
6945	84.40	26.02	2.02	95.23	17.21	24.00	Pass
7025	84.22	26.12	2.02	95.23	17.13	24.00	Pass

802.11be (160 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
6025	86.89	23.18	2.02	95.23	16.86	24.00	Pass
6185	86.05	23.99	2.02	95.23	16.83	24.00	Pass
6345	85.31	24.78	2.02	95.23	16.88	24.00	Pass
6505 (U-NII-6~7)	84.39	25.55	2.02	95.23	16.73	24.00	Pass
6665	84.26	25.72	2.02	95.23	16.77	24.00	Pass
6825 (U-NII-7~8)	83.97	25.98	2.02	95.23	16.74	24.00	Pass
6985	84.28	26.06	2.02	95.23	17.13	24.00	Pass

Appendix D. Test Result of Maximum E.I.R.P. Power Spectral Density

<2TX, NSS 1>

802.11be (20 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	69.12	22.93	2.06	95.23	-1.12	-1.00	Pass
6195	68.02	24.03	2.06	95.23	-1.12	-1.00	Pass
6415	66.89	25.13	2.06	95.23	-1.15	-1.00	Pass
6435	66.76	25.23	2.06	95.23	-1.18	-1.00	Pass
6475	66.57	25.43	2.06	95.23	-1.17	-1.00	Pass
6515	66.47	25.56	2.06	95.23	-1.14	-1.00	Pass
6535	66.46	25.58	2.06	95.23	-1.13	-1.00	Pass
6695	66.24	25.75	2.06	95.23	-1.18	-1.00	Pass
6855	66.14	25.92	2.06	95.23	-1.11	-1.00	Pass
6875 (U-NII 7~8)	66.14	25.95	2.06	95.23	-1.08	-1.00	Pass
6895	66.06	25.94	2.06	95.23	-1.17	-1.00	Pass
7015	65.92	26.11	2.06	95.23	-1.14	-1.00	Pass
7115	65.79	26.30	2.06	95.23	-1.08	-1.00	Pass

802.11be (40 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5965	69.05	22.96	2.06	95.23	-1.16	-1.00	Pass
6205	67.90	24.08	2.06	95.23	-1.19	-1.00	Pass
6405	66.96	25.08	2.06	95.23	-1.13	-1.00	Pass
6445	66.74	25.27	2.06	95.23	-1.16	-1.00	Pass
6485	66.52	25.47	2.06	95.23	-1.18	-1.00	Pass
6525 (U-NII-6~7)	66.55	25.57	2.06	95.23	-1.05	-1.00	Pass
6565	66.43	25.61	2.06	95.23	-1.13	-1.00	Pass
6725	66.22	25.79	2.06	95.23	-1.16	-1.00	Pass
6845	66.14	25.91	2.06	95.23	-1.12	-1.00	Pass
6885 (U-NII-7~8)	66.11	25.95	2.06	95.23	-1.11	-1.00	Pass
6925	66.04	25.99	2.06	95.23	-1.14	-1.00	Pass
7005	65.99	26.08	2.06	95.23	-1.10	-1.00	Pass
7085	65.87	26.23	2.06	95.23	-1.07	-1.00	Pass

802.11be (80 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5985	69.02	23.01	2.057	95.20	-1.11	-1.00	Pass
6225	67.87	24.18	2.057	95.20	-1.09	-1.00	Pass
6385	67.03	24.98	2.057	95.20	-1.13	-1.00	Pass
6465	66.62	25.37	2.057	95.20	-1.15	-1.00	Pass
6545 (U-NII-6~7)	66.480	25.59	2.057	95.20	-1.07	-1.00	Pass
6625	66.25	25.67	2.057	95.20	-1.22	-1.00	Pass
6705	66.30	25.78	2.057	95.20	-1.06	-1.00	Pass
6785	66.16	25.85	2.057	95.20	-1.13	-1.00	Pass
6865 (U-NII-7~8)	66.13	25.94	2.057	95.20	-1.07	-1.00	Pass
6945	65.95	26.02	2.057	95.20	-1.17	-1.00	Pass
7025	65.87	26.12	2.057	95.20	-1.15	-1.00	Pass

802.11be (160 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
6025	67.71	23.18	2.057	95.20	-2.25	-1.00	Pass
6185	67.23	23.99	2.057	95.20	-1.92	-1.00	Pass
6345	65.81	24.78	2.057	95.20	-2.55	-1.00	Pass
6505 (U-NII-6~7)	65.69	25.55	2.057	95.20	-1.90	-1.00	Pass
6665	65.09	25.72	2.057	95.20	-2.33	-1.00	Pass
6825 (U-NII-7~8)	65.35	25.98	2.057	96.20	-2.81	-1.00	Pass
6985	63.67	26.06	2.057	95.20	-3.41	-1.00	Pass

