



Your Solutions Partner

MS-C933 BT Antenna Specification



Your Solutions Partner

Electrical Characteristics

VSO Electronics Co., LTD
7F, No.880 Jhong-Jheng Road, Jhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com


Frequency	2400 ~ 2500 MHz
Return loss	>= -10dbm @ 2400 ~ 2500 MHz
Peak Gain	3 dBi @ 2400 ~ 2500 MHz
Antenna Type	PIFA
Impedance	50 Ohm
Polarization	Linear
PCB Type	FR4



Your Solutions Partner

Antenna - S Parameter Test Data

VSO Electronics Co., LTD
7F, No.880 Zhong-Jheng Road, Zhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com






Your Solutions Partner

Electrical Characteristics-Main Antenna

VSO Electronics Co., LTD
7F, No.880 Zhong-Jheng Road, Zhong
He Dist., New Taipei City 23586,
Taiwan TEL : 886-2-3234-3038
FAX : 886-2-3234-3056
Web Site : www.vso-corp.com



Frequency (MHz)	2400	2450	2500
Peak Gain (dBi)	2.92	2.83	2.63
Efficiency (%)	78.8	75.3	68