








Conducted Power





























6 Maximum power spectral density

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-5.07	0.31	-4.76	11	Pass
NVNT	a	5200	Ant1	-4.71	0.26	-4.45	11	Pass
NVNT	a	5240	Ant1	-4.34	0.33	-4.01	11	Pass
NVNT	a	5745	Ant1	-5.17	0.17	-5	30	Pass
NVNT	a	5785	Ant1	-4.4	0.28	-4.12	30	Pass
NVNT	a	5825	Ant1	-3.74	0.35	-3.39	30	Pass
NVNT	n20	5180	Ant1	-5.93	0.22	-5.71	11	Pass
NVNT	n20	5200	Ant1	-5.48	0.12	-5.36	11	Pass
NVNT	n20	5240	Ant1	-5	0.3	-4.7	11	Pass
NVNT	n20	5745	Ant1	-5.75	0.2	-5.55	30	Pass
NVNT	n20	5785	Ant1	-4.77	0.12	-4.65	30	Pass
NVNT	n20	5825	Ant1	-4	0.26	-3.74	30	Pass
NVNT	n40	5190	Ant1	-7.07	0.36	-6.71	11	Pass
NVNT	n40	5230	Ant1	-8.09	0.24	-7.85	11	Pass
NVNT	n40	5755	Ant1	-8.52	0.32	-8.2	30	Pass
NVNT	n40	5795	Ant1	-7.64	0.36	-7.28	30	Pass
NVNT	ac20	5180	Ant1	-6.12	0.1	-6.02	11	Pass
NVNT	ac20	5200	Ant1	-5.68	0.22	-5.46	11	Pass
NVNT	ac20	5240	Ant1	-4.65	0.14	-4.51	11	Pass
NVNT	ac20	5745	Ant1	-5.95	0.24	-5.71	30	Pass
NVNT	ac20	5785	Ant1	-4.71	0.16	-4.55	30	Pass
NVNT	ac20	5825	Ant1	-4.24	0.16	-4.08	30	Pass
NVNT	ac40	5190	Ant1	-8.55	0.43	-8.12	11	Pass
NVNT	ac40	5230	Ant1	-7.69	0.16	-7.53	11	Pass
NVNT	ac40	5755	Ant1	-8.29	0.31	-7.98	30	Pass
NVNT	ac40	5795	Ant1	-7.81	0.24	-7.57	30	Pass
NVNT	ac80	5210	Ant1	-7.89	0.91	-6.98	11	Pass
NVNT	ac80	5775	Ant1	-10.04	0.4	-9.64	30	Pass

