



DC_66A_n38A / 30KHz / 20MHz

LCH / DFT-Pi2BPSK / Edge_1RB_Left




Date: 22 MAR 2025 04:47:37

LCH / DFT-QPSK / Edge_1RB_Left




Date: 22 MAR 2025 04:47:55

MCH / DFT-Pi2BPSK / Edge_1RB_Left




Date: 22 MAR 2025 04:48:15

MCH / DFT-QPSK / Edge_1RB_Left




Date: 22 MAR 2025 04:48:33

HCH / DFT-Pi2BPSK / Edge_1RB_Left





Date: 22 MAR 2025 04:48:52


HCH / DFT-QPSK / Edge_1RB_Left



Date: 22 MAR 2025 04:49:10







7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	5.60	0.002158	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	2.60	0.001002	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	3.90	0.001503	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-2.00	-0.000771	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	5.30	0.002042	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	4.40	0.001696	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-6.10	-0.002351	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-6.20	-0.002389	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-4.80	-0.001850	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-4.60	-0.001773	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-3.30	-0.001272	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-6.20	-0.002389	Pass

The End