



**WARNING:** This device must be programmed with the data corresponding to the vessel in which it will be installed. Programming must be carried out by a Garmin dealer. The included instructions contain information on how to verify the correct programming.

**Information for customers within the USA only**

**WARNING:** It is a violation of the rules of the Federal Communications Commission to input an MMSI that has not been properly assigned to the end user, or to otherwise input any inaccurate data in this device.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference, and  
(2) this device must accept any interference received, including interference that may cause undesired operation.

FCC ID: IPH-GRMNAIS600  
IC: 1792A-GRMNAIS600 B  
BSH/46162/4321409/09

**GARMIN**  
Model: AIS 600  
Input: 9.6-31.2 VDC 20W max.

CE 0700

Made in Germany

Compass Safe Distance = 40cm

S/N: [REDACTED]

GPS ANT SRM USB POWER NMEA I/O NMEA 2000

All OK RX TX RX Only Warning SRM Error VHF TX

FCC ID IPH-GRMNAIS600







FCC ID IPH-GRMNAIS600



FCC ID IPH-GRMNAIS600



FCC ID IPH-GRMNAIS600



FCC ID IPH-GRMNAIS600





**WARNING:** This device must be programmed with the data corresponding to the vessel in which it will be installed. Programming must be carried out by a Garmin dealer. The included instructions contain information on how to verify the correct programming.

**Information for customers within the USA only**

**WARNING:** It is a violation of the rules of the Federal Communications Commission to input an MMSI that has not been properly assigned to the end user, or to otherwise input any inaccurate data in this device.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two (2) conditions:  
(1) This device may not cause harmful interference and  
(2) this device must accept any interference received, including interference that may cause undesired operation.

FCC ID: IPH-GRMNAIS600  
IC: 1792A-GRMNAIS600 B  
BSH/46162/4321409/09

**GARMIN**  
Model: AIS 600

CE 0700

Made in G

Input: 9.6-31.2 VDC 20W max.

Compass Safe Distance = 40cm



S/N:



ALL OK RX TX RX ONLY

GPS ANT

SRM

USB

POWER  
NMEA 10

