

Exhibit 8 Fenway

FCC Label and Location

FCC Part 22 & 24 Certification	
FCC ID:	J9CFENWAY-1
Model:	Fenway

STATEMENT OF CERTIFICATION	
<i>The data, data evaluation and equipment configuration represented herein are a true and accurate representation of the measurements of the sample's radio frequency interference emissions characteristics as of the dates and at the times of the test under the conditions herein specified.</i>	
Report Prepared by:	QUALCOMM Incorporated 5775 Morehouse Drive San Diego, CA 92121-1714

The Qualcomm logo, featuring the word "QUALCOMM" in a bold, sans-serif font. The letter "Q" is stylized with a vertical line through it, and a registered trademark symbol (®) is positioned at the top right of the "M".

8 7 6 5 4 3 15-JA850 | A

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

A INITIAL RELEASE --- -----



TRADEMARKS OF THEIR RESPECTIVE OWNERS.

REGISTERED

TABLE I

LABEL DASH NO.	ARTWORK REVISION	ARTWORK LAYER NO.	COLOR
-P1	A	I	PANTONE BLACK C

FCC ID: J9CFENWAY-1
IC: 2723A-FENWAY1
MODEL #: FENWAY
QUALCOMM



DETAIL A
MARKING CONTENT

-P1 7 8

12. THIS DEVICE/ITEM SHALL MEET THE REQUIREMENTS OF EUROPEAN DIRECTIVE 2002/95/EC ON THE RESTRICTION OF THE USE OF CERTAIN HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT. (ROHS)

11. ARTWORK WAS CREATED IN ADOBE ILLUSTRATOR 13.0. DEVIATION FROM SPECIFIED FONTS NOT PERMITTED WITHOUT PRIOR APPROVAL FROM QUALCOMM.

10. FOR ARTWORK, USE ELECTRONIC DATA AW15-JA850-P1 WITH APPROPRIATE DASH NUMBER AND CURRENT REVISION. THE ARTWORK DEPICTED ON THIS DRAWING IS FOR REPRESENTATION PURPOSES ONLY. ACTUAL ILLUSTRATOR ARTWORK FILE MAY BE DIFFERENT.

9. BAG AND TAG ITEM AS 15-JA850 AND APPROPRIATE DASH NO. AND REV LETTER OF DWG/PL. MARKING SHALL HAVE 1.5 TO 4.1 HIGH CHARACTERS. SEE DETAIL A FOR MARKING CONTENT.

- a. PART NUMBER
- b. APPROPRIATE DASH NUMBER
- c. DRAWING REVISION LEVEL
- d. PARTS LIST REVISION LEVEL PER APPROPRIATE REQUIRED DOCUMENTS LIST (RDL)

8. LABELS SHALL BE PRINTED AND APPLIED PER ORDER AS NEEDED.
7. LABEL INFORMATION SHALL BE PRINTED WITH THERMAL PRINTER USING BLACK RIBBON. FIRST SURFACE PRINTED.


6. MATERIAL: E-HTLW100 WHITE POLYESTER FILM THERMAL PRINTER PAPER WITH ACRYLIC PERMANENT ADHESIVE. 0.13 TOTAL THICKNESS.
5. QUALCOMM SUPPLIED ELECTRONIC DATABASES ARE FOR REFERENCE ONLY. DIMENSIONAL INFORMATION ON CURRENT REVISION OF RELEASED DRAWING TAKES PRECEDENCE OVER ELECTRONIC DATABASES.

4. WORKMANSHIP SHALL BE IN ACCORDANCE WITH QUALCOMM MECHANICAL WORKMANSHIP STANDARD 80-10767-1.
3. INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994.
2. ALL DIMENSIONS SHOWN ON THIS DRAWING ARE IN MILLIMETERS (MM).
1. INTERPRET DRAWING PER ASME Y14.100.

NOTES: UNLESS OTHERWISE SPECIFIED.

MODEL INFORMATION		
CAD TOOL: PRO/ENGINEER	NAME	REVISION
15-JA850-P1	A	2
SEE SEPARATE PARTS LIST 15-JA850-P1		

METRIC ONLY



UNLESS OTHERWISE SPECIFIED
DIMENSION UNITS ARE AS NOTED/PER NOTE 2
AND APPLY AFTER SURFACE TREATMENT

TOLERANCES

X ± 2.5

XXX ± 0.10

0° 30°

MM HOLE DIAMETERS INCHES

0.34 - 6.35 0.13 - 0.03 .013 - .250 +.005 -.001

6.37 - 12.70 +.15 - 0.03 .251 - .500 +.006 -.001

12.12 - 25.40 +.25 - 0.03 .501 - 1.000 +.010 -.001

CONTRACT NO.

DATE

12/19/08

DRW

A. LEJMAN

CHK READ SIG ON FILE

ENG

P.E.

MFG

C.N.

QUALCOMM®
5775 MOREHOUSE DRIVE SAN DIEGO, CA 92121-1714, U.S.A.

LABEL, FCC ID,
FENWAY

D IDN14 15-JA850 A 2

SCALE 10/1 SHEET 1 OF 1

