

Occupied Channel Bandwidth 99% (6995 MHz; 11a (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	16.900000	---	320.000000	6986.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.450000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.02 dB	0.30 dB

Occupied Channel Bandwidth 99%(6995 MHz; 11a (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	17.000000	---	320.000000	6986.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.450000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7115 MHz; 11a (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	17.000000	---	320.000000	7106.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7123.450000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(7115 MHz; 11a (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	17.000000	---	320.000000	7106.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7123.450000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5955 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	19.100000	---	320.000000	5945.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(5955 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	19.200000	---	320.000000	5945.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	1.58 dB	0.30 dB

Occupied Channel Bandwidth 99% (6175 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	19.100000	---	320.000000	6165.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6175 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	19.200000	---	320.000000	6165.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6415 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	19.100000	---	320.000000	6405.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6415 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	19.100000	---	320.000000	6405.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6435 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	19.100000	---	320.000000	6425.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6435 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	19.200000	---	320.000000	6425.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6475 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	19.200000	---	320.000000	6465.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6475 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	19.200000	---	320.000000	6465.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6515 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	19.100000	---	320.000000	6505.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6515 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	19.100000	---	320.000000	6505.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6535 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	19.100000	---	320.000000	6525.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6535 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	19.100000	---	320.000000	6525.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6695 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	19.200000	---	320.000000	6685.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6695 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	19.100000	---	320.000000	6685.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6855 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	19.200000	---	320.000000	6845.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.87500 GHz	6.87500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6855 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	19.200000	---	320.000000	6845.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.87500 GHz	6.87500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6875 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	19.100000	9.550000	9.550000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.450000	5925.000000	6884.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	0 / 5	5
Max Stable Difference	0.33 dB	0.30 dB

Occupied Channel Bandwidth 99%(6875 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	19.200000	9.650000	9.550000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.350000	5925.000000	6884.550000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6895 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	19.100000	---	320.000000	6885.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6904.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.87500 GHz	6.87500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6895 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	19.200000	---	320.000000	6885.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6904.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.87500 GHz	6.87500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6995 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	19.100000	---	320.000000	6985.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6995 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	19.200000	---	320.000000	6985.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.550000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7115 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Max level (-22.0 dBm) more than 35.0 dB below the nominal power level.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	19.400000	---	320.000000	7105.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
7115.000000	7124.650000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(7115 MHz; 11be20 (20 MHz)) – Ant1

Customized settings.

Max level (-21.4 dBm) more than 35.0 dB below the nominal power level.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	19.300000	---	320.000000	7105.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
7115.000000	7124.650000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5965 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	38.250000	---	320.000000	5945.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(5965 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	38.250000	---	320.000000	5945.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6165 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	38.250000	---	320.000000	6145.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6184.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.20500 GHz	6.20500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6165 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	38.250000	---	320.000000	6145.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6184.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.20500 GHz	6.20500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6405 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	38.250000	---	320.000000	6385.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6424.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	0.96 dB	0.30 dB

Occupied Channel Bandwidth 99%(6405 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	38.250000	---	320.000000	6385.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6424.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6445 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	38.250000	---	320.000000	6425.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6464.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6445 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	38.250000	---	320.000000	6425.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6464.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6485 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	38.250000	---	320.000000	6465.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6485 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	38.250000	---	320.000000	6465.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6525 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	38.250000	19.125000	19.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6505.875000	5925.000000	6544.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6525 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	38.250000	19.125000	19.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6505.875000	5925.000000	6544.125000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6565 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	38.250000	---	320.000000	6545.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6584.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.60500 GHz	6.60500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6565 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	38.250000	---	320.000000	6545.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6584.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.60500 GHz	6.60500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6685 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	38.250000	---	320.000000	6665.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6704.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.72500 GHz	6.72500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6685 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	38.250000	---	320.000000	6665.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6704.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.72500 GHz	6.72500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6845 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	38.250000	---	320.000000	6825.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6845.000000	6864.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6845 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	38.250000	---	320.000000	6825.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6845.000000	6864.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6885 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	38.250000	9.125000	29.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6865.875000	5925.000000	6904.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6885 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	38.250000	9.125000	29.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6865.875000	5925.000000	6904.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6925 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	38.250000	---	320.000000	6905.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6944.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.96500 GHz	6.96500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6925 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	38.250000	---	320.000000	6905.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6944.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.96500 GHz	6.96500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7005 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	38.250000	---	320.000000	6985.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7024.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.96500 GHz	6.96500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(7005 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	38.250000	---	320.000000	6985.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7024.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.96500 GHz	6.96500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7085 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	38.250000	---	320.000000	7065.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7104.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(7085 MHz; 11be40 (40 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	38.250000	---	320.000000	7065.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7104.125000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5985 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5945.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6023.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(5985 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6024.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6145 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	77.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6145 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	78.000000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6184.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6385 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	78.500000	---	320.000000	6345.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6424.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	1.72 dB	0.30 dB

Occupied Channel Bandwidth 99%(6385 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	78.000000	---	320.000000	6345.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6465 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	78.000000	---	320.000000	6426.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6504.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6465 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	78.000000	---	320.000000	6425.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6545 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	78.500000	19.250000	59.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6505.750000	5925.000000	6584.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6545 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	78.500000	19.250000	59.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6505.750000	5925.000000	6584.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6625 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	78.500000	---	320.000000	6585.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6664.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6625 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	78.500000	---	320.000000	6585.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6664.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6705 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	78.500000	---	320.000000	6665.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6744.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6705 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	78.500000	---	320.000000	6665.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6744.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6785 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	78.000000	---	320.000000	6746.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6824.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6785 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	78.000000	---	320.000000	6746.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6824.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.500000	49.250000	29.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6825.750000	5925.000000	6904.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6865 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	49.250000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6825.750000	5925.000000	6903.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6945 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.500000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7064.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(7025 MHz; 11be80 (80 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.500000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7064.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	158.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6104.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6025 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	158.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6104.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	0.55 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	158.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6264.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6185 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	157.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6263.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	158.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6424.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6345 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	157.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6423.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	1.85 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	158.000000	99.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6425.500000	5925.000000	6583.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6505 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	158.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6744.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6665 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	158.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6744.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	159.000000	129.500000	29.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6745.500000	5925.000000	6904.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6825 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	158.000000	129.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6745.500000	5925.000000	6903.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	157.000000	---	320.000000	6906.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6985 MHz; 11be160 (160 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	158.000000	---	320.000000	6905.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6105 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6105 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6265 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6265 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6425 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6425 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6585 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6585 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6745 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	320.000000	288.750000	31.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6906.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6745 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	317.500000	288.750000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6903.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6905 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	317.500000	128.750000	188.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99%(6905 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	317.500000	128.750000	188.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7063.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

In-Band Emissions (5955 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5962.550000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5962.550000	-4.6	0.0	-4.6	PASS
5955.650000	-4.7	0.1	-4.6	PASS
5960.950000	-4.7	0.1	-4.6	PASS
5961.850000	-4.7	0.1	-4.6	PASS
5960.350000	-4.7	0.2	-4.6	PASS
5960.650000	-4.8	0.2	-4.6	PASS
5961.650000	-4.8	0.2	-4.6	PASS
5949.450000	-4.8	0.2	-4.6	PASS
5961.750000	-4.8	0.2	-4.6	PASS
5959.750000	-4.8	0.2	-4.6	PASS
5960.050000	-4.9	0.3	-4.6	PASS
5956.250000	-4.9	0.3	-4.6	PASS
5955.750000	-4.9	0.3	-4.6	PASS
5960.750000	-4.9	0.3	-4.6	PASS
5960.850000	-4.9	0.3	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5960.050000	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5960.050000	-4.5	0.0	-4.5	PASS
5960.950000	-4.7	0.2	-4.5	PASS
5961.850000	-4.7	0.2	-4.5	PASS
5951.650000	-4.7	0.2	-4.5	PASS
5956.950000	-4.7	0.2	-4.5	PASS
5951.950000	-4.8	0.3	-4.5	PASS
5952.050000	-4.9	0.4	-4.5	PASS
5956.850000	-4.9	0.4	-4.5	PASS
5962.250000	-4.9	0.4	-4.5	PASS
5961.950000	-4.9	0.4	-4.5	PASS
5960.650000	-4.9	0.4	-4.5	PASS
5962.150000	-4.9	0.4	-4.5	PASS
5960.250000	-4.9	0.5	-4.5	PASS
5953.750000	-4.9	0.5	-4.5	PASS
5950.950000	-4.9	0.5	-4.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6170.650000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6170.650000	-5.9	0.0	-5.9	PASS
6169.650000	-6.0	0.1	-5.9	PASS
6182.550000	-6.0	0.1	-5.9	PASS
6171.050000	-6.1	0.2	-5.9	PASS
6169.750000	-6.1	0.2	-5.9	PASS
6169.150000	-6.2	0.3	-5.9	PASS
6169.050000	-6.2	0.3	-5.9	PASS
6170.050000	-6.2	0.3	-5.9	PASS
6176.550000	-6.2	0.3	-5.9	PASS
6171.350000	-6.2	0.3	-5.9	PASS
6181.250000	-6.3	0.4	-5.9	PASS
6171.250000	-6.3	0.4	-5.9	PASS
6172.250000	-6.3	0.4	-5.9	PASS
6167.550000	-6.3	0.4	-5.9	PASS
6176.250000	-6.3	0.4	-5.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6176.250000	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6176.250000	-6.0	0.0	-6.0	PASS
6170.950000	-6.1	0.1	-6.0	PASS
6173.150000	-6.2	0.2	-6.0	PASS
6175.950000	-6.3	0.2	-6.0	PASS
6181.950000	-6.4	0.3	-6.0	PASS
6167.550000	-6.4	0.4	-6.0	PASS
6172.550000	-6.4	0.4	-6.0	PASS
6167.450000	-6.4	0.4	-6.0	PASS
6182.850000	-6.4	0.4	-6.0	PASS
6180.350000	-6.5	0.4	-6.0	PASS
6181.650000	-6.5	0.4	-6.0	PASS
6180.950000	-6.5	0.4	-6.0	PASS
6167.850000	-6.5	0.4	-6.0	PASS
6182.250000	-6.5	0.4	-6.0	PASS
6168.750000	-6.5	0.5	-6.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6410.050000	-8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6416.250000	-9.3	0.8	-8.5	PASS
6416.350000	-9.4	0.9	-8.5	PASS
6409.950000	-9.4	0.9	-8.5	PASS
6420.050000	-9.5	1.0	-8.5	PASS
6408.750000	-9.7	1.2	-8.5	PASS
6413.750000	-9.9	1.4	-8.5	PASS
6417.550000	-10.0	1.4	-8.5	PASS
6422.350000	-10.0	1.4	-8.5	PASS
6411.350000	-10.1	1.5	-8.5	PASS
6419.950000	-10.1	1.6	-8.5	PASS
6410.950000	-10.2	1.6	-8.5	PASS
6422.250000	-10.2	1.7	-8.5	PASS
6410.150000	-10.3	1.8	-8.5	PASS
6408.850000	-10.4	1.9	-8.5	PASS
6409.850000	-10.4	1.9	-8.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6422.550000	-8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6422.550000	-8.5	0.0	-8.5	PASS
6422.450000	-9.2	0.6	-8.5	PASS
6421.350000	-9.8	1.3	-8.5	PASS
6421.250000	-9.9	1.4	-8.5	PASS
6411.250000	-10.1	1.6	-8.5	PASS
6410.050000	-10.1	1.6	-8.5	PASS
6422.650000	-10.3	1.8	-8.5	PASS
6411.350000	-10.3	1.8	-8.5	PASS
6412.550000	-10.4	1.9	-8.5	PASS
6419.950000	-10.4	1.9	-8.5	PASS
6419.850000	-10.5	2.0	-8.5	PASS
6420.050000	-10.7	2.1	-8.5	PASS
6422.750000	-10.8	2.3	-8.5	PASS
6418.850000	-10.8	2.3	-8.5	PASS
6418.750000	-11.0	2.5	-8.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6428.750000	-9.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6428.750000	-9.0	0.0	-9.0	PASS
6427.550000	-9.2	0.3	-9.0	PASS
6441.250000	-9.3	0.4	-9.0	PASS
6442.550000	-9.6	0.6	-9.0	PASS
6428.850000	-9.8	0.8	-9.0	PASS
6436.350000	-9.8	0.8	-9.0	PASS
6442.450000	-9.8	0.9	-9.0	PASS
6441.350000	-10.1	1.1	-9.0	PASS
6428.650000	-10.2	1.3	-9.0	PASS
6427.850000	-10.2	1.3	-9.0	PASS
6427.950000	-10.3	1.4	-9.0	PASS
6427.650000	-10.4	1.4	-9.0	PASS
6427.250000	-10.5	1.6	-9.0	PASS
6441.650000	-10.6	1.6	-9.0	PASS
6427.450000	-10.6	1.6	-9.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6441.250000	-9.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.550000	-9.6	0.3	-9.3	PASS
6430.050000	-9.6	0.3	-9.3	PASS
6428.750000	-9.8	0.5	-9.3	PASS
6442.450000	-9.8	0.5	-9.3	PASS
6428.850000	-9.8	0.5	-9.3	PASS
6441.350000	-9.9	0.6	-9.3	PASS
6432.550000	-10.0	0.7	-9.3	PASS
6429.950000	-10.0	0.7	-9.3	PASS
6433.850000	-10.0	0.7	-9.3	PASS
6440.050000	-10.2	0.9	-9.3	PASS
6439.950000	-10.4	1.1	-9.3	PASS
6433.750000	-10.4	1.1	-9.3	PASS
6441.750000	-10.4	1.1	-9.3	PASS
6427.550000	-10.5	1.1	-9.3	PASS
6442.350000	-10.5	1.2	-9.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6471.250000	-8.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6471.350000	-9.4	0.6	-8.8	PASS
6477.550000	-9.5	0.7	-8.8	PASS
6472.550000	-10.1	1.3	-8.8	PASS
6472.650000	-10.3	1.4	-8.8	PASS
6471.150000	-10.3	1.5	-8.8	PASS
6480.050000	-10.4	1.5	-8.8	PASS
6476.350000	-10.4	1.6	-8.8	PASS
6477.650000	-10.4	1.6	-8.8	PASS
6477.450000	-10.4	1.6	-8.8	PASS
6482.550000	-10.5	1.6	-8.8	PASS
6475.650000	-10.5	1.6	-8.8	PASS
6480.650000	-10.6	1.7	-8.8	PASS
6477.750000	-10.6	1.8	-8.8	PASS
6468.750000	-10.6	1.8	-8.8	PASS
6473.550000	-10.7	1.9	-8.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6482.550000	-8.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6482.550000	-8.8	0.0	-8.8	PASS
6467.650000	-9.2	0.4	-8.8	PASS
6467.550000	-9.2	0.4	-8.8	PASS
6467.750000	-9.6	0.8	-8.8	PASS
6478.850000	-9.7	0.9	-8.8	PASS
6478.750000	-9.8	1.0	-8.8	PASS
6482.450000	-10.0	1.2	-8.8	PASS
6480.050000	-10.2	1.4	-8.8	PASS
6476.350000	-10.2	1.4	-8.8	PASS
6472.550000	-10.2	1.4	-8.8	PASS
6467.850000	-10.4	1.6	-8.8	PASS
6471.350000	-10.5	1.7	-8.8	PASS
6473.750000	-10.5	1.7	-8.8	PASS
6468.850000	-10.5	1.7	-8.8	PASS
6476.250000	-10.5	1.7	-8.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6521.250000	-8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6521.350000	-8.7	0.2	-8.5	PASS
6522.450000	-9.0	0.5	-8.5	PASS
6522.550000	-9.0	0.5	-8.5	PASS
6518.750000	-9.7	1.3	-8.5	PASS
6507.450000	-9.9	1.5	-8.5	PASS
6507.550000	-10.0	1.5	-8.5	PASS
6509.950000	-10.0	1.5	-8.5	PASS
6508.750000	-10.2	1.7	-8.5	PASS
6519.650000	-10.3	1.8	-8.5	PASS
6522.250000	-10.3	1.8	-8.5	PASS
6522.850000	-10.3	1.8	-8.5	PASS
6517.550000	-10.4	1.9	-8.5	PASS
6521.650000	-10.6	2.1	-8.5	PASS
6522.750000	-10.7	2.2	-8.5	PASS
6523.150000	-10.7	2.2	-8.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6508.750000	-9.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6508.750000	-9.0	0.0	-9.0	PASS
6517.550000	-9.6	0.5	-9.0	PASS
6508.850000	-9.8	0.8	-9.0	PASS
6507.550000	-9.9	0.9	-9.0	PASS
6517.450000	-9.9	0.9	-9.0	PASS
6509.950000	-10.0	1.0	-9.0	PASS
6521.250000	-10.1	1.0	-9.0	PASS
6521.650000	-10.2	1.1	-9.0	PASS
6521.350000	-10.3	1.3	-9.0	PASS
6518.550000	-10.6	1.6	-9.0	PASS
6521.750000	-10.7	1.6	-9.0	PASS
6518.650000	-10.7	1.7	-9.0	PASS
6520.050000	-10.8	1.8	-9.0	PASS
6520.650000	-10.9	1.9	-9.0	PASS
6520.150000	-10.9	1.9	-9.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6532.550000	-8.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6532.450000	-8.3	0.3	-8.0	PASS
6533.850000	-10.2	2.2	-8.0	PASS
6542.550000	-10.2	2.2	-8.0	PASS
6541.950000	-10.2	2.2	-8.0	PASS
6541.550000	-10.2	2.2	-8.0	PASS
6537.550000	-10.2	2.3	-8.0	PASS
6527.550000	-10.2	2.3	-8.0	PASS
6532.650000	-10.3	2.4	-8.0	PASS
6530.050000	-10.3	2.4	-8.0	PASS
6538.850000	-10.4	2.4	-8.0	PASS
6533.750000	-10.4	2.4	-8.0	PASS
6540.950000	-10.5	2.6	-8.0	PASS
6540.250000	-10.6	2.6	-8.0	PASS
6536.450000	-10.6	2.7	-8.0	PASS
6538.750000	-10.6	2.7	-8.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6533.750000	-9.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6533.750000	-9.0	0.0	-9.0	PASS
6540.050000	-9.2	0.2	-9.0	PASS
6528.750000	-9.4	0.4	-9.0	PASS
6539.950000	-9.6	0.7	-9.0	PASS
6528.850000	-9.8	0.9	-9.0	PASS
6531.250000	-9.8	0.9	-9.0	PASS
6532.550000	-9.9	0.9	-9.0	PASS
6531.350000	-9.9	1.0	-9.0	PASS
6533.650000	-10.0	1.0	-9.0	PASS
6537.950000	-10.1	1.1	-9.0	PASS
6531.550000	-10.1	1.2	-9.0	PASS
6537.850000	-10.2	1.3	-9.0	PASS
6537.550000	-10.3	1.3	-9.0	PASS
6531.050000	-10.3	1.4	-9.0	PASS
6530.050000	-10.3	1.4	-9.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6701.250000	-7.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6701.250000	-7.0	0.0	-7.0	PASS
6701.350000	-7.0	0.0	-7.0	PASS
6697.550000	-7.2	0.2	-7.0	PASS
6696.350000	-7.7	0.7	-7.0	PASS
6696.250000	-7.9	0.9	-7.0	PASS
6697.450000	-7.9	0.9	-7.0	PASS
6690.050000	-8.1	1.1	-7.0	PASS
6702.550000	-8.2	1.2	-7.0	PASS
6687.550000	-8.2	1.2	-7.0	PASS
6693.750000	-8.3	1.3	-7.0	PASS
6692.550000	-8.4	1.4	-7.0	PASS
6696.450000	-8.4	1.4	-7.0	PASS
6696.550000	-8.5	1.5	-7.0	PASS
6691.250000	-8.6	1.6	-7.0	PASS
6697.650000	-8.6	1.6	-7.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6697.550000	-6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6701.350000	-6.7	0.6	-6.1	PASS
6702.550000	-6.8	0.7	-6.1	PASS
6696.250000	-6.8	0.7	-6.1	PASS
6701.250000	-6.8	0.7	-6.1	PASS
6697.450000	-7.0	0.9	-6.1	PASS
6696.350000	-7.1	1.0	-6.1	PASS
6693.750000	-7.4	1.3	-6.1	PASS
6691.350000	-7.8	1.7	-6.1	PASS
6702.650000	-7.8	1.7	-6.1	PASS
6697.650000	-7.9	1.8	-6.1	PASS
6700.350000	-7.9	1.8	-6.1	PASS
6697.850000	-7.9	1.9	-6.1	PASS
6698.850000	-8.0	1.9	-6.1	PASS
6693.850000	-8.0	1.9	-6.1	PASS
6697.750000	-8.0	1.9	-6.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6862.550000	-7.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6862.550000	-7.5	0.0	-7.5	PASS
6851.250000	-8.6	1.1	-7.5	PASS
6862.450000	-8.7	1.2	-7.5	PASS
6862.650000	-8.8	1.3	-7.5	PASS
6860.050000	-9.0	1.5	-7.5	PASS
6859.650000	-9.0	1.5	-7.5	PASS
6847.550000	-9.1	1.6	-7.5	PASS
6851.350000	-9.2	1.7	-7.5	PASS
6848.250000	-9.3	1.8	-7.5	PASS
6858.750000	-9.4	1.9	-7.5	PASS
6848.750000	-9.4	1.9	-7.5	PASS
6857.450000	-9.4	1.9	-7.5	PASS
6862.250000	-9.4	1.9	-7.5	PASS
6846.950000	-9.4	2.0	-7.5	PASS
6859.750000	-9.5	2.0	-7.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6856.350000	-8.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6852.550000	-8.5	0.2	-8.3	PASS
6858.850000	-8.5	0.2	-8.3	PASS
6856.250000	-8.6	0.3	-8.3	PASS
6848.750000	-8.9	0.6	-8.3	PASS
6857.450000	-9.2	0.9	-8.3	PASS
6858.750000	-9.3	1.0	-8.3	PASS
6862.550000	-9.4	1.1	-8.3	PASS
6853.750000	-9.4	1.1	-8.3	PASS
6848.850000	-9.4	1.1	-8.3	PASS
6851.250000	-9.4	1.1	-8.3	PASS
6856.950000	-9.4	1.1	-8.3	PASS
6860.050000	-9.5	1.2	-8.3	PASS
6859.050000	-9.5	1.2	-8.3	PASS
6859.950000	-9.5	1.2	-8.3	PASS
6856.650000	-9.6	1.3	-8.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6868.750000	-8.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6868.850000	-8.8	0.6	-8.2	PASS
6880.050000	-9.1	0.9	-8.2	PASS
6881.250000	-9.3	1.1	-8.2	PASS
6867.550000	-9.4	1.2	-8.2	PASS
6871.250000	-9.5	1.3	-8.2	PASS
6868.650000	-9.6	1.4	-8.2	PASS
6872.550000	-9.6	1.4	-8.2	PASS
6871.350000	-9.6	1.4	-8.2	PASS
6872.450000	-9.7	1.5	-8.2	PASS
6878.750000	-9.8	1.6	-8.2	PASS
6872.850000	-9.8	1.6	-8.2	PASS
6871.150000	-10.0	1.8	-8.2	PASS
6867.650000	-10.0	1.8	-8.2	PASS
6871.650000	-10.1	1.9	-8.2	PASS
6879.950000	-10.2	2.1	-8.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6882.550000	-8.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6882.550000	-8.6	0.0	-8.6	PASS
6871.350000	-8.6	0.0	-8.6	PASS
6871.250000	-9.0	0.4	-8.6	PASS
6867.550000	-9.0	0.4	-8.6	PASS
6872.550000	-9.0	0.4	-8.6	PASS
6882.450000	-9.1	0.5	-8.6	PASS
6878.750000	-9.2	0.5	-8.6	PASS
6867.650000	-9.3	0.7	-8.6	PASS
6878.850000	-9.4	0.8	-8.6	PASS
6877.550000	-9.4	0.8	-8.6	PASS
6876.350000	-9.5	0.9	-8.6	PASS
6876.250000	-9.6	1.0	-8.6	PASS
6880.250000	-9.6	1.0	-8.6	PASS
6881.250000	-9.6	1.0	-8.6	PASS
6877.450000	-9.7	1.0	-8.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6892.550000	-7.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6892.550000	-7.6	0.0	-7.6	PASS
6892.450000	-8.0	0.4	-7.6	PASS
6897.550000	-8.1	0.5	-7.6	PASS
6888.750000	-8.1	0.5	-7.6	PASS
6896.350000	-8.2	0.5	-7.6	PASS
6897.950000	-8.3	0.7	-7.6	PASS
6888.850000	-8.5	0.9	-7.6	PASS
6898.850000	-8.6	1.0	-7.6	PASS
6896.250000	-8.6	1.0	-7.6	PASS
6898.250000	-8.7	1.0	-7.6	PASS
6898.750000	-8.7	1.1	-7.6	PASS
6897.850000	-8.7	1.1	-7.6	PASS
6893.750000	-8.8	1.2	-7.6	PASS
6890.050000	-8.8	1.2	-7.6	PASS
6897.650000	-8.8	1.2	-7.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6887.550000	-6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6887.550000	-6.5	0.0	-6.5	PASS
6887.450000	-7.7	1.2	-6.5	PASS
6901.250000	-8.2	1.7	-6.5	PASS
6887.650000	-8.3	1.8	-6.5	PASS
6901.350000	-8.3	1.8	-6.5	PASS
6900.050000	-8.3	1.9	-6.5	PASS
6898.750000	-8.4	1.9	-6.5	PASS
6897.550000	-8.5	2.0	-6.5	PASS
6898.850000	-8.8	2.3	-6.5	PASS
6902.550000	-8.8	2.4	-6.5	PASS
6900.150000	-9.0	2.5	-6.5	PASS
6896.150000	-9.1	2.6	-6.5	PASS
6888.750000	-9.1	2.6	-6.5	PASS
6896.250000	-9.2	2.7	-6.5	PASS
6890.050000	-9.3	2.8	-6.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7001.250000	-8.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7001.250000	-8.1	0.0	-8.1	PASS
6993.750000	-8.2	0.1	-8.1	PASS
6993.850000	-8.6	0.5	-8.1	PASS
6997.550000	-8.6	0.5	-8.1	PASS
6987.550000	-8.6	0.6	-8.1	PASS
6991.250000	-8.7	0.6	-8.1	PASS
7002.550000	-8.7	0.7	-8.1	PASS
7001.350000	-9.0	0.9	-8.1	PASS
6991.350000	-9.2	1.1	-8.1	PASS
7002.450000	-9.2	1.1	-8.1	PASS
6993.450000	-9.3	1.2	-8.1	PASS
6992.550000	-9.3	1.2	-8.1	PASS
6987.150000	-9.4	1.3	-8.1	PASS
6987.650000	-9.4	1.3	-8.1	PASS
6996.350000	-9.4	1.3	-8.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6997.550000	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6997.550000	-6.9	0.0	-6.9	PASS
7000.050000	-7.3	0.5	-6.9	PASS
7002.550000	-7.3	0.5	-6.9	PASS
7002.450000	-7.9	1.0	-6.9	PASS
6997.450000	-7.9	1.0	-6.9	PASS
6988.850000	-7.9	1.1	-6.9	PASS
6988.750000	-8.1	1.2	-6.9	PASS
6999.950000	-8.3	1.4	-6.9	PASS
6991.350000	-8.5	1.6	-6.9	PASS
6992.450000	-8.5	1.7	-6.9	PASS
6992.550000	-8.5	1.7	-6.9	PASS
6992.250000	-8.6	1.7	-6.9	PASS
6995.650000	-8.7	1.8	-6.9	PASS
6990.650000	-8.7	1.8	-6.9	PASS
6991.250000	-8.7	1.9	-6.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11a (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7117.550000	-14.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7110.050000	-14.5	0.2	-14.4	PASS
7113.750000	-14.7	0.3	-14.4	PASS
7120.050000	-14.9	0.5	-14.4	PASS
7117.650000	-15.5	1.1	-14.4	PASS
7113.850000	-15.5	1.1	-14.4	PASS
7109.950000	-15.5	1.1	-14.4	PASS
7112.250000	-15.6	1.2	-14.4	PASS
7109.050000	-15.7	1.3	-14.4	PASS
7116.250000	-15.8	1.4	-14.4	PASS
7117.450000	-15.8	1.4	-14.4	PASS
7107.550000	-15.8	1.4	-14.4	PASS
7119.950000	-15.8	1.5	-14.4	PASS
7111.550000	-15.9	1.5	-14.4	PASS
7110.950000	-15.9	1.5	-14.4	PASS
7110.150000	-15.9	1.5	-14.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11a (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7107.550000	-14.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7122.550000	-15.0	0.2	-14.8	PASS
7108.850000	-15.3	0.5	-14.8	PASS
7108.550000	-15.4	0.6	-14.8	PASS
7108.150000	-15.5	0.7	-14.8	PASS
7108.450000	-15.5	0.7	-14.8	PASS
7108.750000	-15.5	0.7	-14.8	PASS
7117.550000	-15.6	0.7	-14.8	PASS
7107.850000	-15.6	0.8	-14.8	PASS
7107.450000	-15.7	0.8	-14.8	PASS
7107.250000	-15.7	0.9	-14.8	PASS
7106.950000	-15.8	1.0	-14.8	PASS
7107.650000	-15.9	1.1	-14.8	PASS
7121.550000	-15.9	1.1	-14.8	PASS
7120.050000	-15.9	1.1	-14.8	PASS
7122.450000	-15.9	1.1	-14.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5962.850000	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5962.950000	-4.4	0.2	-4.2	PASS
5957.650000	-4.6	0.4	-4.2	PASS
5959.050000	-4.7	0.5	-4.2	PASS
5962.450000	-4.7	0.5	-4.2	PASS
5955.850000	-4.7	0.5	-4.2	PASS
5961.750000	-4.8	0.6	-4.2	PASS
5959.850000	-4.8	0.6	-4.2	PASS
5957.550000	-4.8	0.6	-4.2	PASS
5960.550000	-4.8	0.6	-4.2	PASS
5960.850000	-4.9	0.7	-4.2	PASS
5958.050000	-4.9	0.7	-4.2	PASS
5955.750000	-4.9	0.7	-4.2	PASS
5956.950000	-4.9	0.7	-4.2	PASS
5961.850000	-4.9	0.7	-4.2	PASS
5963.150000	-4.9	0.7	-4.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5964.350000	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5964.350000	-4.2	0.0	-4.2	PASS
5964.450000	-4.2	0.0	-4.2	PASS
5963.550000	-4.2	0.1	-4.2	PASS
5962.550000	-4.5	0.3	-4.2	PASS
5945.950000	-4.5	0.3	-4.2	PASS
5963.450000	-4.5	0.4	-4.2	PASS
5962.650000	-4.6	0.4	-4.2	PASS
5962.850000	-4.7	0.5	-4.2	PASS
5958.650000	-4.7	0.5	-4.2	PASS
5963.650000	-4.8	0.6	-4.2	PASS
5962.050000	-4.8	0.6	-4.2	PASS
5962.750000	-4.8	0.6	-4.2	PASS
5960.950000	-4.8	0.7	-4.2	PASS
5958.750000	-4.8	0.7	-4.2	PASS
5964.250000	-4.8	0.7	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6177.550000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6176.850000	-5.7	0.1	-5.6	PASS
6177.450000	-5.7	0.2	-5.6	PASS
6177.950000	-5.8	0.2	-5.6	PASS
6172.450000	-5.8	0.2	-5.6	PASS
6165.950000	-5.9	0.3	-5.6	PASS
6176.750000	-6.0	0.4	-5.6	PASS
6171.450000	-6.0	0.5	-5.6	PASS
6180.250000	-6.1	0.5	-5.6	PASS
6171.550000	-6.1	0.5	-5.6	PASS
6177.850000	-6.1	0.5	-5.6	PASS
6181.850000	-6.1	0.5	-5.6	PASS
6169.350000	-6.2	0.6	-5.6	PASS
6176.950000	-6.2	0.6	-5.6	PASS
6165.750000	-6.2	0.6	-5.6	PASS
6180.150000	-6.2	0.6	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6181.650000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6181.450000	-6.0	0.1	-5.9	PASS
6184.250000	-6.1	0.1	-5.9	PASS
6181.550000	-6.1	0.2	-5.9	PASS
6166.050000	-6.2	0.3	-5.9	PASS
6182.250000	-6.3	0.3	-5.9	PASS
6166.250000	-6.3	0.3	-5.9	PASS
6168.050000	-6.3	0.4	-5.9	PASS
6184.150000	-6.3	0.4	-5.9	PASS
6182.350000	-6.3	0.4	-5.9	PASS
6181.350000	-6.3	0.4	-5.9	PASS
6181.750000	-6.3	0.4	-5.9	PASS
6166.150000	-6.3	0.4	-5.9	PASS
6181.150000	-6.3	0.4	-5.9	PASS
6166.550000	-6.4	0.4	-5.9	PASS
6168.550000	-6.4	0.5	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6422.550000	-5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6422.550000	-5.2	0.0	-5.2	PASS
6416.650000	-5.2	0.0	-5.2	PASS
6419.850000	-5.3	0.1	-5.2	PASS
6423.550000	-5.3	0.1	-5.2	PASS
6422.450000	-5.3	0.1	-5.2	PASS
6414.350000	-5.3	0.1	-5.2	PASS
6414.450000	-5.3	0.1	-5.2	PASS
6423.450000	-5.3	0.1	-5.2	PASS
6423.250000	-5.3	0.1	-5.2	PASS
6423.350000	-5.3	0.1	-5.2	PASS
6419.950000	-5.4	0.1	-5.2	PASS
6422.750000	-5.4	0.2	-5.2	PASS
6417.650000	-5.4	0.2	-5.2	PASS
6422.950000	-5.4	0.2	-5.2	PASS
6422.650000	-5.4	0.2	-5.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6407.350000	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6407.350000	-4.8	0.0	-4.8	PASS
6422.450000	-4.9	0.1	-4.8	PASS
6417.950000	-4.9	0.1	-4.8	PASS
6421.750000	-5.0	0.2	-4.8	PASS
6423.450000	-5.0	0.2	-4.8	PASS
6407.450000	-5.1	0.3	-4.8	PASS
6424.050000	-5.2	0.3	-4.8	PASS
6411.050000	-5.2	0.4	-4.8	PASS
6424.150000	-5.2	0.4	-4.8	PASS
6423.050000	-5.2	0.4	-4.8	PASS
6407.550000	-5.2	0.4	-4.8	PASS
6423.550000	-5.3	0.5	-4.8	PASS
6421.950000	-5.3	0.5	-4.8	PASS
6420.050000	-5.3	0.5	-4.8	PASS
6418.550000	-5.3	0.5	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off