


|   |  |   |   |                               |
|---|--|---|---|-------------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b> |   |   | Page<br><b>1(18)</b>          |
|   | Author Data<br><b>Andrew Becker</b>  | Dates of Test<br><b>Nov 22 2012 – Feb 28 2013</b> | Test Report No<br><b>RTS-6026-1302-13</b> | FCC ID:<br><b>L6ARFL110LW</b> |

**APPENDIX E: PHOTOGRAPHS**

Headset Jack

Audio Output



Voice Microphone

**Figure E1. BlackBerry Smartphone**



**Figure E2. Body worn holster – front**




**Figure E3. Body worn holsters – back**



**Figure E4. Head configuration (Right Touch/Tilt)**



**Figure E5. Head configuration (Left Touch/Tilt)**

|   |  |   |   |                               |
|---|--|---|---|-------------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b> |   |   | Page<br><b>7(18)</b>          |
|   | Author Data<br><b>Andrew Becker</b>  | Dates of Test<br><b>Nov 22 2012 – Feb 28 2013</b> | Test Report No<br><b>RTS-6026-1302-13</b> | FCC ID:<br><b>L6ARFL110LW</b> |



**Figure E6. Body-worn configuration (No Holster, back side 15mm away)**



**Figure E7. Body-worn configuration (No Holster, front side 15mm away)**







**Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)**




**Figure E9. Body-worn configuration (Vertical Holster, front facing phantom)**



**Figure E10. Body-worn configuration (No Holster, headset, back 15mm away)**



**Figure E11. Body-worn configuration (Vertical Holster, headset, back)**



**Figure E12. Back side MHS configuration, 10 mm away**



**Figure E13. Front side MHS configuration, 10 mm away**



**Figure E14. Right side MHS configuration, 10 mm away**




**Figure E15. Left side MHS configuration, 10 mm away**





**Figure E16. Top side MHS configuration, 10 mm away**

|   |  |   |   |                               |
|---|--|---|---|-------------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b> |   |   | Page<br><b>18(18)</b>         |
|   | Author Data<br><b>Andrew Becker</b>  | Dates of Test<br><b>Nov 22 2012 – Feb 28 2013</b> | Test Report No<br><b>RTS-6026-1302-13</b> | FCC ID:<br><b>L6ARFL110LW</b> |



**Figure E17. Bottom side MHS configuration, 10 mm away**