

Scale 2 : 1

	Southwestern Bell Freedom Phone®	CONFORMS TO ANSI UL STD. 1459	
MODEL NO.: FF930T	REN: X.XX	HAC	
Complies with Part 68 FCC Rules	FCC ID: LBBFF930TE		
FCC REG NO.: XXXXXX-XXXXX-XX-X	USES JACK: USOC RJ11C		
MANUFACTURED TO BELL SPECIFICATIONS	MADE IN CHINA		XXXXXX

	Southwestern Bell Freedom Phone®	CONFORMS TO ANSI UL STD. 1459	
MODEL NO.: FF930T	REN: X.XX	HAC	
Complies with Part 68 FCC Rules	FCC ID: LBBFF930TE		
FCC REG NO.: XXXXXX-XXXXX-XX-X	USES JACK: USOC RJ11C		
MANUFACTURED TO BELL SPECIFICATIONS	MADE IN CHINA		XXXXXX


Scale 1 : 1

FCC ID : LBBFF930TE
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO
CONDITIONS : (1) THIS DEVICE MAY NOT CAUSE HARMFUL
INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY
INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT
MAY CAUSE UNDESIRE OPERATION.
PRIVACY OF COMMUNICATIONS MAY NOT BE ENSURED
WHEN USING THIS PHONE.

FCC ID : LBBFF930TE
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO
CONDITIONS : (1) THIS DEVICE MAY NOT CAUSE HARMFUL
INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY
INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT
MAY CAUSE UNDESIRE OPERATION.
PRIVACY OF COMMUNICATIONS MAY NOT BE ENSURED
WHEN USING THIS PHONE.

Scale 2 : 1

6 MAY 1990



930 BASE SET
(BOTTOM VIEW)

6 MAY 1999

CAUTION : TO
REDUCE RISK OF FIRE
OR INJURY USE ONLY
WITH THE BELOW
BATTERY PACK.
NI-CD 3.6V 600mAh
GPI GP60AAS3BMX

SCALE 2 : 1

CAUTION : TO
REDUCE RISK OF FIRE
OR INJURY USE ONLY
WITH THE BELOW
BATTERY PACK.
NI-CD 3.6V 600mAh
GPI GP60AAS3BMX


SCALE 1 : 1

FCC ID : LBBFF930TE
MADE IN CHINA
MODEL NO. FF930T
Southwestern Bell
Freedom Phone®

SCALE 1 : 1


FCC ID : LBBFF930TE
MADE IN CHINA
MODEL NO. FF930T
Southwestern Bell
Freedom Phone®

SCALE 2 : 1



930 HAND SET
(REAR VIEW)

Handset FCC Label



930 HAND SET
(BOTTOM VIEW)

**CAUTION : TO
REDUCE RISK OF FIRE
OR INJURY USE ONLY
WITH THE BELOW
BATTERY PACK.
NI-CD 3.6V 600mAh
GPI GP60AAS3BMX**

**CAUTION : TO
REDUCE RISK OF FIRE
OR INJURY USE ONLY
WITH THE BELOW
BATTERY PACK.
NI-CD 3.6V 600mAh
GPI GP60AAS3BMX**

Battery Caution Label
(To be placed inside the
battery compartment)