






**Conducted Band Edge****LTE Band 17 / 5MHz / QPSK****Lowest Band Edge / 1 RB****Highest Band Edge / 1 RB****Lowest Band Edge / Full RB****Highest Band Edge / Full RB**




LTE Band 17 / 5MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 17 / 10MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 17 / 10MHz / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 17 / 5MHz

Lowest Channel / QPSK




Date: 25.SEP.2024 14:25:29

Middle Channel / QPSK



Date: 25.SEP.2024 14:29:05

Highest Channel / QPSK




Date: 25.SEP.2024 14:34:39




LTE Band 17 / 10MHz

Lowest Channel / QPSK




Date: 25.SEP.2024 14:43:28

Middle Channel / QPSK



Date: 25.SEP.2024 14:44:55

Highest Channel / QPSK



Date: 25.SEP.2024 14:46:21

Frequency Stability

Test Conditions		LTE Band 17 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0114	PASS
40	Normal Voltage	0.0092	
30	Normal Voltage	0.0090	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0114	
0	Normal Voltage	0.0066	
-10	Normal Voltage	0.0063	
-20	Normal Voltage	0.0023	
-30	Normal Voltage	0.0037	
20	Maximum Voltage	0.0177	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0115	

Note:

1. Normal Voltage = 12 V. ; Minimum Voltage = 10.2 V. ; Maximum Voltage = 13.8 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	LTE B5	H	2520	-37.21	RMS	28.00	-26.31	0.40	-95.23	55.93	-13.00	-24.21	V	1
2	Part 24E	LTE B2	L	3701	-31.44	RMS	29.71	-24.42	0.95	-95.23	57.55	-13.00	-18.44	V	1
3	Part 27H	LTE B17	H	1413	-48.11	RMS	25.50	-29.52	0.60	-95.23	50.54	-13.00	-35.11	V	1
4	Part 27L	LTE B4	H	3491	-42.71	RMS	29.50	-24.84	1.10	-95.23	46.76	-13.00	-29.71	H	1




Ant. 1

Part 22H Mode 1

LTE B5 10M Ch20450 1RB0 QPSK

L




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1656.00	-45.05	RMS	25.10	-28.40	0.47	-95.23	0.00	-13.00	-32.05	Horizontal
2	2480.00	-39.50	RMS	27.80	-26.38	0.41	-95.23	53.90	-13.00	-26.50	Horizontal
3	3304.00	-50.41	RMS	29.60	-25.10	0.43	-95.23	39.89	-13.00	-37.41	Horizontal
4	4128.00	-44.70	RMS	31.11	-23.64	0.39	-95.23	42.67	-13.00	-31.70	Horizontal
5	4952.00	-51.31	RMS	33.00	-22.72	0.49	-95.23	33.15	-13.00	-38.31	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1656.00	-40.09	RMS	25.10	-28.40	0.47	-95.23	57.97	-13.00	-27.09	Vertical
2	2480.00	-39.15	RMS	27.80	-26.38	0.41	-95.23	54.25	-13.00	-26.15	Vertical
3	3304.00	-49.13	RMS	29.60	-25.10	0.43	-95.23	41.17	-13.00	-36.13	Vertical
4	4128.00	-43.82	RMS	31.11	-23.64	0.39	-95.23	43.55	-13.00	-30.82	Vertical
5	4952.00	-54.02	RMS	33.00	-22.72	0.49	-95.23	30.44	-13.00	-41.02	Vertical




Ant. 1

Part 22H Mode 1

LTE B5 10M Ch20525 1RB0 QPSK

M




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-46.79	RMS	25.14	-28.38	0.47	-95.23	51.21	-13.00	-33.79	Horizontal
2	2496.00	-42.37	RMS	27.90	-26.34	0.41	-95.23	50.89	-13.00	-29.37	Horizontal
3	3328.00	-52.61	RMS	29.60	-25.06	0.43	-95.23	37.65	-13.00	-39.61	Horizontal
4	4168.00	-45.13	RMS	31.20	-23.53	0.42	-95.23	42.01	-13.00	-32.13	Horizontal
5	5000.00	-52.61	RMS	33.10	-22.64	0.54	-95.23	31.62	-13.00	-39.61	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq		Level	Detector	Ant		Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
					Factor								
	MHz	dBm			dB/m	dB		dB		dBuV	dBm		dB
1	1664.00	-44.53	RMS		25.14	-28.38		0.47	-95.23	53.47	-13.00	-31.53	Vertical
2	2496.00	-39.59	RMS		27.90	-26.34		0.41	-95.23	53.67	-13.00	-26.59	Vertical
3	3328.00	-53.60	RMS		29.60	-25.06		0.43	-95.23	36.66	-13.00	-40.60	Vertical
4	4168.00	-46.32	RMS		31.20	-23.53		0.42	-95.23	40.82	-13.00	-33.32	Vertical
5	5000.00	-54.13	RMS		33.10	-22.64		0.54	-95.23	30.10	-13.00	-41.13	Vertical




Ant. 1

Part 22H Mode 1


LTE B5 10M Ch20600 1RB0 QPSK

H



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Horizontal
: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
1	1680.00	-47.92	RMS	25.20	-28.33	0.45	-95.23	49.99	-13.00	-34.92	Horizontal			
2	2520.00	-41.69	RMS	28.00	-26.31	0.40	-95.23	51.45	-13.00	-28.69	Horizontal			
3	3360.00	-51.59	RMS	29.60	-25.00	0.42	-95.23	38.62	-13.00	-38.59	Horizontal			
4	4200.00	-46.01	RMS	31.20	-23.45	0.44	-95.23	41.03	-13.00	-33.01	Horizontal			
5	5040.00	-53.43	RMS	32.94	-22.60	0.51	-95.23	30.95	-13.00	-40.43	Horizontal			



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_240828 Vertical
: LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter dB	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
1	1680.00	-45.31	RMS	25.20	-28.33	0.45	-95.23	52.60	-13.00	-32.31	Vertical			
2	2520.00	-37.21	RMS	28.00	-26.31	0.40	-95.23	55.93	-13.00	-24.21	Vertical			
3	3360.00	-52.47	RMS	29.60	-25.00	0.42	-95.23	37.74	-13.00	-39.47	Vertical			
4	4200.00	-45.72	RMS	31.20	-23.45	0.44	-95.23	41.32	-13.00	-32.72	Vertical			
5	5040.00	-54.90	RMS	32.94	-22.60	0.51	-95.23	29.48	-13.00	-41.90	Vertical			




Ant. 1

Part 24E Mode 2


LTE B2 10M Ch18650 1RB0 QPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_1223_240624 Horizontal
: LTE Band 2 10M Ch18650 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3701.00	-35.41	RMS	29.71	-24.42	0.95	-95.23	53.58	-13.00	-22.41	Horizontal
2	5551.00	-49.90	RMS	32.80	-22.15	0.56	-95.23	34.12	-13.00	-36.90	Horizontal
3	7402.00	-50.28	RMS	36.39	-20.92	0.29	-95.23	29.19	-13.00	-37.28	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_1223_240624 Vertical
: LTE Band 2 10M Ch18650 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3701.00	-31.44	RMS	29.71	-24.42	0.95	-95.23	57.55	-13.00	-18.44	Vertical
2	5551.00	-47.45	RMS	32.80	-22.15	0.56	-95.23	36.57	-13.00	-34.45	Vertical
3	7402.00	-50.31	RMS	36.39	-20.92	0.29	-95.23	29.16	-13.00	-37.31	Vertical




Ant. 1


Part 24E Mode 2

LTE B2 10M Ch18900 1RB0 QPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	3751.00	-39.53	RMS	30.01	-24.28	0.91	-95.23	49.06	-13.00	-26.53	Horizontal
2	5626.00	-52.52	RMS	32.90	-22.11	0.62	-95.23	31.30	-13.00	-39.52	Horizontal
3	7502.00	-50.30	RMS	36.10	-20.75	0.36	-95.23	29.22	-13.00	-37.30	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	3751.00	-37.86	RMS	30.01	-24.28	0.91	-95.23	50.73	-13.00	-24.86	Vertical
2	5626.00	-50.91	RMS	32.90	-22.11	0.62	-95.23	32.91	-13.00	-37.91	Vertical
3	7502.00	-50.34	RMS	36.10	-20.75	0.36	-95.23	29.18	-13.00	-37.34	Vertical




Ant. 1

Part 24E Mode 2


LTE B2 10M Ch19150 1RB0 QPSK

H



Site : 03CH11-HY
Condition: -13 1m SHF_1223_240624 Horizontal
: LTE Band 2 10M Ch19150 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3801.00	-45.85	RMS	30.41	-24.14	0.87	-95.23	42.24	-13.00	-32.85	Horizontal
2	5701.00	-49.08	RMS	33.40	-22.10	0.60	-95.23	34.25	-13.00	-36.08	Horizontal
3	7602.00	-49.94	RMS	36.10	-20.57	0.43	-95.23	29.33	-13.00	-36.94	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_1223_240624 Vertical
: LTE Band 2 10M Ch19150 1RB0 QPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3801.00	-41.50	RMS	30.41	-24.14	0.87	-95.23	46.59	-13.00	-28.50	Vertical
2	5701.00	-49.55	RMS	33.40	-22.10	0.60	-95.23	33.78	-13.00	-36.55	Vertical
3	7602.00	-49.88	RMS	36.10	-20.57	0.43	-95.23	29.39	-13.00	-36.88	Vertical

Ant. 1

Part 27H Mode 3

LTE B17 10M Ch23780 1RB0 QPSK

L




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Horizontal

: LTE Band 17 10M Ch23780 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1409.00	-49.15	RMS	25.51	-29.54	0.61	-95.23	49.50	-13.00	-36.15	Horizontal
2	2113.00	-58.48	RMS	27.40	-26.86	0.26	-95.23	35.95	-13.00	-45.48	Horizontal
3	2818.00	-56.65	RMS	28.40	-25.90	0.37	-95.23	35.71	-13.00	-43.65	Horizontal
4	3522.00	-57.96	RMS	29.54	-24.80	0.43	-95.23	32.10	-13.00	-44.96	Horizontal




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Vertical

: LTE Band 17 10M Ch23780 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1409.00	-48.11	RMS	25.51	-29.54	0.61	-95.23	50.54	-13.00	-35.11	Vertical
2	2113.00	-49.50	RMS	27.40	-26.86	0.26	-95.23	44.93	-13.00	-36.50	Vertical
3	2818.00	-53.31	RMS	28.40	-25.90	0.37	-95.23	39.05	-13.00	-40.31	Vertical
4	3522.00	-53.55	RMS	29.54	-24.80	0.43	-95.23	36.51	-13.00	-40.55	Vertical


Ant. 1
Part 27H Mode 3
LTE B17 10M Ch23790 1RB0 QPSK
M


Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Horizontal

: LTE Band 17 10M Ch23790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1411.00	-48.42	RMS	25.50	-29.53	0.61	-95.23	50.23	-13.00	-35.42	Horizontal
2	2116.00	-59.51	RMS	27.40	-26.86	0.26	-95.23	34.92	-13.00	-46.51	Horizontal
3	2822.00	-57.31	RMS	28.42	-25.89	0.37	-95.23	35.02	-13.00	-44.31	Horizontal
4	3527.00	-57.14	RMS	29.55	-24.80	0.44	-95.23	32.90	-13.00	-44.14	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Vertical

: LTE Band 17 10M Ch23790 1RB0 QPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1411.00	-48.26	RMS	25.50	-29.53	0.61	-95.23	50.39	-13.00	-35.26	Vertical
2	2116.00	-50.33	RMS	27.40	-26.86	0.26	-95.23	44.10	-13.00	-37.33	Vertical
3	2822.00	-54.49	RMS	28.42	-25.89	0.37	-95.23	37.84	-13.00	-41.49	Vertical
4	3527.00	-53.97	RMS	29.55	-24.80	0.44	-95.23	36.07	-13.00	-40.97	Vertical

Ant. 1

Part 27H Mode 3

LTE B17 10M Ch23800 1RB0 QPSK

H




Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Horizontal

: LTE Band 17 10M Ch23800 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1413.00	-48.46	RMS	25.50	-29.52	0.60	-95.23	50.19	-13.00	-35.46	Horizontal
2	2119.00	-60.16	RMS	27.40	-26.85	0.26	-95.23	34.26	-13.00	-47.16	Horizontal
3	2826.00	-57.22	RMS	28.46	-25.89	0.37	-95.23	35.07	-13.00	-44.22	Horizontal
4	3532.00	-57.22	RMS	29.56	-24.79	0.44	-95.23	32.80	-13.00	-44.22	Horizontal



Site : 03CH11-HY

Condition: 700 AC BAND 3m 9120D_01620_240828 Vertical

: LTE Band 17 10M Ch23800 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1413.00	-48.11	RMS	25.50	-29.52	0.60	-95.23	50.54	-13.00	-35.11	Vertical
2	2119.00	-51.09	RMS	27.40	-26.85	0.26	-95.23	43.33	-13.00	-38.09	Vertical
3	2826.00	-55.42	RMS	28.46	-25.89	0.37	-95.23	36.87	-13.00	-42.42	Vertical
4	3532.00	-53.63	RMS	29.56	-24.79	0.44	-95.23	36.39	-13.00	-40.63	Vertical




Ant. 1

Part 27L Mode 4

LTE B4 10M Ch20000 1RB0 QPSK

L




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 4 10M Ch20000 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3421.00	-43.36	RMS	29.56	-24.91	1.14	-95.23	46.08	-13.00	-30.36	Horizontal
2	5131.00	-50.13	RMS	33.12	-22.52	0.57	-95.23	33.93	-13.00	-37.13	Horizontal
3	6842.00	-51.77	RMS	35.70	-20.62	0.32	-95.23	28.06	-13.00	-38.77	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 4 10M Ch20000 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3421.00	-46.35	RMS	29.56	-24.91	1.14	-95.23	43.09	-13.00	-33.35	Vertical
2	5131.00	-49.17	RMS	33.12	-22.52	0.57	-95.23	34.89	-13.00	-36.17	Vertical
3	6842.00	-51.90	RMS	35.70	-20.62	0.32	-95.23	27.93	-13.00	-38.90	Vertical




Ant. 1

Part 27L Mode 4

LTE B4 10M Ch20175 1RB0 QPSK

M




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 4 10M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3456.00	-44.82	RMS	29.50	-24.88	1.12	-95.23	44.67	-13.00	-31.82	Horizontal
2	5184.00	-50.89	RMS	33.06	-22.47	0.56	-95.23	33.19	-13.00	-37.89	Horizontal
3	6912.00	-50.98	RMS	35.80	-20.62	0.36	-95.23	28.71	-13.00	-37.98	Horizontal



Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical

: LTE Band 4 10M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3456.00	-45.13	RMS	29.50	-24.88	1.12	-95.23	44.36	-13.00	-32.13	Vertical
2	5184.00	-50.60	RMS	33.06	-22.47	0.56	-95.23	33.48	-13.00	-37.60	Vertical
3	6912.00	-50.62	RMS	35.80	-20.62	0.36	-95.23	29.07	-13.00	-37.62	Vertical




Ant. 1

Part 27L Mode 4

LTE B4 10M Ch20350 1RB0 QPSK

H




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Horizontal

: LTE Band 4 10M Ch20350 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3491.00	-42.71	RMS	29.50	-24.84	1.10	-95.23	46.76	-13.00	-29.71	Horizontal
2	5236.00	-50.54	RMS	33.00	-22.43	0.53	-95.23	33.59	-13.00	-37.54	Horizontal
3	6982.00	-50.82	RMS	35.86	-20.62	0.41	-95.23	28.76	-13.00	-37.82	Horizontal




Site : 03CH11-HY

Condition: -13 3m 9120D_01620_240828 Vertical


: LTE Band 4 10M Ch20350 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3491.00	-46.00	RMS	29.50	-24.84	1.10	-95.23	43.47	-13.00	-33.00	Vertical
2	5236.00	-48.70	RMS	33.00	-22.43	0.53	-95.23	35.43	-13.00	-35.70	Vertical
3	6982.00	-50.86	RMS	35.86	-20.62	0.41	-95.23	28.72	-13.00	-37.86	Vertical

Ant. 1
Part 24E Mode 2
LTE B2 10M Ch18650 1RB0 QPSK
L


Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_240828 Horizontal
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1876.00	23.31	RMS	25.50	6.15	0.00	-95.23	86.89	-13.00	36.31	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_240828 Vertical
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1876.00	23.29	RMS	25.50	6.15	0.00	-95.23	86.87	-13.00	36.29	Vertical

Remark: #1 is fundamental signal which can be ignored.