



American Telecommunications Certification Body Inc.
6731 Whittier Ave, McLean, VA 22101

January 12, 2007

RE: FCC ID: LJPRD-1_ATCB004427
Attention: Kare Oksanen

I have a few comments on this Application. Please note that further comments may arise in response to answers provided to the questions below.

1. Please note that both the 850MHz band and the 1900MHz band need MPE calculations. The MPE report provided appears only to address the 850MHz band. Please provide the MPE calculations for the 1900MHz band.
2. Please note that the FCC has stated that for licensed modular transmitters "A licensed module must have an FCC ID label on the module itself, visible through a window on the final device or when an access cover is easily removed; if not visible, a second label must be placed on the outside of the final product stating: "Contains FCC ID: xxxxxxxx". Please note that the manual does not appear to instruct the OEM of this requirement. Please provide information on how this is relayed to the OEM (i.e. manual instructions etc).
3. FYI – Please note that devices of this type (i.e. with antenna connectors) are to have the conducted power levels listed on the grant. This is to let you know that the conducted power levels in the report will be the power levels listed.

Dennis Ward
<mailto:dward@AmericanTCB.com>

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.