

ID Label/Location


Photograph of ID Label



Description of label

The label is a 3 mil, gloss white polyester material. The label is applied using an acrylic permanent adhesive. The label is UL/CSA approved for indoor/outdoor use. The label is 1 x 0.5 inches.

Photograph showing placement of ID Label




Photograph showing placement of Model Label



Description of label

The label is a 3 mil, gloss white polyester material. The label is applied using an acrylic permanent adhesive. The label is UL/CSA approved for indoor/outdoor use. The label measures 1 X 4 inches

Photographs of Model Labels:



3622-000-RBS2W F1 462.4125 / F2 467.4125

MTU,GAS,OD2,REM,DUALP,EXTRNG Aclara

MFG 02/11/2019 HDWR-H FW-V01.32 IP67 Solon OH 44139 FM18US0284X/FM18CA0123X

Class I, Division 2, Group D, T4
- 40 ≤ Tamb ≤ 60° C
WITH NFW PER
481-3620-P

MTU ID# 230696135 2017-013P

E

FM APPROVED

3622-000-RBS2W-A F1 462.4125 / F2 467.4125

MTU,GAS,OD2,REM,DUALP,EXTRNG,A Aclara

MFG 02/08/2019 HDWR-A FW-V01.26 IP67 Solon OH 44139 FM18US0284X/FM18CA0123X

NI Cl I, Div 2, Gr D, T4
- 40 ≤ Tamb ≤ 60° C
WARNING-POTENTIAL
ELECTROSTATIC CHARGE
HAZARD-SEE INSTRUCTION

MTU ID# 180922023 2017-013P-A

E

FM APPROVED

3451-306-DBW F1 462.4125 / F2 467.4125

MTU,WTR,OD2,ENCDR,1P,EXT RNG U.S. PAT #5,719,564

MFG 02/08/2019 ASSEMBLED IN MEXICO U.S. PAT #5,617,084

HDWR-C FW-V01.00

2017-013

MTU ID# 180922023 FCC ID:LLB2017013 IC: 4546A-2017013

3451-306-DBW-A F1 462.4125 / F2 467.4125

MTU,WTR,OD2,ENCDR,1P,EXT RNG,A U.S. PAT #5,719,564

MFG 02/14/2019 ASSEMBLED IN MEXICO U.S. PAT #5,617,084

HDWR-C FW-V01.00

2017-013-A

MTU ID# 180922023 FCC ID:LLB2017013 IC: 4546A-2017013