


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.540	≤ 24.000
118	5590	11.840	≤ 24.000
134	5670	11.140	≤ 24.000
142(Band3)	5710	11.150	≤ 24.000
142(Band4)	5710	1.020	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.500	≤ 24.000
118	5590	11.350	≤ 24.000
134	5670	11.840	≤ 24.000
142(Band3)	5710	11.120	≤ 24.000
142(Band4)	5710	0.620	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.080	≤ 24.000
118	5590	11.150	≤ 24.000
134	5670	11.350	≤ 24.000
142(Band3)	5710	11.330	≤ 24.000
142(Band4)	5710	1.180	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.500	≤ 24.000
118	5590	11.760	≤ 24.000
134	5670	11.900	≤ 24.000
142(Band3)	5710	11.120	≤ 24.000
142(Band4)	5710	1.650	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.650	≤ 24.000
118	5590	11.690	≤ 24.000
134	5670	11.790	≤ 24.000
142(Band3)	5710	11.000	≤ 24.000
142(Band4)	5710	1.480	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.800	≤ 24.000
118	5590	11.440	≤ 24.000
134	5670	11.340	≤ 24.000
142(Band3)	5710	11.090	≤ 24.000
142(Band4)	5710	0.930	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.690	≤ 24.000
118	5590	11.150	≤ 24.000
134	5670	11.130	≤ 24.000
142(Band3)	5710	11.560	≤ 24.000
142(Band4)	5710	1.910	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H


IEEE 802.11ax(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	11.700	≤ 24.000
118	5590	11.730	≤ 24.000
134	5670	11.540	≤ 24.000
142(Band3)	5710	11.070	≤ 24.000
142(Band4)	5710	1.330	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/19	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	20.593	≤ 24.000
118	5590	20.552	≤ 24.000
134	5670	20.544	≤ 24.000
142(Band3)	5710	20.214	≤ 24.000
142(Band4)	5710	10.313	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.590	≤ 24.000
122	5610	14.720	≤ 24.000
138(Bnad3)	5690	14.120	≤ 24.000
138(Bnad4)	5690	-0.210	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.370	≤ 24.000
122	5610	14.390	≤ 24.000
138(Bnad3)	5690	14.180	≤ 24.000
138(Bnad4)	5690	-1.380	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.320	≤ 24.000
122	5610	14.410	≤ 24.000
138(Bnad3)	5690	14.460	≤ 24.000
138(Bnad4)	5690	-0.270	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.380	≤ 24.000
122	5610	14.830	≤ 24.000
138(Bnad3)	5690	14.380	≤ 24.000
138(Bnad4)	5690	0.240	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.780	≤ 24.000
122	5610	14.630	≤ 24.000
138(Bnad3)	5690	14.170	≤ 24.000
138(Bnad4)	5690	-0.290	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.510	≤ 24.000
122	5610	14.490	≤ 24.000
138(Bnad3)	5690	14.040	≤ 24.000
138(Bnad4)	5690	-0.630	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.760	≤ 24.000
122	5610	14.510	≤ 24.000
138(Bnad3)	5690	14.280	≤ 24.000
138(Bnad4)	5690	-0.230	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H


IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.790	≤ 24.000
122	5610	14.640	≤ 24.000
138(Bnad3)	5690	14.090	≤ 24.000
138(Bnad4)	5690	-0.440	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/11/27	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	23.597	≤ 24.000
122	5610	23.611	≤ 24.000
138(Bnad3)	5690	23.248	≤ 24.000
138(Bnad4)	5690	8.651	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router/		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	15.650	≤ 24.000
114	5570	5610	14.380	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	15.030	≤ 24.000
114	5570	5610	14.560	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	15.000	≤ 24.000
114	5570	5610	14.580	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530	14.960	≤ 24.000
114	5570	5610	14.680	≤ 24.000

Channel 114_(5530MHz)



Channel 114_(5610MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.890	≤ 24.000
114	5570	5530	15.320	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.430	≤ 24.000
114	5570	5530	15.230	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.560	≤ 24.000
114	5570	5530	15.360	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H


IEEE 802.11ax(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5610	14.600	≤ 24.000
114	5570	5530	15.290	≤ 24.000

Channel 114_(5610MHz)



Channel 114_(5530MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
114	5570	5530+5610	23.936	≤ 24.000
114	5570	5610+5530	23.973	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
38	5190	16.910	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.130	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.330	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.060	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.030	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.250	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	16.940	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	16.580	≤ 30

Channel 38



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	26.064	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.980	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.870	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.480	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.190	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.920	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.070	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.590	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.470	≤ 30

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	25.988	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
38	5190	16.980	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.040	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.310	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.000	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.040	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.120	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	16.780	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	16.550	≤ 30

Channel 38



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	26.014	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.880	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.740	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.430	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.000	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.750	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.890	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.440	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX Non Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.440	≤ 30

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/10/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	25.864	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.590	≤ 24.000
60	5300	10.540	≤ 24.000
64	5320	11.060	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.380	≤ 24.000
60	5300	11.020	≤ 24.000
64	5320	11.400	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	12.080	≤ 24.000
60	5300	11.420	≤ 24.000
64	5320	11.550	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.050	≤ 24.000
60	5300	11.480	≤ 24.000
64	5320	11.330	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	10.640	≤ 24.000
60	5300	11.040	≤ 24.000
64	5320	10.640	≤ 24.000

Channel 52



Channel 60



Channel 64

