

Contents

7	DUTY CYCLE	2
8	SUMMARY OF RESULTS	7
	8.1 Decision rules	7
	8.2 Summary of SAR Results.....	7
	8.3 Summary of PD Results	95
	8.4 Supplemental dynamic antenna tuning test results	96
	8.5 Reporting statements of conformity	99
	8.6 Conclusion	99
9	SIMULTANEOUS TRANSMISSION ANALYSIS.....	100
	9.1 Simultaneous Transmission Scenarios:	100
	9.2 Estimated SAR calculation	101
	9.3 SPLSR evaluation and analysis.....	101
	9.4 Conclusion	210
10	INSTRUMENTS LIST.....	211
11	UNCERTAINTY BUDGET	214

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



7 DUTY CYCLE



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8 SUMMARY OF RESULTS

8.1 Decision rules

Reported measurement data comply with Test Methodology in section 1.1.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

8.2 Summary of SAR Results

WWAN

Head

Ant0_DSI6

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GSM850	Right Touch	-	128	824.2	34.0	33.00	125.89%	0.074	0.093	-
GSM850	Right Touch	-	190	836.6	34.0	33.55	110.92%	0.079	0.088	-
GSM850	Right Touch	-	251	848.8	34.0	33.37	115.61%	0.081	0.094	001
GSM850	Right Tilt	-	190	836.6	34.0	33.55	110.92%	0.043	0.048	-
GSM850	Left Touch	-	190	836.6	34.0	33.55	110.92%	0.068	0.075	-
GSM850	Left Tilt	-	190	836.6	34.0	33.55	110.92%	0.031	0.034	-
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band V	Right Touch	-	4132	826.4	26.0	25.09	123.31%	0.073	0.090	-
WCDMA Band V	Right Touch	-	4183	836.6	26.0	25.15	121.62%	0.069	0.084	-
WCDMA Band V	Right Touch	-	4233	846.6	26.0	25.25	118.85%	0.077	0.092	002
WCDMA Band V	Right Tilt	-	4233	846.6	26.0	25.25	118.85%	0.035	0.042	-
WCDMA Band V	Left Touch	-	4233	846.6	26.0	25.25	118.85%	0.056	0.067	-
WCDMA Band V	Left Tilt	-	4233	846.6	26.0	25.25	118.85%	0.027	0.032	-

Ant1_DSI6

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GSM1900	Right Touch	-	810	1909.8	31.0	30.18	120.78%	0.032	0.039	-
GSM1900	Right Tilt	-	810	1909.8	31.0	30.18	120.78%	0.009	0.011	-
GSM1900	Left Touch	-	512	1850.2	31.0	30.17	121.06%	0.083	0.100	-
GSM1900	Left Touch	-	661	1880	31.0	30.00	125.89%	0.074	0.093	-
GSM1900	Left Touch	-	810	1909.8	31.0	30.18	120.78%	0.089	0.107	003
GSM1900	Left Tilt	-	810	1909.8	31.0	30.18	120.78%	0.015	0.018	-
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Right Touch	-	9262	1852.4	25.5	25.33	103.99%	0.133	0.138	-
WCDMA Band II	Right Tilt	-	9262	1852.4	25.5	25.33	103.99%	0.054	0.056	-
WCDMA Band II	Left Touch	-	9262	1852.4	25.5	25.33	103.99%	0.218	0.227	-
WCDMA Band II	Left Touch	-	9400	1880	25.5	24.52	125.31%	0.215	0.269	-
WCDMA Band II	Left Touch	-	9538	1907.6	25.5	24.17	135.83%	0.220	0.299	004
WCDMA Band II	Left Tilt	-	9262	1852.4	25.5	25.33	103.99%	0.072	0.075	-
WCDMA Band IV	Right Touch	-	1412	1732.4	25.5	25.00	112.20%	0.094	0.105	-
WCDMA Band IV	Right Tilt	-	1412	1732.4	25.5	25.00	112.20%	0.036	0.040	-
WCDMA Band IV	Left Touch	-	1312	1712.4	25.5	24.79	117.76%	0.150	0.177	005
WCDMA Band IV	Left Touch	-	1412	1732.4	25.5	25.00	112.20%	0.144	0.162	-
WCDMA Band IV	Left Touch	-	1513	1752.6	25.5	24.46	127.06%	0.132	0.168	-
WCDMA Band IV	Left Tilt	-	1412	1732.4	25.5	25.00	112.20%	0.062	0.070	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2_DSI6

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Right Touch	-	9262	1852.4	18.0	17.95	101.16%	1.120	1.133	006
WCDMA Band II	Right Touch	-	9400	1880	18.0	17.92	101.86%	1.090	1.110	-
WCDMA Band II	Right Touch	-	9538	1907.6	18.0	17.99	100.23%	1.010	1.012	-
WCDMA Band II	Right Tilt	-	9538	1907.6	18.0	17.99	100.23%	0.319	0.320	-
WCDMA Band II	Left Touch	-	9538	1907.6	18.0	17.99	100.23%	0.599	0.600	-
WCDMA Band II	Left Tilt	-	9538	1907.6	18.0	17.99	100.23%	0.172	0.172	-
WCDMA Band IV	Right Touch	-	1312	1712.4	18.0	17.99	100.23%	1.130	1.133	007
WCDMA Band IV	Right Touch	-	1412	1732.4	18.0	17.98	100.46%	1.060	1.065	-
WCDMA Band IV	Right Touch	-	1513	1752.6	18.0	17.92	101.86%	1.100	1.120	-
WCDMA Band IV	Right Tilt	-	1312	1712.4	18.0	17.99	100.23%	0.214	0.214	-
WCDMA Band IV	Left Touch	-	1312	1712.4	18.0	17.99	100.23%	0.450	0.451	-
WCDMA Band IV	Left Tilt	-	1312	1712.4	18.0	17.99	100.23%	0.166	0.166	-
WCDMA Band V	Right Touch	-	4132	826.4	24.0	23.90	102.33%	1.090	1.115	-
WCDMA Band V	Right Touch	-	4183	836.6	24.0	23.95	101.16%	1.030	1.042	-
WCDMA Band V	Right Touch	-	4233	846.6	24.0	23.97	100.69%	1.120	1.128	008
WCDMA Band V	Right Tilt	-	4233	846.6	24.0	23.97	100.69%	0.259	0.261	-
WCDMA Band V	Left Touch	-	4233	846.6	24.0	23.97	100.69%	0.511	0.515	-
WCDMA Band V	Left Tilt	-	4233	846.6	24.0	23.97	100.69%	0.168	0.169	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1	0	Right Touch	-	20600	844	26.00	25.02	125.31%	0.162	0.203	009
LTE Band 5			25	0	Right Touch	-	20600	844	25.00	23.85	130.32%	0.115	0.150	-
LTE Band 5			1	0	Right Tilt	-	20600	844	26.00	25.02	125.31%	0.070	0.087	-
LTE Band 5			25	0	Right Tilt	-	20600	844	25.00	23.85	130.32%	0.047	0.061	-
LTE Band 5			1	0	Left Touch	-	20600	844	26.00	25.02	125.31%	0.111	0.139	-
LTE Band 5			25	0	Left Touch	-	20600	844	25.00	23.85	130.32%	0.081	0.106	-
LTE Band 5			1	0	Left Tilt	-	20600	844	26.00	25.02	125.31%	0.062	0.077	-
LTE Band 5			25	0	Left Tilt	-	20600	844	25.00	23.85	130.32%	0.047	0.061	-
LTE Band 12	10MHz	QPSK	1	0	Right Touch	-	23060	704	26.00	24.99	126.18%	0.083	0.105	010
LTE Band 12			25	12	Right Touch	-	23060	704	25.00	24.83	103.99%	0.075	0.078	-
LTE Band 12			1	0	Right Tilt	-	23060	704	26.00	24.99	126.18%	0.030	0.044	-
LTE Band 12			25	25	Right Tilt	-	23060	704	25.00	24.83	103.99%	0.030	0.031	-
LTE Band 12			1	0	Left Touch	-	23060	704	26.00	24.99	126.18%	0.073	0.092	-
LTE Band 12			25	25	Left Touch	-	23060	704	25.00	24.83	103.99%	0.068	0.071	-
LTE Band 12			1	0	Left Tilt	-	23060	704	26.00	24.99	126.18%	0.027	0.034	-
LTE Band 12			25	25	Left Tilt	-	23060	704	25.00	24.83	103.99%	0.022	0.023	-
LTE Band 17	10MHz	QPSK	1	0	Right Touch	-	23800	711	26.00	24.96	127.06%	0.084	0.107	011
LTE Band 17			25	0	Right Touch	-	23800	711	25.00	23.91	128.53%	0.066	0.085	-
LTE Band 17			1	0	Right Tilt	-	23800	711	26.00	24.96	127.06%	0.030	0.038	-
LTE Band 17			25	0	Right Tilt	-	23800	711	25.00	23.91	128.53%	0.022	0.028	-
LTE Band 17			1	0	Left Touch	-	23800	711	26.00	24.96	127.06%	0.069	0.088	-
LTE Band 17			25	0	Left Touch	-	23800	711	25.00	23.91	128.53%	0.054	0.069	-
LTE Band 17			1	0	Left Tilt	-	23800	711	26.00	24.96	127.06%	0.024	0.030	-
LTE Band 17			25	0	Left Tilt	-	23800	711	25.00	23.91	128.53%	0.017	0.022	-
LTE Band 26	15MHz	QPSK	1	0	Right Touch	-	26965	841.5	26.00	24.96	127.06%	0.160	0.203	012
LTE Band 26			36	37	Right Touch	-	26965	841.5	25.00	23.87	129.72%	0.108	0.140	-
LTE Band 26			1	0	Right Tilt	-	26965	841.5	26.00	24.96	127.06%	0.102	0.130	-
LTE Band 26			36	50	Right Tilt	-	26965	841.5	25.00	23.87	129.72%	0.081	0.105	-
LTE Band 26			1	0	Left Touch	-	26965	841.5	26.00	24.96	127.06%	0.058	0.074	-
LTE Band 26			36	50	Left Touch	-	26965	841.5	25.00	23.87	129.72%	0.074	0.096	-
LTE Band 26			1	0	Left Tilt	-	26965	841.5	26.00	24.96	127.06%	0.028	0.036	-
LTE Band 26			36	50	Left Tilt	-	26965	841.5	25.00	23.87	129.72%	0.020	0.026	-
LTE Band 71	20MHz	QPSK	1	0	Right Touch	-	133297	680.5	26.00	24.86	130.02%	0.068	0.088	013
LTE Band 71			50	25	Right Touch	-	133297	680.5	25.00	24.74	106.17%	0.065	0.069	-
LTE Band 71			1	0	Right Tilt	-	133297	680.5	26.00	24.86	130.02%	0.028	0.036	-
LTE Band 71			50	25	Right Tilt	-	133297	680.5	25.00	24.74	106.17%	0.025	0.027	-
LTE Band 71			1	0	Left Touch	-	133297	680.5	26.00	24.86	130.02%	0.043	0.056	-
LTE Band 71			50	25	Left Touch	-	133297	680.5	25.00	24.74	106.17%	0.040	0.042	-
LTE Band 71			1	0	Left Tilt	-	133297	680.5	26.00	24.86	130.02%	0.017	0.022	-
LTE Band 71			50	25	Left Tilt	-	133297	680.5	25.00	24.74	106.17%	0.015	0.016	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	166800	834	26.00	24.45	142.89%	0.085	0.121	014
NR n5			50	28	Right Touch	-	166800	834	26.00	24.40	144.54%	0.068	0.098	-
NR n5			1	1	Right Tilt	-	166800	834	26.00	24.45	142.89%	0.036	0.051	-
NR n5			50	28	Right Tilt	-	166800	834	26.00	24.40	144.54%	0.024	0.035	-
NR n5			1	1	Left Touch	-	166800	834	26.00	24.45	142.89%	0.065	0.093	-
NR n5			50	28	Left Touch	-	166800	834	26.00	24.40	144.54%	0.045	0.065	-
NR n5			1	1	Left Tilt	-	166800	834	26.00	24.45	142.89%	0.036	0.051	-
NR n5			50	28	Left Tilt	-	166800	834	26.00	24.40	144.54%	0.025	0.036	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	141700	708.5	26.00	24.43	143.55%	0.034	0.049	015
NR n12			36	22	Right Touch	-	141300	706.5	26.00	24.29	148.25%	0.028	0.042	-
NR n12			1	1	Right Tilt	-	141700	708.5	26.00	24.43	143.55%	0.022	0.032	-
NR n12			36	22	Right Tilt	-	141300	706.5	26.00	24.29	148.25%	0.016	0.024	-
NR n12			1	1	Left Touch	-	141700	708.5	26.00	24.43	143.55%	0.032	0.046	-
NR n12			36	22	Left Touch	-	141300	706.5	26.00	24.29	148.25%	0.021	0.031	-
NR n12			1	1	Left Tilt	-	141700	708.5	26.00	24.43	143.55%	0.019	0.027	-
NR n12			36	22	Left Tilt	-	141300	706.5	26.00	24.29	148.25%	0.011	0.016	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	167800	839	26.00	24.46	142.56%	0.094	0.134	016
NR n26			50	28	Right Touch	-	167800	839	26.00	24.43	143.55%	0.081	0.116	-
NR n26			1	1	Right Tilt	-	167800	839	26.00	24.46	142.56%	0.062	0.088	-
NR n26			50	28	Right Tilt	-	167800	839	26.00	24.43	143.55%	0.051	0.073	-
NR n26			1	1	Left Touch	-	167800	839	26.00	24.46	142.56%	0.072	0.103	-
NR n26			50	28	Left Touch	-	167800	839	26.00	24.43	143.55%	0.058	0.083	-
NR n26			1	1	Left Tilt	-	167800	839	26.00	24.46	142.56%	0.032	0.046	-
NR n26			50	28	Left Tilt	-	167800	839	26.00	24.43	143.55%	0.030	0.043	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	136100	680.5	26.00	24.30	147.91%	0.017	0.025	017
NR n71			90	45	Right Touch	-	136100	680.5	26.00	24.14	153.46%	0.013	0.020	-
NR n71			1	1	Right Tilt	-	136100	680.5	26.00	24.30	147.91%	0.011	0.016	-
NR n71			90	45	Right Tilt	-	136100	680.5	26.00	24.14	153.46%	0.008	0.012	-
NR n71			1	1	Left Touch	-	136100	680.5	26.00	24.30	147.91%	0.014	0.021	-
NR n71			90	45	Left Touch	-	136100	680.5	26.00	24.14	153.46%	0.010	0.015	-
NR n71			1	1	Left Tilt	-	136100	680.5	26.00	24.30	147.91%	0.009	0.013	-
NR n71			90	45	Left Tilt	-	136100	680.5	26.00	24.14	153.46%	0.005	0.008	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18700	1860	25.50	24.50	125.89%	0.141	0.178	-
LTE Band 2			50	25	Right Touch	-	18700	1860	24.50	24.41	102.09%	0.125	0.128	-
LTE Band 2			1	0	Right Tilt	-	18700	1860	25.50	24.50	125.89%	0.066	0.084	-
LTE Band 2			50	25	Right Tilt	-	18700	1860	24.50	24.41	102.09%	0.057	0.058	-
LTE Band 2			1	0	Left Touch	-	18700	1860	25.50	24.50	125.89%	0.258	0.325	018
LTE Band 2			50	25	Left Touch	-	18700	1860	24.50	24.41	102.09%	0.234	0.239	-
LTE Band 2			1	0	Left Tilt	-	18700	1860	25.50	24.50	125.89%	0.085	0.107	-
LTE Band 2			50	25	Left Tilt	-	18700	1860	24.50	24.41	102.09%	0.069	0.070	-
LTE Band 4	20MHz	QPSK	1	0	Right Touch	-	20050	1720	25.50	24.41	128.53%	0.148	0.190	-
LTE Band 4			50	0	Right Touch	-	20050	1720	24.50	24.30	104.71%	0.139	0.146	-
LTE Band 4			1	0	Right Tilt	-	20050	1720	25.50	24.41	128.53%	0.070	0.090	-
LTE Band 4			50	0	Right Tilt	-	20050	1720	24.50	24.30	104.71%	0.066	0.069	-
LTE Band 4			1	0	Left Touch	-	20050	1720	25.50	24.41	128.53%	0.198	0.254	019
LTE Band 4			50	0	Left Touch	-	20050	1720	24.50	24.30	104.71%	0.192	0.201	-
LTE Band 4			1	0	Left Tilt	-	20050	1720	25.50	24.41	128.53%	0.093	0.120	-
LTE Band 4			50	0	Left Tilt	-	20050	1720	24.50	24.30	104.71%	0.086	0.090	-
LTE Band 7	20MHz	QPSK	1	0	Right Touch	-	20850	2510	25.50	24.61	122.74%	0.093	0.114	-
LTE Band 7			50	50	Right Touch	-	20850	2510	24.50	23.54	124.74%	0.074	0.092	-
LTE Band 7			1	0	Right Tilt	-	20850	2510	25.50	24.61	122.74%	0.034	0.042	-
LTE Band 7			50	50	Right Tilt	-	20850	2510	24.50	23.54	124.74%	0.029	0.036	-
LTE Band 7			1	0	Left Touch	-	20850	2510	25.50	24.61	122.74%	0.122	0.150	020
LTE Band 7			50	50	Left Touch	-	20850	2510	24.50	23.54	124.74%	0.094	0.117	-
LTE Band 7			1	0	Left Tilt	-	20850	2510	25.50	24.61	122.74%	0.051	0.063	-
LTE Band 7			50	50	Left Tilt	-	20850	2510	24.50	23.54	124.74%	0.041	0.051	-
LTE Band 25	20MHz	QPSK	1	0	Right Touch	-	26140	1860	25.50	24.51	125.60%	0.230	0.289	-
LTE Band 25			50	0	Right Touch	-	26140	1860	24.50	23.39	129.12%	0.180	0.232	-
LTE Band 25			1	0	Right Tilt	-	26140	1860	25.50	24.51	125.60%	0.063	0.079	-
LTE Band 25			50	0	Right Tilt	-	26140	1860	24.50	23.39	129.12%	0.051	0.066	-
LTE Band 25			1	0	Left Touch	-	26140	1860	25.50	24.51	125.60%	0.293	0.368	021
LTE Band 25			50	0	Left Touch	-	26140	1860	24.50	23.39	129.12%	0.224	0.289	-
LTE Band 25			1	0	Left Tilt	-	26140	1860	25.50	24.51	125.60%	0.103	0.129	-
LTE Band 25			50	0	Left Tilt	-	26140	1860	24.50	23.39	129.12%	0.079	0.102	-
LTE Band 30	10MHz	QPSK	1	0	Right Touch	-	27710	2310	24.50	24.50	100.00%	0.141	0.141	-
LTE Band 30			25	12	Right Touch	-	27710	2310	23.50	23.47	100.69%	0.109	0.110	-
LTE Band 30			1	0	Right Tilt	-	27710	2310	24.50	24.50	100.00%	0.052	0.052	-
LTE Band 30			25	25	Right Tilt	-	27710	2310	23.50	23.47	100.69%	0.040	0.040	-
LTE Band 30			1	0	Left Touch	-	27710	2310	24.50	24.50	100.00%	0.186	0.186	022
LTE Band 30			25	25	Left Touch	-	27710	2310	23.50	23.47	100.69%	0.147	0.148	-
LTE Band 30			1	0	Left Tilt	-	27710	2310	24.50	24.50	100.00%	0.095	0.095	-
LTE Band 30			25	25	Left Tilt	-	27710	2310	23.50	23.47	100.69%	0.076	0.077	-
LTE Band 66	20MHz	QPSK	1	0	Right Touch	-	132072	1720	25.50	24.41	128.53%	0.156	0.201	-
LTE Band 66			50	0	Right Touch	-	132072	1720	24.50	23.29	132.13%	0.120	0.159	-
LTE Band 66			1	0	Right Tilt	-	132072	1720	25.50	24.41	128.53%	0.048	0.062	-
LTE Band 66			50	0	Right Tilt	-	132072	1720	24.50	23.29	132.13%	0.039	0.052	-
LTE Band 66			1	0	Left Touch	-	132072	1720	25.50	24.41	128.53%	0.189	0.243	023
LTE Band 66			50	0	Left Touch	-	132072	1720	24.50	23.29	132.13%	0.148	0.196	-
LTE Band 66			1	0	Left Tilt	-	132072	1720	25.50	24.41	128.53%	0.101	0.130	-
LTE Band 66			50	0	Left Tilt	-	132072	1720	24.50	23.29	132.13%	0.079	0.104	-
LTE Band 38	20MHz	QPSK	1	0	Right Touch	-	38000	2595	25.50	24.66	121.34%	0.049	0.059	-
LTE Band 38			50	50	Right Touch	-	38000	2595	24.50	23.51	125.60%	0.036	0.045	-
LTE Band 38			1	0	Right Tilt	-	38000	2595	25.50	24.66	121.34%	0.016	0.019	-
LTE Band 38			50	50	Right Tilt	-	38000	2595	24.50	23.51	125.60%	0.011	0.014	-
LTE Band 38			1	0	Left Touch	-	38000	2595	25.50	24.66	121.34%	0.073	0.089	024
LTE Band 38			50	50	Left Touch	-	38000	2595	24.50	23.51	125.60%	0.058	0.073	-
LTE Band 38			1	0	Left Tilt	-	38000	2595	25.50	24.66	121.34%	0.028	0.034	-
LTE Band 38			50	50	Left Tilt	-	38000	2595	24.50	23.51	125.60%	0.020	0.025	-
LTE Band 41_PC3	20MHz	QPSK	1	0	Right Touch	-	39750	2506	25.50	24.62	122.46%	0.047	0.058	-
LTE Band 41_PC3			50	50	Right Touch	-	39750	2506	24.50	23.52	125.31%	0.032	0.040	-
LTE Band 41_PC3			1	0	Right Tilt	-	39750	2506	25.50	24.62	122.46%	0.020	0.024	-
LTE Band 41_PC3			50	50	Right Tilt	-	39750	2506	24.50	23.52	125.31%	0.013	0.016	-
LTE Band 41_PC3			1	0	Left Touch	-	39750	2506	25.50	24.62	122.46%	0.066	0.081	025
LTE Band 41_PC3			50	50	Left Touch	-	39750	2506	24.50	23.52	125.31%	0.052	0.065	-
LTE Band 41_PC3			1	0	Left Tilt	-	39750	2506	25.50	24.62	122.46%	0.032	0.039	-
LTE Band 41_PC3			50	50	Left Tilt	-	39750	2506	24.50	23.52	125.31%	0.024	0.030	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Right Touch	-	41055	2636.5	27.50	26.38	129.42%	0.045	0.058	-
LTE Band 41_PC2			50	50	Right Touch	-	41055	2636.5	26.00	25.24	119.12%	0.038	0.045	-
LTE Band 41_PC2			1	0	Right Tilt	-	41055	2636.5	27.50	26.38	129.42%	0.026	0.034	-
LTE Band 41_PC2			50	50	Right Tilt	-	41055	2636.5	26.00	25.24	119.12%	0.017	0.020	-
LTE Band 41_PC2			1	0	Left Touch	-	41055	2636.5	27.50	26.38	129.42%	0.055	0.071	026
LTE Band 41_PC2			50	50	Left Touch	-	41055	2636.5	26.00	25.24	119.12%	0.039	0.046	-
LTE Band 41_PC2			1	0	Left Tilt	-	41055	2636.5	27.50	26.38	129.42%	0.038	0.049	-
LTE Band 41_PC2			50	50	Left Tilt	-	41055	2636.5	26.00	25.24	119.12%	0.029	0.035	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	378000	1890	25.50	24.46	127.06%	0.201	0.255	-
NR n2			108	54	Right Touch	-	378000	1890	25.50	24.31	131.52%	0.163	0.214	-
NR n2			1	1	Right Tilt	-	378000	1890	25.50	24.46	127.06%	0.163	0.207	-
NR n2			108	54	Right Tilt	-	378000	1890	25.50	24.31	131.52%	0.131	0.172	-
NR n2			1	1	Left Touch	-	378000	1890	25.50	24.46	127.06%	0.222	0.282	027
NR n2			108	54	Left Touch	-	378000	1890	25.50	24.31	131.52%	0.187	0.246	-
NR n2			1	1	Left Tilt	-	378000	1890	25.50	24.46	127.06%	0.173	0.220	-
NR n2			108	54	Left Tilt	-	378000	1890	25.50	24.31	131.52%	0.146	0.192	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	505000	2525	25.50	24.36	130.02%	0.083	0.108	-
NR n7			135	67	Right Touch	-	505000	2525	25.50	24.24	133.66%	0.057	0.076	-
NR n7			1	1	Right Tilt	-	505000	2525	25.50	24.36	130.02%	0.047	0.061	-
NR n7			135	67	Right Tilt	-	505000	2525	25.50	24.24	133.66%	0.024	0.032	-
NR n7			1	1	Left Touch	-	505000	2525	25.50	24.36	130.02%	0.103	0.134	028
NR n7			135	67	Left Touch	-	505000	2525	25.50	24.24	133.66%	0.074	0.099	-
NR n7			1	1	Left Tilt	-	505000	2525	25.50	24.36	130.02%	0.069	0.090	-
NR n7			135	67	Left Tilt	-	505000	2525	25.50	24.24	133.66%	0.038	0.051	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	379000	1895	25.50	24.60	123.03%	0.185	0.228	-
NR n25			108	54	Right Touch	-	379000	1895	25.50	24.42	128.23%	0.146	0.187	-
NR n25			1	1	Right Tilt	-	379000	1895	25.50	24.60	123.03%	0.140	0.172	-
NR n25			108	54	Right Tilt	-	379000	1895	25.50	24.42	128.23%	0.091	0.117	-
NR n25			1	1	Left Touch	-	379000	1895	25.50	24.60	123.03%	0.200	0.246	029
NR n25			108	54	Left Touch	-	379000	1895	25.50	24.42	128.23%	0.174	0.223	-
NR n25			1	1	Left Tilt	-	379000	1895	25.50	24.60	123.03%	0.148	0.182	-
NR n25			108	54	Left Tilt	-	379000	1895	25.50	24.42	128.23%	0.102	0.131	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	462000	2310	23.50	23.46	100.93%	0.141	0.142	-
NR n30			25	13	Right Touch	-	462000	2310	23.50	23.30	104.71%	0.111	0.116	-
NR n30			1	1	Right Tilt	-	462000	2310	23.50	23.46	100.93%	0.107	0.108	-
NR n30			25	13	Right Tilt	-	462000	2310	23.50	23.30	104.71%	0.095	0.099	-
NR n30			1	1	Left Touch	-	462000	2310	23.50	23.46	100.93%	0.159	0.160	030
NR n30			25	13	Left Touch	-	462000	2310	23.50	23.30	104.71%	0.128	0.134	-
NR n30			1	1	Left Tilt	-	462000	2310	23.50	23.46	100.93%	0.116	0.117	-
NR n30			25	13	Left Tilt	-	462000	2310	23.50	23.30	104.71%	0.097	0.102	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	346500	1732.5	25.50	24.73	119.40%	0.118	0.141	-
NR n66			120	60	Right Touch	-	346500	1732.5	25.50	24.67	121.06%	0.108	0.131	-
NR n66			1	1	Right Tilt	-	346500	1732.5	25.50	24.73	119.40%	0.076	0.091	-
NR n66			120	60	Right Tilt	-	346500	1732.5	25.50	24.67	121.06%	0.067	0.081	-
NR n66			1	1	Left Touch	-	346500	1732.5	25.50	24.73	119.40%	0.127	0.152	031
NR n66			120	60	Left Touch	-	346500	1732.5	25.50	24.67	121.06%	0.116	0.140	-
NR n66			1	1	Left Tilt	-	346500	1732.5	25.50	24.73	119.40%	0.091	0.109	-
NR n66			120	60	Left Tilt	-	346500	1732.5	25.50	24.67	121.06%	0.079	0.096	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	518004	2590.02	25.50	24.44	127.64%	0.079	0.101	-
NR n38			50	28	Right Touch	-	518004	2590.02	25.50	24.26	133.05%	0.061	0.081	-
NR n38			1	1	Right Tilt	-	518004	2590.02	25.50	24.44	127.64%	0.038	0.049	-
NR n38			50	28	Right Tilt	-	518004	2590.02	25.50	24.26	133.05%	0.022	0.029	-
NR n38			1	1	Left Touch	-	518004	2590.02	25.50	24.44	127.64%	0.086	0.110	032
NR n38			50	28	Left Touch	-	518004	2590.02	25.50	24.26	133.05%	0.074	0.098	-
NR n38			1	1	Left Tilt	-	518004	2590.02	25.50	24.44	127.64%	0.043	0.055	-
NR n38			50	28	Left Tilt	-	518004	2590.02	25.50	24.26	133.05%	0.028	0.037	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	509202	2546.01	25.50	24.96	113.24%	0.101	0.114	-
NR n41_PC3			135	69	Right Touch	-	509202	2546.01	25.50	24.88	115.35%	0.084	0.097	-
NR n41_PC3			1	1	Right Tilt	-	509202	2546.01	25.50	24.96	113.24%	0.075	0.085	-
NR n41_PC3			135	69	Right Tilt	-	509202	2546.01	25.50	24.88	115.35%	0.058	0.067	-
NR n41_PC3			1	1	Left Touch	-	509202	2546.01	25.50	24.96	113.24%	0.108	0.122	033
NR n41_PC3			135	69	Left Touch	-	509202	2546.01	25.50	24.88	115.35%	0.094	0.108	-
NR n41_PC3			1	1	Left Tilt	-	509202	2546.01	25.50	24.96	113.24%	0.087	0.099	-
NR n41_PC3			135	69	Left Tilt	-	509202	2546.01	25.50	24.88	115.35%	0.071	0.082	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	518598	2592.99	27.50	26.40	128.82%	0.099	0.128	-
NR n41_PC2			135	69	Right Touch	-	518598	2592.99	27.50	26.29	132.13%	0.089	0.118	-
NR n41_PC2			1	1	Right Tilt	-	518598	2592.99	27.50	26.40	128.82%	0.076	0.098	-
NR n41_PC2			135	69	Right Tilt	-	518598	2592.99	27.50	26.29	132.13%	0.062	0.082	-
NR n41_PC2			1	1	Left Touch	-	518598	2592.99	27.50	26.40	128.82%	0.111	0.143	034
NR n41_PC2			135	69	Left Touch	-	518598	2592.99	27.50	26.29	132.13%	0.091	0.120	-
NR n41_PC2			1	1	Left Tilt	-	518598	2592.99	27.50	26.40	128.82%	0.089	0.115	-
NR n41_PC2			135	69	Left Tilt	-	518598	2592.99	27.50	26.29	132.13%	0.075	0.099	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_DSI7_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18700	1860	24.00	23.98	100.46%	0.126	0.127	-
LTE Band 2			50	0	Right Touch	-	19100	1860	23.00	22.90	102.33%	0.079	0.081	-
LTE Band 2			1	0	Right Tilt	-	18700	1860	24.00	23.98	100.46%	0.041	0.041	-
LTE Band 2			50	0	Right Tilt	-	19100	1860	23.00	22.90	102.33%	0.032	0.033	-
LTE Band 2			1	0	Left Touch	-	18700	1860	24.00	23.98	100.46%	0.230	0.231	-
LTE Band 2			50	0	Left Touch	-	19100	1860	23.00	22.90	102.33%	0.165	0.169	-
LTE Band 2			1	0	Left Tilt	-	18700	1860	24.00	23.98	100.46%	0.076	0.076	-
LTE Band 2			50	0	Left Tilt	-	19100	1860	23.00	22.90	102.33%	0.050	0.051	-
														-
														-
LTE Band 25	20MHz	QPSK	1	0	Right Touch	-	26140	1860	24.00	23.97	100.69%	0.205	0.206	-
LTE Band 25			50	50	Right Touch	-	26140	1860	23.00	22.89	102.57%	0.165	0.169	-
LTE Band 25			1	0	Right Tilt	-	26140	1860	24.00	23.97	100.69%	0.056	0.056	-
LTE Band 25			50	50	Right Tilt	-	26140	1860	23.00	22.89	102.57%	0.047	0.048	-
LTE Band 25			1	0	Left Touch	-	26140	1860	24.00	23.97	100.69%	0.261	0.263	-
LTE Band 25			50	50	Left Touch	-	26140	1860	23.00	22.89	102.57%	0.205	0.210	-
LTE Band 25			1	0	Left Tilt	-	26140	1860	24.00	23.97	100.69%	0.092	0.093	-
LTE Band 25			50	50	Left Tilt	-	26140	1860	23.00	22.89	102.57%	0.072	0.074	-
														-
														-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18700	1860	18.00	17.94	101.39%	1.140	1.156	036
LTE Band 2			1	0	Right Touch	-	18900	1880	18.00	17.85	103.51%	0.975	1.009	-
LTE Band 2			1	0	Right Touch	-	19100	1900	18.00	17.89	102.57%	1.020	1.046	-
LTE Band 2			50	50	Right Touch	-	18700	1860	17.00	16.87	103.04%	0.804	0.828	-
LTE Band 2			50	0	Right Touch	-	18900	1860	17.00	16.85	103.51%	0.754	0.780	-
LTE Band 2			50	25	Right Touch	-	19100	1860	17.00	16.81	104.47%	0.822	0.859	-
LTE Band 2			100RB		Right Touch	-	19100	1900	17.00	16.81	104.47%	0.798	0.834	-
LTE Band 2			1	0	Right Tilt	-	18700	1860	18.00	17.94	101.39%	0.248	0.251	-
LTE Band 2			50	50	Right Tilt	-	18700	1860	17.00	16.87	103.04%	0.185	0.191	-
LTE Band 2			1	0	Left Touch	-	18700	1860	18.00	17.94	101.39%	0.499	0.506	-
LTE Band 2			50	50	Left Touch	-	18700	1860	17.00	16.87	103.04%	0.378	0.389	-
LTE Band 2			1	0	Left Tilt	-	18700	1860	18.00	17.94	101.39%	0.153	0.155	-
LTE Band 2			50	50	Left Tilt	-	18700	1860	17.00	16.87	103.04%	0.119	0.123	-
LTE Band 4	20MHz	QPSK	1	0	Right Touch	-	20050	1720	18.50	18.39	102.57%	1.150	1.179	037
LTE Band 4			1	99	Right Touch	-	20175	1732.5	18.50	18.37	103.04%	1.090	1.123	-
LTE Band 4			1	50	Right Touch	-	20300	1745	18.50	18.40	102.33%	0.961	0.983	-
LTE Band 4			50	50	Right Touch	-	20300	1745	17.50	17.40	102.33%	0.718	0.735	-
LTE Band 4			100RB		Right Touch	-	20175	1732.5	17.50	17.38	102.80%	0.693	0.712	-
LTE Band 4			1	50	Right Tilt	-	20300	1745	18.50	18.40	102.33%	0.233	0.238	-
LTE Band 4			50	50	Right Tilt	-	20300	1745	17.50	17.40	102.33%	0.181	0.185	-
LTE Band 4			1	50	Left Touch	-	20300	1745	18.50	18.40	102.33%	0.476	0.487	-
LTE Band 4			50	50	Left Touch	-	20300	1745	17.50	17.40	102.33%	0.336	0.344	-
LTE Band 4			1	50	Left Tilt	-	20300	1745	18.50	18.40	102.33%	0.155	0.159	-
LTE Band 4			50	50	Left Tilt	-	20300	1745	17.50	17.40	102.33%	0.119	0.122	-
LTE Band 5	10MHz	QPSK	1	25	Right Touch	-	20450	829	24.00	23.80	104.71%	0.989	1.036	-
LTE Band 5			1	25	Right Touch	-	20525	836.5	24.00	23.89	102.57%	1.030	1.056	-
LTE Band 5			1	25	Right Touch	-	20600	844	24.00	23.86	103.28%	1.120	1.157	038
LTE Band 5			25	0	Right Touch	-	20450	829	23.00	22.89	102.57%	0.832	0.853	-
LTE Band 5			25	12	Right Touch	-	20525	836.5	23.00	22.89	102.57%	0.879	0.902	-
LTE Band 5			25	0	Right Touch	-	20600	844	23.00	22.89	102.57%	0.817	0.838	-
LTE Band 5			50RB		Right Touch	-	20600	844	23.00	22.86	103.28%	0.787	0.813	-
LTE Band 5			1	25	Right Tilt	-	20525	836.5	24.00	23.89	102.57%	0.274	0.281	-
LTE Band 5			25	12	Right Tilt	-	20525	836.5	23.00	22.89	102.57%	0.264	0.271	-
LTE Band 5			1	25	Left Touch	-	20525	836.5	24.00	23.89	102.57%	0.548	0.562	-
LTE Band 5			25	12	Left Touch	-	20525	836.5	23.00	22.89	102.57%	0.549	0.563	-
LTE Band 5			1	25	Left Tilt	-	20525	836.5	24.00	23.89	102.57%	0.176	0.181	-
LTE Band 5			25	12	Left Tilt	-	20525	836.5	23.00	22.89	102.57%	0.172	0.176	-
LTE Band 7	20MHz	QPSK	1	50	Right Touch	-	20850	2510	20.00	19.90	102.33%	1.030	1.054	-
LTE Band 7			1	0	Right Touch	-	21100	2535	20.00	19.89	102.57%	1.130	1.159	039
LTE Band 7			1	99	Right Touch	-	21350	2560	20.00	19.89	102.57%	0.993	1.018	-
LTE Band 7			50	25	Right Touch	-	20850	2510	19.00	18.90	102.33%	0.868	0.888	-
LTE Band 7			50	50	Right Touch	-	21100	2535	19.00	18.86	103.28%	0.785	0.811	-
LTE Band 7			50	50	Right Touch	-	21350	2560	19.00	18.90	102.33%	0.833	0.852	-
LTE Band 7			100RB		Right Touch	-	21100	2535	19.00	18.84	103.75%	0.826	0.857	-
LTE Band 7			1	50	Right Tilt	-	20850	2510	20.00	19.90	102.33%	0.268	0.274	-
LTE Band 7			50	25	Right Tilt	-	20850	2510	19.00	18.90	102.33%	0.261	0.267	-
LTE Band 7			1	50	Left Touch	-	20850	2510	20.00	19.90	102.33%	0.550	0.563	-
LTE Band 7			50	25	Left Touch	-	20850	2510	19.00	18.90	102.33%	0.464	0.475	-
LTE Band 7			1	50	Left Tilt	-	20850	2510	20.00	19.90	102.33%	0.121	0.124	-
LTE Band 7			50	25	Left Tilt	-	20850	2510	19.00	18.90	102.33%	0.110	0.113	-
LTE Band 12	10MHz	QPSK	1	0	Right Touch	-	23060	704	26.00	24.99	126.18%	0.805	1.016	040
LTE Band 12			1	0	Right Touch	-	23095	707.5	26.00	24.86	130.02%	0.768	0.999	-
LTE Band 12			1	0	Right Touch	-	23130	711	26.00	24.89	129.12%	0.793	1.024	-
LTE Band 12			25	12	Right Touch	-	23060	704	25.00	24.83	103.99%	0.624	0.649	-
LTE Band 12			50RB		Right Touch	-	23060	704	25.00	23.78	132.43%	0.601	0.796	-
LTE Band 12			1	0	Right Tilt	-	23060	704	26.00	24.99	126.18%	0.144	0.182	-
LTE Band 12			25	25	Right Tilt	-	23060	704	25.00	24.83	103.99%	0.112	0.116	-
LTE Band 12			1	0	Left Touch	-	23060	704	26.00	24.99	126.18%	0.388	0.490	-
LTE Band 12			25	25	Left Touch	-	23060	704	25.00	24.83	103.99%	0.305	0.317	-
LTE Band 12			1	0	Left Tilt	-	23060	704	26.00	24.99	126.18%	0.106	0.134	-
LTE Band 12			25	25	Left Tilt	-	23060	704	25.00	24.83	103.99%	0.084	0.087	-
LTE Band 17	10MHz	QPSK	1	0	Right Touch	-	23780	709	26.00	24.95	127.35%	0.823	1.048	041
LTE Band 17			1	0	Right Touch	-	23790	710	26.00	24.87	129.72%	0.792	1.027	-
LTE Band 17			1	0	Right Touch	-	23800	711	26.00	24.96	127.06%	0.808	1.027	-
LTE Band 17			25	0	Right Touch	-	23800	711	25.00	23.91	128.53%	0.631	0.811	-
LTE Band 17			50RB		Right Touch	-	23800	711	25.00	23.85	130.32%	0.625	0.814	-
LTE Band 17			1	0	Right Tilt	-	23800	711	26.00	24.96	127.06%	0.196	0.249	-
LTE Band 17			25	0	Right Tilt	-	23800	711	25.00	23.91	128.53%	0.152	0.195	-
LTE Band 17			1	0	Left Touch	-	23800	711	26.00	24.96	127.06%	0.406	0.516	-
LTE Band 17			25	0	Left Touch	-	23800	711	25.00	23.91	128.53%	0.315	0.405	-
LTE Band 17			1	0	Left Tilt	-	23800	711	26.00	24.96	127.06%	0.104	0.132	-
LTE Band 17			25	0	Left Tilt	-	23800	711	25.00	23.91	128.53%	0.078	0.100	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25	20MHz	QPSK	1	50	Right Touch	-	26140	1860	18.00	17.84	103.75%	1.130	1.172	042
LTE Band 25			1	50	Right Touch	-	26365	1882.5	18.00	17.83	103.99%	0.874	0.909	-
LTE Band 25			1	99	Right Touch	-	26590	1905	18.00	17.84	103.75%	1.050	1.089	-
LTE Band 25			50	50	Right Touch	-	26140	1860	17.00	16.89	102.57%	0.850	0.872	-
LTE Band 25			50	50	Right Touch	-	26365	1882.5	17.00	16.87	103.04%	0.812	0.837	-
LTE Band 25			50	0	Right Touch	-	26590	1905	17.00	16.88	102.80%	0.766	0.787	-
LTE Band 25			100RB		Right Touch	-	26140	1860	17.00	16.86	103.28%	0.811	0.838	-
LTE Band 25			1	50	Right Tilt	-	26140	1860	18.00	17.84	103.75%	0.259	0.269	-
LTE Band 25			50	50	Right Tilt	-	26140	1860	17.00	16.89	102.57%	0.205	0.210	-
LTE Band 25			1	50	Left Touch	-	26140	1860	18.00	17.84	103.75%	0.532	0.552	-
LTE Band 25			50	50	Left Touch	-	26140	1860	17.00	16.89	102.57%	0.416	0.427	-
LTE Band 25			1	50	Left Tilt	-	26140	1860	18.00	17.84	103.75%	0.144	0.149	-
LTE Band 25			50	50	Left Tilt	-	26140	1860	17.00	16.89	102.57%	0.115	0.118	-
LTE Band 26	15MHz	QPSK	1	36	Right Touch	-	26765	821.5	24.00	23.89	102.57%	1.080	1.108	-
LTE Band 26			1	0	Right Touch	-	26865	831.5	24.00	23.82	104.23%	1.050	1.094	-
LTE Band 26			1	0	Right Touch	-	26965	841.5	24.00	23.90	102.33%	1.110	1.136	043
LTE Band 26			36	37	Right Touch	-	26765	821.5	23.00	22.81	104.47%	0.866	0.905	-
LTE Band 26			36	37	Right Touch	-	26865	831.5	23.00	22.85	103.51%	0.815	0.844	-
LTE Band 26			36	37	Right Touch	-	26965	841.5	23.00	22.86	103.28%	0.962	0.994	-
LTE Band 26			75RB		Right Touch	-	26865	831.5	23.00	22.81	104.47%	0.937	0.979	-
LTE Band 26			1	0	Right Tilt	-	26965	841.5	24.00	23.90	102.33%	0.288	0.295	-
LTE Band 26			36	50	Right Tilt	-	26965	841.5	23.00	22.86	103.28%	0.225	0.232	-
LTE Band 26			1	0	Left Touch	-	26965	841.5	24.00	23.90	102.33%	0.589	0.603	-
LTE Band 26			36	50	Left Touch	-	26965	841.5	23.00	22.86	103.28%	0.466	0.481	-
LTE Band 26			1	0	Left Tilt	-	26965	841.5	24.00	23.90	102.33%	0.143	0.146	-
LTE Band 26			36	50	Left Tilt	-	26965	841.5	23.00	22.86	103.28%	0.114	0.118	-
LTE Band 30	10MHz	QPSK	1	0	Right Touch	-	27710	2310	20.00	19.93	101.62%	1.090	1.108	044
LTE Band 30			25	0	Right Touch	-	27710	2310	19.00	18.78	105.20%	0.953	1.003	-
LTE Band 30			50RB		Right Touch	-	27710	2310	19.00	18.85	103.51%	0.894	0.925	-
LTE Band 30			1	0	Right Tilt	-	27710	2310	20.00	19.93	101.62%	0.281	0.286	-
LTE Band 30			25	0	Right Tilt	-	27710	2310	19.00	18.78	105.20%	0.222	0.234	-
LTE Band 30			1	0	Left Touch	-	27710	2310	20.00	19.93	101.62%	0.577	0.586	-
LTE Band 30			25	0	Left Touch	-	27710	2310	19.00	18.78	105.20%	0.466	0.490	-
LTE Band 30			1	0	Left Tilt	-	27710	2310	20.00	19.93	101.62%	0.154	0.157	-
LTE Band 30			25	0	Left Tilt	-	27710	2310	19.00	18.78	105.20%	0.121	0.127	-
LTE Band 66	20MHz	QPSK	1	99	Right Touch	-	132072	1720	18.50	18.38	102.80%	1.140	1.172	045
LTE Band 66			1	0	Right Touch	-	132322	1745	18.50	18.36	103.28%	1.050	1.084	-
LTE Band 66			1	99	Right Touch	-	132572	1770	18.50	18.35	103.51%	1.090	1.128	-
LTE Band 66			50	25	Right Touch	-	132072	1720	17.50	17.39	102.57%	0.953	0.977	-
LTE Band 66			100RB		Right Touch	-	132572	1770	17.50	17.39	102.57%	0.922	0.946	-
LTE Band 66			1	99	Right Tilt	-	132072	1720	18.50	18.38	102.80%	0.281	0.289	-
LTE Band 66			50	25	Right Tilt	-	132072	1720	17.50	17.39	102.57%	0.222	0.228	-
LTE Band 66			1	99	Left Touch	-	132072	1720	18.50	18.38	102.80%	0.577	0.593	-
LTE Band 66			50	25	Left Touch	-	132072	1720	17.50	17.39	102.57%	0.466	0.478	-
LTE Band 66			1	99	Left Tilt	-	132072	1720	23.13	18.38	298.54%	0.154	0.460	-
LTE Band 66			50	25	Left Tilt	-	132072	1720	17.50	17.39	102.57%	0.121	0.124	-
LTE Band 71	20MHz	QPSK	1	0	Right Touch	-	133222	673	26.00	24.69	135.21%	0.529	0.715	-
LTE Band 71			1	0	Right Touch	-	133297	680.5	26.00	24.86	130.02%	0.475	0.618	-
LTE Band 71			1	0	Right Touch	-	133372	688	26.00	24.55	139.64%	0.633	0.884	046
LTE Band 71			50	25	Right Touch	-	133297	680.5	25.00	24.74	106.17%	0.490	0.520	-
LTE Band 71			100RB		Right Touch	-	133297	680.5	25.00	23.67	135.83%	0.421	0.572	-
LTE Band 71			1	0	Right Tilt	-	133297	680.5	26.00	24.86	130.02%	0.144	0.187	-
LTE Band 71			50	25	Right Tilt	-	133297	680.5	25.00	24.74	106.17%	0.113	0.120	-
LTE Band 71			1	0	Left Touch	-	133297	680.5	26.00	24.86	130.02%	0.266	0.346	-
LTE Band 71			50	25	Left Touch	-	133297	680.5	25.00	24.74	106.17%	0.208	0.221	-
LTE Band 71			1	0	Left Tilt	-	133297	680.5	26.00	24.86	130.02%	0.082	0.107	-
LTE Band 71			50	25	Left Tilt	-	133297	680.5	25.00	24.74	106.17%	0.064	0.068	-
LTE Band 38	20MHz	QPSK	1	0	Right Touch	-	37850	2580	21.00	20.87	103.04%	0.958	0.987	-
LTE Band 38			1	0	Right Touch	-	38000	2595	21.00	20.84	103.75%	0.977	1.014	-
LTE Band 38			1	99	Right Touch	-	38150	2610	21.00	20.89	102.57%	1.090	1.118	047
LTE Band 38			50	0	Right Touch	-	38150	2610	20.00	19.90	102.33%	0.887	0.908	-
LTE Band 38			100RB		Right Touch	-	37850	2580	20.00	19.83	103.99%	0.732	0.761	-
LTE Band 38			1	99	Right Tilt	-	38150	2610	21.00	20.89	102.57%	0.285	0.292	-
LTE Band 38			50	0	Right Tilt	-	38150	2610	20.00	19.90	102.33%	0.227	0.232	-
LTE Band 38			1	99	Left Touch	-	38150	2610	21.00	20.89	102.57%	0.554	0.568	-
LTE Band 38			50	0	Left Touch	-	38150	2610	20.00	19.90	102.33%	0.446	0.456	-
LTE Band 38			1	99	Left Tilt	-	38150	2610	21.00	20.89	102.57%	0.149	0.153	-
LTE Band 38			50	0	Left Tilt	-	38150	2610	20.00	19.90	102.33%	0.124	0.127	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 41_PC3	20MHz	QPSK	1	50	Right Touch	-	39750	2506	21.50	21.38	102.80%	0.956	0.983	-
LTE Band 41_PC3			1	0	Right Touch	-	40185	2549.5	21.50	21.30	104.71%	1.001	1.048	-
LTE Band 41_PC3			1	50	Right Touch	-	40620	2593	21.50	21.40	102.33%	1.010	1.034	-
LTE Band 41_PC3			1	50	Right Touch	-	41055	2636.5	21.50	21.32	104.23%	1.130	1.178	048
LTE Band 41_PC3			1	0	Right Touch	-	41490	2680	21.50	21.39	102.57%	0.899	0.922	-
LTE Band 41_PC3			50	50	Right Touch	-	39750	2506	20.50	20.35	103.51%	0.914	0.946	-
LTE Band 41_PC3			50	50	Right Touch	-	40185	2549.5	20.50	20.37	103.04%	0.878	0.905	-
LTE Band 41_PC3			50	25	Right Touch	-	40620	2593	20.50	20.33	103.99%	0.908	0.944	-
LTE Band 41_PC3			50	50	Right Touch	-	41055	2636.5	20.50	20.36	103.28%	0.942	0.973	-
LTE Band 41_PC3			50	0	Right Touch	-	41490	2680	20.50	20.40	102.33%	0.922	0.943	-
LTE Band 41_PC3			100RB		Right Touch	-	41055	2636.5	20.50	20.36	103.28%	0.565	0.584	-
LTE Band 41_PC3			1	50	Right Tilt	-	40620	2593	21.50	21.40	102.33%	0.285	0.292	-
LTE Band 41_PC3			50	0	Right Tilt	-	41490	2680	20.50	20.40	102.33%	0.224	0.229	-
LTE Band 41_PC3			1	50	Left Touch	-	40620	2593	21.50	21.40	102.33%	0.549	0.562	-
LTE Band 41_PC3			50	0	Left Touch	-	41490	2680	20.50	20.40	102.33%	0.433	0.443	-
LTE Band 41_PC3			1	50	Left Tilt	-	40620	2593	21.50	21.40	102.33%	0.119	0.122	-
LTE Band 41_PC3			50	0	Left Tilt	-	41490	2680	20.50	20.40	102.33%	0.095	0.097	-
LTE Band 41_PC2	20MHz	QPSK	1	50	Right Touch	-	39750	2506	23.00	22.88	102.80%	0.980	1.007	-
LTE Band 41_PC2			1	50	Right Touch	-	40185	2549.5	23.00	22.82	104.23%	1.050	1.094	-
LTE Band 41_PC2			1	0	Right Touch	-	40620	2593	23.00	22.87	103.04%	1.100	1.133	-
LTE Band 41_PC2			1	50	Right Touch	-	41055	2636.5	23.00	22.90	102.33%	1.130	1.156	049
LTE Band 41_PC2			1	0	Right Touch	-	41490	2680	23.00	22.82	104.23%	0.966	1.007	-
LTE Band 41_PC2			50	25	Right Touch	-	39750	2506	22.00	21.84	103.75%	0.877	0.910	-
LTE Band 41_PC2			50	50	Right Touch	-	40185	2549.5	22.00	21.90	102.33%	0.917	0.938	-
LTE Band 41_PC2			50	25	Right Touch	-	40620	2593	22.00	21.89	102.57%	0.893	0.916	-
LTE Band 41_PC2			50	25	Right Touch	-	41055	2636.5	22.00	21.87	103.04%	0.920	0.948	-
LTE Band 41_PC2			50	0	Right Touch	-	41490	2680	22.00	21.82	104.23%	0.856	0.892	-
LTE Band 41_PC2			100RB		Right Touch	-	41490	2680	22.00	21.89	102.57%	0.839	0.861	-
LTE Band 41_PC2			1	50	Right Tilt	-	41055	2636.5	23.00	22.90	102.33%	0.296	0.303	-
LTE Band 41_PC2			50	50	Right Tilt	-	40185	2549.5	22.00	21.90	102.33%	0.236	0.241	-
LTE Band 41_PC2			1	50	Left Touch	-	41055	2636.5	23.00	22.90	102.33%	0.590	0.604	-
LTE Band 41_PC2			50	50	Left Touch	-	40185	2549.5	22.00	21.90	102.33%	0.475	0.486	-
LTE Band 41_PC2			1	50	Left Tilt	-	41055	2636.5	23.00	22.90	102.33%	0.135	0.138	-
LTE Band 41_PC2			50	50	Left Tilt	-	40185	2549.5	22.00	21.90	102.33%	0.109	0.112	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	374000	1870	18.00	17.91	102.09%	1.000	1.021	050
NR n2			1	1	Right Touch	-	376000	1880	18.00	17.89	102.57%	0.925	0.949	-
NR n2			1	214	Right Touch	-	378000	1890	18.00	17.86	103.28%	0.938	0.969	-
NR n2			108	54	Right Touch	-	374000	1870	18.00	17.89	102.57%	0.975	1.000	-
NR n2			108	54	Right Touch	-	376000	1880	18.00	17.87	103.04%	0.952	0.981	-
NR n2			108	54	Right Touch	-	378000	1890	18.00	17.85	103.51%	0.921	0.953	-
NR n2			216	0	Right Touch	-	374000	1870	17.50	17.31	104.47%	0.941	0.983	-
NR n2			1	1	Right Tilt	-	374000	1870	18.00	17.91	102.09%	0.194	0.198	-
NR n2			108	54	Right Tilt	-	374000	1870	18.00	17.89	102.57%	0.185	0.190	-
NR n2			1	1	Left Touch	-	374000	1870	18.00	17.91	102.09%	0.305	0.311	-
NR n2			108	54	Left Touch	-	374000	1870	18.00	17.89	102.57%	0.291	0.298	-
NR n2			1	1	Left Tilt	-	374000	1870	18.00	17.91	102.09%	0.081	0.083	-
NR n2			108	54	Left Tilt	-	374000	1870	18.00	17.89	102.57%	0.076	0.078	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	53	Right Touch	-	166800	834	24.00	23.88	102.80%	1.030	1.059	-
NR n5			1	104	Right Touch	-	167300	836.5	24.00	23.84	103.75%	1.070	1.110	-
NR n5			1	1	Right Touch	-	167800	839	24.00	23.78	105.20%	1.080	1.136	051
NR n5			50	28	Right Touch	-	166800	834	24.00	23.88	102.80%	0.978	1.005	-
NR n5			50	28	Right Touch	-	167300	836.5	24.00	23.89	102.57%	1.040	1.067	-
NR n5			50	28	Right Touch	-	167800	839	24.00	23.77	105.44%	0.967	1.020	-
NR n5			100	0	Right Touch	-	167300	836.5	23.50	23.39	102.57%	0.999	1.025	-
NR n5			1	53	Right Tilt	-	166800	834	24.00	23.88	102.80%	0.435	0.447	-
NR n5			50	28	Right Tilt	-	167300	836.5	24.00	23.89	102.57%	0.418	0.429	-
NR n5			1	53	Left Touch	-	166800	834	24.00	23.88	102.80%	0.624	0.641	-
NR n5			50	28	Left Touch	-	167300	836.5	24.00	23.89	102.57%	0.598	0.613	-
NR n5			1	53	Left Tilt	-	166800	834	24.00	23.88	102.80%	0.168	0.173	-
NR n5			50	28	Left Tilt	-	167300	836.5	24.00	23.89	102.57%	0.156	0.160	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	135	Right Touch	-	505000	2525	19.00	18.82	104.23%	1.030	1.074	-
NR n7			1	135	Right Touch	-	507000	2535	19.00	18.89	102.57%	0.977	1.002	-
NR n7			1	268	Right Touch	-	509000	2545	19.00	18.88	102.80%	1.100	1.131	-
NR n7			135	67	Right Touch	-	505000	2525	19.00	18.82	104.23%	1.130	1.178	052
NR n7			135	67	Right Touch	-	507000	2535	19.00	18.83	103.99%	0.912	0.948	-
NR n7			135	67	Right Touch	-	509000	2545	19.00	18.89	102.57%	0.889	0.912	-
NR n7			270	0	Right Touch	-	509000	2545	18.50	18.35	103.51%	1.065	1.102	-
NR n7			1	135	Right Tilt	-	507000	2535	19.00	18.89	102.57%	0.139	0.143	-
NR n7			135	67	Right Tilt	-	509000	2545	19.00	18.89	102.57%	0.132	0.135	-
NR n7			1	135	Left Touch	-	507000	2535	19.00	18.89	102.57%	0.283	0.290	-
NR n7			135	67	Left Touch	-	509000	2545	19.00	18.89	102.57%	0.282	0.289	-
NR n7			1	135	Left Tilt	-	507000	2535	19.00	18.89	102.57%	0.063	0.065	-
NR n7			135	67	Left Tilt	-	509000	2545	19.00	18.89	102.57%	0.057	0.058	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	141300	706.5	26.00	24.37	145.55%	0.672	0.978	-
NR n12			1	1	Right Touch	-	141500	707.5	26.00	24.39	144.88%	0.648	0.939	-
NR n12			1	1	Right Touch	-	141700	708.5	26.00	24.43	143.55%	0.696	0.999	053
NR n12			36	22	Right Touch	-	141300	706.5	26.00	24.29	148.25%	0.656	0.973	-
NR n12			36	22	Right Touch	-	141500	707.5	26.00	24.29	148.25%	0.512	0.759	-
NR n12			36	22	Right Touch	-	141700	708.5	26.00	24.25	149.62%	0.544	0.814	-
NR n12			75	0	Right Touch	-	141700	708.5	25.50	23.90	144.54%	0.605	0.874	-
NR n12			1	1	Right Tilt	-	141700	708.5	26.00	24.43	143.55%	0.144	0.207	-
NR n12			36	22	Right Tilt	-	141300	706.5	26.00	24.29	148.25%	0.128	0.190	-
NR n12			1	1	Left Touch	-	141700	708.5	26.00	24.43	143.55%	0.311	0.446	-
NR n12			36	22	Left Touch	-	141300	706.5	26.00	24.29	148.25%	0.303	0.449	-
NR n12			1	1	Left Tilt	-	141700	708.5	26.00	24.43	143.55%	0.109	0.156	-
NR n12			36	22	Left Tilt	-	141300	706.5	26.00	24.29	148.25%	0.097	0.144	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	374000	1870	18.00	17.88	102.80%	1.020	1.049	-
NR n25			1	214	Right Touch	-	376500	1882.5	18.00	17.89	102.57%	0.968	0.993	-
NR n25			1	1	Right Touch	-	379000	1895	18.00	17.83	103.99%	1.140	1.186	054
NR n25			108	54	Right Touch	-	374000	1870	18.00	17.82	104.23%	0.981	1.023	-
NR n25			108	54	Right Touch	-	376500	1882.5	18.00	17.77	105.44%	0.958	1.010	-
NR n25			108	54	Right Touch	-	379000	1895	18.00	17.73	106.41%	1.076	1.145	-
NR n25			216	0	Right Touch	-	374000	1870	17.50	17.36	103.28%	1.006	1.039	-
NR n25			1	214	Right Tilt	-	376500	1882.5	18.00	17.89	102.57%	0.245	0.251	-
NR n25			108	54	Right Tilt	-	374000	1870	18.00	17.82	104.23%	0.235	0.245	-
NR n25			1	214	Left Touch	-	376500	1882.5	18.00	17.89	102.57%	0.400	0.410	-
NR n25			108	54	Left Touch	-	374000	1870	18.00	17.82	104.23%	0.381	0.397	-
NR n25			1	214	Left Tilt	-	376500	1882.5	18.00	17.89	102.57%	0.139	0.143	-
NR n25			108	54	Left Tilt	-	374000	1870	18.00	17.82	104.23%	0.138	0.144	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	53	Right Touch	-	164800	824	24.00	23.86	103.28%	0.930	0.960	-
NR n26			1	1	Right Touch	-	166300	831.5	24.00	23.81	104.47%	1.050	1.097	-
NR n26			1	1	Right Touch	-	167800	839	24.00	23.90	102.33%	1.130	1.156	055
NR n26			50	28	Right Touch	-	164800	824	24.00	23.81	104.47%	0.976	1.020	-
NR n26			50	28	Right Touch	-	166300	831.5	24.00	23.73	106.41%	0.989	1.052	-
NR n26			50	28	Right Touch	-	167800	839	24.00	23.80	104.71%	1.000	1.047	-
NR n26			100	0	Right Touch	-	167800	839	23.50	23.35	103.51%	0.990	1.025	-
NR n26			1	1	Right Tilt	-	167800	839	24.00	23.90	102.33%	0.472	0.483	-
NR n26			50	28	Right Tilt	-	164800	824	24.00	23.81	104.47%	0.455	0.475	-
NR n26			1	1	Left Touch	-	167800	839	24.00	23.90	102.33%	0.641	0.656	-
NR n26			50	28	Left Touch	-	164800	824	24.00	23.81	104.47%	0.602	0.629	-
NR n26			1	1	Left Tilt	-	167800	839	24.00	23.90	102.33%	0.187	0.191	-
NR n26			50	28	Left Tilt	-	164800	824	24.00	23.81	104.47%	0.162	0.169	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	462000	2310	19.00	18.95	101.16%	1.150	1.163	056
NR n30			25	13	Right Touch	-	462000	2310	19.00	18.77	105.44%	1.080	1.139	-
NR n30			50	0	Right Touch	-	462000	2310	18.50	18.33	103.99%	1.020	1.061	-
NR n30			1	1	Right Tilt	-	462000	2310	19.00	18.95	101.16%	0.134	0.136	-
NR n30			25	13	Right Tilt	-	462000	2310	19.00	18.77	105.44%	0.129	0.136	-
NR n30			1	1	Left Touch	-	462000	2310	19.00	18.95	101.16%	0.301	0.304	-
NR n30			25	13	Left Touch	-	462000	2310	19.00	18.77	105.44%	0.282	0.297	-
NR n30			1	1	Left Tilt	-	462000	2310	19.00	18.95	101.16%	0.095	0.096	-
NR n30			25	13	Left Tilt	-	462000	2310	19.00	18.77	105.44%	0.091	0.096	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	240	Right Touch	-	346500	1732.5	18.00	17.89	102.57%	1.020	1.046	-
NR n66			1	240	Right Touch	-	349000	1745	18.00	17.89	102.57%	0.983	1.008	-
NR n66			1	1	Right Touch	-	351500	1757.5	18.00	17.90	102.33%	1.020	1.044	-
NR n66			120	60	Right Touch	-	346500	1732.5	18.00	17.79	104.95%	0.966	1.014	-
NR n66			120	60	Right Touch	-	349000	1745	18.00	17.71	106.91%	0.931	0.995	-
NR n66			120	60	Right Touch	-	351500	1757.5	18.00	17.81	104.47%	1.070	1.118	057
NR n66			240	0	Right Touch	-	349000	1745	17.50	17.38	102.80%	0.868	0.892	-
NR n66			1	1	Right Tilt	-	351500	1757.5	18.00	17.90	102.33%	0.263	0.269	-
NR n66			120	60	Right Tilt	-	351500	1757.5	18.00	17.81	104.47%	0.255	0.266	-
NR n66			1	1	Left Touch	-	351500	1757.5	18.00	17.90	102.33%	0.433	0.443	-
NR n66			120	60	Left Touch	-	351500	1757.5	18.00	17.81	104.47%	0.416	0.435	-
NR n66			1	1	Left Tilt	-	351500	1757.5	18.00	17.90	102.33%	0.149	0.152	-
NR n66			120	60	Left Tilt	-	351500	1757.5	18.00	17.81	104.47%	0.148	0.155	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	136100	680.5	26.00	24.30	147.91%	0.499	0.738	058
NR n71			90	45	Right Touch	-	136100	680.5	26.00	24.14	153.46%	0.468	0.718	-
NR n71			1	1	Right Tilt	-	136100	680.5	26.00	24.30	147.91%	0.133	0.197	-
NR n71			90	45	Right Tilt	-	136100	680.5	26.00	24.14	153.46%	0.116	0.178	-
NR n71			1	1	Left Touch	-	136100	680.5	26.00	24.30	147.91%	0.365	0.540	-
NR n71			90	45	Left Touch	-	136100	680.5	26.00	24.14	153.46%	0.347	0.533	-
NR n71			1	1	Left Tilt	-	136100	680.5	26.00	24.30	147.91%	0.097	0.143	-
NR n71			90	45	Left Tilt	-	136100	680.5	26.00	24.14	153.46%	0.084	0.129	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	104	Right Touch	-	518004	2590.02	18.50	18.37	103.04%	0.861	0.887	-
NR n38			1	1	Right Touch	-	519000	2595	18.50	18.29	104.95%	0.955	1.002	-
NR n38			1	1	Right Touch	-	519996	2599.98	18.50	18.35	103.51%	1.080	1.118	059
NR n38			50	28	Right Touch	-	518004	2590.02	18.50	18.38	102.80%	0.819	0.842	-
NR n38			50	28	Right Touch	-	519000	2595	18.50	18.33	103.99%	0.887	0.922	-
NR n38			50	28	Right Touch	-	519996	2599.98	18.50	18.37	103.04%	0.955	0.984	-
NR n38			100	0	Right Touch	-	519000	2595	18.00	17.90	102.33%	0.868	0.888	-
NR n38			1	104	Right Tilt	-	518004	2590.02	18.50	18.37	103.04%	0.221	0.228	-
NR n38			50	28	Right Tilt	-	518004	2590.02	18.50	18.38	102.80%	0.217	0.223	-
NR n38			1	104	Left Touch	-	518004	2590.02	18.50	18.37	103.04%	0.367	0.378	-
NR n38			50	28	Left Touch	-	518004	2590.02	18.50	18.38	102.80%	0.330	0.339	-
NR n38			1	104	Left Tilt	-	518004	2590.02	18.50	18.37	103.04%	0.104	0.107	-
NR n38			50	28	Left Tilt	-	518004	2590.02	18.50	18.38	102.80%	0.099	0.102	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	509202	2546.01	19.00	18.90	102.33%	0.821	0.840	-
NR n41_PC3			1	1	Right Touch	-	518598	2592.99	19.00	18.88	102.80%	0.930	0.956	-
NR n41_PC3			1	271	Right Touch	-	528000	2640	19.00	18.91	102.09%	1.120	1.143	060
NR n41_PC3			135	69	Right Touch	-	509202	2546.01	19.00	18.78	105.20%	0.892	0.938	-
NR n41_PC3			135	69	Right Touch	-	518598	2592.99	19.00	18.71	106.91%	0.974	1.041	-
NR n41_PC3			135	69	Right Touch	-	528000	2640	19.00	18.79	104.95%	1.114	1.169	-
NR n41_PC3			270	0	Right Touch	-	509202	2546.01	18.50	18.36	103.28%	0.787	0.813	-
NR n41_PC3			1	271	Right Tilt	-	528000	2640	19.00	18.91	102.09%	0.299	0.305	-
NR n41_PC3			135	69	Right Tilt	-	528000	2640	19.00	18.79	104.95%	0.298	0.313	-
NR n41_PC3			1	271	Left Touch	-	528000	2640	19.00	18.91	102.09%	0.461	0.471	-
NR n41_PC3			135	69	Left Touch	-	528000	2640	19.00	18.79	104.95%	0.459	0.482	-
NR n41_PC3			1	271	Left Tilt	-	528000	2640	19.00	18.91	102.09%	0.164	0.167	-
NR n41_PC3			135	69	Left Tilt	-	528000	2640	19.00	18.79	104.95%	0.164	0.172	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	509202	2546.01	22.00	21.88	102.80%	0.943	0.969	-
NR n41_PC2			1	1	Right Touch	-	518598	2592.99	22.00	21.87	103.04%	0.850	0.876	-
NR n41_PC2			1	137	Right Touch	-	528000	2640	22.00	21.79	104.95%	1.050	1.102	061
NR n41_PC2			135	69	Right Touch	-	509202	2546.01	22.00	21.91	102.09%	0.999	1.020	-
NR n41_PC2			135	69	Right Touch	-	518598	2592.99	22.00	21.90	102.33%	0.967	0.990	-
NR n41_PC2			135	69	Right Touch	-	528000	2640	22.00	21.81	104.47%	0.961	1.004	-
NR n41_PC2			270	0	Right Touch	-	509202	2546.01	21.50	21.29	102.57%	0.732	0.751	-
NR n41_PC2			1	271	Right Tilt	-	509202	2546.01	22.00	21.88	102.80%	0.364	0.374	-
NR n41_PC2			135	69	Right Tilt	-	509202	2546.01	22.00	21.91	102.09%	0.363	0.371	-
NR n41_PC2			1	271	Left Touch	-	509202	2546.01	22.00	21.88	102.80%	0.492	0.506	-
NR n41_PC2			135	69	Left Touch	-	509202	2546.01	22.00	21.91	102.09%	0.474	0.484	-
NR n41_PC2			1	271	Left Tilt	-	509202	2546.01	22.00	21.88	102.80%	0.224	0.230	-
NR n41_PC2			135	69	Left Tilt	-	509202	2546.01	22.00	21.91	102.09%	0.218	0.223	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2 DSI7 SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18700	1860	17.50	17.46	100.93%	1.030	1.040	-
LTE Band 2			1	0	Right Touch	-	18900	1880	17.50	17.41	102.09%	0.900	0.919	-
LTE Band 2			1	0	Right Touch	-	19100	1900	17.50	17.44	101.39%	0.932	0.945	-
LTE Band 2			50	0	Right Touch	-	18700	1860	16.50	16.37	103.04%	0.738	0.760	-
LTE Band 2			100RB		Right Touch	-	19100	1900	16.50	16.39	102.57%	0.743	0.762	-
LTE Band 2			1	0	Right Tilt	-	18700	1860	17.50	17.46	100.93%	0.224	0.226	-
LTE Band 2			50	0	Right Tilt	-	18700	1860	16.50	16.37	103.04%	0.170	0.175	-
LTE Band 2			1	0	Left Touch	-	18700	1860	17.50	17.46	100.93%	0.451	0.455	-
LTE Band 2			50	0	Left Touch	-	18700	1860	16.50	16.37	103.04%	0.347	0.358	-
LTE Band 2			1	0	Left Tilt	-	18700	1860	17.50	17.46	100.93%	0.138	0.139	-
LTE Band 2			50	0	Left Tilt	-	18700	1860	16.50	16.37	103.04%	0.109	0.112	-
														-
LTE Band 4	20MHz	QPSK	1	0	Right Touch	-	20050	1720	18.00	17.91	102.09%	1.050	1.072	-
LTE Band 4			1	0	Right Touch	-	20175	1732.5	18.00	17.92	101.86%	1.000	1.019	-
LTE Band 4			1	0	Right Touch	-	20300	1745	18.00	17.95	101.16%	0.876	0.886	-
LTE Band 4			50	25	Right Touch	-	20300	1745	17.00	16.89	102.57%	0.655	0.672	-
LTE Band 4			100RB		Right Touch	-	20175	1732.5	17.00	16.90	102.33%	0.635	0.650	-
LTE Band 4			1	0	Right Tilt	-	20300	1745	18.00	17.95	101.16%	0.212	0.214	-
LTE Band 4			50	25	Right Tilt	-	20300	1745	17.00	16.89	102.57%	0.165	0.169	-
LTE Band 4			1	0	Left Touch	-	20300	1745	18.00	17.95	101.16%	0.434	0.439	-
LTE Band 4			50	25	Left Touch	-	20300	1745	17.00	16.89	102.57%	0.306	0.314	-
LTE Band 4			1	0	Left Tilt	-	20300	1745	18.00	17.95	101.16%	0.141	0.143	-
LTE Band 4			50	25	Left Tilt	-	20300	1745	17.00	16.89	102.57%	0.109	0.112	-
														-
LTE Band 5	10MHz	QPSK	1	0	Right Touch	-	20450	829	23.50	23.41	102.09%	0.923	0.942	-
LTE Band 5			1	0	Right Touch	-	20525	836.5	23.50	23.48	100.46%	0.942	0.946	-
LTE Band 5			1	0	Right Touch	-	20600	844	23.50	23.45	101.16%	1.030	1.042	-
LTE Band 5			25	12	Right Touch	-	20450	829	22.50	22.32	104.23%	0.761	0.793	-
LTE Band 5			25	25	Right Touch	-	20525	836.5	22.50	22.39	102.57%	0.804	0.825	-
LTE Band 5			25	12	Right Touch	-	20600	844	22.50	22.26	105.68%	0.747	0.789	-
LTE Band 5			50RB		Right Touch	-	20450	829	22.50	22.35	103.51%	0.724	0.749	-
LTE Band 5			1	0	Right Tilt	-	20525	836.5	23.50	23.48	100.46%	0.250	0.251	-
LTE Band 5			25	25	Right Tilt	-	20525	836.5	22.50	22.39	102.57%	0.241	0.247	-
LTE Band 5			1	0	Left Touch	-	20525	836.5	23.50	23.48	100.46%	0.501	0.503	-
LTE Band 5			25	25	Left Touch	-	20525	836.5	22.50	22.39	102.57%	0.502	0.515	-
LTE Band 5			1	0	Left Tilt	-	20525	836.5	23.50	23.48	100.46%	0.161	0.162	-
LTE Band 5			25	25	Left Tilt	-	20525	836.5	22.50	22.39	102.57%	0.157	0.161	-
														-
LTE Band 7	20MHz	QPSK	1	0	Right Touch	-	20850	2510	19.50	19.45	101.16%	0.939	0.950	-
LTE Band 7			1	0	Right Touch	-	21100	2535	19.50	19.41	102.09%	1.030	1.052	-
LTE Band 7			1	0	Right Touch	-	21350	2560	19.50	19.44	101.39%	0.908	0.921	-
LTE Band 7			50	25	Right Touch	-	20850	2510	18.50	18.40	102.33%	0.792	0.810	-
LTE Band 7			50	0	Right Touch	-	21100	2535	18.50	18.34	103.75%	0.723	0.750	-
LTE Band 7			50	25	Right Touch	-	21350	2560	18.50	18.40	102.33%	0.760	0.778	-
LTE Band 7			100RB		Right Touch	-	21350	2560	18.50	18.40	102.33%	0.764	0.782	-
LTE Band 7			1	0	Right Tilt	-	20850	2510	19.50	19.45	101.16%	0.244	0.247	-
LTE Band 7			50	25	Right Tilt	-	20850	2510	18.50	18.40	102.33%	0.238	0.244	-
LTE Band 7			1	0	Left Touch	-	20850	2510	19.50	19.45	101.16%	0.502	0.508	-
LTE Band 7			50	25	Left Touch	-	20850	2510	18.50	18.40	102.33%	0.423	0.433	-
LTE Band 7			1	0	Left Tilt	-	20850	2510	19.50	19.45	101.16%	0.110	0.111	-
LTE Band 7			50	25	Left Tilt	-	20850	2510	18.50	18.40	102.33%	0.100	0.102	-
														-
LTE Band 25	20MHz	QPSK	1	50	Right Touch	-	26140	1860	17.50	17.42	101.86%	1.020	1.039	-
LTE Band 25			1	50	Right Touch	-	26365	1882.5	17.50	17.39	102.57%	0.810	0.831	-
LTE Band 25			1	0	Right Touch	-	26590	1905	17.50	17.37	103.04%	0.971	1.001	-
LTE Band 25			50	50	Right Touch	-	26140	1860	16.50	16.41	102.09%	0.771	0.787	-
LTE Band 25			100RB		Right Touch	-	26365	1882.5	16.50	16.29	104.96%	0.746	0.783	-
LTE Band 25			1	50	Right Tilt	-	26140	1860	17.50	17.42	101.86%	0.239	0.243	-
LTE Band 25			50	50	Right Tilt	-	26140	1860	16.50	16.41	102.09%	0.187	0.191	-
LTE Band 25			1	50	Left Touch	-	26140	1860	17.50	17.42	101.86%	0.492	0.501	-
LTE Band 25			50	50	Left Touch	-	26140	1860	16.50	16.41	102.09%	0.380	0.388	-
LTE Band 25			1	50	Left Tilt	-	26140	1860	17.50	17.42	101.86%	0.133	0.135	-
LTE Band 25			50	50	Left Tilt	-	26140	1860	16.50	16.41	102.09%	0.105	0.107	-
														-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26	15MHz	QPSK	1	0	Right Touch	-	26765	821.5	23.50	23.42	101.86%	0.987	1.005	-
LTE Band 26			1	0	Right Touch	-	26865	831.5	23.50	23.45	101.16%	0.975	0.986	-
LTE Band 26			1	0	Right Touch	-	26965	841.5	23.50	23.46	100.93%	1.010	1.019	-
LTE Band 26			36	18	Right Touch	-	26765	821.5	22.50	22.39	102.57%	0.806	0.827	-
LTE Band 26			36	18	Right Touch	-	26865	831.5	22.50	22.39	102.57%	0.752	0.771	-
LTE Band 26			36	18	Right Touch	-	26965	841.5	22.50	22.39	102.57%	0.885	0.908	-
LTE Band 26			75RB		Right Touch	-	26765	821.5	22.50	22.35	103.51%	0.872	0.903	-
LTE Band 26			1	0	Right Tilt	-	26965	841.5	23.50	23.46	100.93%	0.263	0.265	-
LTE Band 26			36	25	Right Tilt	-	26965	841.5	22.50	22.39	102.57%	0.207	0.212	-
LTE Band 26			1	0	Left Touch	-	26965	841.5	23.50	23.46	100.93%	0.537	0.542	-
LTE Band 26			36	25	Left Touch	-	26965	841.5	22.50	22.39	102.57%	0.429	0.440	-
LTE Band 26			1	0	Left Tilt	-	26965	841.5	23.50	23.46	100.93%	0.130	0.131	-
LTE Band 26			36	25	Left Tilt	-	26965	841.5	22.50	22.39	102.57%	0.105	0.108	-
														-
LTE Band 66	20MHz	QPSK	1	99	Right Touch	-	132072	1720	18.00	17.89	102.57%	1.030	1.056	-
LTE Band 66			1	50	Right Touch	-	132322	1745	18.00	17.89	102.57%	0.950	0.974	-
LTE Band 66			1	0	Right Touch	-	132572	1770	18.00	17.84	103.75%	0.990	1.027	-
LTE Band 66			50	25	Right Touch	-	132072	1720	17.00	16.87	103.04%	0.860	0.886	-
LTE Band 66			100RB		Right Touch	-	132572	1770	17.00	16.89	102.57%	0.813	0.834	-
LTE Band 66			1	99	Right Tilt	-	132072	1720	18.00	17.89	102.57%	0.244	0.250	-
LTE Band 66			50	25	Right Tilt	-	132072	1720	17.00	16.87	103.04%	0.220	0.227	-
LTE Band 66			1	99	Left Touch	-	132072	1720	18.00	17.89	102.57%	0.511	0.524	-
LTE Band 66			50	25	Left Touch	-	132072	1720	17.00	16.87	103.04%	0.419	0.432	-
LTE Band 66			1	99	Left Tilt	-	132072	1720	18.00	17.89	102.57%	0.109	0.112	-
LTE Band 66			50	25	Left Tilt	-	132072	1720	17.00	16.87	103.04%	0.115	0.118	-
														-
LTE Band 41_PC3	20MHz	QPSK	1	99	Right Touch	-	39750	2506	21.00	20.85	103.51%	0.876	0.907	-
LTE Band 41_PC3			1	99	Right Touch	-	40185	2549.5	21.00	20.85	103.51%	0.934	0.967	-
LTE Band 41_PC3			1	99	Right Touch	-	40620	2593	21.00	20.91	102.09%	0.921	0.940	-
LTE Band 41_PC3			1	0	Right Touch	-	41055	2636.5	21.00	20.90	102.33%	1.050	1.074	-
LTE Band 41_PC3			1	50	Right Touch	-	41490	2680	21.00	20.78	105.20%	0.822	0.865	-
LTE Band 41_PC3			50	25	Right Touch	-	39750	2506	20.00	19.85	103.51%	0.843	0.873	-
LTE Band 41_PC3			50	50	Right Touch	-	40185	2549.5	20.00	19.87	103.04%	0.806	0.830	-
LTE Band 41_PC3			50	50	Right Touch	-	40620	2593	20.00	19.80	104.71%	0.842	0.882	-
LTE Band 41_PC3			50	25	Right Touch	-	41055	2636.5	20.00	19.84	103.75%	0.867	0.900	-
LTE Band 41_PC3			50	50	Right Touch	-	41490	2680	20.00	19.88	102.80%	0.841	0.865	-
LTE Band 41_PC3			100RB		Right Touch	-	40620	2593	20.00	19.81	104.47%	0.520	0.543	-
LTE Band 41_PC3			1	99	Right Tilt	-	40620	2593	21.00	20.91	102.09%	0.260	0.265	-
LTE Band 41_PC3			50	50	Right Tilt	-	41490	2680	20.00	19.88	102.80%	0.204	0.210	-
LTE Band 41_PC3			1	99	Left Touch	-	40620	2593	21.00	20.91	102.09%	0.501	0.511	-
LTE Band 41_PC3			50	50	Left Touch	-	41490	2680	20.00	19.88	102.80%	0.395	0.406	-
LTE Band 41_PC3			1	99	Left Tilt	-	40620	2593	21.00	20.91	102.09%	0.109	0.111	-
LTE Band 41_PC3			50	50	Left Tilt	-	41490	2680	20.00	19.88	102.80%	0.087	0.089	-
														-
LTE Band 41_PC2	20MHz	QPSK	1	99	Right Touch	-	39750	2506	22.50	22.35	103.51%	0.898	0.930	-
LTE Band 41_PC2			1	50	Right Touch	-	40185	2549.5	22.50	22.28	105.20%	0.975	1.026	-
LTE Band 41_PC2			1	99	Right Touch	-	40620	2593	22.50	22.36	103.28%	1.010	1.043	-
LTE Band 41_PC2			1	0	Right Touch	-	41055	2636.5	22.50	22.40	102.33%	1.030	1.054	-
LTE Band 41_PC2			1	0	Right Touch	-	41490	2680	22.50	22.38	102.80%	0.897	0.922	-
LTE Band 41_PC2			50	25	Right Touch	-	39750	2506	21.50	21.38	102.80%	0.811	0.834	-
LTE Band 41_PC2			50	25	Right Touch	-	40185	2549.5	21.50	21.39	102.57%	0.836	0.857	-
LTE Band 41_PC2			50	0	Right Touch	-	40620	2593	21.50	21.34	103.75%	0.816	0.847	-
LTE Band 41_PC2			50	25	Right Touch	-	41055	2636.5	21.50	21.30	104.71%	0.845	0.885	-
LTE Band 41_PC2			50	25	Right Touch	-	41490	2680	21.50	21.39	102.57%	0.795	0.815	-
LTE Band 41_PC2			100RB		Right Touch	-	40185	2549.5	21.50	21.31	104.47%	0.767	0.801	-
LTE Band 41_PC2			1	0	Right Tilt	-	41055	2636.5	22.50	22.40	102.33%	0.270	0.276	-
LTE Band 41_PC2			50	25	Right Tilt	-	40185	2549.5	21.50	21.39	102.57%	0.215	0.221	-
LTE Band 41_PC2			1	0	Left Touch	-	41055	2636.5	22.50	22.40	102.33%	0.538	0.551	-
LTE Band 41_PC2			50	25	Left Touch	-	40185	2549.5	21.50	21.39	102.57%	0.433	0.444	-
LTE Band 41_PC2			1	0	Left Tilt	-	41055	2636.5	22.50	22.40	102.33%	0.123	0.126	-
LTE Band 41_PC2			50	25	Left Tilt	-	40185	2549.5	21.50	21.39	102.57%	0.099	0.102	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	104	Right Touch	-	166800	834	23.50	23.38	102.80%	0.944	0.970	-
NR n5			1	53	Right Touch	-	167300	836.5	23.50	23.35	103.51%	0.989	1.024	-
NR n5			1	1	Right Touch	-	167800	839	23.50	23.28	105.20%	1.010	1.062	-
NR n5			50	28	Right Touch	-	166800	834	23.50	23.26	105.68%	0.896	0.947	-
NR n5			50	28	Right Touch	-	167300	836.5	23.50	23.40	102.33%	0.951	0.973	-
NR n5			50	28	Right Touch	-	167800	839	23.50	23.37	103.04%	0.909	0.937	-
NR n5			100	0	Right Touch	-	167800	839	23.00	22.85	103.51%	0.913	0.945	-
NR n5			1	104	Right Tilt	-	166800	834	23.50	23.38	102.80%	0.399	0.410	-
NR n5			50	28	Right Tilt	-	167300	836.5	23.50	23.40	102.33%	0.382	0.391	-
NR n5			1	104	Left Touch	-	166800	834	23.50	23.38	102.80%	0.572	0.588	-
NR n5			50	28	Left Touch	-	167300	836.5	23.50	23.40	102.33%	0.547	0.560	-
NR n5			1	104	Left Tilt	-	166800	834	23.50	23.38	102.80%	0.154	0.158	-
NR n5			50	28	Left Tilt	-	167300	836.5	23.50	23.40	102.33%	0.143	0.146	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	505000	2525	18.50	18.34	103.75%	0.957	0.993	-
NR n7			1	1	Right Touch	-	507000	2535	18.50	18.39	102.57%	0.893	0.916	-
NR n7			1	1	Right Touch	-	509000	2545	18.50	18.25	105.93%	1.000	1.059	-
NR n7			135	67	Right Touch	-	505000	2525	18.50	18.22	106.66%	1.050	1.120	-
NR n7			135	67	Right Touch	-	507000	2535	18.50	18.32	104.23%	0.845	0.881	-
NR n7			135	67	Right Touch	-	509000	2545	18.50	18.35	103.51%	0.813	0.842	-
NR n7			270	0	Right Touch	-	509000	2545	18.00	17.82	104.23%	0.983	1.025	-
NR n7			1	1	Right Tilt	-	507000	2535	18.50	18.39	102.57%	0.127	0.130	-
NR n7			135	67	Right Tilt	-	509000	2545	18.50	18.35	103.51%	0.121	0.125	-
NR n7			1	1	Left Touch	-	507000	2535	18.50	18.39	102.57%	0.259	0.266	-
NR n7			135	67	Left Touch	-	509000	2545	18.50	18.35	103.51%	0.258	0.267	-
NR n7			1	1	Left Tilt	-	507000	2535	18.50	18.39	102.57%	0.058	0.059	-
NR n7			135	67	Left Tilt	-	509000	2545	18.50	18.35	103.51%	0.052	0.054	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	108	Right Touch	-	374000	1870	17.50	17.25	105.93%	0.935	0.990	-
NR n25			1	1	Right Touch	-	376500	1882.5	17.50	17.36	103.28%	0.885	0.914	-
NR n25			1	214	Right Touch	-	379000	1895	17.50	17.34	103.75%	1.050	1.089	-
NR n25			108	54	Right Touch	-	374000	1870	17.50	17.39	102.57%	0.911	0.934	-
NR n25			108	54	Right Touch	-	376500	1882.5	17.50	17.38	102.80%	0.900	0.925	-
NR n25			108	54	Right Touch	-	379000	1895	17.50	17.26	105.68%	1.020	1.078	-
NR n25			216	0	Right Touch	-	379000	1895	17.00	16.89	102.57%	0.926	0.950	-
NR n25			1	1	Right Tilt	-	376500	1882.5	17.50	17.36	103.28%	0.224	0.231	-
NR n25			108	54	Right Tilt	-	374000	1870	17.50	17.39	102.57%	0.218	0.224	-
NR n25			1	1	Left Touch	-	376500	1882.5	17.50	17.36	103.28%	0.366	0.378	-
NR n25			108	54	Left Touch	-	374000	1870	17.50	17.39	102.57%	0.354	0.363	-
NR n25			1	1	Left Tilt	-	376500	1882.5	17.50	17.36	103.28%	0.127	0.131	-
NR n25			108	54	Left Tilt	-	374000	1870	17.50	17.39	102.57%	0.128	0.131	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	53	Right Touch	-	164800	824	23.50	23.40	102.33%	0.856	0.876	-
NR n26			1	53	Right Touch	-	166300	831.5	23.50	23.36	103.28%	0.978	1.010	-
NR n26			1	104	Right Touch	-	167800	839	23.50	23.45	101.16%	1.030	1.042	-
NR n26			50	28	Right Touch	-	164800	824	23.50	23.42	101.86%	0.909	0.926	-
NR n26			50	28	Right Touch	-	166300	831.5	23.50	23.33	103.99%	0.938	0.975	-
NR n26			50	28	Right Touch	-	167800	839	23.50	23.39	102.57%	0.933	0.957	-
NR n26			100	0	Right Touch	-	167800	839	23.00	22.90	102.33%	0.913	0.934	-
NR n26			1	104	Right Tilt	-	167800	839	23.50	23.45	101.16%	0.430	0.435	-
NR n26			50	28	Right Tilt	-	164800	824	23.50	23.42	101.86%	0.424	0.432	-
NR n26			1	104	Left Touch	-	167800	839	23.50	23.45	101.16%	0.585	0.592	-
NR n26			50	28	Left Touch	-	164800	824	23.50	23.42	101.86%	0.561	0.571	-
NR n26			1	104	Left Tilt	-	167800	839	23.50	23.45	101.16%	0.171	0.173	-
NR n26			50	28	Left Tilt	-	164800	824	23.50	23.42	101.86%	0.151	0.154	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	462000	2310	18.50	18.45	101.16%	1.030	1.042	-
NR n30			25	13	Right Touch	-	462000	2310	18.50	18.28	105.20%	1.010	1.062	-
NR n30			50	0	Right Touch	-	462000	2310	18.00	17.75	105.93%	0.945	1.001	-
NR n30			1	1	Right Tilt	-	462000	2310	18.50	18.45	101.16%	0.121	0.122	-
NR n30			25	13	Right Tilt	-	462000	2310	18.50	18.28	105.20%	0.111	0.117	-
NR n30			1	1	Left Touch	-	462000	2310	18.50	18.45	101.16%	0.271	0.274	-
NR n30			25	13	Left Touch	-	462000	2310	18.50	18.28	105.20%	0.265	0.279	-
NR n30			1	1	Left Tilt	-	462000	2310	18.50	18.45	101.16%	0.086	0.087	-
NR n30			25	13	Left Tilt	-	462000	2310	18.50	18.28	105.20%	0.086	0.090	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	509202	2546.01	18.50	18.40	102.33%	0.749	0.766	-
NR n41_PC3			1	271	Right Touch	-	518598	2592.99	18.50	18.40	102.33%	0.852	0.872	-
NR n41_PC3			1	271	Right Touch	-	528000	2640	18.50	18.40	102.33%	1.010	1.034	-
NR n41_PC3			135	69	Right Touch	-	509202	2546.01	18.50	18.24	106.17%	0.956	1.015	-
NR n41_PC3			135	69	Right Touch	-	518598	2592.99	18.50	18.32	104.23%	0.928	0.967	-
NR n41_PC3			135	69	Right Touch	-	528000	2640	18.50	18.34	103.75%	1.030	1.069	-
NR n41_PC3			270	0	Right Touch	-	518598	2592.99	18.00	17.86	103.28%	0.724	0.748	-
NR n41_PC3			1	271	Right Tilt	-	528000	2640	18.50	18.40	102.33%	0.272	0.278	-
NR n41_PC3			135	69	Right Tilt	-	528000	2640	18.50	18.34	103.75%	0.279	0.289	-
NR n41_PC3			1	271	Left Touch	-	528000	2640	18.50	18.40	102.33%	0.419	0.429	-
NR n41_PC3			135	69	Left Touch	-	528000	2640	18.50	18.34	103.75%	0.429	0.445	-
NR n41_PC3			1	271	Left Tilt	-	528000	2640	18.50	18.40	102.33%	0.149	0.152	-
NR n41_PC3			135	69	Left Tilt	-	528000	2640	18.50	18.34	103.75%	0.153	0.159	-
NR n41_PC2			1	271	Right Touch	-	509202	2546.01	21.50	21.42	101.86%	0.864	0.880	-
NR n41_PC2			1	1	Right Touch	-	518598	2592.99	21.50	21.37	103.04%	0.781	0.805	-
NR n41_PC2			1	271	Right Touch	-	528000	2640	21.50	21.36	103.28%	0.982	1.014	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	135	69	Right Touch	-	509202	2546.01	21.50	21.41	102.09%	0.909	0.928	-
NR n41_PC2			135	69	Right Touch	-	518598	2592.99	21.50	21.34	103.75%	0.882	0.915	-
NR n41_PC2			135	69	Right Touch	-	528000	2640	21.50	21.33	103.99%	0.895	0.931	-
NR n41_PC2			270	0	Right Touch	-	509202	2546.01	21.00	20.85	103.51%	0.669	0.693	-
NR n41_PC2			1	271	Right Tilt	-	509202	2546.01	21.50	21.42	101.86%	0.334	0.340	-
NR n41_PC2			135	69	Right Tilt	-	509202	2546.01	21.50	21.41	102.09%	0.330	0.337	-
NR n41_PC2			1	271	Left Touch	-	509202	2546.01	21.50	21.42	101.86%	0.451	0.459	-
NR n41_PC2			135	69	Left Touch	-	509202	2546.01	21.50	21.41	102.09%	0.431	0.440	-
NR n41_PC2			1	271	Left Tilt	-	509202	2546.01	21.50	21.42	101.86%	0.205	0.209	-
NR n41_PC2			135	69	Left Tilt	-	509202	2546.01	21.50	21.41	102.09%	0.198	0.202	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，

Ant2_DSI7_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	50	Right Touch	-	18700	1860	15.50	15.46	100.93%	0.650	0.656	-
LTE Band 2			50	25	Right Touch	-	18700	1860	14.50	14.38	102.80%	0.466	0.479	-
LTE Band 2			1	50	Right Tilt	-	18700	1860	15.50	15.46	100.93%	0.141	0.142	-
LTE Band 2			50	25	Right Tilt	-	18700	1860	14.50	14.38	102.80%	0.107	0.110	-
LTE Band 2			1	50	Left Touch	-	18700	1860	15.50	15.46	100.93%	0.285	0.288	-
LTE Band 2			50	25	Left Touch	-	18700	1860	14.50	14.38	102.80%	0.219	0.225	-
LTE Band 2			1	50	Left Tilt	-	18700	1860	15.50	15.46	100.93%	0.087	0.088	-
LTE Band 2			50	25	Left Tilt	-	18700	1860	14.50	14.38	102.80%	0.069	0.071	-
LTE Band 4	20MHz	QPSK	1	0	Right Touch	-	20050	1720	17.00	16.90	102.33%	0.835	0.854	-
LTE Band 4			1	0	Right Touch	-	20175	1732.5	17.00	16.91	102.09%	0.795	0.812	-
LTE Band 4			1	0	Right Touch	-	20300	1745	17.00	16.95	101.16%	0.696	0.704	-
LTE Band 4			50	25	Right Touch	-	20300	1745	16.00	15.94	101.39%	0.520	0.527	-
LTE Band 4			100RB		Right Touch	-	20175	1732.5	16.00	15.84	103.75%	0.504	0.523	-
LTE Band 4			1	0	Right Tilt	-	20300	1745	17.00	16.95	101.16%	0.169	0.171	-
LTE Band 4			50	25	Right Tilt	-	20300	1745	16.00	15.94	101.39%	0.131	0.133	-
LTE Band 4			1	0	Left Touch	-	20300	1745	17.00	16.95	101.16%	0.345	0.349	-
LTE Band 4			50	25	Left Touch	-	20300	1745	16.00	15.94	101.39%	0.243	0.246	-
LTE Band 4			1	0	Left Tilt	-	20300	1745	17.00	16.95	101.16%	0.112	0.113	-
LTE Band 4			50	25	Left Tilt	-	20300	1745	16.00	15.94	101.39%	0.086	0.087	-
LTE Band 4														-
LTE Band 5	10MHz	QPSK	1	0	Right Touch	-	20525	836.5	21.50	21.48	100.46%	0.594	0.597	-
LTE Band 5			25	25	Right Touch	-	20525	836.5	20.50	20.41	102.09%	0.507	0.518	-
LTE Band 5			1	0	Right Tilt	-	20525	836.5	21.50	21.48	100.46%	0.158	0.159	-
LTE Band 5			25	25	Right Tilt	-	20525	836.5	20.50	20.41	102.09%	0.152	0.155	-
LTE Band 5			1	0	Left Touch	-	20525	836.5	21.50	21.48	100.46%	0.316	0.317	-
LTE Band 5			25	25	Left Touch	-	20525	836.5	20.50	20.41	102.09%	0.317	0.324	-
LTE Band 5			1	0	Left Tilt	-	20525	836.5	21.50	21.48	100.46%	0.102	0.102	-
LTE Band 5			25	25	Left Tilt	-	20525	836.5	20.50	20.41	102.09%	0.099	0.101	-
LTE Band 7	20MHz	QPSK	1	0	Right Touch	-	20850	2510	17.00	16.99	100.23%	0.593	0.594	-
LTE Band 7			50	25	Right Touch	-	20850	2510	16.00	15.88	102.80%	0.499	0.513	-
LTE Band 7			1	0	Right Tilt	-	20850	2510	17.00	16.99	100.23%	0.154	0.154	-
LTE Band 7			50	25	Right Tilt	-	20850	2510	16.00	15.88	102.80%	0.150	0.154	-
LTE Band 7			1	0	Left Touch	-	20850	2510	17.00	16.99	100.23%	0.316	0.317	-
LTE Band 7			50	25	Left Touch	-	20850	2510	16.00	15.88	102.80%	0.267	0.274	-
LTE Band 7			1	0	Left Tilt	-	20850	2510	17.00	16.99	100.23%	0.070	0.070	-
LTE Band 7			50	25	Left Tilt	-	20850	2510	16.00	15.88	102.80%	0.063	0.065	-
LTE Band 12	10MHz	QPSK	1	0	Right Touch	-	23060	704	24.00	23.97	100.69%	0.641	0.645	-
LTE Band 12			25	0	Right Touch	-	23060	704	23.00	22.89	102.57%	0.409	0.419	-
LTE Band 12			1	0	Right Tilt	-	23060	704	24.00	23.97	100.69%	0.115	0.116	-
LTE Band 12			25	0	Right Tilt	-	23060	704	23.00	22.89	102.57%	0.073	0.075	-
LTE Band 12			1	0	Left Touch	-	23060	704	24.00	23.97	100.69%	0.309	0.311	-
LTE Band 12			25	0	Left Touch	-	23060	704	23.00	22.89	102.57%	0.200	0.205	-
LTE Band 12			1	0	Left Tilt	-	23060	704	24.00	23.97	100.69%	0.084	0.085	-
LTE Band 12			25	0	Left Tilt	-	23060	704	23.00	22.89	102.57%	0.055	0.056	-
LTE Band 25	20MHz	QPSK	1	0	Right Touch	-	26140	1860	16.50	16.46	100.93%	0.830	0.838	-
LTE Band 25			1	0	Right Touch	-	26365	1882.5	16.50	16.42	101.86%	0.643	0.655	-
LTE Band 25			1	0	Right Touch	-	26590	1905	16.50	16.43	101.62%	0.771	0.784	-
LTE Band 25			50	25	Right Touch	-	26140	1860	15.50	15.44	101.39%	0.617	0.626	-
LTE Band 25			50	50	Right Touch	-	26365	1882.5	15.50	15.40	102.33%	0.592	0.606	-
LTE Band 25			50	25	Right Touch	-	26590	1905	15.50	15.40	102.33%	0.557	0.570	-
LTE Band 25			100RB		Right Touch	-	26590	1905	15.50	15.32	104.23%	0.593	0.618	-
LTE Band 25			1	0	Right Tilt	-	26140	1860	16.50	16.46	100.93%	0.190	0.192	-
LTE Band 25			50	25	Right Tilt	-	26140	1860	15.50	15.44	101.39%	0.149	0.151	-
LTE Band 25			1	0	Left Touch	-	26140	1860	16.50	16.46	100.93%	0.391	0.395	-
LTE Band 25			50	25	Left Touch	-	26140	1860	15.50	15.44	101.39%	0.302	0.306	-
LTE Band 25			1	0	Left Tilt	-	26140	1860	16.50	16.46	100.93%	0.106	0.107	-
LTE Band 25			50	25	Left Tilt	-	26140	1860	15.50	15.44	101.39%	0.084	0.085	-
LTE Band 25														-
LTE Band 26	15MHz	QPSK	1	0	Right Touch	-	26865	831.5	21.50	21.47	100.69%	0.615	0.619	-
LTE Band 26			36	18	Right Touch	-	26965	841.5	20.50	20.40	102.33%	0.559	0.572	-
LTE Band 26			1	0	Right Tilt	-	26965	841.5	21.50	21.42	101.86%	0.166	0.169	-
LTE Band 26			36	25	Right Tilt	-	26965	841.5	20.50	20.40	102.33%	0.131	0.134	-
LTE Band 26			1	0	Left Touch	-	26965	841.5	21.50	21.42	101.86%	0.339	0.345	-
LTE Band 26			36	25	Left Touch	-	26965	841.5	20.50	20.40	102.33%	0.271	0.277	-
LTE Band 26			1	0	Left Tilt	-	26965	841.5	21.50	21.42	101.86%	0.082	0.084	-
LTE Band 26			36	25	Left Tilt	-	26965	841.5	20.50	20.40	102.33%	0.066	0.068	-
LTE Band 30	10MHz	QPSK	1	0	Right Touch	-	27710	2310	17.50	17.47	100.69%	0.640	0.644	-
LTE Band 30			25	12	Right Touch	-	27710	2310	16.50	16.32	104.23%	0.564	0.588	-
LTE Band 30			1	0	Right Tilt	-	27710	2310	17.50	17.47	100.69%	0.161	0.162	-
LTE Band 30			25	25	Right Tilt	-	27710	2310	16.50	16.32	104.23%	0.131	0.137	-
LTE Band 30			1	0	Left Touch	-	27710	2310	17.50	17.47	100.69%	0.330	0.332	-
LTE Band 30			25	25	Left Touch	-	27710	2310	16.50	16.32	104.23%	0.276	0.288	-
LTE Band 30			1	0	Left Tilt	-	27710	2310	17.50	17.47	100.69%	0.088	0.089	-
LTE Band 30			25	25	Left Tilt	-	27710	2310	16.50	16.32	104.23%	0.072	0.075	-
LTE Band 66	20MHz	QPSK	1	50	Right Touch	-	132072	1720	16.00	15.89	102.57%	0.641	0.657	-
LTE Band 66			50	0	Right Touch	-	132072	1720	15.00	14.91	102.09%	0.536	0.547	-
LTE Band 66			1	50	Right Tilt	-	132072	1720	16.00	15.89	102.57%	0.158	0.162	-
LTE Band 66			50	0	Right Tilt	-	132072	1720	15.00	14.91	102.09%	0.125	0.128	-
LTE Band 66			1	50	Left Touch	-	132072	1720	16.00	15.89	102.57%	0.324	0.332	-
LTE Band 66			50	0	Left Touch	-	132072	1720	15.00	14.91	102.09%	0.262	0.267	-
LTE Band 66			1	50	Left Tilt	-	132072	1720	23.13	15.89	529.66%	0.087	0.461	-
LTE Band 66			50	0	Left Tilt	-	132072	1720	15.00	14.91	102.09%	0.068	0.069	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	214	Right Touch	-	374000	1870	16.00	15.91	102.09%	0.644	0.657	-
NR n2			108	54	Right Touch	-	374000	1870	16.00	15.90	102.33%	0.631	0.646	-
NR n2			1	214	Right Tilt	-	374000	1870	16.00	15.91	102.09%	0.125	0.128	-
NR n2			108	54	Right Tilt	-	374000	1870	16.00	15.90	102.33%	0.120	0.123	-
NR n2			1	214	Left Touch	-	374000	1870	16.00	15.91	102.09%	0.196	0.200	-
NR n2			108	54	Left Touch	-	374000	1870	16.00	15.90	102.33%	0.188	0.192	-
NR n2			1	214	Left Tilt	-	374000	1870	16.00	15.91	102.09%	0.052	0.053	-
NR n2			108	54	Left Tilt	-	374000	1870	16.00	15.90	102.33%	0.049	0.050	-
NR n5			1	104	Right Touch	-	166800	834	21.00	20.87	103.04%	0.531	0.547	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	50	28	Right Touch	-	167300	836.5	21.00	20.91	102.09%	0.535	0.546	-
NR n5			1	104	Right Tilt	-	166800	834	21.00	20.87	103.04%	0.224	0.231	-
NR n5			50	28	Right Tilt	-	167300	836.5	21.00	20.91	102.09%	0.215	0.220	-
NR n5			1	104	Left Touch	-	166800	834	21.00	20.87	103.04%	0.322	0.332	-
NR n5			50	28	Left Touch	-	167300	836.5	21.00	20.91	102.09%	0.307	0.313	-
NR n5			1	104	Left Tilt	-	166800	834	21.00	20.87	103.04%	0.087	0.090	-
NR n5			50	28	Left Tilt	-	167300	836.5	21.00	20.91	102.09%	0.080	0.082	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	507000	2535	17.00	16.91	102.09%	0.632	0.645	-
NR n7			135	67	Right Touch	-	509000	2545	17.00	16.92	101.86%	0.575	0.586	-
NR n7			1	1	Right Tilt	-	507000	2535	17.00	16.91	102.09%	0.090	0.092	-
NR n7			135	67	Right Tilt	-	509000	2545	17.00	16.92	101.86%	0.085	0.087	-
NR n7			1	1	Left Touch	-	507000	2535	17.00	16.91	102.09%	0.183	0.187	-
NR n7			135	67	Left Touch	-	509000	2545	17.00	16.92	101.86%	0.182	0.185	-
NR n7			1	1	Left Tilt	-	507000	2535	17.00	16.91	102.09%	0.041	0.042	-
NR n7			135	67	Left Tilt	-	509000	2545	17.00	16.92	101.86%	0.037	0.038	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	77	Right Touch	-	141700	708.5	24.00	23.90	102.33%	0.630	0.645	-
NR n12			36	22	Right Touch	-	141300	706.5	24.00	23.85	103.51%	0.614	0.636	-
NR n12			1	77	Right Tilt	-	141700	708.5	24.00	23.90	102.33%	0.130	0.133	-
NR n12			36	22	Right Tilt	-	141300	706.5	24.00	23.85	103.51%	0.120	0.124	-
NR n12			1	77	Left Touch	-	141700	708.5	24.00	23.90	102.33%	0.282	0.289	-
NR n12			36	22	Left Touch	-	141300	706.5	24.00	23.85	103.51%	0.283	0.293	-
NR n12			1	77	Left Tilt	-	141700	708.5	24.00	23.90	102.33%	0.099	0.101	-
NR n12			36	22	Left Tilt	-	141300	706.5	24.00	23.85	103.51%	0.091	0.094	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	108	Right Touch	-	374000	1870	17.00	16.80	104.71%	0.833	0.872	-
NR n25			1	108	Right Touch	-	376500	1882.5	17.00	16.86	103.28%	0.789	0.815	-
NR n25			1	1	Right Touch	-	379000	1895	17.00	16.86	103.28%	0.942	0.973	-
NR n25			108	54	Right Touch	-	374000	1870	17.00	16.83	103.99%	0.812	0.844	-
NR n25			108	54	Right Touch	-	376500	1882.5	17.00	16.79	104.95%	0.802	0.842	-
NR n25			108	54	Right Touch	-	379000	1895	17.00	16.78	105.20%	0.910	0.957	-
NR n25			216	0	Right Touch	-	379000	1895	16.50	16.31	104.47%	0.825	0.862	-
NR n25			1	108	Right Tilt	-	376500	1882.5	17.00	16.86	103.28%	0.200	0.207	-
NR n25			108	54	Right Tilt	-	374000	1870	17.00	16.83	103.99%	0.195	0.203	-
NR n25			1	108	Left Touch	-	376500	1882.5	17.00	16.86	103.28%	0.326	0.337	-
NR n25			108	54	Left Touch	-	374000	1870	17.00	16.83	103.99%	0.315	0.328	-
NR n25			1	108	Left Tilt	-	376500	1882.5	17.00	16.86	103.28%	0.113	0.117	-
NR n25			108	54	Left Tilt	-	374000	1870	17.00	16.83	103.99%	0.114	0.119	-
NR n30			1	1	Right Touch	-	462000	2310	16.50	16.22	106.66%	0.690	0.736	-
NR n30			25	13	Right Touch	-	462000	2310	16.50	16.25	105.93%	0.643	0.681	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Tilt	-	462000	2310	16.50	16.22	106.66%	0.080	0.085	-
NR n30			25	13	Right Tilt	-	462000	2310	16.50	16.25	105.93%	0.077	0.082	-
NR n30			1	1	Left Touch	-	462000	2310	16.50	16.22	106.66%	0.180	0.192	-
NR n30			25	13	Left Touch	-	462000	2310	16.50	16.25	105.93%	0.168	0.178	-
NR n30			1	1	Left Tilt	-	462000	2310	16.50	16.22	106.66%	0.057	0.061	-
NR n30			25	13	Left Tilt	-	462000	2310	16.50	16.25	105.93%	0.054	0.057	-
NR n66			1	240	Right Touch	-	351500	1757.5	15.50	15.38	102.80%	0.587	0.603	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	120	60	Right Touch	-	351500	1757.5	15.50	15.38	102.80%	0.629	0.647	-
NR n66			1	240	Right Tilt	-	351500	1757.5	15.50	15.38	102.80%	0.151	0.155	-
NR n66			120	60	Right Tilt	-	351500	1757.5	15.50	15.38	102.80%	0.150	0.154	-
NR n66			1	240	Left Touch	-	351500	1757.5	15.50	15.38	102.80%	0.249	0.256	-
NR n66			120	60	Left Touch	-	351500	1757.5	15.50	15.38	102.80%	0.244	0.251	-
NR n66			1	240	Left Tilt	-	351500	1757.5	15.50	15.38	102.80%	0.086	0.088	-
NR n66			120	60	Left Tilt	-	351500	1757.5	15.50	15.38	102.80%	0.087	0.089	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	186	Right Touch	-	136100	680.5	24.00	23.88	102.80%	0.466	0.479	-
NR n71			90	45	Right Touch	-	136100	680.5	24.00	23.86	103.28%	0.453	0.468	-
NR n71			1	186	Right Tilt	-	136100	680.5	24.00	23.88	102.80%	0.124	0.127	-
NR n71			90	45	Right Tilt	-	136100	680.5	24.00	23.86	103.28%	0.112	0.116	-
NR n71			1	186	Left Touch	-	136100	680.5	24.00	23.88	102.80%	0.341	0.351	-
NR n71			90	45	Left Touch	-	136100	680.5	24.00	23.86	103.28%	0.336	0.347	-
NR n71			1	186	Left Tilt	-	136100	680.5	24.00	23.88	102.80%	0.091	0.094	-
NR n71			90	45	Left Tilt	-	136100	680.5	24.00	23.86	103.28%	0.081	0.084	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	528000	2640	17.00	16.89	102.57%	0.738	0.757	-
NR n41_PC3			135	69	Right Touch	-	528000	2640	17.00	16.83	103.99%	0.530	0.551	-
NR n41_PC3			135	69	Right Tilt	-	528000	2640	17.00	16.83	103.99%	0.197	0.205	-
NR n41_PC3			1	271	Left Touch	-	528000	2640	17.00	16.89	102.57%	0.277	0.284	-
NR n41_PC3			135	69	Left Touch	-	528000	2640	17.00	16.83	103.99%	0.266	0.277	-
NR n41_PC3			1	271	Left Tilt	-	528000	2640	17.00	16.89	102.57%	0.106	0.109	-
NR n41_PC3			135	69	Left Tilt	-	528000	2640	17.00	16.83	103.99%	0.109	0.113	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	509202	2546.01	20.00	19.88	102.80%	0.612	0.629	-
NR n41_PC2			135	69	Right Touch	-	509202	2546.01	20.00	19.87	103.04%	0.644	0.664	-
NR n41_PC2			1	137	Right Tilt	-	509202	2546.01	20.00	19.88	102.80%	0.236	0.243	-
NR n41_PC2			135	69	Right Tilt	-	509202	2546.01	20.00	19.87	103.04%	0.234	0.241	-
NR n41_PC2			1	137	Left Touch	-	509202	2546.01	20.00	19.88	102.80%	0.319	0.328	-
NR n41_PC2			135	69	Left Touch	-	509202	2546.01	20.00	19.87	103.04%	0.305	0.314	-
NR n41_PC2			1	137	Left Tilt	-	509202	2546.01	20.00	19.88	102.80%	0.145	0.149	-
NR n41_PC2			135	69	Left Tilt	-	509202	2546.01	20.00	19.87	103.04%	0.140	0.144	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 48	20MHz	QPSK	1	0	Right Touch	-	56640	3690	19.50	19.49	100.23%	0.421	0.422	066
LTE Band 48			50	50	Right Touch	-	55830	3609	18.50	18.49	100.23%	0.317	0.318	-
LTE Band 48			1	0	Right Tilt	-	56640	3690	19.50	19.49	100.23%	0.064	0.064	-
LTE Band 48			50	50	Right Tilt	-	55830	3609	18.50	18.49	100.23%	0.052	0.052	-
LTE Band 48			1	0	Left Touch	-	56640	3690	19.50	19.49	100.23%	0.099	0.099	-
LTE Band 48			50	50	Left Touch	-	55830	3609	18.50	18.49	100.23%	0.082	0.082	-
LTE Band 48			1	0	Left Tilt	-	56640	3690	19.50	19.49	100.23%	0.044	0.044	-
LTE Band 48			50	50	Left Tilt	-	55830	3609	18.50	18.49	100.23%	0.036	0.036	-
LTE Band 48														
LTE Band 48														

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	640000	3600	22.00	21.90	102.33%	1.110	1.136	067
NR n48			1	271	Right Touch	-	641668	3625.02	22.00	21.89	102.57%	1.035	1.062	-
NR n48			1	271	Right Touch	-	643332	3649.98	22.00	21.88	102.80%	0.982	1.010	-
NR n48			135	69	Right Touch	-	640000	3600	22.00	21.76	105.68%	1.003	1.060	-
NR n48			270	0	Right Touch	-	643332	3649.98	21.50	21.28	105.20%	0.801	0.843	-
NR n48			1	137	Right Tilt	-	640000	3600	22.00	21.90	102.33%	0.225	0.230	-
NR n48			135	69	Right Tilt	-	640000	3600	22.00	21.76	105.68%	0.218	0.230	-
NR n48			1	137	Left Touch	-	640000	3600	22.00	21.90	102.33%	0.338	0.346	-
NR n48			135	69	Left Touch	-	640000	3600	22.00	21.76	105.68%	0.333	0.352	-
NR n48			1	137	Left Tilt	-	640000	3600	22.00	21.90	102.33%	0.167	0.171	-
NR n48			135	69	Left Tilt	-	640000	3600	22.00	21.76	105.68%	0.162	0.171	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	662000	3930	21.50	21.41	102.09%	0.273	0.279	068
NR n77_PC3			135	69	Right Touch	-	662000	3930	21.50	21.43	101.62%	0.246	0.250	-
NR n77_PC3			1	271	Right Tilt	-	662000	3930	21.50	21.41	102.09%	0.092	0.094	-
NR n77_PC3			135	69	Right Tilt	-	662000	3930	21.50	21.43	101.62%	0.082	0.083	-
NR n77_PC3			1	271	Left Touch	-	662000	3930	21.50	21.41	102.09%	0.183	0.187	-
NR n77_PC3			135	69	Left Touch	-	662000	3930	21.50	21.43	101.62%	0.176	0.179	-
NR n77_PC3			1	271	Left Tilt	-	662000	3930	21.50	21.41	102.09%	0.050	0.051	-
NR n77_PC3			135	69	Left Tilt	-	662000	3930	21.50	21.43	101.62%	0.043	0.044	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	653000	3795	24.50	24.39	102.57%	0.417	0.428	069
NR n77_PC2			135	69	Right Touch	-	653000	3795	24.50	24.41	102.09%	0.347	0.354	-
NR n77_PC2			1	1	Right Tilt	-	653000	3795	24.50	24.39	102.57%	0.116	0.119	-
NR n77_PC2			135	69	Right Tilt	-	653000	3795	24.50	24.41	102.09%	0.096	0.098	-
NR n77_PC2			1	1	Left Touch	-	653000	3795	24.50	24.39	102.57%	0.241	0.247	-
NR n77_PC2			135	69	Left Touch	-	653000	3795	24.50	24.41	102.09%	0.225	0.230	-
NR n77_PC2			1	1	Left Tilt	-	653000	3795	24.50	24.39	102.57%	0.060	0.062	-
NR n77_PC2			135	69	Left Tilt	-	653000	3795	24.50	24.41	102.09%	0.052	0.053	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	633334	3500.01	21.50	21.42	101.86%	1.030	1.049	-
NR n77 & n78_PC3			1	271	Right Touch	-	635834	3537.51	21.50	21.37	103.04%	1.070	1.103	-
NR n77 & n78_PC3			1	271	Right Touch	-	638334	3575.01	21.50	21.39	102.57%	1.000	1.026	-
NR n77 & n78_PC3			1	137	Right Touch	-	640834	3612.51	21.50	21.34	103.75%	0.949	0.985	-
NR n77 & n78_PC3			1	1	Right Touch	-	643334	3650.01	21.50	21.29	104.95%	0.859	0.902	-
NR n77 & n78_PC3			135	69	Right Touch	-	633334	3500.01	21.50	21.41	102.09%	1.110	1.133	070
NR n77 & n78_PC3			135	69	Right Touch	-	635834	3537.51	21.50	21.38	102.80%	0.987	1.015	-
NR n77 & n78_PC3			135	69	Right Touch	-	638334	3575.01	21.50	21.39	102.57%	0.979	1.004	-
NR n77 & n78_PC3			135	69	Right Touch	-	640834	3612.51	21.50	21.36	103.28%	1.020	1.053	-
NR n77 & n78_PC3			135	69	Right Touch	-	643334	3650.01	21.50	21.39	102.57%	1.060	1.087	-
NR n77 & n78_PC3			270	0	Right Touch	-	638334	3575.01	21.00	20.82	104.23%	1.055	1.100	-
NR n77 & n78_PC3			1	271	Right Tilt	-	633334	3500.01	21.50	21.42	101.86%	0.240	0.244	-
NR n77 & n78_PC3			135	69	Right Tilt	-	633334	3500.01	21.50	21.41	102.09%	0.233	0.238	-
NR n77 & n78_PC3			1	271	Left Touch	-	633334	3500.01	21.50	21.42	101.86%	0.306	0.312	-
NR n77 & n78_PC3			135	69	Left Touch	-	633334	3500.01	21.50	21.41	102.09%	0.306	0.312	-
NR n77 & n78_PC3			1	271	Left Tilt	-	633334	3500.01	21.50	21.42	101.86%	0.151	0.154	-
NR n77 & n78_PC3			135	69	Left Tilt	-	633334	3500.01	21.50	21.41	102.09%	0.151	0.154	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	633334	3500.01	24.50	24.41	102.09%	1.080	1.103	-
NR n77 & n78_PC2			1	271	Right Touch	-	635834	3537.51	24.50	24.39	102.57%	1.010	1.036	-
NR n77 & n78_PC2			1	1	Right Touch	-	638334	3575.01	24.50	24.40	102.33%	0.863	0.883	-
NR n77 & n78_PC2			1	137	Right Touch	-	640834	3612.51	24.50	24.38	102.80%	0.969	0.996	-
NR n77 & n78_PC2			1	137	Right Touch	-	643334	3650.01	24.50	24.37	103.04%	0.881	0.908	-
NR n77 & n78_PC2			135	69	Right Touch	-	633334	3500.01	24.50	24.40	102.33%	1.090	1.115	071
NR n77 & n78_PC2			135	69	Right Touch	-	635834	3537.51	24.50	24.34	103.75%	0.982	1.019	-
NR n77 & n78_PC2			135	69	Right Touch	-	638334	3575.01	24.50	24.35	103.51%	0.861	0.891	-
NR n77 & n78_PC2			135	69	Right Touch	-	640834	3612.51	24.50	24.28	105.20%	0.932	0.980	-
NR n77 & n78_PC2			135	69	Right Touch	-	643334	3650.01	24.50	24.22	106.66%	0.899	0.959	-
NR n77 & n78_PC2			270	0	Right Touch	-	633334	3500.01	24.00	23.86	103.28%	0.910	0.940	-
NR n77 & n78_PC2			1	137	Right Tilt	-	633334	3500.01	24.50	24.41	102.09%	0.243	0.248	-
NR n77 & n78_PC2			135	69	Right Tilt	-	633334	3500.01	24.50	24.40	102.33%	0.242	0.248	-
NR n77 & n78_PC2			1	137	Left Touch	-	633334	3500.01	24.50	24.41	102.09%	0.342	0.349	-
NR n77 & n78_PC2			135	69	Left Touch	-	633334	3500.01	24.50	24.40	102.33%	0.346	0.354	-
NR n77 & n78_PC2			1	137	Left Tilt	-	633334	3500.01	24.50	24.41	102.09%	0.170	0.174	-
NR n77 & n78_PC2			135	69	Left Tilt	-	633334	3500.01	24.50	24.40	102.33%	0.165	0.169	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	650000	3750	21.50	21.35	103.51%	0.531	0.550	072
NR n78_PC3			135	69	Right Touch	-	650000	3750	21.50	21.22	106.66%	0.485	0.517	-
NR n78_PC3			1	137	Right Tilt	-	650000	3750	21.50	21.35	103.51%	0.296	0.306	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	21.50	21.22	106.66%	0.288	0.307	-
NR n78_PC3			1	137	Left Touch	-	650000	3750	21.50	21.35	103.51%	0.428	0.443	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	21.50	21.22	106.66%	0.406	0.433	-
NR n78_PC3			1	137	Left Tilt	-	650000	3750	21.50	21.35	103.51%	0.185	0.192	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	21.50	21.22	106.66%	0.173	0.185	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	650000	3750	24.50	24.38	102.80%	0.826	0.849	073
NR n78_PC2			135	69	Right Touch	-	650000	3750	24.50	24.23	106.41%	0.762	0.811	-
NR n78_PC2			270	0	Right Touch	-	650000	3750	24.00	23.85	103.51%	0.694	0.718	-
NR n78_PC2			1	137	Right Tilt	-	650000	3750	24.50	24.38	102.80%	0.255	0.262	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	24.50	24.23	106.41%	0.239	0.254	-
NR n78_PC2			1	137	Left Touch	-	650000	3750	24.50	24.38	102.80%	0.318	0.327	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	24.50	24.23	106.41%	0.303	0.322	-
NR n78_PC2			1	137	Left Tilt	-	650000	3750	24.50	24.38	102.80%	0.146	0.150	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	24.50	24.23	106.41%	0.133	0.142	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6 DSI7 SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	640000	3600	21.50	21.38	102.80%	0.977	1.004	-
NR n48			1	137	Right Touch	-	641668	3625.02	21.50	21.27	105.44%	0.911	0.961	-
NR n48			1	137	Right Touch	-	643332	3649.98	21.50	21.34	103.79%	0.864	0.896	-
NR n48			135	69	Right Touch	-	640000	3600	21.50	21.27	105.44%	0.883	0.931	-
NR n48			270	0	Right Touch	-	641668	3625.02	21.00	20.90	102.33%	0.705	0.721	-
NR n48			1	137	Right Tilt	-	640000	3600	21.50	21.38	102.80%	0.198	0.204	-
NR n48			135	69	Right Tilt	-	640000	3600	21.50	21.27	105.44%	0.192	0.202	-
NR n48			1	137	Left Touch	-	640000	3600	21.50	21.38	102.80%	0.297	0.305	-
NR n48			135	69	Left Touch	-	640000	3600	21.50	21.27	105.44%	0.293	0.309	-
NR n48			1	137	Left Tilt	-	640000	3600	21.50	21.38	102.80%	0.147	0.151	-
NR n48			135	69	Left Tilt	-	640000	3600	21.50	21.27	105.44%	0.143	0.151	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_DSI7_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	662000	3930	17.50	17.39	102.57%	0.111	0.114	-
NR n77_PC3			135	69	Right Touch	-	662000	3930	17.50	17.42	101.86%	0.100	0.102	-
NR n77_PC3			1	1	Right Tilt	-	662000	3930	17.50	17.39	102.57%	0.037	0.038	-
NR n77_PC3			135	69	Right Tilt	-	662000	3930	17.50	17.42	101.86%	0.033	0.034	-
NR n77_PC3			1	1	Left Touch	-	662000	3930	17.50	17.39	102.57%	0.074	0.076	-
NR n77_PC3			135	69	Left Touch	-	662000	3930	17.50	17.42	101.86%	0.071	0.072	-
NR n77_PC3			1	1	Left Tilt	-	662000	3930	17.50	17.39	102.57%	0.020	0.021	-
NR n77_PC3			135	69	Left Tilt	-	662000	3930	17.50	17.42	101.86%	0.017	0.017	-
NR n77_PC2	100MHz	SCS 30kHz P/2 BPSK	1	137	Right Touch	-	653000	3795	20.50	20.41	102.09%	0.170	0.174	-
NR n77_PC2			135	69	Right Touch	-	653000	3795	20.50	20.36	103.28%	0.141	0.146	-
NR n77_PC2			1	137	Right Tilt	-	653000	3795	20.50	20.41	102.09%	0.047	0.048	-
NR n77_PC2			135	69	Right Tilt	-	653000	3795	20.50	20.36	103.28%	0.039	0.040	-
NR n77_PC2			1	137	Left Touch	-	653000	3795	20.50	20.41	102.09%	0.098	0.100	-
NR n77_PC2			135	69	Left Touch	-	653000	3795	20.50	20.36	103.28%	0.091	0.094	-
NR n77_PC2			1	137	Left Tilt	-	653000	3795	20.50	20.41	102.09%	0.024	0.025	-
NR n77_PC2			135	69	Left Tilt	-	653000	3795	20.50	20.36	103.28%	0.021	0.022	-
NR n77 & n78_PC3	100MHz	SCS 30kHz P/2 BPSK	1	271	Right Touch	-	633334	3500.01	17.50	17.39	102.57%	0.383	0.393	-
NR n77 & n78_PC3			135	69	Right Touch	-	640834	3612.51	17.50	17.40	102.33%	0.372	0.381	-
NR n77 & n78_PC3			1	271	Right Tilt	-	633334	3500.01	17.50	17.39	102.57%	0.097	0.099	-
NR n77 & n78_PC3			1	271	Left Touch	-	633334	3500.01	17.50	17.39	102.57%	0.124	0.127	-
NR n77 & n78_PC3			1	271	Left Tilt	-	633334	3500.01	17.50	17.39	102.57%	0.061	0.063	-
NR n77 & n78_PC2			1	137	Right Touch	-	633334	3500.01	20.50	20.39	102.57%	0.359	0.368	-
NR n77 & n78_PC2	100MHz	SCS 30kHz P/2 BPSK	135	69	Right Touch	-	633334	3500.01	20.50	20.43	101.62%	0.363	0.369	-
NR n77 & n78_PC2			1	137	Right Tilt	-	633334	3500.01	20.50	20.39	102.57%	0.099	0.102	-
NR n77 & n78_PC2			135	69	Right Tilt	-	633334	3500.01	20.50	20.43	101.62%	0.091	0.092	-
NR n77 & n78_PC2			1	137	Left Touch	-	633334	3500.01	20.50	20.39	102.57%	0.139	0.143	-
NR n77 & n78_PC2			135	69	Left Touch	-	633334	3500.01	20.50	20.43	101.62%	0.141	0.143	-
NR n77 & n78_PC2			1	137	Left Tilt	-	633334	3500.01	20.50	20.39	102.57%	0.069	0.071	-
NR n77 & n78_PC2			135	69	Left Tilt	-	633334	3500.01	20.50	20.43	101.62%	0.067	0.068	-
NR n78_PC3	100MHz	SCS 30kHz P/2 BPSK	1	137	Right Touch	-	650000	3750	17.50	17.39	102.57%	0.219	0.225	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	17.50	17.40	102.33%	0.206	0.211	-
NR n78_PC3			1	137	Right Tilt	-	650000	3750	17.50	17.39	102.57%	0.122	0.125	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	17.50	17.40	102.33%	0.122	0.125	-
NR n78_PC3			1	137	Left Touch	-	650000	3750	17.50	17.39	102.57%	0.176	0.181	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	17.50	17.40	102.33%	0.172	0.176	-
NR n78_PC3			1	137	Left Tilt	-	650000	3750	17.50	17.39	102.57%	0.076	0.078	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	17.50	17.40	102.33%	0.073	0.075	-
NR n78_PC2	100MHz	SCS 30kHz P/2 BPSK	1	271	Right Touch	-	650000	3750	20.50	20.40	102.33%	0.338	0.346	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	20.50	20.30	104.71%	0.323	0.338	-
NR n78_PC2			1	271	Right Tilt	-	650000	3750	20.50	20.40	102.33%	0.104	0.106	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	20.50	20.30	104.71%	0.101	0.106	-
NR n78_PC2			1	271	Left Touch	-	650000	3750	20.50	20.40	102.33%	0.130	0.133	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	20.50	20.30	104.71%	0.128	0.134	-
NR n78_PC2			1	271	Left Tilt	-	650000	3750	20.50	20.40	102.33%	0.060	0.061	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	20.50	20.30	104.71%	0.056	0.059	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18900	1880	22.50	22.38	102.80%	0.417	0.429	-
LTE Band 2			50	0	Right Touch	-	18900	1860	21.50	21.41	102.09%	0.382	0.390	-
LTE Band 2			1	0	Right Tilt	-	18700	1860	22.50	22.35	103.51%	1.140	1.180	074
LTE Band 2			1	0	Right Tilt	-	18900	1880	22.50	22.38	102.80%	1.120	1.151	-
LTE Band 2			1	50	Right Tilt	-	19100	1900	22.50	22.26	105.68%	0.975	1.030	-
LTE Band 2			50	0	Right Tilt	-	18900	1860	21.50	21.41	102.09%	0.899	0.918	-
LTE Band 2			100RB		Right Tilt	-	19100	1900	21.50	21.31	104.47%	0.891	0.931	-
LTE Band 2			1	0	Left Touch	-	18900	1880	22.50	22.38	102.80%	0.268	0.276	-
LTE Band 2			50	0	Left Touch	-	18900	1860	21.50	21.41	102.09%	0.221	0.226	-
LTE Band 2			1	0	Left Tilt	-	18900	1880	22.50	22.38	102.80%	0.594	0.611	-
LTE Band 2			50	0	Left Tilt	-	18900	1860	21.50	21.41	102.09%	0.522	0.533	-
LTE Band 2														
LTE Band 4	20MHz	QPSK	1	0	Right Touch	-	20175	1732.5	24.50	23.12	137.40%	0.130	0.179	-
LTE Band 4			50	25	Right Touch	-	20175	1732.5	23.50	21.97	142.23%	0.106	0.151	-
LTE Band 4			1	0	Right Tilt	-	20175	1732.5	24.50	23.12	137.40%	0.355	0.488	075
LTE Band 4			50	25	Right Tilt	-	20175	1732.5	23.50	21.97	142.23%	0.268	0.381	-
LTE Band 4			1	0	Left Touch	-	20175	1732.5	24.50	23.12	137.40%	0.081	0.111	-
LTE Band 4			50	25	Left Touch	-	20175	1732.5	23.50	21.97	142.23%	0.066	0.094	-
LTE Band 4			1	0	Left Tilt	-	20175	1732.5	24.50	23.12	137.40%	0.224	0.308	-
LTE Band 4			50	25	Left Tilt	-	20175	1732.5	23.50	21.97	142.23%	0.181	0.257	-
LTE Band 25	20MHz	QPSK	1	50	Right Touch	-	26590	1905	22.50	22.41	102.09%	0.387	0.395	-
LTE Band 25			50	25	Right Touch	-	26590	1905	21.50	21.40	102.33%	0.307	0.314	-
LTE Band 25			1	0	Right Tilt	-	26140	1860	22.50	22.39	102.57%	1.100	1.128	076
LTE Band 25			1	0	Right Tilt	-	26365	1882.5	22.50	22.37	103.04%	1.080	1.113	-
LTE Band 25			1	50	Right Tilt	-	26590	1905	22.50	22.41	102.09%	0.881	0.899	-
LTE Band 25			50	25	Right Tilt	-	26590	1905	21.50	21.40	102.33%	0.704	0.720	-
LTE Band 25			100RB		Right Tilt	-	26590	1905	21.50	21.39	102.57%	0.677	0.694	-
LTE Band 25			1	50	Left Touch	-	26590	1905	22.50	22.41	102.09%	0.258	0.263	-
LTE Band 25			50	25	Left Touch	-	26590	1905	21.50	21.40	102.33%	0.205	0.210	-
LTE Band 25			1	50	Left Tilt	-	26590	1905	22.50	22.41	102.09%	0.557	0.569	-
LTE Band 25			50	25	Left Tilt	-	26590	1905	21.50	21.40	102.33%	0.450	0.460	-
LTE Band 25														
LTE Band 30	10MHz	QPSK	1	0	Right Touch	-	27710	2310	24.50	22.84	146.55%	0.277	0.406	-
LTE Band 30			25	0	Right Touch	-	27710	2310	23.50	21.68	152.05%	0.211	0.321	-
LTE Band 30			1	0	Right Tilt	-	27710	2310	24.50	22.84	146.55%	0.815	1.194	077
LTE Band 30			25	0	Right Tilt	-	27710	2310	23.50	21.68	152.05%	0.628	0.955	-
LTE Band 30			50RB		Right Tilt	-	27710	2310	23.50	21.73	150.31%	0.604	0.908	-
LTE Band 30			1	0	Left Touch	-	27710	2310	24.50	22.84	146.55%	0.183	0.268	-
LTE Band 30			25	0	Left Touch	-	27710	2310	23.50	21.68	152.05%	0.135	0.205	-
LTE Band 30			1	0	Left Tilt	-	27710	2310	24.50	22.84	146.55%	0.450	0.659	-
LTE Band 30			25	0	Left Tilt	-	27710	2310	23.50	21.68	152.05%	0.333	0.506	-
LTE Band 66	20MHz	QPSK	1	0	Right Touch	-	132322	1745	24.50	23.04	139.96%	0.332	0.465	-
LTE Band 66			50	0	Right Touch	-	132072	1720	23.50	21.92	143.88%	0.275	0.396	-
LTE Band 66			1	0	Right Tilt	-	132072	1720	24.50	23.02	140.60%	0.553	0.778	-
LTE Band 66			1	0	Right Tilt	-	132322	1745	24.50	23.04	139.96%	0.596	0.834	-
LTE Band 66			1	0	Right Tilt	-	132572	1770	24.50	22.98	141.91%	0.684	0.971	078
LTE Band 66			50	0	Right Tilt	-	132072	1720	23.50	21.92	143.88%	0.437	0.629	-
LTE Band 66			1	0	Left Touch	-	132322	1745	24.50	23.04	139.96%	0.214	0.300	-
LTE Band 66			50	0	Left Touch	-	132072	1720	23.50	21.92	143.88%	0.170	0.245	-
LTE Band 66			1	0	Left Tilt	-	132322	1745	24.50	23.04	139.96%	0.505	0.707	-
LTE Band 66			50	0	Left Tilt	-	132072	1720	23.50	21.92	143.88%	0.421	0.606	-
LTE Band 66														
LTE Band 66														
LTE Band 48	20MHz	QPSK	1	0	Right Touch	-	56640	3690	19.50	19.49	100.23%	0.121	0.121	-
LTE Band 48			50	50	Right Touch	-	55830	3609	18.50	18.49	100.23%	0.095	0.095	-
LTE Band 48			1	0	Right Tilt	-	56640	3690	19.50	19.49	100.23%	0.524	0.525	082
LTE Band 48			50	50	Right Tilt	-	55830	3609	18.50	18.49	100.23%	0.486	0.487	-
LTE Band 48			1	0	Left Touch	-	56640	3690	19.50	19.49	100.23%	0.097	0.097	-
LTE Band 48			50	50	Left Touch	-	55830	3609	18.50	18.49	100.23%	0.076	0.076	-
LTE Band 48			1	0	Left Tilt	-	56640	3690	19.50	19.49	100.23%	0.154	0.154	-
LTE Band 48			50	50	Left Tilt	-	55830	3609	18.50	18.49	100.23%	0.122	0.122	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pv2 BPSK	1	1	Right Touch	-	376000	1880	23.00	22.90	102.33%	0.351	0.359	-
NR n2			108	54	Right Touch	-	376000	1880	23.00	22.87	103.04%	0.325	0.335	-
NR n2			1	1	Right Tilt	-	374000	1870	23.00	22.89	102.57%	1.090	1.118	083
NR n2			1	1	Right Tilt	-	376000	1880	23.00	22.90	102.33%	0.986	1.009	-
NR n2			1	214	Right Tilt	-	378000	1890	23.00	22.90	102.33%	1.000	1.023	-
NR n2			108	54	Right Tilt	-	376000	1880	23.00	22.87	103.04%	0.975	1.005	-
NR n2			216	0	Right Tilt	-	378000	1890	22.50	22.40	102.33%	0.780	0.798	-
NR n2			1	1	Left Touch	-	376000	1880	23.00	22.90	102.33%	0.231	0.236	-
NR n2			108	54	Left Touch	-	376000	1880	23.00	22.87	103.04%	0.196	0.202	-
NR n2			1	1	Left Tilt	-	376000	1880	23.00	22.90	102.33%	0.499	0.511	-
NR n2			108	54	Left Tilt	-	376000	1880	23.00	22.87	103.04%	0.476	0.490	-
NR n25			1	108	Right Touch	-	374000	1870	23.00	22.85	103.51%	0.397	0.411	-
NR n25	40MHz	SCS 15kHz Pv2 BPSK	108	54	Right Touch	-	374000	1870	23.00	22.85	103.51%	0.358	0.371	-
NR n25			1	108	Right Tilt	-	374000	1870	23.00	22.85	103.51%	1.080	1.118	-
NR n25			1	214	Right Tilt	-	376500	1882.5	23.00	22.83	103.99%	1.100	1.144	084
NR n25			1	214	Right Tilt	-	379000	1895	23.00	22.85	103.51%	1.030	1.066	-
NR n25			108	54	Right Tilt	-	374000	1870	23.00	22.85	103.51%	1.020	1.056	-
NR n25			216	0	Right Tilt	-	376500	1882.5	22.50	22.40	102.33%	0.946	0.968	-
NR n25			1	108	Left Touch	-	374000	1870	23.00	22.85	103.51%	0.272	0.282	-
NR n25			108	54	Left Touch	-	374000	1870	23.00	22.85	103.51%	0.251	0.260	-
NR n25			1	108	Left Tilt	-	374000	1870	23.00	22.85	103.51%	0.523	0.541	-
NR n25			108	54	Left Tilt	-	374000	1870	23.00	22.85	103.51%	0.505	0.523	-
NR n30	10MHz	SCS 15kHz Pv2 BPSK	1	1	Right Touch	-	462000	2310	24.50	23.75	118.85%	0.416	0.494	-
NR n30			25	13	Right Touch	-	462000	2310	24.50	23.64	121.90%	0.380	0.463	-
NR n30			1	1	Right Tilt	-	462000	2310	24.50	23.75	118.85%	0.934	1.110	085
NR n30			25	13	Right Tilt	-	462000	2310	24.50	23.64	121.90%	0.888	1.082	-
NR n30			50	0	Right Tilt	-	462000	2310	24.00	23.30	117.49%	0.832	0.978	-
NR n30			1	1	Left Touch	-	462000	2310	24.50	23.75	118.85%	0.262	0.311	-
NR n30			25	13	Left Touch	-	462000	2310	24.50	23.64	121.90%	0.277	0.277	-
NR n30			1	1	Left Tilt	-	462000	2310	24.50	23.75	118.85%	0.519	0.617	-
NR n30			25	13	Left Tilt	-	462000	2310	24.50	23.64	121.90%	0.483	0.589	-
NR n66	45MHz	SCS 15kHz Pv2 BPSK	1	1	Right Touch	-	349000	1745	24.50	23.85	116.14%	0.117	0.136	-
NR n66			120	60	Right Touch	-	349000	1745	24.50	23.72	119.67%	0.102	0.122	-
NR n66			1	1	Right Tilt	-	349000	1745	24.50	23.85	116.14%	0.314	0.365	086
NR n66			120	60	Right Tilt	-	349000	1745	24.50	23.72	119.67%	0.296	0.354	-
NR n66			1	1	Left Touch	-	349000	1745	24.50	23.85	116.14%	0.068	0.079	-
NR n66			120	60	Left Touch	-	349000	1745	24.50	23.72	119.67%	0.059	0.071	-
NR n66			1	1	Left Tilt	-	349000	1745	24.50	23.85	116.14%	0.183	0.213	-
NR n66			120	60	Left Tilt	-	349000	1745	24.50	23.72	119.67%	0.158	0.189	-
NR n48	100MHz	SCS 30kHz Pv2 BPSK	1	1	Right Touch	-	643332	3649.98	21.00	20.89	102.57%	0.299	0.307	-
NR n48			135	69	Right Touch	-	643332	3649.98	21.00	20.88	102.80%	0.272	0.280	-
NR n48			1	137	Right Tilt	-	640000	3600	21.00	20.88	102.80%	1.150	1.182	087
NR n48			1	137	Right Tilt	-	641668	3625.02	21.00	20.87	103.04%	1.060	1.092	-
NR n48			1	1	Right Tilt	-	643332	3649.98	21.00	20.89	102.57%	0.988	1.013	-
NR n48			135	69	Right Tilt	-	643332	3649.98	21.00	20.88	102.80%	0.946	0.973	-
NR n48			270	0	Right Tilt	-	641668	3625.02	20.50	20.36	103.28%	0.877	0.906	-
NR n48			1	1	Left Touch	-	643332	3649.98	21.00	20.89	102.57%	0.212	0.217	-
NR n48			135	69	Left Touch	-	643332	3649.98	21.00	20.88	102.80%	0.202	0.208	-
NR n48			1	1	Left Tilt	-	643332	3649.98	21.00	20.89	102.57%	0.368	0.377	-
NR n48			135	69	Left Tilt	-	643332	3649.98	21.00	20.88	102.80%	0.337	0.346	-
NR n77_PC3	100MHz	SCS 30kHz Pv2 BPSK	1	271	Right Touch	-	659000	3885	21.00	20.90	102.33%	0.171	0.175	-
NR n77_PC3			135	69	Right Touch	-	659000	3885	21.00	20.86	103.28%	0.152	0.157	-
NR n77_PC3			1	271	Right Tilt	-	659000	3885	21.00	20.90	102.33%	0.459	0.470	088
NR n77_PC3			135	69	Right Tilt	-	659000	3885	21.00	20.86	103.28%	0.451	0.466	-
NR n77_PC3			1	271	Left Touch	-	659000	3885	21.00	20.90	102.33%	0.088	0.090	-
NR n77_PC3			135	69	Left Touch	-	659000	3885	21.00	20.86	103.28%	0.072	0.074	-
NR n77_PC3			1	271	Left Tilt	-	659000	3885	21.00	20.90	102.33%	0.322	0.330	-
NR n77_PC3			135	69	Left Tilt	-	659000	3885	21.00	20.86	103.28%	0.306	0.316	-
NR n77_PC2	100MHz	SCS 30kHz Pv2 BPSK	1	1	Right Touch	-	662000	3930	24.00	23.89	102.57%	0.161	0.165	-
NR n77_PC2			135	69	Right Touch	-	662000	3930	24.00	23.82	104.23%	0.157	0.164	-
NR n77_PC2			1	1	Right Tilt	-	662000	3930	24.00	23.89	102.57%	0.479	0.491	089
NR n77_PC2			135	69	Right Tilt	-	662000	3930	24.00	23.82	104.23%	0.426	0.444	-
NR n77_PC2			1	1	Left Touch	-	662000	3930	24.00	23.89	102.57%	0.084	0.086	-
NR n77_PC2			135	69	Left Touch	-	662000	3930	24.00	23.82	104.23%	0.062	0.065	-
NR n77_PC2			1	1	Left Tilt	-	662000	3930	24.00	23.89	102.57%	0.330	0.338	-
NR n77_PC2			135	69	Left Tilt	-	662000	3930	24.00	23.82	104.23%	0.316	0.329	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	633334	3500.01	21.00	20.89	102.57%	0.657	0.674	-
NR n77 & n78_PC3			135	69	Right Touch	-	633334	3500.01	21.00	20.87	103.04%	0.622	0.641	-
NR n77 & n78_PC3			1	271	Right Tilt	-	633334	3500.01	21.00	20.89	102.57%	1.100	1.128	090
NR n77 & n78_PC3			1	271	Right Tilt	-	635834	3537.51	21.00	20.86	103.28%	0.985	1.017	-
NR n77 & n78_PC3			1	271	Right Tilt	-	638334	3575.01	21.00	20.87	103.04%	0.901	0.928	-
NR n77 & n78_PC3			1	137	Right Tilt	-	640834	3612.51	21.00	20.82	104.23%	0.905	0.943	-
NR n77 & n78_PC3			1	271	Right Tilt	-	643334	3650.01	21.00	20.89	102.57%	0.846	0.868	-
NR n77 & n78_PC3			135	69	Right Tilt	-	633334	3500.01	21.00	20.87	103.04%	1.030	1.061	-
NR n77 & n78_PC3			135	69	Right Tilt	-	635834	3537.51	21.00	20.86	103.28%	0.933	0.964	-
NR n77 & n78_PC3			135	69	Right Tilt	-	638334	3575.01	21.00	20.79	104.95%	0.895	0.939	-
NR n77 & n78_PC3			135	69	Right Tilt	-	640834	3612.51	21.00	20.82	104.23%	0.921	0.960	-
NR n77 & n78_PC3			135	69	Right Tilt	-	643334	3650.01	21.00	20.84	103.75%	0.873	0.906	-
NR n77 & n78_PC3			270	0	Right Tilt	-	635834	3537.51	20.50	20.38	102.80%	0.950	0.977	-
NR n77 & n78_PC3			1	271	Left Touch	-	633334	3500.01	21.00	20.89	102.57%	0.517	0.530	-
NR n77 & n78_PC3			135	69	Left Touch	-	633334	3500.01	21.00	20.87	103.04%	0.486	0.501	-
NR n77 & n78_PC3			1	271	Left Tilt	-	633334	3500.01	21.00	20.89	102.57%	0.767	0.787	-
NR n77 & n78_PC3			135	69	Left Tilt	-	633334	3500.01	21.00	20.87	103.04%	0.717	0.739	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	633334	3500.01	24.00	23.90	102.33%	0.660	0.675	-
NR n77 & n78_PC2			135	69	Right Touch	-	633334	3500.01	24.00	23.92	101.86%	0.610	0.621	-
NR n77 & n78_PC2			1	137	Right Tilt	-	633334	3500.01	24.00	23.90	102.33%	1.090	1.115	091
NR n77 & n78_PC2			1	1	Right Tilt	-	635834	3537.51	24.00	23.79	104.95%	1.040	1.092	-
NR n77 & n78_PC2			1	1	Right Tilt	-	638334	3575.01	24.00	23.89	102.57%	0.905	0.928	-
NR n77 & n78_PC2			1	1	Right Tilt	-	640834	3612.51	24.00	23.78	105.20%	0.950	0.999	-
NR n77 & n78_PC2			1	137	Right Tilt	-	643334	3650.01	24.00	23.88	102.80%	0.895	0.920	-
NR n77 & n78_PC2			135	69	Right Tilt	-	633334	3500.01	24.00	23.92	101.86%	1.050	1.070	-
NR n77 & n78_PC2			270	0	Right Tilt	-	635834	3537.51	23.50	23.35	103.51%	0.910	0.942	-
NR n77 & n78_PC2			1	137	Left Touch	-	633334	3500.01	24.00	23.90	102.33%	0.478	0.489	-
NR n77 & n78_PC2			135	69	Left Touch	-	633334	3500.01	24.00	23.92	101.86%	0.461	0.470	-
NR n77 & n78_PC2			1	137	Left Tilt	-	633334	3500.01	24.00	23.90	102.33%	0.815	0.834	-
NR n77 & n78_PC2			135	69	Left Tilt	-	633334	3500.01	24.00	23.92	101.86%	0.760	0.774	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	21.00	20.81	104.47%	0.659	0.688	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	21.00	20.88	102.80%	0.641	0.659	-
NR n78_PC3			1	1	Right Tilt	-	650000	3750	21.00	20.81	104.47%	1.080	1.128	092
NR n78_PC3			135	69	Right Tilt	-	650000	3750	21.00	20.88	102.80%	1.060	1.090	-
NR n78_PC3			270	0	Right Tilt	-	650000	3750	20.50	20.28	105.20%	0.959	1.009	-
NR n78_PC3			1	1	Left Touch	-	650000	3750	21.00	20.81	104.47%	0.515	0.538	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	21.00	20.88	102.80%	0.491	0.505	-
NR n78_PC3			1	1	Left Tilt	-	650000	3750	21.00	20.81	104.47%	0.742	0.775	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	21.00	20.88	102.80%	0.707	0.727	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	24.00	23.80	104.71%	0.596	0.624	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	24.00	23.88	102.80%	0.556	0.572	-
NR n78_PC2			1	1	Right Tilt	-	650000	3750	24.00	23.80	104.71%	1.060	1.110	093
NR n78_PC2			135	69	Right Tilt	-	650000	3750	24.00	23.88	102.80%	0.981	1.008	-
NR n78_PC2			270	0	Right Tilt	-	650000	3750	23.50	23.30	104.71%	0.655	0.686	-
NR n78_PC2			1	1	Left Touch	-	650000	3750	24.00	23.80	104.71%	0.477	0.499	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	24.00	23.88	102.80%	0.465	0.478	-
NR n78_PC2			1	1	Left Tilt	-	650000	3750	24.00	23.80	104.71%	0.797	0.835	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	24.00	23.88	102.80%	0.778	0.800	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_DSI7_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Right Touch	-	18900	1880	20.50	20.41	102.09%	0.270	0.276	-
LTE Band 2			50	0	Right Touch	-	18900	1860	19.50	19.42	101.86%	0.246	0.251	-
LTE Band 2			1	0	Right Tilt	-	18900	1880	20.50	20.41	102.09%	0.726	0.741	-
LTE Band 2			50	0	Right Tilt	-	18900	1860	19.50	19.42	101.86%	0.579	0.590	-
LTE Band 2			1	0	Left Touch	-	18900	1880	20.50	20.41	102.09%	0.174	0.178	-
LTE Band 2			50	0	Left Touch	-	18900	1860	19.50	19.42	101.86%	0.142	0.145	-
LTE Band 2			1	0	Left Tilt	-	18900	1880	20.50	20.41	102.09%	0.385	0.393	-
LTE Band 2			50	0	Left Tilt	-	18900	1860	19.50	19.42	101.86%	0.336	0.342	-
LTE Band 66	20MHz	QPSK	1	0	Right Touch	-	132322	1745	23.50	23.04	111.17%	0.252	0.280	-
LTE Band 66			50	0	Right Touch	-	132072	1720	22.50	21.92	114.29%	0.275	0.314	-
LTE Band 66			1	0	Right Tilt	-	132322	1745	23.50	23.04	111.17%	0.596	0.663	-
LTE Band 66			50	0	Right Tilt	-	132072	1720	22.50	21.92	114.29%	0.437	0.499	-
LTE Band 66			1	0	Left Touch	-	132322	1745	23.50	23.04	111.17%	0.214	0.238	-
LTE Band 66			50	0	Left Touch	-	132072	1720	22.50	21.92	114.29%	0.170	0.194	-
LTE Band 66			1	0	Left Tilt	-	132322	1745	23.50	23.04	111.17%	0.535	0.595	-
LTE Band 66			50	0	Left Tilt	-	132072	1720	22.50	21.92	114.29%	0.421	0.481	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	214	Right Touch	-	376000	1880	22.50	22.34	103.75%	0.320	0.332	-
NR n2			108	54	Right Touch	-	376000	1880	22.50	22.38	102.80%	0.298	0.306	-
NR n2			1	214	Right Tilt	-	374000	1870	22.50	22.34	103.75%	0.996	1.033	-
NR n2			1	214	Right Tilt	-	376000	1880	22.50	22.34	103.75%	0.899	0.933	-
NR n2			1	108	Right Tilt	-	378000	1890	22.50	22.25	105.93%	0.912	0.966	-
NR n2			108	54	Right Tilt	-	376000	1880	22.50	22.38	102.80%	0.895	0.920	-
NR n2			216	0	Right Tilt	-	376000	1880	22.00	21.90	102.33%	0.711	0.728	-
NR n2			1	214	Left Touch	-	376000	1880	22.50	22.34	103.75%	0.211	0.219	-
NR n2			108	54	Left Touch	-	376000	1880	22.50	22.38	102.80%	0.180	0.185	-
NR n2			1	214	Left Tilt	-	376000	1880	22.50	22.34	103.75%	0.455	0.472	-
NR n2			108	54	Left Tilt	-	376000	1880	22.50	22.38	102.80%	0.437	0.449	-
NR n2														-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	374000	1870	22.50	22.41	102.09%	0.336	0.343	-
NR n25			108	54	Right Touch	-	374000	1870	22.50	22.39	102.57%	0.323	0.331	-
NR n25			1	1	Right Tilt	-	374000	1870	22.50	22.41	102.09%	0.996	1.017	-
NR n25			1	108	Right Tilt	-	376500	1882.5	22.50	22.39	102.57%	1.020	1.046	-
NR n25			1	214	Right Tilt	-	379000	1895	22.50	22.37	103.04%	0.950	0.979	-
NR n25			108	54	Right Tilt	-	374000	1870	22.50	22.39	102.57%	0.941	0.965	-
NR n25			216	0	Right Tilt	-	379000	1895	22.00	21.89	102.57%	0.863	0.885	-
NR n25			1	1	Left Touch	-	374000	1870	22.50	22.41	102.09%	0.251	0.256	-
NR n25			108	54	Left Touch	-	374000	1870	22.50	22.39	102.57%	0.232	0.238	-
NR n25			1	1	Left Tilt	-	374000	1870	22.50	22.41	102.09%	0.483	0.493	-
NR n25			108	54	Left Tilt	-	374000	1870	22.50	22.39	102.57%	0.466	0.478	-
NR n25														-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Right Touch	-	462000	2310	23.50	23.28	105.20%	0.393	0.413	-
NR n30			25	13	Right Touch	-	462000	2310	23.50	23.31	104.47%	0.368	0.384	-
NR n30			1	1	Right Tilt	-	462000	2310	23.50	23.28	105.20%	0.882	0.928	-
NR n30			25	13	Right Tilt	-	462000	2310	23.50	23.31	104.47%	0.860	0.898	-
NR n30			50	0	Right Tilt	-	462000	2310	23.00	22.77	105.44%	0.776	0.818	-
NR n30			1	1	Left Touch	-	462000	2310	23.50	23.28	105.20%	0.247	0.260	-
NR n30			25	13	Left Touch	-	462000	2310	23.50	23.31	104.47%	0.220	0.230	-
NR n30			1	1	Left Tilt	-	462000	2310	23.50	23.28	105.20%	0.449	0.472	-
NR n30			25	13	Left Tilt	-	462000	2310	23.50	23.31	104.47%	0.438	0.458	-
NR n30														-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	659000	3885	19.00	18.91	102.09%	0.110	0.112	-
NR n77_PC3			135	69	Right Touch	-	659000	3885	19.00	18.90	102.33%	0.099	0.101	-
NR n77_PC3			1	1	Right Tilt	-	659000	3885	19.00	18.91	102.09%	0.296	0.302	-
NR n77_PC3			135	69	Right Tilt	-	659000	3885	19.00	18.90	102.33%	0.297	0.304	-
NR n77_PC3			1	1	Left Touch	-	659000	3885	19.00	18.91	102.09%	0.057	0.058	-
NR n77_PC3			135	69	Left Touch	-	659000	3885	19.00	18.90	102.33%	0.047	0.048	-
NR n77_PC3			1	1	Left Tilt	-	659000	3885	19.00	18.91	102.09%	0.208	0.212	-
NR n77_PC3			135	69	Left Tilt	-	659000	3885	19.00	18.90	102.33%	0.199	0.204	-
NR n77_PC3														-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	662000	3930	22.00	21.88	102.80%	0.104	0.107	-
NR n77_PC2			135	69	Right Touch	-	662000	3930	22.00	21.90	102.33%	0.103	0.105	-
NR n77_PC2			1	1	Right Tilt	-	662000	3930	22.00	21.88	102.80%	0.310	0.319	-
NR n77_PC2			135	69	Right Tilt	-	662000	3930	22.00	21.90	102.33%	0.280	0.287	-
NR n77_PC2			1	1	Left Touch	-	662000	3930	22.00	21.88	102.80%	0.054	0.056	-
NR n77_PC2			135	69	Left Touch	-	662000	3930	22.00	21.90	102.33%	0.041	0.042	-
NR n77_PC2			1	1	Left Tilt	-	662000	3930	22.00	21.88	102.80%	0.214	0.220	-
NR n77_PC2			135	69	Left Tilt	-	662000	3930	22.00	21.90	102.33%	0.208	0.213	-
NR n77_PC2														-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	633334	3500.01	19.00	18.92	101.86%	0.365	0.372	-
NR n77 & n78_PC3			135	69	Right Touch	-	633334	3500.01	19.00	18.91	102.09%	0.333	0.340	-
NR n77 & n78_PC3			1	137	Right Tilt	-	633334	3500.01	19.00	18.92	101.86%	0.712	0.725	-
NR n77 & n78_PC3			135	69	Right Tilt	-	633334	3500.01	19.00	18.91	102.09%	0.670	0.684	-
NR n77 & n78_PC3			1	137	Left Touch	-	633334	3500.01	19.00	18.92	101.86%	0.335	0.341	-
NR n77 & n78_PC3			135	69	Left Touch	-	633334	3500.01	19.00	18.91	102.09%	0.316	0.323	-
NR n77 & n78_PC3			1	137	Left Tilt	-	633334	3500.01	19.00	18.92	101.86%	0.426	0.434	-
NR n77 & n78_PC3			135	69	Left Tilt	-	633334	3500.01	19.00	18.91	102.09%	0.416	0.425	-
NR n77 & n78_PC3														-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	633334	3500.01	22.00	21.90	102.33%	0.376	0.385	-
NR n77 & n78_PC2			135	69	Right Touch	-	633334	3500.01	22.00	21.91	102.09%	0.352	0.359	-
NR n77 & n78_PC2			1	1	Right Tilt	-	633334	3500.01	22.00	21.90	102.33%	0.704	0.720	-
NR n77 & n78_PC2			1	1	Right Tilt	-	643334	3650.01	22.00	21.90	102.33%	0.581	0.595	-
NR n77 & n78_PC2			1	1	Left Touch	-	633334	3500.01	22.00	21.90	102.33%	0.309	0.316	-
NR n77 & n78_PC2			135	69	Left Touch	-	633334	3500.01	22.00	21.91	102.09%	0.296	0.302	-
NR n77 & n78_PC2			1	1	Left Tilt	-	633334	3500.01	22.00	21.90	102.33%	0.426	0.436	-
NR n77 & n78_PC2			135	69	Left Tilt	-	633334	3500.01	22.00	21.91	102.09%	0.418	0.427	-
NR n77 & n78_PC2														-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	19.00	18.86	103.28%	0.374	0.386	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	19.00	18.80	104.71%	0.366	0.383	-
NR n78_PC3			1	1	Right Tilt	-	650000	3750	19.00	18.86	103.28%	0.712	0.735	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	19.00	18.80	104.71%	0.688	0.720	-
NR n78_PC3			1	1	Left Touch	-	650000	3750	19.00	18.86	103.28%	0.339	0.350	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	19.00	18.80	104.71%	0.318	0.333	-
NR n78_PC3			1	1	Left Tilt	-	650000	3750	19.00	18.86	103.28%	0.459	0.474	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	19.00	18.80	104.71%	0.449	0.470	-
NR n78_PC3														-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	650000	3750	22.00	21.88	102.80%	0.364	0.374	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	22.00	21.82	104.23%	0.361	0.376	-
NR n78_PC2			1	271	Right Tilt	-	650000	3750	22.00	21.88	102.80%	0.700	0.720	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	22.00	21.82	104.23%	0.636	0.663	-
NR n78_PC2			1	271	Left Touch	-	650000	3750	22.00	21.88	102.80%	0.315	0.324	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	22.00	21.82	104.23%	0.302	0.315	-
NR n78_PC2			1	271	Left Tilt	-	650000	3750	22.00	21.88	102.80%	0.427	0.439	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	22.00	21.82	104.23%	0.450	0.469	-
NR n78_PC2														-
NR n78_PC2														-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

Ant8_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	0	Right Touch	-	40620	2593	25.50	24.49	126.18%	0.355	0.448	-
LTE Band 41_PC3			50	0	Right Touch	-	40620	2593	24.50	23.35	130.32%	0.277	0.361	-
LTE Band 41_PC3			1	0	Right Tilt	-	40620	2593	25.50	24.49	126.18%	0.108	0.136	-
LTE Band 41_PC3			50	0	Right Tilt	-	40620	2593	24.50	23.35	130.32%	0.084	0.109	-
LTE Band 41_PC3			1	0	Left Touch	-	39750	2506	25.50	24.62	122.46%	0.306	0.375	-
LTE Band 41_PC3			1	0	Left Touch	-	40185	2549.5	25.50	24.55	124.45%	0.315	0.392	-
LTE Band 41_PC3			1	0	Left Touch	-	40620	2593	25.50	24.49	126.18%	0.522	0.659	094
LTE Band 41_PC3			1	0	Left Touch	-	41055	2636.5	25.50	24.34	130.62%	0.433	0.566	-
LTE Band 41_PC3			1	0	Left Touch	-	41490	2680	25.50	24.32	131.22%	0.362	0.475	-
LTE Band 41_PC3			50	0	Left Touch	-	40620	2593	24.50	23.35	130.32%	0.404	0.526	-
LTE Band 41_PC3			1	0	Left Tilt	-	40620	2593	25.50	24.49	126.18%	0.151	0.191	-
LTE Band 41_PC3			50	0	Left Tilt	-	40620	2593	24.50	23.35	130.32%	0.116	0.151	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Right Touch	-	40620	2593	27.50	26.06	139.32%	0.215	0.300	-
LTE Band 41_PC2			50	50	Right Touch	-	40620	2593	26.00	24.92	128.23%	0.169	0.217	-
LTE Band 41_PC2			1	0	Right Tilt	-	40620	2593	27.50	26.06	139.32%	0.063	0.088	-
LTE Band 41_PC2			50	50	Right Tilt	-	40620	2593	26.00	24.92	128.23%	0.050	0.064	-
LTE Band 41_PC2			1	0	Left Touch	-	39750	2506	27.50	25.99	141.58%	0.236	0.334	-
LTE Band 41_PC2			1	0	Left Touch	-	40185	2549.5	27.50	26.13	137.09%	0.255	0.350	-
LTE Band 41_PC2			1	0	Left Touch	-	40620	2593	27.50	26.06	139.32%	0.368	0.513	095
LTE Band 41_PC2			1	0	Left Touch	-	41055	2636.5	27.50	26.38	129.42%	0.314	0.406	-
LTE Band 41_PC2			1	0	Left Touch	-	41490	2680	27.50	26.03	140.28%	0.279	0.391	-
LTE Band 41_PC2			50	50	Left Touch	-	40620	2593	26.00	24.92	128.23%	0.266	0.341	-
LTE Band 41_PC2			1	0	Left Tilt	-	40620	2593	27.50	26.06	139.32%	0.111	0.155	-
LTE Band 41_PC2			50	50	Left Tilt	-	40620	2593	26.00	24.92	128.23%	0.087	0.112	-
LTE Band 48	20MHz	QPSK	1	0	Right Touch	-	56640	3690	19.50	19.49	100.23%	0.111	0.111	-
LTE Band 48			1	0	Right Tilt	-	56640	3690	19.50	19.49	100.23%	0.027	0.027	-
LTE Band 48			1	0	Left Touch	-	56640	3690	19.50	19.49	100.23%	0.170	0.170	099
LTE Band 48			1	0	Left Tilt	-	56640	3690	19.50	19.49	100.23%	0.135	0.135	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	528000	2640	25.50	24.01	140.93%	0.348	0.490	-
NR n41_PC3			135	69	Right Touch	-	528000	2640	25.50	23.87	145.55%	0.339	0.493	-
NR n41_PC3			1	1	Right Tilt	-	528000	2640	25.50	24.01	140.93%	0.105	0.148	-
NR n41_PC3			135	69	Right Tilt	-	528000	2640	25.50	23.87	145.55%	0.098	0.143	-
NR n41_PC3			1	1	Left Touch	-	509202	2546.01	25.50	24.96	113.24%	0.425	0.481	-
NR n41_PC3			1	1	Left Touch	-	518598	2592.99	25.50	24.54	124.74%	0.513	0.640	100
NR n41_PC3			1	1	Left Touch	-	528000	2640	25.50	24.01	140.93%	0.493	0.695	-
NR n41_PC3			135	69	Left Touch	-	528000	2640	25.50	23.87	145.55%	0.475	0.691	-
NR n41_PC3			1	1	Left Tilt	-	528000	2640	25.50	24.01	140.93%	0.175	0.247	-
NR n41_PC3			135	69	Left Tilt	-	528000	2640	25.50	23.87	145.55%	0.166	0.242	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	528000	2640	27.50	26.02	140.60%	0.327	0.460	-
NR n41_PC2			135	69	Right Touch	-	528000	2640	27.50	25.88	145.21%	0.319	0.463	-
NR n41_PC2			1	1	Right Tilt	-	528000	2640	27.50	26.02	140.60%	0.094	0.132	-
NR n41_PC2			135	69	Right Tilt	-	528000	2640	27.50	25.88	145.21%	0.090	0.131	-
NR n41_PC2			1	1	Left Touch	-	509202	2546.01	27.50	25.91	144.21%	0.417	0.601	-
NR n41_PC2			1	1	Left Touch	-	518598	2592.99	27.50	26.40	128.82%	0.508	0.654	101
NR n41_PC2			1	1	Left Touch	-	528000	2640	27.50	26.02	140.60%	0.432	0.607	-
NR n41_PC2			135	69	Left Touch	-	528000	2640	27.50	25.88	145.21%	0.449	0.652	-
NR n41_PC2			1	1	Left Touch	-	528000	2640	27.50	26.02	140.60%	0.166	0.233	-
NR n41_PC2			135	69	Left Tilt	-	528000	2640	27.50	25.88	145.21%	0.151	0.219	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	640000	3600	24.00	23.79	104.95%	0.594	0.623	-
NR n48			135	69	Right Touch	-	641668	3625.02	24.00	23.71	106.91%	0.596	0.637	-
NR n48			1	137	Right Tilt	-	640000	3600	24.00	23.79	104.95%	0.129	0.135	-
NR n48			135	69	Right Tilt	-	641668	3625.02	24.00	23.71	106.91%	0.125	0.134	-
NR n48			1	137	Left Touch	-	640000	3600	24.00	23.79	104.95%	0.923	0.969	-
NR n48			1	137	Left Touch	-	641668	3625.02	24.00	23.90	102.33%	0.968	0.991	-
NR n48			1	271	Left Touch	-	643332	3649.98	24.00	23.82	104.23%	1.070	1.115	102
NR n48			135	69	Left Touch	-	641668	3625.02	24.00	23.71	106.91%	0.895	0.957	-
NR n48			1	137	Left Tilt	-	640000	3600	24.00	23.79	104.95%	0.279	0.293	-
NR n48			135	69	Left Tilt	-	641668	3625.02	24.00	23.71	106.91%	0.276	0.295	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	662000	3930	22.50	22.41	102.09%	0.759	0.775	-
NR n77_PC3			135	69	Right Touch	-	662000	3930	22.50	22.30	104.71%	0.722	0.756	-
NR n77_PC3			1	137	Right Tilt	-	662000	3930	22.50	22.41	102.09%	0.251	0.256	-
NR n77_PC3			135	69	Right Tilt	-	662000	3930	22.50	22.30	104.71%	0.225	0.236	-
NR n77_PC3			1	271	Left Touch	-	650000	3750	22.50	22.40	102.33%	0.969	0.992	-
NR n77_PC3			1	271	Left Touch	-	653000	3795	22.50	22.37	103.04%	1.070	1.103	103
NR n77_PC3			1	1	Left Touch	-	656000	3840	22.50	22.38	102.80%	1.060	1.090	-
NR n77_PC3			1	1	Left Touch	-	659000	3885	22.50	22.35	103.51%	0.855	0.885	-
NR n77_PC3			1	137	Left Touch	-	662000	3930	22.50	22.41	102.09%	0.768	0.784	-
NR n77_PC3			135	69	Left Touch	-	650000	3750	22.50	22.29	104.95%	0.946	0.993	-
NR n77_PC3			135	69	Left Touch	-	653000	3795	22.50	22.27	105.44%	0.982	1.035	-
NR n77_PC3			135	69	Left Touch	-	656000	3840	22.50	22.26	105.68%	1.010	1.067	-
NR n77_PC3			135	69	Left Touch	-	659000	3885	22.50	22.29	104.95%	0.865	0.908	-
NR n77_PC3			135	69	Left Touch	-	662000	3930	22.50	22.30	104.71%	0.721	0.755	-
NR n77_PC3			270	0	Left Touch	-	656000	3840	22.00	21.90	102.33%	0.855	0.875	-
NR n77_PC3			1	137	Left Tilt	-	662000	3930	22.50	22.41	102.09%	0.340	0.347	-
NR n77_PC3			135	69	Left Tilt	-	662000	3930	22.50	22.30	104.71%	0.319	0.334	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	662000	3930	25.50	25.41	102.09%	0.726	0.741	-
NR n77_PC2			135	69	Right Touch	-	662000	3930	25.50	25.42	101.86%	0.717	0.730	-
NR n77_PC2			1	1	Right Tilt	-	662000	3930	25.50	25.41	102.09%	0.372	0.380	-
NR n77_PC2			135	69	Right Tilt	-	662000	3930	25.50	25.42	101.86%	0.331	0.337	-
NR n77_PC2			1	271	Left Touch	-	650000	3750	25.50	25.38	102.80%	0.993	1.021	-
NR n77_PC2			1	271	Left Touch	-	653000	3795	25.50	25.32	104.23%	1.010	1.053	-
NR n77_PC2			1	137	Left Touch	-	656000	3840	25.50	25.37	103.04%	0.978	1.008	-
NR n77_PC2			1	137	Left Touch	-	659000	3885	25.50	25.33	103.99%	1.020	1.061	-
NR n77_PC2			1	1	Left Touch	-	662000	3930	25.50	25.41	102.09%	1.120	1.143	104
NR n77_PC2			135	69	Left Touch	-	650000	3750	25.50	25.31	104.47%	0.953	0.996	-
NR n77_PC2			135	69	Left Touch	-	653000	3795	25.50	25.30	104.71%	0.946	0.991	-
NR n77_PC2			135	69	Left Touch	-	656000	3840	25.50	25.35	103.51%	0.980	1.014	-
NR n77_PC2			135	69	Left Touch	-	659000	3885	25.50	25.27	105.44%	0.991	1.045	-
NR n77_PC2			135	69	Left Touch	-	662000	3930	25.50	25.42	101.86%	1.080	1.100	-
NR n77_PC2			270	0	Left Touch	-	650000	3750	25.00	24.87	103.04%	0.877	0.904	-
NR n77_PC2			1	1	Left Tilt	-	662000	3930	25.50	25.41	102.09%	0.485	0.495	-
NR n77_PC2			135	69	Left Tilt	-	662000	3930	25.50	25.42	101.86%	0.442	0.450	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	638334	3575.01	22.50	22.44	101.39%	0.579	0.587	-
NR n77 & n78_PC3			135	69	Right Touch	-	640834	3612.51	22.50	22.41	102.09%	0.537	0.548	-
NR n77 & n78_PC3			1	137	Right Tilt	-	638334	3575.01	22.50	22.44	101.39%	0.327	0.332	-
NR n77 & n78_PC3			135	69	Right Tilt	-	640834	3612.51	22.50	22.41	102.09%	0.315	0.322	-
NR n77 & n78_PC3			1	137	Left Touch	-	638334	3575.01	22.50	22.44	101.39%	0.772	0.783	105
NR n77 & n78_PC3			135	69	Left Touch	-	640834	3612.51	22.50	22.41	102.09%	0.605	0.618	-
NR n77 & n78_PC3			1	137	Left Tilt	-	638334	3575.01	22.50	22.44	101.39%	0.382	0.387	-
NR n77 & n78_PC3			135	69	Left Tilt	-	640834	3612.51	22.50	22.41	102.09%	0.371	0.379	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	638334	3575.01	25.50	25.40	102.33%	0.617	0.631	-
NR n77 & n78_PC2			135	69	Right Touch	-	638334	3575.01	25.50	25.41	102.09%	0.599	0.612	-
NR n77 & n78_PC2			1	137	Right Tilt	-	638334	3575.01	25.50	25.40	102.33%	0.270	0.276	-
NR n77 & n78_PC2			135	69	Right Tilt	-	638334	3575.01	25.50	25.41	102.09%	0.237	0.242	-
NR n77 & n78_PC2			1	137	Left Touch	-	638334	3575.01	25.50	25.40	102.33%	0.743	0.760	106
NR n77 & n78_PC2			1	137	Left Touch	-	640834	3612.51	25.50	25.40	102.33%	0.725	0.742	-
NR n77 & n78_PC2			135	69	Left Touch	-	638334	3575.01	25.50	25.41	102.09%	0.728	0.743	-
NR n77 & n78_PC2			1	137	Left Tilt	-	638334	3575.01	25.50	25.40	102.33%	0.379	0.388	-
NR n77 & n78_PC2			135	69	Left Tilt	-	638334	3575.01	25.50	25.41	102.09%	0.358	0.365	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	22.50	22.35	103.51%	0.722	0.747	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	22.50	22.40	102.33%	0.645	0.660	-
NR n78_PC3			1	1	Right Tilt	-	650000	3750	22.50	22.35	103.51%	0.414	0.429	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	22.50	22.40	102.33%	0.391	0.400	-
NR n78_PC3			1	1	Left Touch	-	650000	3750	22.50	22.35	103.51%	0.954	0.988	107
NR n78_PC3			135	69	Left Touch	-	650000	3750	22.50	22.40	102.33%	0.911	0.932	-
NR n78_PC3			1	1	Left Tilt	-	650000	3750	22.50	22.35	103.51%	0.508	0.526	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	22.50	22.40	102.33%	0.493	0.504	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	25.50	25.30	104.71%	0.659	0.690	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	25.50	25.27	105.44%	0.630	0.664	-
NR n78_PC2			1	1	Right Tilt	-	650000	3750	25.50	25.30	104.71%	0.311	0.326	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	25.50	25.27	105.44%	0.277	0.292	-
NR n78_PC2			1	1	Left Touch	-	650000	3750	25.50	25.30	104.71%	0.881	0.923	108
NR n78_PC2			135	69	Left Touch	-	650000	3750	25.50	25.27	105.44%	0.809	0.853	-
NR n78_PC2			1	1	Left Tilt	-	650000	3750	25.50	25.30	104.71%	0.388	0.406	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	25.50	25.27	105.44%	0.366	0.386	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8 DSI7 SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	640000	3600	21.50	21.34	103.75%	0.351	0.364	-
NR n48			135	69	Right Touch	-	641668	3625.02	21.50	21.41	102.09%	0.358	0.365	-
NR n48			1	137	Right Tilt	-	640000	3600	21.50	21.34	103.75%	0.076	0.079	-
NR n48			135	69	Right Tilt	-	641668	3625.02	21.50	21.41	102.09%	0.075	0.077	-
NR n48			1	137	Left Touch	-	640000	3600	21.50	21.34	103.75%	0.632	0.656	-
NR n48			135	69	Left Touch	-	641668	3625.02	21.50	21.41	102.09%	0.538	0.549	-
NR n48			1	137	Left Tilt	-	640000	3600	21.50	21.34	103.75%	0.165	0.171	-
NR n48			135	69	Left Tilt	-	641668	3625.02	21.50	21.41	102.09%	0.166	0.169	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	662000	3930	20.00	19.92	101.86%	0.436	0.444	-
NR n77_PC3			135	69	Right Touch	-	662000	3930	20.00	19.89	102.57%	0.425	0.436	-
NR n77_PC3			1	137	Right Tilt	-	662000	3930	20.00	19.92	101.86%	0.144	0.147	-
NR n77_PC3			135	69	Right Tilt	-	662000	3930	20.00	19.89	102.57%	0.132	0.135	-
NR n77_PC3			1	137	Left Touch	-	662000	3930	20.00	19.92	101.86%	0.441	0.449	-
NR n77_PC3			135	69	Left Touch	-	662000	3930	20.00	19.89	102.57%	0.425	0.436	-
NR n77_PC3			1	137	Left Tilt	-	662000	3930	20.00	19.92	101.86%	0.195	0.199	-
NR n77_PC3			135	69	Left Tilt	-	662000	3930	20.00	19.89	102.57%	0.188	0.193	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	662000	3930	23.00	22.88	102.80%	0.417	0.429	-
NR n77_PC2			135	69	Right Touch	-	662000	3930	23.00	22.89	102.57%	0.411	0.422	-
NR n77_PC2			1	1	Right Tilt	-	662000	3930	23.00	22.88	102.80%	0.214	0.220	-
NR n77_PC2			135	69	Right Tilt	-	662000	3930	23.00	22.89	102.57%	0.190	0.195	-
NR n77_PC2			1	1	Left Touch	-	662000	3930	23.00	22.88	102.80%	0.643	0.661	-
NR n77_PC2			135	69	Left Touch	-	662000	3930	23.00	22.89	102.57%	0.619	0.635	-
NR n77_PC2			1	1	Left Tilt	-	662000	3930	23.00	22.88	102.80%	0.278	0.286	-
NR n77_PC2			135	69	Left Tilt	-	662000	3930	23.00	22.89	102.57%	0.253	0.259	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	638334	3575.01	20.00	19.91	102.09%	0.330	0.337	-
NR n77 & n78_PC3			135	69	Right Touch	-	640834	3612.51	20.00	19.90	102.33%	0.308	0.315	-
NR n77 & n78_PC3			1	1	Right Tilt	-	638334	3575.01	20.00	19.91	102.09%	0.186	0.190	-
NR n77 & n78_PC3			135	69	Right Tilt	-	640834	3612.51	20.00	19.90	102.33%	0.181	0.185	-
NR n77 & n78_PC3			1	1	Left Touch	-	638334	3575.01	20.00	19.91	102.09%	0.440	0.449	-
NR n77 & n78_PC3			135	69	Left Touch	-	640834	3612.51	20.00	19.90	102.33%	0.347	0.355	-
NR n77 & n78_PC3			1	1	Left Tilt	-	638334	3575.01	20.00	19.91	102.09%	0.218	0.223	-
NR n77 & n78_PC3			135	69	Left Tilt	-	640834	3612.51	20.00	19.90	102.33%	0.213	0.218	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	638334	3575.01	23.00	22.89	102.57%	0.355	0.364	-
NR n77 & n78_PC2			135	69	Right Touch	-	638334	3575.01	23.00	22.89	102.57%	0.344	0.353	-
NR n77 & n78_PC2			1	137	Right Tilt	-	638334	3575.01	23.00	22.89	102.57%	0.155	0.159	-
NR n77 & n78_PC2			135	69	Right Tilt	-	638334	3575.01	23.00	22.89	102.57%	0.136	0.139	-
NR n77 & n78_PC2			1	137	Left Touch	-	638334	3575.01	23.00	22.89	102.57%	0.428	0.439	-
NR n77 & n78_PC2			135	69	Left Touch	-	638334	3575.01	23.00	22.89	102.57%	0.418	0.429	-
NR n77 & n78_PC2			1	137	Left Tilt	-	638334	3575.01	23.00	22.89	102.57%	0.218	0.224	-
NR n77 & n78_PC2			135	69	Left Tilt	-	638334	3575.01	23.00	22.89	102.57%	0.206	0.211	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	650000	3750	20.00	19.87	103.04%	0.420	0.433	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	20.00	19.71	106.91%	0.371	0.397	-
NR n78_PC3			1	137	Right Tilt	-	650000	3750	20.00	19.87	103.04%	0.241	0.248	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	20.00	19.71	106.91%	0.225	0.241	-
NR n78_PC3			1	137	Left Touch	-	650000	3750	20.00	19.87	103.04%	0.555	0.572	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	20.00	19.71	106.91%	0.524	0.560	-
NR n78_PC3			1	137	Left Tilt	-	650000	3750	20.00	19.87	103.04%	0.296	0.305	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	20.00	19.71	106.91%	0.284	0.304	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	650000	3750	23.00	22.89	102.57%	0.388	0.398	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	23.00	22.88	102.80%	0.374	0.384	-
NR n78_PC2			1	271	Right Tilt	-	650000	3750	23.00	22.89	102.57%	0.183	0.188	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	23.00	22.88	102.80%	0.164	0.169	-
NR n78_PC2			1	271	Left Touch	-	650000	3750	23.00	22.89	102.57%	0.519	0.532	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	23.00	22.88	102.80%	0.480	0.493	-
NR n78_PC2			1	271	Left Tilt	-	650000	3750	23.00	22.89	102.57%	0.228	0.234	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	23.00	22.88	102.80%	0.217	0.223	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8 DSI7 NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	528000	2640	23.50	23.40	102.33%	0.309	0.316	-
NR n41_PC3			135	69	Right Touch	-	528000	2640	23.50	23.36	103.28%	0.311	0.321	-
NR n41_PC3			1	137	Right Tilt	-	528000	2640	23.50	23.40	102.33%	0.093	0.095	-
NR n41_PC3			135	69	Right Tilt	-	528000	2640	23.50	23.36	103.28%	0.090	0.093	-
NR n41_PC3			1	137	Left Touch	-	528000	2640	23.50	23.40	102.33%	0.385	0.394	-
NR n41_PC3			135	69	Left Touch	-	528000	2640	23.50	23.36	103.28%	0.390	0.403	-
NR n41_PC3			1	137	Left Tilt	-	528000	2640	23.50	23.40	102.33%	0.156	0.160	-
NR n41_PC3			135	69	Left Tilt	-	528000	2640	23.50	23.36	103.28%	0.152	0.157	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	528000	2640	26.50	26.02	111.69%	0.327	0.365	-
NR n41_PC2			135	69	Right Touch	-	528000	2640	26.50	25.88	115.35%	0.319	0.368	-
NR n41_PC2			1	1	Right Tilt	-	528000	2640	26.50	26.02	111.69%	0.094	0.105	-
NR n41_PC2			135	69	Right Tilt	-	528000	2640	26.50	25.88	115.35%	0.090	0.104	-
NR n41_PC2			1	1	Left Touch	-	509202	2546.01	26.50	25.91	114.55%	0.417	0.478	-
NR n41_PC2			1	1	Left Touch	-	518598	2592.99	26.50	26.40	102.33%	0.488	0.499	-
NR n41_PC2			1	1	Left Touch	-	528000	2640	26.50	26.02	111.69%	0.442	0.494	-
NR n41_PC2			135	69	Left Touch	-	528000	2640	26.50	25.88	115.35%	0.419	0.483	-
NR n41_PC2			1	1	Left Tilt	-	528000	2640	26.50	26.02	111.69%	0.166	0.185	-
NR n41_PC2			135	69	Left Tilt	-	528000	2640	26.50	25.88	115.35%	0.151	0.174	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	656000	3840	19.00	18.90	102.33%	0.346	0.354	-
NR n77_PC3			135	69	Right Touch	-	656000	3840	19.00	18.89	102.57%	0.338	0.347	-
NR n77_PC3			1	1	Right Tilt	-	656000	3840	19.00	18.90	102.33%	0.114	0.117	-
NR n77_PC3			135	69	Right Tilt	-	656000	3840	19.00	18.89	102.57%	0.105	0.108	-
NR n77_PC3			1	1	Left Touch	-	656000	3840	19.00	18.90	102.33%	0.487	0.498	-
NR n77_PC3			135	69	Left Touch	-	656000	3840	19.00	18.89	102.57%	0.477	0.489	-
NR n77_PC3			1	1	Left Tilt	-	656000	3840	19.00	18.90	102.33%	0.155	0.159	-
NR n77_PC3			135	69	Left Tilt	-	656000	3840	19.00	18.89	102.57%	0.149	0.153	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	650000	3750	22.00	21.87	103.04%	0.326	0.336	-
NR n77_PC2			135	69	Right Touch	-	662000	3930	22.00	21.84	103.75%	0.321	0.333	-
NR n77_PC2			1	137	Right Tilt	-	650000	3750	22.00	21.87	103.04%	0.151	0.156	-
NR n77_PC2			135	69	Right Tilt	-	662000	3930	22.00	21.84	103.75%	0.141	0.146	-
NR n77_PC2			1	137	Left Touch	-	650000	3750	22.00	21.87	103.04%	0.336	0.346	-
NR n77_PC2			135	69	Left Touch	-	662000	3930	22.00	21.84	103.75%	0.331	0.343	-
NR n77_PC2			1	137	Left Tilt	-	650000	3750	22.00	21.87	103.04%	0.201	0.207	-
NR n77_PC2			135	69	Left Tilt	-	662000	3930	22.00	21.84	103.75%	0.201	0.209	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	638334	3575.01	19.00	18.90	102.33%	0.262	0.268	-
NR n77 & n78_PC3			135	69	Right Touch	-	640834	3612.51	19.00	18.85	103.51%	0.245	0.254	-
NR n77 & n78_PC3			1	137	Right Tilt	-	638334	3575.01	19.00	18.90	102.33%	0.148	0.151	-
NR n77 & n78_PC3			135	69	Right Tilt	-	640834	3612.51	19.00	18.85	103.51%	0.144	0.149	-
NR n77 & n78_PC3			1	137	Left Touch	-	638334	3575.01	19.00	18.90	102.33%	0.330	0.338	-
NR n77 & n78_PC3			135	69	Left Touch	-	640834	3612.51	19.00	18.85	103.51%	0.276	0.286	-
NR n77 & n78_PC3			1	137	Left Tilt	-	638334	3575.01	19.00	18.90	102.33%	0.173	0.177	-
NR n77 & n78_PC3			135	69	Left Tilt	-	640834	3612.51	19.00	18.85	103.51%	0.169	0.175	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Right Touch	-	638334	3575.01	22.00	21.90	102.33%	0.282	0.289	-
NR n77 & n78_PC2			135	69	Right Touch	-	643334	3650.01	22.00	21.90	102.33%	0.273	0.279	-
NR n77 & n78_PC2			1	137	Right Tilt	-	638334	3575.01	22.00	21.90	102.33%	0.123	0.126	-
NR n77 & n78_PC2			135	69	Right Tilt	-	643334	3650.01	22.00	21.90	102.33%	0.108	0.111	-
NR n77 & n78_PC2			1	137	Left Touch	-	638334	3575.01	22.00	21.90	102.33%	0.340	0.348	-
NR n77 & n78_PC2			135	69	Left Touch	-	643334	3650.01	22.00	21.90	102.33%	0.332	0.340	-
NR n77 & n78_PC2			1	137	Left Tilt	-	638334	3575.01	22.00	21.90	102.33%	0.173	0.177	-
NR n77 & n78_PC2			135	69	Left Tilt	-	643334	3650.01	22.00	21.90	102.33%	0.163	0.167	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Right Touch	-	650000	3750	19.00	18.77	105.44%	0.334	0.352	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	19.00	18.75	105.93%	0.295	0.312	-
NR n78_PC3			1	1	Right Tilt	-	650000	3750	19.00	18.77	105.44%	0.191	0.201	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	19.00	18.75	105.93%	0.179	0.190	-
NR n78_PC3			1	1	Left Touch	-	650000	3750	19.00	18.77	105.44%	0.341	0.360	-
NR n78_PC3			135	69	Left Touch	-	650000	3750	19.00	18.75	105.93%	0.316	0.335	-
NR n78_PC3			1	1	Left Tilt	-	650000	3750	19.00	18.77	105.44%	0.235	0.248	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	19.00	18.75	105.93%	0.225	0.238	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Right Touch	-	650000	3750	22.00	21.89	102.57%	0.308	0.316	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	22.00	21.72	106.66%	0.297	0.317	-
NR n78_PC2			1	271	Right Tilt	-	650000	3750	22.00	21.89	102.57%	0.145	0.149	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	22.00	21.72	106.66%	0.130	0.139	-
NR n78_PC2			1	271	Left Touch	-	650000	3750	22.00	21.89	102.57%	0.312	0.320	-
NR n78_PC2			135	69	Left Touch	-	650000	3750	22.00	21.72	106.66%	0.331	0.353	-
NR n78_PC2			1	271	Left Tilt	-	650000	3750	22.00	21.89	102.57%	0.181	0.186	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	22.00	21.72	106.66%	0.172	0.183	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9_DSI6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	0	Right Touch	-	40185	2549.5	25.50	24.55	124.45%	0.024	0.030	-
LTE Band 41_PC3			50	25	Right Touch	-	40185	2549.5	24.50	23.39	129.12%	0.017	0.022	-
LTE Band 41_PC3			1	0	Right Tilt	-	40185	2549.5	25.50	24.55	124.45%	0.006	0.007	-
LTE Band 41_PC3			50	25	Right Tilt	-	40185	2549.5	24.50	23.39	129.12%	0.003	0.004	-
LTE Band 41_PC3			1	0	Left Touch	-	39750	2506	25.50	24.62	122.46%	0.052	0.064	109
LTE Band 41_PC3			1	0	Left Touch	-	40185	2549.5	25.50	24.55	124.45%	0.048	0.060	-
LTE Band 41_PC3			1	0	Left Touch	-	40620	2593	25.50	24.49	126.18%	0.040	0.050	-
LTE Band 41_PC3			1	0	Left Touch	-	41055	2636.5	25.50	24.34	130.62%	0.031	0.040	-
LTE Band 41_PC3			1	0	Left Touch	-	41490	2680	25.50	24.32	131.22%	0.019	0.025	-
LTE Band 41_PC3			50	25	Left Touch	-	40185	2549.5	24.50	23.39	129.12%	0.036	0.046	-
LTE Band 41_PC3			1	0	Left Tilt	-	40185	2549.5	25.50	24.55	124.45%	0.011	0.014	-
LTE Band 41_PC3			50	25	Left Tilt	-	40185	2549.5	24.50	23.39	129.12%	0.007	0.009	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Right Touch	-	40185	2549.5	27.50	26.13	137.09%	0.019	0.026	-
LTE Band 41_PC2			50	0	Right Touch	-	40185	2549.5	26.00	24.99	126.18%	0.016	0.020	-
LTE Band 41_PC2			1	0	Right Tilt	-	40185	2549.5	27.50	26.13	137.09%	0.004	0.005	-
LTE Band 41_PC2			50	0	Right Tilt	-	40185	2549.5	26.00	24.99	126.18%	0.002	0.003	-
LTE Band 41_PC2			1	0	Left Touch	-	39750	2506	27.50	25.99	141.58%	0.040	0.057	110
LTE Band 41_PC2			1	0	Left Touch	-	40185	2549.5	23.08	26.13	49.55%	0.035	0.017	-
LTE Band 41_PC2			1	0	Left Touch	-	40620	2593	27.50	26.06	139.32%	0.022	0.031	-
LTE Band 41_PC2			1	0	Left Touch	-	41055	2636.5	27.50	26.38	129.42%	0.018	0.023	-
LTE Band 41_PC2			1	0	Left Touch	-	41490	2680	27.50	26.03	140.28%	0.014	0.020	-
LTE Band 41_PC2			50	0	Left Touch	-	40185	2549.5	26.00	24.99	126.18%	0.025	0.032	-
LTE Band 41_PC2			1	0	Left Tilt	-	40185	2549.5	27.50	26.13	137.09%	0.009	0.012	-
LTE Band 41_PC2			50	0	Left Tilt	-	40185	2549.5	26.00	24.99	126.18%	0.005	0.006	-
LTE Band 48	20MHz	QPSK	1	0	Right Touch	-	56150	3641	19.50	19.47	100.69%	0.010	0.010	-
LTE Band 48			50	50	Right Touch	-	55830	3609	18.50	18.49	100.23%	0.007	0.007	-
LTE Band 48			1	0	Right Tilt	-	56150	3641	19.50	19.47	100.69%	0.003	0.003	-
LTE Band 48			50	50	Right Tilt	-	55830	3609	18.50	18.49	100.23%	0.001	0.001	-
LTE Band 48			1	0	Left Touch	-	55340	3560	19.50	19.44	101.39%	0.025	0.025	114
LTE Band 48			1	0	Left Touch	-	55830	3609	19.50	19.46	100.93%	0.020	0.020	-
LTE Band 48			1	0	Left Touch	-	56150	3641	19.50	19.47	100.69%	0.018	0.018	-
LTE Band 48			50	50	Left Touch	-	55830	3609	18.50	18.49	100.23%	0.016	0.016	-
LTE Band 48			1	0	Left Tilt	-	56150	3641	19.50	19.47	100.69%	0.008	0.008	-
LTE Band 48			50	50	Left Tilt	-	55830	3609	18.50	18.49	100.23%	0.005	0.005	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n41_PC3	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	518598	2592.99	25.50	24.54	124.74%	0.015	0.019	-
NR n41_PC3			135	69	Right Touch	-	518598	2592.99	25.50	24.48	126.47%	0.011	0.014	-
NR n41_PC3			1	1	Right Tilt	-	518598	2592.99	25.50	24.54	124.74%	0.005	0.006	-
NR n41_PC3			135	69	Right Tilt	-	518598	2592.99	25.50	24.48	126.47%	0.003	0.004	-
NR n41_PC3			1	1	Left Touch	-	509202	2546.01	25.50	24.96	113.24%	0.018	0.020	-
NR n41_PC3			1	1	Left Touch	-	518598	2592.99	25.50	24.54	124.74%	0.028	0.035	115
NR n41_PC3			1	1	Left Touch	-	528000	2640	25.50	24.01	140.93%	0.014	0.020	-
NR n41_PC3			135	69	Left Touch	-	518598	2592.99	25.50	24.48	126.47%	0.021	0.027	-
NR n41_PC3			1	1	Left Tilt	-	518598	2592.99	25.50	24.54	124.74%	0.008	0.010	-
NR n41_PC3			135	69	Left Tilt	-	518598	2592.99	25.50	24.48	126.47%	0.005	0.006	-
NR n41_PC2	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	518598	2592.99	27.50	26.40	128.82%	0.014	0.018	-
NR n41_PC2			135	69	Right Touch	-	518598	2592.99	27.50	26.29	132.13%	0.011	0.015	-
NR n41_PC2			1	1	Right Tilt	-	518598	2592.99	27.50	26.40	128.82%	0.009	0.012	-
NR n41_PC2			135	69	Right Tilt	-	518598	2592.99	27.50	26.29	132.13%	0.006	0.008	-
NR n41_PC2			1	1	Left Touch	-	509202	2546.01	27.50	25.91	144.21%	0.022	0.032	-
NR n41_PC2			1	1	Left Touch	-	518598	2592.99	27.50	26.40	128.82%	0.032	0.041	116
NR n41_PC2			1	1	Left Touch	-	528000	2640	27.50	26.02	140.60%	0.019	0.027	-
NR n41_PC2			135	69	Left Touch	-	518598	2592.99	27.50	26.29	132.13%	0.026	0.034	-
NR n41_PC2			1	1	Left Tilt	-	518598	2592.99	27.50	26.40	128.82%	0.010	0.013	-
NR n41_PC2			135	69	Left Tilt	-	518598	2592.99	27.50	26.29	132.13%	0.007	0.009	-
NR n48	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	640000	3600	26.00	25.05	124.45%	0.016	0.020	-
NR n48			135	69	Right Touch	-	640000	3600	26.00	24.91	128.53%	0.013	0.017	-
NR n48			1	1	Right Tilt	-	640000	3600	26.00	25.05	124.45%	0.010	0.012	-
NR n48			135	69	Right Tilt	-	640000	3600	26.00	24.91	128.53%	0.008	0.010	-
NR n48			1	1	Left Touch	-	640000	3600	26.00	25.05	124.45%	0.023	0.029	117
NR n48			1	1	Left Touch	-	641668	3625.02	26.00	25.03	125.03%	0.017	0.021	-
NR n48			1	1	Left Touch	-	643332	3649.98	26.00	24.91	128.53%	0.020	0.026	-
NR n48			135	69	Left Touch	-	640000	3600	26.00	24.91	128.53%	0.016	0.021	-
NR n48			1	1	Left Tilt	-	640000	3600	26.00	25.05	124.45%	0.008	0.010	-
NR n48			135	69	Left Tilt	-	640000	3600	26.00	24.91	128.53%	0.006	0.008	-
NR n77_PC3	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	662000	3930	26.00	25.90	102.33%	0.008	0.008	-
NR n77_PC3			135	69	Right Touch	-	662000	3930	26.00	25.80	104.71%	0.004	0.004	-
NR n77_PC3			1	1	Right Tilt	-	662000	3930	26.00	25.90	102.33%	0.006	0.006	-
NR n77_PC3			135	69	Right Tilt	-	662000	3930	26.00	25.80	104.71%	0.005	0.005	-
NR n77_PC3			1	1	Left Touch	-	650000	3750	26.00	25.40	114.82%	0.010	0.011	118
NR n77_PC3			1	1	Left Touch	-	653000	3795	26.00	25.21	119.95%	0.007	0.008	-
NR n77_PC3			1	1	Left Touch	-	656000	3840	26.00	25.52	111.69%	0.002	0.002	-
NR n77_PC3			1	1	Left Touch	-	659000	3885	26.00	25.83	103.99%	0.008	0.008	-
NR n77_PC3			1	1	Left Touch	-	662000	3930	26.00	25.90	102.33%	0.009	0.009	-
NR n77_PC3			135	69	Left Touch	-	662000	3930	26.00	25.80	104.71%	0.008	0.008	-
NR n77_PC3	1	1	Left Tilt	-	662000	3930	26.00	25.90	102.33%	0.004	0.004	-		
NR n77_PC3	135	69	Left Tilt	-	662000	3930	26.00	25.80	104.71%	0.003	0.003	-		
NR n77_PC2	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	659000	3885	28.00	26.72	134.28%	0.015	0.020	-
NR n77_PC2			135	69	Right Touch	-	659000	3885	28.00	26.59	138.36%	0.013	0.018	-
NR n77_PC2			1	1	Right Tilt	-	659000	3885	28.00	26.72	134.28%	0.007	0.009	-
NR n77_PC2			135	69	Right Tilt	-	659000	3885	28.00	26.59	138.36%	0.005	0.007	-
NR n77_PC2			1	1	Left Touch	-	650000	3750	28.00	26.43	143.55%	0.025	0.036	119
NR n77_PC2			1	1	Left Touch	-	653000	3795	28.00	26.82	131.22%	0.021	0.028	-
NR n77_PC2			1	1	Left Touch	-	656000	3840	28.00	26.67	135.83%	0.023	0.031	-
NR n77_PC2			1	1	Left Touch	-	659000	3885	28.00	26.72	134.28%	0.024	0.032	-
NR n77_PC2			1	1	Left Touch	-	662000	3930	28.00	26.87	129.72%	0.022	0.029	-
NR n77_PC2			135	69	Left Touch	-	659000	3885	28.00	26.59	138.36%	0.021	0.029	-
NR n77_PC2	1	1	Left Tilt	-	659000	3885	28.00	26.72	134.28%	0.012	0.016	-		
NR n77_PC2	135	69	Left Tilt	-	659000	3885	28.00	26.59	138.36%	0.011	0.015	-		
NR n77 & n78_PC3	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	638334	3575.01	26.00	25.44	113.76%	0.014	0.016	-
NR n77 & n78_PC3			135	69	Right Touch	-	638334	3575.01	26.00	25.29	117.76%	0.011	0.013	-
NR n77 & n78_PC3			1	1	Right Tilt	-	638334	3575.01	26.00	25.44	113.76%	0.006	0.007	-
NR n77 & n78_PC3			135	69	Right Tilt	-	638334	3575.01	26.00	25.29	117.76%	0.005	0.006	-
NR n77 & n78_PC3			1	1	Left Touch	-	633334	3500.01	26.00	25.34	116.41%	0.013	0.015	-
NR n77 & n78_PC3			1	1	Left Touch	-	635834	3537.51	26.00	25.37	115.61%	0.017	0.020	-
NR n77 & n78_PC3			1	1	Left Touch	-	638334	3575.01	26.00	25.44	113.76%	0.021	0.024	-
NR n77 & n78_PC3			1	1	Left Touch	-	640834	3612.51	26.00	25.42	114.29%	0.025	0.029	-
NR n77 & n78_PC3			1	1	Left Touch	-	643334	3650.01	26.00	25.28	118.03%	0.029	0.034	120
NR n77 & n78_PC3			135	69	Left Touch	-	638334	3575.01	26.00	25.29	117.76%	0.019	0.022	-
NR n77 & n78_PC3	1	1	Left Tilt	-	638334	3575.01	26.00	25.44	113.76%	0.011	0.013	-		
NR n77 & n78_PC3	135	69	Left Tilt	-	638334	3575.01	26.00	25.29	117.76%	0.009	0.011	-		
NR n77 & n78_PC2	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	633334	3500.01	28.00	26.87	129.72%	0.006	0.008	-
NR n77 & n78_PC2			135	69	Right Touch	-	633334	3500.01	28.00	26.74	133.66%	0.005	0.007	-
NR n77 & n78_PC2			1	1	Right Tilt	-	633334	3500.01	28.00	26.87	129.72%	0.002	0.003	-
NR n77 & n78_PC2			135	69	Right Tilt	-	633334	3500.01	28.00	26.74	133.66%	0.001	0.001	-
NR n77 & n78_PC2			1	1	Left Touch	-	633334	3500.01	28.00	26.87	129.72%	0.007	0.009	-
NR n77 & n78_PC2			1	1	Left Touch	-	635834	3537.51	28.00	26.91	128.53%	0.009	0.012	-
NR n77 & n78_PC2			1	1	Left Touch	-	638334	3575.01	28.00	26.96	127.06%	0.011	0.014	-
NR n77 & n78_PC2			1	1	Left Touch	-	640834	3612.51	28.00	26.94	127.64%	0.015	0.019	-
NR n77 & n78_PC2			1	1	Left Touch	-	643334	3650.01	28.00	26.78	132.43%	0.016	0.021	121
NR n77 & n78_PC2			135	69	Left Touch	-	633334	3500.01	28.00	26.74	133.66%	0.006	0.008	-
NR n77 & n78_PC2	1	1	Left Tilt	-	633334	3500.01	28.00	26.87	129.72%	0.004	0.005	-		
NR n77 & n78_PC2	135	69	Left Tilt	-	633334	3500.01	28.00	26.74	133.66%	0.004	0.005	-		
NR n78_PC3	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	650000	3750	26.00	25.28	118.03%	0.015	0.018	-
NR n78_PC3			135	69	Right Touch	-	650000	3750	26.00	25.16	121.34%	0.011	0.013	-
NR n78_PC3			1	1	Right Tilt	-	650000	3750	26.00	25.28	118.03%	0.003	0.004	-
NR n78_PC3			135	69	Right Tilt	-	650000	3750	26.00	25.16	121.34%	0.001	0.001	-
NR n78_PC3			1	1	Left Touch	-	650000	3750	26.00	25.28	118.03%	0.032	0.038	122
NR n78_PC3			135	69	Left Touch	-	650000	3750	26.00	25.16	121.34%	0.028	0.034	-
NR n78_PC3			1	1	Left Tilt	-	650000	3750	26.00	25.28	118.03%	0.006	0.007	-
NR n78_PC3			135	69	Left Tilt	-	650000	3750	26.00	25.16	121.34%	0.004	0.005	-
NR n78_PC2	100MHz	SCS 30kHz P/2 BPSK	1	1	Right Touch	-	650000	3750	28.00	27.48	112.72%	0.018	0.020	-
NR n78_PC2			135	69	Right Touch	-	650000	3750	28.00	27.39	115.08%	0.015	0.017	-
NR n78_PC2			1	1	Right Tilt	-	650000	3750	28.00	27.48	112.72%	0.005	0.006	-
NR n78_PC2			135	69	Right Tilt	-	650000	3750	28.00	27.39	115.08%	0.004	0.005	-
NR n78_PC2			1	1	Left Touch	-	650000	3750	28.00	27.48	112.72%	0.035	0.039	123
NR n78_PC2			135	69	Left Touch	-	650000	3750	28.00	27.39	115.08%	0.030	0.035	-
NR n78_PC2			1	1	Left Tilt	-	650000	3750	28.00	27.48	112.72%	0.010	0.011	-
NR n78_PC2			135	69	Left Tilt	-	650000	3750	28.00	27.39	115.08%	0.007	0.008	-

WLAN
DSI6_SISO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4	Right Touch	-	6	2437	19.00	18.98	1.03	100.46%	0.331	0.341	-
WLAN 802.11b	Ant4	Right Tilt	-	6	2437	19.00	18.98	1.03	100.46%	0.230	0.237	-
WLAN 802.11b	Ant4	Left Touch	-	6	2437	19.00	18.98	1.03	100.46%	1.030	1.062	124
WLAN 802.11b	Ant4	Left Touch	-	11	2462	19.00	18.93	1.03	101.62%	0.994	1.036	-
WLAN 802.11b	Ant4	Left Tilt	-	6	2437	19.00	18.98	1.03	100.46%	0.748	0.771	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant4	Right Touch	-	39	2441	16.50	16.28	1.12	105.10%	0.042	0.049	-
Bluetooth(GFSK)	Ant4	Right Tilt	-	39	2441	16.50	16.28	1.12	105.10%	0.033	0.039	-
Bluetooth(GFSK)	Ant4	Left Touch	-	39	2441	16.50	16.28	1.12	105.10%	0.139	0.164	125
Bluetooth(GFSK)	Ant4	Left Tilt	-	39	2441	16.50	16.28	1.12	105.10%	0.092	0.108	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant4	Right Touch	-	46	5230	19.00	18.97	1.01	100.69%	0.409	0.416	-
WLAN 802.11n(40M) 5.2G	Ant4	Right Tilt	-	46	5230	19.00	18.97	1.01	100.69%	0.269	0.274	-
WLAN 802.11n(40M) 5.2G	Ant4	Left Touch	-	38	5190	13.50	13.45	1.01	101.16%	0.305	0.312	-
WLAN 802.11n(40M) 5.2G	Ant4	Left Touch	-	46	5230	19.00	18.97	1.01	100.69%	1.120	1.139	126
WLAN 802.11n(40M) 5.2G	Ant4	Left Tilt	-	46	5230	19.00	18.97	1.01	100.69%	0.792	0.805	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant4	Right Touch	-	54	5270	19.00	18.98	1.01	100.46%	0.419	0.425	-
WLAN 802.11n(40M) 5.3G	Ant4	Right Tilt	-	54	5270	19.00	18.98	1.01	100.46%	0.283	0.287	-
WLAN 802.11n(40M) 5.3G	Ant4	Left Touch	-	54	5270	19.00	18.98	1.01	100.46%	1.130	1.147	127
WLAN 802.11n(40M) 5.3G	Ant4	Left Touch	-	62	5310	16.50	16.48	1.01	100.46%	0.602	0.611	-
WLAN 802.11n(40M) 5.3G	Ant4	Left Tilt	-	54	5270	19.00	18.98	1.01	100.46%	0.731	0.742	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.6G	Ant4	Right Touch	-	138	5690	16.50	16.48	1.01	100.46%	0.300	0.304	-
WLAN 802.11ac(80M) 5.6G	Ant4	Right Tilt	-	138	5690	16.50	16.48	1.01	100.46%	0.260	0.264	-
WLAN 802.11ac(80M) 5.6G	Ant4	Left Touch	-	122	5610	16.50	16.35	1.01	103.51%	0.987	1.032	-
WLAN 802.11ac(80M) 5.6G	Ant4	Left Touch	-	138	5690	16.50	16.48	1.01	100.46%	1.110	1.126	128
WLAN 802.11ac(80M) 5.6G	Ant4	Left Tilt	-	138	5690	16.50	16.48	1.01	100.46%	0.712	0.722	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant4	Right Touch	-	155	5775	17.00	16.98	1.01	100.46%	0.292	0.296	-
WLAN 802.11ac(80M) 5.8G	Ant4	Right Tilt	-	155	5775	17.00	16.98	1.01	100.46%	0.249	0.253	-
WLAN 802.11ac(80M) 5.8G	Ant4	Left Touch	-	155	5775	17.00	16.98	1.01	100.46%	1.080	1.096	129
WLAN 802.11ac(80M) 5.8G	Ant4	Left Tilt	-	155	5775	17.00	16.98	1.01	100.46%	0.715	0.725	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(160M) 5.9G	Ant4	Right Touch	-	163	5815	17.00	16.95	1.01	101.16%	0.228	0.233	-
WLAN 802.11ac(160M) 5.9G	Ant4	Right Tilt	-	163	5815	17.00	16.95	1.01	101.16%	0.192	0.196	-
WLAN 802.11ac(160M) 5.9G	Ant4	Left Touch	-	163	5815	17.00	16.95	1.01	101.16%	1.070	1.093	130
WLAN 802.11ac(160M) 5.9G	Ant4	Left Tilt	-	163	5815	17.00	16.95	1.01	101.16%	0.677	0.692	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant5	Right Touch	-	1	2412	22.00	21.47	1.03	112.98%	0.765	0.887	-
WLAN 802.11b	Ant5	Right Touch	-	6	2437	22.00	21.79	1.03	104.95%	0.834	0.898	131
WLAN 802.11b	Ant5	Right Tilt	-	6	2437	22.00	21.79	1.03	104.95%	0.458	0.493	-
WLAN 802.11b	Ant5	Left Touch	-	6	2437	22.00	21.79	1.03	104.95%	0.235	0.253	-
WLAN 802.11b	Ant5	Left Tilt	-	6	2437	22.00	21.79	1.03	104.95%	0.185	0.199	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant5	Right Touch	-	39	2441	16.50	16.17	1.12	107.80%	0.039	0.048	132
Bluetooth(GFSK)	Ant5	Right Tilt	-	39	2441	16.50	16.17	1.12	107.80%	0.026	0.031	-
Bluetooth(GFSK)	Ant5	Left Touch	-	39	2441	16.50	16.17	1.12	107.80%	0.022	0.026	-
Bluetooth(GFSK)	Ant5	Left Tilt	-	39	2441	16.50	16.17	1.12	107.80%	0.016	0.020	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant5	Right Touch	-	38	5190	13.00	12.99	1.01	100.23%	0.048	0.049	-
WLAN 802.11n(40M) 5.2G	Ant5	Right Touch	-	46	5230	19.50	19.49	1.01	100.23%	0.279	0.282	133
WLAN 802.11n(40M) 5.2G	Ant5	Right Tilt	-	46	5230	19.50	19.49	1.01	100.23%	0.178	0.180	-
WLAN 802.11n(40M) 5.2G	Ant5	Left Touch	-	46	5230	19.50	19.49	1.01	100.23%	0.135	0.137	-
WLAN 802.11n(40M) 5.2G	Ant5	Left Tilt	-	46	5230	19.50	19.49	1.01	100.23%	0.098	0.099	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant5	Right Touch	-	54	5270	19.50	19.16	1.01	108.14%	0.255	0.279	134
WLAN 802.11n(40M) 5.3G	Ant5	Right Tilt	-	54	5270	19.50	19.16	1.01	108.14%	0.181	0.198	-
WLAN 802.11n(40M) 5.3G	Ant5	Left Touch	-	54	5270	19.50	19.16	1.01	108.14%	0.137	0.150	-
WLAN 802.11n(40M) 5.3G	Ant5	Left Tilt	-	54	5270	19.50	19.16	1.01	108.14%	0.104	0.114	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.6G	Ant5	Right Touch	-	138	5690	19.00	18.98	1.01	100.46%	0.451	0.458	135
WLAN 802.11ac(80M) 5.6G	Ant5	Right Tilt	-	138	5690	19.00	18.98	1.01	100.46%	0.372	0.377	-
WLAN 802.11ac(80M) 5.6G	Ant5	Left Touch	-	138	5690	19.00	18.98	1.01	100.46%	0.332	0.337	-
WLAN 802.11ac(80M) 5.6G	Ant5	Left Tilt	-	138	5690	19.00	18.98	1.01	100.46%	0.278	0.282	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant5	Right Touch	-	155	5775	18.50	18.45	1.01	101.16%	0.255	0.261	136
WLAN 802.11ac(80M) 5.8G	Ant5	Right Tilt	-	155	5775	18.50	18.45	1.01	101.16%	0.224	0.229	-
WLAN 802.11ac(80M) 5.8G	Ant5	Left Touch	-	155	5775	18.50	18.45	1.01	101.16%	0.199	0.203	-
WLAN 802.11ac(80M) 5.8G	Ant5	Left Tilt	-	155	5775	18.50	18.45	1.01	101.16%	0.173	0.177	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.9G	Ant5	Right Touch	-	171	5855	18.50	18.49	1.01	100.23%	0.214	0.217	137
WLAN 802.11ac(80M) 5.9G	Ant5	Right Tilt	-	171	5855	18.50	18.49	1.01	100.23%	0.198	0.200	-
WLAN 802.11ac(80M) 5.9G	Ant5	Left Touch	-	171	5855	18.50	18.49	1.01	100.23%	0.155	0.157	-
WLAN 802.11ac(80M) 5.9G	Ant5	Left Tilt	-	171	5855	18.50	18.49	1.01	100.23%	0.137	0.139	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI6_MIMO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4+Ant5	Right Touch	-	6	2437	23.50	23.44	1.03	101.39%	0.313	0.326	-
WLAN 802.11b	Ant4+Ant5	Right Tilt	-	6	2437	23.50	23.44	1.03	101.39%	0.189	0.197	-
WLAN 802.11b	Ant4+Ant5	Left Touch	-	6	2437	23.50	23.44	1.03	101.39%	0.987	1.027	-
WLAN 802.11b	Ant4+Ant5	Left Touch	-	11	2462	23.50	23.31	1.03	104.47%	0.934	1.001	-
WLAN 802.11b	Ant4+Ant5	Left Tilt	-	6	2437	23.50	23.44	1.03	101.39%	0.648	0.674	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Right Touch	-	46	5230	22.00	21.92	1.01	101.86%	0.325	0.334	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Right Tilt	-	46	5230	22.00	21.92	1.01	101.86%	0.240	0.247	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Left Touch	-	38	5190	16.00	15.65	1.01	108.39%	0.278	0.304	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Left Touch	-	46	5230	22.00	21.92	1.01	101.86%	1.020	1.049	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Left Tilt	-	46	5230	22.00	21.92	1.01	101.86%	0.752	0.774	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Right Touch	-	54	5270	22.00	21.98	1.01	100.46%	0.335	0.340	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Right Tilt	-	54	5270	22.00	21.98	1.01	100.46%	0.261	0.265	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Left Touch	-	54	5270	22.00	21.98	1.01	100.46%	0.972	0.986	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Left Touch	-	62	5310	18.50	18.48	1.01	100.46%	0.544	0.552	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Left Tilt	-	54	5270	22.00	21.98	1.01	100.46%	0.611	0.620	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.6G	Ant4+Ant5	Right Touch	-	138	5690	20.50	20.42	1.01	101.86%	0.263	0.271	-
WLAN 802.11ac(80M) 5.6G	Ant4+Ant5	Right Tilt	-	138	5690	20.50	20.42	1.01	101.86%	0.231	0.238	-
WLAN 802.11ac(80M) 5.6G	Ant4+Ant5	Left Touch	-	122	5610	20.50	20.36	1.01	103.28%	0.927	0.967	-
WLAN 802.11ac(80M) 5.6G	Ant4+Ant5	Left Touch	-	138	5690	20.50	20.42	1.01	101.86%	1.060	1.091	-
WLAN 802.11ac(80M) 5.6G	Ant4+Ant5	Left Tilt	-	138	5690	20.50	20.42	1.01	101.86%	0.623	0.641	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Right Touch	-	155	5775	20.50	20.41	1.01	102.09%	0.262	0.270	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Right Tilt	-	155	5775	20.50	20.41	1.01	102.09%	0.228	0.235	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Left Touch	-	155	5775	20.50	20.41	1.01	102.09%	1.020	1.052	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Left Tilt	-	155	5775	20.50	20.41	1.01	102.09%	0.621	0.640	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.9G	Ant4+Ant5	Right Touch	-	171	5855	20.50	20.21	1.01	106.91%	0.257	0.277	-
WLAN 802.11ac(80M) 5.9G	Ant4+Ant5	Right Tilt	-	171	5855	20.50	20.21	1.01	106.91%	0.212	0.229	-
WLAN 802.11ac(80M) 5.9G	Ant4+Ant5	Left Touch	-	171	5855	20.50	20.21	1.01	106.91%	1.000	1.080	-
WLAN 802.11ac(80M) 5.9G	Ant4+Ant5	Left Tilt	-	171	5855	20.50	20.21	1.01	106.91%	0.587	0.634	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DSI7_SISO_SLM

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4	Right Touch	-	6	2437	15.00	14.98	1.03	100.46%	0.133	0.137	-
WLAN 802.11b	Ant4	Right Tilt	-	6	2437	15.00	14.98	1.03	100.46%	0.093	0.096	-
WLAN 802.11b	Ant4	Left Touch	-	6	2437	15.00	14.98	1.03	100.46%	0.392	0.404	-
WLAN 802.11b	Ant4	Left Tilt	-	6	2437	15.00	14.98	1.03	100.46%	0.301	0.310	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant4	Right Touch	-	46	5230	15.00	14.97	1.01	100.69%	0.165	0.168	-
WLAN 802.11n(40M) 5.2G	Ant4	Right Tilt	-	46	5230	15.00	14.97	1.01	100.69%	0.109	0.111	-
WLAN 802.11n(40M) 5.2G	Ant4	Left Touch	-	46	5230	15.00	14.97	1.01	100.69%	0.452	0.460	-
WLAN 802.11n(40M) 5.2G	Ant4	Left Tilt	-	46	5230	15.00	14.97	1.01	100.69%	0.320	0.325	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant4	Right Touch	-	54	5270	15.00	14.98	1.01	100.46%	0.168	0.170	-
WLAN 802.11n(40M) 5.3G	Ant4	Right Tilt	-	54	5270	15.00	14.98	1.01	100.46%	0.113	0.115	-
WLAN 802.11n(40M) 5.3G	Ant4	Left Touch	-	54	5270	15.00	14.98	1.01	100.46%	0.454	0.461	-
WLAN 802.11n(40M) 5.3G	Ant4	Left Tilt	-	54	5270	15.00	14.98	1.01	100.46%	0.294	0.298	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(160M) 5.6G	Ant4	Right Touch	-	114	5570	12.50	12.48	1.01	100.46%	0.120	0.122	-
WLAN 802.11ac(160M) 5.6G	Ant4	Right Tilt	-	114	5570	12.50	12.48	1.01	100.46%	0.105	0.107	-
WLAN 802.11ac(160M) 5.6G	Ant4	Left Touch	-	114	5570	12.50	12.48	1.01	100.46%	0.409	0.415	-
WLAN 802.11ac(160M) 5.6G	Ant4	Left Tilt	-	114	5570	12.50	12.48	1.01	100.46%	0.286	0.290	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant4	Right Touch	-	155	5775	13.00	12.98	1.01	100.46%	0.117	0.119	-
WLAN 802.11ac(80M) 5.8G	Ant4	Right Tilt	-	155	5775	13.00	12.98	1.01	100.46%	0.100	0.101	-
WLAN 802.11ac(80M) 5.8G	Ant4	Left Touch	-	155	5775	13.00	12.98	1.01	100.46%	0.434	0.440	-
WLAN 802.11ac(80M) 5.8G	Ant4	Left Tilt	-	155	5775	13.00	12.98	1.01	100.46%	0.287	0.291	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(160M) 5.9G	Ant4	Right Touch	-	163	5815	13.00	12.97	1.01	100.69%	0.113	0.115	-
WLAN 802.11ac(160M) 5.9G	Ant4	Right Tilt	-	163	5815	13.00	12.97	1.01	100.69%	0.096	0.098	-
WLAN 802.11ac(160M) 5.9G	Ant4	Left Touch	-	163	5815	13.00	12.97	1.01	100.69%	0.419	0.426	-
WLAN 802.11ac(160M) 5.9G	Ant4	Left Tilt	-	163	5815	13.00	12.97	1.01	100.69%	0.276	0.281	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant5	Right Touch	-	6	2437	18.00	17.99	1.03	100.23%	0.350	0.360	-
WLAN 802.11b	Ant5	Right Tilt	-	6	2437	18.00	17.99	1.03	100.23%	0.192	0.197	-
WLAN 802.11b	Ant5	Left Touch	-	6	2437	18.00	17.99	1.03	100.23%	0.099	0.102	-
WLAN 802.11b	Ant5	Left Tilt	-	6	2437	18.00	17.99	1.03	100.23%	0.077	0.079	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant5	Right Touch	-	46	5230	16.50	16.49	1.01	100.23%	0.140	0.142	-
WLAN 802.11n(40M) 5.2G	Ant5	Right Tilt	-	46	5230	16.50	16.49	1.01	100.23%	0.089	0.090	-
WLAN 802.11n(40M) 5.2G	Ant5	Left Touch	-	46	5230	16.50	16.49	1.01	100.23%	0.068	0.069	-
WLAN 802.11n(40M) 5.2G	Ant5	Left Tilt	-	46	5230	16.50	16.49	1.01	100.23%	0.049	0.050	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant5	Right Touch	-	54	5270	16.50	16.46	1.01	100.93%	0.138	0.141	-
WLAN 802.11n(40M) 5.3G	Ant5	Right Tilt	-	54	5270	16.50	16.46	1.01	100.93%	0.098	0.100	-
WLAN 802.11n(40M) 5.3G	Ant5	Left Touch	-	54	5270	16.50	16.46	1.01	100.93%	0.074	0.075	-
WLAN 802.11n(40M) 5.3G	Ant5	Left Tilt	-	54	5270	16.50	16.46	1.01	100.93%	0.056	0.057	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.6G	Ant5	Right Touch	-	138	5690	16.00	15.98	1.01	100.46%	0.227	0.230	-
WLAN 802.11ac(80M) 5.6G	Ant5	Right Tilt	-	138	5690	16.00	15.98	1.01	100.46%	0.187	0.190	-
WLAN 802.11ac(80M) 5.6G	Ant5	Left Touch	-	138	5690	16.00	15.98	1.01	100.46%	0.167	0.169	-
WLAN 802.11ac(80M) 5.6G	Ant5	Left Tilt	-	138	5690	16.00	15.98	1.01	100.46%	0.140	0.142	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant5	Right Touch	-	155	5775	15.50	15.43	1.01	101.62%	0.129	0.132	-
WLAN 802.11ac(80M) 5.8G	Ant5	Right Tilt	-	155	5775	15.50	15.43	1.01	101.62%	0.114	0.117	-
WLAN 802.11ac(80M) 5.8G	Ant5	Left Touch	-	155	5775	15.50	15.43	1.01	101.62%	0.101	0.104	-
WLAN 802.11ac(80M) 5.8G	Ant5	Left Tilt	-	155	5775	15.50	15.43	1.01	101.62%	0.088	0.090	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(160M) 5.9G	Ant5	Right Touch	-	163	5815	15.50	15.48	1.01	100.46%	0.114	0.116	-
WLAN 802.11ac(160M) 5.9G	Ant5	Right Tilt	-	163	5815	15.50	15.48	1.01	100.46%	0.102	0.103	-
WLAN 802.11ac(160M) 5.9G	Ant5	Left Touch	-	163	5815	15.50	15.48	1.01	100.46%	0.094	0.095	-
WLAN 802.11ac(160M) 5.9G	Ant5	Left Tilt	-	163	5815	15.50	15.48	1.01	100.46%	0.070	0.071	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DSI7_MIMO_SLM

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4+Ant5	Right Touch	-	6	2437	19.50	19.47	1.03	100.69%	0.124	0.128	-
WLAN 802.11b	Ant4+Ant5	Right Tilt	-	6	2437	19.50	19.47	1.03	100.69%	0.086	0.089	-
WLAN 802.11b	Ant4+Ant5	Left Touch	-	6	2437	19.50	19.47	1.03	100.69%	0.385	0.398	-
WLAN 802.11b	Ant4+Ant5	Left Tilt	-	6	2437	19.50	19.47	1.03	100.69%	0.280	0.289	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Right Touch	-	46	5230	18.50	18.48	1.01	100.46%	0.153	0.155	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Right Tilt	-	46	5230	18.50	18.48	1.01	100.46%	0.101	0.102	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Left Touch	-	46	5230	18.50	18.48	1.01	100.46%	0.420	0.426	-
WLAN 802.11n(40M) 5.2G	Ant4+Ant5	Left Tilt	-	46	5230	18.50	18.48	1.01	100.46%	0.298	0.302	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Right Touch	-	54	5270	18.50	18.46	1.01	100.93%	0.156	0.159	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Right Tilt	-	54	5270	18.50	18.46	1.01	100.93%	0.105	0.107	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Left Touch	-	54	5270	18.50	18.46	1.01	100.93%	0.422	0.430	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Left Tilt	-	54	5270	18.50	18.46	1.01	100.93%	0.273	0.278	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11be(160M) 5.6G	Ant4+Ant5	Right Touch	-	114	5570	17.00	16.95	1.01	101.16%	0.112	0.114	-
WLAN 802.11be(160M) 5.6G	Ant4+Ant5	Right Tilt	-	114	5570	17.00	16.95	1.01	101.16%	0.098	0.100	-
WLAN 802.11be(160M) 5.6G	Ant4+Ant5	Left Touch	-	114	5570	17.00	16.95	1.01	101.16%	0.380	0.388	-
WLAN 802.11be(160M) 5.6G	Ant4+Ant5	Left Tilt	-	114	5570	17.00	16.95	1.01	101.16%	0.266	0.272	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Right Touch	-	155	5775	17.00	16.92	1.01	101.86%	0.109	0.112	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Right Tilt	-	155	5775	17.00	16.92	1.01	101.86%	0.093	0.096	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Left Touch	-	155	5775	17.00	16.92	1.01	101.86%	0.404	0.416	-
WLAN 802.11ac(80M) 5.8G	Ant4+Ant5	Left Tilt	-	155	5775	17.00	16.92	1.01	101.86%	0.267	0.275	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ac(160M) 5.9G	Ant4+Ant5	Right Touch	-	163	5815	17.00	16.90	1.01	102.33%	0.079	0.082	-
WLAN 802.11ac(160M) 5.9G	Ant4+Ant5	Right Tilt	-	163	5815	17.00	16.90	1.01	102.33%	0.055	0.057	-
WLAN 802.11ac(160M) 5.9G	Ant4+Ant5	Left Touch	-	163	5815	17.00	16.90	1.01	102.33%	0.382	0.395	-
WLAN 802.11ac(160M) 5.9G	Ant4+Ant5	Left Tilt	-	163	5815	17.00	16.90	1.01	102.33%	0.247	0.255	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN_6E
DSI6_SISO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Right Touch	-	31	6105	19.00	18.83	1.01	103.99%	0.291	0.306	2.21	2.321	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Right Tilt	-	31	6105	19.00	18.83	1.01	103.99%	0.152	0.160	1.38	1.449	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Left Touch	-	31	6105	19.00	18.83	1.01	103.99%	0.642	0.674	3.87	4.065	138
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Left Touch	-	63	6265	18.50	18.25	1.01	105.93%	0.356	0.381	2.16	2.311	139
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Left Tilt	-	31	6105	19.00	18.83	1.01	103.99%	0.488	0.513	3.54	3.718	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Right Touch	-	111	6505	18.50	18.42	1.01	101.86%	0.071	0.073	0.583	0.600	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Right Tilt	-	111	6505	18.50	18.42	1.01	101.86%	0.043	0.044	0.422	0.434	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Left Touch	-	111	6505	18.50	18.42	1.01	101.86%	0.246	0.253	1.75	1.800	140
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Left Tilt	-	111	6505	18.50	18.42	1.01	101.86%	0.175	0.180	1.53	1.574	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Right Touch	-	175	6825	18.50	18.23	1.01	106.41%	0.183	0.197	1.65	1.773	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Right Tilt	-	175	6825	18.50	18.23	1.01	106.41%	0.127	0.136	0.95	1.021	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Left Touch	-	175	6825	18.50	18.23	1.01	106.41%	0.550	0.591	3.96	4.256	141
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Left Tilt	-	175	6825	18.50	18.23	1.01	106.41%	0.435	0.468	3.15	3.386	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Right Touch	-	191	6905	17.50	17.20	1.01	107.15%	0.114	0.123	0.963	1.042	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Right Tilt	-	191	6905	17.50	17.20	1.01	107.15%	0.084	0.091	0.625	0.676	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Left Touch	-	191	6905	17.50	17.20	1.01	107.15%	0.367	0.397	2.63	2.846	142
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Left Tilt	-	191	6905	17.50	17.20	1.01	107.15%	0.285	0.308	1.93	2.089	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Touch	-	15	6025	17.50	17.40	1.01	102.33%	0.431	0.445	2.7	2.791	143
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Touch	-	47	6185	18.00	17.87	1.01	103.04%	0.136	0.142	0.99	1.030	144
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Touch	-	79	6345	17.50	17.41	1.01	102.09%	0.118	0.122	0.83	0.856	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Tilt	-	47	6185	18.00	17.87	1.01	103.04%	0.082	0.085	0.57	0.593	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Left Touch	-	47	6185	18.00	17.87	1.01	103.04%	0.041	0.043	0.34	0.354	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Left Tilt	-	47	6185	18.00	17.87	1.01	103.04%	0.022	0.023	0.17	0.177	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Right Touch	-	111	6505	18.00	17.75	1.01	105.93%	0.301	0.322	2.1	2.247	145
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Right Tilt	-	111	6505	18.00	17.75	1.01	105.93%	0.186	0.199	1.68	1.797	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Left Touch	-	111	6505	18.00	17.75	1.01	105.93%	0.083	0.089	0.61	0.653	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Left Tilt	-	111	6505	18.00	17.75	1.01	105.93%	0.037	0.040	0.31	0.332	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Touch	-	143	6665	17.50	17.49	1.01	100.23%	0.464	0.470	3.14	3.179	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Touch	-	175	6825	17.50	17.48	1.01	100.46%	0.565	0.573	3.86	3.917	146
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Tilt	-	143	6665	17.50	17.49	1.01	100.23%	0.366	0.371	2.45	2.480	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Left Touch	-	143	6665	17.50	17.49	1.01	100.23%	0.202	0.204	1.9	1.923	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Left Tilt	-	143	6665	17.50	17.49	1.01	100.23%	0.138	0.140	1.02	1.033	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Right Touch	-	207	6985	17.00	16.98	1.01	100.46%	0.538	0.546	3.63	3.683	147
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Right Tilt	-	207	6985	17.00	16.98	1.01	100.46%	0.339	0.344	2.23	2.263	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Left Touch	-	207	6985	17.00	16.98	1.01	100.46%	0.182	0.185	1.62	1.644	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Left Tilt	-	207	6985	17.00	16.98	1.01	100.46%	0.111	0.113	0.808	0.820	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DSI6_MIMO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Right Touch	-	31	6105	21.00	20.97	1.00	100.69%	0.272	0.274	2.12	2.135	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Right Tilt	-	31	6105	21.00	20.97	1.00	100.69%	0.137	0.138	1.21	1.218	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Left Touch	-	31	6105	21.00	20.97	1.00	100.69%	0.633	0.637	3.81	3.836	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Left Tilt	-	31	6105	21.00	20.97	1.00	100.69%	0.476	0.479	3.43	3.454	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Right Touch	-	111	6505	21.00	20.87	1.00	103.04%	0.063	0.065	0.511	0.527	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Right Tilt	-	111	6505	21.00	20.87	1.00	103.04%	0.042	0.043	0.367	0.378	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Left Touch	-	111	6505	21.00	20.87	1.00	103.04%	0.233	0.240	1.71	1.762	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Left Tilt	-	111	6505	21.00	20.87	1.00	103.04%	0.167	0.172	1.42	1.463	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Right Touch	-	175	6825	21.00	20.85	1.00	103.51%	0.177	0.183	1.51	1.563	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Right Tilt	-	175	6825	21.00	20.85	1.00	103.51%	0.121	0.125	0.92	0.952	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Left Touch	-	175	6825	21.00	20.85	1.00	103.51%	0.535	0.554	3.91	4.047	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Left Tilt	-	175	6825	21.00	20.85	1.00	103.51%	0.424	0.439	3.09	3.199	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Right Touch	-	191	6905	20.00	19.95	1.00	101.16%	0.111	0.112	0.913	0.924	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Right Tilt	-	191	6905	20.00	19.95	1.00	101.16%	0.082	0.083	0.621	0.628	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Left Touch	-	191	6905	20.00	19.95	1.00	101.16%	0.352	0.356	2.56	2.590	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Left Tilt	-	191	6905	20.00	19.95	1.00	101.16%	0.276	0.279	1.82	1.841	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DSI7_SISO_SLM

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Right Touch	-	31	6105	16.00	15.98	1.00	100.46%	0.152	0.153	1.152	1.157	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Right Tilt	-	31	6105	16.00	15.98	1.00	100.46%	0.079	0.079	0.719	0.722	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Left Touch	-	31	6105	16.00	15.98	1.00	100.46%	0.335	0.337	2.017	2.026	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Left Tilt	-	31	6105	16.00	15.98	1.00	100.46%	0.254	0.255	1.845	1.854	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Right Touch	-	111	6505	15.50	15.42	1.00	101.86%	0.036	0.037	0.298	0.304	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Right Tilt	-	111	6505	15.50	15.42	1.00	101.86%	0.022	0.022	0.215	0.219	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Left Touch	-	111	6505	15.50	15.42	1.00	101.86%	0.126	0.128	0.893	0.910	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Left Tilt	-	111	6505	15.50	15.42	1.00	101.86%	0.089	0.091	0.781	0.796	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Right Touch	-	175	6825	15.50	15.23	1.00	106.41%	0.098	0.104	0.88	0.936	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Right Tilt	-	175	6825	15.50	15.23	1.00	106.41%	0.068	0.072	0.507	0.540	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Left Touch	-	175	6825	15.50	15.23	1.00	106.41%	0.293	0.312	2.112	2.247	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Left Tilt	-	175	6825	15.50	15.23	1.00	106.41%	0.232	0.247	1.68	1.788	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Right Touch	-	191	6905	14.50	14.42	1.00	101.86%	0.061	0.062	0.517	0.527	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Right Tilt	-	191	6905	14.50	14.42	1.00	101.86%	0.045	0.046	0.336	0.342	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Left Touch	-	191	6905	14.50	14.42	1.00	101.86%	0.197	0.201	1.412	1.438	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Left Tilt	-	191	6905	14.50	14.42	1.00	101.86%	0.153	0.156	1.036	1.055	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Touch	-	47	6185	15.00	14.99	1.00	100.23%	0.070	0.070	0.511	0.512	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Tilt	-	47	6185	15.00	14.99	1.00	100.23%	0.042	0.042	0.294	0.295	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Left Touch	-	47	6185	15.00	14.99	1.00	100.23%	0.021	0.021	0.176	0.176	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Left Tilt	-	47	6185	15.00	14.99	1.00	100.23%	0.011	0.011	0.088	0.088	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Right Touch	-	111	6505	15.00	14.75	1.00	105.93%	0.160	0.169	1.115	1.181	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Right Tilt	-	111	6505	15.00	14.75	1.00	105.93%	0.099	0.105	0.892	0.945	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Left Touch	-	111	6505	15.00	14.75	1.00	105.93%	0.044	0.047	0.324	0.343	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Left Tilt	-	111	6505	15.00	14.75	1.00	105.93%	0.020	0.021	0.165	0.175	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Touch	-	143	6665	14.50	14.49	1.00	100.23%	0.233	0.234	1.577	1.581	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Tilt	-	143	6665	14.50	14.49	1.00	100.23%	0.184	0.184	1.231	1.234	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Left Touch	-	143	6665	14.50	14.49	1.00	100.23%	0.101	0.101	0.954	0.956	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Left Tilt	-	143	6665	14.50	14.49	1.00	100.23%	0.069	0.069	0.512	0.513	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Right Touch	-	207	6985	14.00	13.98	1.00	100.46%	0.251	0.252	1.828	1.836	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Right Tilt	-	207	6985	14.00	13.98	1.00	100.46%	0.171	0.172	1.123	1.128	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Left Touch	-	207	6985	14.00	13.98	1.00	100.46%	0.092	0.092	0.816	0.820	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Left Tilt	-	207	6985	14.00	13.98	1.00	100.46%	0.056	0.056	0.407	0.409	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DSI7 MIMO SLM

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Right Touch	-	31	6105	18.50	18.47	1.00	100.69%	0.154	0.155	1.2	1.208	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Right Tilt	-	31	6105	18.50	18.47	1.00	100.69%	0.078	0.079	0.685	0.690	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Left Touch	-	31	6105	18.50	18.47	1.00	100.69%	0.358	0.360	2.157	2.172	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Left Tilt	-	31	6105	18.50	18.47	1.00	100.69%	0.270	0.272	1.942	1.955	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Right Touch	-	111	6505	18.00	17.97	1.00	100.69%	0.033	0.033	0.264	0.266	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Right Tilt	-	111	6505	18.00	17.97	1.00	100.69%	0.022	0.022	0.19	0.191	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Left Touch	-	111	6505	18.00	17.97	1.00	100.69%	0.120	0.121	0.883	0.889	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Left Tilt	-	111	6505	18.00	17.97	1.00	100.69%	0.086	0.087	0.733	0.738	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Right Touch	-	175	6825	18.00	17.96	1.00	100.93%	0.092	0.093	0.783	0.790	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Right Tilt	-	175	6825	18.00	17.96	1.00	100.93%	0.063	0.064	0.477	0.481	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Left Touch	-	175	6825	18.00	17.96	1.00	100.93%	0.278	0.281	2.029	2.048	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Left Tilt	-	175	6825	18.00	17.96	1.00	100.93%	0.220	0.222	1.603	1.618	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Right Touch	-	191	6905	17.00	16.95	1.00	101.16%	0.056	0.057	0.463	0.468	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Right Tilt	-	191	6905	17.00	16.95	1.00	101.16%	0.042	0.042	0.315	0.319	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Left Touch	-	191	6905	17.00	16.95	1.00	101.16%	0.178	0.180	1.298	1.313	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Left Tilt	-	191	6905	17.00	16.95	1.00	101.16%	0.140	0.142	0.923	0.934	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Hotspot 10mm WWAN Ant0_DSI8_SA

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GPRS850 <1Dn2Up>	Front Surface	10	128	824.2	34.0	32.68	135.52%	0.577	0.782	-
GPRS850 <1Dn2Up>	Front Surface	10	190	836.6	34.0	33.30	117.49%	0.693	0.814	-
GPRS850 <1Dn2Up>	Front Surface	10	251	848.8	34.0	33.15	121.62%	0.662	0.805	-
GPRS850 <1Dn2Up>	Back Surface	10	128	824.2	34.0	32.68	135.52%	0.753	1.020	-
GPRS850 <1Dn2Up>	Back Surface	10	190	836.6	34.0	33.30	117.49%	0.727	0.854	-
GPRS850 <1Dn2Up>	Back Surface	10	251	848.8	34.0	33.15	121.62%	0.840	1.022	158
GPRS850 <1Dn2Up>	Bottom Edge	10	190	836.6	34.0	33.30	117.49%	0.584	0.686	-
GPRS850 <1Dn2Up>	Right Edge	10	190	836.6	34.0	33.30	117.49%	0.112	0.132	-
GPRS850 <1Dn2Up>	Left Edge	10	190	836.6	34.0	33.30	117.49%	0.082	0.096	-
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band V	Front Surface	10	4233	846.6	26.0	25.25	118.85%	0.582	0.692	-
WCDMA Band V	Back Surface	10	4233	846.6	26.0	25.25	118.85%	0.645	0.767	159
WCDMA Band V	Bottom Edge	10	4233	846.6	26.0	25.25	118.85%	0.521	0.619	-
WCDMA Band V	Right Edge	10	4233	846.6	26.0	25.25	118.85%	0.083	0.099	-
WCDMA Band V	Left Edge	10	4233	846.6	26.0	25.25	118.85%	0.067	0.080	-

Ant1_DSI8_SA

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GPRS1900 <1Dn2Up>	Front Surface	10	810	1909.8	31.0	29.83	130.92%	0.297	0.389	-
GPRS1900 <1Dn2Up>	Back Surface	10	810	1909.8	31.0	29.83	130.92%	0.277	0.363	-
GPRS1900 <1Dn2Up>	Bottom Edge	10	810	1909.8	31.0	29.83	130.92%	0.132	0.173	-
GPRS1900 <1Dn2Up>	Left Edge	10	810	1909.8	31.0	29.83	130.92%	0.429	0.562	160
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Front Surface	10	9262	1852.4	25.5	25.33	103.99%	0.275	0.286	-
WCDMA Band II	Back Surface	10	9262	1852.4	25.5	25.33	103.99%	0.254	0.264	-
WCDMA Band II	Bottom Edge	10	9262	1852.4	25.5	25.33	103.99%	0.128	0.133	-
WCDMA Band II	Left Edge	10	9262	1852.4	25.5	25.33	103.99%	0.375	0.390	161
WCDMA Band IV	Front Surface	10	1412	1732.4	25.5	25.00	112.20%	0.251	0.282	-
WCDMA Band IV	Back Surface	10	1412	1732.4	25.5	25.00	112.20%	0.228	0.256	-
WCDMA Band IV	Bottom Edge	10	1412	1732.4	25.5	25.00	112.20%	0.114	0.128	-
WCDMA Band IV	Left Edge	10	1412	1732.4	25.5	25.00	112.20%	0.365	0.410	162

Ant2_DSI8_SA

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Front Surface	10	9400	1880	21.0	20.70	107.15%	0.450	0.482	-
WCDMA Band II	Back Surface	10	9400	1880	21.0	20.70	107.15%	0.229	0.245	-
WCDMA Band II	Top Edge	10	9400	1880	21.0	20.70	107.15%	0.112	0.120	-
WCDMA Band II	Left Edge	10	9262	1852.4	21.0	20.57	110.41%	0.764	0.844	-
WCDMA Band II	Left Edge	10	9400	1880	21.0	20.70	107.15%	0.943	1.010	-
WCDMA Band II	Left Edge	10	9538	1907.6	21.0	20.62	109.14%	1.090	1.190	163
WCDMA Band IV	Front Surface	10	1513	1752.6	22.0	21.77	105.44%	0.464	0.489	-
WCDMA Band IV	Back Surface	10	1513	1752.6	22.0	21.77	105.44%	0.245	0.258	-
WCDMA Band IV	Top Edge	10	1513	1752.6	22.0	21.77	105.44%	0.071	0.075	-
WCDMA Band IV	Left Edge	10	1312	1712.4	22.0	21.72	106.66%	1.010	1.077	-
WCDMA Band IV	Left Edge	10	1412	1732.4	22.0	21.52	111.69%	0.989	1.105	-
WCDMA Band IV	Left Edge	10	1513	1752.6	22.0	21.77	105.44%	1.060	1.118	164
WCDMA Band V	Front Surface	10	4233	846.6	26.0	25.25	118.85%	0.264	0.314	-
WCDMA Band V	Back Surface	10	4233	846.6	26.0	25.25	118.85%	0.251	0.298	-
WCDMA Band V	Top Edge	10	4233	846.6	26.0	25.25	118.85%	0.068	0.081	-
WCDMA Band V	Left Edge	10	4233	846.6	26.0	25.25	118.85%	0.297	0.353	165

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_Spot-Check

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Left Edge*	10	9400	1880	21.0	20.70	107.15%	1.010	1.082	-
WCDMA Band II	Left Edge***	10	9400	1880	21.0	20.70	107.15%	0.211	0.226	-

* - Spot-check ASUSAI2501D.

***- Spot-check DUT with fan

Ant0_DSI8_SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1	0	Front Surface	10	20600	844	26.00	25.00	125.89%	0.423	0.533	-
LTE Band 5			25	0	Front Surface	10	20600	844	25.00	23.85	130.32%	0.395	0.515	-
LTE Band 5			1	0	Back Surface	10	20600	844	26.00	25.00	125.89%	0.583	0.734	166
LTE Band 5			25	0	Back Surface	10	20600	844	25.00	23.85	130.32%	0.482	0.628	-
LTE Band 5			1	0	Bottom Edge	10	20600	844	26.00	25.00	125.89%	0.395	0.485	-
LTE Band 5			25	0	Bottom Edge	10	20600	844	25.00	23.85	130.32%	0.352	0.459	-
LTE Band 5			1	0	Right Edge	10	20600	844	26.00	25.00	125.89%	0.095	0.120	-
LTE Band 5			25	0	Right Edge	10	20600	844	25.00	23.85	130.32%	0.082	0.107	-
LTE Band 5			1	0	Left Edge	10	20600	844	26.00	25.00	125.89%	0.068	0.086	-
LTE Band 5			25	0	Left Edge	10	20600	844	25.00	23.85	130.32%	0.061	0.079	-
5C			1	0	Back Surface	10	20600	844	26.00	24.27	148.94%	0.412	0.614	-
LTE Band 12	10MHz	QPSK	1	0	Front Surface	10	23060	704	26.00	24.99	126.18%	0.141	0.178	-
LTE Band 12			25	12	Front Surface	10	23060	704	25.00	24.83	103.99%	0.126	0.131	-
LTE Band 12			1	0	Back Surface	10	23060	704	26.00	24.99	126.18%	0.537	0.678	167
LTE Band 12			25	25	Back Surface	10	23060	704	25.00	24.83	103.99%	0.510	0.530	-
LTE Band 12			1	0	Bottom Edge	10	23060	704	26.00	24.99	126.18%	0.358	0.452	-
LTE Band 12			25	25	Bottom Edge	10	23060	704	25.00	24.83	103.99%	0.319	0.332	-
LTE Band 12			1	0	Right Edge	10	23060	704	26.00	24.99	126.18%	0.014	0.018	-
LTE Band 12			25	25	Right Edge	10	23060	704	25.00	24.83	103.99%	0.012	0.012	-
LTE Band 12			1	0	Left Edge	10	23060	704	26.00	24.99	126.18%	0.010	0.013	-
LTE Band 12			25	25	Left Edge	10	23060	704	25.00	24.83	103.99%	0.008	0.008	-
12C			1	0	Back Surface	10	23060	704	26.00	24.62	137.40%	0.446	0.613	-
LTE Band 17	10MHz	QPSK	1	0	Front Surface	10	23800	711	26.00	24.96	127.06%	0.153	0.194	-
LTE Band 17			25	0	Front Surface	10	23800	711	25.00	23.91	128.53%	0.139	0.179	-
LTE Band 17			1	0	Back Surface	10	23800	711	26.00	24.96	127.06%	0.553	0.703	168
LTE Band 17			25	0	Back Surface	10	23800	711	25.00	23.91	128.53%	0.512	0.658	-
LTE Band 17			1	0	Bottom Edge	10	23800	711	26.00	24.96	127.06%	0.370	0.470	-
LTE Band 17			25	0	Bottom Edge	10	23800	711	25.00	23.91	128.53%	0.349	0.449	-
LTE Band 17			1	0	Right Edge	10	23800	711	26.00	24.96	127.06%	0.011	0.014	-
LTE Band 17			25	0	Right Edge	10	23800	711	25.00	23.91	128.53%	0.010	0.013	-
LTE Band 17			1	0	Left Edge	10	23800	711	26.00	24.96	127.06%	0.008	0.010	-
LTE Band 17			25	0	Left Edge	10	23800	711	25.00	23.91	128.53%	0.007	0.009	-
LTE Band 26	15MHz	QPSK	1	0	Front Surface	10	26965	841.5	26.00	24.96	127.06%	0.403	0.512	-
LTE Band 26			36	37	Front Surface	10	26965	841.5	25.00	23.87	129.72%	0.382	0.496	-
LTE Band 26			1	0	Back Surface	10	26765	821.5	26.00	24.91	128.53%	0.621	0.798	-
LTE Band 26			1	0	Back Surface	10	26865	831.5	26.00	24.89	129.12%	0.601	0.776	-
LTE Band 26			1	0	Back Surface	10	26965	841.5	26.00	24.96	127.06%	0.695	0.883	169
LTE Band 26			36	50	Back Surface	10	26965	841.5	25.00	23.87	129.72%	0.584	0.758	-
LTE Band 26			75RB		Back Surface	10	26965	841.5	25.00	23.81	131.52%	0.632	0.831	-
LTE Band 26			1	0	Bottom Edge	10	26965	841.5	26.00	24.96	127.06%	0.378	0.480	-
LTE Band 26			36	50	Bottom Edge	10	26965	841.5	25.00	23.87	129.72%	0.355	0.460	-
LTE Band 26			1	0	Right Edge	10	26965	841.5	26.00	24.96	127.06%	0.078	0.099	-
LTE Band 26			36	50	Right Edge	10	26965	841.5	25.00	23.87	129.72%	0.076	0.099	-
LTE Band 26			1	0	Left Edge	10	26965	841.5	26.00	24.96	127.06%	0.051	0.065	-
LTE Band 26			36	50	Left Edge	10	26965	841.5	25.00	23.87	129.72%	0.048	0.062	-
LTE Band 71	20MHz	QPSK	1	0	Front Surface	10	133297	680.5	26.00	24.86	130.02%	0.166	0.216	-
LTE Band 71			50	25	Front Surface	10	133297	680.5	25.00	24.74	106.17%	0.151	0.160	-
LTE Band 71			1	0	Back Surface	10	133297	680.5	26.00	24.86	130.02%	0.256	0.333	-
LTE Band 71			50	25	Back Surface	10	133297	680.5	25.00	24.74	106.17%	0.223	0.237	-
LTE Band 71			1	0	Bottom Edge	10	133297	680.5	26.00	24.86	130.02%	0.327	0.425	170
LTE Band 71			50	25	Bottom Edge	10	133297	680.5	25.00	24.74	106.17%	0.262	0.278	-
LTE Band 71			1	0	Right Edge	10	133297	680.5	26.00	24.86	130.02%	0.011	0.014	-
LTE Band 71			50	25	Right Edge	10	133297	680.5	25.00	24.74	106.17%	0.010	0.011	-
LTE Band 71			1	0	Left Edge	10	133297	680.5	26.00	24.86	130.02%	0.009	0.012	-
LTE Band 71			50	25	Left Edge	10	133297	680.5	25.00	24.74	106.17%	0.008	0.008	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n5	20MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	166800	834	26.00	24.45	142.89%	0.355	0.507	-
NR n5			50	28	Front Surface	10	166800	834	26.00	24.40	144.54%	0.321	0.464	-
NR n5			1	1	Back Surface	10	166800	834	26.00	24.45	142.89%	0.428	0.612	171
NR n5			50	28	Back Surface	10	166800	834	26.00	24.40	144.54%	0.397	0.574	-
NR n5			1	1	Bottom Edge	10	166800	834	26.00	24.45	142.89%	0.351	0.502	-
NR n5			50	28	Bottom Edge	10	166800	834	26.00	24.40	144.54%	0.324	0.468	-
NR n5			1	1	Right Edge	10	166800	834	26.00	24.45	142.89%	0.068	0.097	-
NR n5			50	28	Right Edge	10	166800	834	26.00	24.40	144.54%	0.064	0.093	-
NR n5			1	1	Left Edge	10	166800	834	26.00	24.45	142.89%	0.042	0.060	-
NR n5			50	28	Left Edge	10	166800	834	26.00	24.40	144.54%	0.040	0.058	-
NR n12	15MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	141700	708.5	26.00	24.43	143.55%	0.153	0.220	-
NR n12			36	22	Front Surface	10	141300	706.5	26.00	24.29	148.25%	0.138	0.205	-
NR n12			1	1	Back Surface	10	141300	706.5	26.00	24.37	145.55%	0.582	0.847	-
NR n12			1	1	Back Surface	10	141500	707.5	26.00	24.39	144.88%	0.593	0.859	-
NR n12			1	1	Back Surface	10	141700	708.5	26.00	24.43	143.55%	0.630	0.904	172
NR n12			36	22	Back Surface	10	141300	706.5	26.00	24.29	148.25%	0.560	0.830	-
NR n12			36	22	Back Surface	10	141500	707.5	26.00	24.29	148.25%	0.544	0.806	-
NR n12			36	22	Back Surface	10	141700	708.5	26.00	24.25	149.62%	0.511	0.765	-
NR n12			75	0	Back Surface	10	141700	708.5	25.50	23.90	144.54%	0.532	0.769	-
NR n12			1	1	Bottom Edge	10	141700	708.5	26.00	24.43	143.55%	0.474	0.680	-
NR n12			36	22	Bottom Edge	10	141300	706.5	26.00	24.29	148.25%	0.437	0.648	-
NR n12			1	1	Right Edge	10	141700	708.5	26.00	24.43	143.55%	0.013	0.019	-
NR n12			36	22	Right Edge	10	141300	706.5	26.00	24.29	148.25%	0.011	0.016	-
NR n12			1	1	Left Edge	10	141700	708.5	26.00	24.43	143.55%	0.010	0.014	-
NR n12			36	22	Left Edge	10	141300	706.5	26.00	24.29	148.25%	0.008	0.012	-
NR n26	20MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	167800	839	26.00	24.46	142.56%	0.374	0.533	-
NR n26			50	28	Front Surface	10	167800	839	26.00	24.43	143.55%	0.366	0.525	-
NR n26			1	1	Back Surface	10	167800	839	26.00	24.46	142.56%	0.510	0.727	173
NR n26			50	28	Back Surface	10	167800	839	26.00	24.43	143.55%	0.486	0.698	-
NR n26			1	1	Bottom Edge	10	167800	839	26.00	24.46	142.56%	0.368	0.525	-
NR n26			50	28	Bottom Edge	10	167800	839	26.00	24.43	143.55%	0.351	0.504	-
NR n26			1	1	Right Edge	10	167800	839	26.00	24.46	142.56%	0.071	0.101	-
NR n26			50	28	Right Edge	10	167800	839	26.00	24.43	143.55%	0.070	0.100	-
NR n26			1	1	Left Edge	10	167800	839	26.00	24.46	142.56%	0.045	0.064	-
NR n26			50	28	Left Edge	10	167800	839	26.00	24.43	143.55%	0.043	0.062	-
NR n71	35MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	136100	680.5	26.00	24.30	147.91%	0.144	0.213	-
NR n71			90	45	Front Surface	10	136100	680.5	26.00	24.14	153.46%	0.128	0.196	-
NR n71			1	1	Back Surface	10	136100	680.5	26.00	24.30	147.91%	0.217	0.321	-
NR n71			90	45	Back Surface	10	136100	680.5	26.00	24.14	153.46%	0.183	0.281	-
NR n71			1	1	Bottom Edge	10	136100	680.5	26.00	24.30	147.91%	0.320	0.473	174
NR n71			90	45	Bottom Edge	10	136100	680.5	26.00	24.14	153.46%	0.286	0.439	-
NR n71			1	1	Right Edge	10	136100	680.5	26.00	24.30	147.91%	0.010	0.015	-
NR n71			90	45	Right Edge	10	136100	680.5	26.00	24.14	153.46%	0.009	0.014	-
NR n71			1	1	Left Edge	10	136100	680.5	26.00	24.30	147.91%	0.008	0.012	-
NR n71			90	45	Left Edge	10	136100	680.5	26.00	24.14	153.46%	0.006	0.009	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant0_DSI8_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1	25	Front Surface	10	20600	844	23.50	23.24	106.17%	0.292	0.310	-
LTE Band 5			25	0	Front Surface	10	20600	844	22.50	22.30	104.71%	0.243	0.254	-
LTE Band 5			1	25	Back Surface	10	20600	844	23.50	23.24	106.17%	0.411	0.436	-
LTE Band 5			25	0	Back Surface	10	20600	844	22.50	22.30	104.71%	0.335	0.351	-
LTE Band 5			1	25	Bottom Edge	10	20600	844	23.50	23.24	106.17%	0.271	0.288	-
LTE Band 5			25	0	Bottom Edge	10	20600	844	22.50	22.30	104.71%	0.224	0.235	-
LTE Band 5			1	25	Right Edge	10	20600	844	23.50	23.24	106.17%	0.067	0.071	-
LTE Band 5			25	0	Right Edge	10	20600	844	22.50	22.30	104.71%	0.050	0.052	-
LTE Band 5			1	25	Left Edge	10	20600	844	23.50	23.24	106.17%	0.048	0.051	-
LTE Band 5			25	0	Left Edge	10	20600	844	22.50	22.30	104.71%	0.037	0.039	-
LTE Band 12	10MHz	QPSK	1	0	Front Surface	10	23060	704	25.50	24.99	112.46%	0.141	0.159	-
LTE Band 12			25	25	Front Surface	10	23060	704	24.50	24.30	104.71%	0.117	0.123	-
LTE Band 12			1	0	Back Surface	10	23060	704	25.50	24.99	112.46%	0.537	0.604	-
LTE Band 12			25	50	Back Surface	10	23060	704	24.50	24.30	104.71%	0.473	0.495	-
LTE Band 12			1	0	Bottom Edge	10	23060	704	25.50	24.99	112.46%	0.358	0.403	-
LTE Band 12			25	50	Bottom Edge	10	23060	704	24.50	24.30	104.71%	0.296	0.310	-
LTE Band 12			1	0	Right Edge	10	23060	704	25.50	24.99	112.46%	0.014	0.016	-
LTE Band 12			25	50	Right Edge	10	23060	704	24.50	24.30	104.71%	0.011	0.012	-
LTE Band 12			1	0	Left Edge	10	23060	704	25.50	24.99	112.46%	0.010	0.011	-
LTE Band 12			25	50	Left Edge	10	23060	704	24.50	24.30	104.71%	0.007	0.007	-
LTE Band 26	15MHz	QPSK	1	36	Front Surface	10	26965	841.5	24.00	23.79	104.95%	0.321	0.337	-
LTE Band 26			36	37	Front Surface	10	26965	841.5	23.00	22.80	104.71%	0.254	0.266	-
LTE Band 26			1	36	Back Surface	10	26965	841.5	24.00	23.79	104.95%	0.547	0.574	-
LTE Band 26			36	50	Back Surface	10	26965	841.5	23.00	22.80	104.71%	0.442	0.463	-
LTE Band 26			1	36	Bottom Edge	10	26965	841.5	24.00	23.79	104.95%	0.302	0.317	-
LTE Band 26			36	50	Bottom Edge	10	26965	841.5	23.00	22.80	104.71%	0.243	0.254	-
LTE Band 26			1	36	Right Edge	10	26965	841.5	24.00	23.79	104.95%	0.063	0.066	-
LTE Band 26			36	50	Right Edge	10	26965	841.5	23.00	22.80	104.71%	0.047	0.049	-
LTE Band 26			1	36	Left Edge	10	26965	841.5	24.00	23.79	104.95%	0.041	0.043	-
LTE Band 26			36	50	Left Edge	10	26965	841.5	23.00	22.80	104.71%	0.031	0.032	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n5	20MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	166800	834	24.00	23.78	105.20%	0.320	0.337	-
NR n5			50	28	Front Surface	10	166800	834	24.00	23.82	104.23%	0.256	0.267	-
NR n5			1	1	Back Surface	10	166800	834	24.00	23.78	105.20%	0.386	0.406	-
NR n5			50	28	Back Surface	10	166800	834	24.00	23.82	104.23%	0.312	0.325	-
NR n5			1	1	Bottom Edge	10	166800	834	24.00	23.78	105.20%	0.316	0.332	-
NR n5			50	28	Bottom Edge	10	166800	834	24.00	23.82	104.23%	0.244	0.254	-
NR n5			1	1	Right Edge	10	166800	834	24.00	23.78	105.20%	0.061	0.064	-
NR n5			50	28	Right Edge	10	166800	834	24.00	23.82	104.23%	0.046	0.048	-
NR n5			1	1	Left Edge	10	166800	834	24.00	23.78	105.20%	0.038	0.040	-
NR n5			50	28	Left Edge	10	166800	834	24.00	23.82	104.23%	0.030	0.031	-
NR n12	15MHz	SCS 15kHz Pv2 BPSK	1	1	Front Surface	10	141700	708.5	24.50	24.43	101.62%	0.153	0.155	-
NR n12			36	22	Front Surface	10	141300	706.5	24.50	24.29	104.95%	0.138	0.145	-
NR n12			1	1	Back Surface	10	141700	708.5	24.50	24.43	101.62%	0.610	0.620	-
NR n12			36	22	Back Surface	10	141300	706.5	24.50	24.29	104.95%	0.560	0.588	-
NR n12			1	1	Bottom Edge	10	141700	708.5	24.50	24.43	101.62%	0.474	0.482	-
NR n12			36	22	Bottom Edge	10	141300	706.5	24.50	24.29	104.95%	0.437	0.459	-
NR n12			1	1	Right Edge	10	141700	708.5	24.50	24.43	101.62%	0.013	0.013	-
NR n12			36	22	Right Edge	10	141300	706.5	24.50	24.29	104.95%	0.011	0.012	-
NR n12			1	1	Left Edge	10	141700	708.5	24.50	24.43	101.62%	0.010	0.010	-
NR n12			36	22	Left Edge	10	141300	706.5	24.50	24.29	104.95%	0.008	0.008	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_DSI8_SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	10	18700	1860	25.50	24.50	125.89%	0.365	0.460	-
LTE Band 2			50	25	Front Surface	10	18700	1860	24.50	24.41	102.09%	0.348	0.355	-
LTE Band 2			1	0	Back Surface	10	18700	1860	25.50	24.50	125.89%	0.430	0.541	-
LTE Band 2			50	25	Back Surface	10	18700	1860	24.50	24.41	102.09%	0.428	0.437	-
LTE Band 2			1	0	Bottom Edge	10	18700	1860	25.50	24.50	125.89%	0.418	0.526	-
LTE Band 2			50	25	Bottom Edge	10	18700	1860	24.50	24.41	102.09%	0.393	0.401	-
LTE Band 2			1	0	Left Edge	10	18700	1860	25.50	24.50	125.89%	0.437	0.550	175
LTE Band 2			50	25	Left Edge	10	18700	1860	24.50	24.41	102.09%	0.426	0.435	-
2C			1	0	Back Surface	10	18700	1860	25.50	23.77	148.94%	0.322	0.480	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	10	20050	1720	25.50	24.41	128.53%	0.286	0.368	-
LTE Band 4			50	0	Front Surface	10	20050	1720	24.50	24.30	104.71%	0.277	0.290	-
LTE Band 4			1	0	Back Surface	10	20050	1720	25.50	24.41	128.53%	0.302	0.388	-
LTE Band 4			50	0	Back Surface	10	20050	1720	24.50	24.30	104.71%	0.276	0.289	-
LTE Band 4			1	0	Bottom Edge	10	20050	1720	25.50	24.41	128.53%	0.186	0.239	-
LTE Band 4			50	0	Bottom Edge	10	20050	1720	24.50	24.30	104.71%	0.142	0.149	-
LTE Band 4			1	0	Left Edge	10	20050	1720	25.50	24.41	128.53%	0.358	0.460	176
LTE Band 4			50	0	Left Edge	10	20050	1720	24.50	24.30	104.71%	0.322	0.337	-
LTE Band 7	20MHz	QPSK	1	0	Front Surface	10	20850	2510	25.50	24.61	122.74%	0.288	0.354	-
LTE Band 7			50	50	Front Surface	10	20850	2510	24.50	23.54	124.74%	0.241	0.301	-
LTE Band 7			1	0	Back Surface	10	20850	2510	25.50	24.61	122.74%	0.262	0.322	-
LTE Band 7			50	50	Back Surface	10	20850	2510	24.50	23.54	124.74%	0.226	0.282	-
LTE Band 7			1	0	Bottom Edge	10	20850	2510	25.50	24.61	122.74%	0.193	0.237	-
LTE Band 7			50	50	Bottom Edge	10	20850	2510	24.50	23.54	124.74%	0.158	0.197	-
LTE Band 7			1	0	Left Edge	10	20850	2510	25.50	24.61	122.74%	0.437	0.536	177
LTE Band 7			50	50	Left Edge	10	20850	2510	24.50	23.54	124.74%	0.385	0.480	-
7C			1	0	Left Edge	10	20850	2510	25.50	23.95	142.89%	0.322	0.460	-
LTE Band 25	20MHz	QPSK	1	0	Front Surface	10	26140	1860	25.50	24.51	125.60%	0.293	0.368	-
LTE Band 25			50	0	Front Surface	10	26140	1860	24.50	23.39	129.12%	0.271	0.350	-
LTE Band 25			1	0	Back Surface	10	26140	1860	25.50	24.51	125.60%	0.289	0.363	-
LTE Band 25			50	0	Back Surface	10	26140	1860	24.50	23.39	129.12%	0.257	0.332	-
LTE Band 25			1	0	Bottom Edge	10	26140	1860	25.50	24.51	125.60%	0.143	0.180	-
LTE Band 25			50	0	Bottom Edge	10	26140	1860	24.50	23.39	129.12%	0.121	0.156	-
LTE Band 25			1	0	Left Edge	10	26140	1860	25.50	24.51	125.60%	0.418	0.525	178
LTE Band 25			50	0	Left Edge	10	26140	1860	24.50	23.39	129.12%	0.324	0.418	-
LTE Band 30	10MHz	QPSK	1	0	Front Surface	10	27710	2310	24.50	24.49	100.23%	0.254	0.255	-
LTE Band 30			25	0	Front Surface	10	27710	2310	23.50	23.28	105.20%	0.205	0.216	-
LTE Band 30			1	0	Back Surface	10	27710	2310	24.50	24.49	100.23%	0.405	0.406	-
LTE Band 30			25	0	Back Surface	10	27710	2310	23.50	23.28	105.20%	0.332	0.349	-
LTE Band 30			1	0	Bottom Edge	10	27710	2310	24.50	24.49	100.23%	0.244	0.245	-
LTE Band 30			25	0	Bottom Edge	10	27710	2310	23.50	23.28	105.20%	0.201	0.211	-
LTE Band 30			1	0	Left Edge	10	27710	2310	24.50	24.49	100.23%	0.715	0.717	179
LTE Band 30			25	0	Left Edge	10	27710	2310	23.50	23.28	105.20%	0.588	0.619	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	10	132072	1720	25.50	24.41	128.53%	0.349	0.449	-
LTE Band 66			50	0	Front Surface	10	132072	1720	24.50	23.29	132.13%	0.289	0.382	-
LTE Band 66			1	0	Back Surface	10	132072	1720	25.50	24.41	128.53%	0.368	0.473	-
LTE Band 66			50	0	Back Surface	10	132072	1720	24.50	23.29	132.13%	0.284	0.375	-
LTE Band 66			1	0	Bottom Edge	10	132072	1720	25.50	24.41	128.53%	0.203	0.261	-
LTE Band 66			50	0	Bottom Edge	10	132072	1720	24.50	23.29	132.13%	0.166	0.219	-
LTE Band 66			1	0	Left Edge	10	132072	1720	25.50	24.41	128.53%	0.479	0.616	180
LTE Band 66			50	0	Left Edge	10	132072	1720	24.50	23.29	132.13%	0.349	0.461	-
66C			1	0	Left Edge	10	132072	1720	25.50	23.88	145.21%	0.378	0.549	-
LTE Band 38	20MHz	QPSK	1	0	Front Surface	10	38000	2595	25.50	24.66	121.34%	0.322	0.391	-
LTE Band 38			50	50	Front Surface	10	38000	2595	24.50	23.51	125.60%	0.286	0.359	-
LTE Band 38			1	0	Back Surface	10	38000	2595	25.50	24.66	121.34%	0.347	0.421	-
LTE Band 38			50	50	Back Surface	10	38000	2595	24.50	23.51	125.60%	0.289	0.363	-
LTE Band 38			1	0	Bottom Edge	10	38000	2595	25.50	24.66	121.34%	0.207	0.251	-
LTE Band 38			50	50	Bottom Edge	10	38000	2595	24.50	23.51	125.60%	0.170	0.214	-
LTE Band 38			1	0	Left Edge	10	38000	2595	25.50	24.66	121.34%	0.368	0.447	181
LTE Band 38			50	50	Left Edge	10	38000	2595	24.50	23.51	125.60%	0.343	0.431	-
38C			1	0	Left Edge	10	37850	2580	25.50	23.96	142.56%	0.288	0.411	-
LTE Band 41_PC3	20MHz	QPSK	1	0	Front Surface	10	39750	2506	25.50	24.62	122.46%	0.324	0.397	-
LTE Band 41_PC3			50	50	Front Surface	10	39750	2506	24.50	23.52	125.31%	0.285	0.357	-
LTE Band 41_PC3			1	0	Back Surface	10	39750	2506	25.50	24.62	122.46%	0.339	0.415	-
LTE Band 41_PC3			50	50	Back Surface	10	39750	2506	24.50	23.52	125.31%	0.290	0.363	-
LTE Band 41_PC3			1	0	Bottom Edge	10	39750	2506	25.50	24.62	122.46%	0.186	0.228	-
LTE Band 41_PC3			50	50	Bottom Edge	10	39750	2506	24.50	23.52	125.31%	0.162	0.203	-
LTE Band 41_PC3			1	0	Left Edge	10	39750	2506	25.50	24.62	122.46%	0.421	0.516	182
LTE Band 41_PC3			50	50	Left Edge	10	39750	2506	24.50	23.52	125.31%	0.353	0.442	-
41C			1	0	Left Edge	10	41490	2680	25.50	23.89	144.88%	0.319	0.462	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	10	41055	2636.5	27.50	26.38	129.42%	0.234	0.303	-
LTE Band 41_PC2			50	50	Front Surface	10	41055	2636.5	26.00	25.24	119.12%	0.177	0.211	-
LTE Band 41_PC2			1	0	Back Surface	10	41055	2636.5	27.50	26.38	129.42%	0.317	0.410	-
LTE Band 41_PC2			50	50	Back Surface	10	41055	2636.5	26.00	25.24	119.12%	0.260	0.310	-
LTE Band 41_PC2			1	0	Bottom Edge	10	41055	2636.5	27.50	26.38	129.42%	0.144	0.186	-
LTE Band 41_PC2			50	50	Bottom Edge	10	41055	2636.5	26.00	25.24	119.12%	0.119	0.142	-
LTE Band 41_PC2			1	0	Left Edge	10	41055	2636.5	27.50	26.38	129.42%	0.366	0.474	183
LTE Band 41_PC2			50	50	Left Edge	10	41055	2636.5	26.00	25.24	119.12%	0.296	0.353	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	378000	1890	25.50	24.46	127.06%	0.388	0.493	-
NR n2			108	54	Front Surface	10	378000	1890	25.50	24.31	131.52%	0.365	0.480	-
NR n2			1	1	Back Surface	10	378000	1890	25.50	24.46	127.06%	0.494	0.628	-
NR n2			108	54	Back Surface	10	378000	1890	25.50	24.31	131.52%	0.481	0.633	-
NR n2			1	1	Bottom Edge	10	378000	1890	25.50	24.46	127.06%	0.437	0.555	-
NR n2			108	54	Bottom Edge	10	378000	1890	25.50	24.31	131.52%	0.385	0.506	-
NR n2			1	1	Left Edge	10	378000	1890	25.50	24.46	127.06%	0.540	0.686	184
NR n2			108	54	Left Edge	10	378000	1890	25.50	24.31	131.52%	0.451	0.593	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	505000	2525	25.50	24.36	130.02%	0.236	0.307	-
NR n7			135	67	Front Surface	10	505000	2525	25.50	24.24	133.66%	0.208	0.278	-
NR n7			1	1	Back Surface	10	505000	2525	25.50	24.36	130.02%	0.247	0.321	-
NR n7			135	67	Back Surface	10	505000	2525	25.50	24.24	133.66%	0.215	0.287	-
NR n7			1	1	Bottom Edge	10	505000	2525	25.50	24.36	130.02%	0.158	0.205	-
NR n7			135	67	Bottom Edge	10	505000	2525	25.50	24.24	133.66%	0.131	0.175	-
NR n7			1	1	Left Edge	10	505000	2525	25.50	24.36	130.02%	0.361	0.469	185
NR n7			135	67	Left Edge	10	505000	2525	25.50	24.24	133.66%	0.308	0.412	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	379000	1895	25.50	24.60	123.03%	0.354	0.436	-
NR n25			108	54	Front Surface	10	379000	1895	25.50	24.42	128.23%	0.326	0.418	-
NR n25			1	1	Back Surface	10	379000	1895	25.50	24.60	123.03%	0.386	0.475	-
NR n25			108	54	Back Surface	10	379000	1895	25.50	24.42	128.23%	0.347	0.445	-
NR n25			1	1	Bottom Edge	10	379000	1895	25.50	24.60	123.03%	0.183	0.225	-
NR n25			108	54	Bottom Edge	10	379000	1895	25.50	24.42	128.23%	0.161	0.206	-
NR n25			1	1	Left Edge	10	379000	1895	25.50	24.60	123.03%	0.566	0.696	186
NR n25			108	54	Left Edge	10	379000	1895	25.50	24.42	128.23%	0.418	0.536	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	462000	2310	25.50	24.51	125.60%	0.253	0.318	-
NR n30			25	13	Front Surface	10	462000	2310	25.50	24.43	127.94%	0.244	0.312	-
NR n30			1	1	Back Surface	10	462000	2310	25.50	24.51	125.60%	0.407	0.511	-
NR n30			25	13	Back Surface	10	462000	2310	25.50	24.43	127.94%	0.362	0.463	-
NR n30			1	1	Bottom Edge	10	462000	2310	25.50	24.51	125.60%	0.251	0.315	-
NR n30			25	13	Bottom Edge	10	462000	2310	25.50	24.43	127.94%	0.237	0.303	-
NR n30			1	1	Left Edge	10	462000	2310	25.50	24.51	125.60%	0.606	0.761	187
NR n30			25	13	Left Edge	10	462000	2310	25.50	24.43	127.94%	0.593	0.759	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	346500	1732.5	25.50	24.73	119.40%	0.334	0.399	-
NR n66			120	60	Front Surface	10	346500	1732.5	25.50	24.67	121.06%	0.294	0.356	-
NR n66			1	1	Back Surface	10	346500	1732.5	25.50	24.73	119.40%	0.357	0.426	-
NR n66			120	60	Back Surface	10	346500	1732.5	25.50	24.67	121.06%	0.311	0.376	-
NR n66			1	1	Bottom Edge	10	346500	1732.5	25.50	24.73	119.40%	0.191	0.228	-
NR n66			120	60	Bottom Edge	10	346500	1732.5	25.50	24.67	121.06%	0.154	0.186	-
NR n66			1	1	Left Edge	10	346500	1732.5	25.50	24.73	119.40%	0.407	0.486	188
NR n66			120	60	Left Edge	10	346500	1732.5	25.50	24.67	121.06%	0.331	0.401	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518004	2590.02	25.50	24.44	127.64%	0.338	0.431	-
NR n38			50	28	Front Surface	10	518004	2590.02	25.50	24.26	133.05%	0.307	0.408	-
NR n38			1	1	Back Surface	10	518004	2590.02	25.50	24.44	127.64%	0.351	0.448	-
NR n38			50	28	Back Surface	10	518004	2590.02	25.50	24.26	133.05%	0.308	0.410	-
NR n38			1	1	Bottom Edge	10	518004	2590.02	25.50	24.44	127.64%	0.198	0.253	-
NR n38			50	28	Bottom Edge	10	518004	2590.02	25.50	24.26	133.05%	0.161	0.214	-
NR n38			1	1	Left Edge	10	518004	2590.02	25.50	24.44	127.64%	0.404	0.516	189
NR n38			50	28	Left Edge	10	518004	2590.02	25.50	24.26	133.05%	0.328	0.436	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	509202	2546.01	25.50	24.96	113.24%	0.357	0.404	-
NR n41_PC3			135	69	Front Surface	10	509202	2546.01	25.50	24.88	115.35%	0.348	0.401	-
NR n41_PC3			1	1	Back Surface	10	509202	2546.01	25.50	24.96	113.24%	0.366	0.414	-
NR n41_PC3			135	69	Back Surface	10	509202	2546.01	25.50	24.88	115.35%	0.349	0.403	-
NR n41_PC3			1	1	Bottom Edge	10	509202	2546.01	25.50	24.96	113.24%	0.168	0.190	-
NR n41_PC3			135	69	Bottom Edge	10	509202	2546.01	25.50	24.88	115.35%	0.153	0.176	-
NR n41_PC3			1	1	Left Edge	10	509202	2546.01	25.50	24.96	113.24%	0.399	0.452	190
NR n41_PC3			135	69	Left Edge	10	509202	2546.01	25.50	24.88	115.35%	0.346	0.399	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518598	2592.99	27.50	26.40	128.82%	0.354	0.456	-
NR n41_PC2			135	69	Front Surface	10	518598	2592.99	27.50	26.29	132.13%	0.345	0.456	-
NR n41_PC2			1	1	Back Surface	10	518598	2592.99	27.50	26.40	128.82%	0.364	0.469	-
NR n41_PC2			135	69	Back Surface	10	518598	2592.99	27.50	26.29	132.13%	0.351	0.464	-
NR n41_PC2			1	1	Bottom Edge	10	518598	2592.99	27.50	26.40	128.82%	0.166	0.214	-
NR n41_PC2			135	69	Bottom Edge	10	518598	2592.99	27.50	26.29	132.13%	0.155	0.205	-
NR n41_PC2			1	1	Left Edge	10	518598	2592.99	27.50	26.40	128.82%	0.429	0.553	191
NR n41_PC2			135	69	Left Edge	10	518598	2592.99	27.50	26.29	132.13%	0.342	0.452	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_DSI8_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	10	18700	1860	25.00	24.50	112.20%	0.365	0.410	-
LTE Band 2			50	25	Front Surface	10	18700	1860	24.00	23.80	104.71%	0.308	0.323	-
LTE Band 2			1	0	Back Surface	10	18700	1860	25.00	24.50	112.20%	0.466	0.523	-
LTE Band 2			50	25	Back Surface	10	18700	1860	24.00	23.80	104.71%	0.392	0.410	-
LTE Band 2			1	0	Bottom Edge	10	18700	1860	25.00	24.50	112.20%	0.428	0.480	-
LTE Band 2			50	25	Bottom Edge	10	18700	1860	24.00	23.80	104.71%	0.333	0.349	-
LTE Band 2			1	0	Left Edge	10	18700	1860	25.00	24.50	112.20%	0.437	0.490	-
LTE Band 2			50	25	Left Edge	10	18700	1860	24.00	23.80	104.71%	0.368	0.385	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	10	132072	1720	24.50	24.41	102.09%	0.349	0.356	-
LTE Band 66			50	0	Front Surface	10	132072	1720	23.50	23.29	104.95%	0.289	0.303	-
LTE Band 66			1	0	Back Surface	10	132072	1720	24.50	24.41	102.09%	0.368	0.376	-
LTE Band 66			50	0	Back Surface	10	132072	1720	23.50	23.29	104.95%	0.284	0.298	-
LTE Band 66			1	0	Bottom Edge	10	132072	1720	24.50	24.41	102.09%	0.203	0.207	-
LTE Band 66			50	0	Bottom Edge	10	132072	1720	23.50	23.29	104.95%	0.166	0.174	-
LTE Band 66			1	0	Left Edge	10	132072	1720	24.50	24.41	102.09%	0.479	0.489	-
LTE Band 66			50	0	Left Edge	10	132072	1720	23.50	23.29	104.95%	0.349	0.366	-
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	108	Front Surface	10	378000	1890	24.00	23.81	104.47%	0.349	0.365	-
NR n2			108	54	Front Surface	10	378000	1890	24.00	23.76	105.68%	0.282	0.298	-
NR n2			1	108	Back Surface	10	378000	1890	24.00	23.81	104.47%	0.444	0.464	-
NR n2			108	54	Back Surface	10	378000	1890	24.00	23.76	105.68%	0.352	0.372	-
NR n2			1	108	Bottom Edge	10	378000	1890	24.00	23.81	104.47%	0.393	0.411	-
NR n2			108	54	Bottom Edge	10	378000	1890	24.00	23.76	105.68%	0.311	0.329	-
NR n2			1	108	Left Edge	10	378000	1890	24.00	23.81	104.47%	0.486	0.508	-
NR n2			108	54	Left Edge	10	378000	1890	24.00	23.76	105.68%	0.395	0.417	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	346500	1732.5	25.00	24.73	106.41%	0.334	0.355	-
NR n66			120	60	Front Surface	10	346500	1732.5	25.00	24.67	107.89%	0.294	0.317	-
NR n66			1	1	Back Surface	10	346500	1732.5	25.00	24.73	106.41%	0.357	0.380	-
NR n66			120	60	Back Surface	10	346500	1732.5	25.00	24.67	107.89%	0.311	0.336	-
NR n66			1	1	Bottom Edge	10	346500	1732.5	25.00	24.73	106.41%	0.191	0.203	-
NR n66			120	60	Bottom Edge	10	346500	1732.5	25.00	24.67	107.89%	0.154	0.166	-
NR n66			1	1	Left Edge	10	346500	1732.5	25.00	24.73	106.41%	0.407	0.433	-
NR n66			120	60	Left Edge	10	346500	1732.5	25.00	24.67	107.89%	0.331	0.357	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2_DSI8_SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	50	Front Surface	10	18700	1860	21.00	20.77	105.44%	0.518	0.546	-
LTE Band 2			50	50	Front Surface	10	18900	1860	20.00	19.79	104.95%	0.366	0.384	-
LTE Band 2			1	50	Back Surface	10	18700	1860	21.00	20.77	105.44%	0.239	0.252	-
LTE Band 2			50	50	Back Surface	10	18900	1860	20.00	19.79	104.95%	0.190	0.199	-
LTE Band 2			1	50	Top Edge	10	18700	1860	21.00	20.77	105.44%	0.112	0.118	-
LTE Band 2			50	50	Top Edge	10	18900	1860	20.00	19.79	104.95%	0.086	0.090	-
LTE Band 2			1	50	Left Edge	10	18700	1860	21.00	20.77	105.44%	0.889	0.937	-
LTE Band 2			1	0	Left Edge	10	18900	1880	21.00	20.70	107.15%	0.964	1.033	-
LTE Band 2			1	50	Left Edge	10	19100	1900	21.00	20.74	106.17%	1.070	1.136	192
LTE Band 2			50	50	Left Edge	10	18700	1860	20.00	19.76	105.68%	0.810	0.856	-
LTE Band 2			50	50	Left Edge	10	18900	1860	20.00	19.79	104.95%	0.833	0.874	-
LTE Band 2			50	25	Left Edge	10	19100	1860	20.00	19.76	105.68%	0.844	0.892	-
LTE Band 2			100RB		Left Edge	10	18900	1880	20.00	19.75	105.93%	0.832	0.881	-
2C			1	0	Left Edge	10	18700	1860	21.00	19.66	136.14%	0.632	0.860	-
LTE Band 4	20MHz	QPSK	1	99	Front Surface	10	20050	1720	22.00	21.79	104.95%	0.655	0.687	-
LTE Band 4			50	25	Front Surface	10	20175	1732.5	21.00	20.76	105.68%	0.523	0.553	-
LTE Band 4			1	99	Back Surface	10	20050	1720	22.00	21.79	104.95%	0.507	0.532	-
LTE Band 4			50	25	Back Surface	10	20175	1732.5	21.00	20.76	105.68%	0.437	0.462	-
LTE Band 4			1	99	Top Edge	10	20050	1720	22.00	21.79	104.95%	0.184	0.193	-
LTE Band 4			50	25	Top Edge	10	20175	1732.5	21.00	20.76	105.68%	0.152	0.161	-
LTE Band 4			1	99	Left Edge	10	20050	1720	22.00	21.79	104.95%	0.953	1.000	-
LTE Band 4			1	99	Left Edge	10	20175	1732.5	22.00	21.76	105.68%	1.040	1.099	193
LTE Band 4			1	0	Left Edge	10	20300	1745	22.00	21.75	105.93%	0.921	0.976	-
LTE Band 4			50	50	Left Edge	10	20050	1720	21.00	20.70	107.15%	0.866	0.928	-
LTE Band 4			50	25	Left Edge	10	20175	1732.5	21.00	20.76	105.68%	0.821	0.868	-
LTE Band 4			50	50	Left Edge	10	20300	1745	21.00	20.75	105.93%	0.802	0.850	-
LTE Band 4			100RB		Left Edge	10	20300	1745	21.00	20.80	104.71%	0.792	0.829	-
LTE Band 5	10MHz	QPSK	1	0	Front Surface	10	20600	844	26.00	25.02	125.31%	0.401	0.503	-
LTE Band 5			25	0	Front Surface	10	20600	844	25.00	23.85	130.32%	0.357	0.465	-
LTE Band 5			1	0	Back Surface	10	20600	844	26.00	25.02	125.31%	0.283	0.355	-
LTE Band 5			25	0	Back Surface	10	20600	844	25.00	23.85	130.32%	0.251	0.327	-
LTE Band 5			1	0	Top Edge	10	20600	844	26.00	25.02	125.31%	0.079	0.099	-
LTE Band 5			25	0	Top Edge	10	20600	844	25.00	23.85	130.32%	0.076	0.099	-
LTE Band 5			1	0	Left Edge	10	20600	844	26.00	25.02	125.31%	0.415	0.520	194
LTE Band 5			25	0	Left Edge	10	20600	844	25.00	23.85	130.32%	0.341	0.444	-
LTE Band 7	20MHz	QPSK	1	0	Front Surface	10	21100	2535	22.50	22.30	104.71%	0.614	0.643	-
LTE Band 7			50	25	Front Surface	10	20850	2510	21.50	21.29	104.95%	0.596	0.626	-
LTE Band 7			1	0	Back Surface	10	21100	2535	22.50	22.30	104.71%	0.297	0.311	-
LTE Band 7			50	25	Back Surface	10	20850	2510	21.50	21.29	104.95%	0.282	0.296	-
LTE Band 7			1	0	Top Edge	10	21100	2535	22.50	22.30	104.71%	0.070	0.073	-
LTE Band 7			50	25	Top Edge	10	20850	2510	21.50	21.29	104.95%	0.049	0.051	-
LTE Band 7			1	99	Left Edge	10	20850	2510	22.50	22.24	106.17%	1.020	1.083	-
LTE Band 7			1	0	Left Edge	10	21100	2535	22.50	22.30	104.71%	1.110	1.162	195
LTE Band 7			1	0	Left Edge	10	21350	2560	22.50	22.28	105.20%	0.989	1.040	-
LTE Band 7			50	25	Left Edge	10	20850	2510	21.50	21.29	104.95%	0.920	0.966	-
LTE Band 7			50	25	Left Edge	10	21100	2535	21.50	21.18	107.65%	0.867	0.933	-
LTE Band 7			50	50	Left Edge	10	21350	2560	21.50	21.26	105.68%	0.899	0.950	-
LTE Band 7			100RB		Left Edge	10	21100	2535	21.50	21.27	105.44%	0.872	0.919	-
7C			1	0	Left Edge	10	21100	2535	22.50	21.03	140.28%	0.772	1.083	-
LTE Band 12	10MHz	QPSK	1	0	Front Surface	10	23060	704	26.00	24.99	126.18%	0.304	0.384	-
LTE Band 12			25	12	Front Surface	10	23060	704	25.00	24.83	103.99%	0.268	0.279	-
LTE Band 12			1	0	Back Surface	10	23060	704	26.00	24.99	126.18%	0.157	0.198	-
LTE Band 12			25	25	Back Surface	10	23060	704	25.00	24.83	103.99%	0.126	0.131	-
LTE Band 12			1	0	Top Edge	10	23060	704	26.00	24.99	126.18%	0.076	0.096	-
LTE Band 12			25	25	Top Edge	10	23060	704	25.00	24.83	103.99%	0.063	0.066	-
LTE Band 12			1	0	Left Edge	10	23060	704	26.00	24.99	126.18%	0.353	0.445	196
LTE Band 12			25	25	Left Edge	10	23060	704	25.00	24.83	103.99%	0.289	0.301	-
LTE Band 17	10MHz	QPSK	1	0	Front Surface	10	23800	711	26.00	24.96	127.06%	0.299	0.380	-
LTE Band 17			25	0	Front Surface	10	23800	711	25.00	23.91	128.53%	0.261	0.335	-
LTE Band 17			1	0	Back Surface	10	23800	711	26.00	24.96	127.06%	0.160	0.203	-
LTE Band 17			25	0	Back Surface	10	23800	711	25.00	23.91	128.53%	0.120	0.154	-
LTE Band 17			1	0	Top Edge	10	23800	711	26.00	24.96	127.06%	0.073	0.093	-
LTE Band 17			25	0	Top Edge	10	23800	711	25.00	23.91	128.53%	0.064	0.082	-
LTE Band 17			1	0	Left Edge	10	23800	711	26.00	24.96	127.06%	0.349	0.443	197
LTE Band 17			25	0	Left Edge	10	23800	711	25.00	23.91	128.53%	0.320	0.411	-
LTE Band 25	20MHz	QPSK	1	50	Front Surface	10	26140	1860	21.00	20.81	104.47%	0.521	0.544	-
LTE Band 25			50	0	Front Surface	10	26140	1860	20.00	19.80	104.71%	0.425	0.445	-
LTE Band 25			1	50	Back Surface	10	26140	1860	21.00	20.81	104.47%	0.260	0.272	-
LTE Band 25			50	0	Back Surface	10	26140	1860	20.00	19.80	104.71%	0.201	0.210	-
LTE Band 25			1	50	Top Edge	10	26140	1860	21.00	20.81	104.47%	0.127	0.133	-
LTE Band 25			50	0	Top Edge	10	26140	1860	20.00	19.80	104.71%	0.102	0.107	-
LTE Band 25			1	50	Left Edge	10	26140	1860	21.00	20.81	104.47%	1.110	1.160	198
LTE Band 25			1	50	Left Edge	10	26365	1882.5	21.00	20.78	105.20%	1.020	1.073	-
LTE Band 25			1	50	Left Edge	10	26590	1905	21.00	20.80	104.71%	1.070	1.120	-
LTE Band 25			50	0	Left Edge	10	26140	1860	20.00	19.80	104.71%	0.892	0.934	-
LTE Band 25			50	0	Left Edge	10	26365	1882.5	20.00	19.74	106.17%	0.910	0.966	-
LTE Band 25			50	25	Left Edge	10	26590	1905	20.00	19.79	104.95%	0.856	0.898	-
LTE Band 25			100RB		Left Edge	10	26590	1905	20.00	19.77	105.44%	0.822	0.867	-
LTE Band 26	15MHz	QPSK	1	0	Front Surface	10	26965	841.5	26.00	24.96	127.06%	0.432	0.549	-
LTE Band 26			36	37	Front Surface	10	26965	841.5	25.00	23.87	129.72%	0.389	0.505	-
LTE Band 26			1	0	Back Surface	10	26965	841.5	26.00	24.96	127.06%	0.308	0.391	-
LTE Band 26			36	50	Back Surface	10	26965	841.5	25.00	23.87	129.72%	0.292	0.379	-
LTE Band 26			1	0	Top Edge	10	26965	841.5	26.00	24.96	127.06%	0.085	0.108	-
LTE Band 26			36	50	Top Edge	10	26965	841.5	25.00	23.87	129.72%	0.078	0.101	-
LTE Band 26			1	0	Left Edge	10	26965	841.5	26.00	24.96	127.06%	0.449	0.570	199
LTE Band 26			36	50	Left Edge	10	26965	841.5	25.00	23.87	129.72%	0.402	0.521	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at

LTE Band 30	10MHz	QPSK	1	0	Front Surface	10	27710	2310	22.00	21.79	104.95%	0.823	0.864	-
LTE Band 30			25	0	Front Surface	10	27710	2310	21.00	20.73	106.41%	0.710	0.756	-
LTE Band 30			50RB		Front Surface	10	27710	2310	21.00	20.72	106.66%	0.692	0.738	-
LTE Band 30			1	0	Back Surface	10	27710	2310	22.00	21.79	104.95%	0.635	0.666	-
LTE Band 30			25	0	Back Surface	10	27710	2310	21.00	20.73	106.41%	0.521	0.554	-
LTE Band 30			1	0	Top Edge	10	27710	2310	22.00	21.79	104.95%	0.243	0.255	-
LTE Band 30			25	0	Top Edge	10	27710	2310	21.00	20.73	106.41%	0.254	0.270	-
LTE Band 30			1	0	Left Edge	10	27710	2310	22.00	21.79	104.95%	1.120	1.175	200
LTE Band 30			25	0	Left Edge	10	27710	2310	21.00	20.73	106.41%	0.923	0.982	-
LTE Band 30			50RB		Left Edge	10	27710	2310	21.00	20.72	106.66%	0.899	0.959	-
LTE Band 66	20MHz	QPSK	1	99	Front Surface	10	132072	1720	22.00	21.80	104.71%	0.514	0.538	-
LTE Band 66			50	50	Front Surface	10	132072	1720	21.00	20.79	104.95%	0.416	0.437	-
LTE Band 66			1	99	Back Surface	10	132072	1720	22.00	21.80	104.71%	0.260	0.272	-
LTE Band 66			50	50	Back Surface	10	132072	1720	21.00	20.79	104.95%	0.210	0.220	-
LTE Band 66			1	99	Top Edge	10	132072	1720	22.00	21.80	104.71%	0.091	0.095	-
LTE Band 66			50	50	Top Edge	10	132072	1720	21.00	20.79	104.95%	0.072	0.076	-
LTE Band 66			1	99	Left Edge	10	132072	1720	22.00	21.80	104.71%	1.040	1.089	201
LTE Band 66			1	0	Left Edge	10	132322	1745	22.00	21.73	106.41%	0.987	1.050	-
LTE Band 66			1	99	Left Edge	10	132572	1770	22.00	21.72	106.66%	0.967	1.031	-
LTE Band 66			50	50	Left Edge	10	132072	1720	21.00	20.79	104.95%	0.833	0.874	-
LTE Band 66			50	25	Left Edge	10	132322	1745	21.00	20.76	105.68%	0.821	0.868	-
LTE Band 66			50	25	Left Edge	10	132572	1770	21.00	20.77	105.44%	0.792	0.835	-
LTE Band 66			100RB		Left Edge	10	132572	1770	21.00	20.77	105.44%	0.769	0.811	-
66C			1	0	Left Edge	10	132072	1720	22.00	20.46	142.56%	0.441	0.629	-
LTE Band 71	20MHz	QPSK	1	0	Front Surface	10	133297	680.5	26.00	24.86	130.02%	0.279	0.363	-
LTE Band 71			50	25	Front Surface	10	133297	680.5	25.00	24.74	106.17%	0.253	0.269	-
LTE Band 71			1	0	Back Surface	10	133297	680.5	26.00	24.86	130.02%	0.135	0.176	-
LTE Band 71			50	25	Back Surface	10	133297	680.5	25.00	24.74	106.17%	0.107	0.114	-
LTE Band 71			1	0	Top Edge	10	133297	680.5	26.00	24.86	130.02%	0.065	0.085	-
LTE Band 71			50	25	Top Edge	10	133297	680.5	25.00	24.74	106.17%	0.052	0.055	-
LTE Band 71			1	0	Left Edge	10	133297	680.5	26.00	24.86	130.02%	0.327	0.425	202
LTE Band 71			50	25	Left Edge	10	133297	680.5	25.00	24.74	106.17%	0.279	0.296	-
LTE Band 38	20MHz	QPSK	1	50	Front Surface	10	38150	2610	22.50	22.30	104.71%	0.552	0.578	-
LTE Band 38			50	25	Front Surface	10	38000	2595	21.50	21.27	105.44%	0.456	0.481	-
LTE Band 38			1	50	Back Surface	10	38150	2610	22.50	22.30	104.71%	0.288	0.302	-
LTE Band 38			50	25	Back Surface	10	38000	2595	21.50	21.27	105.44%	0.231	0.244	-
LTE Band 38			1	50	Top Edge	10	38150	2610	22.50	22.30	104.71%	0.105	0.110	-
LTE Band 38			50	25	Top Edge	10	38000	2595	21.50	21.27	105.44%	0.087	0.092	-
LTE Band 38			1	0	Left Edge	10	37850	2580	22.50	22.18	107.65%	1.020	1.098	-
LTE Band 38			1	50	Left Edge	10	38000	2595	22.50	22.28	105.20%	0.982	1.033	-
LTE Band 38			1	50	Left Edge	10	38150	2610	22.50	22.30	104.71%	1.030	1.079	203
LTE Band 38			50	0	Left Edge	10	37850	2580	21.50	21.16	108.14%	0.839	0.907	-
LTE Band 38			50	25	Left Edge	10	38000	2595	21.50	21.27	105.44%	0.820	0.865	-
LTE Band 38			50	0	Left Edge	10	38150	2610	21.50	21.21	106.91%	0.841	0.899	-
LTE Band 38			100RB		Left Edge	10	37850	2580	21.50	21.24	106.17%	0.792	0.841	-
38C			1	50	Left Edge	10	38150	2610	22.50	21.77	118.30%	0.742	0.878	-
LTE Band 41_PC3	20MHz	QPSK	1	99	Front Surface	10	41490	2680	22.50	22.31	104.47%	0.567	0.592	-
LTE Band 41_PC3			50	25	Front Surface	10	40185	2549.5	21.50	21.30	104.71%	0.432	0.452	-
LTE Band 41_PC3			1	99	Back Surface	10	41490	2680	22.50	22.31	104.47%	0.276	0.288	-
LTE Band 41_PC3			50	25	Back Surface	10	40185	2549.5	21.50	21.30	104.71%	0.212	0.222	-
LTE Band 41_PC3			1	99	Top Edge	10	41490	2680	22.50	22.31	104.47%	0.112	0.117	-
LTE Band 41_PC3			50	25	Top Edge	10	40185	2549.5	21.50	21.30	104.71%	0.082	0.086	-
LTE Band 41_PC3			1	0	Left Edge	10	39750	2506	22.50	22.29	104.95%	0.933	0.979	-
LTE Band 41_PC3			1	99	Left Edge	10	40185	2549.5	22.50	22.30	104.71%	0.954	0.999	-
LTE Band 41_PC3			1	0	Left Edge	10	40620	2593	22.50	22.19	107.40%	0.833	0.895	-
LTE Band 41_PC3			1	99	Left Edge	10	41055	2636.5	22.50	22.26	105.68%	0.912	0.964	-
LTE Band 41_PC3			1	99	Left Edge	10	41490	2680	22.50	22.31	104.47%	1.030	1.076	204
LTE Band 41_PC3			50	25	Left Edge	10	39750	2506	21.50	21.29	104.95%	0.842	0.884	-
LTE Band 41_PC3			50	25	Left Edge	10	40185	2549.5	21.50	21.30	104.71%	0.821	0.860	-
LTE Band 41_PC3			50	25	Left Edge	10	40620	2593	21.50	21.28	105.20%	0.819	0.862	-
LTE Band 41_PC3			50	25	Left Edge	10	41055	2636.5	21.50	21.22	106.66%	0.782	0.834	-
LTE Band 41_PC3			50	50	Left Edge	10	41490	2680	21.50	21.29	104.95%	0.762	0.800	-
LTE Band 41_PC3			100RB		Left Edge	10	39750	2506	21.50	21.25	105.93%	0.822	0.871	-
41C			1	99	Left Edge	10	41490	2680	22.50	21.89	115.08%	0.856	0.985	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	10	39750	2506	24.00	23.80	104.71%	0.525	0.550	-
LTE Band 41_PC2			50	25	Front Surface	10	39750	2506	23.00	22.80	104.71%	0.439	0.460	-
LTE Band 41_PC2			1	0	Back Surface	10	39750	2506	24.00	23.80	104.71%	0.286	0.299	-
LTE Band 41_PC2			50	25	Back Surface	10	39750	2506	23.00	22.80	104.71%	0.224	0.235	-
LTE Band 41_PC2			1	0	Top Edge	10	39750	2506	24.00	23.80	104.71%	0.169	0.177	-
LTE Band 41_PC2			50	25	Top Edge	10	39750	2506	23.00	22.80	104.71%	0.125	0.131	-
LTE Band 41_PC2			1	0	Left Edge	10	39750	2506	24.00	23.80	104.71%	1.020	1.068	205
LTE Band 41_PC2			1	50	Left Edge	10	40185	2549.5	24.00	23.78	105.20%	0.920	0.968	-
LTE Band 41_PC2			1	99	Left Edge	10	40620	2593	24.00	23.76	105.68%	0.850	0.898	-
LTE Band 41_PC2			1	99	Left Edge	10	41055	2636.5	24.00	23.76	105.68%	0.873	0.923	-
LTE Band 41_PC2			1	50	Left Edge	10	41490	2680	24.00	23.78	105.20%	0.912	0.959	-
LTE Band 41_PC2			50	25	Left Edge	10	39750	2506	23.00	22.80	104.71%	0.823	0.862	-
LTE Band 41_PC2			50	25	Left Edge	10	40185	2549.5	23.00	22.76	105.68%	0.782	0.826	-
LTE Band 41_PC2			50	0	Left Edge	10	40620	2593	23.00	22.72	106.66%	0.872	0.930	-
LTE Band 41_PC2			50	0	Left Edge	10	41055	2636.5	23.00	22.76	105.68%	0.755	0.798	-
LTE Band 41_PC2			50	25	Left Edge	10	41490	2680	23.00	22.71	106.91%	0.721	0.771	-
LTE Band 41_PC2			100RB		Left Edge	10	41055	2636.5	23.00	22.80	104.71%	0.783	0.820	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	374000	1870	21.50	21.29	104.95%	0.521	0.547	-
NR n2			108	54	Front Surface	10	376000	1880	21.50	21.29	104.95%	0.514	0.539	-
NR n2			1	1	Back Surface	10	374000	1870	21.50	21.29	104.95%	0.260	0.273	-
NR n2			108	54	Back Surface	10	376000	1880	21.50	21.29	104.95%	0.263	0.276	-
NR n2			1	1	Top Edge	10	374000	1870	21.50	21.29	104.95%	0.125	0.131	-
NR n2			108	54	Top Edge	10	376000	1880	21.50	21.29	104.95%	0.120	0.126	-
NR n2			1	1	Left Edge	10	374000	1870	21.50	21.29	104.95%	1.050	1.102	206
NR n2			1	214	Left Edge	10	376000	1880	21.50	21.24	106.17%	0.976	1.036	-
NR n2			1	108	Left Edge	10	378000	1890	21.50	21.24	106.17%	0.925	0.982	-
NR n2			108	54	Left Edge	10	374000	1870	21.50	21.14	108.64%	0.867	0.942	-
NR n2			108	54	Left Edge	10	376000	1880	21.50	21.29	104.95%	1.020	1.071	-
NR n2			108	54	Left Edge	10	378000	1890	21.50	21.18	107.65%	0.965	1.039	-
NR n2			216	0	Left Edge	10	378000	1890	21.00	20.76	105.68%	0.856	0.905	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	166800	834	26.00	24.45	142.89%	0.611	0.873	-
NR n5			1	1	Front Surface	10	167300	836.5	26.00	24.41	144.21%	0.572	0.825	-
NR n5			1	1	Front Surface	10	167800	839	26.00	24.44	143.22%	0.538	0.771	-
NR n5			50	28	Front Surface	10	166800	834	26.00	24.40	144.54%	0.554	0.801	-
NR n5			50	28	Front Surface	10	167300	836.5	26.00	24.32	147.23%	0.523	0.770	-
NR n5			50	28	Front Surface	10	167800	839	26.00	24.34	146.55%	0.518	0.759	-
NR n5			100	0	Front Surface	10	166800	834	25.50	23.92	143.88%	0.509	0.732	-
NR n5			1	1	Back Surface	10	166800	834	26.00	24.45	142.89%	0.328	0.469	-
NR n5			50	28	Back Surface	10	166800	834	26.00	24.40	144.54%	0.303	0.438	-
NR n5			1	1	Top Edge	10	166800	834	26.00	24.45	142.89%	0.092	0.131	-
NR n5			50	28	Top Edge	10	166800	834	26.00	24.40	144.54%	0.086	0.124	-
NR n5			1	1	Left Edge	10	166800	834	26.00	24.45	142.89%	0.667	0.953	207
NR n5			1	1	Left Edge	10	167300	836.5	26.00	24.41	144.21%	0.573	0.826	-
NR n5			1	1	Left Edge	10	167800	839	26.00	24.44	143.22%	0.581	0.832	-
NR n5			50	28	Left Edge	10	166800	834	26.00	24.40	144.54%	0.559	0.808	-
NR n5			50	28	Left Edge	10	167300	836.5	26.00	24.32	147.23%	0.512	0.754	-
NR n5			50	28	Left Edge	10	167800	839	26.00	24.34	146.55%	0.532	0.780	-
NR n5			100	0	Left Edge	10	166800	834	25.50	23.92	143.88%	0.498	0.717	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	509000	2545	22.50	22.30	104.71%	0.596	0.624	-
NR n7			135	67	Front Surface	10	509000	2545	22.50	22.30	104.71%	0.547	0.573	-
NR n7			1	1	Back Surface	10	509000	2545	22.50	22.30	104.71%	0.301	0.315	-
NR n7			135	67	Back Surface	10	509000	2545	22.50	22.30	104.71%	0.279	0.292	-
NR n7			1	1	Top Edge	10	509000	2545	22.50	22.30	104.71%	0.108	0.113	-
NR n7			135	67	Top Edge	10	509000	2545	22.50	22.30	104.71%	0.090	0.094	-
NR n7			1	135	Left Edge	10	505000	2525	22.50	22.22	106.66%	0.956	1.020	-
NR n7			1	1	Left Edge	10	507000	2535	22.50	22.21	106.91%	0.102	0.109	-
NR n7			1	1	Left Edge	10	509000	2545	22.50	22.30	104.71%	1.120	1.173	208
NR n7			135	67	Left Edge	10	505000	2525	22.50	22.21	106.91%	0.927	0.991	-
NR n7			135	67	Left Edge	10	507000	2535	22.50	22.16	108.14%	0.958	1.036	-
NR n7			135	67	Left Edge	10	509000	2545	22.50	22.30	104.71%	1.040	1.089	-
NR n7			270	0	Left Edge	10	507000	2535	22.00	21.71	106.91%	0.932	0.996	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	141700	708.5	26.00	24.43	143.55%	0.385	0.553	-
NR n12			36	22	Front Surface	10	141300	706.5	26.00	24.29	148.25%	0.372	0.551	-
NR n12			1	1	Back Surface	10	141700	708.5	26.00	24.43	143.55%	0.193	0.277	-
NR n12			36	22	Back Surface	10	141300	706.5	26.00	24.29	148.25%	0.188	0.279	-
NR n12			1	1	Top Edge	10	141700	708.5	26.00	24.43	143.55%	0.074	0.106	-
NR n12			36	22	Top Edge	10	141300	706.5	26.00	24.29	148.25%	0.069	0.102	-
NR n12			1	1	Left Edge	10	141700	708.5	26.00	24.43	143.55%	0.444	0.637	209
NR n12			36	22	Left Edge	10	141300	706.5	26.00	24.29	148.25%	0.403	0.597	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	214	Front Surface	10	374000	1870	21.50	21.28	105.20%	0.495	0.521	-
NR n25			108	54	Front Surface	10	379000	1895	21.50	21.23	106.41%	0.503	0.535	-
NR n25			1	214	Back Surface	10	374000	1870	21.50	21.28	105.20%	0.238	0.250	-
NR n25			108	54	Back Surface	10	379000	1895	21.50	21.23	106.41%	0.242	0.258	-
NR n25			1	214	Top Edge	10	374000	1870	21.50	21.28	105.20%	0.114	0.120	-
NR n25			108	54	Top Edge	10	379000	1895	21.50	21.23	106.41%	0.098	0.104	-
NR n25			1	214	Left Edge	10	374000	1870	21.50	21.28	105.20%	1.070	1.126	210
NR n25			1	214	Left Edge	10	376500	1882.5	21.50	21.25	105.93%	0.923	0.978	-
NR n25			1	108	Left Edge	10	379000	1895	21.50	21.24	106.17%	0.969	1.029	-
NR n25			108	54	Left Edge	10	374000	1870	21.50	21.13	108.89%	0.968	1.054	-
NR n25			108	54	Left Edge	10	376500	1882.5	21.50	21.19	107.40%	0.923	0.991	-
NR n25			108	54	Left Edge	10	379000	1895	21.50	21.23	106.41%	1.030	1.096	-
NR n25			216	0	Left Edge	10	374000	1870	21.00	20.69	107.40%	0.956	1.027	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	167800	839	26.00	24.46	142.56%	0.532	0.758	-
NR n26			50	28	Front Surface	10	167800	839	26.00	24.43	143.55%	0.517	0.742	-
NR n26			1	1	Back Surface	10	167800	839	26.00	24.46	142.56%	0.311	0.443	-
NR n26			50	28	Back Surface	10	167800	839	26.00	24.43	143.55%	0.302	0.434	-
NR n26			1	1	Top Edge	10	167800	839	26.00	24.46	142.56%	0.083	0.118	-
NR n26			50	28	Top Edge	10	167800	839	26.00	24.43	143.55%	0.078	0.112	-
NR n26			1	1	Left Edge	10	164800	824	26.00	24.36	145.88%	0.620	0.904	-
NR n26			1	1	Left Edge	10	166300	831.5	26.00	24.35	146.22%	0.641	0.937	211
NR n26			1	1	Left Edge	10	167800	839	26.00	24.46	142.56%	0.609	0.868	-
NR n26			50	28	Left Edge	10	164800	824	26.00	24.23	150.31%	0.547	0.822	-
NR n26			50	28	Left Edge	10	166300	831.5	26.00	24.23	150.31%	0.561	0.843	-
NR n26			50	28	Left Edge	10	167800	839	26.00	24.43	143.55%	0.594	0.853	-
NR n26			100	0	Left Edge	10	167800	839	25.50	23.92	143.88%	0.524	0.754	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	26	Front Surface	10	462000	2310	22.50	22.27	105.44%	0.464	0.489	-
NR n30			25	13	Front Surface	10	462000	2310	22.50	22.20	107.15%	0.457	0.490	-
NR n30			1	26	Back Surface	10	462000	2310	22.50	22.27	105.44%	0.259	0.273	-
NR n30			25	13	Back Surface	10	462000	2310	22.50	22.20	107.15%	0.249	0.267	-
NR n30			1	26	Top Edge	10	462000	2310	22.50	22.27	105.44%	0.080	0.084	-
NR n30			25	13	Top Edge	10	462000	2310	22.50	22.20	107.15%	0.073	0.078	-
NR n30			1	26	Left Edge	10	462000	2310	22.50	22.27	105.44%	1.060	1.118	212
NR n30			25	13	Left Edge	10	462000	2310	22.50	22.20	107.15%	1.010	1.082	-
NR n30			50	0	Left Edge	10	462000	2310	22.00	21.72	106.66%	1.020	1.088	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	240	Front Surface	10	351500	1757.5	22.00	21.79	104.95%	0.683	0.717	-
NR n66			120	60	Front Surface	10	346500	1732.5	22.00	21.79	104.95%	0.654	0.686	-
NR n66			1	240	Back Surface	10	351500	1757.5	22.00	21.79	104.95%	0.444	0.466	-
NR n66			120	60	Back Surface	10	346500	1732.5	22.00	21.79	104.95%	0.425	0.446	-
NR n66			1	240	Top Edge	10	351500	1757.5	22.00	21.79	104.95%	0.107	0.112	-
NR n66			1	1	Left Edge	10	346500	1732.5	22.00	21.71	106.91%	0.876	0.936	-
NR n66			1	240	Left Edge	10	349000	1745	22.00	21.75	105.93%	0.812	0.860	-
NR n66			1	240	Left Edge	10	351500	1757.5	22.00	21.79	104.95%	1.080	1.134	213
NR n66			120	60	Left Edge	10	346500	1732.5	22.00	21.79	104.95%	0.877	0.920	-
NR n66			120	60	Left Edge	10	349000	1745	22.00	21.74	106.17%	0.839	0.891	-
NR n66			120	60	Left Edge	10	351500	1757.5	22.00	21.78	105.20%	1.000	1.052	-
NR n66			240	0	Left Edge	10	351500	1757.5	21.50	21.29	104.95%	0.933	0.979	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	136100	680.5	26.00	24.30	147.91%	0.156	0.231	-
NR n71			90	45	Front Surface	10	136100	680.5	26.00	24.14	153.46%	0.138	0.212	-
NR n71			1	1	Back Surface	10	136100	680.5	26.00	24.30	147.91%	0.088	0.130	-
NR n71			90	45	Back Surface	10	136100	680.5	26.00	24.14	153.46%	0.074	0.114	-
NR n71			1	1	Top Edge	10	136100	680.5	26.00	24.30	147.91%	0.037	0.055	-
NR n71			90	45	Top Edge	10	136100	680.5	26.00	24.14	153.46%	0.032	0.049	-
NR n71			1	1	Left Edge	10	136100	680.5	26.00	24.30	147.91%	0.328	0.485	214
NR n71			90	45	Left Edge	10	136100	680.5	26.00	24.14	153.46%	0.304	0.467	-
NR n71			180	0	Left Edge	10	136100	680.5	25.50	23.82	147.23%	0.000	-	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	53	Front Surface	10	518004	2590.02	21.00	20.80	104.71%	0.707	0.740	-
NR n38			50	28	Front Surface	10	519996	2599.98	21.00	20.77	105.44%	0.699	0.737	-
NR n38			1	53	Back Surface	10	518004	2590.02	21.00	20.80	104.71%	0.503	0.527	-
NR n38			50	28	Back Surface	10	519996	2599.98	21.00	20.77	105.44%	0.510	0.538	-
NR n38			1	53	Top Edge	10	518004	2590.02	21.00	20.80	104.71%	0.147	0.154	-
NR n38			50	28	Top Edge	10	519996	2599.98	21.00	20.77	105.44%	0.158	0.167	-
NR n38			1	53	Left Edge	10	518004	2590.02	21.00	20.80	104.71%	1.010	1.058	-
NR n38			1	1	Left Edge	10	519000	2595	21.00	20.77	105.44%	0.953	1.005	-
NR n38			1	53	Left Edge	10	519996	2599.98	21.00	20.76	105.68%	0.911	0.963	-
NR n38			50	28	Left Edge	10	518004	2590.02	21.00	20.61	109.40%	0.978	1.070	-
NR n38			50	28	Left Edge	10	519000	2595	21.00	20.64	108.64%	0.927	1.007	-
NR n38			50	28	Left Edge	10	519996	2599.98	21.00	20.77	105.44%	1.120	1.181	215
NR n38			100	0	Left Edge	10	519000	2595	20.50	20.21	106.91%	0.954	1.020	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	509202	2546.01	20.50	20.29	104.95%	0.648	0.680	-
NR n41_PC3			135	69	Front Surface	10	518598	2592.99	20.50	20.26	105.68%	0.638	0.674	-
NR n41_PC3			1	1	Back Surface	10	509202	2546.01	20.50	20.29	104.95%	0.473	0.496	-
NR n41_PC3			135	69	Back Surface	10	518598	2592.99	20.50	20.26	105.68%	0.419	0.443	-
NR n41_PC3			1	1	Top Edge	10	509202	2546.01	20.50	20.29	104.95%	0.172	0.181	-
NR n41_PC3			135	69	Top Edge	10	518598	2592.99	20.50	20.26	105.68%	0.165	0.174	-
NR n41_PC3			1	1	Left Edge	10	509202	2546.01	20.50	20.29	104.95%	1.080	1.134	216
NR n41_PC3			1	271	Left Edge	10	518598	2592.99	20.50	20.14	108.64%	0.935	1.016	-
NR n41_PC3			1	271	Left Edge	10	528000	2640	20.50	20.26	105.68%	0.960	1.015	-
NR n41_PC3			135	69	Left Edge	10	509202	2546.01	20.50	20.12	109.14%	0.978	1.067	-
NR n41_PC3			135	69	Left Edge	10	518598	2592.99	20.50	20.26	105.68%	1.020	1.078	-
NR n41_PC3			135	69	Left Edge	10	528000	2640	20.50	20.17	107.89%	0.961	1.037	-
NR n41_PC3			270	0	Left Edge	10	528000	2640	20.00	19.79	104.95%	0.969	1.017	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	518598	2592.99	23.00	22.76	105.68%	0.646	0.683	-
NR n41_PC2			135	69	Front Surface	10	509202	2546.01	23.00	22.68	107.65%	0.613	0.660	-
NR n41_PC2			1	137	Back Surface	10	518598	2592.99	23.00	22.76	105.68%	0.412	0.435	-
NR n41_PC2			135	69	Back Surface	10	509202	2546.01	23.00	22.68	107.65%	0.444	0.478	-
NR n41_PC2			1	137	Top Edge	10	518598	2592.99	23.00	22.76	105.68%	0.145	0.153	-
NR n41_PC2			135	69	Top Edge	10	509202	2546.01	23.00	22.68	107.65%	0.130	0.140	-
NR n41_PC2			1	137	Left Edge	10	509202	2546.01	23.00	22.67	107.89%	1.030	1.111	-
NR n41_PC2			1	137	Left Edge	10	518598	2592.99	23.00	22.76	105.68%	1.100	1.162	217
NR n41_PC2			1	271	Left Edge	10	528000	2640	23.00	22.71	106.91%	0.955	1.021	-
NR n41_PC2			135	69	Left Edge	10	509202	2546.01	23.00	22.68	107.65%	1.020	1.098	-
NR n41_PC2			135	69	Left Edge	10	518598	2592.99	23.00	22.66	108.14%	0.760	0.822	-
NR n41_PC2			135	69	Left Edge	10	528000	2640	23.00	22.64	108.64%	0.972	1.056	-
NR n41_PC2			270	0	Left Edge	10	528000	2640	22.50	22.28	105.20%	0.910	0.957	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2_DSI8_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	10	18700	1860	19.00	18.78	105.20%	0.324	0.341	-
LTE Band 2			50	25	Front Surface	10	18900	1860	18.00	17.89	102.57%	0.227	0.233	-
LTE Band 2			1	0	Back Surface	10	18700	1860	19.00	18.78	105.20%	0.149	0.157	-
LTE Band 2			50	25	Back Surface	10	18900	1860	18.00	17.89	102.57%	0.118	0.121	-
LTE Band 2			1	0	Top Edge	10	18700	1860	19.00	18.78	105.20%	0.071	0.075	-
LTE Band 2			50	25	Top Edge	10	18900	1860	18.00	17.89	102.57%	0.054	0.055	-
LTE Band 2			1	0	Left Edge	10	18700	1860	19.00	18.78	105.20%	0.556	0.585	-
LTE Band 2			50	25	Left Edge	10	18900	1860	18.00	17.89	102.57%	0.519	0.532	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	10	20050	1720	21.00	20.79	104.95%	0.502	0.527	-
LTE Band 4			50	25	Front Surface	10	20175	1732.5	20.00	19.75	105.93%	0.404	0.428	-
LTE Band 4			1	0	Back Surface	10	20050	1720	21.00	20.79	104.95%	0.389	0.408	-
LTE Band 4			50	25	Back Surface	10	20175	1732.5	20.00	19.75	105.93%	0.338	0.358	-
LTE Band 4			1	0	Top Edge	10	20050	1720	21.00	20.79	104.95%	0.141	0.148	-
LTE Band 4			50	25	Top Edge	10	20175	1732.5	20.00	19.75	105.93%	0.118	0.125	-
LTE Band 4			1	0	Left Edge	10	20050	1720	21.00	20.79	104.95%	0.730	0.766	-
LTE Band 4			50	25	Left Edge	10	20175	1732.5	20.00	19.75	105.93%	0.634	0.672	-
LTE Band 5	10MHz	QPSK	1	0	Front Surface	10	20600	844	25.50	25.02	111.69%	0.401	0.448	-
LTE Band 5			25	0	Front Surface	10	20600	844	24.50	23.85	116.14%	0.357	0.415	-
LTE Band 5			1	0	Back Surface	10	20600	844	25.50	25.02	111.69%	0.283	0.316	-
LTE Band 5			25	0	Back Surface	10	20600	844	24.50	23.85	116.14%	0.251	0.292	-
LTE Band 5			1	0	Top Edge	10	20600	844	25.50	25.02	111.69%	0.079	0.088	-
LTE Band 5			25	0	Top Edge	10	20600	844	24.50	23.85	116.14%	0.076	0.088	-
LTE Band 5			1	0	Left Edge	10	20600	844	25.50	25.02	111.69%	0.415	0.463	-
LTE Band 5			25	0	Left Edge	10	20600	844	24.50	23.85	116.14%	0.341	0.396	-
LTE Band 7	20MHz	QPSK	1	99	Front Surface	10	21100	2535	21.00	20.81	104.47%	0.432	0.451	-
LTE Band 7			50	25	Front Surface	10	20850	2510	20.00	19.78	105.20%	0.421	0.443	-
LTE Band 7			1	99	Back Surface	10	21100	2535	21.00	20.81	104.47%	0.209	0.218	-
LTE Band 7			50	25	Back Surface	10	20850	2510	20.00	19.78	105.20%	0.200	0.210	-
LTE Band 7			1	99	Top Edge	10	21100	2535	21.00	20.81	104.47%	0.049	0.051	-
LTE Band 7			50	25	Top Edge	10	20850	2510	20.00	19.78	105.20%	0.034	0.036	-
LTE Band 7			1	99	Left Edge	10	21100	2535	21.00	20.81	104.47%	0.752	0.786	-
LTE Band 7			50	25	Left Edge	10	20850	2510	20.00	19.78	105.20%	0.650	0.684	-
LTE Band 26	15MHz	QPSK	1	0	Front Surface	10	26765	821.5	25.50	24.91	114.55%		0.000	-
LTE Band 26			1	0	Front Surface	10	26865	831.5	25.50	24.89	115.08%		0.000	-
LTE Band 26			1	0	Front Surface	10	26965	841.5	25.50	24.96	113.24%	0.432	0.489	-
LTE Band 26			36	37	Front Surface	10	26965	841.5	24.50	23.87	115.61%	0.389	0.450	-
LTE Band 26			1	0	Back Surface	10	26965	841.5	25.50	24.96	113.24%	0.308	0.349	-
LTE Band 26			36	50	Back Surface	10	26965	841.5	24.50	23.87	115.61%	0.292	0.338	-
LTE Band 26			1	0	Top Edge	10	26965	841.5	25.50	24.96	113.24%	0.085	0.096	-
LTE Band 26			36	50	Top Edge	10	26965	841.5	24.50	23.87	115.61%	0.078	0.090	-
LTE Band 26			1	0	Left Edge	10	26965	841.5	25.50	24.96	113.24%	0.449	0.508	-
LTE Band 26			36	50	Left Edge	10	26965	841.5	24.50	23.87	115.61%	0.402	0.465	-
LTE Band 30	10MHz	QPSK	1	25	Front Surface	10	27710	2310	20.00	19.77	105.44%	0.520	0.548	-
LTE Band 30			25	12	Front Surface	10	27710	2310	19.00	18.76	105.68%	0.453	0.479	-
LTE Band 30			1	25	Back Surface	10	27710	2310	20.00	19.77	105.44%	0.400	0.422	-
LTE Band 30			25	25	Back Surface	10	27710	2310	19.00	18.76	105.68%	0.333	0.352	-
LTE Band 30			1	25	Top Edge	10	27710	2310	20.00	19.77	105.44%	0.153	0.161	-
LTE Band 30			25	25	Top Edge	10	27710	2310	19.00	18.76	105.68%	0.162	0.171	-
LTE Band 30			1	25	Left Edge	10	27710	2310	20.00	19.77	105.44%	0.705	0.743	-
LTE Band 30			25	25	Left Edge	10	27710	2310	19.00	18.76	105.68%	0.589	0.622	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	10	132072	1720	20.50	20.35	103.51%	0.354	0.366	-
LTE Band 66			50	0	Front Surface	10	132072	1720	19.50	19.38	102.80%	0.287	0.295	-
LTE Band 66			1	0	Back Surface	10	132072	1720	20.50	20.35	103.51%	0.179	0.185	-
LTE Band 66			50	0	Back Surface	10	132072	1720	19.50	19.38	102.80%	0.145	0.149	-
LTE Band 66			1	0	Top Edge	10	132072	1720	20.50	20.35	103.51%	0.062	0.064	-
LTE Band 66			50	0	Top Edge	10	132072	1720	19.50	19.38	102.80%	0.049	0.050	-
LTE Band 66			1	0	Left Edge	10	132072	1720	20.50	20.35	103.51%	0.717	0.742	-
LTE Band 66			50	0	Left Edge	10	132072	1720	19.50	19.38	102.80%	0.576	0.592	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	108	Front Surface	10	374000	1870	20.00	19.80	104.71%	0.364	0.381	-
NR n2			108	54	Front Surface	10	376000	1880	20.00	19.80	104.71%	0.359	0.376	-
NR n2			1	108	Back Surface	10	374000	1870	20.00	19.80	104.71%	0.181	0.190	-
NR n2			108	54	Back Surface	10	376000	1880	20.00	19.80	104.71%	0.183	0.192	-
NR n2			1	108	Top Edge	10	374000	1870	20.00	19.80	104.71%	0.087	0.091	-
NR n2			108	54	Top Edge	10	376000	1880	20.00	19.80	104.71%	0.084	0.088	-
NR n2			1	108	Left Edge	10	374000	1870	20.00	19.80	104.71%	0.733	0.768	-
NR n2			108	54	Left Edge	10	376000	1880	20.00	19.80	104.71%	0.713	0.747	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	166800	834	23.00	22.80	104.71%	0.412	0.431	-
NR n5			50	28	Front Surface	10	166800	834	23.00	22.76	105.68%	0.377	0.398	-
NR n5			1	1	Back Surface	10	166800	834	23.00	22.80	104.71%	0.221	0.231	-
NR n5			50	28	Back Surface	10	166800	834	23.00	22.76	105.68%	0.207	0.219	-
NR n5			1	1	Top Edge	10	166800	834	23.00	22.80	104.71%	0.062	0.065	-
NR n5			50	28	Top Edge	10	166800	834	23.00	22.76	105.68%	0.058	0.061	-
NR n5			1	1	Left Edge	10	166800	834	23.00	22.80	104.71%	0.449	0.470	-
NR n5			50	28	Left Edge	10	166800	834	23.00	22.76	105.68%	0.381	0.403	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	268	Front Surface	10	509000	2545	21.50	21.26	105.68%	0.466	0.492	-
NR n7			135	67	Front Surface	10	509000	2545	21.50	21.24	106.17%	0.428	0.454	-
NR n7			1	268	Back Surface	10	509000	2545	21.50	21.26	105.68%	0.235	0.248	-
NR n7			135	67	Back Surface	10	509000	2545	21.50	21.24	106.17%	0.218	0.231	-
NR n7			1	268	Top Edge	10	509000	2545	21.50	21.26	105.68%	0.085	0.090	-
NR n7			135	67	Top Edge	10	509000	2545	21.50	21.24	106.17%	0.071	0.075	-
NR n7			1	1	Left Edge	10	505000	2525	21.50	21.21	106.91%	0.761	0.814	-
NR n7			1	1	Left Edge	10	507000	2535	21.50	21.24	106.17%	0.082	0.087	-
NR n7			1	268	Left Edge	10	509000	2545	21.50	21.26	105.68%	0.876	0.926	-
NR n7			135	67	Left Edge	10	505000	2525	21.50	21.13	108.89%	0.740	0.806	-
NR n7			135	67	Left Edge	10	507000	2535	21.50	21.19	107.40%	0.774	0.831	-
NR n7			135	67	Left Edge	10	509000	2545	21.50	21.24	106.17%	0.813	0.863	-
NR n7			270	0	Left Edge	10	505000	2525	21.00	20.67	107.89%	0.744	0.803	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	141700	708.5	25.50	24.43	127.94%	0.385	0.493	-
NR n12			36	22	Front Surface	10	141300	706.5	25.50	24.29	132.13%	0.372	0.492	-
NR n12			1	1	Back Surface	10	141700	708.5	25.50	24.43	127.94%	0.193	0.247	-
NR n12			36	22	Back Surface	10	141300	706.5	25.50	24.29	132.13%	0.188	0.248	-
NR n12			1	1	Top Edge	10	141700	708.5	25.50	24.43	127.94%	0.074	0.095	-
NR n12			36	22	Top Edge	10	141300	706.5	25.50	24.29	132.13%	0.069	0.091	-
NR n12			1	1	Left Edge	10	141700	708.5	25.50	24.43	127.94%	0.444	0.568	-
NR n12			36	22	Left Edge	10	141300	706.5	25.50	24.29	132.13%	0.403	0.532	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	462000	2310	21.00	20.74	106.17%	0.325	0.345	-
NR n30			25	13	Front Surface	10	462000	2310	21.00	20.79	104.95%	0.326	0.342	-
NR n30			1	1	Back Surface	10	462000	2310	21.00	20.74	106.17%	0.181	0.192	-
NR n30			25	13	Back Surface	10	462000	2310	21.00	20.79	104.95%	0.178	0.187	-
NR n30			1	1	Top Edge	10	462000	2310	21.00	20.74	106.17%	0.056	0.059	-
NR n30			25	13	Top Edge	10	462000	2310	21.00	20.79	104.95%	0.052	0.055	-
NR n30			1	1	Left Edge	10	462000	2310	21.00	20.74	106.17%	0.744	0.790	-
NR n30			25	13	Left Edge	10	462000	2310	21.00	20.79	104.95%	0.720	0.756	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	121	Front Surface	10	351500	1757.5	20.50	20.29	104.95%	0.477	0.501	-
NR n66			120	60	Front Surface	10	346500	1732.5	20.50	20.23	106.41%	0.457	0.486	-
NR n66			1	121	Back Surface	10	351500	1757.5	20.50	20.29	104.95%	0.310	0.325	-
NR n66			120	60	Back Surface	10	346500	1732.5	20.50	20.23	106.41%	0.297	0.316	-
NR n66			1	121	Top Edge	10	351500	1757.5	20.50	20.29	104.95%	0.075	0.079	-
NR n66			120	60	Top Edge	10	346500	1732.5	20.50	20.23	106.41%	0.069	0.073	-
NR n66			1	121	Left Edge	10	351500	1757.5	20.50	20.29	104.95%	0.754	0.791	-
NR n66			120	60	Left Edge	10	346500	1732.5	20.50	20.23	106.41%	0.613	0.652	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	509202	2546.01	19.00	18.87	103.04%	0.452	0.466	-
NR n41_PC3			135	69	Front Surface	10	518598	2592.99	19.00	18.85	103.51%	0.448	0.464	-
NR n41_PC3			1	271	Back Surface	10	509202	2546.01	19.00	18.87	103.04%	0.330	0.340	-
NR n41_PC3			135	69	Back Surface	10	518598	2592.99	19.00	18.85	103.51%	0.294	0.304	-
NR n41_PC3			1	271	Top Edge	10	509202	2546.01	19.00	18.87	103.04%	0.120	0.124	-
NR n41_PC3			135	69	Top Edge	10	518598	2592.99	19.00	18.85	103.51%	0.116	0.120	-
NR n41_PC3			1	271	Left Edge	10	509202	2546.01	19.00	18.87	103.04%	0.732	0.754	-
NR n41_PC3			135	69	Left Edge	10	518598	2592.99	19.00	18.85	103.51%	0.715	0.740	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518598	2592.99	21.50	21.30	104.71%	0.454	0.475	-
NR n41_PC2			135	69	Front Surface	10	509202	2546.01	21.50	21.30	104.71%	0.439	0.460	-
NR n41_PC2			1	1	Back Surface	10	518598	2592.99	21.50	21.30	104.71%	0.290	0.304	-
NR n41_PC2			135	69	Back Surface	10	509202	2546.01	21.50	21.30	104.71%	0.318	0.333	-
NR n41_PC2			1	1	Top Edge	10	518598	2592.99	21.50	21.30	104.71%	0.102	0.107	-
NR n41_PC2			135	69	Top Edge	10	509202	2546.01	21.50	21.30	104.71%	0.093	0.097	-
NR n41_PC2			1	1	Left Edge	10	518598	2592.99	21.50	21.30	104.71%	0.711	0.745	-
NR n41_PC2			135	69	Left Edge	10	509202	2546.01	21.50	21.30	104.71%	0.689	0.721	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6 DSI8 SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 48	20MHz	QPSK	1	0	Front Surface	10	56640	3690	19.50	19.49	100.23%	0.061	0.061	-
LTE Band 48			50	50	Front Surface	10	56150	3641	18.50	18.47	100.69%	0.055	0.055	-
LTE Band 48			1	0	Back Surface	10	56640	3690	19.50	19.49	100.23%	0.130	0.133	-
LTE Band 48			50	50	Back Surface	10	56150	3641	18.50	18.47	100.69%	0.130	0.131	-
LTE Band 48			1	0	Top Edge	10	56640	3690	19.50	19.49	100.23%	0.086	0.086	-
LTE Band 48			50	50	Top Edge	10	56150	3641	18.50	18.47	100.69%	0.081	0.082	-
LTE Band 48			1	0	Left Edge	10	56640	3690	19.50	19.49	100.23%	0.167	0.167	221
LTE Band 48			50	50	Left Edge	10	56150	3641	18.50	18.47	100.69%	0.149	0.150	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	640000	3600	26.00	25.05	124.45%	0.213	0.265	-
NR n48			135	69	Front Surface	10	641668	3625.02	26.00	25.00	125.89%	0.187	0.235	-
NR n48			1	1	Back Surface	10	640000	3600	26.00	25.05	124.45%	0.416	0.518	-
NR n48			135	69	Back Surface	10	641668	3625.02	26.00	25.00	125.89%	0.387	0.487	-
NR n48			1	1	Top Edge	10	640000	3600	26.00	25.05	124.45%	0.322	0.401	-
NR n48			135	69	Top Edge	10	641668	3625.02	26.00	25.00	125.89%	0.303	0.381	-
NR n48			1	1	Left Edge	10	640000	3600	26.00	25.05	124.45%	0.476	0.592	222
NR n48			135	69	Left Edge	10	641668	3625.02	26.00	25.00	125.89%	0.427	0.538	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	662000	3930	26.00	25.90	102.33%	0.160	0.164	-
NR n77_PC3			135	69	Front Surface	10	662000	3930	26.00	25.80	104.71%	0.143	0.150	-
NR n77_PC3			1	1	Back Surface	10	650000	3750	26.00	25.40	114.82%	0.723	0.830	-
NR n77_PC3			1	1	Back Surface	10	653000	3795	26.00	25.21	119.95%	0.839	1.006	-
NR n77_PC3			1	1	Back Surface	10	656000	3840	26.00	25.52	111.69%	0.953	1.064	223
NR n77_PC3			1	1	Back Surface	10	659000	3885	26.00	25.83	103.99%	0.880	0.915	-
NR n77_PC3			1	1	Back Surface	10	662000	3930	26.00	25.90	102.33%	0.791	0.809	-
NR n77_PC3			135	69	Back Surface	10	650000	3750	26.00	25.34	116.41%	0.573	0.667	-
NR n77_PC3			135	69	Back Surface	10	653000	3795	26.00	25.09	123.31%	0.766	0.945	-
NR n77_PC3			135	69	Back Surface	10	656000	3840	26.00	25.45	113.50%	0.663	0.753	-
NR n77_PC3			135	69	Back Surface	10	659000	3885	26.00	25.79	104.95%	0.674	0.707	-
NR n77_PC3			135	69	Back Surface	10	662000	3930	26.00	25.80	104.71%	0.845	0.885	-
NR n77_PC3			270	0	Back Surface	10	662000	3930	25.50	25.41	102.09%	0.765	0.781	-
NR n77_PC3			1	1	Top Edge	10	662000	3930	26.00	25.90	102.33%	0.521	0.533	-
NR n77_PC3			135	69	Top Edge	10	662000	3930	26.00	25.80	104.71%	0.503	0.527	-
NR n77_PC3			1	1	Left Edge	10	662000	3930	26.00	25.90	102.33%	0.204	0.209	-
NR n77_PC3			135	69	Left Edge	10	662000	3930	26.00	25.80	104.71%	0.186	0.195	-
NR n77_PC2		SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	662000	3930	28.00	26.87	129.72%	0.105	0.136	-
NR n77_PC2			135	69	Front Surface	10	662000	3930	28.00	26.71	134.59%	0.097	0.131	-
NR n77_PC2			1	1	Back Surface	10	650000	3750	28.00	26.43	143.55%	0.419	0.601	-
NR n77_PC2			1	1	Back Surface	10	653000	3795	28.00	26.82	131.22%	0.437	0.573	-
NR n77_PC2			1	1	Back Surface	10	656000	3840	28.00	26.67	135.83%	0.501	0.681	-
NR n77_PC2			1	1	Back Surface	10	659000	3885	28.00	26.72	134.28%	0.503	0.675	-
NR n77_PC2			1	1	Back Surface	10	662000	3930	28.00	26.87	129.72%	0.525	0.681	-
NR n77_PC2			135	69	Back Surface	10	650000	3750	28.00	26.36	145.88%	0.564	0.823	224
NR n77_PC2			135	69	Back Surface	10	653000	3795	28.00	26.70	134.90%	0.542	0.731	-
NR n77_PC2			135	69	Back Surface	10	656000	3840	28.00	26.58	138.68%	0.563	0.781	-
NR n77_PC2			135	69	Back Surface	10	659000	3885	28.00	26.59	138.36%	0.556	0.769	-
NR n77_PC2			135	69	Back Surface	10	662000	3930	28.00	26.71	134.59%	0.544	0.732	-
NR n77_PC2			270	0	Back Surface	10	653000	3795	27.50	26.38	129.42%	0.519	0.672	-
NR n77_PC2			1	1	Top Edge	10	662000	3930	28.00	26.87	129.72%	0.336	0.436	-
NR n77_PC2			135	69	Top Edge	10	662000	3930	28.00	26.71	134.59%	0.328	0.441	-
NR n77_PC2			1	1	Left Edge	10	662000	3930	28.00	26.87	129.72%	0.147	0.191	-
NR n77_PC2			135	69	Left Edge	10	662000	3930	28.00	26.71	134.59%	0.137	0.184	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	638334	3575.01	26.00	25.44	113.76%	0.187	0.213	-
NR n77 & n78_PC3			135	69	Front Surface	10	640834	3612.51	26.00	25.33	116.68%	0.163	0.190	-
NR n77 & n78_PC3			1	1	Back Surface	10	638334	3575.01	26.00	25.44	113.76%	0.462	0.526	-
NR n77 & n78_PC3			135	69	Back Surface	10	640834	3612.51	26.00	25.33	116.69%	0.426	0.497	-
NR n77 & n78_PC3			1	1	Top Edge	10	638334	3575.01	26.00	25.44	113.76%	0.288	0.328	-
NR n77 & n78_PC3			135	69	Top Edge	10	640834	3612.51	26.00	25.33	116.68%	0.262	0.306	-
NR n77 & n78_PC3			1	1	Left Edge	10	638334	3575.01	26.00	25.44	113.76%	0.520	0.592	-
NR n77 & n78_PC3			135	69	Left Edge	10	640834	3612.51	26.00	25.33	116.68%	0.551	0.643	225
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	638334	3575.01	28.00	26.96	127.06%	0.107	0.136	-
NR n77 & n78_PC2			135	69	Front Surface	10	638334	3575.01	28.00	26.85	130.32%	0.098	0.128	-
NR n77 & n78_PC2			1	1	Back Surface	10	638334	3575.01	28.00	26.96	127.06%	0.184	0.234	-
NR n77 & n78_PC2			135	69	Back Surface	10	638334	3575.01	28.00	26.85	130.32%	0.166	0.216	-
NR n77 & n78_PC2			1	1	Top Edge	10	638334	3575.01	28.00	26.96	127.06%	0.125	0.159	-
NR n77 & n78_PC2			135	69	Top Edge	10	638334	3575.01	28.00	26.85	130.32%	0.119	0.155	-
NR n77 & n78_PC2			1	1	Left Edge	10	638334	3575.01	28.00	26.96	127.06%	0.216	0.274	-
NR n77 & n78_PC2			135	69	Left Edge	10	638334	3575.01	28.00	26.85	130.32%	0.224	0.292	226
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	26.00	25.28	118.03%	0.201	0.237	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	26.00	25.16	121.34%	0.193	0.234	-
NR n78_PC3			1	1	Back Surface	10	650000	3750	26.00	25.28	118.03%	0.484	0.571	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	26.00	25.16	121.34%	0.463	0.562	-
NR n78_PC3			1	1	Top Edge	10	650000	3750	26.00	25.28	118.03%	0.251	0.296	-
NR n78_PC3			135	69	Top Edge	10	650000	3750	26.00	25.16	121.34%	0.244	0.296	-
NR n78_PC3			1	1	Left Edge	10	650000	3750	26.00	25.28	118.03%	0.522	0.616	227
NR n78_PC3			135	69	Left Edge	10	650000	3750	26.00	25.16	121.34%	0.486	0.590	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	28.00	27.48	112.72%	0.176	0.198	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	28.00	27.39	115.08%	0.170	0.196	-
NR n78_PC2			1	1	Back Surface	10	650000	3750	28.00	27.48	112.72%	0.355	0.400	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	28.00	27.39	115.08%	0.341	0.392	-
NR n78_PC2			1	1	Top Edge	10	650000	3750	28.00	27.48	112.72%	0.240	0.271	-
NR n78_PC2			135	69	Top Edge	10	650000	3750	28.00	27.39	115.08%	0.236	0.272	-
NR n78_PC2			1	1	Left Edge	10	650000	3750	28.00	27.48	112.72%	0.411	0.463	228
NR n78_PC2			135	69	Left Edge	10	650000	3750	28.00	27.39	115.08%	0.379	0.436	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [http://](http://www.sgs.com.tw/Terms-and-Conditions)

Ant6 DSI8 NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz P1/2 BPSK	1	271	Front Surface	10	662000	3930	25.00	24.80	104.71%	0.124	0.130	-
NR n77_PC3			135	69	Front Surface	10	659000	3885	25.00	24.80	104.71%	0.113	0.118	-
NR n77_PC3			1	271	Back Surface	10	662000	3930	25.00	24.80	104.71%	0.727	0.761	-
NR n77_PC3			135	69	Back Surface	10	659000	3885	25.00	24.80	104.71%	0.750	0.785	-
NR n77_PC3			1	271	Top Edge	10	662000	3930	25.00	24.80	104.71%	0.423	0.443	-
NR n77_PC3			135	69	Top Edge	10	659000	3885	25.00	24.80	104.71%	0.418	0.438	-
NR n77_PC3			1	271	Left Edge	10	662000	3930	25.00	24.80	104.71%	0.158	0.165	-
NR n77_PC3			135	69	Left Edge	10	659000	3885	25.00	24.80	104.71%	0.147	0.154	-
NR n77 & n78_PC3	100MHz	SCS 30kHz P1/2 BPSK	1	137	Front Surface	10	633334	3500.01	25.00	24.80	104.71%	0.161	0.169	-
NR n77 & n78_PC3			135	69	Front Surface	10	638334	3575.01	25.00	24.81	104.47%	0.143	0.149	-
NR n77 & n78_PC3			1	137	Back Surface	10	633334	3500.01	25.00	24.80	104.71%	0.396	0.415	-
NR n77 & n78_PC3			135	69	Back Surface	10	638334	3575.01	25.00	24.81	104.47%	0.375	0.392	-
NR n77 & n78_PC3			1	137	Top Edge	10	633334	3500.01	25.00	24.80	104.71%	0.247	0.259	-
NR n77 & n78_PC3			135	69	Top Edge	10	638334	3575.01	25.00	24.81	104.47%	0.231	0.241	-
NR n77 & n78_PC3			1	137	Left Edge	10	633334	3500.01	25.00	24.80	104.71%	0.447	0.468	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	25.00	24.81	104.47%	0.485	0.507	-
NR n78_PC3	100MHz	SCS 30kHz P1/2 BPSK	1	137	Front Surface	10	650000	3750	25.00	24.76	105.68%	0.186	0.197	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	25.00	24.74	106.17%	0.176	0.187	-
NR n78_PC3			1	137	Back Surface	10	650000	3750	25.00	24.76	105.68%	0.451	0.477	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	25.00	24.74	106.17%	0.436	0.463	-
NR n78_PC3			1	137	Top Edge	10	650000	3750	25.00	24.76	105.68%	0.235	0.248	-
NR n78_PC3			135	69	Top Edge	10	650000	3750	25.00	24.74	106.17%	0.221	0.235	-
NR n78_PC3			1	137	Left Edge	10	650000	3750	25.00	24.76	105.68%	0.481	0.508	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	25.00	24.74	106.17%	0.463	0.492	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_DSI8_SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	10	18900	1880	24.50	22.88	145.21%	0.214	0.311	-
LTE Band 2			50	50	Front Surface	10	18900	1860	23.50	21.78	148.59%	0.189	0.281	-
LTE Band 2			1	0	Back Surface	10	18900	1880	24.50	22.88	145.21%	0.375	0.545	229
LTE Band 2			50	50	Back Surface	10	18900	1860	23.50	21.78	148.59%	0.257	0.382	-
LTE Band 2			1	0	Top Edge	10	18900	1880	24.50	22.88	145.21%	0.144	0.209	-
LTE Band 2			50	50	Top Edge	10	18900	1860	23.50	21.78	148.59%	0.120	0.178	-
LTE Band 2			1	0	Left Edge	10	18900	1880	24.50	22.88	145.21%	0.174	0.253	-
LTE Band 2			50	50	Left Edge	10	18900	1860	23.50	21.78	148.59%	0.137	0.204	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	10	20175	1732.5	24.50	23.12	137.40%	0.076	0.105	-
LTE Band 4			50	25	Front Surface	10	20175	1732.5	23.50	21.97	142.23%	0.072	0.103	-
LTE Band 4			1	0	Back Surface	10	20175	1732.5	24.50	23.12	137.40%	0.065	0.090	-
LTE Band 4			50	25	Back Surface	10	20175	1732.5	23.50	21.97	142.23%	0.059	0.084	-
LTE Band 4			1	0	Top Edge	10	20175	1732.5	24.50	23.12	137.40%	0.093	0.127	230
LTE Band 4			50	25	Top Edge	10	20175	1732.5	23.50	21.97	142.23%	0.086	0.123	-
LTE Band 4			1	0	Left Edge	10	20175	1732.5	24.50	23.12	137.40%	0.048	0.066	-
LTE Band 4			50	25	Left Edge	10	20175	1732.5	23.50	21.97	142.23%	0.046	0.066	-
LTE Band 25	20MHz	QPSK	1	0	Front Surface	10	26590	1905	24.50	23.02	140.60%	0.203	0.285	-
LTE Band 25			50	50	Front Surface	10	26590	1905	23.50	21.86	145.88%	0.172	0.251	-
LTE Band 25			1	0	Back Surface	10	26590	1905	24.50	23.02	140.60%	0.259	0.364	231
LTE Band 25			50	50	Back Surface	10	26590	1905	23.50	21.86	145.88%	0.244	0.356	-
LTE Band 25			1	0	Top Edge	10	26590	1905	24.50	23.02	140.60%	0.128	0.180	-
LTE Band 25			50	50	Top Edge	10	26590	1905	23.50	21.86	145.88%	0.112	0.163	-
LTE Band 25			1	0	Left Edge	10	26590	1905	24.50	23.02	140.60%	0.165	0.232	-
LTE Band 25			50	50	Left Edge	10	26590	1905	23.50	21.86	145.88%	0.128	0.187	-
LTE Band 30	10MHz	QPSK	1	0	Front Surface	10	27710	2310	24.50	22.84	146.55%	0.152	0.223	-
LTE Band 30			25	0	Front Surface	10	27710	2310	23.50	21.68	152.05%	0.137	0.208	-
LTE Band 30			1	0	Back Surface	10	27710	2310	24.50	22.84	146.55%	0.176	0.258	-
LTE Band 30			25	0	Back Surface	10	27710	2310	23.50	21.68	152.05%	0.149	0.227	-
LTE Band 30			1	0	Top Edge	10	27710	2310	24.50	22.84	146.55%	0.226	0.331	232
LTE Band 30			25	0	Top Edge	10	27710	2310	23.50	21.68	152.05%	0.183	0.278	-
LTE Band 30			1	0	Left Edge	10	27710	2310	24.50	22.84	146.55%	0.126	0.185	-
LTE Band 30			25	0	Left Edge	10	27710	2310	23.50	21.68	152.05%	0.107	0.163	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	10	132322	1745	24.50	23.04	139.96%	0.082	0.115	-
LTE Band 66			50	0	Front Surface	10	132072	1720	23.50	21.92	143.88%	0.074	0.106	-
LTE Band 66			1	0	Back Surface	10	132322	1745	24.50	23.04	139.96%	0.068	0.095	-
LTE Band 66			50	0	Back Surface	10	132072	1720	23.50	21.92	143.88%	0.064	0.092	-
LTE Band 66			1	0	Top Edge	10	132322	1745	24.50	23.04	139.96%	0.102	0.143	233
LTE Band 66			50	0	Top Edge	10	132072	1720	23.50	21.92	143.88%	0.082	0.119	-
LTE Band 66			1	0	Left Edge	10	132322	1745	24.50	23.04	139.96%	0.046	0.064	-
LTE Band 66			50	0	Left Edge	10	132072	1720	23.50	21.92	143.88%	0.043	0.062	-
LTE Band 48	20MHz	QPSK	1	0	Front Surface	10	56640	3690	19.50	19.49	100.23%	0.094	0.094	-
LTE Band 48			50	50	Front Surface	10	56150	3641	18.50	18.47	100.69%	0.086	0.087	-
LTE Band 48			1	0	Back Surface	10	56640	3690	19.50	19.49	100.23%	0.068	0.068	-
LTE Band 48			50	50	Back Surface	10	56150	3641	18.50	18.47	100.69%	0.060	0.060	-
LTE Band 48			1	0	Top Edge	10	56640	3690	19.50	19.49	100.23%	0.134	0.134	237
LTE Band 48			50	50	Top Edge	10	56150	3641	18.50	18.47	100.69%	0.109	0.110	-
LTE Band 48			1	0	Left Edge	10	56640	3690	19.50	19.49	100.23%	0.068	0.068	-
LTE Band 48			50	50	Left Edge	10	56150	3641	18.50	18.47	100.69%	0.061	0.061	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	376000	1880	24.50	23.96	113.24%	0.196	0.222	-
NR n2			108	54	Front Surface	10	376000	1880	24.50	23.83	116.68%	0.188	0.219	-
NR n2			1	1	Back Surface	10	376000	1880	24.50	23.96	113.24%	0.226	0.256	238
NR n2			108	54	Back Surface	10	376000	1880	24.50	23.83	116.68%	0.211	0.246	-
NR n2			1	1	Top Edge	10	376000	1880	24.50	23.96	113.24%	0.122	0.138	-
NR n2			108	54	Top Edge	10	376000	1880	24.50	23.83	116.68%	0.108	0.126	-
NR n2			1	1	Left Edge	10	376000	1880	24.50	23.96	113.24%	0.152	0.172	-
NR n2			108	54	Left Edge	10	376000	1880	24.50	23.83	116.68%	0.141	0.165	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	374000	1870	24.50	23.90	114.82%	0.227	0.261	-
NR n25			108	54	Front Surface	10	374000	1870	24.50	23.80	117.49%	0.201	0.236	-
NR n25			1	1	Back Surface	10	374000	1870	24.50	23.90	114.82%	0.233	0.268	239
NR n25			108	54	Back Surface	10	374000	1870	24.50	23.80	117.49%	0.225	0.264	-
NR n25			1	1	Top Edge	10	374000	1870	24.50	23.90	114.82%	0.136	0.156	-
NR n25			108	54	Top Edge	10	374000	1870	24.50	23.80	117.49%	0.124	0.146	-
NR n25			1	1	Left Edge	10	374000	1870	24.50	23.90	114.82%	0.164	0.188	-
NR n25			108	54	Left Edge	10	374000	1870	24.50	23.80	117.49%	0.148	0.174	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	462000	2310	24.50	23.75	118.85%	0.181	0.215	-
NR n30			25	13	Front Surface	10	462000	2310	24.50	23.64	121.90%	0.158	0.193	-
NR n30			1	1	Back Surface	10	462000	2310	24.50	23.75	118.85%	0.293	0.348	-
NR n30			25	13	Back Surface	10	462000	2310	24.50	23.64	121.90%	0.269	0.328	-
NR n30			1	1	Top Edge	10	462000	2310	24.50	23.75	118.85%	0.319	0.379	240
NR n30			25	13	Top Edge	10	462000	2310	24.50	23.64	121.90%	0.287	0.350	-
NR n30			1	1	Left Edge	10	462000	2310	24.50	23.75	118.85%	0.084	0.100	-
NR n30			25	13	Left Edge	10	462000	2310	24.50	23.64	121.90%	0.075	0.091	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	10	349000	1745	24.50	23.85	116.14%	0.099	0.115	-
NR n66			120	60	Front Surface	10	349000	1745	24.50	23.72	119.67%	0.092	0.110	-
NR n66			1	1	Back Surface	10	349000	1745	24.50	23.85	116.14%	0.086	0.100	-
NR n66			120	60	Back Surface	10	349000	1745	24.50	23.72	119.67%	0.078	0.093	-
NR n66			1	1	Top Edge	10	349000	1745	24.50	23.85	116.14%	0.196	0.228	241
NR n66			120	60	Top Edge	10	349000	1745	24.50	23.72	119.67%	0.163	0.195	-
NR n66			1	1	Left Edge	10	349000	1745	24.50	23.85	116.14%	0.092	0.107	-
NR n66			120	60	Left Edge	10	349000	1745	24.50	23.72	119.67%	0.084	0.101	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	640000	3600	26.00	25.05	124.45%	0.604	0.752	-
NR n48			135	69	Front Surface	10	641668	3625.02	26.00	25.00	125.89%	0.579	0.729	-
NR n48			1	1	Back Surface	10	640000	3600	26.00	25.05	124.45%	0.499	0.621	-
NR n48			135	69	Back Surface	10	641668	3625.02	26.00	25.00	125.89%	0.468	0.589	-
NR n48			1	1	Top Edge	10	640000	3600	26.00	25.05	124.45%	0.657	0.818	-
NR n48			1	1	Top Edge	10	641668	3625.02	26.00	25.03	125.03%	0.715	0.894	-
NR n48			1	1	Top Edge	10	643332	3649.98	26.00	24.91	128.53%	0.781	1.004	242
NR n48			135	69	Top Edge	10	640000	3600	26.00	24.91	128.53%	0.710	0.913	-
NR n48			135	69	Top Edge	10	641668	3625.02	26.00	25.00	125.89%	0.724	0.911	-
NR n48			135	69	Top Edge	10	643332	3649.98	26.00	24.78	132.43%	0.688	0.911	-
NR n48			270	0	Top Edge	10	640000	3600	25.50	24.61	122.74%	0.665	0.816	-
NR n48			1	1	Left Edge	10	640000	3600	26.00	25.05	124.45%	0.338	0.421	-
NR n48			135	69	Left Edge	10	641668	3625.02	26.00	25.00	125.89%	0.312	0.393	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	662000	3930	25.00	24.80	104.71%	0.129	0.135	-
NR n77_PC3			135	69	Front Surface	10	662000	3930	25.00	24.79	104.95%	0.104	0.109	-
NR n77_PC3			1	137	Back Surface	10	662000	3930	25.00	24.80	104.71%	0.187	0.196	-
NR n77_PC3			135	69	Back Surface	10	662000	3930	25.00	24.79	104.95%	0.162	0.170	-
NR n77_PC3			1	137	Top Edge	10	662000	3930	25.00	24.80	104.71%	0.417	0.437	243
NR n77_PC3			135	69	Top Edge	10	662000	3930	25.00	24.79	104.95%	0.406	0.426	-
NR n77_PC3			1	137	Left Edge	10	662000	3930	25.00	24.80	104.71%	0.168	0.176	-
NR n77_PC3			135	69	Left Edge	10	662000	3930	25.00	24.79	104.95%	0.144	0.151	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	662000	3930	28.00	26.87	129.72%	0.077	0.100	-
NR n77_PC2			135	69	Front Surface	10	662000	3930	28.00	26.71	134.59%	0.068	0.092	-
NR n77_PC2			1	1	Back Surface	10	662000	3930	28.00	26.87	129.72%	0.116	0.150	-
NR n77_PC2			135	69	Back Surface	10	662000	3930	28.00	26.71	134.59%	0.098	0.132	-
NR n77_PC2			1	1	Top Edge	10	662000	3930	28.00	26.87	129.72%	0.353	0.458	244
NR n77_PC2			135	69	Top Edge	10	662000	3930	28.00	26.71	134.59%	0.334	0.450	-
NR n77_PC2			1	1	Left Edge	10	662000	3930	28.00	26.87	129.72%	0.094	0.122	-
NR n77_PC2			135	69	Left Edge	10	662000	3930	28.00	26.71	134.59%	0.083	0.112	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	633334	3500.01	25.00	24.79	104.95%	0.147	0.154	-
NR n77 & n78_PC3			135	69	Front Surface	10	638334	3575.01	25.00	24.79	104.95%	0.136	0.143	-
NR n77 & n78_PC3			1	271	Back Surface	10	633334	3500.01	25.00	24.79	104.95%	0.171	0.179	-
NR n77 & n78_PC3			135	69	Back Surface	10	638334	3575.01	25.00	24.79	104.95%	0.158	0.166	-
NR n77 & n78_PC3			1	271	Top Edge	10	633334	3500.01	25.00	24.79	104.95%	0.988	1.037	245
NR n77 & n78_PC3			1	1	Top Edge	10	635834	3537.51	25.00	24.72	106.66%	0.938	1.000	-
NR n77 & n78_PC3			1	137	Top Edge	10	638334	3575.01	25.00	24.72	106.66%	0.912	0.973	-
NR n77 & n78_PC3			1	1	Top Edge	10	640834	3612.51	25.00	24.68	107.65%	0.875	0.942	-
NR n77 & n78_PC3			1	1	Top Edge	10	643334	3650.01	25.00	24.75	105.93%	0.863	0.914	-
NR n77 & n78_PC3			135	69	Top Edge	10	633334	3500.01	25.00	24.76	105.68%	0.980	1.036	-
NR n77 & n78_PC3			135	69	Top Edge	10	635834	3537.51	25.00	24.57	110.41%	0.931	1.028	-
NR n77 & n78_PC3			135	69	Top Edge	10	638334	3575.01	25.00	24.79	104.95%	0.955	1.002	-
NR n77 & n78_PC3			135	69	Top Edge	10	640834	3612.51	25.00	24.61	109.40%	0.842	0.921	-
NR n77 & n78_PC3			135	69	Top Edge	10	643334	3650.01	25.00	24.56	110.66%	0.920	1.018	-
NR n77 & n78_PC3			270	0	Top Edge	10	638334	3575.01	24.50	24.30	104.71%	0.811	0.849	-
NR n77 & n78_PC3			1	271	Left Edge	10	633334	3500.01	25.00	24.79	104.95%	0.207	0.217	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	25.00	24.79	104.95%	0.186	0.195	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	638334	3575.01	28.00	26.96	127.06%	0.152	0.193	-
NR n77 & n78_PC2			135	69	Front Surface	10	638334	3575.01	28.00	26.85	130.32%	0.138	0.180	-
NR n77 & n78_PC2			1	1	Back Surface	10	638334	3575.01	28.00	26.96	127.06%	0.103	0.131	-
NR n77 & n78_PC2			135	69	Back Surface	10	638334	3575.01	28.00	26.85	130.32%	0.092	0.120	-
NR n77 & n78_PC2			1	1	Top Edge	10	633334	3500.01	28.00	26.87	129.72%	0.727	0.943	-
NR n77 & n78_PC2			1	1	Top Edge	10	635834	3537.51	28.00	26.91	128.53%	0.704	0.905	-
NR n77 & n78_PC2			1	1	Top Edge	10	638334	3575.01	28.00	26.96	127.06%	0.736	0.935	-
NR n77 & n78_PC2			1	1	Top Edge	10	640834	3612.51	28.00	26.94	127.64%	0.790	1.008	-
NR n77 & n78_PC2			1	1	Top Edge	10	643334	3650.01	28.00	26.78	132.43%	0.756	1.001	-
NR n77 & n78_PC2			135	69	Top Edge	10	633334	3500.01	28.00	26.74	133.66%	0.744	0.994	-
NR n77 & n78_PC2			135	69	Top Edge	10	635834	3537.51	28.00	26.76	133.05%	0.749	0.997	-
NR n77 & n78_PC2			135	69	Top Edge	10	638334	3575.01	28.00	26.85	130.32%	0.795	1.036	246
NR n77 & n78_PC2			135	69	Top Edge	10	640834	3612.51	28.00	26.79	132.13%	0.722	0.954	-
NR n77 & n78_PC2			135	69	Top Edge	10	643334	3650.01	28.00	26.66	136.14%	0.719	0.979	-
NR n77 & n78_PC2			270	0	Top Edge	10	640834	3612.51	27.50	26.48	126.47%	0.773	0.978	-
NR n77 & n78_PC2			1	1	Left Edge	10	638334	3575.01	28.00	26.96	127.06%	0.194	0.246	-
NR n77 & n78_PC2			135	69	Left Edge	10	638334	3575.01	28.00	26.85	130.32%	0.173	0.225	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	650000	3750	25.00	24.70	107.15%	0.083	0.089	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	25.00	24.68	107.65%	0.072	0.078	-
NR n78_PC3			1	271	Back Surface	10	650000	3750	25.00	24.70	107.15%	0.092	0.099	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	25.00	24.68	107.65%	0.081	0.087	-
NR n78_PC3			1	271	Top Edge	10	650000	3750	25.00	24.70	107.15%	0.599	0.642	247
NR n78_PC3			135	69	Top Edge	10	650000	3750	25.00	24.68	107.65%	0.528	0.568	-
NR n78_PC3			1	271	Left Edge	10	650000	3750	25.00	24.70	107.15%	0.102	0.109	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	25.00	24.68	107.65%	0.082	0.088	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	28.00	27.48	112.72%	0.085	0.096	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	28.00	27.39	115.08%	0.076	0.087	-
NR n78_PC2			1	1	Back Surface	10	650000	3750	28.00	27.48	112.72%	0.096	0.108	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	28.00	27.39	115.08%	0.083	0.096	-
NR n78_PC2			1	1	Top Edge	10	650000	3750	28.00	27.48	112.72%	0.612	0.690	248
NR n78_PC2			135	69	Top Edge	10	650000	3750	28.00	27.39	115.08%	0.535	0.616	-
NR n78_PC2			1	1	Left Edge	10	650000	3750	28.00	27.48	112.72%	0.105	0.118	-
NR n78_PC2			135	69	Left Edge	10	650000	3750	28.00	27.39	115.08%	0.083	0.096	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_DSI8_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pv2 BPSK	1	1	Front Surface	10	662000	3930	24.00	23.61	109.40%	0.102	0.112	-
NR n77_PC3			135	69	Front Surface	10	662000	3930	24.00	23.61	109.40%	0.083	0.091	-
NR n77_PC3			1	1	Back Surface	10	662000	3930	24.00	23.61	109.40%	0.148	0.162	-
NR n77_PC3			135	69	Back Surface	10	662000	3930	24.00	23.61	109.40%	0.128	0.140	-
NR n77_PC3			1	1	Top Edge	10	662000	3930	24.00	23.61	109.40%	0.332	0.363	-
NR n77_PC3			135	69	Top Edge	10	662000	3930	24.00	23.61	109.40%	0.321	0.351	-
NR n77_PC3			1	1	Left Edge	10	662000	3930	24.00	23.61	109.40%	0.133	0.145	-
NR n77_PC3			135	69	Left Edge	10	662000	3930	24.00	23.61	109.40%	0.114	0.125	-
NR n77_PC2	100MHz	SCS 30kHz Pv2 BPSK	1	1	Front Surface	10	662000	3930	27.00	26.87	103.04%	0.077	0.079	-
NR n77_PC2			135	69	Front Surface	10	662000	3930	27.00	26.71	106.91%	0.068	0.073	-
NR n77_PC2			1	1	Back Surface	10	662000	3930	27.00	26.87	103.04%	0.116	0.120	-
NR n77_PC2			135	69	Back Surface	10	662000	3930	27.00	26.71	106.91%	0.098	0.105	-
NR n77_PC2			1	1	Top Edge	10	662000	3930	27.00	26.87	103.04%	0.354	0.365	-
NR n77_PC2			135	69	Top Edge	10	662000	3930	27.00	26.71	106.91%	0.334	0.357	-
NR n77_PC2			1	1	Left Edge	10	662000	3930	27.00	26.87	103.04%	0.094	0.097	-
NR n77_PC2			135	69	Left Edge	10	662000	3930	27.00	26.71	106.91%	0.083	0.089	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pv2 BPSK	1	1	Front Surface	10	633334	3500.01	24.00	23.70	107.15%	0.114	0.122	-
NR n77 & n78_PC3			135	69	Front Surface	10	638334	3575.01	24.00	23.70	107.15%	0.105	0.113	-
NR n77 & n78_PC3			1	1	Back Surface	10	633334	3500.01	24.00	23.70	107.15%	0.133	0.143	-
NR n77 & n78_PC3			135	69	Back Surface	10	638334	3575.01	24.00	23.70	107.15%	0.123	0.132	-
NR n77 & n78_PC3			1	1	Top Edge	10	633334	3500.01	24.00	23.70	107.15%	0.776	0.831	-
NR n77 & n78_PC3			1	1	Top Edge	10	635834	3537.51	24.00	23.64	108.64%	0.739	0.803	-
NR n77 & n78_PC3			1	1	Top Edge	10	638334	3575.01	24.00	23.75	105.93%	0.719	0.762	-
NR n77 & n78_PC3			1	271	Top Edge	10	640834	3612.51	24.00	23.76	105.68%	0.696	0.736	-
NR n77 & n78_PC3			1	271	Top Edge	10	643334	3650.01	24.00	23.61	109.40%	0.675	0.738	-
NR n77 & n78_PC3			135	69	Top Edge	10	633334	3500.01	24.00	23.68	107.65%	0.765	0.823	-
NR n77 & n78_PC3			135	69	Top Edge	10	635834	3537.51	24.00	23.78	105.20%	0.766	0.806	-
NR n77 & n78_PC3			135	69	Top Edge	10	638334	3575.01	24.00	23.70	107.15%	0.740	0.793	-
NR n77 & n78_PC3			135	69	Top Edge	10	640834	3612.51	24.00	23.51	111.94%	0.681	0.762	-
NR n77 & n78_PC3			135	69	Top Edge	10	643334	3650.01	24.00	23.73	106.41%	0.752	0.800	-
NR n77 & n78_PC3			270	0	Top Edge	10	633334	3500.01	23.50	23.23	106.41%	0.628	0.668	-
NR n77 & n78_PC3			1	1	Left Edge	10	633334	3500.01	24.00	23.70	107.15%	0.161	0.173	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	24.00	23.70	107.15%	0.144	0.154	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pv2 BPSK	1	1	Front Surface	10	638334	3575.01	27.00	26.96	100.93%	0.152	0.153	-
NR n77 & n78_PC2			135	69	Front Surface	10	638334	3575.01	27.00	26.85	103.51%	0.138	0.143	-
NR n77 & n78_PC2			1	1	Back Surface	10	638334	3575.01	27.00	26.96	100.93%	0.103	0.104	-
NR n77 & n78_PC2			135	69	Back Surface	10	638334	3575.01	27.00	26.85	103.51%	0.092	0.095	-
NR n77 & n78_PC2			1	1	Top Edge	10	633334	3500.01	27.00	26.87	103.04%	0.747	0.770	-
NR n77 & n78_PC2			1	1	Top Edge	10	635834	3537.51	27.00	26.91	102.09%	0.724	0.739	-
NR n77 & n78_PC2			1	1	Top Edge	10	638334	3575.01	27.00	26.96	100.93%	0.756	0.763	-
NR n77 & n78_PC2			1	1	Top Edge	10	640834	3612.51	27.00	26.94	101.39%	0.810	0.821	-
NR n77 & n78_PC2			1	1	Top Edge	10	643334	3650.01	27.00	26.78	105.20%	0.776	0.816	-
NR n77 & n78_PC2			135	69	Top Edge	10	633334	3500.01	27.00	26.74	106.17%	0.764	0.811	-
NR n77 & n78_PC2			135	69	Top Edge	10	635834	3537.51	27.00	26.76	105.68%	0.749	0.792	-
NR n77 & n78_PC2			135	69	Top Edge	10	638334	3575.01	27.00	26.85	103.51%	0.795	0.823	-
NR n77 & n78_PC2			135	69	Top Edge	10	640834	3612.51	27.00	26.79	104.95%	0.722	0.758	-
NR n77 & n78_PC2			135	69	Top Edge	10	643334	3650.01	27.00	26.66	108.14%	0.719	0.778	-
NR n77 & n78_PC2			270	0	Top Edge	10	640834	3612.51	26.50	26.48	100.46%	0.773	0.777	-
NR n77 & n78_PC2			1	1	Left Edge	10	638334	3575.01	27.00	26.96	100.93%	0.194	0.196	-
NR n77 & n78_PC2			135	69	Left Edge	10	638334	3575.01	27.00	26.85	103.51%	0.173	0.179	-
NR n78_PC3	100MHz	SCS 30kHz Pv2 BPSK	1	137	Front Surface	10	650000	3750	24.00	23.74	106.17%	0.065	0.069	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	24.00	23.78	105.20%	0.057	0.060	-
NR n78_PC3			1	137	Back Surface	10	650000	3750	24.00	23.74	106.17%	0.072	0.076	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	24.00	23.78	105.20%	0.063	0.066	-
NR n78_PC3			1	137	Top Edge	10	650000	3750	24.00	23.74	106.17%	0.469	0.498	-
NR n78_PC3			135	69	Top Edge	10	650000	3750	24.00	23.78	105.20%	0.415	0.437	-
NR n78_PC3			1	137	Left Edge	10	650000	3750	24.00	23.74	106.17%	0.080	0.085	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	24.00	23.78	105.20%	0.064	0.067	-
NR n78_PC2	100MHz	SCS 30kHz Pv2 BPSK	1	271	Front Surface	10	650000	3750	27.00	26.80	104.71%	0.070	0.073	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	27.00	26.57	110.41%	0.063	0.070	-
NR n78_PC2			1	271	Back Surface	10	650000	3750	27.00	26.80	104.71%	0.079	0.083	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	27.00	26.57	110.41%	0.070	0.077	-
NR n78_PC2			1	271	Top Edge	10	650000	3750	27.00	26.80	104.71%	0.504	0.528	-
NR n78_PC2			135	69	Top Edge	10	650000	3750	27.00	26.57	110.41%	0.450	0.497	-
NR n78_PC2			1	271	Left Edge	10	650000	3750	27.00	26.80	104.71%	0.086	0.090	-
NR n78_PC2			135	69	Left Edge	10	650000	3750	27.00	26.57	110.41%	0.070	0.077	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8_DSI8_SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	99	Front Surface	10	39750	2506	23.50	23.45	101.16%	0.658	0.666	-
LTE Band 41_PC3			50	25	Front Surface	10	39750	2506	22.50	22.40	102.33%	0.513	0.525	-
LTE Band 41_PC3			1	99	Back Surface	10	39750	2506	23.50	23.45	101.16%	0.532	0.538	-
LTE Band 41_PC3			50	25	Back Surface	10	39750	2506	22.50	22.40	102.33%	0.416	0.426	-
LTE Band 41_PC3			1	99	Left Edge	10	39750	2506	23.50	23.45	101.16%	1.020	1.032	-
LTE Band 41_PC3			1	0	Left Edge	10	40185	2549.5	23.50	23.35	103.51%	0.983	1.018	-
LTE Band 41_PC3			1	50	Left Edge	10	40620	2593	23.50	23.33	103.99%	1.000	1.040	-
LTE Band 41_PC3			1	50	Left Edge	10	41055	2636.5	23.50	23.33	103.99%	1.110	1.154	249
LTE Band 41_PC3			1	50	Left Edge	10	41490	2680	23.50	23.32	104.23%	1.030	1.074	-
LTE Band 41_PC3			50	25	Left Edge	10	39750	2506	22.50	22.40	102.33%	0.822	0.841	-
LTE Band 41_PC3			50	0	Left Edge	10	40185	2549.5	22.50	22.34	103.75%	0.893	0.927	-
LTE Band 41_PC3			50	25	Left Edge	10	40620	2593	22.50	22.34	103.75%	0.854	0.886	-
LTE Band 41_PC3			50	25	Left Edge	10	41055	2636.5	22.50	22.27	105.44%	0.882	0.930	-
LTE Band 41_PC3			50	0	Left Edge	10	41490	2680	22.50	22.28	105.20%	0.812	0.854	-
LTE Band 41_PC3			100RB		Left Edge	10	41490	2680	22.50	22.25	105.93%	0.802	0.850	-
LTE Band 41_PC2	20MHz	QPSK	1	99	Front Surface	10	41490	2680	25.00	24.85	103.51%	0.577	0.597	-
LTE Band 41_PC2			50	25	Front Surface	10	40620	2593	24.00	23.83	103.99%	0.462	0.480	-
LTE Band 41_PC2			1	99	Back Surface	10	41490	2680	25.00	24.85	103.51%	0.522	0.540	-
LTE Band 41_PC2			50	25	Back Surface	10	40620	2593	24.00	23.83	103.99%	0.421	0.438	-
LTE Band 41_PC2			1	50	Left Edge	10	39750	2506	25.00	24.83	103.99%	0.868	0.903	-
LTE Band 41_PC2			1	99	Left Edge	10	40185	2549.5	25.00	24.76	105.68%	0.897	0.948	-
LTE Band 41_PC2			1	50	Left Edge	10	40620	2593	25.00	24.78	105.20%	0.938	0.987	-
LTE Band 41_PC2			1	50	Left Edge	10	41055	2636.5	25.00	24.83	103.99%	0.959	0.997	250
LTE Band 41_PC2			1	99	Left Edge	10	41490	2680	25.00	24.85	103.51%	0.927	0.960	-
LTE Band 41_PC2			50	50	Left Edge	10	39750	2506	24.00	23.82	104.23%	0.821	0.856	-
LTE Band 41_PC2			50	0	Left Edge	10	40185	2549.5	24.00	23.81	104.47%	0.844	0.882	-
LTE Band 41_PC2			50	25	Left Edge	10	40620	2593	24.00	23.83	103.99%	0.766	0.797	-
LTE Band 41_PC2			50	25	Left Edge	10	41055	2636.5	24.00	23.80	104.71%	0.807	0.845	-
LTE Band 41_PC2			50	50	Left Edge	10	41490	2680	24.00	23.80	104.71%	0.844	0.884	-
LTE Band 41_PC2			100RB		Left Edge	10	39750	2506	24.00	23.79	104.95%	0.789	0.828	-
LTE Band 48	20MHz	QPSK	1	0	Front Surface	10	55830	3609	19.50	19.46	100.93%	0.227	0.229	-
LTE Band 48			50	50	Front Surface	10	55340	3560	18.50	18.47	100.69%	0.184	0.185	-
LTE Band 48			1	0	Back Surface	10	55830	3609	19.50	19.46	100.93%	0.177	0.179	-
LTE Band 48			50	50	Back Surface	10	55340	3560	18.50	18.47	100.69%	0.151	0.152	-
LTE Band 48			1	0	Left Edge	10	55340	3560	19.50	19.44	101.39%	0.350	0.355	-
LTE Band 48			1	0	Left Edge	10	55830	3609	19.50	19.46	100.93%	0.364	0.367	251
LTE Band 48			1	0	Left Edge	10	56150	3641	19.50	19.47	100.69%	0.339	0.341	-
LTE Band 48			1	0	Left Edge	10	56640	3690	19.50	19.49	100.23%	0.305	0.306	-
LTE Band 48			50	50	Left Edge	10	55340	3560	18.50	18.47	100.69%	0.299	0.301	-
LTE Band 48			50	50	Left Edge	10	55830	3609	18.50	18.49	100.23%	0.285	0.286	-
LTE Band 48			50	50	Left Edge	10	56150	3641	18.50	18.47	100.69%	0.291	0.293	-
LTE Band 48			50	25	Left Edge	10	56640	3690	18.50	18.48	100.46%	0.275	0.276	-
LTE Band 48			100RB		Left Edge	10	55830	3609	18.50	18.47	100.69%	0.256	0.258	-
48C			1	99	Left Edge	10	55830	3609	19.50	18.87	115.61%	0.300	0.347	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	509202	2546.01	21.50	21.48	100.46%	0.523	0.525	-
NR n41_PC3			135	69	Front Surface	10	509202	2546.01	21.50	21.34	103.75%	0.501	0.520	-
NR n41_PC3			1	1	Back Surface	10	509202	2546.01	21.50	21.48	100.46%	0.351	0.353	-
NR n41_PC3			135	69	Back Surface	10	509202	2546.01	21.50	21.34	103.75%	0.342	0.355	-
NR n41_PC3			1	1	Left Edge	10	509202	2546.01	21.50	21.48	100.46%	0.708	0.711	-
NR n41_PC3			1	1	Left Edge	10	518598	2592.99	21.50	21.35	103.51%	0.869	0.900	-
NR n41_PC3			1	1	Left Edge	10	528000	2640	21.50	21.44	101.39%	1.100	1.115	252
NR n41_PC3			135	69	Left Edge	10	509202	2546.01	21.50	21.34	103.75%	0.803	0.833	-
NR n41_PC3			135	69	Left Edge	10	518598	2592.99	21.50	20.91	114.55%	0.892	1.022	-
NR n41_PC3			135	0	Left Edge	10	528000	2640	21.00	20.91	102.09%	1.020	1.041	-
NR n41_PC3			270	0	Left Edge	10	509202	2546.01	21.00	20.86	103.28%	0.987	1.019	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518598	2592.99	24.50	24.32	104.23%	0.518	0.540	-
NR n41_PC2			135	69	Front Surface	10	518598	2592.99	24.50	24.24	106.17%	0.503	0.534	-
NR n41_PC2			1	1	Back Surface	10	518598	2592.99	24.50	24.32	104.23%	0.355	0.370	-
NR n41_PC2			135	69	Back Surface	10	518598	2592.99	24.50	24.24	106.17%	0.348	0.369	-
NR n41_PC2			1	1	Left Edge	10	509202	2546.01	24.50	23.89	115.08%	0.699	0.804	-
NR n41_PC2			1	1	Left Edge	10	518598	2592.99	24.50	24.32	104.23%	0.862	0.898	-
NR n41_PC2			1	1	Left Edge	10	528000	2640	24.50	23.96	113.24%	1.000	1.132	253
NR n41_PC2			135	69	Left Edge	10	509202	2546.01	24.50	23.73	119.40%	0.689	0.823	-
NR n41_PC2			135	69	Left Edge	10	518598	2592.99	24.50	24.24	106.17%	0.801	0.850	-
NR n41_PC2			135	69	Left Edge	10	528000	2640	24.50	23.87	115.61%	0.866	1.001	-
NR n41_PC2			270	0	Left Edge	10	518598	2592.99	24.00	23.75	105.93%	0.798	0.845	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	641668	3625.02	21.00	20.83	103.99%	0.449	0.467	-
NR n48			135	69	Front Surface	10	641668	3625.02	21.00	20.78	105.20%	0.410	0.431	-
NR n48			1	1	Back Surface	10	641668	3625.02	21.00	20.83	103.99%	0.369	0.384	-
NR n48			135	69	Back Surface	10	641668	3625.02	21.00	20.78	105.20%	0.361	0.380	-
NR n48			1	1	Left Edge	10	640000	3600	21.00	20.81	104.47%	0.850	0.888	-
NR n48			1	1	Left Edge	10	641668	3625.02	21.00	20.83	103.99%	0.941	0.979	-
NR n48			1	1	Left Edge	10	643332	3649.98	21.00	20.69	107.40%	1.040	1.117	254
NR n48			135	69	Left Edge	10	640000	3600	21.00	20.62	109.14%	0.893	0.975	-
NR n48			135	69	Left Edge	10	641668	3625.02	21.00	20.78	105.20%	1.000	1.052	-
NR n48			135	69	Left Edge	10	643332	3649.98	21.00	20.57	110.41%	0.894	0.987	-
NR n48			270	0	Left Edge	10	640000	3600	20.50	20.37	103.04%	0.802	0.826	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	20.00	19.80	104.71%	0.547	0.573	-
NR n77_PC3			135	69	Front Surface	10	650000	3750	20.00	19.78	105.20%	0.531	0.559	-
NR n77_PC3			1	1	Back Surface	10	650000	3750	20.00	19.80	104.71%	0.476	0.498	-
NR n77_PC3			135	69	Back Surface	10	650000	3750	20.00	19.78	105.20%	0.463	0.487	-
NR n77_PC3			1	1	Left Edge	10	650000	3750	20.00	19.80	104.71%	1.110	1.162	255
NR n77_PC3			1	137	Left Edge	10	653000	3795	20.00	19.77	105.44%	0.922	0.972	-
NR n77_PC3			1	1	Left Edge	10	656000	3840	20.00	19.78	105.20%	0.877	0.923	-
NR n77_PC3			1	137	Left Edge	10	659000	3885	20.00	19.76	105.68%	0.917	0.969	-
NR n77_PC3			1	271	Left Edge	10	662000	3930	20.00	19.76	105.68%	0.900	0.951	-
NR n77_PC3			135	69	Left Edge	10	650000	3750	20.00	19.78	105.20%	1.020	1.073	-
NR n77_PC3			135	69	Left Edge	10	653000	3795	20.00	19.68	107.65%	0.989	1.065	-
NR n77_PC3			135	69	Left Edge	10	656000	3840	20.00	19.70	107.15%	0.819	0.878	-
NR n77_PC3			135	69	Left Edge	10	659000	3885	20.00	19.72	106.66%	0.955	1.019	-
NR n77_PC3			135	69	Left Edge	10	662000	3930	20.00	19.63	108.89%	0.982	1.069	-
NR n77_PC3			270	0	Left Edge	10	659000	3885	19.50	19.27	105.44%	0.882	0.930	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	653000	3795	22.50	22.45	101.16%	0.522	0.528	-
NR n77_PC2			135	69	Front Surface	10	653000	3795	22.50	22.24	106.17%	0.509	0.540	-
NR n77_PC2			1	1	Back Surface	10	653000	3795	22.50	22.45	101.16%	0.451	0.456	-
NR n77_PC2			135	69	Back Surface	10	653000	3795	22.50	22.24	106.17%	0.411	0.436	-
NR n77_PC2			1	137	Left Edge	10	650000	3750	22.50	22.29	104.95%	0.978	1.026	-
NR n77_PC2			1	1	Left Edge	10	653000	3795	22.50	22.45	101.16%	1.090	1.103	256
NR n77_PC2			1	271	Left Edge	10	656000	3840	22.50	22.25	105.93%	0.911	0.965	-
NR n77_PC2			1	137	Left Edge	10	659000	3885	22.50	22.27	105.44%	0.855	0.902	-
NR n77_PC2			1	1	Left Edge	10	662000	3930	22.50	22.21	106.91%	0.958	1.024	-
NR n77_PC2			135	69	Left Edge	10	650000	3750	22.50	22.23	106.41%	0.912	0.970	-
NR n77_PC2			135	69	Left Edge	10	653000	3795	22.50	22.24	106.17%	1.030	1.094	-
NR n77_PC2			135	69	Left Edge	10	656000	3840	22.50	22.20	107.15%	0.966	1.035	-
NR n77_PC2			135	69	Left Edge	10	659000	3885	22.50	22.16	108.14%	0.844	0.913	-
NR n77_PC2			135	69	Left Edge	10	662000	3930	22.50	22.17	107.89%	0.941	1.015	-
NR n77_PC2			270	0	Left Edge	10	650000	3750	22.00	21.78	105.20%	0.844	0.888	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	635834	3537.51	20.00	19.78	105.20%	0.472	0.497	-
NR n77 & n78_PC3			135	69	Front Surface	10	640834	3612.51	20.00	19.78	105.20%	0.466	0.490	-
NR n77 & n78_PC3			1	137	Back Surface	10	635834	3537.51	20.00	19.78	105.20%	0.420	0.442	-
NR n77 & n78_PC3			135	69	Back Surface	10	640834	3612.51	20.00	19.78	105.20%	0.413	0.434	-
NR n77 & n78_PC3			1	137	Left Edge	10	633334	3500.01	20.00	19.68	107.65%	0.910	0.980	-
NR n77 & n78_PC3			1	137	Left Edge	10	635834	3537.51	20.00	19.78	105.20%	0.988	1.039	257
NR n77 & n78_PC3			1	1	Left Edge	10	638334	3575.01	20.00	19.72	106.66%	0.855	0.912	-
NR n77 & n78_PC3			1	137	Left Edge	10	640834	3612.51	20.00	19.76	105.68%	0.909	0.961	-
NR n77 & n78_PC3			1	271	Left Edge	10	643334	3650.01	20.00	19.77	105.44%	0.837	0.883	-
NR n77 & n78_PC3			135	69	Left Edge	10	633334	3500.01	20.00	19.66	108.14%	0.952	1.030	-
NR n77 & n78_PC3			135	69	Left Edge	10	635834	3537.51	20.00	19.77	105.44%	0.923	0.973	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	20.00	19.76	105.68%	0.921	0.973	-
NR n77 & n78_PC3			135	69	Left Edge	10	640834	3612.51	20.00	19.78	105.20%	0.972	1.023	-
NR n77 & n78_PC3			135	69	Left Edge	10	643334	3650.01	20.00	19.68	107.65%	0.822	0.885	-
NR n77 & n78_PC3			270	0	Left Edge	10	638334	3575.01	19.50	19.30	104.71%	0.902	0.945	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	638334	3575.01	22.50	22.29	104.95%	0.447	0.469	-
NR n77 & n78_PC2			135	69	Front Surface	10	635834	3537.51	22.50	22.21	106.91%	0.424	0.453	-
NR n77 & n78_PC2			1	137	Back Surface	10	638334	3575.01	22.50	22.29	104.95%	0.389	0.408	-
NR n77 & n78_PC2			135	69	Back Surface	10	635834	3537.51	22.50	22.21	106.91%	0.373	0.399	-
NR n77 & n78_PC2			1	1	Left Edge	10	633334	3500.01	22.50	22.22	106.66%	0.812	0.866	-
NR n77 & n78_PC2			1	271	Left Edge	10	635834	3537.51	22.50	22.20	107.15%	0.845	0.905	-
NR n77 & n78_PC2			1	137	Left Edge	10	638334	3575.01	22.50	22.29	104.95%	0.924	0.970	-
NR n77 & n78_PC2			1	137	Left Edge	10	640834	3612.51	22.50	22.28	105.20%	0.862	0.907	-
NR n77 & n78_PC2			1	1	Left Edge	10	643334	3650.01	22.50	22.27	105.44%	0.910	0.959	-
NR n77 & n78_PC2			135	69	Left Edge	10	633334	3500.01	22.50	22.20	107.15%	0.872	0.934	-
NR n77 & n78_PC2			135	69	Left Edge	10	635834	3537.51	22.50	22.21	106.91%	0.831	0.888	-
NR n77 & n78_PC2			135	69	Left Edge	10	638334	3575.01	22.50	22.17	107.89%	0.919	0.992	-
NR n77 & n78_PC2			135	69	Left Edge	10	640834	3612.51	22.50	22.20	107.15%	0.927	0.993	-
NR n77 & n78_PC2			135	69	Left Edge	10	643334	3650.01	22.50	22.12	109.14%	0.933	1.018	258
NR n77 & n78_PC2			270	0	Left Edge	10	635834	3537.51	22.00	21.80	104.71%	0.810	0.848	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	650000	3750	20.00	19.78	105.20%	0.562	0.591	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	20.00	19.68	107.65%	0.532	0.573	-
NR n78_PC3			1	271	Back Surface	10	650000	3750	20.00	19.78	105.20%	0.467	0.491	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	20.00	19.68	107.65%	0.438	0.471	-
NR n78_PC3			1	271	Left Edge	10	650000	3750	20.00	19.78	105.20%	1.100	1.157	259
NR n78_PC3			135	69	Left Edge	10	650000	3750	20.00	19.68	107.65%	1.020	1.098	-
NR n78_PC3			270	0	Left Edge	10	650000	3750	19.50	19.27	105.44%	0.920	0.970	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	650000	3750	22.50	22.27	105.44%	0.520	0.548	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	22.50	22.21	106.91%	0.491	0.525	-
NR n78_PC2			1	271	Back Surface	10	650000	3750	22.50	22.27	105.44%	0.413	0.435	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	22.50	22.21	106.91%	0.439	0.469	-
NR n78_PC2			1	271	Left Edge	10	650000	3750	22.50	22.27	105.44%	1.030	1.086	260
NR n78_PC2			135	69	Left Edge	10	650000	3750	22.50	22.21	106.91%	0.921	0.985	-
NR n78_PC2			270	0	Left Edge	10	650000	3750	22.00	21.80	104.71%	0.822	0.861	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8 DSI8 NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	509202	2546.01	20.00	19.80	104.71%	0.372	0.390	-
NR n41_PC3			135	69	Front Surface	10	509202	2546.01	20.00	19.82	104.23%	0.358	0.373	-
NR n41_PC3			1	137	Back Surface	10	509202	2546.01	20.00	19.80	104.71%	0.250	0.262	-
NR n41_PC3			135	69	Back Surface	10	509202	2546.01	20.00	19.82	104.23%	0.241	0.251	-
NR n41_PC3			1	137	Left Edge	10	509202	2546.01	20.00	19.80	104.71%	0.504	0.528	-
NR n41_PC3			1	137	Left Edge	10	518598	2592.99	20.00	19.78	105.20%	0.637	0.670	-
NR n41_PC3			1	271	Left Edge	10	528000	2640	20.00	19.74	106.17%	0.790	0.839	-
NR n41_PC3			135	69	Left Edge	10	509202	2546.01	20.00	19.82	104.23%	0.590	0.615	-
NR n41_PC3			135	69	Left Edge	10	518598	2592.99	20.00	19.75	105.93%	0.723	0.766	-
NR n41_PC3			135	69	Left Edge	10	528000	2640	20.00	19.77	105.44%	0.737	0.777	-
NR n41_PC3			270	0	Left Edge	10	528000	2640	19.50	19.25	105.93%	0.622	0.659	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518598	2592.99	23.00	22.80	104.71%	0.382	0.400	-
NR n41_PC2			135	69	Front Surface	10	518598	2592.99	23.00	22.71	106.91%	0.378	0.404	-
NR n41_PC2			1	1	Back Surface	10	518598	2592.99	23.00	22.80	104.71%	0.262	0.274	-
NR n41_PC2			135	69	Back Surface	10	518598	2592.99	23.00	22.71	106.91%	0.243	0.260	-
NR n41_PC2			1	137	Left Edge	10	509202	2546.01	23.00	22.71	106.91%	0.568	0.607	-
NR n41_PC2			1	1	Left Edge	10	518598	2592.99	23.00	22.80	104.71%	0.636	0.666	-
NR n41_PC2			1	271	Left Edge	10	528000	2640	23.00	22.71	106.91%	0.739	0.790	-
NR n41_PC2			135	69	Left Edge	10	509202	2546.01	23.00	22.70	107.15%	0.581	0.623	-
NR n41_PC2			135	69	Left Edge	10	518598	2592.99	23.00	22.71	106.91%	0.618	0.661	-
NR n41_PC2			135	69	Left Edge	10	528000	2640	23.00	22.66	108.14%	0.702	0.759	-
NR n41_PC2			270	0	Left Edge	10	518598	2592.99	22.50	22.27	105.44%	0.598	0.631	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	650000	3750	18.50	18.26	105.68%	0.401	0.424	-
NR n77_PC3			135	69	Front Surface	10	650000	3750	18.50	18.28	105.20%	0.395	0.416	-
NR n77_PC3			1	137	Back Surface	10	650000	3750	18.50	18.26	105.68%	0.353	0.373	-
NR n77_PC3			135	69	Back Surface	10	650000	3750	18.50	18.28	105.20%	0.345	0.363	-
NR n77_PC3			1	137	Left Edge	10	650000	3750	18.50	18.26	105.68%	0.745	0.787	-
NR n77_PC3			135	69	Left Edge	10	650000	3750	18.50	18.28	105.20%	0.750	0.789	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	653000	3795	21.00	20.85	103.51%	0.371	0.384	-
NR n77_PC2			135	69	Front Surface	10	653000	3795	21.00	20.81	104.47%	0.363	0.379	-
NR n77_PC2			1	1	Back Surface	10	653000	3795	21.00	20.85	103.51%	0.321	0.332	-
NR n77_PC2			135	69	Back Surface	10	653000	3795	21.00	20.81	104.47%	0.305	0.319	-
NR n77_PC2			1	1	Left Edge	10	653000	3795	21.00	20.85	103.51%	0.751	0.777	-
NR n77_PC2			135	69	Left Edge	10	653000	3795	21.00	20.81	104.47%	0.771	0.805	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	635834	3537.51	18.50	18.26	105.68%	0.317	0.335	-
NR n77 & n78_PC3			135	69	Front Surface	10	640834	3612.51	18.50	18.30	104.71%	0.312	0.327	-
NR n77 & n78_PC3			1	271	Back Surface	10	635834	3537.51	18.50	18.26	105.68%	0.282	0.298	-
NR n77 & n78_PC3			135	69	Back Surface	10	640834	3612.51	18.50	18.30	104.71%	0.277	0.290	-
NR n77 & n78_PC3			1	271	Left Edge	10	635834	3537.51	18.50	18.26	105.68%	0.662	0.700	-
NR n77 & n78_PC3			135	69	Left Edge	10	640834	3612.51	18.50	18.30	104.71%	0.652	0.683	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	638334	3575.01	21.00	20.75	105.93%	0.299	0.317	-
NR n77 & n78_PC2			135	69	Front Surface	10	635834	3537.51	21.00	20.69	107.40%	0.289	0.310	-
NR n77 & n78_PC2			1	271	Back Surface	10	638334	3575.01	21.00	20.75	105.93%	0.260	0.275	-
NR n77 & n78_PC2			135	69	Back Surface	10	635834	3537.51	21.00	20.69	107.40%	0.254	0.273	-
NR n77 & n78_PC2			135	69	Left Edge	10	638334	3575.01	21.00	20.66	108.14%		0.000	-
NR n77 & n78_PC2			135	69	Left Edge	10	640834	3612.51	21.00	20.75	105.93%	0.561	0.594	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	18.50	18.23	106.41%	0.377	0.401	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	18.50	18.19	107.40%	0.365	0.392	-
NR n78_PC3			1	1	Back Surface	10	650000	3750	18.50	18.23	106.41%	0.313	0.333	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	18.50	18.19	107.40%	0.301	0.323	-
NR n78_PC3			1	1	Left Edge	10	650000	3750	18.50	18.23	106.41%	0.737	0.784	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	18.50	18.19	107.40%	0.699	0.751	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	21.00	20.79	104.95%	0.349	0.366	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	21.00	20.74	106.17%	0.335	0.356	-
NR n78_PC2			1	1	Back Surface	10	650000	3750	21.00	20.79	104.95%	0.277	0.291	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	21.00	20.74	106.17%	0.299	0.317	-
NR n78_PC2			1	1	Left Edge	10	650000	3750	21.00	20.79	104.95%	0.692	0.726	-
NR n78_PC2			135	69	Left Edge	10	650000	3750	21.00	20.74	106.17%	0.627	0.666	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9 DSI8 SA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	0	Front Surface	10	39750	2506	25.50	24.62	122.46%	0.082	0.100	-
LTE Band 41_PC3			50	50	Front Surface	10	39750	2506	24.50	23.52	125.31%	0.071	0.089	-
LTE Band 41_PC3			1	0	Back Surface	10	39750	2506	25.50	24.62	122.46%	0.308	0.377	261
LTE Band 41_PC3			50	50	Back Surface	10	39750	2506	24.50	23.52	125.31%	0.261	0.327	-
LTE Band 41_PC3			1	0	Bottom Edge	10	39750	2506	25.50	24.62	122.46%	0.123	0.151	-
LTE Band 41_PC3			50	50	Bottom Edge	10	39750	2506	24.50	23.52	125.31%	0.101	0.127	-
LTE Band 41_PC3			1	0	Left Edge	10	39750	2506	25.50	24.62	122.46%	0.013	0.016	-
LTE Band 41_PC3			50	50	Left Edge	10	39750	2506	24.50	23.52	125.31%	0.009	0.011	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	10	41055	2636.5	27.50	26.38	129.42%	0.052	0.067	-
LTE Band 41_PC2			50	50	Front Surface	10	41055	2636.5	26.00	25.24	119.12%	0.045	0.054	-
LTE Band 41_PC2			1	0	Back Surface	10	41055	2636.5	27.50	26.38	129.42%	0.211	0.273	262
LTE Band 41_PC2			50	50	Back Surface	10	41055	2636.5	26.00	25.24	119.12%	0.185	0.220	-
LTE Band 41_PC2			1	0	Bottom Edge	10	41055	2636.5	27.50	26.38	129.42%	0.071	0.092	-
LTE Band 41_PC2			50	50	Bottom Edge	10	41055	2636.5	26.00	25.24	119.12%	0.063	0.075	-
LTE Band 41_PC2			1	0	Left Edge	10	41055	2636.5	27.50	26.38	129.42%	0.007	0.009	-
LTE Band 41_PC2			50	50	Left Edge	10	41055	2636.5	26.00	25.24	119.12%	0.006	0.007	-
LTE Band 48	20MHz	QPSK	1	0	Front Surface	10	56640	3690	19.50	19.49	100.23%	0.031	0.031	-
LTE Band 48			50	50	Front Surface	10	56150	3641	18.50	18.47	100.69%	0.027	0.027	-
LTE Band 48			1	0	Back Surface	10	56640	3690	19.50	19.49	100.23%	0.144	0.144	263
LTE Band 48			50	50	Back Surface	10	56150	3641	18.50	18.47	100.69%	0.123	0.124	-
LTE Band 48			1	0	Bottom Edge	10	56640	3690	19.50	19.49	100.23%	0.051	0.051	-
LTE Band 48			50	50	Bottom Edge	10	56150	3641	18.50	18.47	100.69%	0.044	0.044	-
LTE Band 48			1	0	Left Edge	10	56640	3690	19.50	19.49	100.23%	0.005	0.005	-
LTE Band 48			50	50	Left Edge	10	56150	3641	18.50	18.47	100.69%	0.004	0.004	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	509202	2546.01	25.50	24.96	113.24%	0.036	0.041	-
NR n41_PC3			135	69	Front Surface	10	509202	2546.01	25.50	24.88	115.35%	0.027	0.031	-
NR n41_PC3			1	1	Back Surface	10	509202	2546.01	25.50	24.96	113.24%	0.337	0.382	264
NR n41_PC3			135	69	Back Surface	10	509202	2546.01	25.50	24.88	115.35%	0.321	0.370	-
NR n41_PC3			1	1	Bottom Edge	10	509202	2546.01	25.50	24.96	113.24%	0.093	0.105	-
NR n41_PC3			135	69	Bottom Edge	10	509202	2546.01	25.50	24.88	115.35%	0.082	0.095	-
NR n41_PC3			1	1	Left Edge	10	509202	2546.01	25.50	24.96	113.24%	0.009	0.010	-
NR n41_PC3			135	69	Left Edge	10	509202	2546.01	25.50	24.88	115.35%	0.006	0.007	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	518598	2592.99	27.50	26.40	128.82%	0.035	0.045	-
NR n41_PC2			135	69	Front Surface	10	518598	2592.99	27.50	26.29	132.13%	0.028	0.037	-
NR n41_PC2			1	1	Back Surface	10	518598	2592.99	27.50	26.40	128.82%	0.350	0.451	265
NR n41_PC2			135	69	Back Surface	10	518598	2592.99	27.50	26.29	132.13%	0.318	0.420	-
NR n41_PC2			1	1	Bottom Edge	10	518598	2592.99	27.50	26.40	128.82%	0.096	0.124	-
NR n41_PC2			135	69	Bottom Edge	10	518598	2592.99	27.50	26.29	132.13%	0.083	0.110	-
NR n41_PC2			1	1	Left Edge	10	518598	2592.99	27.50	26.40	128.82%	0.009	0.012	-
NR n41_PC2			135	69	Left Edge	10	518598	2592.99	27.50	26.29	132.13%	0.007	0.009	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	641668	3625.02	23.50	23.29	104.95%	0.135	0.142	-
NR n48			135	69	Front Surface	10	640000	3600	23.50	23.25	105.93%	0.131	0.139	-
NR n48			1	1	Back Surface	10	640000	3600	23.50	23.23	106.41%	0.910	0.968	-
NR n48			1	1	Back Surface	10	641668	3625.02	23.50	23.29	104.95%	0.924	0.970	-
NR n48			1	1	Back Surface	10	643332	3649.98	23.50	23.22	106.66%	0.944	1.007	-
NR n48			135	69	Back Surface	10	640000	3600	23.50	23.25	105.93%	1.080	1.144	266
NR n48			135	69	Back Surface	10	641668	3625.02	23.50	23.16	108.14%	1.020	1.103	-
NR n48			135	69	Back Surface	10	643332	3649.98	23.50	23.17	107.89%	0.977	1.054	-
NR n48			270	0	Back Surface	10	643332	3649.98	23.00	22.77	105.44%	0.872	0.919	-
NR n48			1	1	Bottom Edge	10	641668	3625.02	23.50	23.29	104.95%	0.246	0.258	-
NR n48			135	69	Bottom Edge	10	640000	3600	23.50	23.25	105.93%	0.232	0.246	-
NR n48			1	1	Left Edge	10	641668	3625.02	23.50	23.29	104.95%	0.023	0.024	-
NR n48			135	69	Left Edge	10	640000	3600	23.50	23.25	105.93%	0.021	0.022	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	656000	3840	21.00	20.78	105.20%	0.126	0.133	-
NR n77_PC3			135	69	Front Surface	10	656000	3840	21.00	20.78	105.20%	0.114	0.120	-
NR n77_PC3			1	1	Back Surface	10	650000	3750	21.00	20.76	105.68%	0.912	0.964	-
NR n77_PC3			1	271	Back Surface	10	653000	3795	21.00	20.70	107.15%	0.929	0.995	-
NR n77_PC3			1	1	Back Surface	10	656000	3840	21.00	20.78	105.20%	0.833	0.876	-
NR n77_PC3			1	1	Back Surface	10	659000	3885	21.00	20.76	105.68%	0.811	0.857	-
NR n77_PC3			1	271	Back Surface	10	662000	3930	21.00	20.73	106.41%	0.782	0.832	-
NR n77_PC3			135	69	Back Surface	10	650000	3750	21.00	20.67	107.89%	0.923	0.996	-
NR n77_PC3			135	69	Back Surface	10	653000	3795	21.00	20.65	108.39%	0.956	1.036	-
NR n77_PC3			135	69	Back Surface	10	656000	3840	21.00	20.78	105.20%	1.020	1.073	267
NR n77_PC3			135	69	Back Surface	10	659000	3885	21.00	20.64	108.64%	0.810	0.880	-
NR n77_PC3			135	69	Back Surface	10	662000	3930	21.00	20.74	106.17%	0.922	0.979	-
NR n77_PC3			270	0	Back Surface	10	659000	3885	20.50	20.29	104.95%	0.892	0.936	-
NR n77_PC3			1	1	Bottom Edge	10	656000	3840	21.00	20.78	105.20%	0.221	0.232	-
NR n77_PC3			135	69	Bottom Edge	10	656000	3840	21.00	20.78	105.20%	0.209	0.220	-
NR n77_PC3			1	1	Left Edge	10	656000	3840	21.00	20.78	105.20%	0.023	0.024	-
NR n77_PC3			135	69	Left Edge	10	656000	3840	21.00	20.78	105.20%	0.031	0.033	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	662000	3930	24.00	23.80	104.71%	0.149	0.156	-
NR n77_PC2			135	69	Front Surface	10	653000	3795	24.00	23.80	104.71%	0.143	0.150	-
NR n77_PC2			1	1	Back Surface	10	650000	3750	24.00	23.78	105.20%	0.822	0.865	-
NR n77_PC2			1	1	Back Surface	10	653000	3795	24.00	23.69	107.40%	0.849	0.912	-
NR n77_PC2			1	137	Back Surface	10	656000	3840	24.00	23.71	106.91%	0.883	0.944	-
NR n77_PC2			1	1	Back Surface	10	659000	3885	24.00	23.64	108.64%	0.922	1.002	-
NR n77_PC2			1	137	Back Surface	10	662000	3930	24.00	23.80	104.71%	1.090	1.141	268
NR n77_PC2			135	69	Back Surface	10	653000	3795	24.00	23.80	104.71%	1.040	1.089	-
NR n77_PC2			135	69	Back Surface	10	656000	3840	24.00	23.78	105.20%	0.892	0.938	-
NR n77_PC2			135	69	Back Surface	10	659000	3885	24.00	23.73	106.41%	0.902	0.960	-
NR n77_PC2			135	69	Back Surface	10	662000	3930	24.00	23.61	109.40%	0.913	0.999	-
NR n77_PC2			270	0	Back Surface	10	662000	3930	23.50	23.30	104.71%	0.820	0.859	-
NR n77_PC2			1	137	Bottom Edge	10	662000	3930	24.00	23.80	104.71%	0.223	0.234	-
NR n77_PC2			135	69	Bottom Edge	10	653000	3795	24.00	23.80	104.71%	0.216	0.226	-
NR n77_PC2			1	137	Left Edge	10	662000	3930	24.00	23.80	104.71%	0.042	0.044	-
NR n77_PC2			135	69	Left Edge	10	653000	3795	24.00	23.80	104.71%	0.031	0.032	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	635834	3537.51	21.00	20.78	105.20%	0.092	0.097	-
NR n77 & n78_PC3			135	69	Front Surface	10	638334	3575.01	21.00	20.79	104.95%	0.088	0.092	-
NR n77 & n78_PC3			1	137	Back Surface	10	635834	3537.51	21.00	20.78	105.20%	0.632	0.665	269
NR n77 & n78_PC3			135	69	Back Surface	10	638334	3575.01	21.00	20.79	104.95%	0.611	0.641	-
NR n77 & n78_PC3			1	137	Bottom Edge	10	635834	3537.51	21.00	20.78	105.20%	0.144	0.151	-
NR n77 & n78_PC3			135	69	Bottom Edge	10	638334	3575.01	21.00	20.79	104.95%	0.123	0.129	-
NR n77 & n78_PC3			1	137	Left Edge	10	635834	3537.51	21.00	20.78	105.20%	0.011	0.012	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	21.00	20.79	104.95%	0.023	0.024	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	633334	3500.01	24.00	23.81	104.47%	0.104	0.109	-
NR n77 & n78_PC2			135	69	Front Surface	10	635834	3537.51	24.00	23.79	104.95%	0.095	0.100	-
NR n77 & n78_PC2			1	137	Back Surface	10	633334	3500.01	24.00	23.81	104.47%	0.671	0.701	270
NR n77 & n78_PC2			135	69	Back Surface	10	635834	3537.51	24.00	23.79	104.95%	0.607	0.637	-
NR n77 & n78_PC2			1	137	Bottom Edge	10	633334	3500.01	24.00	23.81	104.47%	0.179	0.187	-
NR n77 & n78_PC2			135	69	Bottom Edge	10	635834	3537.51	24.00	23.79	104.95%	0.169	0.177	-
NR n77 & n78_PC2			1	137	Left Edge	10	633334	3500.01	24.00	23.81	104.47%	0.018	0.019	-
NR n77 & n78_PC2			135	69	Left Edge	10	635834	3537.51	24.00	23.79	104.95%	0.022	0.023	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	21.00	20.73	106.41%	0.106	0.113	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	21.00	20.75	105.93%	0.098	0.104	-
NR n78_PC3			1	1	Back Surface	10	650000	3750	21.00	20.73	106.41%	0.707	0.752	271
NR n78_PC3			135	69	Back Surface	10	650000	3750	21.00	20.75	105.93%	0.671	0.711	-
NR n78_PC3			1	1	Bottom Edge	10	650000	3750	21.00	20.73	106.41%	0.152	0.162	-
NR n78_PC3			135	69	Bottom Edge	10	650000	3750	21.00	20.75	105.93%	0.147	0.156	-
NR n78_PC3			1	1	Left Edge	10	650000	3750	21.00	20.73	106.41%	0.018	0.019	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	21.00	20.75	105.93%	0.016	0.017	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	24.00	23.78	105.20%	0.111	0.117	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	24.00	23.61	109.40%	0.103	0.113	-
NR n78_PC2			1	1	Back Surface	10	650000	3750	24.00	23.78	105.20%	0.659	0.693	272
NR n78_PC2			135	69	Back Surface	10	650000	3750	24.00	23.61	109.40%	0.626	0.685	-
NR n78_PC2			1	1	Bottom Edge	10	650000	3750	24.00	23.78	105.20%	0.169	0.178	-
NR n78_PC2			135	69	Bottom Edge	10	650000	3750	24.00	23.61	109.40%	0.161	0.176	-
NR n78_PC2			1	1	Left Edge	10	650000	3750	24.00	23.78	105.20%	0.019	0.020	-
NR n78_PC2			135	69	Left Edge	10	650000	3750	24.00	23.61	109.40%	0.017	0.019	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9_DSI8_NSA

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	10	656000	3840	20.00	19.83	103.99%	0.103	0.107	-
NR n77_PC3			135	69	Front Surface	10	656000	3840	20.00	19.77	105.44%	0.092	0.097	-
NR n77_PC3			1	137	Back Surface	10	656000	3840	20.00	19.83	103.99%	0.696	0.724	-
NR n77_PC3			135	69	Back Surface	10	650000	3750	20.00	19.67	107.89%	0.756	0.816	-
NR n77_PC3			135	69	Back Surface	10	653000	3795	20.00	19.61	109.40%	0.770	0.842	-
NR n77_PC3			135	69	Back Surface	10	656000	3840	20.00	19.77	105.44%	0.810	0.854	-
NR n77_PC3			135	69	Back Surface	10	659000	3885	20.00	19.68	107.65%	0.694	0.747	-
NR n77_PC3			135	69	Back Surface	10	662000	3930	20.00	19.77	105.44%	0.692	0.730	-
NR n77_PC3			270	0	Back Surface	10	659000	3885	19.50	19.28	105.20%	0.658	0.692	-
NR n77_PC3			1	137	Bottom Edge	10	656000	3840	20.00	19.83	103.99%	0.184	0.191	-
NR n77_PC3			135	69	Bottom Edge	10	656000	3840	20.00	19.77	105.44%	0.172	0.181	-
NR n77_PC3			1	137	Left Edge	10	656000	3840	20.00	19.83	103.99%	0.018	0.019	-
NR n77_PC3			135	69	Left Edge	10	656000	3840	20.00	19.77	105.44%	0.025	0.026	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	662000	3930	23.00	22.79	104.95%	0.124	0.130	-
NR n77_PC2			135	69	Front Surface	10	653000	3795	23.00	22.76	105.68%	0.119	0.126	-
NR n77_PC2			1	137	Back Surface	10	650000	3750	23.00	22.72	106.66%	0.756	0.806	-
NR n77_PC2			1	271	Back Surface	10	653000	3795	23.00	22.77	105.44%	0.733	0.773	-
NR n77_PC2			1	137	Back Surface	10	656000	3840	23.00	22.76	105.68%	0.688	0.727	-
NR n77_PC2			1	1	Back Surface	10	659000	3885	23.00	22.77	105.44%	0.692	0.730	-
NR n77_PC2			1	271	Back Surface	10	662000	3930	23.00	22.79	104.95%	0.807	0.847	-
NR n77_PC2			135	69	Back Surface	10	653000	3795	23.00	22.76	105.68%	0.765	0.808	-
NR n77_PC2			135	69	Back Surface	10	656000	3840	23.00	22.69	107.40%	0.744	0.799	-
NR n77_PC2			135	69	Back Surface	10	659000	3885	23.00	22.65	108.39%	0.719	0.779	-
NR n77_PC2			135	69	Back Surface	10	662000	3930	23.00	22.70	107.15%	0.689	0.738	-
NR n77_PC2			270	0	Back Surface	10	650000	3750	22.50	22.24	106.17%	0.679	0.721	-
NR n77_PC2			1	271	Bottom Edge	10	662000	3930	23.00	22.79	104.95%	0.182	0.191	-
NR n77_PC2			135	69	Bottom Edge	10	653000	3795	23.00	22.76	105.68%	0.175	0.185	-
NR n77_PC2			1	271	Left Edge	10	662000	3930	23.00	22.79	104.95%	0.032	0.034	-
NR n77_PC2			135	69	Left Edge	10	653000	3795	23.00	22.76	105.68%	0.037	0.039	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	635834	3537.51	20.00	19.82	104.23%	0.071	0.074	-
NR n77 & n78_PC3			135	69	Front Surface	10	638334	3575.01	20.00	19.81	104.47%	0.065	0.068	-
NR n77 & n78_PC3			1	1	Back Surface	10	635834	3537.51	20.00	19.82	104.23%	0.523	0.545	-
NR n77 & n78_PC3			135	69	Back Surface	10	638334	3575.01	20.00	19.81	104.47%	0.502	0.524	-
NR n77 & n78_PC3			1	1	Bottom Edge	10	635834	3537.51	20.00	19.82	104.23%	0.120	0.125	-
NR n77 & n78_PC3			135	69	Bottom Edge	10	638334	3575.01	20.00	19.81	104.47%	0.102	0.107	-
NR n77 & n78_PC3			1	1	Left Edge	10	635834	3537.51	20.00	19.82	104.23%	0.010	0.010	-
NR n77 & n78_PC3			135	69	Left Edge	10	638334	3575.01	20.00	19.81	104.47%	0.021	0.022	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	633334	3500.01	23.00	22.82	104.23%	0.083	0.087	-
NR n77 & n78_PC2			135	69	Front Surface	10	635834	3537.51	23.00	22.83	103.99%	0.075	0.078	-
NR n77 & n78_PC2			1	1	Back Surface	10	633334	3500.01	23.00	22.82	104.23%	0.541	0.564	-
NR n77 & n78_PC2			135	69	Back Surface	10	635834	3537.51	23.00	22.83	103.99%	0.502	0.522	-
NR n77 & n78_PC2			1	1	Bottom Edge	10	633334	3500.01	23.00	22.82	104.23%	0.143	0.149	-
NR n77 & n78_PC2			135	69	Bottom Edge	10	635834	3537.51	23.00	22.83	103.99%	0.132	0.137	-
NR n77 & n78_PC2			1	1	Left Edge	10	633334	3500.01	23.00	22.82	104.23%	0.014	0.015	-
NR n77 & n78_PC2			135	69	Left Edge	10	635834	3537.51	23.00	22.83	103.99%	0.021	0.022	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	10	650000	3750	20.00	19.80	104.71%	0.090	0.094	-
NR n78_PC3			135	69	Front Surface	10	650000	3750	20.00	19.79	104.95%	0.082	0.086	-
NR n78_PC3			1	1	Back Surface	10	650000	3750	20.00	19.80	104.71%	0.572	0.599	-
NR n78_PC3			135	69	Back Surface	10	650000	3750	20.00	19.79	104.95%	0.555	0.582	-
NR n78_PC3			1	1	Bottom Edge	10	650000	3750	20.00	19.80	104.71%	0.121	0.127	-
NR n78_PC3			135	69	Bottom Edge	10	650000	3750	20.00	19.79	104.95%	0.112	0.118	-
NR n78_PC3			1	1	Left Edge	10	650000	3750	20.00	19.80	104.71%	0.013	0.014	-
NR n78_PC3			135	69	Left Edge	10	650000	3750	20.00	19.79	104.95%	0.011	0.012	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	10	650000	3750	23.00	22.72	106.66%	0.083	0.089	-
NR n78_PC2			135	69	Front Surface	10	650000	3750	23.00	22.62	109.14%	0.079	0.086	-
NR n78_PC2			1	271	Back Surface	10	650000	3750	23.00	22.72	106.66%	0.552	0.589	-
NR n78_PC2			135	69	Back Surface	10	650000	3750	23.00	22.62	109.14%	0.530	0.578	-
NR n78_PC2			1	271	Bottom Edge	10	650000	3750	23.00	22.72	106.66%	0.141	0.150	-
NR n78_PC2			135	69	Bottom Edge	10	650000	3750	23.00	22.62	109.14%	0.124	0.135	-
NR n78_PC2			1	271	Left Edge	10	650000	3750	23.00	22.72	106.66%	0.015	0.016	-
NR n78_PC2			135	69	Left Edge	10	650000	3750	23.00	22.62	109.14%	0.012	0.013	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN
DSI8

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4	Front Surface	10	6	2437	22.00	21.63	1.03	108.89%	0.276	0.308	273
WLAN 802.11b	Ant4	Back Surface	10	6	2437	22.00	21.63	1.03	108.89%	0.037	0.041	-
WLAN 802.11b	Ant4	Top Edge	10	6	2437	22.00	21.63	1.03	108.89%	0.226	0.252	-
WLAN 802.11b	Ant4	Right Edge	10	6	2437	22.00	21.63	1.03	108.89%	0.130	0.145	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant4	Front Surface	10	39	2441	16.50	16.28	1.12	105.10%	0.026	0.031	274
Bluetooth(GFSK)	Ant4	Back Surface	10	39	2441	16.50	16.28	1.12	105.10%	0.002	0.002	-
Bluetooth(GFSK)	Ant4	Top Edge	10	39	2441	16.50	16.28	1.12	105.10%	0.022	0.026	-
Bluetooth(GFSK)	Ant4	Right Edge	10	39	2441	16.50	16.28	1.12	105.10%	0.014	0.016	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(40M) 5.2G	Ant4	Front Surface	10	46	5230	22.00	21.83	1.01	103.99%	0.315	0.331	275
WLAN 802.11ax(40M) 5.2G	Ant4	Back Surface	10	46	5230	22.00	21.83	1.01	103.99%	0.141	0.148	-
WLAN 802.11ax(40M) 5.2G	Ant4	Top Edge	10	46	5230	22.00	21.83	1.01	103.99%	0.273	0.287	-
WLAN 802.11ax(40M) 5.2G	Ant4	Right Edge	10	46	5230	22.00	21.83	1.01	103.99%	0.120	0.126	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.8G	Ant4	Front Surface	10	165	5825	22.00	21.87	1.01	103.04%	0.280	0.291	-
WLAN 802.11ax(20M) 5.8G	Ant4	Back Surface	10	165	5825	22.00	21.87	1.01	103.04%	0.257	0.267	-
WLAN 802.11ax(20M) 5.8G	Ant4	Top Edge	10	165	5825	22.00	21.87	1.01	103.04%	0.286	0.298	276
WLAN 802.11ax(20M) 5.8G	Ant4	Right Edge	10	165	5825	22.00	21.87	1.01	103.04%	0.223	0.232	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant5	Front Surface	10	6	2437	22.00	21.79	1.03	104.95%	0.182	0.196	-
WLAN 802.11b	Ant5	Back Surface	10	6	2437	22.00	21.79	1.03	104.95%	0.147	0.158	-
WLAN 802.11b	Ant5	Right Edge	10	6	2437	22.00	21.79	1.03	104.95%	0.389	0.419	277
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant5	Front Surface	10	39	2441	16.50	16.17	1.12	107.80%	0.043	0.052	-
Bluetooth(GFSK)	Ant5	Back Surface	10	39	2441	16.50	16.17	1.12	107.80%	0.028	0.034	-
Bluetooth(GFSK)	Ant5	Right Edge	10	39	2441	16.50	16.17	1.12	107.80%	0.085	0.103	278
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.2G	Ant5	Front Surface	10	46	5230	17.00	16.98	1.01	100.46%	0.192	0.195	-
WLAN 802.11n(40M) 5.2G	Ant5	Back Surface	10	46	5230	17.00	16.98	1.01	100.46%	0.327	0.332	-
WLAN 802.11n(40M) 5.2G	Ant5	Right Edge	10	46	5230	17.00	16.98	1.01	100.46%	0.440	0.446	279
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11be(80M) 5.8G	Ant5	Front Surface	10	155	5775	19.00	18.99	1.01	100.23%	0.338	0.342	-
WLAN 802.11be(80M) 5.8G	Ant5	Back Surface	10	155	5775	19.00	18.99	1.01	100.23%	0.289	0.293	-
WLAN 802.11be(80M) 5.8G	Ant5	Right Edge	10	155	5775	19.00	18.99	1.01	100.23%	0.530	0.537	280

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

MIMO_DSI8

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4+Ant5	Front Surface	10	6	2437	25.00	24.44	1.03	113.76%	0.256	0.299	-
WLAN 802.11b	Ant4+Ant5	Back Surface	10	6	2437	25.00	24.44	1.03	113.76%	0.137	0.160	-
WLAN 802.11b	Ant4+Ant5	Top Edge	10	6	2437	25.00	24.44	1.03	113.76%	0.226	0.264	-
WLAN 802.11b	Ant4+Ant5	Right Edge	10	6	2437	25.00	24.44	1.03	113.76%	0.330	0.385	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Front Surface	10	46	5230	23.00	22.77	1.01	105.44%	0.319	0.340	-
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Back Surface	10	46	5230	23.00	22.77	1.01	105.44%	0.259	0.276	-
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Top Edge	10	46	5230	23.00	22.77	1.01	105.44%	0.243	0.259	-
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Right Edge	10	46	5230	23.00	22.77	1.01	105.44%	0.422	0.449	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Front Surface	10	165	5825	23.50	23.44	1.01	101.39%	0.368	0.377	-
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Back Surface	10	165	5825	23.50	23.44	1.01	101.39%	0.257	0.263	-
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Top Edge	10	165	5825	23.50	23.44	1.01	101.39%	0.256	0.262	-
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Right Edge	10	165	5825	23.50	23.44	1.01	101.39%	0.523	0.536	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

15mm WWAN Ant0

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GPRS850 <1Dn2Up>	Front Surface	15	190	836.6	34.0	33.30	117.49%	0.286	0.336	-
GPRS850 <1Dn2Up>	Back Surface	15	190	836.6	34.0	33.30	117.49%	0.382	0.449	281
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band V	Front Surface	15	4233	846.6	26.0	25.25	118.85%	0.195	0.232	-
WCDMA Band V	Back Surface	15	4233	846.6	26.0	25.25	118.85%	0.277	0.329	282

Ant1

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
GPRS1900 <1Dn2Up>	Front Surface	15	810	1909.8	31.0	29.83	130.92%	0.193	0.253	-
GPRS1900 <1Dn2Up>	Back Surface	15	810	1909.8	31.0	29.83	130.92%	0.265	0.347	283
Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Front Surface	15	9262	1852.4	25.5	25.33	103.99%	0.212	0.220	-
WCDMA Band II	Back Surface	15	9262	1852.4	25.5	25.33	103.99%	0.270	0.281	284
WCDMA Band IV	Front Surface	15	1412	1732.4	25.5	25.00	112.20%	0.134	0.150	-
WCDMA Band IV	Back Surface	15	1412	1732.4	25.5	25.00	112.20%	0.170	0.191	285

Ant2

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Front Surface	15	9262	1852.4	23.5	23.46	100.93%	0.270	0.272	286
WCDMA Band II	Back Surface	15	9262	1852.4	23.5	23.46	100.93%	0.207	0.209	-
WCDMA Band IV	Front Surface	15	1412	1732.4	23.0	22.98	100.46%	0.428	0.430	287
WCDMA Band IV	Back Surface	15	1412	1732.4	23.0	22.98	100.46%	0.257	0.258	-
WCDMA Band V	Front Surface	15	4233	846.6	26.0	25.25	118.85%	0.151	0.179	288
WCDMA Band V	Back Surface	15	4233	846.6	26.0	25.25	118.85%	0.107	0.127	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 5	10MHz	QPSK	1	0	Front Surface	15	20600	844	26.00	25.00	125.89%	0.28	0.346	-
LTE Band 5			25	0	Front Surface	15	20600	844	25.00	23.85	130.32%	0.25	0.321	-
LTE Band 5			1	0	Back Surface	15	20600	844	26.00	25.00	125.89%	0.36	0.453	289
LTE Band 5			25	0	Back Surface	15	20600	844	25.00	23.85	130.32%	0.33	0.429	-
LTE Band 12	10MHz	QPSK	1	0	Front Surface	15	23060	704	26.00	24.99	126.18%	0.185	0.233	-
LTE Band 12			25	12	Front Surface	15	23060	704	25.00	24.83	103.99%	0.152	0.158	-
LTE Band 12			1	0	Back Surface	15	23060	704	26.00	24.99	126.18%	0.251	0.317	290
LTE Band 12			25	25	Back Surface	15	23060	704	25.00	24.83	103.99%	0.223	0.232	-
LTE Band 17	10MHz	QPSK	1	0	Front Surface	15	23800	711	26.00	24.96	127.06%	0.205	0.260	-
LTE Band 17			25	0	Front Surface	15	23800	711	25.00	23.91	128.53%	0.183	0.235	-
LTE Band 17			1	0	Back Surface	15	23800	711	26.00	24.96	127.06%	0.268	0.341	291
LTE Band 17			25	0	Back Surface	15	23800	711	25.00	23.91	128.53%	0.251	0.323	-
LTE Band 26	15MHz	QPSK	1	0	Front Surface	15	26965	841.5	26.00	24.96	127.06%	0.258	0.328	-
LTE Band 26			36	37	Front Surface	15	26965	841.5	25.00	23.87	129.72%	0.235	0.305	-
LTE Band 26			1	0	Back Surface	15	26965	841.5	26.00	24.96	127.06%	0.351	0.446	292
LTE Band 26			36	50	Back Surface	15	26965	841.5	25.00	23.87	129.72%	0.315	0.409	-
LTE Band 71	20MHz	QPSK	1	0	Front Surface	15	133297	680.5	26.00	24.86	130.02%	0.145	0.189	-
LTE Band 71			50	25	Front Surface	15	133297	680.5	25.00	24.74	106.17%	0.117	0.124	-
LTE Band 71			1	0	Back Surface	15	133297	680.5	26.00	24.86	130.02%	0.190	0.247	293
LTE Band 71			50	25	Back Surface	15	133297	680.5	25.00	24.74	106.17%	0.152	0.161	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	166800	834	26.00	24.45	142.89%	0.252	0.360	-
NR n5			50	28	Front Surface	15	166800	834	26.00	24.40	144.54%	0.221	0.319	-
NR n5			1	1	Back Surface	15	166800	834	26.00	24.45	142.89%	0.291	0.416	294
NR n5			50	28	Back Surface	15	166800	834	26.00	24.40	144.54%	0.268	0.387	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	141700	708.5	26.00	24.43	143.55%	0.106	0.152	-
NR n12			36	22	Front Surface	15	141300	706.5	26.00	24.29	148.29%	0.093	0.138	-
NR n12			1	1	Back Surface	15	141700	708.5	26.00	24.43	143.55%	0.154	0.221	295
NR n12			36	22	Back Surface	15	141300	706.5	26.00	24.29	148.29%	0.135	0.200	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	167800	839	26.00	24.46	142.56%	0.264	0.376	-
NR n26			50	28	Front Surface	15	167800	839	26.00	24.43	143.55%	0.235	0.337	-
NR n26			1	1	Back Surface	15	167800	839	26.00	24.46	142.56%	0.323	0.460	296
NR n26			50	28	Back Surface	15	167800	839	26.00	24.43	143.55%	0.284	0.408	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	136100	680.5	26.00	24.30	147.91%	0.094	0.139	-
NR n71			90	45	Front Surface	15	136100	680.5	26.00	24.14	153.46%	0.082	0.126	-
NR n71			1	1	Back Surface	15	136100	680.5	26.00	24.30	147.91%	0.120	0.177	297
NR n71			90	45	Back Surface	15	136100	680.5	26.00	24.14	153.46%	0.108	0.166	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	15	18700	1860	25.50	24.50	125.89%	0.189	0.238	-
LTE Band 2			50	25	Front Surface	15	18700	1860	24.50	24.41	102.09%	0.167	0.170	-
LTE Band 2			1	0	Back Surface	15	18700	1860	25.50	24.50	125.89%	0.266	0.335	298
LTE Band 2			50	25	Back Surface	15	18700	1860	24.50	24.41	102.09%	0.253	0.258	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	15	20050	1720	25.50	24.41	128.53%	0.147	0.189	-
LTE Band 4			50	0	Front Surface	15	20050	1720	24.50	24.30	104.71%	0.128	0.134	-
LTE Band 4			1	0	Back Surface	15	20050	1720	25.50	24.41	128.53%	0.189	0.243	299
LTE Band 4			50	0	Back Surface	15	20050	1720	24.50	24.30	104.71%	0.167	0.175	-
LTE Band 7	20MHz	QPSK	1	0	Front Surface	15	20850	2510	25.50	24.61	122.74%	0.173	0.212	-
LTE Band 7			50	50	Front Surface	15	20850	2510	24.50	23.54	124.74%	0.154	0.192	-
LTE Band 7			1	0	Back Surface	15	20850	2510	25.50	24.61	122.74%	0.238	0.292	300
LTE Band 7			50	50	Back Surface	15	20850	2510	24.50	23.54	124.74%	0.213	0.266	-
LTE Band 25	20MHz	QPSK	1	0	Front Surface	15	26140	1860	25.50	24.51	125.60%	0.165	0.207	-
LTE Band 25			50	0	Front Surface	15	26140	1860	24.50	23.39	129.12%	0.147	0.190	-
LTE Band 25			1	0	Back Surface	15	26140	1860	25.50	24.51	125.60%	0.229	0.288	301
LTE Band 25			50	0	Back Surface	15	26140	1860	24.50	23.39	129.12%	0.216	0.279	-
LTE Band 30	10MHz	QPSK	1	0	Front Surface	15	27710	2310	24.50	24.49	100.23%	0.179	0.179	-
LTE Band 30			25	0	Front Surface	15	27710	2310	23.50	23.28	105.20%	0.143	0.150	-
LTE Band 30			1	0	Back Surface	15	27710	2310	24.50	24.49	100.23%	0.293	0.294	302
LTE Band 30			25	0	Back Surface	15	27710	2310	23.50	23.28	105.20%	0.245	0.258	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	15	132072	1720	25.50	24.41	128.53%	0.139	0.179	-
LTE Band 66			50	0	Front Surface	15	132072	1720	24.50	23.29	132.13%	0.117	0.155	-
LTE Band 66			1	0	Back Surface	15	132072	1720	25.50	24.41	128.53%	0.234	0.301	303
LTE Band 66			50	0	Back Surface	15	132072	1720	24.50	23.29	132.13%	0.181	0.239	-
LTE Band 38	20MHz	QPSK	1	0	Front Surface	15	38000	2595	25.50	24.66	121.34%	0.121	0.147	-
LTE Band 38			50	50	Front Surface	15	38000	2595	24.50	23.51	125.60%	0.102	0.128	-
LTE Band 38			1	0	Back Surface	15	38000	2595	25.50	24.66	121.34%	0.153	0.186	304
LTE Band 38			50	50	Back Surface	15	38000	2595	24.50	23.51	125.60%	0.132	0.166	-
LTE Band 41_PC3	20MHz	QPSK	1	0	Front Surface	15		39750						
LTE Band 41_PC3			50	50	Front Surface	15	39750	2506	25.50	24.62	122.46%	0.107	0.131	-
LTE Band 41_PC3			1	0	Back Surface	15	39750	2506	25.50	24.62	122.46%	0.129	0.158	305
LTE Band 41_PC3			50	50	Back Surface	15	39750	2506	24.50	23.52	125.31%	0.101	0.127	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	15	41055	2636.5	27.50	26.38	129.42%	0.101	0.131	-
LTE Band 41_PC2			50	50	Front Surface	15	41055	2636.5	26.00	25.24	119.12%	0.082	0.098	-
LTE Band 41_PC2			1	0	Back Surface	15	41055	2636.5	27.50	26.38	129.42%	0.140	0.181	306
LTE Band 41_PC2			50	50	Back Surface	15	41055	2636.5	26.00	25.24	119.12%	0.099	0.118	-
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	378000	1890	25.50	24.46	127.06%	0.321	0.408	-
NR n2			108	54	Front Surface	15	378000	1890	25.50	24.31	131.52%	0.297	0.391	-
NR n2			1	1	Back Surface	15	378000	1890	25.50	24.46	127.06%	0.398	0.506	307
NR n2			108	54	Back Surface	15	378000	1890	25.50	24.31	131.52%	0.352	0.463	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	505000	2525	25.50	24.36	130.02%	0.152	0.198	-
NR n7			135	67	Front Surface	15	505000	2525	25.50	24.24	133.66%	0.131	0.175	-
NR n7			1	1	Back Surface	15	505000	2525	25.50	24.36	130.02%	0.168	0.218	308
NR n7			135	67	Back Surface	15	505000	2525	25.50	24.24	133.66%	0.142	0.190	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	379000	1895	25.50	24.60	123.03%	0.276	0.340	-
NR n25			108	54	Front Surface	15	379000	1895	25.50	24.42	128.23%	0.252	0.323	-
NR n25			1	1	Back Surface	15	379000	1895	25.50	24.60	123.03%	0.344	0.423	309
NR n25			108	54	Back Surface	15	379000	1895	25.50	24.42	128.23%	0.305	0.391	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	462000	2310	23.50	23.49	100.23%	0.163	0.163	-
NR n30			25	13	Front Surface	15	462000	2310	23.50	23.15	108.39%	0.153	0.166	-
NR n30			1	1	Back Surface	15	462000	2310	23.50	23.49	100.23%	0.204	0.204	310
NR n30			25	13	Back Surface	15	462000	2310	23.50	23.15	108.39%	0.186	0.202	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	346500	1732.5	25.50	24.73	119.40%	0.185	0.221	-
NR n66			120	60	Front Surface	15	346500	1732.5	25.50	24.67	121.06%	0.158	0.191	-
NR n66			1	1	Back Surface	15	346500	1732.5	25.50	24.73	119.40%	0.228	0.272	311
NR n66			120	60	Back Surface	15	346500	1732.5	25.50	24.67	121.06%	0.195	0.236	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518004	2590.02	25.50	24.44	127.64%	0.183	0.234	-
NR n38			50	28	Front Surface	15	518004	2590.02	25.50	24.26	133.05%	0.161	0.214	-
NR n38			1	1	Back Surface	15	518004	2590.02	25.50	24.44	127.64%	0.223	0.285	312
NR n38			50	28	Back Surface	15	518004	2590.02	25.50	24.26	133.05%	0.202	0.269	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	509202	2546.01	25.50	24.96	113.24%	0.191	0.216	-
NR n41_PC3			135	69	Front Surface	15	509202	2546.01	25.50	24.88	115.35%	0.168	0.194	-
NR n41_PC3			1	1	Back Surface	15	509202	2546.01	25.50	24.96	113.24%	0.208	0.236	313
NR n41_PC3			135	69	Back Surface	15	509202	2546.01	25.50	24.88	115.35%	0.195	0.225	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518598	2592.99	27.50	26.40	128.82%	0.193	0.249	-
NR n41_PC2			135	69	Front Surface	15	518598	2592.99	27.50	26.29	132.13%	0.165	0.218	-
NR n41_PC2			1	1	Back Surface	15	518598	2592.99	27.50	26.40	128.82%	0.222	0.286	314
NR n41_PC2			135	69	Back Surface	15	518598	2592.99	27.50	26.29	132.13%	0.196	0.259	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	15	18700	1860	23.50	23.45	101.16%	0.261	0.264	315
LTE Band 2			50	50	Front Surface	15	18700	1860	22.50	22.17	107.89%	0.224	0.242	-
LTE Band 2			1	0	Back Surface	15	18700	1860	23.50	23.45	101.16%	0.182	0.184	-
LTE Band 2			50	50	Back Surface	15	18700	1860	22.50	22.17	107.89%	0.176	0.190	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	15	20050	1720	23.00	22.94	101.39%	0.288	0.292	316
LTE Band 4			50	0	Front Surface	15	20050	1720	22.00	21.80	104.71%	0.237	0.248	-
LTE Band 4			1	0	Back Surface	15	20050	1720	23.00	22.94	101.39%	0.193	0.196	-
LTE Band 4			50	0	Back Surface	15	20050	1720	22.00	21.80	104.71%	0.166	0.174	-
LTE Band 5	10MHz	QPSK	1	0	Front Surface	15	20600	844	26.00	25.02	125.31%	0.162	0.203	317
LTE Band 5			25	0	Front Surface	15	20600	844	25.00	23.85	130.32%	0.141	0.184	-
LTE Band 5			1	0	Back Surface	15	20600	844	26.00	25.02	125.31%	0.116	0.145	-
LTE Band 5			25	0	Back Surface	15	20600	844	25.00	23.85	130.32%	0.083	0.108	-
LTE Band 7	20MHz	QPSK	1	0	Front Surface	15	20850	2510	24.00	23.91	102.09%	0.236	0.241	318
LTE Band 7			50	50	Front Surface	15	20850	2510	23.00	22.78	105.20%	0.208	0.219	-
LTE Band 7			1	0	Back Surface	15	20850	2510	24.00	23.91	102.09%	0.183	0.187	-
LTE Band 7			50	50	Back Surface	15	20850	2510	23.00	22.78	105.20%	0.156	0.164	-
LTE Band 12	10MHz	QPSK	1	0	Front Surface	15	23060	704	26.00	24.99	126.18%	0.103	0.130	319
LTE Band 12			25	12	Front Surface	15	23060	704	25.00	24.83	103.99%	0.088	0.092	-
LTE Band 12			1	0	Back Surface	15	23060	704	26.00	24.99	126.18%	0.082	0.103	-
LTE Band 12			25	25	Back Surface	15	23060	704	25.00	24.83	103.99%	0.076	0.079	-
LTE Band 17	10MHz	QPSK	1	0	Front Surface	15	23800	711	26.00	24.96	127.06%	0.097	0.123	320
LTE Band 17			25	0	Front Surface	15	23800	711	25.00	23.91	128.53%	0.076	0.098	-
LTE Band 17			1	0	Back Surface	15	23800	711	26.00	24.96	127.06%	0.082	0.104	-
LTE Band 17			25	0	Back Surface	15	23800	711	25.00	23.91	128.53%	0.079	0.102	-
LTE Band 25	20MHz	QPSK	1	0	Front Surface	15	26140	1860	23.50	23.20	107.15%	0.264	0.283	321
LTE Band 25			50	0	Front Surface	15	26140	1860	22.50	22.30	104.71%	0.243	0.254	-
LTE Band 25			1	0	Back Surface	15	26140	1860	23.50	23.20	107.15%	0.198	0.212	-
LTE Band 25			50	0	Back Surface	15	26140	1860	22.50	22.30	104.71%	0.179	0.187	-
LTE Band 26	15MHz	QPSK	1	0	Front Surface	15	26965	841.5	26.00	24.96	127.06%	0.170	0.216	322
LTE Band 26			36	37	Front Surface	15	26965	841.5	25.00	23.87	129.72%	0.144	0.187	-
LTE Band 26			1	0	Back Surface	15	26965	841.5	26.00	24.96	127.06%	0.120	0.152	-
LTE Band 26			36	50	Back Surface	15	26965	841.5	25.00	23.87	129.72%	0.085	0.110	-
LTE Band 30	10MHz	QPSK	1	49	Front Surface	15	27710	2310	25.00	24.82	104.23%	0.417	0.435	323
LTE Band 30			25	25	Front Surface	15	27710	2310	24.00	23.76	105.68%	0.353	0.373	-
LTE Band 30			1	49	Back Surface	15	27710	2310	25.00	24.82	104.23%	0.268	0.279	-
LTE Band 30			25	50	Back Surface	15	27710	2310	24.00	23.76	105.68%	0.227	0.240	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	15	132072	1720	23.00	22.99	100.23%	0.353	0.354	324
LTE Band 66			50	50	Front Surface	15	132072	1720	22.00	21.75	105.93%	0.274	0.290	-
LTE Band 66			1	0	Back Surface	15	132072	1720	23.00	22.99	100.23%	0.227	0.228	-
LTE Band 66			50	50	Back Surface	15	132072	1720	22.00	21.75	105.93%	0.198	0.210	-
LTE Band 71	20MHz	QPSK	1	0	Front Surface	15	133297	680.5	26.00	24.86	130.02%	0.079	0.103	325
LTE Band 71			50	25	Front Surface	15	133297	680.5	25.00	24.74	106.17%	0.066	0.070	-
LTE Band 71			1	0	Back Surface	15	133297	680.5	26.00	24.86	130.02%	0.069	0.090	-
LTE Band 71			50	25	Back Surface	15	133297	680.5	25.00	24.74	106.17%	0.063	0.067	-
LTE Band 38	20MHz	QPSK	1	0	Front Surface	15	38000	2595	24.50	24.47	100.69%	0.260	0.262	326
LTE Band 38			50	25	Front Surface	15	38000	2595	23.50	23.30	104.71%	0.218	0.228	-
LTE Band 38			1	0	Back Surface	15	38000	2595	24.50	24.47	100.69%	0.189	0.190	-
LTE Band 38			50	25	Back Surface	15	38000	2595	23.50	23.30	104.71%	0.168	0.176	-
LTE Band 41_PC3	20MHz	QPSK	1	0	Front Surface	15	39750	2506	25.50	24.62	122.46%	0.226	0.277	327
LTE Band 41_PC3			50	50	Front Surface	15	39750	2506	24.50	23.52	125.31%	0.221	0.277	-
LTE Band 41_PC3			1	0	Back Surface	15	39750	2506	25.50	24.62	122.46%	0.179	0.219	-
LTE Band 41_PC3			50	50	Back Surface	15	39750	2506	24.50	23.52	125.31%	0.161	0.202	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	15	39750	2506	27.50	25.99	141.58%	0.228	0.323	328
LTE Band 41_PC2			50	50	Front Surface	15	39750	2506	26.00	24.87	129.72%	0.222	0.288	-
LTE Band 41_PC2			1	0	Back Surface	15	39750	2506	27.50	25.99	141.58%	0.181	0.256	-
LTE Band 41_PC2			50	50	Back Surface	15	39750	2506	26.00	24.87	129.72%	0.159	0.206	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	378000	1890	23.50	23.48	100.46%	0.397	0.399	329
NR n2			108	54	Front Surface	15	378000	1890	23.50	23.30	104.71%	0.375	0.393	-
NR n2			1	1	Back Surface	15	378000	1890	23.50	23.48	100.46%	0.253	0.254	-
NR n2			108	54	Back Surface	15	378000	1890	23.50	23.30	104.71%	0.238	0.249	-
NR n5	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	166800	834	26.00	24.45	142.89%	0.248	0.354	330
NR n5			50	28	Front Surface	15	166800	834	26.00	24.40	144.54%	0.215	0.311	-
NR n5			1	1	Back Surface	15	166800	834	26.00	24.45	142.89%	0.186	0.266	-
NR n5			50	28	Back Surface	15	166800	834	26.00	24.40	144.54%	0.168	0.243	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	505000	2525	23.50	23.45	101.16%	0.369	0.373	331
NR n7			135	67	Front Surface	15	505000	2525	23.50	23.19	107.40%	0.345	0.371	-
NR n7			1	1	Back Surface	15	505000	2525	23.50	23.45	101.16%	0.308	0.312	-
NR n7			135	67	Back Surface	15	505000	2525	23.50	23.19	107.40%	0.295	0.317	-
NR n12	15MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	141700	708.5	26.00	24.43	143.55%	0.161	0.231	332
NR n12			36	22	Front Surface	15	141300	706.5	26.00	24.29	148.25%	0.142	0.211	-
NR n12			1	1	Back Surface	15	141700	708.5	26.00	24.43	143.55%	0.135	0.194	-
NR n12			36	22	Back Surface	15	141300	706.5	26.00	24.29	148.25%	0.121	0.179	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	379000	1895	23.50	23.48	100.46%	0.453	0.455	333
NR n25			108	54	Front Surface	15	379000	1895	23.50	23.28	105.20%	0.413	0.434	-
NR n25			1	1	Back Surface	15	379000	1895	23.50	23.48	100.46%	0.352	0.354	-
NR n25			108	54	Back Surface	15	379000	1895	23.50	23.28	105.20%	0.332	0.349	-
NR n26	20MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	167800	839	26.00	24.46	142.56%	0.241	0.344	334
NR n26			50	28	Front Surface	15	167800	839	26.00	24.43	143.55%	0.215	0.309	-
NR n26			1	1	Back Surface	15	167800	839	26.00	24.46	142.56%	0.189	0.269	-
NR n26			50	28	Back Surface	15	167800	839	26.00	24.43	143.55%	0.167	0.240	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	462000	2310	25.00	24.51	111.94%	0.319	0.357	335
NR n30			25	13	Front Surface	15	462000	2310	25.00	24.43	114.02%	0.302	0.344	-
NR n30			1	1	Back Surface	15	462000	2310	25.00	24.51	111.94%	0.252	0.282	-
NR n30			25	13	Back Surface	15	462000	2310	25.00	24.43	114.02%	0.234	0.267	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	346500	1732.5	24.00	23.99	100.23%	0.561	0.562	336
NR n66			120	60	Front Surface	15	346500	1732.5	24.00	23.68	107.65%	0.525	0.565	-
NR n66			1	1	Back Surface	15	346500	1732.5	24.00	23.99	100.23%	0.328	0.329	-
NR n66			120	60	Back Surface	15	346500	1732.5	24.00	23.68	107.65%	0.301	0.324	-
NR n71	35MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	136100	680.5	26.00	24.30	147.91%	0.093	0.138	337
NR n71			90	45	Front Surface	15	136100	680.5	26.00	24.14	153.46%	0.082	0.126	-
NR n71			1	1	Back Surface	15	136100	680.5	26.00	24.30	147.91%	0.064	0.095	-
NR n71			90	45	Back Surface	15	136100	680.5	26.00	24.14	153.46%	0.051	0.078	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518004	2590.02	23.50	23.49	100.23%	0.429	0.430	338
NR n38			50	28	Front Surface	15	518004	2590.02	23.50	23.28	105.20%	0.402	0.423	-
NR n38			1	1	Back Surface	15	518004	2590.02	23.50	23.49	100.23%	0.339	0.340	-
NR n38			50	28	Back Surface	15	518004	2590.02	23.50	23.28	105.20%	0.307	0.323	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	509202	2546.01	23.50	23.45	101.16%	0.465	0.470	339
NR n41_PC3			135	69	Front Surface	15	509202	2546.01	23.50	23.11	109.40%	0.428	0.468	-
NR n41_PC3			1	1	Back Surface	15	509202	2546.01	23.50	23.45	101.16%	0.352	0.356	-
NR n41_PC3			135	69	Back Surface	15	509202	2546.01	23.50	23.11	109.40%	0.328	0.359	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518598	2592.99	26.50	26.40	102.33%	0.457	0.468	340
NR n41_PC2			135	69	Front Surface	15	518598	2592.99	26.50	26.29	104.95%	0.414	0.435	-
NR n41_PC2			1	1	Back Surface	15	518598	2592.99	26.50	26.40	102.33%	0.345	0.353	-
NR n41_PC2			135	69	Back Surface	15	518598	2592.99	26.50	26.29	104.95%	0.322	0.338	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 48	20MHz	QPSK	1	0	Front Surface	15	56640	3690	26.00	25.99	100.23%	0.153	0.153	-
LTE Band 48			50	25	Front Surface	15	56150	3641	25.00	24.86	103.28%	0.126	0.130	-
LTE Band 48			1	0	Back Surface	15	56640	3690	26.00	25.99	100.23%	0.353	0.354	344
LTE Band 48			50	25	Back Surface	15	56150	3641	25.00	24.86	103.28%	0.319	0.329	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	640000	3600	26.00	25.05	124.45%	0.175	0.218	-
NR n48			135	69	Front Surface	15	641668	3625.02	26.00	25.00	125.89%	0.153	0.193	-
NR n48			1	1	Back Surface	15	640000	3600	26.00	25.05	124.45%	0.410	0.510	345
NR n48			135	69	Back Surface	15	641668	3625.02	26.00	25.00	125.89%	0.384	0.483	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	26.00	25.90	102.33%	0.143	0.146	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	26.00	25.80	104.71%	0.125	0.131	-
NR n77_PC3			1	1	Back Surface	15	650000	3750	26.00	25.40	114.82%	0.912	1.047	-
NR n77_PC3			1	1	Back Surface	15	653000	3795	26.00	25.21	119.95%	0.920	1.104	-
NR n77_PC3			1	1	Back Surface	15	656000	3840	26.00	25.52	111.69%	0.856	0.956	-
NR n77_PC3			1	1	Back Surface	15	659000	3885	26.00	25.83	103.99%	0.969	1.008	-
NR n77_PC3			1	1	Back Surface	15	662000	3930	26.00	25.90	102.33%	1.070	1.095	346
NR n77_PC3			135	69	Back Surface	15	650000	3750	26.00	25.34	116.41%	0.903	1.051	-
NR n77_PC3			135	69	Back Surface	15	653000	3795	26.00	25.09	123.31%	0.872	1.075	-
NR n77_PC3			135	69	Back Surface	15	656000	3840	26.00	25.45	113.50%	0.835	0.948	-
NR n77_PC3			135	69	Back Surface	15	659000	3885	26.00	25.79	104.95%	0.961	1.009	-
NR n77_PC3			135	69	Back Surface	15	662000	3930	26.00	25.80	104.71%	1.030	1.079	-
NR n77_PC3			270	0	Back Surface	15	662000	3930	25.50	25.41	102.09%	0.955	0.975	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	28.00	26.87	129.72%	0.105	0.136	-
NR n77_PC2			135	69	Front Surface	15	662000	3930	28.00	26.71	134.59%	0.094	0.127	-
NR n77_PC2			1	1	Back Surface	15	650000	3750	28.00	26.43	143.55%	0.712	1.022	-
NR n77_PC2			1	1	Back Surface	15	653000	3795	28.00	26.82	131.22%	0.764	1.003	-
NR n77_PC2			1	1	Back Surface	15	656000	3840	28.00	26.67	135.83%	0.771	1.047	347
NR n77_PC2			1	1	Back Surface	15	659000	3885	28.00	26.72	134.28%	0.710	0.953	-
NR n77_PC2			1	1	Back Surface	15	662000	3930	28.00	26.87	129.72%	0.703	0.912	-
NR n77_PC2			135	69	Back Surface	15	650000	3750	28.00	26.36	145.88%	0.713	1.040	-
NR n77_PC2			135	69	Back Surface	15	653000	3795	28.00	26.70	134.90%	0.722	0.974	-
NR n77_PC2			135	69	Back Surface	15	656000	3840	28.00	26.58	138.68%	0.719	0.997	-
NR n77_PC2			135	69	Back Surface	15	659000	3885	28.00	26.59	138.36%	0.691	0.956	-
NR n77_PC2			135	69	Back Surface	15	662000	3930	28.00	26.71	134.59%	0.732	0.985	-
NR n77_PC2			270	0	Back Surface	15	653000	3795	27.50	26.38	129.42%	0.695	0.899	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	26.00	25.44	113.76%	0.167	0.190	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	26.00	25.33	116.68%	0.154	0.180	-
NR n77 & n78_PC3			1	1	Back Surface	15	638334	3575.01	26.00	25.44	113.76%	0.385	0.438	348
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	26.00	25.33	116.68%	0.358	0.418	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	28.00	26.96	127.06%	0.089	0.113	-
NR n77 & n78_PC2			135	69	Front Surface	15	638334	3575.01	28.00	26.85	130.32%	0.073	0.095	-
NR n77 & n78_PC2			1	1	Back Surface	15	638334	3575.01	28.00	26.96	127.06%	0.435	0.553	349
NR n77 & n78_PC2			135	69	Back Surface	15	638334	3575.01	28.00	26.85	130.32%	0.412	0.537	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	26.00	25.28	118.03%	0.187	0.221	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	26.00	25.16	121.34%	0.165	0.200	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	26.00	25.28	118.03%	0.469	0.554	350
NR n78_PC3			135	69	Back Surface	15	650000	3750	26.00	25.16	121.34%	0.432	0.524	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	28.00	27.48	112.72%	0.152	0.171	-
NR n78_PC2			135	69	Front Surface	15	650000	3750	28.00	27.39	115.08%	0.135	0.155	-
NR n78_PC2			1	1	Back Surface	15	650000	3750	28.00	27.48	112.72%	0.696	0.785	351
NR n78_PC2			135	69	Back Surface	15	650000	3750	28.00	27.39	115.08%	0.648	0.746	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Front Surface	15	18900	1880	24.50	22.88	145.21%	0.101	0.147	-
LTE Band 2			50	50	Front Surface	15	18900	1860	23.50	21.78	148.59%	0.078	0.116	-
LTE Band 2			1	0	Back Surface	15	18900	1880	24.50	22.88	145.21%	0.114	0.166	352
LTE Band 2			50	50	Back Surface	15	18900	1860	23.50	21.78	148.59%	0.089	0.133	-
LTE Band 4	20MHz	QPSK	1	0	Front Surface	15	20175	1732.5	24.50	23.12	137.40%	0.029	0.039	-
LTE Band 4			50	25	Front Surface	15	20175	1732.5	23.50	21.97	142.23%	0.021	0.030	-
LTE Band 4			1	0	Back Surface	15	20175	1732.5	24.50	23.12	137.40%	0.031	0.042	353
LTE Band 4			50	25	Back Surface	15	20175	1732.5	23.50	21.97	142.23%	0.025	0.035	-
LTE Band 25	20MHz	QPSK	1	0	Front Surface	15	26590	1905	24.50	23.02	140.60%	0.093	0.131	-
LTE Band 25			50	50	Front Surface	15	26590	1905	23.50	21.86	145.88%	0.081	0.118	-
LTE Band 25			1	0	Back Surface	15	26590	1905	24.50	23.02	140.60%	0.097	0.137	354
LTE Band 25			50	50	Back Surface	15	26590	1905	23.50	21.86	145.88%	0.088	0.129	-
LTE Band 30	10MHz	QPSK	1	0	Front Surface	15	27710	2310	24.50	22.84	146.55%	0.076	0.111	-
LTE Band 30			25	0	Front Surface	15	27710	2310	23.50	21.68	152.05%	0.072	0.109	-
LTE Band 30			1	0	Back Surface	15	27710	2310	24.50	22.84	146.55%	0.106	0.155	355
LTE Band 30			25	0	Back Surface	15	27710	2310	23.50	21.68	152.05%	0.082	0.125	-
LTE Band 66	20MHz	QPSK	1	0	Front Surface	15	132322	1745	24.50	23.04	139.96%	0.027	0.037	-
LTE Band 66			50	0	Front Surface	15	132072	1720	23.50	21.92	143.88%	0.020	0.029	-
LTE Band 66			1	0	Back Surface	15	132322	1745	24.50	23.04	139.96%	0.033	0.046	356
LTE Band 66			50	0	Back Surface	15	132072	1720	23.50	21.92	143.88%	0.024	0.034	-
LTE Band 48	20MHz	QPSK	1	0	Front Surface	15	56640	3690	26.00	25.99	100.23%	0.293	0.294	-
LTE Band 48			50	25	Front Surface	15	56150	3641	25.00	24.86	103.28%	0.251	0.259	-
LTE Band 48			1	0	Back Surface	15	56640	3690	26.00	25.99	100.23%	0.335	0.336	357
LTE Band 48			50	25	Back Surface	15	56150	3641	25.00	24.86	103.28%	0.249	0.257	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	376000	1880	24.50	23.96	113.24%	0.148	0.168	-
NR n2			108	54	Front Surface	15	376000	1880	24.50	23.83	116.68%	0.132	0.154	-
NR n2			1	1	Back Surface	15	376000	1880	24.50	23.96	113.24%	0.173	0.196	358
NR n2			108	54	Back Surface	15	376000	1880	24.50	23.83	116.68%	0.153	0.179	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	374000	1870	24.50	23.90	114.82%	0.152	0.175	-
NR n25			108	54	Front Surface	15	374000	1870	24.50	23.80	117.49%	0.139	0.163	-
NR n25			1	1	Back Surface	15	374000	1870	24.50	23.90	114.82%	0.166	0.191	359
NR n25			108	54	Back Surface	15	374000	1870	24.50	23.80	117.49%	0.158	0.186	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	462000	2310	24.50	23.75	118.85%	0.165	0.196	-
NR n30			25	13	Front Surface	15	462000	2310	24.50	23.64	121.90%	0.147	0.179	-
NR n30			1	1	Back Surface	15	462000	2310	24.50	23.75	118.85%	0.227	0.270	360
NR n30			25	13	Back Surface	15	462000	2310	24.50	23.64	121.90%	0.211	0.257	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Front Surface	15	349000	1745	24.50	23.85	116.14%	0.052	0.060	-
NR n66			120	60	Front Surface	15	349000	1745	24.50	23.72	119.67%	0.041	0.049	-
NR n66			1	1	Back Surface	15	349000	1745	24.50	23.85	116.14%	0.071	0.082	361
NR n66			120	60	Back Surface	15	349000	1745	24.50	23.72	119.67%	0.056	0.067	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	640000	3600	26.00	25.05	124.45%	0.311	0.387	-
NR n48			135	69	Front Surface	15	641668	3625.02	26.00	25.00	125.89%	0.289	0.354	-
NR n48			1	1	Back Surface	15	640000	3600	26.00	25.05	124.45%	0.409	0.509	362
NR n48			135	69	Back Surface	15	641668	3625.02	26.00	25.00	125.89%	0.394	0.496	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	26.00	25.90	102.33%	0.102	0.104	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	26.00	25.80	104.71%	0.089	0.093	-
NR n77_PC3			1	1	Back Surface	15	662000	3930	26.00	25.90	102.33%	0.456	0.467	363
NR n77_PC3			135	69	Back Surface	15	662000	3930	26.00	25.80	104.71%	0.431	0.451	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	28.00	26.87	129.72%	0.105	0.136	-
NR n77_PC2			135	69	Front Surface	15	662000	3930	28.00	26.71	134.59%	0.092	0.124	-
NR n77_PC2			1	1	Back Surface	15	662000	3930	28.00	26.87	129.72%	0.459	0.595	364
NR n77_PC2			135	69	Back Surface	15	662000	3930	28.00	26.71	134.59%	0.428	0.576	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	26.00	25.44	113.76%	0.132	0.150	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	26.00	25.33	116.68%	0.103	0.120	-
NR n77 & n78_PC3			1	1	Back Surface	15	638334	3575.01	26.00	25.44	113.76%	0.527	0.600	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	26.00	25.33	116.68%	0.580	0.677	365
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	28.00	26.96	127.06%	0.092	0.117	-
NR n77 & n78_PC2			135	69	Front Surface	15	638334	3575.01	28.00	26.85	130.32%	0.071	0.093	-
NR n77 & n78_PC2			1	1	Back Surface	15	638334	3575.01	28.00	26.96	127.06%	0.362	0.460	-
NR n77 & n78_PC2			135	69	Back Surface	15	638334	3575.01	28.00	26.85	130.32%	0.374	0.487	366
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	26.00	25.28	118.03%	0.065	0.077	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	26.00	25.16	121.34%	0.056	0.068	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	26.00	25.28	118.03%	0.468	0.552	367
NR n78_PC3			135	69	Back Surface	15	650000	3750	26.00	25.16	121.34%	0.415	0.504	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	28.00	27.48	112.72%	0.071	0.080	-
NR n78_PC2			135	69	Front Surface	15	650000	3750	28.00	27.39	115.08%	0.063	0.073	-
NR n78_PC2			1	1	Back Surface	15	650000	3750	28.00	27.48	112.72%	0.382	0.431	368
NR n78_PC2			135	69	Back Surface	15	650000	3750	28.00	27.39	115.08%	0.361	0.415	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	99	Front Surface	15	39750	2506	23.50	23.45	101.16%	0.240	0.243	369
LTE Band 41_PC3			50	25	Front Surface	15	39750	2506	22.50	22.40	102.33%	0.217	0.222	-
LTE Band 41_PC3			1	99	Back Surface	15	39750	2506	23.50	23.45	101.16%	0.193	0.195	-
LTE Band 41_PC3			50	25	Back Surface	15	39750	2506	22.50	22.40	102.33%	0.179	0.183	-
LTE Band 41_PC2	20MHz	QPSK	1	99	Front Surface	15	41490	2680	25.00	24.85	103.51%	0.182	0.188	370
LTE Band 41_PC2			50	25	Front Surface	15	40620	2593	24.00	23.83	103.99%	0.134	0.139	-
LTE Band 41_PC2			1	99	Back Surface	15	41490	2680	25.00	24.85	103.51%	0.145	0.150	-
LTE Band 41_PC2			50	25	Back Surface	15	40620	2593	24.00	23.83	103.99%	0.112	0.116	-
LTE Band 48	20MHz	QPSK	1	99	Front Surface	15	55830	3609	24.50	24.38	102.80%	0.318	0.327	374
LTE Band 48			50	25	Front Surface	15	55340	3560	23.50	23.35	103.51%	0.279	0.289	-
LTE Band 48			1	99	Back Surface	15	55830	3609	24.50	24.38	102.80%	0.272	0.280	-
LTE Band 48			50	25	Back Surface	15	55340	3560	23.50	23.35	103.51%	0.218	0.226	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	509202	2546.01	21.50	21.48	100.46%	0.304	0.305	375
NR n41_PC3			135	69	Front Surface	15	509202	2546.01	21.50	21.34	103.75%	0.296	0.307	-
NR n41_PC3			1	1	Back Surface	15	509202	2546.01	21.50	21.48	100.46%	0.262	0.263	-
NR n41_PC3			135	69	Back Surface	15	509202	2546.01	21.50	21.34	103.75%	0.238	0.247	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518598	2592.99	24.50	24.32	104.23%	0.305	0.318	376
NR n41_PC2			135	69	Front Surface	15	518598	2592.99	24.50	24.24	106.17%	0.291	0.309	-
NR n41_PC2			1	1	Back Surface	15	518598	2592.99	24.50	24.32	104.23%	0.261	0.272	-
NR n41_PC2			135	69	Back Surface	15	518598	2592.99	24.50	24.24	106.17%	0.240	0.255	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	640000	3600	21.00	20.81	104.47%	0.682	0.712	-
NR n48			1	1	Front Surface	15	641668	3625.02	21.00	20.83	103.99%	0.693	0.721	-
NR n48			1	1	Front Surface	15	643332	3649.98	21.00	20.69	107.40%	0.704	0.756	377
NR n48			135	69	Front Surface	15	640000	3600	21.00	20.62	109.14%	0.667	0.728	-
NR n48			135	69	Front Surface	15	641668	3625.02	21.00	20.78	105.20%	0.654	0.688	-
NR n48			135	69	Front Surface	15	643332	3649.98	21.00	20.57	110.41%	0.621	0.686	-
NR n48			270	0	Front Surface	15	640000	3600	20.50	20.37	103.04%	0.615	0.634	-
NR n48			1	1	Back Surface	15	640000	3600	21.00	20.81	104.47%	0.596	0.623	-
NR n48			135	69	Back Surface	15	641668	3625.02	21.00	20.78	105.20%	0.574	0.604	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	20.00	19.80	104.71%	0.253	0.265	-
NR n77_PC3			135	69	Front Surface	15	650000	3750	20.00	19.78	105.20%	0.265	0.279	378
NR n77_PC3			1	1	Back Surface	15	650000	3750	20.00	19.80	104.71%	0.183	0.192	-
NR n77_PC3			135	69	Back Surface	15	650000	3750	20.00	19.78	105.20%	0.181	0.190	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	653000	3795	22.50	22.45	101.16%	0.227	0.230	-
NR n77_PC2			135	69	Front Surface	15	653000	3795	22.50	22.24	106.17%	0.230	0.244	379
NR n77_PC2			1	1	Back Surface	15	653000	3795	22.50	22.45	101.16%	0.197	0.199	-
NR n77_PC2			135	69	Back Surface	15	653000	3795	22.50	22.24	106.17%	0.196	0.208	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	635834	3537.51	20.00	19.78	105.20%	0.202	0.212	380
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	20.00	19.78	105.20%	0.195	0.205	-
NR n77 & n78_PC3			1	1	Back Surface	15	638334	3575.01	20.00	19.72	106.66%	0.156	0.166	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	20.00	19.78	105.20%	0.153	0.161	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	638334	3575.01	22.50	22.29	104.95%	0.172	0.181	381
NR n77 & n78_PC2			135	69	Front Surface	15	638334	3575.01	22.50	22.17	107.89%	0.166	0.179	-
NR n77 & n78_PC2			1	137	Back Surface	15	638334	3575.01	22.50	22.29	104.95%	0.157	0.165	-
NR n77 & n78_PC2			135	69	Back Surface	15	638334	3575.01	22.50	22.17	107.89%	0.151	0.163	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	650000	3750	20.00	19.78	105.20%	0.288	0.303	382
NR n78_PC3			135	69	Front Surface	15	650000	3750	20.00	19.68	107.65%	0.277	0.298	-
NR n78_PC3			1	271	Back Surface	15	650000	3750	20.00	19.78	105.20%	0.252	0.265	-
NR n78_PC3			135	69	Back Surface	15	650000	3750	20.00	19.68	107.65%	0.216	0.233	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	650000	3750	22.50	22.27	105.44%	0.268	0.283	383
NR n78_PC2			135	69	Front Surface	15	650000	3750	22.50	22.21	106.91%	0.255	0.273	-
NR n78_PC2			1	271	Back Surface	15	650000	3750	22.50	22.27	105.44%	0.217	0.229	-
NR n78_PC2			135	69	Back Surface	15	650000	3750	22.50	22.21	106.91%	0.225	0.241	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 41_PC3	20MHz	QPSK	1	0	Front Surface	15	39750	2506	25.50	24.62	122.46%	0.062	0.076	-
LTE Band 41_PC3			50	50	Front Surface	15	39750	2506	24.50	23.52	125.31%	0.048	0.060	-
LTE Band 41_PC3			1	0	Back Surface	15	39750	2506	25.50	24.62	122.46%	0.084	0.103	384
LTE Band 41_PC3			50	50	Back Surface	15	39750	2506	24.50	23.52	125.31%	0.055	0.069	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Front Surface	15	41055	2636.5	27.50	26.38	129.42%	0.034	0.044	-
LTE Band 41_PC2			50	50	Front Surface	15	41055	2636.5	26.00	25.24	119.12%	0.027	0.032	-
LTE Band 41_PC2			1	0	Back Surface	15	41055	2636.5	27.50	26.38	129.42%	0.052	0.067	385
LTE Band 41_PC2			50	50	Back Surface	15	41055	2636.5	26.00	25.24	119.12%	0.035	0.042	-
LTE Band 48	20MHz	QPSK	1	0	Front Surface	15	56640	3690	26.00	25.99	100.23%	0.108	0.108	-
LTE Band 48			50	25	Front Surface	15	56150	3641	25.00	24.86	103.28%	0.088	0.091	-
LTE Band 48			1	0	Back Surface	15	56640	3690	26.00	25.99	100.23%	0.325	0.326	389
LTE Band 48			50	25	Back Surface	15	56150	3641	25.00	24.86	103.28%	0.284	0.293	-
Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	509202	2546.01	25.50	24.96	113.24%	0.024	0.027	-
NR n41_PC3			135	69	Front Surface	15	509202	2546.01	25.50	24.88	115.35%	0.012	0.014	-
NR n41_PC3			1	1	Back Surface	15	509202	2546.01	25.50	24.96	113.24%	0.096	0.109	390
NR n41_PC3			135	69	Back Surface	15	509202	2546.01	25.50	24.88	115.35%	0.084	0.097	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	518598	2592.99	27.50	26.40	128.82%	0.025	0.032	-
NR n41_PC2			135	69	Front Surface	15	518598	2592.99	27.50	26.29	132.13%	0.012	0.016	-
NR n41_PC2			1	1	Back Surface	15	518598	2592.99	27.50	26.40	128.82%	0.099	0.127	391
NR n41_PC2			135	69	Back Surface	15	518598	2592.99	27.50	26.29	132.13%	0.083	0.110	-
NR n48	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	640000	3600	26.00	25.05	124.45%	0.162	0.202	-
NR n48			135	69	Front Surface	15	641668	3625.02	26.00	25.00	125.89%	0.128	0.161	-
NR n48			1	1	Back Surface	15	640000	3600	26.00	25.05	124.45%	0.492	0.612	392
NR n48			135	69	Back Surface	15	641668	3625.02	26.00	25.00	125.89%	0.453	0.570	-
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	662000	3930	21.00	20.73	106.41%	0.164	0.175	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	21.00	20.74	106.17%	0.154	0.164	-
NR n77_PC3			1	271	Back Surface	15	662000	3930	21.00	20.73	106.41%	0.641	0.682	393
NR n77_PC3			135	69	Back Surface	15	662000	3930	21.00	20.74	106.17%	0.621	0.659	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	662000	3930	24.00	23.80	104.71%	0.143	0.150	-
NR n77_PC2			135	69	Front Surface	15	662000	3930	24.00	23.61	109.40%	0.137	0.150	-
NR n77_PC2			1	137	Back Surface	15	662000	3930	24.00	23.80	104.71%	0.654	0.685	394
NR n77_PC2			135	69	Back Surface	15	662000	3930	24.00	23.61	109.40%	0.593	0.649	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	635834	3537.51	21.00	20.78	105.20%	0.110	0.116	-
NR n77 & n78_PC3			135	69	Front Surface	15	638334	3575.01	21.00	20.79	104.95%	0.102	0.107	-
NR n77 & n78_PC3			1	137	Back Surface	15	635834	3537.51	21.00	20.78	105.20%	0.356	0.374	395
NR n77 & n78_PC3			135	69	Back Surface	15	638334	3575.01	21.00	20.79	104.95%	0.346	0.363	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	635834	3537.51	24.00	23.80	104.71%	0.087	0.091	-
NR n77 & n78_PC2			135	69	Front Surface	15	633334	3500.01	24.00	23.76	105.68%	0.076	0.080	-
NR n77 & n78_PC2			1	1	Back Surface	15	635834	3537.51	24.00	23.80	104.71%	0.236	0.247	-
NR n77 & n78_PC2			135	69	Back Surface	15	633334	3500.01	24.00	23.76	105.68%	0.236	0.249	396
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	21.00	20.73	106.41%	0.106	0.113	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	21.00	20.75	105.93%	0.088	0.093	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	21.00	20.73	106.41%	0.449	0.478	397
NR n78_PC3			135	69	Back Surface	15	650000	3750	21.00	20.75	105.93%	0.419	0.444	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	24.00	23.78	105.20%	0.095	0.100	-
NR n78_PC2			135	69	Front Surface	15	650000	3750	24.00	23.61	109.40%	0.090	0.098	-
NR n78_PC2			1	1	Back Surface	15	650000	3750	24.00	23.78	105.20%	0.417	0.439	398
NR n78_PC2			135	69	Back Surface	15	650000	3750	24.00	23.61	109.40%	0.399	0.436	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_SLM

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	25.50	25.49	100.23%	0.130	0.130	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	25.50	25.18	107.65%	0.117	0.126	-
NR n77_PC3			1	1	Back Surface	15	650000	3750	25.50	25.40	102.33%	0.933	0.955	-
NR n77_PC3			1	1	Back Surface	15	653000	3795	25.50	25.21	106.91%	0.979	1.047	-
NR n77_PC3			1	137	Back Surface	15	656000	3840	25.50	25.27	105.44%	0.852	0.898	-
NR n77_PC3			1	1	Back Surface	15	659000	3885	25.50	25.27	105.44%	0.898	0.947	-
NR n77_PC3			1	1	Back Surface	15	662000	3930	25.50	25.49	100.23%	1.000	1.002	-
NR n77_PC3			135	69	Back Surface	15	650000	3750	25.50	25.34	103.75%	0.937	0.972	-
NR n77_PC3			135	69	Back Surface	15	653000	3795	25.50	25.09	109.90%	0.972	1.068	-
NR n77_PC3			135	69	Back Surface	15	656000	3840	25.50	25.14	108.64%	0.845	0.918	-
NR n77_PC3			135	69	Back Surface	15	659000	3885	25.50	25.29	104.95%	0.899	0.944	-
NR n77_PC3			135	69	Back Surface	15	662000	3930	25.50	25.18	107.65%	0.961	1.034	-
NR n77_PC3			270	0	Back Surface	15	650000	3750	25.50	24.84	103.75%	0.869	0.902	-
NR n77_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	28.00	26.87	129.72%	0.105	0.136	-
NR n77_PC2			135	69	Front Surface	15	662000	3930	28.00	26.71	134.59%	0.094	0.127	-
NR n77_PC2			1	1	Back Surface	15	650000	3750	28.00	26.43	143.55%	0.742	1.065	-
NR n77_PC2			1	1	Back Surface	15	653000	3795	28.00	26.82	131.22%	0.764	1.003	-
NR n77_PC2			1	1	Back Surface	15	656000	3840	28.00	26.67	135.83%	0.771	1.047	-
NR n77_PC2			1	1	Back Surface	15	659000	3885	28.00	26.72	134.28%	0.710	0.953	-
NR n77_PC2			1	1	Back Surface	15	662000	3930	28.00	26.87	129.72%	0.703	0.912	-
NR n77_PC2			135	69	Back Surface	15	650000	3750	28.00	26.36	145.88%	0.720	1.050	-
NR n77_PC2			135	69	Back Surface	15	653000	3795	28.00	26.70	134.90%	0.722	0.974	-
NR n77_PC2			135	69	Back Surface	15	656000	3840	28.00	26.58	138.68%	0.719	0.997	-
NR n77_PC2			135	69	Back Surface	15	659000	3885	28.00	26.59	138.36%	0.691	0.956	-
NR n77_PC2			135	69	Back Surface	15	662000	3930	28.00	26.71	134.59%	0.732	0.985	-
NR n77_PC2			270	0	Back Surface	15	653000	3795	27.50	26.38	129.42%	0.695	0.899	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	25.50	25.44	101.39%	0.167	0.169	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	25.50	25.33	103.99%	0.154	0.160	-
NR n77 & n78_PC3			1	1	Back Surface	15	638334	3575.01	25.50	25.44	101.39%	0.389	0.394	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	25.50	25.33	103.99%	0.358	0.372	-
NR n77 & n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	638334	3575.01	28.00	26.96	127.06%	0.089	0.113	-
NR n77 & n78_PC2			135	69	Front Surface	15	638334	3575.01	28.00	26.85	130.32%	0.073	0.095	-
NR n77 & n78_PC2			1	1	Back Surface	15	638334	3575.01	28.00	26.96	127.06%	0.435	0.553	-
NR n77 & n78_PC2			135	69	Back Surface	15	638334	3575.01	28.00	26.85	130.32%	0.412	0.537	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	25.50	25.28	105.20%	0.187	0.197	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	25.50	25.16	108.14%	0.165	0.178	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	25.50	25.28	105.20%	0.469	0.493	-
NR n78_PC3			135	69	Back Surface	15	650000	3750	25.50	25.16	108.14%	0.432	0.467	-
NR n78_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	28.00	27.48	112.72%	0.152	0.171	-
NR n78_PC2			135	69	Front Surface	15	650000	3750	28.00	27.39	115.08%	0.135	0.155	-
NR n78_PC2			1	1	Back Surface	15	650000	3750	28.00	27.48	112.72%	0.696	0.785	-
NR n78_PC2			135	69	Back Surface	15	650000	3750	28.00	27.39	115.08%	0.648	0.746	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_NSA_SLM

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	662000	3930	22.00	21.82	104.23%	0.057	0.059	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	22.00	21.84	103.75%	0.048	0.050	-
NR n77_PC3			1	271	Back Surface	15	662000	3930	22.00	21.82	104.23%	0.442	0.461	-
NR n77_PC3			135	69	Back Surface	15	662000	3930	22.00	21.84	103.75%	0.425	0.441	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	638334	3575.01	22.00	21.83	103.99%	0.072	0.075	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	22.00	21.81	104.47%	0.062	0.065	-
NR n77 & n78_PC3			1	137	Back Surface	15	638334	3575.01	22.00	21.83	103.99%	0.171	0.178	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	22.00	21.81	104.47%	0.156	0.163	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	650000	3750	22.00	21.74	106.17%	0.083	0.088	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	22.00	21.62	109.14%	0.080	0.087	-
NR n78_PC3			1	271	Back Surface	15	650000	3750	22.00	21.74	106.17%	0.221	0.235	-
NR n78_PC3			135	69	Back Surface	15	650000	3750	22.00	21.62	109.14%	0.209	0.228	-

Ant7_NSA_SLM

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	662000	3930	24.50	24.31	104.47%	0.102	0.107	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	24.50	24.35	103.51%	0.089	0.092	-
NR n77_PC3			1	1	Back Surface	15	662000	3930	24.50	24.31	104.47%	0.458	0.478	-
NR n77_PC3			135	69	Back Surface	15	662000	3930	24.50	24.35	103.51%	0.431	0.446	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	271	Front Surface	15	638334	3575.01	24.50	24.49	100.23%	0.132	0.132	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	24.50	24.32	104.23%	0.103	0.107	-
NR n77 & n78_PC3			1	271	Back Surface	15	638334	3575.01	24.50	24.49	100.23%	0.527	0.528	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	24.50	24.32	104.23%	0.544	0.567	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	24.50	24.29	104.95%	0.065	0.068	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	24.50	24.13	108.89%	0.056	0.061	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	24.50	24.29	104.95%	0.468	0.491	-
NR n78_PC3			135	69	Back Surface	15	650000	3750	24.50	24.13	108.89%	0.415	0.452	-

Ant9_NSA_SLM

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
NR n77_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	662000	3930	20.00	19.82	104.23%	0.130	0.136	-
NR n77_PC3			135	69	Front Surface	15	662000	3930	20.00	19.84	103.75%	0.123	0.128	-
NR n77_PC3			1	137	Back Surface	15	662000	3930	20.00	19.82	104.23%	0.509	0.531	-
NR n77_PC3			135	69	Back Surface	15	662000	3930	20.00	19.84	103.75%	0.416	0.432	-
NR n77 & n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	137	Front Surface	15	638334	3575.01	20.00	19.88	102.80%	0.088	0.090	-
NR n77 & n78_PC3			135	69	Front Surface	15	640834	3612.51	20.00	19.75	105.93%	0.081	0.086	-
NR n77 & n78_PC3			1	137	Back Surface	15	638334	3575.01	20.00	19.88	102.80%	0.288	0.296	-
NR n77 & n78_PC3			135	69	Back Surface	15	640834	3612.51	20.00	19.75	105.93%	0.275	0.291	-
NR n78_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Front Surface	15	650000	3750	20.00	19.77	105.44%	0.084	0.089	-
NR n78_PC3			135	69	Front Surface	15	650000	3750	20.00	19.72	106.66%	0.070	0.075	-
NR n78_PC3			1	1	Back Surface	15	650000	3750	20.00	19.77	105.44%	0.359	0.379	-
NR n78_PC3			135	69	Back Surface	15	650000	3750	20.00	19.72	106.66%	0.333	0.355	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant 4	Front Surface	15	6	2437	22.00	21.63	1.03	108.89%	0.132	0.147	399
WLAN 802.11b	Ant 4	Back Surface	15	6	2437	22.00	21.63	1.03	108.89%	0.012	0.013	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant 4	Front Surface	15	39	2441	16.50	16.28	1.12	105.10%	0.013	0.015	400
Bluetooth(GFSK)	Ant 4	Back Surface	15	39	2441	16.50	16.28	1.12	105.10%	0.001	0.001	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(40M) 5.2G	Ant 4	Front Surface	15	46	5230	22.00	21.83	1.01	103.99%	0.183	0.192	401
WLAN 802.11ax(40M) 5.2G	Ant 4	Back Surface	15	46	5230	22.00	21.83	1.01	103.99%	0.053	0.056	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant 4	Front Surface	15	54	5270	22.00	21.98	1.01	100.46%	0.188	0.191	402
WLAN 802.11n(40M) 5.3G	Ant 4	Back Surface	15	54	5270	22.00	21.98	1.01	100.46%	0.096	0.097	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.6G	Ant 4	Front Surface	15	118	5590	21.50	21.11	1.01	109.40%	0.266	0.294	403
WLAN 802.11n(40M) 5.6G	Ant 4	Back Surface	15	118	5590	21.50	21.11	1.01	109.40%	0.218	0.241	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.8G	Ant 4	Front Surface	15	165	5825	22.00	21.87	1.01	103.04%	0.197	0.205	404
WLAN 802.11ax(20M) 5.8G	Ant 4	Back Surface	15	165	5825	22.00	21.87	1.01	103.04%	0.184	0.191	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.9G	Ant 4	Front Surface	15	167	5835	22.00	21.95	1.01	101.16%	0.186	0.190	405
WLAN 802.11n(40M) 5.9G	Ant 4	Back Surface	15	167	5835	22.00	21.95	1.01	101.16%	0.172	0.176	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant5	Front Surface	15	6	2437	22.00	21.79	1.03	104.95%	0.173	0.186	406
WLAN 802.11b	Ant5	Back Surface	15	6	2437	22.00	21.79	1.03	104.95%	0.069	0.074	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
Bluetooth(GFSK)	Ant5	Front Surface	15	39	2441	16.50	16.17	1.12	107.80%	0.017	0.020	407
Bluetooth(GFSK)	Ant5	Back Surface	15	39	2441	16.50	16.17	1.12	107.80%	0.004	0.005	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(40M) 5.2G	Ant5	Front Surface	15	46	5230	20.00	19.89	1.01	102.57%	0.288	0.298	-
WLAN 802.11ax(40M) 5.2G	Ant5	Back Surface	15	46	5230	20.00	19.89	1.01	102.57%	0.470	0.487	408
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant5	Front Surface	15	54	5270	19.50	19.16	1.01	108.14%	0.325	0.355	-
WLAN 802.11n(40M) 5.3G	Ant5	Back Surface	15	54	5270	19.50	19.16	1.01	108.14%	0.412	0.450	409
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.6G	Ant5	Front Surface	15	118	5590	21.00	20.88	1.01	102.80%	0.506	0.525	410
WLAN 802.11n(40M) 5.6G	Ant5	Back Surface	15	118	5590	21.00	20.88	1.01	102.80%	0.484	0.503	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11a 5.8G	Ant5	Front Surface	15	165	5825	22.00	21.69	1.01	107.40%	0.388	0.421	411
WLAN 802.11a 5.8G	Ant5	Back Surface	15	165	5825	22.00	21.69	1.01	107.40%	0.354	0.384	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.9G	Ant5	Front Surface	15	169	5845	22.00	21.96	1.01	100.93%	0.347	0.354	412
WLAN 802.11ax(20M) 5.9G	Ant5	Back Surface	15	169	5845	22.00	21.96	1.01	100.93%	0.312	0.318	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

MIMO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11b	Ant4+Ant5	Front Surface	15	6	2437	25.00	24.63	1.03	108.89%	0.162	0.181	-
WLAN 802.11b	Ant4+Ant5	Back Surface	15	6	2437	25.00	24.63	1.03	108.89%	0.049	0.055	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Front Surface	15	46	5230	24.00	23.83	1.01	103.99%	0.250	0.263	-
WLAN 802.11ax(40M) 5.2G	Ant4+Ant5	Back Surface	15	46	5230	24.00	23.83	1.01	103.99%	0.436	0.458	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Front Surface	15	54	5270	23.50	23.48	1.01	100.46%	0.288	0.292	-
WLAN 802.11n(40M) 5.3G	Ant4+Ant5	Back Surface	15	54	5270	23.50	23.48	1.01	100.46%	0.396	0.402	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.6G	Ant4+Ant5	Front Surface	15	118	5590	24.00	23.81	1.01	104.47%	0.466	0.492	-
WLAN 802.11n(40M) 5.6G	Ant4+Ant5	Back Surface	15	118	5590	24.00	23.81	1.01	104.47%	0.418	0.441	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Front Surface	15	165	5825	24.50	24.37	1.01	103.04%	0.297	0.309	-
WLAN 802.11ax(20M) 5.8G	Ant4+Ant5	Back Surface	15	165	5825	24.50	24.37	1.01	103.04%	0.244	0.254	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.9G	Ant4+Ant5	Front Surface	15	169	5845	25.00	24.86	1.01	103.28%	0.288	0.300	-
WLAN 802.11ax(20M) 5.9G	Ant4+Ant5	Back Surface	15	169	5845	25.00	24.86	1.01	103.28%	0.232	0.242	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN_6E

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Front Surface	15	31	6105	19.00	18.83	1.00	103.99%	0.029	0.030	0.193	0.201	413
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Front Surface	15	63	6265	18.50	18.25	1.00	105.93%	0.016	0.017	0.115	0.122	414
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Back Surface	15	31	6105	19.00	18.83	1.00	103.99%	0.018	0.019	0.108	0.112	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Back Surface	15	63	6265	18.50	18.25	1.00	105.93%	0.011	0.012	0.073	0.077	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Front Surface	15	111	6505	18.50	18.42	1.00	101.86%	0.023	0.023	0.149	0.152	415
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Back Surface	15	111	6505	18.50	18.42	1.00	101.86%	0.016	0.016	0.094	0.096	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Front Surface	15	175	6825	18.50	18.23	1.00	106.41%	0.075	0.080	0.548	0.583	416
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Back Surface	15	175	6825	18.50	18.23	1.00	106.41%	0.039	0.042	0.321	0.342	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Front Surface	15	191	6905	17.50	17.20	1.00	107.15%	0.052	0.056	0.353	0.378	417
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Back Surface	15	191	6905	17.50	17.20	1.00	107.15%	0.022	0.024	0.137	0.147	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Front Surface	15	15	6025	17.50	17.40	1.00	102.33%	0.138	0.141	1.04	1.064	418
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Front Surface	15	47	6185	18.00	17.87	1.00	103.04%	0.091	0.094	0.702	0.723	419
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Back Surface	15	15	6025	17.50	17.40	1.00	102.33%	0.028	0.029	0.188	0.192	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Back Surface	15	47	6185	18.00	17.87	1.00	103.04%	0.047	0.048	0.339	0.349	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Front Surface	15	111	6505	18.00	17.75	1.00	105.93%	0.089	0.094	0.657	0.696	420
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Back Surface	15	111	6505	18.00	17.75	1.00	105.93%	0.036	0.038	0.284	0.301	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Front Surface	15	143	6665	17.50	17.49	1.00	100.23%	0.209	0.209	1.64	1.644	421
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Back Surface	15	143	6665	17.50	17.49	1.00	100.23%	0.088	0.088	0.631	0.632	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Front Surface	15	207	6985	17.00	16.98	1.00	100.46%	0.217	0.218	1.73	1.738	422
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Back Surface	15	207	6985	17.00	16.98	1.00	100.46%	0.112	0.113	0.978	0.983	-

MIMO

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Front Surface	15	31	6105	21.00	20.97	1.00	100.69%	0.056	0.056	0.388	0.391	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Front Surface	15	63	6265	21.00	20.89	1.00	102.57%	0.075	0.077	0.46	0.472	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Back Surface	15	31	6105	21.00	20.97	1.00	100.69%	0.022	0.022	0.152	0.153	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4+Ant5	Back Surface	15	63	6265	21.00	20.89	1.00	102.57%	0.041	0.042	0.273	0.280	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Front Surface	15	111	6505	21.00	20.87	1.00	103.04%	0.063	0.065	0.419	0.432	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4+Ant5	Back Surface	15	111	6505	21.00	20.87	1.00	103.04%	0.026	0.027	0.166	0.171	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Front Surface	15	175	6825	21.00	20.85	1.00	103.51%	0.082	0.085	0.528	0.547	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4+Ant5	Back Surface	15	175	6825	21.00	20.85	1.00	103.51%	0.031	0.032	0.191	0.198	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 1g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Front Surface	15	191	6905	20.00	19.95	1.00	101.16%	0.202	0.204	1.52	1.538	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4+Ant5	Back Surface	15	191	6905	20.00	19.95	1.00	101.16%	0.103	0.104	0.737	0.746	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**0mm
WWAN
Ant2**

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 10g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Left Edge	0	9262	1852.4	23.5	23.46	100.93%	2.820	2.846	433
WCDMA Band II	Left Edge	0	9400	1880	23.5	23.31	104.47%	2.780	2.904	-
WCDMA Band II	Left Edge	0	9538	1907.6	23.5	23.35	103.51%	2.210	2.288	-
WCDMA Band IV	Left Edge	0	1312	1712.4	23.0	22.77	105.44%	2.460	2.594	-
WCDMA Band IV	Left Edge	0	1412	1732.4	23.0	22.98	100.46%	2.980	2.994	434
WCDMA Band IV	Left Edge	0	1513	1752.6	23.0	22.82	104.23%	2.190	2.283	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 10g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Left Edge	0	18700	1860	23.50	23.45	101.16%	2.880	2.913	-
LTE Band 2			1	0	Left Edge	0	18900	1880	23.50	23.36	103.28%	2.940	3.036	-
LTE Band 2			1	0	Left Edge	0	19100	1900	23.50	23.42	101.86%	3.010	3.066	435
LTE Band 2			50	50	Left Edge	0	18700	1860	22.50	22.17	107.89%	2.100	2.266	-
LTE Band 2			50	0	Left Edge	0	18900	1860	22.50	22.19	107.40%	2.300	2.470	-
LTE Band 2			50	50	Left Edge	0	19100	1860	22.50	22.30	104.71%	2.250	2.356	-
LTE Band 2			100RB		Left Edge	0	18700	1860	22.50	22.27	105.44%	2.120	2.235	-
LTE Band 4	20MHz	QPSK	1	0	Left Edge	0	20050	1720	23.00	22.94	101.39%	3.100	3.143	436
LTE Band 4			1	0	Left Edge	0	20175	1732.5	23.00	22.90	102.33%	3.020	3.090	-
LTE Band 4			1	0	Left Edge	0	20300	1745	23.00	22.88	102.80%	2.990	3.074	-
LTE Band 4			50	0	Left Edge	0	20050	1720	22.00	21.80	104.71%	2.230	2.335	-
LTE Band 4			50	25	Left Edge	0	20175	1732.5	22.00	21.78	105.20%	2.120	2.230	-
LTE Band 4			50	25	Left Edge	0	20300	1745	22.00	21.72	106.66%	2.090	2.229	-
LTE Band 4			100RB		Left Edge	0	20175	1732.5	22.00	21.78	105.20%	2.050	2.157	-
LTE Band 7	20MHz	QPSK	1	0	Left Edge	0	20850	2510	24.00	23.91	102.09%	3.100	3.165	437
LTE Band 7			1	0	Left Edge	0	21100	2535	24.00	23.87	103.04%	3.070	3.163	-
LTE Band 7			1	0	Left Edge	0	21350	2560	24.00	23.79	104.95%	2.560	2.687	-
LTE Band 7			50	50	Left Edge	0	20850	2510	23.00	22.78	105.20%	2.450	2.577	-
LTE Band 7			50	0	Left Edge	0	21100	2535	23.00	22.80	104.71%	2.320	2.429	-
LTE Band 7			50	50	Left Edge	0	21350	2560	23.00	22.78	105.20%	2.200	2.314	-
LTE Band 7			100RB		Left Edge	0	21350	2560	23.00	22.74	106.17%	2.270	2.410	-
LTE Band 25	20MHz	QPSK	1	0	Left Edge	0	26140	1860	23.50	23.20	107.15%	2.560	2.743	-
LTE Band 25			1	0	Left Edge	0	26365	1882.5	23.50	23.28	105.20%	2.790	2.935	-
LTE Band 25			1	50	Left Edge	0	26590	1905	23.50	23.30	104.71%	3.020	3.162	438
LTE Band 25			50	0	Left Edge	0	26140	1860	22.50	22.30	104.71%	2.100	2.199	-
LTE Band 25			50	25	Left Edge	0	26365	1882.5	22.50	22.26	105.68%	2.330	2.462	-
LTE Band 25			50	0	Left Edge	0	26590	1905	22.50	22.28	105.20%	2.410	2.535	-
LTE Band 25			100RB		Left Edge	0	26365	1882.5	22.50	22.23	106.41%	2.350	2.501	-
LTE Band 30	10MHz	QPSK	1	49	Left Edge	0	27710	2310	25.00	24.82	104.23%	3.040	3.169	439
LTE Band 30			25	25	Left Edge	0	27710	2310	24.00	23.76	105.68%	2.420	2.557	-
LTE Band 30			50RB		Left Edge	0	27710	2310	24.00	23.69	107.40%	2.120	2.277	-
LTE Band 66	20MHz	QPSK	1	0	Left Edge	0	132072	1720	23.00	22.99	100.23%	2.870	2.877	-
LTE Band 66			1	0	Left Edge	0	132322	1745	23.00	22.81	104.47%	3.000	3.134	440
LTE Band 66			1	0	Left Edge	0	132572	1770	23.00	22.91	102.09%	2.580	2.634	-
LTE Band 66			50	50	Left Edge	0	132072	1720	22.00	21.75	105.93%	2.100	2.224	-
LTE Band 66			50	25	Left Edge	0	132322	1745	22.00	21.70	107.15%	2.430	2.604	-
LTE Band 66			50	50	Left Edge	0	132572	1770	22.00	21.67	107.89%	2.060	2.223	-
LTE Band 66			100RB		Left Edge	0	132322	1745	22.00	21.65	108.39%	2.070	2.244	-
LTE Band 38	20MHz	QPSK	1	99	Left Edge	0	37850	2580	24.50	24.29	104.95%	2.780	2.918	-
LTE Band 38			1	0	Left Edge	0	38000	2595	24.50	24.47	100.69%	2.560	2.578	-
LTE Band 38			1	0	Left Edge	0	38150	2610	24.50	24.38	102.80%	3.100	3.187	441
LTE Band 38			50	50	Left Edge	0	37850	2580	23.50	23.22	106.66%	2.220	2.368	-
LTE Band 38			50	25	Left Edge	0	38000	2595	23.50	23.30	104.71%	2.100	2.199	-
LTE Band 38			50	0	Left Edge	0	38150	2610	23.50	23.26	105.68%	2.560	2.705	-
LTE Band 38			100RB		Left Edge	0	38150	2610	23.50	23.28	105.20%	2.420	2.546	-
LTE Band 41_PC3	20MHz	QPSK	1	0	Left Edge	0	39750	2506	25.50	24.62	122.46%	2.290	2.804	-
LTE Band 41_PC3			1	0	Left Edge	0	40185	2549.5	25.50	24.55	124.45%	2.560	3.186	442
LTE Band 41_PC3			1	0	Left Edge	0	40620	2593	25.50	24.49	126.18%	2.480	3.129	-
LTE Band 41_PC3			1	0	Left Edge	0	41055	2636.5	25.50	24.34	130.62%	2.400	3.135	-
LTE Band 41_PC3			1	0	Left Edge	0	41490	2680	25.50	24.32	131.22%	1.560	2.047	-
LTE Band 41_PC3			50	50	Left Edge	0	39750	2506	24.50	23.52	125.31%	1.760	2.206	-
LTE Band 41_PC3			50	25	Left Edge	0	40185	2549.5	24.50	23.39	129.12%	1.560	2.014	-
LTE Band 41_PC3			50	0	Left Edge	0	40620	2593	24.50	23.35	130.32%	1.410	1.837	-
LTE Band 41_PC3			50	25	Left Edge	0	41055	2636.5	24.50	23.19	135.21%	1.490	2.015	-
LTE Band 41_PC3			50	25	Left Edge	0	41490	2680	24.50	23.23	133.97%	1.150	1.541	-
LTE Band 41_PC3			100RB		Left Edge	0	39750	2506	24.50	23.55	124.45%	1.670	2.078	-
LTE Band 41_PC2	20MHz	QPSK	1	0	Left Edge	0	39750	2506	27.50	25.99	141.58%	2.020	2.860	-
LTE Band 41_PC2			1	0	Left Edge	0	40185	2549.5	27.50	26.13	137.09%	2.320	3.180	-
LTE Band 41_PC2			1	0	Left Edge	0	40620	2593	27.50	26.06	139.32%	2.060	2.870	-
LTE Band 41_PC2			1	0	Left Edge	0	41055	2636.5	27.50	26.38	129.42%	2.410	3.119	443
LTE Band 41_PC2			1	0	Left Edge	0	41490	2680	27.50	26.03	140.28%	1.980	2.778	-
LTE Band 41_PC2			50	50	Left Edge	0	39750	2506	26.00	24.87	129.72%	1.880	2.439	-
LTE Band 41_PC2			50	0	Left Edge	0	40185	2549.5	26.00	24.99	126.18%	1.670	2.107	-
LTE Band 41_PC2			50	50	Left Edge	0	40620	2593	26.00	24.92	128.23%	1.560	2.000	-
LTE Band 41_PC2			50	50	Left Edge	0	41055	2636.5	26.00	25.24	119.12%	1.670	1.989	-
LTE Band 41_PC2			50	0	Left Edge	0	41490	2680	26.00	24.95	127.35%	1.780	2.267	-
LTE Band 41_PC2			100RB		Left Edge	0	41055	2636.5	26.00	25.27	118.30%	1.580	1.869	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 10g (W/kg)		ID
												Measured	Reported	
NR n2	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Left Edge	0	374000	1870	23.50	23.33	103.99%	2.980	3.099	-
NR n2			1	1	Left Edge	0	376000	1880	23.50	23.45	101.16%	3.020	3.055	-
NR n2			1	1	Left Edge	0	378000	1890	23.50	23.48	100.46%	3.150	3.165	444
NR n2			108	54	Left Edge	0	374000	1870	23.50	23.15	108.39%	2.720	2.948	-
NR n2			108	54	Left Edge	0	376000	1880	23.50	23.27	105.44%	2.820	2.973	-
NR n2			108	54	Left Edge	0	378000	1890	23.50	23.30	104.71%	2.970	3.110	-
NR n2			216	0	Left Edge	0	376000	1880	23.00	22.70	107.15%	2.510	2.690	-
NR n7	50MHz	SCS 15kHz Pi/2 BPSK	1	1	Left Edge	0	505000	2525	23.50	23.45	101.16%	2.780	2.812	-
NR n7			1	1	Left Edge	0	507000	2535	23.50	23.40	102.33%	2.880	2.947	445
NR n7			1	135	Left Edge	0	509000	2545	23.50	23.28	105.20%	2.690	2.830	-
NR n7			135	67	Left Edge	0	505000	2525	23.50	23.19	107.40%	2.520	2.706	-
NR n7			135	67	Left Edge	0	507000	2535	23.50	23.16	108.14%	2.780	3.006	-
NR n7			135	67	Left Edge	0	509000	2545	23.50	23.20	107.15%	2.580	2.765	-
NR n7			270	0	Left Edge	0	507000	2535	23.00	22.77	105.44%	2.510	2.647	-
NR n25	40MHz	SCS 15kHz Pi/2 BPSK	1	1	Left Edge	0	374000	1870	23.50	23.34	103.75%	2.780	2.884	-
NR n25			1	1	Left Edge	0	376500	1882.5	23.50	23.26	105.68%	2.890	3.054	-
NR n25			1	1	Left Edge	0	379000	1895	23.50	23.48	100.46%	3.090	3.104	446
NR n25			108	54	Left Edge	0	374000	1870	23.50	23.16	108.14%	2.560	2.768	-
NR n25			108	54	Left Edge	0	376500	1882.5	23.50	23.30	104.71%	2.730	2.859	-
NR n25			108	54	Left Edge	0	379000	1895	23.50	23.28	108.14%	3.010	3.166	-
NR n25			216	0	Left Edge	0	376500	1882.5	23.00	22.76	105.68%	2.520	2.663	-
NR n30	10MHz	SCS 15kHz Pi/2 BPSK	1	1	Left Edge	0	462000	2310	25.00	24.51	111.94%	2.780	3.112	447
NR n30			25	13	Left Edge	0	462000	2310	25.00	24.43	114.02%	2.650	3.022	-
NR n30			50	0	Left Edge	0	462000	2310	24.50	23.99	112.46%	2.450	2.755	-
NR n66	45MHz	SCS 15kHz Pi/2 BPSK	1	1	Left Edge	0	346500	1732.5	24.00	23.99	100.23%	2.800	2.806	-
NR n66			1	1	Left Edge	0	349000	1745	24.00	23.88	102.80%	2.670	2.745	-
NR n66			1	1	Left Edge	0	351500	1757.5	24.00	23.80	104.71%	3.000	3.141	448
NR n66			120	60	Left Edge	0	346500	1732.5	24.00	23.68	107.65%	2.750	2.960	-
NR n66			120	60	Left Edge	0	349000	1745	24.00	23.61	109.40%	2.650	2.899	-
NR n66			120	60	Left Edge	0	351500	1757.5	24.00	23.61	109.40%	2.870	3.140	-
NR n66			240	0	Left Edge	0	351500	1757.5	23.50	23.30	104.71%	2.410	2.524	-
NR n38	40MHz	SCS 30kHz Pi/2 BPSK	1	1	Left Edge	0	518004	2590.02	23.50	23.49	100.23%	2.770	2.776	-
NR n38			1	1	Left Edge	0	519000	2595	23.50	23.33	103.99%	2.890	3.005	-
NR n38			1	1	Left Edge	0	519996	2599.98	23.50	23.43	101.62%	3.100	3.150	449
NR n38			50	28	Left Edge	0	518004	2590.02	23.50	23.28	105.20%	2.670	2.809	-
NR n38			50	28	Left Edge	0	519000	2595	23.50	23.30	104.71%	2.560	2.681	-
NR n38			50	28	Left Edge	0	519996	2599.98	23.50	23.17	107.89%	2.900	3.129	-
NR n38			100	0	Left Edge	0	519000	2595	23.00	22.67	107.89%	2.230	2.406	-
NR n41_PC3	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Left Edge	0	509202	2546.01	23.50	23.45	101.16%	2.920	2.954	-
NR n41_PC3			1	1	Left Edge	0	518598	2592.99	23.50	23.32	104.23%	2.730	2.846	-
NR n41_PC3			1	1	Left Edge	0	528000	2640	23.50	23.36	103.28%	3.020	3.119	450
NR n41_PC3			135	69	Left Edge	0	509202	2546.01	23.50	23.11	109.40%	2.920	3.194	-
NR n41_PC3			135	69	Left Edge	0	518598	2592.99	23.50	23.12	109.14%	2.720	2.969	-
NR n41_PC3			135	69	Left Edge	0	528000	2640	23.50	23.30	104.71%	3.010	3.152	-
NR n41_PC3			270	0	Left Edge	0	528000	2640	23.00	22.78	105.20%	2.620	2.756	-
NR n41_PC2	100MHz	SCS 30kHz Pi/2 BPSK	1	1	Left Edge	0	509202	2546.01	26.50	25.91	114.55%	2.390	2.738	-
NR n41_PC2			1	1	Left Edge	0	518598	2592.99	26.50	26.40	102.33%	2.310	2.364	-
NR n41_PC2			1	1	Left Edge	0	528000	2640	26.50	26.02	111.69%	2.560	2.859	451
NR n41_PC2			135	69	Left Edge	0	509202	2546.01	26.50	25.77	118.30%	2.270	2.686	-
NR n41_PC2			135	69	Left Edge	0	518598	2592.99	26.50	26.29	104.95%	2.190	2.298	-
NR n41_PC2			135	69	Left Edge	0	528000	2640	26.50	25.88	115.35%	2.420	2.791	-
NR n41_PC2			270	0	Left Edge	0	518598	2592.99	26.00	25.82	104.23%	2.200	2.293	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant 4	Front Surface	0	54	5270	22.00	21.98	1.01	100.46%	1.800	1.826	452
WLAN 802.11n(40M) 5.3G	Ant 4	Back Surface	0	54	5270	22.00	21.98	1.01	100.46%	0.478	0.485	-
WLAN 802.11n(40M) 5.3G	Ant 4	Top Edge	0	54	5270	22.00	21.98	1.01	100.46%	0.831	0.843	-
WLAN 802.11n(40M) 5.3G	Ant 4	Right Edge	0	54	5270	22.00	21.98	1.01	100.46%	0.339	0.344	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.6G	Ant 4	Front Surface	0	118	5590	21.50	21.11	1.01	109.40%	2.080	2.298	453
WLAN 802.11n(40M) 5.6G	Ant 4	Front Surface	0	142	5710	19.50	19.48	1.01	100.46%	1.390	1.410	-
WLAN 802.11n(40M) 5.6G	Ant 4	Back Surface	0	110	5550	0.00	0.00	1.01	100.00%	0.475	0.480	-
WLAN 802.11n(40M) 5.6G	Ant 4	Top Edge	0	118	5590	21.50	21.11	1.01	109.40%	1.020	1.127	-
WLAN 802.11n(40M) 5.6G	Ant 4	Right Edge	0	118	5590	21.50	21.11	1.01	109.40%	0.371	0.410	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.9G	Ant 4	Front Surface	0	167	5835	22.00	21.95	1.01	101.16%	2.060	2.105	454
WLAN 802.11n(40M) 5.9G	Ant 4	Front Surface	0	175	5875	21.00	20.91	1.01	102.09%	1.640	1.691	-
WLAN 802.11n(40M) 5.9G	Ant 4	Back Surface	0	167	5835	22.00	21.95	1.01	101.16%	0.756	0.772	-
WLAN 802.11n(40M) 5.9G	Ant 4	Top Edge	0	167	5835	22.00	21.95	1.01	101.16%	1.070	1.093	-
WLAN 802.11n(40M) 5.9G	Ant 4	Right Edge	0	167	5835	22.00	21.95	1.01	101.16%	0.365	0.373	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.3G	Ant5	Front Surface	0	54	5270	19.50	19.16	1.01	108.14%	1.380	1.507	-
WLAN 802.11n(40M) 5.3G	Ant5	Back Surface	0	54	5270	19.50	19.16	1.01	108.14%	0.874	0.955	-
WLAN 802.11n(40M) 5.3G	Ant5	Right Edge	0	54	5270	19.50	19.16	1.01	108.14%	2.110	2.305	455
WLAN 802.11n(40M) 5.3G	Ant5	Right Edge	0	62	5310	14.50	14.42	1.01	101.86%	0.741	0.762	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11n(40M) 5.6G	Ant5	Front Surface	0	118	5590	21.00	20.88	1.01	102.80%	1.580	1.641	-
WLAN 802.11n(40M) 5.6G	Ant5	Back Surface	0	118	5590	21.00	20.88	1.01	102.80%	1.050	1.090	-
WLAN 802.11n(40M) 5.6G	Ant5	Right Edge	0	118	5590	21.00	20.88	1.01	102.80%	3.070	3.188	456
WLAN 802.11n(40M) 5.6G	Ant5	Right Edge	0	134	5670	17.50	17.09	1.01	109.90%	1.420	1.576	-
WLAN 802.11n(40M) 5.6G	Ant5	Right Edge	0	142	5710	19.50	19.24	1.01	106.17%	2.180	2.338	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		ID
										Measured	Reported	
WLAN 802.11ax(20M) 5.9G	Ant5	Front Surface	0	169	5845	22.00	21.96	1.01	100.93%	1.260	1.284	-
WLAN 802.11ax(20M) 5.9G	Ant5	Back Surface	0	169	5845	22.00	21.96	1.01	100.93%	0.976	0.995	-
WLAN 802.11ax(20M) 5.9G	Ant5	Right Edge	0	169	5845	22.00	21.96	1.01	100.93%	1.950	1.988	457

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WLAN_6GHz

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Front Surface	0	31	6105	19.00	18.83	1.00	103.99%	0.448	0.466	10.5	10.919	458
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Front Surface	0	63	6265	18.50	18.25	1.00	105.93%	0.252	0.267	5.87	6.218	459
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Back Surface	0	31	6105	19.00	18.83	1.00	103.99%	0.276	0.287	6.27	6.520	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Top Edge	0	31	6105	19.00	18.83	1.00	103.99%	0.222	0.231	5.19	5.397	-
U-NII-5 6.2GHz 802.11be(320M)	Ant4	Right Edge	0	31	6105	19.00	18.83	1.00	103.99%	0.109	0.113	2.45	2.548	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Front Surface	0	111	6505	18.50	18.42	1.00	101.86%	0.243	0.248	5.71	5.816	460
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Back Surface	0	111	6505	18.50	18.42	1.00	101.86%	0.164	0.167	3.39	3.453	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Top Edge	0	111	6505	18.50	18.42	1.00	101.86%	0.136	0.139	2.24	2.282	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant4	Right Edge	0	111	6505	18.50	18.42	1.00	101.86%	0.089	0.091	1.78	1.813	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Front Surface	0	175	6825	18.50	18.23	1.00	106.41%	0.385	0.410	9.01	9.588	461
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Back Surface	0	175	6825	18.50	18.23	1.00	106.41%	0.202	0.215	4.37	4.650	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Top Edge	0	175	6825	18.50	18.23	1.00	106.41%	0.175	0.186	3.41	3.629	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant4	Right Edge	0	175	6825	18.50	18.23	1.00	106.41%	0.101	0.107	2.21	2.352	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Front Surface	0	191	6905	17.50	17.20	1.00	107.15%	0.288	0.309	6.73	7.211	462
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Back Surface	0	191	6905	17.50	17.20	1.00	107.15%	0.189	0.203	3.72	3.986	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Top Edge	0	191	6905	17.50	17.20	1.00	107.15%	0.156	0.167	3.04	3.257	-
U-NII-8 7.0GHz 802.11be(320M)	Ant4	Right Edge	0	191	6905	17.50	17.20	1.00	107.15%	0.107	0.115	2.46	2.636	-
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Front Surface	0	47	6185	18.00	17.87	1.00	103.04%	0.195	0.201	4.53	4.668	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Back Surface	0	47	6185	18.00	17.87	1.00	103.04%	0.239	0.246	5.42	5.585	-
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Edge	0	15	6025	17.50	17.40	1.00	102.33%	0.565	0.578	13.1	13.405	463
U-NII-5 6.2GHz 802.11ac(160M)	Ant5	Right Edge	0	47	6185	18.00	17.87	1.00	103.04%	0.609	0.628	14	14.425	464
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Front Surface	0	111	6505	18.00	17.75	1.00	105.93%	0.137	0.145	2.66	2.818	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Back Surface	0	111	6505	18.00	17.75	1.00	105.93%	0.184	0.195	3.86	4.089	-
U-NII-6 6.5GHz 802.11ac(160M)	Ant5	Right Edge	0	111	6505	18.00	17.75	1.00	105.93%	0.365	0.387	8.32	8.813	465
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Front Surface	0	143	6665	17.50	17.49	1.00	100.23%	0.185	0.185	3.48	3.488	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Back Surface	0	143	6665	17.50	17.49	1.00	100.23%	0.212	0.212	4.85	4.861	-
U-NII-7 6.7GHz 802.11ac(160M)	Ant5	Right Edge	0	143	6665	17.50	17.49	1.00	100.23%	0.426	0.427	9.77	9.793	466
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR over 10g (W/kg)		Estimated APD W/m ² (4cm ²)		ID
										Measured	Reported	Measured	Reported	
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Front Surface	0	207	6985	17.00	16.98	1.00	100.46%	0.129	0.130	2.57	2.582	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Back Surface	0	207	6985	17.00	16.98	1.00	100.46%	0.176	0.177	3.58	3.597	-
U-NII-8 7.0GHz 802.11ac(160M)	Ant5	Right Edge	0	207	6985	17.00	16.98	1.00	100.46%	0.354	0.356	8.14	8.178	467

NFC

Band	Position	Distance (mm)	Freq. (MHz)	Averaged SAR over 10g (W/kg)	ID
				Measured	
NFC	Front Surface	0	13.56	0.000	-
NFC	Back Surface	0	13.56	0.001	468
NFC	Top Edge	0	13.56	0.000	-
NFC	Bottom Edge	0	13.56	0.000	-
NFC	Left Edge	0	13.56	0.000	-
NFC	Right Edge	0	13.56	0.000	-

Note:

Reported SAR = measured SAR * Power scaling * Duty cycle scaling

Reported APD = measured APD * Power scaling * Duty cycle scaling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.3 Summary of PD Results

Head

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11be(320M) U-NII-5	Ant4	Front Surface	2	31	6105	19.00	18.83	103.99%	1.00	1.55	3.270	5.271	2.050	3.304	148
	Ant4	Front Surface	2	63	6265	18.50	18.25	105.93%	1.00	1.55	1.240	2.036	0.890	1.461	149
WLAN 6E 802.11ac(160M) U-NII-6	Ant4	Front Surface	2	111	6505	18.50	18.42	101.86%	1.00	1.55	1.040	1.642	0.780	1.231	150
WLAN 6E 802.11ac(160M) U-NII-7	Ant4	Front Surface	2	175	6825	18.50	18.23	106.41%	1.00	1.55	2.570	4.239	1.980	3.266	151
WLAN 6E 802.11be(320M) U-NII-8	Ant4	Front Surface	2	191	6905	17.50	17.20	107.15%	1.00	1.55	2.620	4.351	1.780	2.956	152
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11ac(160M) U-NII-5	Ant5	Front Surface	2	15	6025	17.50	17.40	102.33%	1.00	1.55	0.980	1.554	0.810	1.285	153
	Ant5	Front Surface	2	47	6185	18.00	17.87	103.04%	1.00	1.55	1.160	1.853	0.910	1.453	154
WLAN 6E 802.11ac(160M) U-NII-6	Ant5	Front Surface	2	111	6505	18.00	17.75	105.93%	1.00	1.55	1.850	3.037	1.510	2.479	155
WLAN 6E 802.11ac(160M) U-NII-7	Ant5	Front Surface	2	175	6825	17.50	17.48	100.46%	1.00	1.55	2.880	4.485	2.420	3.768	156
WLAN 6E 802.11ac(160M) U-NII-8	Ant5	Front Surface	2	207	6985	17.00	16.98	100.46%	1.00	1.55	3.730	5.808	2.930	4.562	157

Body

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11be(320M) U-NII-5	Ant4	Front Surface	15	31	6105	19.00	18.83	103.99%	1.00	1.55	0.482	0.777	0.456	0.735	423
	Ant4	Front Surface	15	63	6265	18.50	18.25	105.93%	1.00	1.55	0.293	0.481	0.271	0.445	424
WLAN 6E 802.11ac(160M) U-NII-6	Ant4	Front Surface	15	111	6505	18.50	18.42	101.86%	1.00	1.55	0.321	0.507	0.276	0.436	425
WLAN 6E 802.11ac(160M) U-NII-7	Ant4	Front Surface	15	175	6825	18.50	18.23	106.41%	1.00	1.55	0.880	1.451	0.750	1.237	426
WLAN 6E 802.11be(320M) U-NII-8	Ant4	Front Surface	15	191	6905	17.50	17.20	107.15%	1.00	1.55	0.652	1.083	0.544	0.904	427
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11ac(160M) U-NII-5	Ant5	Front Surface	15	15	6025	17.50	17.40	102.33%	1.00	1.55	0.864	1.370	0.612	0.971	428
	Ant5	Front Surface	15	47	6185	18.00	17.87	103.04%	1.00	1.55	0.663	1.059	0.597	0.953	429
WLAN 6E 802.11ac(160M) U-NII-6	Ant5	Front Surface	15	111	6505	18.00	17.75	105.93%	1.00	1.55	0.662	1.087	0.624	1.025	430
WLAN 6E 802.11ac(160M) U-NII-7	Ant5	Front Surface	15	143	6665	17.50	17.48	100.46%	1.00	1.55	0.491	0.765	0.439	0.684	431
WLAN 6E 802.11ac(160M) U-NII-8	Ant5	Front Surface	15	207	6985	17.00	16.98	100.46%	1.00	1.55	1.830	2.850	1.640	2.554	432

Extremity

Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11be(320M) U-NII-5	Ant4	Front Surface	2	31	6105	19.00	18.83	103.99%	1.00	1.55	3.240	5.222	2.710	4.368	469
	Ant4	Front Surface	2	63	6265	18.50	18.25	105.93%	1.00	1.55	1.080	1.773	0.721	1.184	470
WLAN 6E 802.11ac(160M) U-NII-6	Ant4	Front Surface	2	111	6505	18.50	18.42	101.86%	1.00	1.55	1.300	2.052	1.060	1.674	471
WLAN 6E 802.11ac(160M) U-NII-7	Ant4	Front Surface	2	175	6825	18.50	18.23	106.41%	1.00	1.55	3.600	5.938	3.010	4.965	472
WLAN 6E 802.11be(320M) U-NII-8	Ant4	Front Surface	2	191	6905	17.50	17.20	107.15%	1.00	1.55	2.800	4.650	2.160	3.587	473
Band	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	PD result(4cm)				ID
											Measured Total psPD (W/m ²)	Reported Total psPD (W/m ²)	Measured Normal psPD (W/m ²)	Reported Normal psPD (W/m ²)	
WLAN 6E 802.11ac(160M) U-NII-5	Ant5	Right Edge	2	15	6025	17.50	17.40	102.33%	1.00	1.55	5.230	8.295	4.060	6.440	474
	Ant5	Right Edge	2	47	6185	18.00	17.87	103.04%	1.00	1.55	5.300	8.465	3.060	4.887	475
WLAN 6E 802.11ac(160M) U-NII-6	Ant5	Right Edge	2	111	6505	18.00	17.75	105.93%	1.00	1.55	4.570	7.503	2.920	4.794	476
WLAN 6E 802.11ac(160M) U-NII-7	Ant5	Right Edge	2	143	6665	17.50	17.48	100.46%	1.00	1.55	5.240	8.159	4.080	6.353	477
WLAN 6E 802.11ac(160M) U-NII-8	Ant5	Right Edge	2	207	6985	17.00	16.98	100.46%	1.00	1.55	6.290	9.795	5.700	8.876	478

Note:

Reported PD = measured PD * Power scaling * Duty cycle scaling * Uncertainty scaling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.4 Supplemental dynamic antenna tuning test results

1. This device implements dynamic antenna tuning techniques, please refer to antenna tune code list document for more information about the design and implementation of the dynamic antenna tuning.
2. Based on April 2019 TCBC Workshop RF Exposure Procedures, the following test procedure was followed to demonstrate that the SAR results in this report represent the appropriate SAR test conditions.
 - 1) SAR is measured according to required procedures with dynamic tuner active allowing device to automatically tune. Auto-tune state determined by device during normal SAR measurement verified and listed alongside the reported SAR results.
 - 2) Total number tuner states divided evenly among each supported band / air interface and exposure condition combination.
 - 3) The tuner state was established remotely through Wi-Fi so that the device is not moved for the entire series of single point SAR for the tuner states in each combination (band, mode, exposure conditions).
 - 4) Single point measurements performed at the peak SAR location of the highest measured SAR configuration for each combination. SAR probe remains stationary throughout the entire series of single point measurements for each combination.
 - 5) If any single point SAR measurement result is $> 1.2 \text{ W/kg}$ for 1gSAR (or $> 3.0 \text{ W/kg}$ for 10gSAR) for a band/exposure condition combination set, all supported tuner states are evaluated with single point SAR measurements for the combination.
3. The above test procedures were followed to demonstrate that the SAR results in Section 8.2 represented the appropriate SAR test conditions. For bands with dynamic tuning implemented, SAR will be measured according to the required FCC SAR test procedures with the dynamic tuner active to allow the device to automatically tune to the antenna state for the respective RF exposure test configurations. Additional single point SAR time-sweep measurements will be evaluated for other tuner states to determine that the other tuner configurations would result in equivalent or lower SAR values.
4. To evaluate all of the tuner states, the 144 tuner states for ANT0 and ANT2 is divided evenly among band, mode and exposure combinations so that at least one single point SAR measurement is measured in each configuration. Single point time-sweep measurements will be performed at the peak SAR location determined by the zoom scan of the configuration with the highest reported SAR for each combination. The tuner state will be established remotely so that the device is not moved for the entire series of single point SAR for the tuner states in each combination. The SAR probe will remain stationary at the same position throughout the entire series of single point measurements for each combination.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.4.1 Supplemental Head SAR results Ant0

Antenna	Measurement position (Ant0 Head)										Measurement position (Ant0 Neck)										Measurement position (Ant0 Shoulder)										Measurement position (Ant0 Back)										Measurement position (Ant0 Leg)										Measurement position (Ant0 Foot)																																																														
	Antenna	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99	
Ant0	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
Ant1	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
Ant2	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
Ant3	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
Ant4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
Ant5	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30	Scenario 31	Scenario 32	Scenario 33	Scenario 34	Scenario 35	Scenario 36	Scenario 37	Scenario 38	Scenario 39	Scenario 40	Scenario 41	Scenario 42	Scenario 43	Scenario 44	Scenario 45	Scenario 46	Scenario 47	Scenario 48	Scenario 49	Scenario 50	Scenario 51	Scenario 52	Scenario 53	Scenario 54	Scenario 55	Scenario 56	Scenario 57	Scenario 58	Scenario 59	Scenario 60	Scenario 61	Scenario 62	Scenario 63	Scenario 64	Scenario 65	Scenario 66	Scenario 67	Scenario 68	Scenario 69	Scenario 70	Scenario 71	Scenario 72	Scenario 73	Scenario 74	Scenario 75	Scenario 76	Scenario 77	Scenario 78	Scenario 79	Scenario 80	Scenario 81	Scenario 82	Scenario 83	Scenario 84	Scenario 85	Scenario 86	Scenario 87	Scenario 88	Scenario 89	Scenario 90	Scenario 91	Scenario 92	Scenario 93	Scenario 94	Scenario 95	Scenario 96	Scenario 97	Scenario 98	Scenario 99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	Scenario 0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 9	Scenario 10	Scenario 11	Scenario 12	Scenario 13	Scenario 14	Scenario 15	Scenario 16	Scenario 17	Scenario 18	Scenario 19	Scenario 20	Scenario 21	Scenario 22	Scenario 23	Scenario 24	Scenario 25	Scenario 26	Scenario 27	Scenario 28	Scenario 29	Scenario 30																																																																					

Ant2

Antenna	Measurement position for Ant2 Head										Scenario 0										Scenario 1										Scenario 2										Scenario 3										Scenario 4										Scenario 5										Scenario 6																																										
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
WCMA #	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
WCMA #	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
WCMA #	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
LTE Band 4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
LTE Band 4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
LTE Band 4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
LTE Band 4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
LTE Band 4	Band	Mode	Power Reduction	Channel	Frequency (MHz)	Power (dBm)	Path ID	RB Size	RB Offset	Test Position	Spacing	Measured Avg SAR	Auto-Tune Avg SAR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38																																																													

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.4.2 Supplemental Body SAR results

ID	SP (continued) previous to 1990 (Basis)										SP (continued) 1990 (Basis)										SP (continued) 1991 (Basis)										SP (continued) 1992 (Basis)										SP (continued) 1993 (Basis)										SP (continued) 1994 (Basis)										SP (continued) 1995 (Basis)										SP (continued) 1996 (Basis)										SP (continued) 1997 (Basis)										SP (continued) 1998 (Basis)										SP (continued) 1999 (Basis)										SP (continued) 2000 (Basis)										SP (continued) 2001 (Basis)										SP (continued) 2002 (Basis)										SP (continued) 2003 (Basis)										SP (continued) 2004 (Basis)										SP (continued) 2005 (Basis)										SP (continued) 2006 (Basis)										SP (continued) 2007 (Basis)										SP (continued) 2008 (Basis)										SP (continued) 2009 (Basis)										SP (continued) 2010 (Basis)										SP (continued) 2011 (Basis)										SP (continued) 2012 (Basis)										SP (continued) 2013 (Basis)										SP (continued) 2014 (Basis)										SP (continued) 2015 (Basis)										SP (continued) 2016 (Basis)										SP (continued) 2017 (Basis)										SP (continued) 2018 (Basis)										SP (continued) 2019 (Basis)										SP (continued) 2020 (Basis)										SP (continued) 2021 (Basis)										SP (continued) 2022 (Basis)										SP (continued) 2023 (Basis)										SP (continued) 2024 (Basis)										SP (continued) 2025 (Basis)										SP (continued) 2026 (Basis)										SP (continued) 2027 (Basis)										SP (continued) 2028 (Basis)										SP (continued) 2029 (Basis)										SP (continued) 2030 (Basis)																																																																																																																																																																																																																																																																																									
	Year	Month	Day	Hour	Minute	Second	Millisecond	Microsecond	Nanosecond	Picosecond	Femtosecond	Attosecond	Zeptosecond	Yoctosecond	Planck Time	10 ⁻³³ s	10 ⁻³² s	10 ⁻³¹ s	10 ⁻³⁰ s	10 ⁻²⁹ s	10 ⁻²⁸ s	10 ⁻²⁷ s	10 ⁻²⁶ s	10 ⁻²⁵ s	10 ⁻²⁴ s	10 ⁻²³ s	10 ⁻²² s	10 ⁻²¹ s	10 ⁻²⁰ s	10 ⁻¹⁹ s	10 ⁻¹⁸ s	10 ⁻¹⁷ s	10 ⁻¹⁶ s	10 ⁻¹⁵ s	10 ⁻¹⁴ s	10 ⁻¹³ s	10 ⁻¹² s	10 ⁻¹¹ s	10 ⁻¹⁰ s	10 ⁻⁹ s	10 ⁻⁸ s	10 ⁻⁷ s	10 ⁻⁶ s	10 ⁻⁵ s	10 ⁻⁴ s	10 ⁻³ s	10 ⁻² s	10 ⁻¹ s	10 ⁰ s	10 ¹ s	10 ² s	10 ³ s	10 ⁴ s	10 ⁵ s	10 ⁶ s	10 ⁷ s	10 ⁸ s	10 ⁹ s	10 ¹⁰ s	10 ¹¹ s	10 ¹² s	10 ¹³ s	10 ¹⁴ s	10 ¹⁵ s	10 ¹⁶ s	10 ¹⁷ s	10 ¹⁸ s	10 ¹⁹ s	10 ²⁰ s	10 ²¹ s	10 ²² s	10 ²³ s	10 ²⁴ s	10 ²⁵ s	10 ²⁶ s	10 ²⁷ s	10 ²⁸ s	10 ²⁹ s	10 ³⁰ s	10 ³¹ s	10 ³² s	10 ³³ s	10 ³⁴ s	10 ³⁵ s	10 ³⁶ s	10 ³⁷ s	10 ³⁸ s	10 ³⁹ s	10 ⁴⁰ s	10 ⁴¹ s	10 ⁴² s	10 ⁴³ s	10 ⁴⁴ s	10 ⁴⁵ s	10 ⁴⁶ s	10 ⁴⁷ s	10 ⁴⁸ s	10 ⁴⁹ s	10 ⁵⁰ s	10 ⁵¹ s	10 ⁵² s	10 ⁵³ s	10 ⁵⁴ s	10 ⁵⁵ s	10 ⁵⁶ s	10 ⁵⁷ s	10 ⁵⁸ s	10 ⁵⁹ s	10 ⁶⁰ s	10 ⁶¹ s	10 ⁶² s	10 ⁶³ s	10 ⁶⁴ s	10 ⁶⁵ s	10 ⁶⁶ s	10 ⁶⁷ s	10 ⁶⁸ s	10 ⁶⁹ s	10 ⁷⁰ s	10 ⁷¹ s	10 ⁷² s	10 ⁷³ s	10 ⁷⁴ s	10 ⁷⁵ s	10 ⁷⁶ s	10 ⁷⁷ s	10 ⁷⁸ s	10 ⁷⁹ s	10 ⁸⁰ s	10 ⁸¹ s	10 ⁸² s	10 ⁸³ s	10 ⁸⁴ s	10 ⁸⁵ s	10 ⁸⁶ s	10 ⁸⁷ s	10 ⁸⁸ s	10 ⁸⁹ s	10 ⁹⁰ s	10 ⁹¹ s	10 ⁹² s	10 ⁹³ s	10 ⁹⁴ s	10 ⁹⁵ s	10 ⁹⁶ s	10 ⁹⁷ s	10 ⁹⁸ s	10 ⁹⁹ s	10 ¹⁰⁰ s	10 ¹⁰¹ s	10 ¹⁰² s	10 ¹⁰³ s	10 ¹⁰⁴ s	10 ¹⁰⁵ s	10 ¹⁰⁶ s	10 ¹⁰⁷ s	10 ¹⁰⁸ s	10 ¹⁰⁹ s	10 ¹¹⁰ s	10 ¹¹¹ s	10 ¹¹² s	10 ¹¹³ s	10 ¹¹⁴ s	10 ¹¹⁵ s	10 ¹¹⁶ s	10 ¹¹⁷ s	10 ¹¹⁸ s	10 ¹¹⁹ s	10 ¹²⁰ s	10 ¹²¹ s	10 ¹²² s	10 ¹²³ s	10 ¹²⁴ s	10 ¹²⁵ s	10 ¹²⁶ s	10 ¹²⁷ s	10 ¹²⁸ s	10 ¹²⁹ s	10 ¹³⁰ s	10 ¹³¹ s	10 ¹³² s	10 ¹³³ s	10 ¹³⁴ s	10 ¹³⁵ s	10 ¹³⁶ s	10 ¹³⁷ s	10 ¹³⁸ s	10 ¹³⁹ s	10 ¹⁴⁰ s	10 ¹⁴¹ s	10 ¹⁴² s	10 ¹⁴³ s	10 ¹⁴⁴ s	10 ¹⁴⁵ s	10 ¹⁴⁶ s	10 ¹⁴⁷ s	10 ¹⁴⁸ s	10 ¹⁴⁹ s	10 ¹⁵⁰ s	10 ¹⁵¹ s	10 ¹⁵² s	10 ¹⁵³ s	10 ¹⁵⁴ s	10 ¹⁵⁵ s	10 ¹⁵⁶ s	10 ¹⁵⁷ s	10 ¹⁵⁸ s	10 ¹⁵⁹ s	10 ¹⁶⁰ s	10 ¹⁶¹ s	10 ¹⁶² s	10 ¹⁶³ s	10 ¹⁶⁴ s	10 ¹⁶⁵ s	10 ¹⁶⁶ s	10 ¹⁶⁷ s	10 ¹⁶⁸ s	10 ¹⁶⁹ s	10 ¹⁷⁰ s	10 ¹⁷¹ s	10 ¹⁷² s	10 ¹⁷³ s	10 ¹⁷⁴ s	10 ¹⁷⁵ s	10 ¹⁷⁶ s	10 ¹⁷⁷ s	10 ¹⁷⁸ s	10 ¹⁷⁹ s	10 ¹⁸⁰ s	10 ¹⁸¹ s	10 ¹⁸² s	10 ¹⁸³ s	10 ¹⁸⁴ s	10 ¹⁸⁵ s	10 ¹⁸⁶ s	10 ¹⁸⁷ s	10 ¹⁸⁸ s	10 ¹⁸⁹ s	10 ¹⁹⁰ s	10 ¹⁹¹ s	10 ¹⁹² s	10 ¹⁹³ s	10 ¹⁹⁴ s	10 ¹⁹⁵ s	10 ¹⁹⁶ s	10 ¹⁹⁷ s	10 ¹⁹⁸ s	10 ¹⁹⁹ s	10 ²⁰⁰ s	10 ²⁰¹ s	10 ²⁰² s	10 ²⁰³ s	10 ²⁰⁴ s	10 ²⁰⁵ s	10 ²⁰⁶ s	10 ²⁰⁷ s	10 ²⁰⁸ s	10 ²⁰⁹ s	10 ²¹⁰ s	10 ²¹¹ s	10 ²¹² s	10 ²¹³ s	10 ²¹⁴ s	10 ²¹⁵ s	10 ²¹⁶ s	10 ²¹⁷ s	10 ²¹⁸ s	10 ²¹⁹ s	10 ²²⁰ s	10 ²²¹ s	10 ²²² s	10 ²²³ s	10 ²²⁴ s	10 ²²⁵ s	10 ²²⁶ s	10 ²²⁷ s	10 ²²⁸ s	10 ²²⁹ s	10 ²³⁰ s	10 ²³¹ s	10 ²³² s	10 ²³³ s	10 ²³⁴ s	10 ²³⁵ s	10 ²³⁶ s	10 ²³⁷ s	10 ²³⁸ s	10 ²³⁹ s	10 ²⁴⁰ s	10 ²⁴¹ s	10 ²⁴² s	10 ²⁴³ s	10 ²⁴⁴ s	10 ²⁴⁵ s	10 ²⁴⁶ s	10 ²⁴⁷ s	10 ²⁴⁸ s	10 ²⁴⁹ s	10 ²⁵⁰ s	10 ²⁵¹ s	10 ²⁵² s	10 ²⁵³ s	10 ²⁵⁴ s	10 ²⁵⁵ s	10 ²⁵⁶ s	10 ²⁵⁷ s	10 ²⁵⁸ s	10 ²⁵⁹ s	10 ²⁶⁰ s	10 ²⁶¹ s	10 ²⁶² s	10 ²⁶³ s	10 ²⁶⁴ s	10 ²⁶⁵ s	10 ²⁶⁶ s	10 ²⁶⁷ s	10 ²⁶⁸ s	10 ²⁶⁹ s	10 ²⁷⁰ s	10 ²⁷¹ s	10 ²⁷² s	10 ²⁷³ s	10 ²⁷⁴ s	10 ²⁷⁵ s	10 ²⁷⁶ s	10 ²⁷⁷ s	10 ²⁷⁸ s	10 ²⁷⁹ s	10 ²⁸⁰ s	10 ²⁸¹ s	10 ²⁸² s	10 ²⁸³ s	10 ²⁸⁴ s	10 ²⁸⁵ s	10 ²⁸⁶ s	10 ²⁸⁷ s	10 ²⁸⁸ s	10 ²⁸⁹ s	10 ²⁹⁰ s	10 ²⁹¹ s	10 ²⁹² s	10 ²⁹³ s	10 ²⁹⁴ s	10 ²⁹⁵ s	10 ²⁹⁶ s	10 ²⁹⁷ s	10 ²⁹⁸ s	10 ²⁹⁹ s	10 ³⁰⁰ s	10 ³⁰¹ s	10 ³⁰² s	10 ³⁰³ s	10 ³⁰⁴ s	10 ³⁰⁵ s	10 ³⁰⁶ s	10 ³⁰⁷ s	10 ³⁰⁸ s	10 ³⁰⁹ s	10 ³¹⁰ s	10 ³¹¹ s	10 ³¹² s	10 ³¹³ s	10 ³¹⁴ s	10 ³¹⁵ s	10 ³¹⁶ s	10 ³¹⁷ s	10 ³¹⁸ s	10 ³¹⁹ s	10 ³²⁰ s	10 ³²¹ s	10 ³²² s	10 ³²³ s	10 ³²⁴ s	10 ³²⁵ s	10 ³²⁶ s	10 ³²⁷ s	10 ³²⁸ s	10 ³²⁹ s	10 ³³⁰ s	10 ³³¹ s	10 ³³² s	10 ³³³ s	10 ³³⁴ s	10 ³³⁵ s	10 ³³⁶ s	10 ³³⁷ s	10 ³³⁸ s	10 ³³⁹ s	10 ³⁴⁰ s	10 ³⁴¹ s	10 ³⁴² s	10 ³⁴³ s	10 ³⁴⁴ s	10 ³⁴⁵ s	10 ³⁴⁶ s	10 ³⁴⁷ s	10 ³⁴⁸ s	10 ³⁴⁹ s	10 ³⁵⁰ s	10 ³⁵¹ s	10 ³⁵² s	10 ³⁵³ s	10 ³⁵⁴ s	10 ³⁵⁵ s	10 ³⁵⁶ s	10 ³⁵⁷ s	10 ³⁵⁸ s	10 ³⁵⁹ s	10 ³⁶⁰ s	10 ³⁶¹ s	10 ³⁶² s	10 ³⁶³ s	10 ³⁶⁴ s	10 ³⁶⁵ s	10 ³⁶⁶ s	10 ³⁶⁷ s	10 ³⁶⁸ s	10 ³⁶⁹ s	10 ³⁷⁰ s	10 ³⁷¹ s	10 ³⁷² s	10 ³⁷³ s	10 ³⁷⁴ s	10 ³⁷⁵ s	10 ³⁷⁶ s	10 ³⁷⁷ s	10 ³⁷⁸ s	10 ³⁷⁹ s	10 ³⁸⁰ s	10 ³⁸¹ s	10 ³⁸² s	10 ³⁸³ s	10 ³⁸⁴ s	10 ³⁸⁵ s	10 ³⁸⁶ s	10 ³⁸⁷ s	10 ³⁸⁸ s	10 ³⁸⁹ s	10 ³⁹⁰ s	10 ³⁹¹ s	10 ³⁹² s	10 ³⁹³ s	10 ³⁹⁴ s	10 ³⁹⁵ s	10 ³⁹⁶ s	10 ³⁹⁷ s	10 ³⁹⁸ s	10 ³⁹⁹ s	10 ⁴⁰⁰ s	10 ⁴⁰¹ s	10 ⁴⁰² s	10 ⁴⁰³ s	10 ⁴⁰⁴ s	10 ⁴⁰⁵ s	10 ⁴⁰⁶ s	10 ⁴⁰⁷ s	10 ⁴⁰⁸ s	10 ⁴⁰⁹ s	10 ⁴¹⁰ s	10 ⁴¹¹ s	10 ⁴¹² s	10 ⁴¹³ s	10 ⁴¹⁴ s	10 ⁴¹⁵ s	10 ⁴¹⁶ s	10 ⁴¹⁷ s	10 ⁴¹⁸ s	10 ⁴¹⁹ s	10 ⁴²⁰ s	10 ⁴²¹ s	10 ⁴²² s	10 ⁴²³ s	10 ⁴²⁴ s	10 ⁴²⁵ s	10 ⁴²⁶ s	10 ⁴²⁷ s	10 ⁴²⁸ s	10 ⁴²⁹ s	10 ⁴³⁰ s	10 ⁴³¹ s	10 ⁴³² s	10 ⁴³³ s	10 ⁴³⁴ s	10 ⁴³⁵ s	10 ⁴³⁶ s	10 ⁴³⁷ s	10 ⁴³⁸ s	10 ⁴³⁹ s	10 ⁴⁴⁰ s	10 ⁴⁴¹ s	10 ⁴⁴² s	10 ⁴⁴³ s	10 ⁴⁴⁴ s	10 ⁴⁴⁵ s	10 ⁴⁴⁶ s	10 ⁴⁴⁷ s	10 ⁴⁴⁸ s	10 ⁴⁴⁹ s	10 ⁴⁵⁰ s	10 ⁴⁵¹ s	10 ⁴⁵² s	10 ⁴⁵³ s	10 ⁴⁵⁴ s	10 ⁴⁵⁵ s	10 ⁴⁵⁶ s	10 ⁴⁵⁷ s	10 ⁴⁵⁸ s	10 ⁴⁵⁹ s	10 ⁴⁶⁰ s	10 ⁴⁶¹ s	10 ⁴⁶² s	10 ⁴⁶³ s	10 ⁴⁶⁴ s	10 ⁴⁶⁵ s	10 ⁴⁶⁶ s	10 ⁴⁶⁷ s	10 ⁴⁶⁸ s	10 ⁴⁶⁹ s	10 ⁴⁷⁰ s	10 ⁴⁷¹ s	10 ⁴⁷² s	10 ⁴⁷³ s	10 ⁴⁷⁴ s	10 ⁴⁷⁵ s	10 ⁴⁷⁶ s	10 ⁴⁷⁷ s	10 ⁴⁷⁸ s	10 ⁴⁷⁹ s	10 ⁴⁸⁰ s	10 ⁴⁸¹ s	10 ⁴⁸² s	10 ⁴⁸³ s	10 ⁴⁸⁴ s	10 ⁴⁸⁵ s	10 ⁴⁸⁶ s	10 ⁴⁸⁷ s	10 ⁴⁸⁸ s	10 ⁴⁸⁹ s	10 ⁴⁹⁰ s	10 ⁴⁹¹ s	10 ⁴⁹² s	10 ⁴⁹³ s	10 ⁴⁹⁴ s	10 ⁴⁹⁵ s	10 ⁴⁹⁶ s	10 ⁴⁹⁷ s	10 ⁴⁹⁸ s	10 ⁴⁹⁹ s	10 ⁵⁰⁰ s	10 ⁵⁰¹ s	10 ⁵⁰² s	10 ⁵⁰³ s	10 ⁵⁰⁴ s	10 ⁵⁰⁵ s	10 ⁵⁰⁶ s	10 ⁵⁰⁷ s	10 ⁵⁰⁸ s	10 ⁵⁰⁹ s	10 ⁵¹⁰ s	10 ⁵¹¹ s	10 ⁵¹² s	10 ⁵¹³ s	10 ⁵¹⁴ s	10 ⁵¹⁵ s	10 ⁵¹⁶ s	10 ⁵¹⁷ s	10 ⁵¹⁸ s	10 ⁵¹⁹ s	10 ⁵²⁰ s	10 ⁵²¹ s	10 ⁵²² s	10 ⁵²³ s	10 ⁵²⁴ s	10 ⁵²⁵ s	10 ⁵²⁶ s	10 ⁵²⁷ s	10 ⁵²⁸ s	10 ⁵²⁹ s	10 ⁵³⁰ s	10 ⁵³¹ s	10 ⁵³² s	10 ⁵³³ s	10 ⁵³⁴ s	10 ⁵³⁵ s	10 ⁵³⁶ s	10 ⁵³⁷ s	10 ⁵³⁸ s	10 ⁵³⁹ s	10 ⁵⁴⁰ s	10 ⁵⁴¹ s	10 ⁵⁴² s	10 ⁵⁴³ s	10 ⁵⁴⁴ s	10 ⁵⁴⁵ s	10 ⁵⁴⁶ s	10 ⁵⁴⁷ s	10 ⁵⁴⁸ s	10 ⁵⁴⁹ s	10 ⁵⁵⁰ s	10 ⁵⁵¹ s	10 ⁵⁵² s	10 ⁵⁵³ s	10 ⁵⁵⁴ s	10 ⁵⁵⁵ s	10 ⁵⁵⁶ s	10 ⁵⁵⁷ s	10 ⁵⁵⁸ s	10 ⁵⁵⁹ s	10 ⁵⁶⁰ s	10 ⁵⁶¹ s	10 ⁵⁶² s	10 ⁵⁶³ s	10 ⁵⁶⁴ s	10 ⁵⁶⁵ s	10 ⁵⁶⁶ s	10 ⁵⁶⁷ s	10 ⁵⁶⁸ s	10 ⁵⁶⁹ s	10 ⁵⁷⁰ s	10 ⁵⁷¹ s	10 ⁵⁷² s	10 ⁵⁷³ s	10 ⁵⁷⁴ s	10 ⁵⁷⁵ s	10 ⁵⁷⁶ s	10 ⁵⁷⁷ s	10 ⁵⁷⁸ s	10 ⁵⁷⁹ s	10 ⁵⁸⁰ s	10 ⁵⁸¹ s	10 ⁵⁸² s	10 ⁵⁸³ s	10 ⁵⁸⁴ s	10 ⁵⁸⁵ s	10 ⁵⁸⁶ s	10 ⁵⁸⁷ s	10 ⁵⁸⁸ s	10 ⁵⁸⁹ s	10 ⁵⁹⁰ s	10 ⁵⁹¹ s	10 ⁵⁹² s	10 ⁵⁹³ s	10 ⁵⁹⁴ s	10 ⁵⁹⁵ s	10 ⁵⁹⁶ s	10 ⁵⁹⁷ s	10 ⁵⁹⁸ s	10 ⁵⁹⁹ s	10 ⁶⁰⁰ s	10 ⁶⁰¹ s	10 ⁶⁰² s	10 ⁶⁰³ s	10 ⁶⁰⁴ s	10 ⁶⁰⁵ s	10 ⁶⁰⁶ s	10 ⁶⁰⁷ s	10 ⁶⁰⁸ s	10 ⁶⁰⁹ s	10 ⁶¹⁰ s	10 ⁶¹¹ s	10 ⁶¹² s	10 ⁶¹³ s	10 ⁶¹⁴ s	10 ⁶¹⁵ s	10 ⁶¹⁶ s	10 ⁶¹⁷ s	10 ⁶¹⁸ s	10 ⁶¹⁹ s	10 ⁶²⁰ s	10 ⁶²¹ s	10 ⁶²² s	10 ⁶²³ s	10 ⁶²⁴ s	10 ⁶²⁵ s	10 ⁶²⁶ s	10 ⁶²⁷ s	10 ⁶²⁸ s	10 ⁶²⁹ s	10 ⁶³⁰ s	10 ⁶³¹ s	10 ⁶³² s	10 ⁶³³ s	10 ⁶³⁴ s	10 ⁶³⁵ s	10 ⁶³⁶ s	10 ⁶³⁷ s	10 ⁶³⁸ s	10 ⁶³⁹ s	10 ⁶⁴⁰ s	10 ⁶⁴¹ s	10 ⁶⁴² s	10 ⁶⁴³ s

Ant2

Index	Band	Mode	Power Reduction	Channel	State	SF expansion position for A50 (MHz)										Scenario 6										Scenario 7										Scenario 8										Scenario 9										Scenario 10										Scenario 11										Scenario 12										Scenario 13										Scenario 14										Scenario 15										Scenario 16										Scenario 17										Scenario 18										Scenario 19										Scenario 20										Scenario 21										Scenario 22										Scenario 23										Scenario 24										Scenario 25										Scenario 26										Scenario 27										Scenario 28										Scenario 29										Scenario 30										Scenario 31										Scenario 32										Scenario 33										Scenario 34										Scenario 35										Scenario 36										Scenario 37										Scenario 38										Scenario 39										Scenario 40										Scenario 41										Scenario 42										Scenario 43										Scenario 44										Scenario 45										Scenario 46										Scenario 47										Scenario 48																										
						Path ID	RB Size	RB Offset	Inter-Polarization Spacing	Measured SF Rate	Auto-Tune SF Rate	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value	Scenario Value

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

[illegible]

Member of SGS Group

9 SIMULTANEOUS TRANSMISSION ANALYSIS

9.1 Simultaneous Transmission Scenarios:

Simultaneous Transmission Configurations	Portable Handset			
	Head	Body-worn	Hotspot	Product specific 10g SAR
WWAN + WLAN 2.4GHz SISO	Yes	Yes	Yes	Yes
WWAN + WLAN 2.4GHz MIMO	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz SISO	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz MIMO	Yes	Yes	Yes	Yes
WWAN + BT_Ant5	Yes	Yes	Yes	Yes
WWAN + BT_Ant4	Yes	Yes	Yes	Yes
WWAN + BT MIMO	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz SISO + BT_Ant5	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz SISO + BT_Ant4	Yes	Yes	Yes	Yes
WWAN + WLAN 2.4GHz SISO_Ant4 + BT_Ant5	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz MIMO + BT_Ant5	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz MIMO + BT_Ant4	Yes	Yes	Yes	Yes
WWAN + WLAN 2.4GHz SISO_Ant5 + WLAN 5/6GHz_Ant4	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz SISO_Ant5 + WLAN 2.4GHz SISO_Ant4	Yes	Yes	Yes	Yes
WWAN + WLAN 5/6GHz SISO_Ant5 + WLAN 2.4GHz SISO_Ant4 + BT_Ant5	Yes	Yes	Yes	Yes
WWAN + WLAN 2.4GHz MIMO + WLAN 5/6GHz MIMO	Yes	Yes	Yes	Yes
WWAN + WLAN 2.4GHz SISO + NFC				Yes
WWAN + WLAN 2.4GHz MIMO + NFC				Yes
WWAN + WLAN 5/6GHz SISO + NFC				Yes
WWAN + WLAN 5/6GHz MIMO + NFC				Yes
WWAN + BT_Ant5 + NFC				Yes
WWAN + BT_Ant4 + NFC				Yes
WWAN + BT MIMO + NFC				Yes
WWAN + WLAN 5/6GHz SISO + BT_Ant5 + NFC				Yes
WWAN + WLAN 5/6GHz SISO + BT_Ant4 + NFC				Yes
WWAN + WLAN 2.4GHz SISO_Ant4 + BT_Ant5 + NFC				Yes
WWAN + WLAN 5/6GHz MIMO + BT_Ant5 + NFC				Yes
WWAN + WLAN 5/6GHz MIMO + BT_Ant4 + NFC				Yes
WWAN + WLAN 2.4GHz SISO_Ant5 + WLAN 5/6GHz_Ant4 + NFC				Yes
WWAN + WLAN 5/6GHz SISO_Ant5 + WLAN 2.4GHz SISO_Ant4 + NFC				Yes
WWAN + WLAN 5/6GHz SISO_Ant5 + WLAN 2.4GHz SISO_Ant4 + BT_Ant5 + NFC				Yes
WWAN + WLAN 2.4GHz MIMO + WLAN 5/6GHz MIMO + NFC				Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

$$\text{Estimated SAR} = \frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{f(\text{GHz})}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

9.3 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by $(\text{SAR1} + \text{SAR2})^{1.5}/R_i$, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and R_i is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Simultaneous Transmission Combination Head Ant0_DSI7_SA

	Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8	
		1		2		3		4		5		6		7		8		9		10		11		12		13		14	
		WLAN 1g SAR (W/kg)	2.4GHz WLAN Avg 1g SAR (W/kg)	2.4GHz WLAN Avg 1g SAR (W/kg)	2.4GHz WLAN Avg+4G LTE 1g SAR (W/kg)	5GHz WLAN Avg 1g SAR (W/kg)	5GHz WLAN Avg 1g SAR (W/kg)	5GHz WLAN Avg+4G LTE 1g SAR (W/kg)	Bluetooth Avg4 1g SAR (W/kg)	Bluetooth Avg5 1g SAR (W/kg)	5GHz WLAN Avg4 1g SAR (W/kg)	5GHz WLAN Avg5 1g SAR (W/kg)	5GHz WLAN Avg+4G LTE 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
WWAN	Right Touch	-	0.004	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.448	0.509	0.381	0.359	0.432	0.531	0.377	0.346							
	Right Tilt	-	0.048	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.290	0.365	0.244	0.225	0.254	0.369	0.216	0.197							
	Left Touch	-	0.075	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.996	0.674	0.903	0.695	0.842	0.695	0.833	0.625							
	Left Tilt	-	0.024	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.689	0.506	0.625	0.464	0.618	0.433	0.595	0.434							
WCDMA Band V	Right Touch	-	0.002	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.447	0.507	0.379	0.348	0.430	0.529	0.375	0.344							
	Right Tilt	-	0.042	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.284	0.359	0.238	0.219	0.248	0.353	0.210	0.191							
	Left Touch	-	0.067	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.998	0.666	0.895	0.687	0.834	0.598	0.825	0.617							
	Left Tilt	-	0.022	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.687	0.504	0.623	0.462	0.617	0.431	0.593	0.432							
LTE Band 5	Right Touch	-	0.203	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.558	0.618	0.490	0.469	0.541	0.640	0.486	0.465							
	Right Tilt	-	0.087	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.329	0.404	0.283	0.264	0.293	0.398	0.295	0.276							
	Left Touch	-	0.139	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	1.030	0.728	0.967	0.759	0.906	0.670	0.897	0.689							
	Left Tilt	-	0.077	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.732	0.549	0.668	0.507	0.662	0.476	0.638	0.477							
LTE Band 12	Right Touch	-	0.105	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.460	0.520	0.392	0.361	0.443	0.542	0.388	0.367							
	Right Tilt	-	0.044	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.298	0.361	0.240	0.221	0.250	0.355	0.212	0.193							
	Left Touch	-	0.092	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.983	0.681	0.920	0.712	0.859	0.623	0.850	0.642							
	Left Tilt	-	0.034	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.689	0.506	0.625	0.464	0.619	0.433	0.595	0.434							
LTE Band 17	Right Touch	-	0.107	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.462	0.522	0.394	0.363	0.445	0.544	0.390	0.369							
	Right Tilt	-	0.038	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.298	0.365	0.234	0.215	0.244	0.349	0.206	0.187							
	Left Touch	-	0.088	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.979	0.687	0.916	0.708	0.855	0.613	0.846	0.638							
	Left Tilt	-	0.030	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.685	0.502	0.621	0.460	0.615	0.429	0.591	0.430							
LTE Band 26	Right Touch	-	0.203	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.558	0.618	0.490	0.469	0.541	0.640	0.486	0.465							
	Right Tilt	-	0.130	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.372	0.447	0.326	0.307	0.336	0.441	0.298	0.279							
	Left Touch	-	0.096	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.987	0.695	0.924	0.716	0.863	0.627	0.854	0.646							
	Left Tilt	-	0.036	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.691	0.508	0.627	0.466	0.621	0.435	0.597	0.436							
LTE Band 71	Right Touch	-	0.088	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.443	0.503	0.375	0.344	0.426	0.525	0.371	0.340							
	Right Tilt	-	0.026	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.278	0.353	0.232	0.213	0.242	0.347	0.204	0.185							
	Left Touch	-	0.056	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.947	0.655	0.884	0.676	0.823	0.587	0.814	0.606							
	Left Tilt	-	0.022	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.677	0.494	0.613	0.452	0.607	0.421	0.583	0.422							
NR n5	Right Touch	-	0.121	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.476	0.536	0.408	0.377	0.459	0.558	0.404	0.373							
	Right Tilt	-	0.051	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.280	0.358	0.247	0.228	0.257	0.362	0.215	0.200							
	Left Touch	-	0.093	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.984	0.692	0.921	0.713	0.860	0.624	0.851	0.643							
	Left Tilt	-	0.051	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.706	0.523	0.642	0.481	0.636	0.450	0.612	0.451							
NR n12	Right Touch	-	0.049	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.464	0.484	0.336	0.305	0.387	0.486	0.332	0.301							
	Right Tilt	-	0.022	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.274	0.349	0.238	0.209	0.238	0.343	0.200	0.181							
	Left Touch	-	0.046	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.937	0.645	0.874	0.666	0.813	0.577	0.804	0.596							
	Left Tilt	-	0.027	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.682	0.489	0.618	0.457	0.612	0.426	0.588	0.427							
NR n26	Right Touch	-	0.134	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.480	0.549	0.421	0.390	0.472	0.571	0.417	0.386							
	Right Tilt	-	0.088	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.330	0.405	0.284	0.265	0.294	0.399	0.256	0.237							
	Left Touch	-	0.103	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.994	0.702	0.931	0.723	0.870	0.634	0.861	0.653							
	Left Tilt	-	0.046	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.703	0.518	0.637	0.475	0.631	0.445	0.607	0.446							
NR n71	Right Touch	-	0.026	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.330	0.340	0.240	0.219	0.248	0.347	0.206	0.187							
	Right Tilt	-	0.016	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.268	0.333	0.212	0.193	0.222	0.327	0.184	0.165							
	Left Touch	-	0.021	0.404	0.102	0.289	0.461	0.109	0.430	0.164	0.026	0.337	0.103	0.360	0.912	0.620	0.849	0.641	0.788	0.571	0.779	0.671							
	Left Tilt	-	0.013	0.310	0.079	0.289	0.325	0.142	0.362	0.108	0.020	0.255	0.069	0.272	0.668	0.485	0.604	0.443	0.598	0.412	0.574	0.413							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant1_DSI7_SA

Report No.: TESA2408000483EN

Page: 103 of 217

WWAN	Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 7		Scenario 8	
		1	2	3	4	5	6	7	8	9	10	11	12	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed		
		WWAN 1g SAR (W/kg)	2.4GHz WLAN Ant1 1g SAR (W/kg)	2.4GHz WLAN Ant2 1g SAR (W/kg)	2.4GHz WLAN Ant3 1g SAR (W/kg)	5GHz WLAN Ant1 1g SAR (W/kg)	5GHz WLAN Ant2 1g SAR (W/kg)	5GHz WLAN Ant3 1g SAR (W/kg)	Bluetooth Ant1 1g SAR (W/kg)	Bluetooth Ant2 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant6 1g SAR (W/kg)	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed		
GSM300	Right Touch	-	0.009	0.137	0.360	0.128	0.170	0.230	0.059	0.049	0.048	0.153	0.252	0.155	0.394	0.464	0.326	0.295	0.377	0.476	0.332	0.291	0.332	0.291	0.332	0.291	
	Right Tilt	-	0.011	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.253	0.328	0.207	0.388	0.217	0.322	0.179	0.359	0.217	0.322	0.179		
	Left Touch	-	0.107	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.998	0.796	0.935	0.727	0.874	0.638	0.865	0.657	0.865	0.657	0.865		
	Left Tilt	-	0.058	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.673	0.499	0.609	0.448	0.603	0.417	0.579	0.418	0.579	0.418	0.579		
WCDMA Band II	Right Touch	-	0.056	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.298	0.373	0.252	0.233	0.262	0.367	0.224	0.205	0.224	0.205	0.224	0.205	
	Right Tilt	-	0.044	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.282	0.357	0.236	0.217	0.246	0.351	0.208	0.189	0.208	0.189	0.208		
	Left Touch	-	0.177	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.196	0.898	1.127	0.919	1.066	0.839	1.057	0.849	1.057	0.849	1.057		
	Left Tilt	-	0.075	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.739	0.547	0.666	0.505	0.650	0.474	0.638	0.475	0.638	0.475	0.638		
WCDMA Band IV	Right Touch	-	0.105	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.460	0.520	0.392	0.361	0.443	0.540	0.388	0.357	0.388	0.357	0.388	0.357	
	Right Tilt	-	0.040	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.282	0.357	0.236	0.217	0.246	0.351	0.208	0.189	0.208	0.189	0.208		
	Left Touch	-	0.177	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.196	0.898	1.127	0.919	1.066	0.839	1.057	0.849	1.057	0.849	1.057		
	Left Tilt	-	0.070	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.725	0.542	0.661	0.509	0.655	0.489	0.631	0.470	0.631	0.470	0.631		
LTE Band 2	Right Touch	-	0.139	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.539	0.593	0.455	0.424	0.516	0.615	0.461	0.420	0.461	0.420	0.461	0.420	
	Right Tilt	-	0.084	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.326	0.401	0.280	0.261	0.290	0.395	0.252	0.233	0.252	0.233	0.252	0.233	
	Left Touch	-	0.325	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.216	0.924	1.153	0.945	1.092	0.856	1.083	0.875	1.083	0.875	1.083		
	Left Tilt	-	0.107	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.760	0.579	0.698	0.537	0.682	0.506	0.668	0.507	0.668	0.507	0.668		
LTE Band 4	Right Touch	-	0.190	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.546	0.605	0.477	0.446	0.526	0.627	0.473	0.442	0.473	0.442	0.473	0.442	
	Right Tilt	-	0.090	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.332	0.407	0.286	0.267	0.296	0.401	0.258	0.239	0.258	0.239	0.258		
	Left Touch	-	0.254	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.148	0.853	1.082	0.874	1.021	0.785	1.012	0.842	1.012	0.842	1.012		
	Left Tilt	-	0.120	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.779	0.582	0.711	0.599	0.736	0.519	0.681	0.510	0.681	0.510	0.681		
LTE Band 7	Right Touch	-	0.119	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.474	0.534	0.406	0.375	0.457	0.566	0.402	0.371	0.402	0.371	0.402	0.371	
	Right Tilt	-	0.046	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.288	0.363	0.242	0.223	0.252	0.367	0.214	0.195	0.214	0.195	0.214		
	Left Touch	-	0.150	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.043	0.749	0.978	0.770	0.917	0.681	0.908	0.700	0.908	0.700	0.908		
	Left Tilt	-	0.068	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.723	0.540	0.659	0.498	0.653	0.487	0.629	0.468	0.629	0.468	0.629		
LTE Band 25	Right Touch	-	0.388	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.743	0.803	0.675	0.644	0.736	0.825	0.671	0.640	0.671	0.640	0.671	0.640	
	Right Tilt	-	0.105	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.347	0.422	0.301	0.282	0.311	0.416	0.273	0.254	0.273	0.254	0.273		
	Left Touch	-	0.368	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.070	0.787	1.126	0.998	1.126	0.899	1.126	0.899	1.126	0.899	1.126		
	Left Tilt	-	0.178	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.833	0.650	0.769	0.668	0.763	0.577	0.729	0.578	0.729	0.578	0.729		
LTE Band 30	Right Touch	-	0.141	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.496	0.556	0.428	0.397	0.479	0.578	0.424	0.393	0.424	0.393	0.424	0.393	
	Right Tilt	-	0.052	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.294	0.369	0.248	0.229	0.258	0.363	0.220	0.201	0.220	0.201	0.220		
	Left Touch	-	0.186	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.077	0.785	1.104	0.906	0.993	0.717	0.944	0.736	0.944	0.736	0.944		
	Left Tilt	-	0.095	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.759	0.567	0.686	0.525	0.680	0.464	0.656	0.455	0.656	0.455	0.656		
LTE Band 66	Right Touch	-	0.221	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.576	0.636	0.508	0.477	0.559	0.658	0.504	0.473	0.504	0.473	0.504	0.473	
	Right Tilt	-	0.081	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.328	0.398	0.277	0.258	0.287	0.392	0.249	0.230	0.249	0.230	0.249		
	Left Touch	-	0.243	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.134	0.842	1.071	0.883	1.010	0.774	1.001	0.793	1.001	0.793	1.001		
	Left Tilt	-	0.119	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.798	0.613	0.732	0.571	0.756	0.540	0.702	0.541	0.702	0.541	0.702		
LTE Band 38	Right Touch	-	0.141	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.474	0.534	0.406	0.375	0.457	0.566	0.402	0.371	0.402	0.371	0.402	0.371	
	Right Tilt	-	0.059	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.286	0.361	0.242	0.223	0.252	0.367	0.214	0.195	0.214	0.195	0.214		
	Left Touch	-	0.039	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.980	0.688	0.917	0.709	0.856	0.620	0.847	0.638	0.847	0.638	0.847		
	Left Tilt	-	0.084	0.310	0.079	0.289	0.525	0.142	0.350	0.108	0.020	0.295	0.069	0.272	0.688	0.506	0.625	0.464	0.619	0.433	0.595	0.434	0.595	0.434	0.595		
LTE Band 41_P3	Right Touch	-	0.046	0.137	0.360	0.128	0.170	0.230	0.059	0.049	0.048	0.153	0.252	0.155	0.403	0.479	0.346	0.315	0.397	0.494	0.341	0.300	0.341	0.300	0.341	0.300	
	Right Tilt	-	0.004	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.269	0.341	0.220	0.201	0.230	0.335	0.192	0.173	0.192	0.173	0.192	0.173	
	Left Touch	-	0.081	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.972	0.688	0.909	0.7010									

		1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1 1+2+9+9	Scenario 2 1+2+9+9	Scenario 3 1+4+7	Scenario 4 1+7+9+9	Scenario 5 1+2+9+10	Scenario 6 1+2+9+11	Scenario 7 1+4+12	Scenario 8 1+7+9+12
WWAN	Exposure Position	1g SAR (W/kg)	2.4Gz WLAN 1g SAR (W/kg)	2.4Gz WLAN 1g SAR (W/kg)	2.4Gz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	Bluetooth 1g SAR (mW/kg)	Bluetooth 1g SAR (mW/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed	1g SAR (W/kg) Summed
WCMA Band II	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Right Tr	-	#REF!	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	0.360	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
WCMA Band IV	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Right Tr	-#REF!	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	0.360	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
WCMA Band V	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Right Tr	-#REF!	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	0.360	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
LTE B2	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.396	1.465	1.327	1.296	1.378	1.477	1.323	1.292
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.346	1.397	1.074	1.212	1.272	1.288	1.174	1.109
LTE Band 4	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.798	0.643	0.742	0.593	0.728	0.542	0.704	0.543
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	1.397	1.467	1.329	1.296	1.380	1.479	1.325	1.294
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.406	1.468	1.447	1.406	1.467	1.464	1.409	1.363
LTE Band 5	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 7	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 12	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 17	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 25	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 26	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 30	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 38	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 41 PC3	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
LTE Band 41 PC2	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
NR n2	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
NR n5	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
NR n7	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
NR n25	Right Touch	-#REF!	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
	Right Tr	-	0.096	0.137	0.089	0.115	0.089	0.037	0.039	0.031	0.079	0.184	0.079	0.648	0.643	0.422	0.463	0.642	0.537	0.394	0.375
	Left Touch	-#REF!	0.104	0.302	0.298	0.445	0.369	0.430	0.154	0.265	0.208	0.154	0.252	1.397	1.467	1.339	1.296	1.380	1.489	1.335	1.304
NR n26	Right Touch	-#REF!	0.137	0.360	0.128	0.170															

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant6_DSI7_SA

Report No.: TESA2408000483EN

Page: 105 of 217

WWAN	Exposure Position	Reported SAR												Scenario SAR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		1		2		3		4		5		6		7		8		9		10		11		12		Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		WWAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	Bluetooth	Bluetooth	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Ant7_DSI7_SA

Report No.: TESA2408000483EN

Page: 106 of 217

WWAN		Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8		
			WWAN	2.4GHz WLAN Ant1	2.4GHz WLAN Ant2	2.4GHz WLAN Ant3	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant6	Bluetooth Ant4	Bluetooth Ant5	5GHz WLAN Ant7	5GHz WLAN Ant8	5GHz WLAN Ant9	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed	10G-PWR Summed		
LTE Band 2	Right Touch	-	0.429	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.794	0.844	0.715	0.685	0.767	0.866	0.712	0.681	0.866	0.712	0.681	0.866	0.712	0.681	0.866	0.712	0.681
	Right Tilt	-	1.180	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.422	1.497	1.376	1.357	1.386	1.481	1.348	1.329	1.481	1.348	1.329	1.481	1.348	1.329	1.481	1.348	1.329
	Left Touch	-	0.276	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.167	0.875	1.104	0.896	1.045	0.807	1.034	0.826	1.034	0.826	1.034	0.826	1.034	0.826	1.034	0.826	1.034
	Left Tilt	-	0.651	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.295	1.083	1.202	1.041	1.136	0.911	1.172	0.911	1.172	0.911	1.172	0.911	1.172	0.911	1.172	0.911	1.172
LTE Band 4	Right Touch	-	0.179	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.534	0.584	0.466	0.425	0.517	0.616	0.462	0.431	0.616	0.462	0.431	0.616	0.462	0.431	0.616	0.462	0.431
	Right Tilt	-	0.488	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.739	0.805	0.684	0.665	0.684	0.799	0.656	0.637	0.799	0.656	0.637	0.799	0.656	0.637	0.799	0.656	0.637
	Left Touch	-	0.111	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.002	0.710	0.939	0.731	0.678	0.642	0.869	0.661	0.869	0.661	0.869	0.661	0.869	0.661	0.869	0.661	0.869
	Left Tilt	-	0.358	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	0.993	0.780	0.899	0.738	0.693	0.707	0.869	0.708	0.869	0.708	0.869	0.708	0.869	0.708	0.869	0.708	0.869
LTE Band 25	Right Touch	-	0.395	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.790	0.810	0.682	0.661	0.723	0.832	0.678	0.647	0.832	0.678	0.647	0.832	0.678	0.647	0.832	0.678	0.647
	Right Tilt	-	1.128	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.370	1.445	1.324	1.305	1.334	1.439	1.296	1.277	1.439	1.296	1.277	1.439	1.296	1.277	1.439	1.296	1.277
	Left Touch	-	0.263	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.154	0.862	1.091	0.883	1.030	0.794	1.021	0.813	1.021	0.813	1.021	0.813	1.021	0.813	1.021	0.813	1.021
	Left Tilt	-	0.569	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.224	1.041	1.160	0.999	1.154	0.968	1.130	0.969	1.130	0.969	1.130	0.969	1.130	0.969	1.130	0.969	1.130
LTE Band 30	Right Touch	-	0.409	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.809	0.880	0.762	0.721	0.803	0.902	0.748	0.717	0.902	0.748	0.717	0.902	0.748	0.717	0.902	0.748	0.717
	Right Tilt	-	1.194	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.436	1.511	1.390	1.371	1.400	1.505	1.362	1.343	1.505	1.362	1.343	1.505	1.362	1.343	1.505	1.362	1.343
	Left Touch	-	0.268	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.159	0.867	1.096	0.889	1.035	0.799	1.026	0.818	1.026	0.818	1.026	0.818	1.026	0.818	1.026	0.818	1.026
	Left Tilt	-	0.689	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.244	1.103	1.250	1.089	1.244	1.058	1.220	1.059	1.220	1.059	1.220	1.059	1.220	1.059	1.220	1.059	1.220
LTE Band 66	Right Touch	-	0.409	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.809	0.880	0.762	0.721	0.803	0.902	0.748	0.717	0.902	0.748	0.717	0.902	0.748	0.717	0.902	0.748	0.717
	Right Tilt	-	1.194	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.436	1.511	1.390	1.371	1.400	1.505	1.362	1.343	1.505	1.362	1.343	1.505	1.362	1.343	1.505	1.362	1.343
	Left Touch	-	0.268	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.159	0.867	1.096	0.889	1.035	0.799	1.026	0.818	1.026	0.818	1.026	0.818	1.026	0.818	1.026	0.818	1.026
	Left Tilt	-	0.689	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.244	1.103	1.250	1.089	1.244	1.058	1.220	1.059	1.220	1.059	1.220	1.059	1.220	1.059	1.220	1.059	1.220
LTE Band 48	Right Touch	-	0.121	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.476	0.536	0.408	0.377	0.459	0.568	0.404	0.373	0.568	0.404	0.373	0.568	0.404	0.373	0.568	0.404	0.373
	Right Tilt	-	0.525	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.767	0.842	0.721	0.702	0.731	0.836	0.693	0.674	0.836	0.693	0.674	0.836	0.693	0.674	0.836	0.693	0.674
	Left Touch	-	0.097	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.998	0.696	0.925	0.717	0.684	0.628	0.855	0.647	0.855	0.647	0.855	0.647	0.855	0.647	0.855	0.647	0.855
	Left Tilt	-	0.310	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	0.765	0.765	0.765	0.765	0.738	0.654	0.715	0.654	0.715	0.654	0.715	0.654	0.715	0.654	0.715	0.654	0.715
NR n2	Right Touch	-	0.359	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.714	0.774	0.646	0.615	0.697	0.795	0.642	0.611	0.795	0.642	0.611	0.795	0.642	0.611	0.795	0.642	0.611
	Right Tilt	-	1.118	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.360	1.435	1.314	1.295	1.324	1.429	1.286	1.267	1.429	1.286	1.267	1.429	1.286	1.267	1.429	1.286	1.267
	Left Touch	-	0.236	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.177	0.895	1.094	0.895	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040
	Left Tilt	-	0.551	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.199	0.983	1.102	0.941	1.096	0.910	1.072	0.911	1.072	0.911	1.072	0.911	1.072	0.911	1.072	0.911	1.072
NR n25	Right Touch	-	0.411	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.766	0.826	0.698	0.667	0.746	0.848	0.694	0.663	0.848	0.694	0.663	0.848	0.694	0.663	0.848	0.694	0.663
	Right Tilt	-	1.144	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.395	1.461	1.340	1.321	1.350	1.455	1.312	1.293	1.455	1.312	1.293	1.455	1.312	1.293	1.455	1.312	1.293
	Left Touch	-	0.282	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.171	0.881	1.110	0.962	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040	0.814	1.040
	Left Tilt	-	0.541	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.195	1.013	1.132	0.971	1.126	0.940	1.102	0.941	1.102	0.941	1.102	0.941	1.102	0.941	1.102	0.941	1.102
NR n30	Right Touch	-	0.404	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.846	0.909	0.781	0.750	0.832	0.931	0.777	0.746	0.931	0.777	0.746	0.931	0.777	0.746	0.931	0.777	0.746
	Right Tilt	-	1.110	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	1.352	1.427	1.306	1.287	1.316	1.421	1.278	1.259	1.421	1.278	1.259	1.421	1.278	1.259	1.421	1.278	1.259
	Left Touch	-	0.211	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	1.201	0.910	1.139	0.921	1.078	0.842	1.069	0.861	1.069	0.861	1.069	0.861	1.069	0.861	1.069	0.861	1.069
	Left Tilt	-	0.617	0.310	0.079	0.289	0.525	0.142	0.362	0.108	0.020	0.295	0.069	0.272	1.272	1.089	1.208	1.047	1.202	1.015	1.178	1.017	1.178	1.017	1.178	1.017	1.178	1.017	1.178	1.017	1.178
NR n66	Right Touch	-	0.126	0.137	0.360	0.128	0.170	0.230	0.159	0.049																					



Ant8_DSI7_SA

Report No.: TESA2408000483EN

Page: 107 of 217

WWAN		Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			1		2		3		4		5		6		7		8		9		10		11		12		100-WF		100-WF		100-WF		100-WF		100-WF		100-WF																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)	2.4GHz WLAN	1g SAR (W/kg)



Ant9_DSI7_SA

Report No.: TESA2408000483EN

Page: 108 of 217

WWAN		Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8		
			1	2	3	4	5	6	7	8	9	10	11	12	13-14	15-16	17-18	19-20	21-22	23-24	25-26	27-28	29-30	31-32	33-34	35-36	37-38	39-40	41-42	43-44	
			WWAN	2.4GHz WLAN Ant-Ant	2.4GHz WLAN Ant-Ant	2.4GHz WLAN Ant-Ant	5GHz WLAN Ant-Ant	5GHz WLAN Ant-Ant	5GHz WLAN Ant-Ant	Bluetooth Ant-A	Bluetooth Ant-A	5GHz WLAN Ant-Ant	5GHz WLAN Ant-Ant	5GHz WLAN Ant-Ant	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 41_PC3	Right Touch	-	0.008	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.380	0.445	0.317	0.286	0.309	0.467	0.313	0.302									
	Right Tilt	-	0.007	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.248	0.324	0.203	0.184	0.213	0.316	0.175	0.156									
	Left Touch	-	0.004	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.895	0.483	0.882	0.684	0.831	0.595	0.822	0.614									
	Left Tilt	-	0.014	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.265	0.689	0.486	0.605	0.444	0.589	0.413	0.575	0.414									
LTE Band 41_PC2	Right Touch	-	0.006	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.381	0.441	0.313	0.282	0.304	0.463	0.309	0.278									
	Right Tilt	-	0.005	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.247	0.322	0.201	0.182	0.211	0.316	0.173	0.154									
	Left Touch	-	0.007	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.946	0.656	0.885	0.677	0.824	0.588	0.815	0.607									
	Left Tilt	-	0.012	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.687	0.484	0.603	0.442	0.587	0.411	0.573	0.412									
LTE Band 48	Right Touch	-	0.010	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.385	0.425	0.297	0.266	0.348	0.447	0.281	0.262									
	Right Tilt	-	0.003	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.245	0.320	0.199	0.180	0.209	0.314	0.171	0.152									
	Left Touch	-	0.007	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.918	0.626	0.855	0.647	0.794	0.558	0.785	0.577									
	Left Tilt	-	0.008	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.693	0.480	0.599	0.438	0.583	0.407	0.560	0.408									
NR n41_PC3	Right Touch	-	0.009	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.374	0.404	0.306	0.275	0.307	0.406	0.302	0.271									
	Right Tilt	-	0.006	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.248	0.323	0.202	0.183	0.212	0.317	0.174	0.155									
	Left Touch	-	0.005	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.926	0.634	0.863	0.655	0.802	0.566	0.793	0.585									
	Left Tilt	-	0.010	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.686	0.482	0.601	0.440	0.589	0.409	0.571	0.413									
NR n41_PC2	Right Touch	-	0.008	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.373	0.403	0.305	0.274	0.306	0.405	0.301	0.270									
	Right Tilt	-	0.012	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.254	0.329	0.208	0.189	0.218	0.323	0.180	0.161									
	Left Touch	-	0.041	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.932	0.640	0.869	0.661	0.808	0.572	0.799	0.591									
	Left Tilt	-	0.013	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.688	0.485	0.604	0.443	0.598	0.412	0.574	0.413									
NR n48	Right Touch	-	0.020	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.375	0.405	0.307	0.276	0.308	0.407	0.303	0.272									
	Right Tilt	-	0.012	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.254	0.329	0.208	0.189	0.218	0.323	0.180	0.161									
	Left Touch	-	0.029	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.920	0.628	0.857	0.649	0.796	0.560	0.787	0.579									
	Left Tilt	-	0.010	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.685	0.482	0.601	0.440	0.595	0.409	0.571	0.413									
NR n77_PC3	Right Touch	-	0.008	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.363	0.423	0.295	0.264	0.246	0.445	0.291	0.269									
	Right Tilt	-	0.006	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.248	0.323	0.202	0.183	0.212	0.317	0.174	0.155									
	Left Touch	-	0.011	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.902	0.610	0.839	0.611	0.776	0.542	0.768	0.561									
	Left Tilt	-	0.004	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.659	0.476	0.595	0.434	0.580	0.403	0.565	0.404									
NR n77_PC2	Right Touch	-	0.020	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.375	0.405	0.307	0.276	0.308	0.407	0.303	0.272									
	Right Tilt	-	0.009	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.255	0.326	0.205	0.186	0.215	0.320	0.177	0.158									
	Left Touch	-	0.008	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.907	0.625	0.854	0.656	0.803	0.567	0.784	0.586									
	Left Tilt	-	0.005	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.671	0.488	0.607	0.446	0.601	0.415	0.577	0.416									
NR n77 & n78_PC3	Right Touch	-	0.016	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.374	0.421	0.303	0.272	0.304	0.403	0.299	0.268									
	Right Tilt	-	0.007	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.248	0.324	0.203	0.184	0.213	0.318	0.175	0.156									
	Left Touch	-	0.004	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.925	0.623	0.852	0.654	0.801	0.565	0.782	0.584									
	Left Tilt	-	0.013	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.688	0.485	0.604	0.443	0.598	0.412	0.574	0.413									
NR n77 & n78_PC2	Right Touch	-	0.008	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.363	0.423	0.295	0.264	0.246	0.445	0.291	0.269									
	Right Tilt	-	0.003	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.245	0.320	0.199	0.180	0.209	0.314	0.171	0.152									
	Left Touch	-	0.021	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.917	0.620	0.848	0.641	0.788	0.552	0.775	0.571									
	Left Tilt	-	0.005	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.680	0.477	0.596	0.435	0.590	0.404	0.566	0.405									
NR n78_PC3	Right Touch	-	0.018	0.137	0.360	0.128	0.170	0.230	0.128	0.049	0.049	0.153	0.252	0.155	0.373	0.433	0.305	0.274	0.306	0.405	0.301	0.270									
	Right Tilt	-	0.004	0.096	0.197	0.089	0.115	0.190	0.107	0.039	0.031	0.079	0.184	0.079	0.246	0.321	0.200	0.181	0.210	0.315	0.172	0.153									
	Left Touch	-	0.038	0.404	0.102	0.398	0.461	0.189	0.430	0.164	0.026	0.337	0.101	0.360	0.929	0.637	0.866	0.658	0.805	0.569	0.796	0.588									
	Left Tilt	-	0.010	0.310	0.079	0.289	0.525	0.142	0.302	0.108	0.020	0.265	0.029	0.272	0.687	0.483	0.602	0.443	0.597	0.412	0.573	0.413									
NR n78_PC2	Right Touch																														

Ant0+1_DSI6_NSA

WWAN Ant0	WWAN Ant1	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0 1g SAR (W/kg)	WWAN Ant1 1g SAR (W/kg)	Summed 1g SAR (W/kg)
LTE B12	LTE B25	Right Touch	-	0.105	0.388	0.493
		Right Tilt	-	0.044	0.105	0.149
		Left Touch	-	0.092	0.368	0.460
		Left Tilt	-	0.034	0.178	0.212
LTE B12	LTE B30	Right Touch	-	0.105	0.141	0.246
		Right Tilt	-	0.044	0.052	0.096
		Left Touch	-	0.092	0.186	0.278
		Left Tilt	-	0.034	0.095	0.129
LTE B12	LTE B66	Right Touch	-	0.105	0.221	0.326
		Right Tilt	-	0.044	0.081	0.125
		Left Touch	-	0.092	0.243	0.335
		Left Tilt	-	0.034	0.141	0.175
LTE B26	LTE B25	Right Touch	-	0.203	0.388	0.591
		Right Tilt	-	0.130	0.105	0.235
		Left Touch	-	0.096	0.368	0.464
		Left Tilt	-	0.036	0.178	0.214
LTE B12	LTE B2	Right Touch	-	0.105	0.178	0.283
		Right Tilt	-	0.044	0.084	0.128
		Left Touch	-	0.092	0.325	0.417
		Left Tilt	-	0.034	0.107	0.141
LTE B5	LTE B2	Right Touch	-	0.203	0.178	0.381
		Right Tilt	-	0.087	0.084	0.171
		Left Touch	-	0.139	0.325	0.464
		Left Tilt	-	0.077	0.107	0.184
LTE B71	LTE B2	Right Touch	-	0.088	0.178	0.266
		Right Tilt	-	0.036	0.084	0.120
		Left Touch	-	0.056	0.325	0.381
		Left Tilt	-	0.022	0.107	0.129
LTE B71	LTE B66	Right Touch	-	0.088	0.221	0.309
		Right Tilt	-	0.036	0.081	0.117
		Left Touch	-	0.056	0.243	0.299
		Left Tilt	-	0.022	0.141	0.163
LTE B26	LTE B7	Right Touch	-	0.203	0.119	0.322
		Right Tilt	-	0.130	0.046	0.176
		Left Touch	-	0.096	0.150	0.246
		Left Tilt	-	0.036	0.068	0.104
LTE B12	LTE B4	Right Touch	-	0.105	0.190	0.295
		Right Tilt	-	0.044	0.090	0.134
		Left Touch	-	0.092	0.254	0.346
		Left Tilt	-	0.034	0.120	0.154
LTE B5	LTE B4	Right Touch	-	0.203	0.190	0.393
		Right Tilt	-	0.087	0.090	0.177
		Left Touch	-	0.139	0.254	0.393
		Left Tilt	-	0.077	0.120	0.197
LTE B71	LTE B4	Right Touch	-	0.088	0.190	0.278
		Right Tilt	-	0.036	0.090	0.126
		Left Touch	-	0.056	0.254	0.310
		Left Tilt	-	0.022	0.120	0.142

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE B5	LTE B25	Right Touch	-	0.203	0.388	0.591
		Right Tilt	-	0.087	0.105	0.192
		Left Touch	-	0.139	0.368	0.507
		Left Tilt	-	0.077	0.178	0.255
LTE B5	LTE B30	Right Touch	-	0.203	0.141	0.344
		Right Tilt	-	0.087	0.052	0.139
		Left Touch	-	0.139	0.186	0.325
		Left Tilt	-	0.077	0.095	0.172
LTE B5	LTE B66	Right Touch	-	0.203	0.221	0.424
		Right Tilt	-	0.087	0.081	0.168
		Left Touch	-	0.139	0.243	0.382
		Left Tilt	-	0.077	0.141	0.218
LTE B5	LTE B7	Right Touch	-	0.203	0.119	0.322
		Right Tilt	-	0.087	0.046	0.133
		Left Touch	-	0.139	0.150	0.289
		Left Tilt	-	0.077	0.068	0.145
NR n12	NR n30	Right Touch	-	0.049	0.142	0.191
		Right Tilt	-	0.032	0.108	0.140
		Left Touch	-	0.046	0.160	0.206
		Left Tilt	-	0.027	0.117	0.144
NR n12	NR n66	Right Touch	-	0.049	0.168	0.217
		Right Tilt	-	0.032	0.109	0.141
		Left Touch	-	0.046	0.152	0.198
		Left Tilt	-	0.027	0.127	0.154
NR n12	NR n2	Right Touch	-	0.049	0.255	0.304
		Right Tilt	-	0.032	0.208	0.240
		Left Touch	-	0.046	0.282	0.328
		Left Tilt	-	0.027	0.225	0.252
NR n5	NR n2	Right Touch	-	0.121	0.255	0.376
		Right Tilt	-	0.051	0.208	0.259
		Left Touch	-	0.093	0.282	0.375
		Left Tilt	-	0.051	0.225	0.276
NR n5	NR n30	Right Touch	-	0.121	0.142	0.263
		Right Tilt	-	0.051	0.108	0.159
		Left Touch	-	0.093	0.160	0.253
		Left Tilt	-	0.051	0.117	0.168
NR n5	NR n66	Right Touch	-	0.121	0.168	0.289
		Right Tilt	-	0.051	0.109	0.160
		Left Touch	-	0.093	0.152	0.245
		Left Tilt	-	0.051	0.127	0.178
LTE B12	NR n25	Right Touch	-	0.105	0.279	0.384
		Right Tilt	-	0.044	0.206	0.250
		Left Touch	-	0.092	0.246	0.338
		Left Tilt	-	0.034	0.241	0.275
LTE B12	NR n2	Right Touch	-	0.105	0.255	0.360
		Right Tilt	-	0.044	0.208	0.252
		Left Touch	-	0.092	0.282	0.374
		Left Tilt	-	0.034	0.225	0.259
LTE B12	NR n66	Right Touch	-	0.105	0.168	0.273
		Right Tilt	-	0.044	0.109	0.153
		Left Touch	-	0.092	0.152	0.244
		Left Tilt	-	0.034	0.127	0.161

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n5	LTE B2	Right Touch	-	0.121	0.178	0.299
		Right Tilt	-	0.051	0.084	0.135
		Left Touch	-	0.093	0.325	0.418
		Left Tilt	-	0.051	0.107	0.158
NR n71	LTE B2	Right Touch	-	0.025	0.178	0.203
		Right Tilt	-	0.016	0.084	0.100
		Left Touch	-	0.021	0.325	0.346
		Left Tilt	-	0.013	0.107	0.120
NR n5	LTE B30	Right Touch	-	0.121	0.141	0.262
		Right Tilt	-	0.051	0.052	0.103
		Left Touch	-	0.093	0.186	0.279
		Left Tilt	-	0.051	0.095	0.146
LTE B5	NR n2	Right Touch	-	0.203	0.255	0.458
		Right Tilt	-	0.087	0.208	0.295
		Left Touch	-	0.139	0.282	0.421
		Left Tilt	-	0.077	0.225	0.302
LTE B5	NR n30	Right Touch	-	0.203	0.142	0.345
		Right Tilt	-	0.087	0.108	0.195
		Left Touch	-	0.139	0.160	0.299
		Left Tilt	-	0.077	0.117	0.194
LTE B5	NR n66	Right Touch	-	0.203	0.168	0.371
		Right Tilt	-	0.087	0.109	0.196
		Left Touch	-	0.139	0.152	0.291
		Left Tilt	-	0.077	0.127	0.204
LTE B5	NR n7	Right Touch	-	0.203	0.108	0.311
		Right Tilt	-	0.087	0.064	0.151
		Left Touch	-	0.139	0.134	0.273
		Left Tilt	-	0.077	0.093	0.170
NR n5	LTE B66	Right Touch	-	0.121	0.221	0.342
		Right Tilt	-	0.051	0.081	0.132
		Left Touch	-	0.093	0.243	0.336
		Left Tilt	-	0.051	0.141	0.192
NR n71	LTE B66	Right Touch	-	0.025	0.221	0.246
		Right Tilt	-	0.016	0.081	0.097
		Left Touch	-	0.021	0.243	0.264
		Left Tilt	-	0.013	0.141	0.154
NR n5	LTE B7	Right Touch	-	0.121	0.119	0.240
		Right Tilt	-	0.051	0.046	0.097
		Left Touch	-	0.093	0.150	0.243
		Left Tilt	-	0.051	0.068	0.119
NR n71	LTE B7	Right Touch	-	0.025	0.119	0.144
		Right Tilt	-	0.016	0.046	0.062
		Left Touch	-	0.021	0.150	0.171
		Left Tilt	-	0.013	0.068	0.081

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0+2_DSI6_NSA

WWAN Ant0	WWAN Ant2	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0 1g SAR (W/kg)	WWAN Ant2 1g SAR (W/kg)	Summed 1g SAR (W/kg)
LTE B12	LTE B25	Right Touch	-	0.105	1.039	1.144
		Right Tilt	-	0.044	0.243	0.287
		Left Touch	-	0.092	0.501	0.593
		Left Tilt	-	0.034	0.135	0.169
LTE B12	LTE B30	Right Touch	-	0.105	1.108	1.213
		Right Tilt	-	0.044	0.286	0.330
		Left Touch	-	0.092	0.586	0.678
		Left Tilt	-	0.034	0.157	0.191
LTE B12	LTE B66	Right Touch	-	0.105	1.056	1.161
		Right Tilt	-	0.044	0.250	0.294
		Left Touch	-	0.092	0.524	0.616
		Left Tilt	-	0.034	0.118	0.152
LTE B26	LTE B25	Right Touch	-	0.203	1.039	1.242
		Right Tilt	-	0.130	0.243	0.373
		Left Touch	-	0.096	0.501	0.597
		Left Tilt	-	0.036	0.135	0.171
LTE B12	LTE B2	Right Touch	-	0.105	1.040	1.145
		Right Tilt	-	0.044	0.226	0.270
		Left Touch	-	0.092	0.455	0.547
		Left Tilt	-	0.034	0.139	0.173
LTE B5	LTE B2	Right Touch	-	0.203	1.040	1.243
		Right Tilt	-	0.087	0.226	0.313
		Left Touch	-	0.139	0.455	0.594
		Left Tilt	-	0.077	0.139	0.216
LTE B71	LTE B2	Right Touch	-	0.088	1.040	1.128
		Right Tilt	-	0.036	0.226	0.262
		Left Touch	-	0.056	0.455	0.511
		Left Tilt	-	0.022	0.139	0.161
LTE B71	LTE B66	Right Touch	-	0.088	1.056	1.144
		Right Tilt	-	0.036	0.250	0.286
		Left Touch	-	0.056	0.524	0.580
		Left Tilt	-	0.022	0.118	0.140
LTE B26	LTE B7	Right Touch	-	0.203	1.052	1.255
		Right Tilt	-	0.130	0.247	0.377
		Left Touch	-	0.096	0.508	0.604
		Left Tilt	-	0.036	0.111	0.147
LTE B12	LTE B4	Right Touch	-	0.105	1.072	1.177
		Right Tilt	-	0.044	0.214	0.258
		Left Touch	-	0.092	0.439	0.531
		Left Tilt	-	0.034	0.143	0.177
LTE B5	LTE B4	Right Touch	-	0.203	1.072	1.275
		Right Tilt	-	0.087	0.214	0.301
		Left Touch	-	0.139	0.439	0.578
		Left Tilt	-	0.077	0.143	0.220
LTE B71	LTE B4	Right Touch	-	0.088	1.072	1.160
		Right Tilt	-	0.036	0.214	0.250
		Left Touch	-	0.056	0.439	0.495
		Left Tilt	-	0.022	0.143	0.165

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE B5	LTE B25	Right Touch	-	0.203	1.039	1.242
		Right Tilt	-	0.087	0.243	0.330
		Left Touch	-	0.139	0.501	0.640
		Left Tilt	-	0.077	0.135	0.212
LTE B5	LTE B30	Right Touch	-	0.203	1.108	1.311
		Right Tilt	-	0.087	0.286	0.373
		Left Touch	-	0.139	0.586	0.725
		Left Tilt	-	0.077	0.157	0.234
LTE B5	LTE B66	Right Touch	-	0.203	1.056	1.259
		Right Tilt	-	0.087	0.250	0.337
		Left Touch	-	0.139	0.524	0.663
		Left Tilt	-	0.077	0.118	0.195
LTE B5	LTE B7	Right Touch	-	0.203	1.052	1.255
		Right Tilt	-	0.087	0.247	0.334
		Left Touch	-	0.139	0.508	0.647
		Left Tilt	-	0.077	0.111	0.188
NR n12	NR n30	Right Touch	-	0.049	1.062	1.111
		Right Tilt	-	0.032	0.122	0.154
		Left Touch	-	0.046	0.279	0.325
		Left Tilt	-	0.027	0.090	0.117
NR n12	NR n66	Right Touch	-	0.049	1.118	1.167
		Right Tilt	-	0.032	0.269	0.301
		Left Touch	-	0.046	0.443	0.489
		Left Tilt	-	0.027	0.155	0.182
NR n12	NR n2	Right Touch	-	0.049	1.021	1.070
		Right Tilt	-	0.032	0.198	0.230
		Left Touch	-	0.046	0.311	0.357
		Left Tilt	-	0.027	0.083	0.110
NR n5	NR n2	Right Touch	-	0.121	1.021	1.142
		Right Tilt	-	0.051	0.198	0.249
		Left Touch	-	0.093	0.311	0.404
		Left Tilt	-	0.051	0.083	0.134
NR n5	NR n30	Right Touch	-	0.121	1.062	1.183
		Right Tilt	-	0.051	0.122	0.173
		Left Touch	-	0.093	0.279	0.372
		Left Tilt	-	0.051	0.090	0.141
NR n5	NR n66	Right Touch	-	0.121	1.118	1.239
		Right Tilt	-	0.051	0.269	0.320
		Left Touch	-	0.093	0.443	0.536
		Left Tilt	-	0.051	0.155	0.206
LTE B12	NR n25	Right Touch	-	0.105	1.089	1.194
		Right Tilt	-	0.044	0.231	0.275
		Left Touch	-	0.092	0.378	0.470
		Left Tilt	-	0.034	0.131	0.165
LTE B12	NR n2	Right Touch	-	0.105	1.021	1.126
		Right Tilt	-	0.044	0.198	0.242
		Left Touch	-	0.092	0.311	0.403
		Left Tilt	-	0.034	0.083	0.117
LTE B12	NR n66	Right Touch	-	0.105	1.118	1.223
		Right Tilt	-	0.044	0.269	0.313
		Left Touch	-	0.092	0.443	0.535
		Left Tilt	-	0.034	0.155	0.189

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n5	LTE B2	Right Touch	-	0.121	1.040	1.161
		Right Tilt	-	0.051	0.226	0.277
		Left Touch	-	0.093	0.455	0.548
		Left Tilt	-	0.051	0.139	0.190
NR n71	LTE B2	Right Touch	-	0.025	1.040	1.065
		Right Tilt	-	0.016	0.226	0.242
		Left Touch	-	0.021	0.455	0.476
		Left Tilt	-	0.013	0.139	0.152
NR n5	LTE B30	Right Touch	-	0.121	1.108	1.229
		Right Tilt	-	0.051	0.286	0.337
		Left Touch	-	0.093	0.586	0.679
		Left Tilt	-	0.051	0.157	0.208
LTE B5	NR n2	Right Touch	-	0.203	1.021	1.224
		Right Tilt	-	0.087	0.198	0.285
		Left Touch	-	0.139	0.311	0.450
		Left Tilt	-	0.077	0.083	0.160
LTE B5	NR n30	Right Touch	-	0.203	1.062	1.265
		Right Tilt	-	0.087	0.122	0.209
		Left Touch	-	0.139	0.279	0.418
		Left Tilt	-	0.077	0.090	0.167
LTE B5	NR n66	Right Touch	-	0.203	1.118	1.321
		Right Tilt	-	0.087	0.269	0.356
		Left Touch	-	0.139	0.443	0.582
		Left Tilt	-	0.077	0.155	0.232
LTE B5	NR n7	Right Touch	-	0.203	1.120	1.323
		Right Tilt	-	0.087	0.130	0.217
		Left Touch	-	0.139	0.267	0.406
		Left Tilt	-	0.077	0.059	0.136
NR n5	LTE B66	Right Touch	-	0.121	1.056	1.177
		Right Tilt	-	0.051	0.250	0.301
		Left Touch	-	0.093	0.524	0.617
		Left Tilt	-	0.051	0.118	0.169
NR n71	LTE B66	Right Touch	-	0.025	1.056	1.081
		Right Tilt	-	0.016	0.250	0.266
		Left Touch	-	0.021	0.524	0.545
		Left Tilt	-	0.013	0.118	0.131
NR n5	LTE B7	Right Touch	-	0.121	1.052	1.173
		Right Tilt	-	0.051	0.247	0.298
		Left Touch	-	0.093	0.508	0.601
		Left Tilt	-	0.051	0.111	0.162
NR n71	LTE B7	Right Touch	-	0.025	1.052	1.077
		Right Tilt	-	0.016	0.247	0.263
		Left Touch	-	0.021	0.508	0.529
		Left Tilt	-	0.013	0.111	0.124

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0+6_DSI6_NSA

WWAN Ant0	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0	WWAN Ant6	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.049	1.133	1.182
		Right Tilt	-	0.032	0.244	0.276
		Left Touch	-	0.046	0.312	0.358
		Left Tilt	-	0.027	0.154	0.181
NR n5	NR n77	Right Touch	-	0.121	1.133	1.254
		Right Tilt	-	0.051	0.244	0.295
		Left Touch	-	0.093	0.312	0.405
		Left Tilt	-	0.051	0.154	0.205
LTE B12	NR n77	Right Touch	-	0.105	1.133	1.238
		Right Tilt	-	0.044	0.244	0.288
		Left Touch	-	0.092	0.312	0.404
		Left Tilt	-	0.034	0.154	0.188
LTE B5	NR n77	Right Touch	-	0.203	1.133	1.336
		Right Tilt	-	0.087	0.244	0.331
		Left Touch	-	0.139	0.312	0.451
		Left Tilt	-	0.077	0.154	0.231

Ant0+7_DSI6_NSA

WWAN Ant0	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0	WWAN Ant7	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.049	0.674	0.723
		Right Tilt	-	0.032	1.128	1.160
		Left Touch	-	0.046	0.530	0.576
		Left Tilt	-	0.027	0.787	0.814
NR n5	NR n77	Right Touch	-	0.121	0.674	0.795
		Right Tilt	-	0.051	1.128	1.179
		Left Touch	-	0.093	0.530	0.623
		Left Tilt	-	0.051	0.787	0.838
LTE B12	NR n77	Right Touch	-	0.105	0.674	0.779
		Right Tilt	-	0.044	1.128	1.172
		Left Touch	-	0.092	0.530	0.622
		Left Tilt	-	0.034	0.787	0.821
LTE B5	NR n77	Right Touch	-	0.203	0.674	0.877
		Right Tilt	-	0.087	1.128	1.215
		Left Touch	-	0.139	0.530	0.669
		Left Tilt	-	0.077	0.787	0.864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0+8_DSI6_NSA

WWAN Ant0	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0	WWAN Ant8	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.049	0.444	0.493
		Right Tilt	-	0.032	0.147	0.179
		Left Touch	-	0.046	0.449	0.495
		Left Tilt	-	0.027	0.199	0.226
NR n5	NR n77	Right Touch	-	0.121	0.444	0.565
		Right Tilt	-	0.051	0.147	0.198
		Left Touch	-	0.093	0.449	0.542
		Left Tilt	-	0.051	0.199	0.250
LTE B12	NR n77	Right Touch	-	0.105	0.444	0.549
		Right Tilt	-	0.044	0.147	0.191
		Left Touch	-	0.092	0.449	0.541
		Left Tilt	-	0.034	0.199	0.233
LTE B5	NR n77	Right Touch	-	0.203	0.444	0.647
		Right Tilt	-	0.087	0.147	0.234
		Left Touch	-	0.139	0.449	0.588
		Left Tilt	-	0.077	0.199	0.276

Ant0+9_DSI6_NSA

WWAN Ant0	WWAN Ant9	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant0	WWAN Ant9	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.049	0.016	0.065
		Right Tilt	-	0.032	0.007	0.039
		Left Touch	-	0.046	0.034	0.080
		Left Tilt	-	0.027	0.013	0.040
NR n5	NR n77	Right Touch	-	0.121	0.016	0.137
		Right Tilt	-	0.051	0.007	0.058
		Left Touch	-	0.093	0.034	0.127
		Left Tilt	-	0.051	0.013	0.064
LTE B12	NR n77	Right Touch	-	0.105	0.016	0.121
		Right Tilt	-	0.044	0.007	0.051
		Left Touch	-	0.092	0.034	0.126
		Left Tilt	-	0.034	0.013	0.047
LTE B5	NR n77	Right Touch	-	0.203	0.016	0.219
		Right Tilt	-	0.087	0.007	0.094
		Left Touch	-	0.139	0.034	0.173
		Left Tilt	-	0.077	0.013	0.090

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+2_DSI6_NSA

WWAN Ant1	WWAN Ant2	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant2 1g SAR (W/kg)	Summed 1g SAR (W/kg)
LTE B25	LTE B12	Right Touch	-	0.388	1.024	1.412
		Right Tilt	-	0.105	0.182	0.287
		Left Touch	-	0.368	0.490	0.858
		Left Tilt	-	0.178	0.134	0.312
LTE B30	LTE B12	Right Touch	-	0.141	1.024	1.165
		Right Tilt	-	0.052	0.182	0.234
		Left Touch	-	0.186	0.490	0.676
		Left Tilt	-	0.095	0.134	0.229
LTE B66	LTE B12	Right Touch	-	0.221	1.024	1.245
		Right Tilt	-	0.081	0.182	0.263
		Left Touch	-	0.243	0.490	0.733
		Left Tilt	-	0.141	0.134	0.275
LTE B25	LTE B26	Right Touch	-	0.388	1.019	1.407
		Right Tilt	-	0.105	0.265	0.370
		Left Touch	-	0.368	0.542	0.910
		Left Tilt	-	0.178	0.131	0.309
LTE B2	LTE B12	Right Touch	-	0.178	1.024	1.202
		Right Tilt	-	0.084	0.182	0.266
		Left Touch	-	0.325	0.490	0.815
		Left Tilt	-	0.107	0.134	0.241
LTE B2	LTE B5	Right Touch	-	0.178	1.042	1.220
		Right Tilt	-	0.084	0.251	0.335
		Left Touch	-	0.325	0.515	0.840
		Left Tilt	-	0.107	0.162	0.269
LTE B2	LTE B71	Right Touch	-	0.178	0.884	1.062
		Right Tilt	-	0.084	0.187	0.271
		Left Touch	-	0.325	0.346	0.671
		Left Tilt	-	0.107	0.107	0.214
LTE B66	LTE B71	Right Touch	-	0.221	0.884	1.105
		Right Tilt	-	0.081	0.187	0.268
		Left Touch	-	0.243	0.346	0.589
		Left Tilt	-	0.141	0.107	0.248
LTE B7	LTE B26	Right Touch	-	0.119	1.019	1.138
		Right Tilt	-	0.046	0.265	0.311
		Left Touch	-	0.150	0.542	0.692
		Left Tilt	-	0.068	0.131	0.199
LTE B4	LTE B12	Right Touch	-	0.190	1.024	1.214
		Right Tilt	-	0.090	0.182	0.272
		Left Touch	-	0.254	0.490	0.744
		Left Tilt	-	0.120	0.134	0.254
LTE B4	LTE B5	Right Touch	-	0.190	1.042	1.232
		Right Tilt	-	0.090	0.251	0.341
		Left Touch	-	0.254	0.515	0.769
		Left Tilt	-	0.120	0.162	0.282
LTE B4	LTE B71	Right Touch	-	0.190	0.884	1.074
		Right Tilt	-	0.090	0.187	0.277
		Left Touch	-	0.254	0.346	0.600
		Left Tilt	-	0.120	0.107	0.227

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE B25	LTE B5	Right Touch	-	0.388	1.042	1.430
		Right Tilt	-	0.105	0.251	0.356
		Left Touch	-	0.368	0.515	0.883
		Left Tilt	-	0.178	0.162	0.340
LTE B30	LTE B5	Right Touch	-	0.141	1.042	1.183
		Right Tilt	-	0.052	0.251	0.303
		Left Touch	-	0.186	0.515	0.701
		Left Tilt	-	0.095	0.162	0.257
LTE B66	LTE B5	Right Touch	-	0.221	1.042	1.263
		Right Tilt	-	0.081	0.251	0.332
		Left Touch	-	0.243	0.515	0.758
		Left Tilt	-	0.141	0.162	0.303
LTE B7	LTE B5	Right Touch	-	0.119	1.042	1.161
		Right Tilt	-	0.046	0.251	0.297
		Left Touch	-	0.150	0.515	0.665
		Left Tilt	-	0.068	0.162	0.230
NR n30	NR n12	Right Touch	-	0.142	0.999	1.141
		Right Tilt	-	0.108	0.207	0.315
		Left Touch	-	0.160	0.449	0.609
		Left Tilt	-	0.117	0.156	0.273
NR n66	NR n12	Right Touch	-	0.168	0.999	1.167
		Right Tilt	-	0.109	0.207	0.316
		Left Touch	-	0.152	0.449	0.601
		Left Tilt	-	0.127	0.156	0.283
NR n2	NR n12	Right Touch	-	0.255	0.999	1.254
		Right Tilt	-	0.208	0.207	0.415
		Left Touch	-	0.282	0.449	0.731
		Left Tilt	-	0.225	0.156	0.381
NR n2	NR n5	Right Touch	-	0.255	1.062	1.317
		Right Tilt	-	0.208	0.410	0.618
		Left Touch	-	0.282	0.588	0.870
		Left Tilt	-	0.225	0.158	0.383
NR n30	NR n5	Right Touch	-	0.142	1.062	1.204
		Right Tilt	-	0.108	0.410	0.518
		Left Touch	-	0.160	0.588	0.748
		Left Tilt	-	0.117	0.158	0.275
NR n66	NR n5	Right Touch	-	0.168	1.062	1.230
		Right Tilt	-	0.109	0.410	0.519
		Left Touch	-	0.152	0.588	0.740
		Left Tilt	-	0.127	0.158	0.285
NR n25	LTE B12	Right Touch	-	0.279	1.024	1.303
		Right Tilt	-	0.206	0.182	0.388
		Left Touch	-	0.246	0.490	0.736
		Left Tilt	-	0.241	0.134	0.375
NR n2	LTE B12	Right Touch	-	0.255	1.024	1.279
		Right Tilt	-	0.208	0.182	0.390
		Left Touch	-	0.282	0.490	0.772
		Left Tilt	-	0.225	0.134	0.359
NR n66	LTE B12	Right Touch	-	0.168	1.024	1.192
		Right Tilt	-	0.109	0.182	0.291
		Left Touch	-	0.152	0.490	0.642
		Left Tilt	-	0.127	0.134	0.261

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE B2	NR n5	Right Touch	-	0.178	1.062	1.240
		Right Tilt	-	0.084	0.410	0.494
		Left Touch	-	0.325	0.588	0.913
		Left Tilt	-	0.107	0.158	0.265
LTE B2	NR n71	Right Touch	-	0.178	0.738	0.916
		Right Tilt	-	0.084	0.197	0.281
		Left Touch	-	0.325	0.540	0.865
		Left Tilt	-	0.107	0.143	0.250
LTE B30	NR n5	Right Touch	-	0.141	1.062	1.203
		Right Tilt	-	0.052	0.410	0.462
		Left Touch	-	0.186	0.588	0.774
		Left Tilt	-	0.095	0.158	0.253
NR n2	LTE B5	Right Touch	-	0.255	1.042	1.297
		Right Tilt	-	0.208	0.251	0.459
		Left Touch	-	0.282	0.515	0.797
		Left Tilt	-	0.225	0.162	0.387
NR n30	LTE B5	Right Touch	-	0.142	1.042	1.184
		Right Tilt	-	0.108	0.251	0.359
		Left Touch	-	0.160	0.515	0.675
		Left Tilt	-	0.117	0.162	0.279
NR n66	LTE B5	Right Touch	-	0.168	1.042	1.210
		Right Tilt	-	0.109	0.251	0.360
		Left Touch	-	0.152	0.515	0.667
		Left Tilt	-	0.127	0.162	0.289
NR n7	LTE B5	Right Touch	-	0.108	1.042	1.150
		Right Tilt	-	0.064	0.251	0.315
		Left Touch	-	0.134	0.515	0.649
		Left Tilt	-	0.093	0.162	0.255
LTE B66	NR n5	Right Touch	-	0.221	1.062	1.283
		Right Tilt	-	0.081	0.410	0.491
		Left Touch	-	0.243	0.588	0.831
		Left Tilt	-	0.141	0.158	0.299
LTE B66	NR n71	Right Touch	-	0.221	0.738	0.959
		Right Tilt	-	0.081	0.197	0.278
		Left Touch	-	0.243	0.540	0.783
		Left Tilt	-	0.141	0.143	0.284
LTE B7	NR n5	Right Touch	-	0.119	1.062	1.181
		Right Tilt	-	0.046	0.410	0.456
		Left Touch	-	0.150	0.588	0.738
		Left Tilt	-	0.068	0.158	0.226
LTE B7	NR n71	Right Touch	-	0.119	0.738	0.857
		Right Tilt	-	0.046	0.197	0.243
		Left Touch	-	0.150	0.540	0.690
		Left Tilt	-	0.068	0.143	0.211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+6_DSI6_NSA

WWAN Ant1	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant6 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n2	NR n77	Right Touch	-	0.255	1.133	1.388
		Right Tilt	-	0.208	0.244	0.452
		Left Touch	-	0.282	0.312	0.594
		Left Tilt	-	0.225	0.154	0.379
NR n30	NR n77	Right Touch	-	0.142	1.133	1.275
		Right Tilt	-	0.108	0.244	0.352
		Left Touch	-	0.160	0.312	0.472
		Left Tilt	-	0.117	0.154	0.271
NR n66	NR n77	Right Touch	-	0.168	1.133	1.301
		Right Tilt	-	0.109	0.244	0.353
		Left Touch	-	0.152	0.312	0.464
		Left Tilt	-	0.127	0.154	0.281
LTE B2	NR n77	Right Touch	-	0.178	1.133	1.311
		Right Tilt	-	0.084	0.244	0.328
		Left Touch	-	0.325	0.312	0.637
		Left Tilt	-	0.107	0.154	0.261
LTE B30	NR n77	Right Touch	-	0.141	1.133	1.274
		Right Tilt	-	0.052	0.244	0.296
		Left Touch	-	0.186	0.312	0.498
		Left Tilt	-	0.095	0.154	0.249
LTE B66	NR n77	Right Touch	-	0.221	1.133	1.354
		Right Tilt	-	0.081	0.244	0.325
		Left Touch	-	0.243	0.312	0.555
		Left Tilt	-	0.141	0.154	0.295
LTE B7	NR n77	Right Touch	-	0.119	1.133	1.252
		Right Tilt	-	0.046	0.244	0.290
		Left Touch	-	0.150	0.312	0.462
		Left Tilt	-	0.068	0.154	0.222

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+7_DSI6_NSA

WWAN Ant1	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant7 1g SAR (W/kg)	Summed 1g SAR (W/kg)
LTE B30	LTE B2	Right Touch	-	0.141	0.429	0.570
		Right Tilt	-	0.052	1.180	1.232
		Left Touch	-	0.186	0.276	0.462
		Left Tilt	-	0.095	0.611	0.706
LTE B4	LTE B2	Right Touch	-	0.190	0.429	0.619
		Right Tilt	-	0.090	1.180	1.270
		Left Touch	-	0.254	0.276	0.530
		Left Tilt	-	0.120	0.611	0.731
LTE B2	LTE B4	Right Touch	-	0.178	0.179	0.357
		Right Tilt	-	0.084	0.488	0.572
		Left Touch	-	0.325	0.111	0.436
		Left Tilt	-	0.107	0.308	0.415
LTE B66	LTE B2	Right Touch	-	0.221	0.429	0.650
		Right Tilt	-	0.081	1.180	1.261
		Left Touch	-	0.243	0.276	0.519
		Left Tilt	-	0.141	0.611	0.752
LTE B2	LTE B66	Right Touch	-	0.178	0.465	0.643
		Right Tilt	-	0.084	0.971	1.055
		Left Touch	-	0.325	0.300	0.625
		Left Tilt	-	0.107	0.707	0.814
LTE B7	LTE B2	Right Touch	-	0.119	0.429	0.548
		Right Tilt	-	0.046	1.180	1.226
		Left Touch	-	0.150	0.276	0.426
		Left Tilt	-	0.068	0.611	0.679
LTE B30	LTE B66	Right Touch	-	0.141	0.465	0.606
		Right Tilt	-	0.052	0.971	1.023
		Left Touch	-	0.186	0.300	0.486
		Left Tilt	-	0.095	0.707	0.802
LTE B30	LTE B4	Right Touch	-	0.141	0.179	0.320
		Right Tilt	-	0.052	0.488	0.540
		Left Touch	-	0.186	0.111	0.297
		Left Tilt	-	0.095	0.308	0.403
NR n2	NR n77	Right Touch	-	0.255	0.688	0.943
		Right Tilt	-	0.208	1.128	1.336
		Left Touch	-	0.282	0.538	0.820
		Left Tilt	-	0.225	0.775	1.000
NR n30	NR n77	Right Touch	-	0.142	0.688	0.830
		Right Tilt	-	0.108	1.128	1.236
		Left Touch	-	0.160	0.538	0.698
		Left Tilt	-	0.117	0.775	0.892
NR n66	NR n77	Right Touch	-	0.168	0.688	0.856
		Right Tilt	-	0.109	1.128	1.237
		Left Touch	-	0.152	0.538	0.690
		Left Tilt	-	0.127	0.775	0.902
NR n41	NR n25	Right Touch	-	0.137	0.411	0.548
		Right Tilt	-	0.100	1.144	1.244
		Left Touch	-	0.122	0.282	0.404
		Left Tilt	-	0.125	0.541	0.666

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

NR n30	NR n2	Right Touch	-	0.142	0.359	0.501
		Right Tilt	-	0.108	1.118	1.226
		Left Touch	-	0.160	0.236	0.396
		Left Tilt	-	0.117	0.511	0.628
Nr n2	NR n66	Right Touch	-	0.255	0.136	0.391
		Right Tilt	-	0.208	0.365	0.573
		Left Touch	-	0.282	0.079	0.361
		Left Tilt	-	0.225	0.213	0.438
NR n66	Nr n2	Right Touch	-	0.168	0.359	0.527
		Right Tilt	-	0.109	1.118	1.227
		Left Touch	-	0.152	0.236	0.388
		Left Tilt	-	0.127	0.511	0.638
NR n30	NR n66	Right Touch	-	0.142	0.136	0.278
		Right Tilt	-	0.108	0.365	0.473
		Left Touch	-	0.160	0.079	0.239
		Left Tilt	-	0.117	0.213	0.330
LTE B2	NR n77	Right Touch	-	0.178	0.688	0.866
		Right Tilt	-	0.084	1.128	1.212
		Left Touch	-	0.325	0.538	0.863
		Left Tilt	-	0.107	0.775	0.882
LTE B30	NR n77	Right Touch	-	0.141	0.688	0.829
		Right Tilt	-	0.052	1.128	1.180
		Left Touch	-	0.186	0.538	0.724
		Left Tilt	-	0.095	0.775	0.870
LTE B66	NR n77	Right Touch	-	0.221	0.688	0.909
		Right Tilt	-	0.081	1.128	1.209
		Left Touch	-	0.243	0.538	0.781
		Left Tilt	-	0.141	0.775	0.916
LTE B7	NR n77	Right Touch	-	0.119	0.688	0.807
		Right Tilt	-	0.046	1.128	1.174
		Left Touch	-	0.150	0.538	0.688
		Left Tilt	-	0.068	0.775	0.843
LTE B2	NR n30	Right Touch	-	0.178	0.494	0.672
		Right Tilt	-	0.084	1.110	1.194
		Left Touch	-	0.325	0.311	0.636
		Left Tilt	-	0.107	0.617	0.724
LTE B66	NR n30	Right Touch	-	0.221	0.494	0.715
		Right Tilt	-	0.081	1.110	1.191
		Left Touch	-	0.243	0.311	0.554
		Left Tilt	-	0.141	0.617	0.758
LTE B2	NR n66	Right Touch	-	0.178	0.136	0.314
		Right Tilt	-	0.084	0.365	0.449
		Left Touch	-	0.325	0.079	0.404
		Left Tilt	-	0.107	0.213	0.320
LTE B30	NR n2	Right Touch	-	0.141	0.359	0.500
		Right Tilt	-	0.052	1.118	1.170
		Left Touch	-	0.186	0.236	0.422
		Left Tilt	-	0.095	0.511	0.606

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE B30	NR n66	Right Touch	-	0.141	0.136	0.277
		Right Tilt	-	0.052	0.365	0.417
		Left Touch	-	0.186	0.079	0.265
		Left Tilt	-	0.095	0.213	0.308
LTE B66	NR n2	Right Touch	-	0.221	0.359	0.580
		Right Tilt	-	0.081	1.118	1.199
		Left Touch	-	0.243	0.236	0.479
		Left Tilt	-	0.141	0.511	0.652
LTE B7	NR n66	Right Touch	-	0.119	0.136	0.255
		Right Tilt	-	0.046	0.365	0.411
		Left Touch	-	0.150	0.079	0.229
		Left Tilt	-	0.068	0.213	0.281
NR n7	LTE B66	Right Touch	-	0.108	0.465	0.573
		Right Tilt	-	0.064	0.971	1.035
		Left Touch	-	0.134	0.300	0.434
		Left Tilt	-	0.093	0.707	0.800
NR n41	LTE B2	Right Touch	-	0.137	0.429	0.566
		Right Tilt	-	0.100	1.180	1.280
		Left Touch	-	0.122	0.276	0.398
		Left Tilt	-	0.125	0.611	0.736
NR n41	LTE B66	Right Touch	-	0.137	0.465	0.602
		Right Tilt	-	0.100	0.971	1.071
		Left Touch	-	0.122	0.300	0.422
		Left Tilt	-	0.125	0.707	0.832

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+8_DSI6_NSA

WWAN Ant1	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n2	NR n77	Right Touch	-	0.255	0.337	0.592
		Right Tilt	-	0.208	0.190	0.398
		Left Touch	-	0.282	0.449	0.731
		Left Tilt	-	0.225	0.223	0.448
NR n30	NR n77	Right Touch	-	0.142	0.337	0.479
		Right Tilt	-	0.108	0.190	0.298
		Left Touch	-	0.160	0.449	0.609
		Left Tilt	-	0.117	0.223	0.340
NR n66	NR n77	Right Touch	-	0.168	0.337	0.505
		Right Tilt	-	0.109	0.190	0.299
		Left Touch	-	0.152	0.449	0.601
		Left Tilt	-	0.127	0.223	0.350
LTE B2	NR n77	Right Touch	-	0.178	0.337	0.515
		Right Tilt	-	0.084	0.190	0.274
		Left Touch	-	0.325	0.449	0.774
		Left Tilt	-	0.107	0.223	0.330
LTE B30	NR n77	Right Touch	-	0.141	0.337	0.478
		Right Tilt	-	0.052	0.190	0.242
		Left Touch	-	0.186	0.449	0.635
		Left Tilt	-	0.095	0.223	0.318
LTE B66	NR n77	Right Touch	-	0.221	0.337	0.558
		Right Tilt	-	0.081	0.190	0.271
		Left Touch	-	0.243	0.449	0.692
		Left Tilt	-	0.141	0.223	0.364
LTE B7	NR n77	Right Touch	-	0.119	0.337	0.456
		Right Tilt	-	0.046	0.190	0.236
		Left Touch	-	0.150	0.449	0.599
		Left Tilt	-	0.068	0.223	0.291
NR n41	NR n41	Right Touch	-	0.137	0.493	0.630
		Right Tilt	-	0.100	0.148	0.248
		Left Touch	-	0.122	0.695	0.817
		Left Tilt	-	0.125	0.247	0.372

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+9_DSI6_NSA

WWAN Ant1	WWAN Ant9	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n2	NR n77	Right Touch	-	0.255	0.016	0.271
		Right Tilt	-	0.208	0.007	0.215
		Left Touch	-	0.282	0.034	0.316
		Left Tilt	-	0.225	0.013	0.238
NR n30	NR n77	Right Touch	-	0.142	0.016	0.158
		Right Tilt	-	0.108	0.007	0.115
		Left Touch	-	0.160	0.034	0.194
		Left Tilt	-	0.117	0.013	0.130
NR n66	NR n77	Right Touch	-	0.168	0.016	0.184
		Right Tilt	-	0.109	0.007	0.116
		Left Touch	-	0.152	0.034	0.186
		Left Tilt	-	0.127	0.013	0.140
LTE B2	NR n77	Right Touch	-	0.178	0.016	0.194
		Right Tilt	-	0.084	0.007	0.091
		Left Touch	-	0.325	0.034	0.359
		Left Tilt	-	0.107	0.013	0.120
LTE B30	NR n77	Right Touch	-	0.141	0.016	0.157
		Right Tilt	-	0.052	0.007	0.059
		Left Touch	-	0.186	0.034	0.220
		Left Tilt	-	0.095	0.013	0.108
LTE B66	NR n77	Right Touch	-	0.221	0.016	0.237
		Right Tilt	-	0.081	0.007	0.088
		Left Touch	-	0.243	0.034	0.277
		Left Tilt	-	0.141	0.013	0.154
LTE B7	NR n77	Right Touch	-	0.119	0.016	0.135
		Right Tilt	-	0.046	0.007	0.053
		Left Touch	-	0.150	0.034	0.184
		Left Tilt	-	0.068	0.013	0.081
NR n41	NR n41	Right Touch	-	0.137	0.019	0.156
		Right Tilt	-	0.100	0.006	0.106
		Left Touch	-	0.122	0.035	0.157
		Left Tilt	-	0.125	0.010	0.135

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2+6_DSI6_NSA

WWAN Ant2	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2	WWAN Ant6	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.999	0.393	1.392
		Right Tilt	-	0.207	0.099	0.306
		Left Touch	-	0.449	0.127	0.576
		Left Tilt	-	0.156	0.063	0.219
NR n5	NR n77	Right Touch	-	1.062	0.393	1.455
		Right Tilt	-	0.410	0.099	0.509
		Left Touch	-	0.588	0.127	0.715
		Left Tilt	-	0.158	0.063	0.221
NR n2	NR n77	Right Touch	-	1.021	0.393	1.414
		Right Tilt	-	0.198	0.099	0.297
		Left Touch	-	0.311	0.127	0.438
		Left Tilt	-	0.083	0.063	0.146
NR n30	NR n77	Right Touch	-	1.062	0.393	1.455
		Right Tilt	-	0.122	0.099	0.221
		Left Touch	-	0.279	0.127	0.406
		Left Tilt	-	0.090	0.063	0.153
NR n66	NR n77	Right Touch	-	1.118	0.393	1.511
		Right Tilt	-	0.269	0.099	0.368
		Left Touch	-	0.443	0.127	0.570
		Left Tilt	-	0.155	0.063	0.218
LTE B12	NR n77	Right Touch	-	1.024	0.393	1.417
		Right Tilt	-	0.182	0.099	0.281
		Left Touch	-	0.490	0.127	0.617
		Left Tilt	-	0.134	0.063	0.197
LTE B5	NR n77	Right Touch	-	1.042	0.393	1.435
		Right Tilt	-	0.251	0.099	0.350
		Left Touch	-	0.515	0.127	0.642
		Left Tilt	-	0.162	0.063	0.225
LTE B2	NR n77	Right Touch	-	1.040	0.393	1.433
		Right Tilt	-	0.226	0.099	0.325
		Left Touch	-	0.455	0.127	0.582
		Left Tilt	-	0.139	0.063	0.202
LTE B30	NR n77	Right Touch	-	1.108	0.393	1.501
		Right Tilt	-	0.286	0.099	0.385
		Left Touch	-	0.586	0.127	0.713
		Left Tilt	-	0.157	0.063	0.220
LTE B66	NR n77	Right Touch	-	1.056	0.393	1.449
		Right Tilt	-	0.250	0.099	0.349
		Left Touch	-	0.524	0.127	0.651
		Left Tilt	-	0.118	0.063	0.181
LTE B7	NR n77	Right Touch	-	1.052	0.393	1.445
		Right Tilt	-	0.247	0.099	0.346
		Left Touch	-	0.508	0.127	0.635
		Left Tilt	-	0.111	0.063	0.174

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2+7_DSI6_NSA

WWAN Ant2	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant7 1g SAR (W/kg)	Summed 1g SAR (W/kg)
LTE B30	LTE B2	Right Touch	-	1.108	0.429	1.537
		Right Tilt	-	0.286	1.180	1.466
		Left Touch	-	0.586	0.276	0.862
		Left Tilt	-	0.157	0.611	0.768
LTE B4	LTE B2	Right Touch	-	1.072	0.429	1.501
		Right Tilt	-	0.214	1.180	1.394
		Left Touch	-	0.439	0.276	0.715
		Left Tilt	-	0.143	0.611	0.754
LTE B2	LTE B4	Right Touch	-	1.040	0.179	1.219
		Right Tilt	-	0.226	0.488	0.714
		Left Touch	-	0.455	0.111	0.566
		Left Tilt	-	0.139	0.308	0.447
LTE B66	LTE B2	Right Touch	-	1.056	0.429	1.485
		Right Tilt	-	0.250	1.180	1.430
		Left Touch	-	0.524	0.276	0.800
		Left Tilt	-	0.118	0.611	0.729
LTE B2	LTE B66	Right Touch	-	1.040	0.314	1.354
		Right Tilt	-	0.226	0.663	0.889
		Left Touch	-	0.455	0.238	0.693
		Left Tilt	-	0.139	0.707	0.846
LTE B7	LTE B2	Right Touch	-	1.052	0.429	1.481
		Right Tilt	-	0.247	1.180	1.427
		Left Touch	-	0.508	0.276	0.784
		Left Tilt	-	0.111	0.611	0.722
LTE B30	LTE B66	Right Touch	-	1.108	0.314	1.422
		Right Tilt	-	0.286	0.663	0.949
		Left Touch	-	0.586	0.238	0.824
		Left Tilt	-	0.157	0.707	0.864
LTE B30	LTE B4	Right Touch	-	1.108	0.179	1.287
		Right Tilt	-	0.286	0.488	0.774
		Left Touch	-	0.586	0.111	0.697
		Left Tilt	-	0.157	0.308	0.465
NR n12	NR n77	Right Touch	-	0.999	0.386	1.385
		Right Tilt	-	0.207	0.735	0.942
		Left Touch	-	0.449	0.350	0.799
		Left Tilt	-	0.156	0.474	0.630
NR n5	NR n77	Right Touch	-	1.062	0.386	1.448
		Right Tilt	-	0.410	0.735	1.145
		Left Touch	-	0.588	0.350	0.938
		Left Tilt	-	0.158	0.474	0.632
NR n2	NR n77	Right Touch	-	1.021	0.386	1.407
		Right Tilt	-	0.198	0.735	0.933
		Left Touch	-	0.311	0.350	0.661
		Left Tilt	-	0.083	0.474	0.557

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

NR n30	NR n77	Right Touch	-	1.062	0.386	1.448
		Right Tilt	-	0.122	0.735	0.857
		Left Touch	-	0.279	0.350	0.629
		Left Tilt	-	0.090	0.474	0.564
NR n66	NR n77	Right Touch	-	1.118	0.386	1.504
		Right Tilt	-	0.269	0.735	1.004
		Left Touch	-	0.443	0.350	0.793
		Left Tilt	-	0.155	0.474	0.629
NR n41	NR n25	Right Touch	-	1.069	0.411	1.480
		Right Tilt	-	0.289	1.144	1.433
		Left Touch	-	0.445	0.282	0.727
		Left Tilt	-	0.159	0.541	0.700
NR n30	NR n2	Right Touch	-	1.062	0.359	1.421
		Right Tilt	-	0.122	1.118	1.240
		Left Touch	-	0.279	0.236	0.515
		Left Tilt	-	0.090	0.511	0.601
Nr n2	NR n66	Right Touch	-	1.021	0.136	1.157
		Right Tilt	-	0.198	0.365	0.563
		Left Touch	-	0.311	0.079	0.390
		Left Tilt	-	0.083	0.213	0.296
NR n66	Nr n2	Right Touch	-	1.118	0.359	1.477
		Right Tilt	-	0.269	1.118	1.387
		Left Touch	-	0.443	0.236	0.679
		Left Tilt	-	0.155	0.511	0.666
NR n30	NR n66	Right Touch	-	1.062	0.136	1.198
		Right Tilt	-	0.122	0.365	0.487
		Left Touch	-	0.279	0.079	0.358
		Left Tilt	-	0.090	0.213	0.303
LTE B12	NR n77	Right Touch	-	1.024	0.386	1.410
		Right Tilt	-	0.182	0.735	0.917
		Left Touch	-	0.490	0.350	0.840
		Left Tilt	-	0.134	0.474	0.608
LTE B5	NR n77	Right Touch	-	1.042	0.386	1.428
		Right Tilt	-	0.251	0.735	0.986
		Left Touch	-	0.515	0.350	0.865
		Left Tilt	-	0.162	0.474	0.636
LTE B2	NR n77	Right Touch	-	1.040	0.386	1.426
		Right Tilt	-	0.226	0.735	0.961
		Left Touch	-	0.455	0.350	0.805
		Left Tilt	-	0.139	0.474	0.613
LTE B30	NR n77	Right Touch	-	1.108	0.386	1.494
		Right Tilt	-	0.286	0.735	1.021
		Left Touch	-	0.586	0.350	0.936
		Left Tilt	-	0.157	0.474	0.631
LTE B66	NR n77	Right Touch	-	1.056	0.386	1.442
		Right Tilt	-	0.250	0.735	0.985
		Left Touch	-	0.524	0.350	0.874
		Left Tilt	-	0.118	0.474	0.592
LTE B7	NR n77	Right Touch	-	1.052	0.386	1.438
		Right Tilt	-	0.247	0.735	0.982
		Left Touch	-	0.508	0.350	0.858
		Left Tilt	-	0.111	0.474	0.585

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE B2	NR n30	Right Touch	-	1.040	0.494	1.534
		Right Tilt	-	0.226	1.110	1.336
		Left Touch	-	0.455	0.311	0.766
		Left Tilt	-	0.139	0.617	0.756
LTE B66	NR n30	Right Touch	-	1.056	0.494	1.550
		Right Tilt	-	0.250	1.110	1.360
		Left Touch	-	0.524	0.311	0.835
		Left Tilt	-	0.118	0.617	0.735
LTE B2	NR n66	Right Touch	-	1.040	0.136	1.176
		Right Tilt	-	0.226	0.365	0.591
		Left Touch	-	0.455	0.079	0.534
		Left Tilt	-	0.139	0.213	0.352
LTE B30	NR n2	Right Touch	-	1.108	0.359	1.467
		Right Tilt	-	0.286	1.118	1.404
		Left Touch	-	0.586	0.236	0.822
		Left Tilt	-	0.157	0.511	0.668
LTE B30	NR n66	Right Touch	-	1.108	0.136	1.244
		Right Tilt	-	0.286	0.365	0.651
		Left Touch	-	0.586	0.079	0.665
		Left Tilt	-	0.157	0.213	0.370
LTE B66	NR n2	Right Touch	-	1.056	0.359	1.415
		Right Tilt	-	0.250	1.118	1.368
		Left Touch	-	0.524	0.236	0.760
		Left Tilt	-	0.118	0.511	0.629
LTE B7	NR n66	Right Touch	-	1.052	0.136	1.188
		Right Tilt	-	0.247	0.365	0.612
		Left Touch	-	0.508	0.079	0.587
		Left Tilt	-	0.111	0.213	0.324
NR n7	LTE B66	Right Touch	-	1.120	0.465	1.585
		Right Tilt	-	0.130	0.971	1.101
		Left Touch	-	0.267	0.300	0.567
		Left Tilt	-	0.059	0.707	0.766
NR n41	LTE B2	Right Touch	-	1.069	0.429	1.498
		Right Tilt	-	0.289	1.180	1.469
		Left Touch	-	0.445	0.276	0.721
		Left Tilt	-	0.159	0.611	0.770
NR n41	LTE B66	Right Touch	-	1.069	0.465	1.534
		Right Tilt	-	0.289	0.971	1.260
		Left Touch	-	0.445	0.300	0.745
		Left Tilt	-	0.159	0.707	0.866

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2+8_DSI6_NSA

WWAN Ant2	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.999	0.337	1.336
		Right Tilt	-	0.207	0.190	0.397
		Left Touch	-	0.449	0.449	0.898
		Left Tilt	-	0.156	0.223	0.379
NR n5	NR n77	Right Touch	-	1.062	0.337	1.399
		Right Tilt	-	0.410	0.190	0.600
		Left Touch	-	0.588	0.449	1.037
		Left Tilt	-	0.158	0.223	0.381
NR n2	NR n77	Right Touch	-	1.021	0.337	1.358
		Right Tilt	-	0.198	0.190	0.388
		Left Touch	-	0.311	0.449	0.760
		Left Tilt	-	0.083	0.223	0.306
NR n30	NR n77	Right Touch	-	1.062	0.337	1.399
		Right Tilt	-	0.122	0.190	0.312
		Left Touch	-	0.279	0.449	0.728
		Left Tilt	-	0.090	0.223	0.313
NR n66	NR n77	Right Touch	-	1.118	0.337	1.455
		Right Tilt	-	0.269	0.190	0.459
		Left Touch	-	0.443	0.449	0.892
		Left Tilt	-	0.155	0.223	0.378
LTE B12	NR n77	Right Touch	-	1.024	0.337	1.361
		Right Tilt	-	0.182	0.190	0.372
		Left Touch	-	0.490	0.449	0.939
		Left Tilt	-	0.134	0.223	0.357
LTE B5	NR n77	Right Touch	-	1.042	0.337	1.379
		Right Tilt	-	0.251	0.190	0.441
		Left Touch	-	0.515	0.449	0.964
		Left Tilt	-	0.162	0.223	0.385
LTE B2	NR n77	Right Touch	-	1.040	0.337	1.377
		Right Tilt	-	0.226	0.190	0.416
		Left Touch	-	0.455	0.449	0.904
		Left Tilt	-	0.139	0.223	0.362
LTE B30	NR n77	Right Touch	-	1.108	0.337	1.445
		Right Tilt	-	0.286	0.190	0.476
		Left Touch	-	0.586	0.449	1.035
		Left Tilt	-	0.157	0.223	0.380
LTE B66	NR n77	Right Touch	-	1.056	0.337	1.393
		Right Tilt	-	0.250	0.190	0.440
		Left Touch	-	0.524	0.449	0.973
		Left Tilt	-	0.118	0.223	0.341
LTE B7	NR n77	Right Touch	-	1.052	0.337	1.389
		Right Tilt	-	0.247	0.190	0.437
		Left Touch	-	0.508	0.449	0.957
		Left Tilt	-	0.111	0.223	0.334
NR n41	NR n41	Right Touch	-	1.069	0.493	1.562
		Right Tilt	-	0.289	0.148	0.437
		Left Touch	-	0.445	0.695	1.140
		Left Tilt	-	0.159	0.247	0.406

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2+9_DSI6_NSA

WWAN Ant2	WWAN Ant9	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n12	NR n77	Right Touch	-	0.999	0.016	1.015
		Right Tilt	-	0.207	0.007	0.214
		Left Touch	-	0.449	0.034	0.483
		Left Tilt	-	0.156	0.013	0.169
NR n5	NR n77	Right Touch	-	1.062	0.016	1.078
		Right Tilt	-	0.410	0.007	0.417
		Left Touch	-	0.588	0.034	0.622
		Left Tilt	-	0.158	0.013	0.171
NR n2	NR n77	Right Touch	-	1.021	0.016	1.037
		Right Tilt	-	0.198	0.007	0.205
		Left Touch	-	0.311	0.034	0.345
		Left Tilt	-	0.083	0.013	0.096
NR n30	NR n77	Right Touch	-	1.062	0.016	1.078
		Right Tilt	-	0.122	0.007	0.129
		Left Touch	-	0.279	0.034	0.313
		Left Tilt	-	0.090	0.013	0.103
NR n66	NR n77	Right Touch	-	1.118	0.016	1.134
		Right Tilt	-	0.269	0.007	0.276
		Left Touch	-	0.443	0.034	0.477
		Left Tilt	-	0.155	0.013	0.168
LTE B12	NR n77	Right Touch	-	1.024	0.016	1.040
		Right Tilt	-	0.182	0.007	0.189
		Left Touch	-	0.490	0.034	0.524
		Left Tilt	-	0.134	0.013	0.147
LTE B5	NR n77	Right Touch	-	1.042	0.016	1.058
		Right Tilt	-	0.251	0.007	0.258
		Left Touch	-	0.515	0.034	0.549
		Left Tilt	-	0.162	0.013	0.175
LTE B2	NR n77	Right Touch	-	1.040	0.016	1.056
		Right Tilt	-	0.226	0.007	0.233
		Left Touch	-	0.455	0.034	0.489
		Left Tilt	-	0.139	0.013	0.152
LTE B30	NR n77	Right Touch	-	1.108	0.016	1.124
		Right Tilt	-	0.286	0.007	0.293
		Left Touch	-	0.586	0.034	0.620
		Left Tilt	-	0.157	0.013	0.170
LTE B66	NR n77	Right Touch	-	1.056	0.016	1.072
		Right Tilt	-	0.250	0.007	0.257
		Left Touch	-	0.524	0.034	0.558
		Left Tilt	-	0.118	0.013	0.131
LTE B7	NR n77	Right Touch	-	1.052	0.016	1.068
		Right Tilt	-	0.247	0.007	0.254
		Left Touch	-	0.508	0.034	0.542
		Left Tilt	-	0.111	0.013	0.124
NR n41	NR n41	Right Touch	-	1.069	0.019	1.088
		Right Tilt	-	0.289	0.006	0.295
		Left Touch	-	0.445	0.035	0.480
		Left Tilt	-	0.159	0.010	0.169

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7+8_DSI6_NSA

				Reported SAR		Scenario 1
WWAN Ant7	WWAN Ant8	Exposure Position		0	1	0+1
				WWAN Ant7	WWAN Ant8	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B2	NR n41	Right Touch	-	0.429	0.493	0.922
		Right Tilt	-	1.180	0.148	1.328
		Left Touch	-	0.276	0.695	0.971
		Left Tilt	-	0.611	0.247	0.858
LTE B66	NR n41	Right Touch	-	0.465	0.493	0.958
		Right Tilt	-	0.971	0.148	1.119
		Left Touch	-	0.300	0.695	0.995
		Left Tilt	-	0.707	0.247	0.954

Ant7+9_DSI6_NSA

				Reported SAR		Scenario 1
WWAN Ant7	WWAN Ant9	Exposure Position		0	1	0+1
				WWAN Ant7	WWAN Ant9	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B2	NR n41	Right Touch	-	0.429	0.019	0.448
		Right Tilt	-	1.180	0.006	1.186
		Left Touch	-	0.276	0.035	0.311
		Left Tilt	-	0.611	0.010	0.621
LTE B66	NR n41	Right Touch	-	0.465	0.019	0.484
		Right Tilt	-	0.971	0.006	0.977
		Left Touch	-	0.300	0.035	0.335
		Left Tilt	-	0.707	0.010	0.717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0+1 DSI7 N

|--|

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100		101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200		201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300		301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400		401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461		462		463		464		465		466		467		468		469		470		471		472		473		474		475		476		477		478		479		480		481		482		483		484		485		486		487		488		489		490		491		492		493		494		495		496		497		498		499		500		501		502		503		504		505		506		507		508		509		510		511		512		513		514		515		516		517		518		519		520		521		522		523		524		525		526		527		528		529		530		531		532		533		534		535		536		537		538		539		540		541		542		543		544		545		546		547		548		549		550		551		552		553		554		555		556		557		558		559		560		561		562		563		564		565		566		567		568		569		570		571		572		573		574		575		576		577		578		579		580		581		582		583		584		585		586		587		588		589		590		591		592		593		594		595		596		597		598		599		600		601		602		603		604		605		606		607		608		609		610		611		612		613		614		615		616		617		618		619		620		621		622		623		624		625		626		627		628		629		630		631		632		633		634		635		636		637		638		639		640		641		642		643		644		645		646		647		648		649		650		651		652		653		654		655		656		657		658		659		660		661		662		663		664		665		666		667		668		669		670		671		672		673		674		675		676		677		678		679		680		681		682		683		684		685		686		687		688		689		690		691		692		693		694		695		696		697		698		699		700		701		702		703		704		705		706		707		708		709		710		711		712		713		714		715		716		717		718		719		720		721		722		723		724		725		726		727		728		729		730		731		732		733		734		735		736		737		738		739		740		741		742		743		744		745		746		747		748		749		750		751		752		753		754		755		756		757		758		759		760		761		762		763		764		765		766		767		768		769		770		771		772		773		774		775		776		777		778		779		780		781		782		783		784		785		786		787		788		789		790		791		792		793		794		795		796		797		798		799		800		801		802		803		804		805		806		807		808		809		810		811		812		813		814		815		816		817		818		819		820		821		822		823		824		825		826		827		828		829		830		831		832		833		834		835		836		837		838		839		840		841		842		843		844		845		846		847		848		849		850		851		852		853		854		855		856		857		858		859		860		861		862		863		864		865		866		867		868		869		870		871		872		873		874		875		876		877		878		879		880		881		882		883		884		885		886		887		888		889		890		891		892		893		894		895		896		897		898		899		900		901		902		903		904		905		906		907		908		909		910		911		912		913		914		915		916		917		918		919		920		921		922		923		924		925		926		927		928		929		930		931		932		933		934		935		936		937		938		939		940		941		942		943		944		945		946		947		948		949		950		951		952		953		954		955		956		957		958		959		960		961		962		963		964		965		966		967		968		969		970		971		972		973		974		975		976		977		978		979		980		981		982		983		984		985		986		987		988		989		990		991		992		993		994		995		996		997		998		999		1000	
WVAIN AUC1	WVAIN AUC2	Exposure Position	1 0.000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant0+6_DS17_NSA

		Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8	
		0	1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8							
WWAN Ant	WWAN Ant	Exposure Position	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)	1g SAR (mW/kg)							
NR n12	NR n77	Right Touch	-	0.040	0.350	0.127	0.350	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.797	0.857	0.729	0.688	0.780	0.879	0.725	0.684					
		Right Tilt	-	0.022	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.873	0.448	0.527	0.388	0.527	0.442	0.298	0.286				
		Left Touch	-	0.046	0.127	0.404	0.127	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.064	0.772	1.061	0.783	0.840	0.764	0.831	0.753				
		Left Tilt	-	0.027	0.063	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.746	0.562	0.881	0.520	0.675	0.489	0.653	0.489					
NR n5	NR n77	Right Touch	-	0.121	0.369	0.137	0.369	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.889	0.809	0.601	0.779	0.852	0.691	0.797	0.798					
		Right Tilt	-	0.051	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.883	0.513	0.735	0.764	0.835	0.761	0.760					
		Left Touch	-	0.093	0.127	0.404	0.127	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.111	0.819	1.048	0.860	0.907	0.751	0.878	0.779				
		Left Tilt	-	0.051	0.069	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.773	0.588	0.795	0.544	0.699	0.513	0.675	0.534					
LTE B12	NR n77	Right Touch	-	0.105	0.369	0.137	0.369	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.883	0.809	0.734	0.764	0.835	0.761	0.760						
		Right Tilt	-	0.044	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.886	0.460	0.539	0.320	0.548	0.454	0.311	0.282				
		Left Touch	-	0.092	0.127	0.404	0.127	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.110	0.818	1.047	0.859	0.908	0.750	0.877	0.789				
		Left Tilt	-	0.054	0.069	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.588	0.795	0.544	0.699	0.513	0.675	0.489					
LTE B5	NR n77	Right Touch	-	0.203	0.369	0.137	0.369	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.881	1.011	0.883	0.882	0.934	1.033	0.879	0.848					
		Right Tilt	-	0.067	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.828	0.503	0.582	0.383	0.582	0.497	0.354	0.325				
		Left Touch	-	0.139	0.127	0.404	0.127	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.107	0.895	1.094	0.986	1.033	0.797	1.024	0.818				
		Left Tilt	-	0.077	0.063	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.795	0.612	0.731	0.570	0.725	0.539	0.701	0.540					

Ant0+7_DS17_NSA

WWAN Ant	WWAN Ant	Exposure Position	Reported SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8			
			0	1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8		
			WWAN Ant 1g SAR (mW/kg)	WWAN Ant 1g SAR (mW/kg)	1.4GHz WLAN Ant 1g SAR (mW/kg)	1.4GHz WLAN Ant 1g SAR (mW/kg)	1.4GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	Bluetooth Ant 1g SAR (mW/kg)	Bluetooth Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed		
NR n12	NR n77	Right Touch	-	0.040	0.352	0.127	0.350	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.778	0.839	0.708	0.677	0.789	0.858	0.734	0.673	
		Right Tilt	-	0.022	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.886	0.466	0.545	0.388	0.545	0.448	0.307	
		Left Touch	-	0.046	0.341	0.404	0.122	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.078	0.866	1.215	1.007	1.104	0.918	1.148	0.937
		Left Tilt	-	0.027	0.064	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.773	0.581	0.658	0.477	0.658	0.568	0.489	0.407	
NR n5	NR n77	Right Touch	-	0.121	0.352	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.889	0.809	0.708	0.762	0.835	0.882	0.787	0.844	0.825
		Right Tilt	-	0.051	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.886	0.466	0.545	0.388	0.545	0.448	0.307	
		Left Touch	-	0.093	0.127	0.404	0.122	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.108	1.053	1.262	1.064	1.201	0.985	1.192	0.984
		Left Tilt	-	0.051	0.064	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.581	0.658	0.477	0.658	0.568	0.489	0.407	
LTE B12	NR n77	Right Touch	-	0.105	0.352	0.127	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.882	0.882	0.764	0.735	0.835	0.814	0.780	0.729	
		Right Tilt	-	0.044	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	1.011	0.588	0.585	0.383	0.585	0.507	0.370	
		Left Touch	-	0.092	0.345	0.404	0.122	0.350	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.107	1.053	1.262	1.064	1.201	0.985	1.192	0.984
		Left Tilt	-	0.054	0.064	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.581	0.658	0.477	0.658	0.568	0.489	0.407	
LTE B5	NR n77	Right Touch	-	0.203	0.352	0.137	0.360	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.889	0.940	0.882	0.881	1.033	1.032	0.858	0.827	
		Right Tilt	-	0.067	0.069	0.096	0.087	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.889	0.466	0.545	0.388	0.545	0.448	0.307	
		Left Touch	-	0.139	0.341	0.404	0.122	0.350	0.463	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.101	1.099	1.308	1.100	1.247	1.011	1.238	1.030
		Left Tilt	-	0.077	0.063	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.798	0.603	0.710	0.541	0.698	0.519	0.672	0.511	

Ant0+8_DS17_NSA

WWAN Ant	WWAN Ant	Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8				
			0	1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8		
			WWAN Ant 1g SAR (mW/kg)	WWAN Ant 1g SAR (mW/kg)	2.4GHz WLAN Ant 1g SAR (mW/kg)	2.4GHz WLAN Ant 1g SAR (mW/kg)	2.4GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	Bluetooth Ant 1g SAR (mW/kg)	Bluetooth Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	5GHz WLAN Ant 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	Summed 1g SAR (mW/kg)	
NR n12	NR n77	Right Touch	-	0.040	0.354	0.127	0.354	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.798	0.818	0.690	0.658	0.741	0.840	0.696	0.655	0.741	0.840	0.696	0.655	0.741	0.840	0.696	0.655	
		Right Tilt	-	0.022	0.137	0.096	0.137	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.981	0.466	0.545	0.326	0.385	0.460	0.317	0.298	0.385	0.460	0.317	0.298	0.385	0.460	0.317	0.298
		Left Touch	-	0.046	0.408	0.404	0.402	0.359	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.405	1.143	1.172	1.164	1.111	1.075	1.192	1.094	1.111	1.075	1.192	1.094	1.111	1.075	1.192	1.094
		Left Tilt	-	0.027	0.109	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.641	0.658	0.477	0.658	0.571	0.505	0.417	0.386	0.571	0.505	0.417	0.386	0.571	0.505	0.417	0.386
NR n5	NR n77	Right Touch	-	0.121	0.369	0.137	0.369	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.889	0.809	0.708	0.731	0.835	0.812	0.788	0.727	0.835	0.812	0.788	0.727	0.835	0.812	0.788	0.727	
		Right Tilt	-	0.051	0.127	0.096	0.127	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.889	0.466	0.545	0.374	0.479	0.518	0.318	0.317	0.479	0.518	0.318	0.317	0.479	0.518	0.318	0.317
		Left Touch	-	0.093	0.408	0.404	0.402	0.359	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.402	1.139	1.419	1.111	1.108	1.122	1.349	1.1	1.108	1.122	1.349	1.1	1.108	1.122	1.349	1.1
		Left Tilt	-	0.051	0.128	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.640	0.658	0.481	0.640	0.546	0.460	0.366	0.460	0.546	0.460	0.366	0.460	0.546	0.460	0.366	
LTE B15	NR n77	Right Touch	-	0.045	0.354	0.127	0.354	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.854	0.874	0.746	0.725	0.797	0.896	0.742	0.711	0.797	0.896	0.742	0.711	0.797	0.896	0.742	0.711	
		Right Tilt	-	0.026	0.137	0.096	0.137	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.947	0.466	0.545	0.326	0.385	0.460	0.317	0.298	0.385	0.460	0.317	0.298	0.385	0.460	0.317	0.298
		Left Touch	-	0.042	0.408	0.404	0.402	0.359	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.401	1.139	1.418	1.139	1.107	1.121	1.348	1.130	1.121	1.348	1.130	1.121	1.348	1.130	1.121	1.348
		Left Tilt	-	0.024	0.129	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.772	0.646	0.658	0.478	0.623	0.578	0.505	0.417	0.386	0.578	0.505	0.417	0.386	0.578	0.505	0.417	0.386
LTE B5	NR n77	Right Touch	-	0.024	0.354	0.127	0.354	0.128	0.170	0.230	0.159	0.049	0.048	0.153	0.252	0.155	0.843	0.862	0.735	0.714	0.786	0.885	0.731	0.700	0.786	0.885	0.731	0.700	0.786	0.885	0.731	0.700	
		Right Tilt	-	0.007	0.127	0.096	0.127	0.089	0.115	0.180	0.107	0.039	0.039	0.031	0.079	0.184	0.079	0.840	0.521	0.499	0.383	0.449	0.535	0.372	0.363	0.449	0.535	0.372	0.363	0.449	0.535	0.372	0.363
		Left Touch	-	0.139	0.408	0.404	0.402	0.359	0.461	0.180	0.430	0.154	0.026	0.107	0.101	0.101	0.380	1.326	1.126	1.405	1.207	1.104	1.108	1.395	1.187	1.104	1.108	1.395	1.187	1.104	1.108	1.395	1.187
		Left Tilt	-	0.077	0.129	0.103	0.079	0.269	0.355	0.142	0.302	0.108	0.020	0.105	0.060	0.101	0.750	0.622	0.658	0.478	0.622	0.578	0.505	0.417	0.386	0.578	0.505	0.417	0.386	0.578	0.505	0.417	0.386



Page: 136 of 217

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----	--

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sqs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sqs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant1+6_DSI7_NSA

Report No.: TESA2408000483EN

Page: 137 of 217

WWAN Avc1		WWAN Avc2		Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6	
		Exposure Position		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19				
				WLAN Avc1 1g SAR (W/kg)	WLAN Avc2 1g SAR (W/kg)	2.4GHz WLAN Avc1 1g SAR (W/kg)	2.4GHz WLAN Avc2 1g SAR (W/kg)	2.4GHz WLAN Avc1 1g SAR (W/kg)	2.4GHz WLAN Avc2 1g SAR (W/kg)	5GHz WLAN Avc1 1g SAR (W/kg)	5GHz WLAN Avc2 1g SAR (W/kg)	Bluetooth Avc1 1g SAR (W/kg)	Bluetooth Avc2 1g SAR (W/kg)	5GHz WLAN Avc1 1g SAR (W/kg)	5GHz WLAN Avc2 1g SAR (W/kg)	Bluetooth Avc1 1g SAR (W/kg)	Bluetooth Avc2 1g SAR (W/kg)	5GHz WLAN Avc1 1g SAR (W/kg)	5GHz WLAN Avc2 1g SAR (W/kg)	Bluetooth Avc1 1g SAR (W/kg)	Bluetooth Avc2 1g SAR (W/kg)	5GHz WLAN Avc1 1g SAR (W/kg)	5GHz WLAN Avc2 1g SAR (W/kg)				
NR-G2	NR-G7	Right Touch	-	0.252	0.250	0.127	0.250	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	1.003	1.063	0.935	0.904	0.986	1.005	0.921	0.900			
		Right Tilt	-	0.288	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.549	0.624	0.592	0.484	0.523	0.618	0.475	0.456			
		Left Touch	-	0.262	0.127	0.404	0.122	0.394	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	0.380	1.200	1.003	1.137	1.023	1.176	0.940	1.187			
		Left Tilt	-	0.225	0.080	0.100	0.079	0.100	0.102	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.940	0.769	0.879	0.718	0.873	0.887	0.848	0.688			
NR-G30	NR-G7	Right Touch	-	0.142	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.989	0.959	0.822	0.791	0.873	0.892	0.818	0.797			
		Right Tilt	-	0.188	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.449	0.524	0.493	0.384	0.423	0.518	0.375	0.356			
		Left Touch	-	0.190	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.176	0.886	1.115	0.907	1.054	0.818	1.045	0.837			
		Left Tilt	-	0.117	0.069	0.100	0.079	0.100	0.102	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.889	0.652	0.771	0.619	0.765	0.779	0.741	0.589			
NR-G56	NR-G7	Right Touch	-	0.168	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.914	0.916	0.846	0.817	0.899	0.906	0.844	0.813			
		Right Tilt	-	0.109	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.460	0.525	0.494	0.385	0.424	0.519	0.376	0.357			
		Left Touch	-	0.152	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.170	0.878	1.107	0.889	1.046	0.819	1.037	0.829			
		Left Tilt	-	0.127	0.069	0.100	0.079	0.099	0.102	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.846	0.652	0.781	0.629	0.775	0.789	0.751	0.599			
LTE-B2	NR-G7	Right Touch	-	0.127	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.875	0.935	0.807	0.776	0.868	0.857	0.803	0.772			
		Right Tilt	-	0.041	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.382	0.457	0.426	0.317	0.346	0.451	0.308	0.289			
		Left Touch	-	0.121	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.149	0.957	1.186	0.978	1.125	0.889	1.118	0.908			
		Left Tilt	-	0.076	0.063	0.100	0.079	0.089	0.108	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.794	0.611	0.739	0.569	0.724	0.738	0.700	0.538			
LTE-B30	NR-G7	Right Touch	-	0.141	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.889	0.949	0.821	0.790	0.872	0.871	0.817	0.786			
		Right Tilt	-	0.050	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.393	0.468	0.437	0.328	0.357	0.462	0.319	0.300			
		Left Touch	-	0.188	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.204	0.912	1.141	0.933	1.080	0.844	1.071	0.863			
		Left Tilt	-	0.091	0.063	0.100	0.079	0.089	0.108	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.813	0.620	0.749	0.589	0.743	0.757	0.719	0.558			
LTE-B66	NR-G7	Right Touch	-	0.121	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.909	1.029	0.901	0.870	0.952	1.051	0.897	0.886			
		Right Tilt	-	0.081	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.422	0.487	0.476	0.357	0.386	0.481	0.346	0.329			
		Left Touch	-	0.143	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.261	0.969	1.198	0.990	1.137	0.901	1.128	0.920			
		Left Tilt	-	0.141	0.063	0.100	0.079	0.089	0.108	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.889	0.676	0.795	0.634	0.789	0.803	0.765	0.604			
LTE-B7	NR-G7	Right Touch	-	0.119	0.369	0.137	0.369	0.128	0.170	0.220	0.159	0.049	0.048	0.123	0.252	0.125	0.887	0.927	0.799	0.768	0.850	0.849	0.795	0.764			
		Right Tilt	-	0.049	0.099	0.096	0.187	0.089	0.115	0.180	0.107	0.039	0.031	0.079	0.184	0.079	0.387	0.462	0.441	0.322	0.351	0.456	0.313	0.294			
		Left Touch	-	0.120	0.127	0.404	0.122	0.398	0.461	0.180	0.430	0.164	0.026	0.107	0.101	0.100	1.189	0.976	1.195	0.987	1.044	0.808	1.030	0.827			
		Left Tilt	-	0.068	0.063	0.100	0.079	0.089	0.108	0.142	0.102	0.108	0.020	0.220	0.069	0.122	0.796	0.603	0.722	0.561	0.718	0.730	0.692	0.531			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1+7 DSI7 NSA

[illegible]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1+8 DSI7 NSA

WWAN AC1	WWAN AC6	Equipment Position	Reported GPRS												D1x2v1-1		D1x2v2-1		D1x3v1-1		D1x3v2-1		D1x4v1-1		D1x4v2-1		D1x5v1-1		D1x5v2-1		D1x6v1-1		D1x6v2-1		D1x7v1-1		D1x7v2-1		D1x8v1-1		D1x8v2-1		D1x9v1-1		D1x9v2-1		D1x10v1-1		D1x10v2-1		D1x11v1-1		D1x11v2-1		D1x12v1-1		D1x12v2-1		D1x13v1-1		D1x13v2-1		D1x14v1-1		D1x14v2-1		D1x15v1-1		D1x15v2-1		D1x16v1-1		D1x16v2-1		D1x17v1-1		D1x17v2-1		D1x18v1-1		D1x18v2-1		D1x19v1-1		D1x19v2-1		D1x20v1-1		D1x20v2-1		D1x21v1-1		D1x21v2-1		D1x22v1-1		D1x22v2-1		D1x23v1-1		D1x23v2-1		D1x24v1-1		D1x24v2-1		D1x25v1-1		D1x25v2-1		D1x26v1-1		D1x26v2-1		D1x27v1-1		D1x27v2-1		D1x28v1-1		D1x28v2-1		D1x29v1-1		D1x29v2-1		D1x30v1-1		D1x30v2-1		D1x31v1-1		D1x31v2-1		D1x32v1-1		D1x32v2-1		D1x33v1-1		D1x33v2-1		D1x34v1-1		D1x34v2-1		D1x35v1-1		D1x35v2-1		D1x36v1-1		D1x36v2-1		D1x37v1-1		D1x37v2-1		D1x38v1-1		D1x38v2-1		D1x39v1-1		D1x39v2-1		D1x40v1-1		D1x40v2-1		D1x41v1-1		D1x41v2-1		D1x42v1-1		D1x42v2-1		D1x43v1-1		D1x43v2-1		D1x44v1-1		D1x44v2-1		D1x45v1-1		D1x45v2-1		D1x46v1-1		D1x46v2-1		D1x47v1-1		D1x47v2-1		D1x48v1-1		D1x48v2-1		D1x49v1-1		D1x49v2-1		D1x50v1-1		D1x50v2-1		D1x51v1-1		D1x51v2-1		D1x52v1-1		D1x52v2-1		D1x53v1-1		D1x53v2-1		D1x54v1-1		D1x54v2-1		D1x55v1-1		D1x55v2-1		D1x56v1-1		D1x56v2-1		D1x57v1-1		D1x57v2-1		D1x58v1-1		D1x58v2-1		D1x59v1-1		D1x59v2-1		D1x60v1-1		D1x60v2-1		D1x61v1-1		D1x61v2-1		D1x62v1-1		D1x62v2-1		D1x63v1-1		D1x63v2-1		D1x64v1-1		D1x64v2-1		D1x65v1-1		D1x65v2-1		D1x66v1-1		D1x66v2-1		D1x67v1-1		D1x67v2-1		D1x68v1-1		D1x68v2-1		D1x69v1-1		D1x69v2-1		D1x70v1-1		D1x70v2-1		D1x71v1-1		D1x71v2-1		D1x72v1-1		D1x72v2-1		D1x73v1-1		D1x73v2-1		D1x74v1-1		D1x74v2-1		D1x75v1-1		D1x75v2-1		D1x76v1-1		D1x76v2-1		D1x77v1-1		D1x77v2-1		D1x78v1-1		D1x78v2-1		D1x79v1-1		D1x79v2-1		D1x80v1-1		D1x80v2-1		D1x81v1-1		D1x81v2-1		D1x82v1-1		D1x82v2-1		D1x83v1-1		D1x83v2-1		D1x84v1-1		D1x84v2-1		D1x85v1-1		D1x85v2-1		D1x86v1-1		D1x86v2-1		D1x87v1-1		D1x87v2-1		D1x88v1-1		D1x88v2-1		D1x89v1-1		D1x89v2-1		D1x90v1-1		D1x90v2-1		D1x91v1-1		D1x91v2-1		D1x92v1-1		D1x92v2-1		D1x93v1-1		D1x93v2-1		D1x94v1-1		D1x94v2-1		D1x95v1-1		D1x95v2-1		D1x96v1-1		D1x96v2-1		D1x97v1-1		D1x97v2-1		D1x98v1-1		D1x98v2-1		D1x99v1-1		D1x99v2-1		D1x100v1-1		D1x100v2-1		D1x101v1-1		D1x101v2-1		D1x102v1-1		D1x102v2-1		D1x103v1-1		D1x103v2-1		D1x104v1-1		D1x104v2-1		D1x105v1-1		D1x105v2-1		D1x106v1-1		D1x106v2-1		D1x107v1-1		D1x107v2-1		D1x108v1-1		D1x108v2-1		D1x109v1-1		D1x109v2-1		D1x110v1-1		D1x110v2-1		D1x111v1-1		D1x111v2-1		D1x112v1-1		D1x112v2-1		D1x113v1-1		D1x113v2-1		D1x114v1-1		D1x114v2-1		D1x115v1-1		D1x115v2-1		D1x116v1-1		D1x116v2-1		D1x117v1-1		D1x117v2-1		D1x118v1-1		D1x118v2-1		D1x119v1-1		D1x119v2-1		D1x120v1-1		D1x120v2-1		D1x121v1-1		D1x121v2-1		D1x122v1-1		D1x122v2-1		D1x123v1-1		D1x123v2-1		D1x124v1-1		D1x124v2-1		D1x125v1-1		D1x125v2-1		D1x126v1-1		D1x126v2-1		D1x127v1-1		D1x127v2-1		D1x128v1-1		D1x128v2-1		D1x129v1-1		D1x129v2-1		D1x130v1-1		D1x130v2-1		D1x131v1-1		D1x131v2-1		D1x132v1-1		D1x132v2-1		D1x133v1-1		D1x133v2-1		D1x134v1-1		D1x134v2-1		D1x135v1-1		D1x135v2-1		D1x136v1-1		D1x136v2-1		D1x137v1-1		D1x137v2-1		D1x138v1-1		D1x138v2-1		D1x139v1-1		D1x139v2-1		D1x140v1-1		D1x140v2-1		D1x141v1-1		D1x141v2-1		D1x142v1-1		D1x142v2-1		D1x143v1-1		D1x143v2-1		D1x144v1-1		D1x144v2-1		D1x145v1-1		D1x145v2-1		D1x146v1-1		D1x146v2-1		D1x147v1-1		D1x147v2-1		D1x148v1-1		D1x148v2-1		D1x149v1-1		D1x149v2-1		D1x150v1-1		D1x150v2-1		D1x151v1-1		D1x151v2-1		D1x152v1-1		D1x152v2-1		D1x153v1-1		D1x153v2-1		D1x154v1-1		D1x154v2-1		D1x155v1-1		D1x155v2-1		D1x156v1-1		D1x156v2-1		D1x157v1-1		D1x157v2-1		D1x158v1-1		D1x158v2-1		D1x159v1-1		D1x159v2-1		D1x160v1-1		D1x160v2-1		D1x161v1-1		D1x161v2-1		D1x162v1-1		D1x162v2-1		D1x163v1-1		D1x163v2-1		D1x164v1-1		D1x164v2-1		D1x165v1-1		D1x165v2-1		D1x166v1-1		D1x166v2-1		D1x167v1-1		D1x167v2-1		D1x168v1-1		D1x168v2-1		D1x169v1-1		D1x169v2-1		D1x170v1-1		D1x170v2-1		D1x171v1-1		D1x171v2-1		D1x172v1-1		D1x172v2-1		D1x173v1-1		D1x173v2-1		D1x174v1-1		D1x174v2-1		D1x175v1-1		D1x175v2-1		D1x176v1-1		D1x176v2-1		D1x177v1-1		D1x177v2-1		D1x178v1-1		D1x178v2-1		D1x179v1-1		D1x179v2-1		D1x180v1-1		D1x180v2-1		D1x181v1-1		D1x181v2-1		D1x182v1-1		D1x182v2-1		D1x183v1-1		D1x183v2-1		D1x184v1-1		D1x184v2-1		D1x185v1-1		D1x185v2-1		D1x186v1-1		D1x186v2-1		D1x187v1-1		D1x187v2-1		D1x188v1-1		D1x188v2-1		D1x189v1-1		D1x189v2-1		D1x190v1-1		D1x190v2-1		D1x191v1-1		D1x191v2-1		D1x192v1-1		D1x192v2-1		D1x193v1-1		D1x193v2-1		D1x194v1-1		D1x194v2-1		D1x195v1-1		D1x195v2-1		D1x196v1-1		D1x196v2-1		D1x197v1-1		D1x197v2-1		D1x198v1-1		D1x198v2-1		D1x199v1-1		D1x199v2-1		D1x200v1-1		D1x200v2-1		D1x201v1-1		D1x201v2-1		D1x202v1-1		D1x202v2-1		D1x203v1-1		D1x203v2-1		D1x204v1-1		D1x204v2-1		D1x205v1-1		D1x205v2-1		D1x206v1-1		D1x206v2-1		D1x207v1-1		D1x207v2-1		D1x208v1-1		D1x208v2-1		D1x209v1-1		D1x209v2-1		D1x210v1-1		D1x210v2-1		D1x211v1-1		D1x211v2-1		D1x212v1-1		D1x212v2-1		D1x213v1-1		D1x213v2-1		D1x214v1-1		D1x214v2-1		D1x215v1-1		D1x215v2-1		D1x216v1-1		D1x216v2-1		D1x217v1-1		D1x217v2-1		D1x218v1-1		D1x218v2-1		D1x219v1-1		D1x219v2-1		D1x220v1-1		D1x220v2-1		D1x221v1-1		D1x221v2-1		D1x222v1-1		D1x222v2-1		D1x223v1-1		D1x223v2-1		D1x224v1-1		D1x224v2-1		D1x225v1-1		D1x225v2-1		D1x226v1-1		D1x226v2-1		D1x227v1-1		D1x227v2-1		D1x228v1-1		D1x228v2-1		D1x229v1-1		D1x229v2-1		D1x230v1-1		D1x230v2-1		D1x231v1-1		D1x231v2-1		D1x232v1-1		D1x232v2-1		D1x233v1-1		D1x233v2-1		D1x234v1-1		D1x234v2-1		D1x235v1-1		D1x235v2-1		D1x236v1-1		D1x236v2-1		D1x237v1-1		D1x237v2-1		D1x238v1-1		D1x238v2-1		D1x239v1-1		D1x239v2-1		D1x240v1-1		D1x240v2-1		D1x241v1-1		D1x241v2-1		D1x242v1-1		D1x242v2-1		D1x243v1-1		D1x243v2-1		D1x244v1-1		D1x244v2-1		D1x245v1-1		D1x245v2-1		D1x246v1-1		D1x246v2-1		D1x247v1-1		D1x247v2-1		D1x248v1-1		D1x248v2-1		D1x249v1-1		D1x249v2-1		D1x250v1-1		D1x250v2-1		D1x251v1-1		D1x251v2-1		D1x252v1-1		D1x252v2-1		D1x253v1-1		D1x253v2-1		D1x254v1-1		D1x254v2-1		D1x255v1-1		D1x255v2-1		D1x256v1-1		D1x256v2-1		D1x257v1-1		D1x257v2-1		D1x258v1-1		D1x258v2-1		D1x259v1-1		D1x259v2-1		D1x260v1-1		D1x260v2-1		D1x261v1-1		D1x261v2-1		D1x262v1-1		D1x262v2-1		D1x263v1-1		D1x263v2-1		D1x264v1-1		D1x264v2-1		D1x265v1-1		D1x265v2-1		D1x266v1-1		D1x266v2-1		D1x267v1-1		D1x267v2-1		D1x268v1-1		D1x268v2-1		D1x269v1-1		D1x269v2-1		D1x270v1-1		D1x270v2-1		D1x271v1-1		D1x271v2-1		D1x272v1-1		D1x272v2-1		D1x273v1-1		D1x273v2-1		D1x274v1-1		D1x274v2-1		D1x275v1-1		D1x275v2-1		D1x276v1-1		D1x276v2-1		D1x277v1-1		D1x277v2-1		D1x278v1-1		D1x278v2-1		D1x279v1-1		D1x279v2-1		D1x280v1-1		D1x280v2-1		D1x281v1-1		D1x281v2-1		D1x282v1-1		D1x282v2-1		D1x283v1-1		D1x283v2-1		D1x284v1-1		D1x284v2-1		D1x285v1-1		D1x285v2-1		D1x286v1-1		D1x286v2-1		D1x287v1-1		D1x287v2-1		D1x288v1-1		D1x288v2-1		D1x289v1-1		D1x289v2-1		D1x290v1-1		D1x290v2-1		D1x291v1-1		D1x291v2-1		D1x292v1-1		D1x292v2-1		D1x293v1-1		D1x293v2-1		D1x294v1-1		D1x294v2-1		D1x295v1-1		D1x295v2-1		D1x296v1-1		D1x296v2-1		D1x297v1-1		D1x297v2-1		D1x298v1-1		D1x298v2-1		D1x299v1-1		D1x299v2-1		D1x300v1-1		D1x300v2-1		D1x301v1-1		D1x301v2-1		D1x302v1-1		D1x302v2-1		D1x303v1-1		D1x303v2-1		D1x304v1-1		D1x304v2-1		D1x305v1-1		D1x305v2-1		D1x306v1-1		D1x306v2-1		D1x307v1-1		D1x307v2-1		D1x308v1-1		D1x308v2-1		D1x309v1-1		D1x309v2-1		D1x310v1-1		D1x310v2-1		D1x311v1-1		D1x311v2-1		D1x312v1-1		D1x312v2-1		D1x313v1-1		D1x313v2-1		D1x314v1-1		D1x314v2-1		D1x315v1-1		D1x315v2-1		D1x316v1-1		D1x316v2-1		D1x317v1-1		D1x317v2-1		D1x318v1-1		D1x318v2-1		D1x319v1-1		D1x319v2-1		D1x320v1-1		D1x320v2-1		D1x321v1-1		D1x321v2-1		D1x322v1-1		D1x322v2-1		D1x323v1-1		D1x323v2-1		D1x324v1-1		D1x324v2-1		D1x325v1-1		D1x325v2-1		D1x326v1-1		D1x326v2-1		D1x327v1-1		D1x327v2-1		D1x328v1-1		D1x328v2-1		D1x329v1-1		D1x329v2-1		D1x330v1-1		D1x330v2-1		D1x331v1-1		D1x331v2-1		D1x332v1-1		D1x332v2-1		D1x333v1-1		D1x333v2-1		D1x334v1-1		D1x334v2-1		D1x335v1-1		D1x335v2-1		D1x336v1-1		D1x336v2-1		D1x337v1-1		D1x337v2-1		D1x338v1-1		D1x338v2-1		D1x339v1-1		D1x339v2-1		D1x340v1-1		D1x340v2-1		D1x341v1-1		D1x341v2-1		D1x342v1-1		D1x342v2-1		D1x343v1-1		D1x343v2-1		D1x344v1-1		D1x344v2-1		D1x345v1-1		D1x345v2-1		D1x346v1-1		D1x346v2-1		D1x347v1-1		D1x347v2-1		D1x348v1-1		D1x348v2-1		D1x349v1-1		D1x349v2-1		D1x350v1-1	
----------	----------	--------------------	---------------	--	--	--	--	--	--	--	--	--	--	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--	------------	--

Ant1+9 DSI7 NSA

WWAN AIS1	WWAN AIS2	Exposure Position	Predefined gaps												Decomposition 1		Decomposition 2		Decomposition 3		Decomposition 4		Decomposition 5		Decomposition 6		Decomposition 7		Decomposition 8		
			WVAV AIS1	WVAV AIS2	1	2	3	4	5	6	7	8	9	10	11	12	Decomposition 1	Decomposition 2	Decomposition 3	Decomposition 4	Decomposition 5	Decomposition 6	Decomposition 7	Decomposition 8	Decomposition 9	Decomposition 10	Decomposition 11	Decomposition 12			
			15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)	15 SAAT (min)		
NR 02	NR 077	Right Traffic	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
NR 030	NR 077	Right Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
NR 066	NR 077	Right Traffic	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
LB 02	NR 077	Right Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
LB 030	NR 077	Right Traffic	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1337	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
LB 066	NR 077	Right Traffic	0.0661	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.0661	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.0661	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.0661	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
LB 07	NR 077	Right Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.2659	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
NR 041	NR 041	Right Traffic	0.1225	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Traffic	0.1225	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1225	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209
		Left Turn	0.1225	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209	0.1519	0.0449	0.0448	0.1337	0.2525	0.0548	0.1327	0.2659	0.1226	0.1276	0.2209

Ant2+6 DSI7 NSA

				Regional data												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
WWAN Ant2	WWAN Ant1	Exposure Position	0	1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			15WV AN2 15WV AN1	15WV AN2 15WV AN1	2.4G W AN2 2.4G W AN1	2.4G W AN2 2.4G W AN1	2.4G W AN2 2.4G W AN1	2.4G W AN2 2.4G W AN1	2.4G W AN2 2.4G W AN1	Bluetooth AN2 Bluetooth AN1	Bluetooth AN2 Bluetooth AN1	Bluetooth AN2 Bluetooth AN1	Bluetooth AN2 Bluetooth AN1	Bluetooth AN2 Bluetooth AN1	Bluetooth AN2 Bluetooth AN1	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2	Scenario 1 Scenario 2
NR112	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.735	0.904	0.749	0.563	0.725	0.564
NR15	NR17	Right Tilt	0.547	0.383	0.137	0.383	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.032	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.050	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
NR12	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
NR130	NR17	Right Tilt	0.520	0.357	0.137	0.357	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.032	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.050	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
NR16	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B12	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B5	NR17	Right Tilt	0.517	0.354	0.137	0.354	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.032	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.050	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B2	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B30	NR17	Right Tilt	0.547	0.383	0.137	0.383	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.032	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.050	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B66	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.032	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.050	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564
LTE B7	NR17	Right Tilt	0.465	0.303	0.137	0.303	0.137	0.230	0.159	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Right Tilt	0.135	0.099	0.096	0.197	0.098	0.115	0.099	0.032	0.017	0.039	0.035	0.039	0.149	0.079	0.434	0.549	0.439	0.439	0.543	0.600	
		Left Tilt	0.203	0.127	0.043	0.127	0.043	0.160	0.102	0.040	0.048	0.153	0.252	0.155	1.303	1.403	1.325	1.294	1.376	1.475	1.331	1.290	
		Left Tilt	0.161	0.063	0.130	0.079	0.230	0.120	0.302	0.140	0.032	0.108	0.150	0.060	0.072	0.839	0.628	0.749	0.904	0.749	0.563	0.725	0.564

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

[illegible]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sqs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sqs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant2+8_DS17_NSA

				Reported SAR																SAR1+8		SAR2+8		SAR3+8		SAR4+8		SAR5+8		SAR6+8		SAR7+8		SAR8+8																																																																																																																																																																																																																																																																																																																	
WWAN Ant2	WWAN Ant8	Exposure Position	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																												
			WLAN Ant2 (W)	WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2-EDGE WLAN Ant2 (W)	2-EDGE WLAN Ant8 (W)	2

Body
Hotspot
Ant0_SA

			Reported SAR								Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
Exposure Position			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
GPRS850 <1Dn2Up>	Front Surface	10	0.814	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.524	1.535	1.490	1.293
	Back Surface	10	1.022	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.392	1.457	1.458	1.362
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.686									0.686	0.686	0.686	0.686
	Right Edge	10	0.132	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.612	0.917	1.053	0.787
	Left Edge	10	0.096									0.096	0.096	0.096	0.096
WCDMA Band V	Front Surface	10	0.692	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.402	1.413	1.368	1.171
	Back Surface	10	0.767	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.137	1.202	1.203	1.107
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.619									0.619	0.619	0.619	0.619
	Right Edge	10	0.099	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.579	0.884	1.020	0.754
	Left Edge	10	0.080									0.080	0.080	0.080	0.080
LTE Band 5	Front Surface	10	0.533	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.243	1.254	1.209	1.012
	Back Surface	10	0.734	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.104	1.169	1.170	1.074
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.485									0.485	0.485	0.485	0.485
	Right Edge	10	0.120	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.600	0.905	1.041	0.775
	Left Edge	10	0.086									0.086	0.086	0.086	0.086
LTE Band 12	Front Surface	10	0.178	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.888	0.899	0.854	0.657
	Back Surface	10	0.678	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.048	1.113	1.114	1.018
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.452									0.452	0.452	0.452	0.452
	Right Edge	10	0.018	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.498	0.803	0.939	0.673
	Left Edge	10	0.013									0.013	0.013	0.013	0.013
LTE Band 17	Front Surface	10	0.194	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.904	0.915	0.870	0.673
	Back Surface	10	0.703	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.073	1.138	1.139	1.043
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.470									0.470	0.470	0.470	0.470
	Right Edge	10	0.014	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.494	0.799	0.935	0.669
	Left Edge	10	0.010									0.010	0.010	0.010	0.010
LTE Band 26	Front Surface	10	0.512	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.222	1.233	1.188	0.991
	Back Surface	10	0.883	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.253	1.318	1.319	1.223
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.480									0.480	0.480	0.480	0.480
	Right Edge	10	0.099	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.579	0.884	1.020	0.754
	Left Edge	10	0.065									0.065	0.065	0.065	0.065
LTE Band 71	Front Surface	10	0.216	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.926	0.937	0.892	0.695
	Back Surface	10	0.333	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.703	0.768	0.769	0.673
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.425									0.425	0.425	0.425	0.425
	Right Edge	10	0.014	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.494	0.799	0.935	0.669
	Left Edge	10	0.012									0.012	0.012	0.012	0.012
NR n5	Front Surface	10	0.507	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.217	1.228	1.183	0.986
	Back Surface	10	0.612	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.982	1.047	1.048	0.952
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.502									0.502	0.502	0.502	0.502
	Right Edge	10	0.097	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.577	0.882	1.018	0.752
	Left Edge	10	0.060									0.060	0.060	0.060	0.060
NR n12	Front Surface	10	0.220	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.930	0.941	0.896	0.699
	Back Surface	10	0.904	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.274	1.339	1.340	1.244
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.680									0.680	0.680	0.680	0.680
	Right Edge	10	0.019	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.499	0.804	0.940	0.674
	Left Edge	10	0.014									0.014	0.014	0.014	0.014
NR n26	Front Surface	10	0.533	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.243	1.254	1.209	1.012
	Back Surface	10	0.727	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.097	1.162	1.163	1.067
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.525									0.525	0.525	0.525	0.525
	Right Edge	10	0.101	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.581	0.886	1.022	0.756
	Left Edge	10	0.064									0.064	0.064	0.064	0.064
NR n71	Front Surface	10	0.213	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.923	0.934	0.889	0.692
	Back Surface	10	0.321	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.691	0.756	0.757	0.661
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.473									0.473	0.473	0.473	0.473
	Right Edge	10	0.015	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.495	0.800	0.936	0.670
	Left Edge	10	0.012									0.012	0.012	0.012	0.012

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_SA

			Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
GPRS1900 <1Dn2Up>	Front Surface	10	0.389	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.099	1.110	1.065	0.868
	Back Surface	10	0.363	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.733	0.798	0.799	0.703
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.173									0.173	0.173	0.173	0.173
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
WCDMA Band II	Left Edge	10	0.562									0.562	0.562	0.562	0.562
	Front Surface	10	0.286	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.996	1.007	0.962	0.765
	Back Surface	10	0.264	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.634	0.699	0.700	0.604
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.133									0.133	0.133	0.133	0.133
WCDMA Band IV	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.390									0.390	0.390	0.390	0.390
	Front Surface	10	0.282	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.992	1.003	0.958	0.761
	Back Surface	10	0.256	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.626	0.691	0.692	0.596
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
LTE Band 2	Bottom Edge	10	0.128									0.128	0.128	0.128	0.128
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.410									0.410	0.410	0.410	0.410
	Front Surface	10	0.460	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.170	1.181	1.136	0.939
	Back Surface	10	0.541	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.911	0.976	0.977	0.881
LTE Band 4	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.526									0.526	0.526	0.526	0.526
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.550									0.550	0.550	0.550	0.550
	Front Surface	10	0.368	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.078	1.089	1.044	0.847
LTE Band 7	Back Surface	10	0.388	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.758	0.823	0.824	0.728
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.239									0.239	0.239	0.239	0.239
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.460									0.460	0.460	0.460	0.460
LTE Band 25	Front Surface	10	0.354	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.064	1.075	1.030	0.833
	Back Surface	10	0.322	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.692	0.757	0.758	0.662
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.237									0.237	0.237	0.237	0.237
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
LTE Band 30	Left Edge	10	0.536									0.536	0.536	0.536	0.536
	Front Surface	10	0.368	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.078	1.089	1.044	0.847
	Back Surface	10	0.363	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.733	0.798	0.799	0.703
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.180									0.180	0.180	0.180	0.180
LTE Band 66	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.525									0.525	0.525	0.525	0.525
	Front Surface	10	0.255	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.965	0.976	0.931	0.734
	Back Surface	10	0.406	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.776	0.841	0.842	0.746
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
LTE Band 38	Bottom Edge	10	0.245									0.245	0.245	0.245	0.245
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.717									0.717	0.717	0.717	0.717
	Front Surface	10	0.449	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.159	1.170	1.125	0.928
	Back Surface	10	0.473	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.843	0.908	0.909	0.813
LTE Band 41_PC3	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.261									0.261	0.261	0.261	0.261
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.616									0.616	0.616	0.616	0.616
	Front Surface	10	0.391	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.101	1.112	1.067	0.870
LTE Band 41_PC2	Back Surface	10	0.421	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.791	0.856	0.857	0.761
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.251									0.251	0.251	0.251	0.251
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.447									0.447	0.447	0.447	0.447
LTE Band 41_PC3	Front Surface	10	0.397	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.107	1.118	1.073	0.876
	Back Surface	10	0.415	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.785	0.850	0.851	0.755
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.228									0.228	0.228	0.228	0.228
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
LTE Band 41_PC2	Left Edge	10	0.516									0.516	0.516	0.516	0.516
	Front Surface	10	0.303	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.013	1.024	0.979	0.782
	Back Surface	10	0.410	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.780	0.845	0.846	0.750
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.186									0.186	0.186	0.186	0.186
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.474									0.474	0.474	0.474	0.474

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n2	Front Surface	10	0.493	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.203	1.214	1.169	0.972
	Back Surface	10	0.633	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.003	1.068	1.069	0.973
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.555									0.555	0.555	0.555	0.555
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n7	Left Edge	10	0.686									0.686	0.686	0.686	0.686
	Front Surface	10	0.307	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.017	1.028	0.983	0.786
	Back Surface	10	0.321	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.691	0.756	0.757	0.661
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.205									0.205	0.205	0.205	0.205
NR n25	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.469									0.469	0.469	0.469	0.469
	Front Surface	10	0.436	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.146	1.157	1.112	0.915
	Back Surface	10	0.475	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.845	0.910	0.911	0.815
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
NR n26	Bottom Edge	10	0.225									0.225	0.225	0.225	0.225
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.696									0.696	0.696	0.696	0.696
	Front Surface	10	0.436	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.146	1.157	1.112	0.915
	Back Surface	10	0.475	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.845	0.910	0.911	0.815
NR n30	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.225									0.225	0.225	0.225	0.225
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.696									0.696	0.696	0.696	0.696
	Front Surface	10	0.264	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.974	0.985	0.940	0.743
NR n66	Back Surface	10	0.408	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.778	0.843	0.844	0.748
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.257									0.257	0.257	0.257	0.257
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.643									0.643	0.643	0.643	0.643
NR n66	Front Surface	10	0.399	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.109	1.120	1.075	0.878
	Back Surface	10	0.426	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.796	0.861	0.862	0.766
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.228									0.228	0.228	0.228	0.228
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n38	Left Edge	10	0.486									0.486	0.486	0.486	0.486
	Front Surface	10	0.431	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.141	1.152	1.107	0.910
	Back Surface	10	0.448	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.818	0.883	0.884	0.788
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.253									0.253	0.253	0.253	0.253
NR n41_PC3	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.516									0.516	0.516	0.516	0.516
	Front Surface	10	0.404	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.114	1.125	1.080	0.883
	Back Surface	10	0.414	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.784	0.849	0.850	0.754
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
NR n41_PC2	Bottom Edge	10	0.190									0.190	0.190	0.190	0.190
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.452									0.452	0.452	0.452	0.452
	Front Surface	10	0.456	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.166	1.177	1.132	0.935
	Back Surface	10	0.469	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.839	0.904	0.905	0.809
NR n41_PC2	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.214									0.214	0.214	0.214	0.214
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n41_PC2	Left Edge	10	0.553									0.553	0.553	0.553	0.553

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2_SA

			Reported SAR								Scenario 1	Scenario 2	Scenario 3	Scenario 4			
			Exposure Position		1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
					WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	
WCDMA Band II	Front Surface	10	0.482	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.192	1.203	1.158	0.961		
	Back Surface	10	0.245	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.615	0.680	0.681	0.585		
	Top Edge	10	0.120	0.252		0.264	0.298		0.262	0.026		0.670	0.372	0.646	0.408		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.190									1.190	1.190	1.190	1.190		
WCDMA Band IV	Front Surface	10	0.489	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.199	1.210	1.165	0.968		
	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598		
	Top Edge	10	0.075	0.252		0.264	0.298		0.262	0.026		0.625	0.327	0.601	0.363		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.118									1.118	1.118	1.118	1.118		
WCDMA Band V	Front Surface	10	0.314	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.024	1.035	0.990	0.793		
	Back Surface	10	0.298	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.668	0.733	0.734	0.638		
	Top Edge	10	0.081	0.252		0.264	0.298		0.262	0.026		0.631	0.333	0.607	0.369		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.353									0.353	0.353	0.353	0.353		
LTE Band 2	Front Surface	10	0.546	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.256	1.267	1.222	1.025		
	Back Surface	10	0.252	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.622	0.687	0.688	0.592		
	Top Edge	10	0.118	0.252		0.264	0.298		0.262	0.026		0.668	0.370	0.644	0.406		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.136									1.136	1.136	1.136	1.136		
LTE Band 4	Front Surface	10	0.687	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.397	1.408	1.363	1.166		
	Back Surface	10	0.532	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.902	0.967	0.968	0.872		
	Top Edge	10	0.193	0.252		0.264	0.298		0.262	0.026		0.743	0.445	0.719	0.481		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.099									1.099	1.099	1.099	1.099		
LTE Band 5	Front Surface	10	0.503	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.213	1.224	1.179	0.982		
	Back Surface	10	0.355	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.725	0.790	0.791	0.695		
	Top Edge	10	0.099	0.252		0.264	0.298		0.262	0.026		0.649	0.351	0.625	0.387		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.520									0.520	0.520	0.520	0.520		
LTE Band 7	Front Surface	10	0.643	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.353	1.364	1.319	1.122		
	Back Surface	10	0.311	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.681	0.746	0.747	0.651		
	Top Edge	10	0.073	0.252		0.264	0.298		0.262	0.026		0.623	0.325	0.599	0.361		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.162									1.162	1.162	1.162	1.162		
LTE Band 12	Front Surface	10	0.384	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.094	1.105	1.060	0.863		
	Back Surface	10	0.198	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.568	0.633	0.634	0.538		
	Top Edge	10	0.096	0.252		0.264	0.298		0.262	0.026		0.646	0.348	0.622	0.384		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.445									0.445	0.445	0.445	0.445		
LTE Band 17	Front Surface	10	0.380	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.090	1.101	1.056	0.859		
	Back Surface	10	0.203	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.573	0.638	0.639	0.543		
	Top Edge	10	0.093	0.252		0.264	0.298		0.262	0.026		0.643	0.345	0.619	0.381		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.443									0.443	0.443	0.443	0.443		
LTE Band 25	Front Surface	10	0.544	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.254	1.265	1.220	1.023		
	Back Surface	10	0.272	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.642	0.707	0.708	0.612		
	Top Edge	10	0.133	0.252		0.264	0.298		0.262	0.026		0.683	0.385	0.659	0.421		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.160									1.160	1.160	1.160	1.160		
LTE Band 26	Front Surface	10	0.549	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.259	1.270	1.225	1.028		
	Back Surface	10	0.391	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.761	0.826	0.827	0.731		
	Top Edge	10	0.108	0.252		0.264	0.298		0.262	0.026		0.658	0.360	0.634	0.396		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.570									0.570	0.570	0.570	0.570		
LTE Band 30	Front Surface	10	0.864	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.574	1.585	1.540	1.343		
	Back Surface	10	0.666	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.036	1.101	1.102	1.006		
	Top Edge	10	0.270	0.252		0.264	0.298		0.262	0.026		0.820	0.522	0.796	0.558		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.175									1.175	1.175	1.175	1.175		
LTE Band 66	Front Surface	10	0.538	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.248	1.259	1.214	1.017		
	Back Surface	10	0.272	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.642	0.707	0.708	0.612		
	Top Edge	10	0.095	0.252		0.264	0.298		0.262	0.026		0.645	0.347	0.621	0.383		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.089									1.089	1.089	1.089	1.089		
LTE Band 71	Front Surface	10	0.363	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.073	1.084	1.039	0.842		
	Back Surface	10	0.176	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.546	0.611	0.612	0.516		
	Top Edge	10	0.085	0.252		0.264	0.298		0.262	0.026		0.635	0.337	0.611	0.373		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.425									0.425	0.425	0.425	0.425		
LTE Band 38	Front Surface	10	0.578	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.288	1.299	1.254	1.057		
	Back Surface	10	0.302	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.672	0.737	0.738	0.642		
	Top Edge	10	0.110	0.252		0.264	0.298		0.262	0.026		0.660	0.362	0.636	0.398		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.098									1.098	1.098	1.098	1.098		
LTE Band 41_PC3	Front Surface	10	0.592	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.302	1.313	1.268	1.071		
	Back Surface	10	0.288	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.658	0.723	0.724	0.628		
	Top Edge	10	0.117	0.252		0.264</											

NR n2	Front Surface	10	0.547	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.257	1.268	1.223	1.026
	Back Surface	10	0.276	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.646	0.711	0.712	0.616
	Top Edge	10	0.131	0.252		0.264	0.298		0.262	0.026		0.681	0.383	0.657	0.419
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.102									1.102	1.102	1.102	1.102
NR n5	Front Surface	10	0.873	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.583	1.594	1.549	1.352
	Back Surface	10	0.469	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.839	0.904	0.905	0.809
	Top Edge	10	0.131	0.252		0.264	0.298		0.262	0.026		0.681	0.383	0.657	0.419
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.953									0.953	0.953	0.953	0.953
NR n7	Front Surface	10	0.624	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.334	1.345	1.300	1.103
	Back Surface	10	0.315	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.685	0.750	0.751	0.655
	Top Edge	10	0.113	0.252		0.264	0.298		0.262	0.026		0.663	0.365	0.639	0.401
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.173									1.173	1.173	1.173	1.173
NR n25	Front Surface	10	0.535	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.245	1.256	1.211	1.014
	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598
	Top Edge	10	0.120	0.252		0.264	0.298		0.262	0.026		0.670	0.372	0.646	0.408
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.126									1.126	1.126	1.126	1.126
NR n26	Front Surface	10	0.758	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.468	1.479	1.434	1.237
	Back Surface	10	0.443	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.813	0.878	0.879	0.783
	Top Edge	10	0.118	0.252		0.264	0.298		0.262	0.026		0.668	0.370	0.644	0.406
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.937									0.937	0.937	0.937	0.937
NR n30	Front Surface	10	0.490	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.200	1.211	1.166	0.969
	Back Surface	10	0.273	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.643	0.708	0.709	0.613
	Top Edge	10	0.084	0.252		0.264	0.298		0.262	0.026		0.634	0.336	0.610	0.372
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.118									1.118	1.118	1.118	1.118
NR n66	Front Surface	10	0.717	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.427	1.438	1.393	1.196
	Back Surface	10	0.466	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.836	0.901	0.902	0.806
	Top Edge	10	0.112	0.252		0.264	0.298		0.262	0.026		0.662	0.364	0.638	0.400
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.134									1.134	1.134	1.134	1.134
NR n71	Front Surface	10	0.231	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.941	0.952	0.907	0.710
	Back Surface	10	0.130	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.500	0.565	0.566	0.470
	Top Edge	10	0.055	0.252		0.264	0.298		0.262	0.026		0.605	0.307	0.581	0.343
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.485									0.485	0.485	0.485	0.485
NR n38	Front Surface	10	0.740	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.450	1.461	1.416	1.219
	Back Surface	10	0.538	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.908	0.973	0.974	0.878
	Top Edge	10	0.167	0.252		0.264	0.298		0.262	0.026		0.717	0.419	0.693	0.455
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.181									1.181	1.181	1.181	1.181
NR n41_PC3	Front Surface	10	0.680	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.390	1.401	1.356	1.159
	Back Surface	10	0.496	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.866	0.931	0.932	0.836
	Top Edge	10	0.181	0.252		0.264	0.298		0.262	0.026		0.731	0.433	0.707	0.469
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.134									1.134	1.134	1.134	1.134
NR n41_PC2	Front Surface	10	0.683	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.393	1.404	1.359	1.162
	Back Surface	10	0.478	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.848	0.913	0.914	0.818
	Top Edge	10	0.153	0.252		0.264	0.298		0.262	0.026		0.703	0.405	0.679	0.441
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.162									1.162	1.162	1.162	1.162

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_SA

			Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
Exposure Position			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 48	Front Surface	10	0.061	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.771	0.782	0.737	0.540
	Back Surface	10	0.133	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.503	0.568	0.569	0.473
	Top Edge	10	0.086	0.252		0.264	0.298		0.262	0.026		0.636	0.338	0.612	0.374
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.167									0.167	0.167	0.167	0.167
NR n48	Front Surface	10	0.265	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.975	0.986	0.941	0.744
	Back Surface	10	0.518	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.888	0.953	0.954	0.858
	Top Edge	10	0.401	0.252		0.264	0.298		0.262	0.026		0.951	0.653	0.927	0.689
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.592									0.592	0.592	0.592	0.592
NR n77_PC3	Front Surface	10	0.164	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.874	0.885	0.840	0.643
	Back Surface	10	1.064	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.434	1.499	1.500	1.404
	Top Edge	10	0.533	0.252		0.264	0.298		0.262	0.026		1.083	0.785	1.059	0.821
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.209									0.209	0.209	0.209	0.209
NR n77_PC2	Front Surface	10	0.136	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.846	0.857	0.812	0.615
	Back Surface	10	0.823	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.193	1.258	1.259	1.163
	Top Edge	10	0.441	0.252		0.264	0.298		0.262	0.026		0.991	0.693	0.967	0.729
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.191									0.191	0.191	0.191	0.191
NR n77 & n78_PC3	Front Surface	10	0.213	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.923	0.934	0.889	0.692
	Back Surface	10	0.526	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.896	0.961	0.962	0.866
	Top Edge	10	0.328	0.252		0.264	0.298		0.262	0.026		0.878	0.580	0.854	0.616
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.643									0.643	0.643	0.643	0.643
NR n77 & n78_PC2	Front Surface	10	0.136	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.846	0.857	0.812	0.615
	Back Surface	10	0.234	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.604	0.669	0.670	0.574
	Top Edge	10	0.159	0.252		0.264	0.298		0.262	0.026		0.709	0.411	0.685	0.447
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.292									0.292	0.292	0.292	0.292
NR n78_PC3	Front Surface	10	0.237	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.947	0.958	0.913	0.716
	Back Surface	10	0.571	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.941	1.006	1.007	0.911
	Top Edge	10	0.296	0.252		0.264	0.298		0.262	0.026		0.846	0.548	0.822	0.584
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.616									0.616	0.616	0.616	0.616
NR n78_PC2	Front Surface	10	0.198	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.908	0.919	0.874	0.677
	Back Surface	10	0.400	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.770	0.835	0.836	0.740
	Top Edge	10	0.272	0.252		0.264	0.298		0.262	0.026		0.822	0.524	0.798	0.560
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.463									0.463	0.463	0.463	0.463

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_SA

			Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4		
			Exposure Position		1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
					WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 2	Front Surface	10	0.311	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.021	1.032	0.987	0.790		
	Back Surface	10	0.545	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.915	0.980	0.981	0.885		
	Top Edge	10	0.209	0.252		0.264	0.298		0.262	0.026		0.759	0.461	0.735	0.497		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
LTE Band 4	Left Edge	10	0.253									0.253	0.253	0.253	0.253		
	Front Surface	10	0.105	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.815	0.826	0.781	0.584		
	Back Surface	10	0.090	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.460	0.525	0.526	0.430		
	Top Edge	10	0.127	0.252		0.264	0.298		0.262	0.026		0.677	0.379	0.653	0.415		
LTE Band 25	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.066									0.066	0.066	0.066	0.066		
	Front Surface	10	0.285	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.995	1.006	0.961	0.764		
	Back Surface	10	0.364	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.734	0.799	0.800	0.704		
LTE Band 30	Top Edge	10	0.180	0.252		0.264	0.298		0.262	0.026		0.730	0.432	0.706	0.468		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.232									0.232	0.232	0.232	0.232		
	Front Surface	10	0.223	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.933	0.944	0.899	0.702		
LTE Band 66	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598		
	Top Edge	10	0.331	0.252		0.264	0.298		0.262	0.026		0.881	0.583	0.857	0.619		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.185									0.185	0.185	0.185	0.185		
LTE Band 48	Front Surface	10	0.115	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.825	0.836	0.791	0.594		
	Back Surface	10	0.095	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.465	0.530	0.531	0.435		
	Top Edge	10	0.143	0.252		0.264	0.298		0.262	0.026		0.693	0.395	0.669	0.431		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
NR n2	Left Edge	10	0.064									0.064	0.064	0.064	0.064		
	Front Surface	10	0.094	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.804	0.815	0.770	0.573		
	Back Surface	10	0.068	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.438	0.503	0.504	0.408		
	Top Edge	10	0.134	0.252		0.264	0.298		0.262	0.026		0.684	0.386	0.660	0.422		
NR n25	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.068									0.068	0.068	0.068	0.068		
	Front Surface	10	0.222	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.932	0.943	0.898	0.701		
	Back Surface	10	0.256	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.626	0.691	0.692	0.596		
NR n30	Top Edge	10	0.138	0.252		0.264	0.298		0.262	0.026		0.688	0.390	0.664	0.426		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.172									0.172	0.172	0.172	0.172		
	Front Surface	10	0.261	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.971	0.982	0.937	0.740		
NR n66	Back Surface	10	0.268	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.638	0.703	0.704	0.608		
	Top Edge	10	0.156	0.252		0.264	0.298		0.262	0.026		0.706	0.408	0.682	0.444		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
NR n48	Left Edge	10	0.188									0.188	0.188	0.188	0.188		
	Front Surface	10	0.215	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.925	0.936	0.891	0.694		
	Back Surface	10	0.348	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.718	0.783	0.784	0.688		
	Top Edge	10	0.379	0.252		0.264	0.298		0.262	0.026		0.929	0.631	0.905	0.667		
NR n77_PC3	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.100									0.100	0.100	0.100	0.100		
	Front Surface	10	0.115	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.825	0.836	0.791	0.594		
NR n77_PC2	Back Surface	10	0.100	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.470	0.535	0.536	0.440		
	Top Edge	10	0.228	0.252		0.264	0.298		0.262	0.026		0.778	0.480	0.754	0.516		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.107									0.107	0.107	0.107	0.107		
NR n77 & n78_PC3	Front Surface	10	0.752	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.462	1.473	1.428	1.231		
	Back Surface	10	0.621	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.991	1.056	1.057	0.961		
	Top Edge	10	1.004	0.252		0.264	0.298		0.262	0.026		1.554	1.256	1.530	1.292		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
NR n77 & n78_PC2	Left Edge	10	0.421									0.421	0.421	0.421	0.421		
	Front Surface	10	0.135	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.845	0.856	0.811	0.614		
	Back Surface	10	0.196	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.566	0.631	0.632	0.536		
	Top Edge	10	0.437	0.252		0.264	0.298		0.262	0.026		0.987	0.689	0.963	0.725		
NR n77 & n78_PC3	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.176									0.176	0.176	0.176	0.176		
	Front Surface	10	0.100	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.810	0.821	0.776	0.579		
	Back Surface	10	0.150	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.520	0.585	0.586	0.490		
NR n77 & n78_PC2	Top Edge	10	0.458	0.252		0.264	0.298		0.262	0.026		1.008	0.710	0.984	0.746		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.122									0.122	0.122	0.122	0.122		
	Front Surface	10	0.154	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.864	0.875	0.830	0.633		
NR n77 & n78_PC3	Back Surface	10	0.179	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.549	0.614	0.615	0.519		
	Top Edge	10	1.037	0.252		0.264	0.298		0.262	0.026		1.587	1.289	1.563	1.325		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.217									0.217	0.217	0.217	0.217		
NR n77 & n78_PC2	Front Surface	10	0.193	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.903	0.914	0.869	0.672		
	Back Surface	10	0.131	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.501	0.566	0.567	0.471		
	Top Edge	10	1.036	0.252		0.264	0.298		0.262	0.026		1.586	1.288	1.562	1.324		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
NR n78_PC3	Left Edge	10	0.246									0.246	0.246	0.246			

Ant8_SA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 41_PC3	Front Surface	10	0.666	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.376	1.387	1.342	1.145
	Back Surface	10	0.538	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.908	0.973	0.974	0.878
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.154									1.154	1.154	1.154	1.154
LTE Band 41_PC2	Front Surface	10	0.597	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.307	1.318	1.273	1.076
	Back Surface	10	0.540	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.910	0.975	0.976	0.880
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.997									0.997	0.997	0.997	0.997
LTE Band 48	Front Surface	10	0.229	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.939	0.950	0.905	0.708
	Back Surface	10	0.179	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.549	0.614	0.615	0.519
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.367									0.367	0.367	0.367	0.367
NR n41_PC3	Front Surface	10	0.525	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.235	1.246	1.201	1.004
	Back Surface	10	0.355	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.725	0.790	0.791	0.695
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.115									1.115	1.115	1.115	1.115
NR n41_PC2	Front Surface	10	0.540	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.250	1.261	1.216	1.019
	Back Surface	10	0.370	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.740	0.805	0.806	0.710
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.132									1.132	1.132	1.132	1.132
NR n48	Front Surface	10	0.467	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.177	1.188	1.143	0.946
	Back Surface	10	0.384	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.754	0.819	0.820	0.724
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.117									1.117	1.117	1.117	1.117
NR n77_PC3	Front Surface	10	0.573	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.283	1.294	1.249	1.052
	Back Surface	10	0.408	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.868	0.933	0.934	0.838
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.162									1.162	1.162	1.162	1.162
NR n77_PC2	Front Surface	10	0.540	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.250	1.261	1.216	1.019
	Back Surface	10	0.456	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.826	0.891	0.892	0.796
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.103									1.103	1.103	1.103	1.103
NR n77 & n78_PC3	Front Surface	10	0.497	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.207	1.218	1.173	0.976
	Back Surface	10	0.442	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.812	0.877	0.878	0.782
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.039									1.039	1.039	1.039	1.039
NR n77 & n78_PC2	Front Surface	10	0.469	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.179	1.190	1.145	0.948
	Back Surface	10	0.408	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.778	0.843	0.844	0.748
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.018									1.018	1.018	1.018	1.018
NR n78_PC3	Front Surface	10	0.591	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.301	1.312	1.267	1.070
	Back Surface	10	0.491	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.861	0.926	0.927	0.831
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.157									1.157	1.157	1.157	1.157
NR n78_PC2	Front Surface	10	0.548	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.258	1.269	1.224	1.027
	Back Surface	10	0.469	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.839	0.904	0.905	0.809
	Top Edge	10	0.252			0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.086									1.086	1.086	1.086	1.086

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9_SA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 41_PC3	Front Surface	10	0.100	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.810	0.821	0.776	0.579
	Back Surface	10	0.377	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.747	0.812	0.813	0.717
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.151									0.151	0.151	0.151	0.151
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.016									0.016	0.016	0.016	0.016
LTE Band 41_PC2	Front Surface	10	0.067	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.777	0.788	0.743	0.546
	Back Surface	10	0.273	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.643	0.708	0.709	0.613
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.092									0.092	0.092	0.092	0.092
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.009									0.009	0.009	0.009	0.009
LTE Band 48	Front Surface	10	0.031	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.741	0.752	0.707	0.510
	Back Surface	10	0.144	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.514	0.579	0.580	0.484
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.051									0.051	0.051	0.051	0.051
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.005									0.005	0.005	0.005	0.005
NR n41_PC3	Front Surface	10	0.041	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.751	0.762	0.717	0.520
	Back Surface	10	0.382	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.752	0.817	0.818	0.722
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.105									0.105	0.105	0.105	0.105
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.010									0.010	0.010	0.010	0.010
NR n41_PC2	Front Surface	10	0.045	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.755	0.766	0.721	0.524
	Back Surface	10	0.451	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.821	0.886	0.887	0.791
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.124									0.124	0.124	0.124	0.124
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.012									0.012	0.012	0.012	0.012
NR n48	Front Surface	10	0.142	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.852	0.863	0.818	0.612
	Back Surface	10	1.144	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.514	1.579	1.580	1.484
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.258									0.258	0.258	0.258	0.258
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.024									0.024	0.024	0.024	0.024
NR n77_PC3	Front Surface	10	0.133	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.843	0.854	0.809	0.612
	Back Surface	10	1.073	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.443	1.508	1.509	1.413
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.232									0.232	0.232	0.232	0.232
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.033									0.033	0.033	0.033	0.033
NR n77_PC2	Front Surface	10	0.156	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.866	0.877	0.832	0.635
	Back Surface	10	1.141	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.511	1.576	1.577	1.481
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.234									0.234	0.234	0.234	0.234
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.044									0.044	0.044	0.044	0.044
NR n77 & n78_PC3	Front Surface	10	0.097	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.807	0.818	0.773	0.576
	Back Surface	10	0.665	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.035	1.100	1.101	1.005
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.151									0.151	0.151	0.151	0.151
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.024									0.024	0.024	0.024	0.024
NR n77 & n78_PC2	Front Surface	10	0.109	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.819	0.830	0.785	0.588
	Back Surface	10	0.701	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.071	1.136	1.137	1.041
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.187									0.187	0.187	0.187	0.187
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.023									0.023	0.023	0.023	0.023
NR n78_PC3	Front Surface	10	0.113	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.823	0.834	0.789	0.592
	Back Surface	10	0.752	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.122	1.187	1.188	1.092
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.162									0.162	0.162	0.162	0.162
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.019									0.019	0.019	0.019	0.019
NR n78_PC2	Front Surface	10	0.117	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.827	0.838	0.793	0.596
	Back Surface	10	0.693	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.063	1.128	1.129	1.032
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.178									0.178	0.178	0.178	0.178
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.020									0.020	0.020	0.020	0.020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant0_NSA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
GPRS850 <10n2Up>	Front Surface	10	0.814	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.524	1.535	1.490	1.293
	Back Surface	10	1.022	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.392	1.457	1.458	1.362
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.686									0.686	0.686	0.686	0.686
	Right Edge	10	0.132	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.612	0.917	1.053	0.787
	Left Edge	10	0.096									0.096	0.096	0.096	0.096
WCDMA Band V	Front Surface	10	0.692	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.402	1.413	1.368	1.171
	Back Surface	10	0.767	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.137	1.202	1.203	1.107
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.619									0.619	0.619	0.619	0.619
	Right Edge	10	0.099	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.579	0.884	1.020	0.754
	Left Edge	10	0.080									0.080	0.080	0.080	0.080
LTE Band 5	Front Surface	10	0.310	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.020	1.031	0.986	0.789
	Back Surface	10	0.436	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.806	0.871	0.872	0.776
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.288									0.288	0.288	0.288	0.288
	Right Edge	10	0.071	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.551	0.856	0.992	0.726
	Left Edge	10	0.051									0.051	0.051	0.051	0.051
LTE Band 12	Front Surface	10	0.159	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.869	0.880	0.835	0.638
	Back Surface	10	0.604	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.974	1.039	1.040	0.944
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.403									0.403	0.403	0.403	0.403
	Right Edge	10	0.016	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.496	0.801	0.937	0.671
	Left Edge	10	0.011									0.011	0.011	0.011	0.011
LTE Band 17	Front Surface	10	0.194	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.904	0.915	0.870	0.673
	Back Surface	10	0.703	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.073	1.138	1.139	1.043
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.470									0.470	0.470	0.470	0.470
	Right Edge	10	0.014	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.494	0.799	0.935	0.669
	Left Edge	10	0.010									0.010	0.010	0.010	0.010
LTE Band 26	Front Surface	10	0.337	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.047	1.058	1.013	0.816
	Back Surface	10	0.666	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.036	1.101	1.102	1.006
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.317									0.317	0.317	0.317	0.317
	Right Edge	10	0.066	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.546	0.851	0.987	0.721
	Left Edge	10	0.043									0.043	0.043	0.043	0.043
LTE Band 71	Front Surface	10	0.216	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.928	0.937	0.892	0.695
	Back Surface	10	0.333	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.703	0.768	0.769	0.673
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.425									0.425	0.425	0.425	0.425
	Right Edge	10	0.014	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.494	0.799	0.935	0.669
	Left Edge	10	0.012									0.012	0.012	0.012	0.012
NR n5	Front Surface	10	0.337	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.047	1.058	1.013	0.816
	Back Surface	10	0.406	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.776	0.841	0.842	0.746
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.332									0.332	0.332	0.332	0.332
	Right Edge	10	0.064	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.544	0.849	0.985	0.719
	Left Edge	10	0.040									0.040	0.040	0.040	0.040
NR n12	Front Surface	10	0.155	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.865	0.876	0.831	0.634
	Back Surface	10	0.620	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.990	1.055	1.056	0.960
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.482									0.482	0.482	0.482	0.482
	Right Edge	10	0.013	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.493	0.798	0.934	0.668
	Left Edge	10	0.010									0.010	0.010	0.010	0.010
NR n26	Front Surface	10	0.533	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.243	1.254	1.209	1.012
	Back Surface	10	0.727	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.097	1.162	1.163	1.067
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.525									0.525	0.525	0.525	0.525
	Right Edge	10	0.101	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.581	0.886	1.022	0.756
	Left Edge	10	0.064									0.064	0.064	0.064	0.064
NR n71	Front Surface	10	0.213	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.923	0.934	0.889	0.692
	Back Surface	10	0.321	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.691	0.756	0.757	0.661
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.473									0.473	0.473	0.473	0.473
	Right Edge	10	0.015	0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.495	0.800	0.936	0.670
	Left Edge	10	0.012									0.012	0.012	0.012	0.012

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant1_NSA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
GPRS1900 <1Dn2Up>	Front Surface	10	0.389	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.099	1.110	1.065	0.868
	Back Surface	10	0.363	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.733	0.798	0.799	0.703
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.173									0.173	0.173	0.173	0.173
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.562									0.562	0.562	0.562	0.562
WCDMA Band II	Front Surface	10	0.286	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.996	1.007	0.962	0.765
	Back Surface	10	0.264	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.634	0.699	0.700	0.604
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.133									0.133	0.133	0.133	0.133
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.390									0.390	0.390	0.390	0.390
WCDMA Band IV	Front Surface	10	0.282	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.992	1.003	0.958	0.761
	Back Surface	10	0.256	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.626	0.691	0.692	0.596
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.128									0.128	0.128	0.128	0.128
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.410									0.410	0.410	0.410	0.410
LTE Band 2	Front Surface	10	0.410	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.120	1.131	1.086	0.889
	Back Surface	10	0.523	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.893	0.958	0.959	0.863
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.480									0.480	0.480	0.480	0.480
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.490									0.490	0.490	0.490	0.490
LTE Band 4	Front Surface	10	0.368	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.078	1.089	1.044	0.847
	Back Surface	10	0.388	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.758	0.823	0.824	0.728
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.239									0.239	0.239	0.239	0.239
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.460									0.460	0.460	0.460	0.460
LTE Band 7	Front Surface	10	0.354	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.064	1.075	1.030	0.833
	Back Surface	10	0.322	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.692	0.757	0.758	0.662
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.237									0.237	0.237	0.237	0.237
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.536									0.536	0.536	0.536	0.536
LTE Band 25	Front Surface	10	0.368	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.078	1.089	1.044	0.847
	Back Surface	10	0.363	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.733	0.798	0.799	0.703
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.180									0.180	0.180	0.180	0.180
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.525									0.525	0.525	0.525	0.525
LTE Band 30	Front Surface	10	0.255	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.965	0.976	0.931	0.734
	Back Surface	10	0.406	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.776	0.841	0.842	0.746
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.245									0.245	0.245	0.245	0.245
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.717									0.717	0.717	0.717	0.717
LTE Band 66	Front Surface	10	0.356	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.066	1.077	1.032	0.835
	Back Surface	10	0.376	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.746	0.811	0.812	0.716
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.207									0.207	0.207	0.207	0.207
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.489									0.489	0.489	0.489	0.489
LTE Band 38	Front Surface	10	0.391	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.101	1.112	1.067	0.870
	Back Surface	10	0.421	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.791	0.856	0.857	0.761
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.251									0.251	0.251	0.251	0.251
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.447									0.447	0.447	0.447	0.447
LTE Band 41_PC3	Front Surface	10	0.397	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.107	1.118	1.073	0.876
	Back Surface	10	0.415	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.785	0.850	0.851	0.750
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.228									0.228	0.228	0.228	0.228
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.516									0.516	0.516	0.516	0.516
LTE Band 41_PC2	Front Surface	10	0.303	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.013	1.024	0.979	0.782
	Back Surface	10	0.410	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.780	0.845	0.846	0.750
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.186									0.186	0.186	0.186	0.186
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.474									0.474	0.474	0.474	0.474

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n2	Front Surface	10	0.365	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.075	1.086	1.041	0.844
	Back Surface	10	0.464	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.834	0.899	0.900	0.804
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.411									0.411	0.411	0.411	0.411
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n7	Left Edge	10	0.508									0.508	0.508	0.508	0.508
	Front Surface	10	0.307	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.017	1.028	0.983	0.786
	Back Surface	10	0.321	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.691	0.756	0.757	0.661
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.205									0.205	0.205	0.205	0.205
NR n25	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.469									0.469	0.469	0.469	0.469
	Front Surface	10	0.436	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.146	1.157	1.112	0.915
	Back Surface	10	0.475	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.845	0.910	0.911	0.815
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
NR n26	Bottom Edge	10	0.225									0.225	0.225	0.225	0.225
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.696									0.696	0.696	0.696	0.696
	Front Surface	10	0.436	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.146	1.157	1.112	0.915
	Back Surface	10	0.475	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.845	0.910	0.911	0.815
NR n30	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.225									0.225	0.225	0.225	0.225
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.696									0.696	0.696	0.696	0.696
	Front Surface	10	0.264	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.974	0.985	0.940	0.743
NR n66	Back Surface	10	0.408	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.778	0.843	0.844	0.748
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.257									0.257	0.257	0.257	0.257
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.643									0.643	0.643	0.643	0.643
NR n66	Front Surface	10	0.355	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.065	1.076	1.031	0.834
	Back Surface	10	0.380	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.750	0.815	0.816	0.720
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.203									0.203	0.203	0.203	0.203
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n38	Left Edge	10	0.433									0.433	0.433	0.433	0.433
	Front Surface	10	0.431	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.141	1.152	1.107	0.910
	Back Surface	10	0.448	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.818	0.883	0.884	0.788
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.253									0.253	0.253	0.253	0.253
NR n41_PC3	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.516									0.516	0.516	0.516	0.516
	Front Surface	10	0.404	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.114	1.125	1.080	0.883
	Back Surface	10	0.414	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.784	0.849	0.850	0.754
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
NR n41_PC2	Bottom Edge	10	0.190									0.190	0.190	0.190	0.190
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.452									0.452	0.452	0.452	0.452
	Front Surface	10	0.456	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.166	1.177	1.132	0.935
	Back Surface	10	0.469	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.839	0.904	0.905	0.809
NR n41_PC2	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.214									0.214	0.214	0.214	0.214
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n41_PC2	Left Edge	10	0.553									0.553	0.553	0.553	0.553

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ant2_NSA

			Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			Exposure Position		1	2	3	4	5	6	7	8	9	Summed	Summed	Summed	Summed
					WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5				
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
WCDMA Band II	Front Surface	10	0.482	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.192	1.203	1.158	0.961		
	Back Surface	10	0.245	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.615	0.680	0.681	0.585		
	Top Edge	10	0.120	0.252		0.264	0.298		0.262	0.026		0.670	0.372	0.646	0.408		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.190									1.190	1.190	1.190	1.190		
WCDMA Band IV	Front Surface	10	0.489	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.199	1.210	1.165	0.968		
	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598		
	Top Edge	10	0.075	0.252		0.264	0.298		0.262	0.026		0.625	0.327	0.601	0.363		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.118									1.118	1.118	1.118	1.118		
WCDMA Band V	Front Surface	10	0.314	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.024	1.035	0.990	0.793		
	Back Surface	10	0.298	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.668	0.733	0.734	0.638		
	Top Edge	10	0.081	0.252		0.264	0.298		0.262	0.026		0.631	0.333	0.607	0.369		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.353									0.353	0.353	0.353	0.353		
LTE Band 2	Front Surface	10	0.341	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.051	1.062	1.017	0.820		
	Back Surface	10	0.157	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.527	0.592	0.593	0.497		
	Top Edge	10	0.075	0.252		0.264	0.298		0.262	0.026		0.625	0.327	0.601	0.363		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.585									0.585	0.585	0.585	0.585		
LTE Band 4	Front Surface	10	0.527	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.237	1.248	1.203	1.006		
	Back Surface	10	0.408	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.778	0.843	0.844	0.748		
	Top Edge	10	0.148	0.252		0.264	0.298		0.262	0.026		0.698	0.400	0.674	0.436		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.766									0.766	0.766	0.766	0.766		
LTE Band 5	Front Surface	10	0.448	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.158	1.169	1.124	0.927		
	Back Surface	10	0.316	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.686	0.751	0.752	0.656		
	Top Edge	10	0.088	0.252		0.264	0.298		0.262	0.026		0.638	0.340	0.614	0.376		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.463									0.463	0.463	0.463	0.463		
LTE Band 7	Front Surface	10	0.451	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.161	1.172	1.127	0.930		
	Back Surface	10	0.218	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.588	0.653	0.654	0.558		
	Top Edge	10	0.051	0.252		0.264	0.298		0.262	0.026		0.601	0.303	0.577	0.339		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.786									0.786	0.786	0.786	0.786		
LTE Band 12	Front Surface	10	0.384	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.094	1.105	1.060	0.863		
	Back Surface	10	0.198	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.568	0.633	0.634	0.538		
	Top Edge	10	0.096	0.252		0.264	0.298		0.262	0.026		0.646	0.348	0.622	0.384		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.445									0.445	0.445	0.445	0.445		
LTE Band 17	Front Surface	10	0.380	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.090	1.101	1.056	0.859		
	Back Surface	10	0.203	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.573	0.638	0.639	0.543		
	Top Edge	10	0.093	0.252		0.264	0.298		0.262	0.026		0.643	0.345	0.619	0.381		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.443									0.443	0.443	0.443	0.443		
LTE Band 25	Front Surface	10	0.544	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.254	1.265	1.220	1.023		
	Back Surface	10	0.272	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.642	0.707	0.708	0.612		
	Top Edge	10	0.133	0.252		0.264	0.298		0.262	0.026		0.683	0.385	0.659	0.421		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	1.160									1.160	1.160	1.160	1.160		
LTE Band 26	Front Surface	10	0.489	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.199	1.210	1.165	0.968		
	Back Surface	10	0.349	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.719	0.784	0.785	0.689		
	Top Edge	10	0.096	0.252		0.264	0.298		0.262	0.026		0.646	0.348	0.622	0.384		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.508									0.508	0.508	0.508	0.508		
LTE Band 30	Front Surface	10	0.548	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.258	1.269	1.224	1.027		
	Back Surface	10	0.422	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.792	0.857	0.858	0.762		
	Top Edge	10	0.171	0.252		0.264	0.298		0.262	0.026		0.721	0.423	0.697	0.459		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.743									0.743	0.743	0.743	0.743		
LTE Band 66	Front Surface	10	0.366	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.076	1.087	1.042	0.845		
	Back Surface	10	0.185	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.555	0.620	0.621	0.525		
	Top Edge	10	0.064	0.252		0.264	0.298		0.262	0.026		0.614	0.316	0.590	0.352		
	Bottom Edge	10										0.000	0.000	0.000	0.000		
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655		
	Left Edge	10	0.742									0.742	0.742	0.742	0.742		
LTE Band 71	Front Surface	10	0.363	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.073	1.084	1.039	0.842		
	Back Surface	10	0.176	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.546	0.611	0.612	0.516		
	Top Edge	10	0.085	0.252		0.264	0.298		0.262	0.026		0.635	0.337	0.611	0.373		
	Bottom Edge	10									</						

NR n2	Front Surface	10	0.381	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.091	1.102	1.057	0.860
	Back Surface	10	0.192	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.562	0.627	0.628	0.532
	Top Edge	10	0.091	0.252		0.264	0.298		0.262	0.026		0.641	0.343	0.617	0.379
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n5	Left Edge	10	0.768									0.768	0.768	0.768	0.768
	Front Surface	10	0.431	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.141	1.152	1.107	0.910
	Back Surface	10	0.231	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.601	0.666	0.667	0.571
	Top Edge	10	0.065	0.252		0.264	0.298		0.262	0.026		0.615	0.317	0.591	0.353
	Bottom Edge	10										0.000	0.000	0.000	0.000
NR n7	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.470									0.470	0.470	0.470	0.470
	Front Surface	10	0.492	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.202	1.213	1.168	0.971
	Back Surface	10	0.248	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.618	0.683	0.684	0.588
	Top Edge	10	0.090	0.252		0.264	0.298		0.262	0.026		0.640	0.342	0.616	0.378
NR n25	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.926									0.926	0.926	0.926	0.926
	Front Surface	10	0.535	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.245	1.256	1.211	1.014
	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598
NR n26	Top Edge	10	0.120	0.252		0.264	0.298		0.262	0.026		0.670	0.372	0.646	0.408
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.126									1.126	1.126	1.126	1.126
	Front Surface	10	0.758	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.468	1.479	1.434	1.237
NR n30	Back Surface	10	0.443	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.813	0.878	0.879	0.783
	Top Edge	10	0.118	0.252		0.264	0.298		0.262	0.026		0.668	0.370	0.644	0.406
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.490	0.785	0.921	0.655
	Left Edge	10	0.937									0.937	0.937	0.937	0.937
NR n66	Front Surface	10	0.345	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.055	1.066	1.021	0.824
	Back Surface	10	0.192	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.562	0.627	0.628	0.532
	Top Edge	10	0.059	0.252		0.264	0.298		0.262	0.026		0.609	0.311	0.585	0.347
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n71	Left Edge	10	0.790									0.790	0.790	0.790	0.790
	Front Surface	10	0.501	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.211	1.222	1.177	0.980
	Back Surface	10	0.325	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.695	0.760	0.761	0.665
	Top Edge	10	0.079	0.252		0.264	0.298		0.262	0.026		0.629	0.331	0.605	0.367
	Bottom Edge	10										0.000	0.000	0.000	0.000
NR n38	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.791									0.791	0.791	0.791	0.791
	Front Surface	10	0.231	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.941	0.952	0.907	0.710
	Back Surface	10	0.130	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.500	0.565	0.566	0.470
	Top Edge	10	0.055	0.252		0.264	0.298		0.262	0.026		0.605	0.307	0.581	0.343
NR n41_PC3	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.485									0.485	0.485	0.485	0.485
	Front Surface	10	0.740	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.450	1.461	1.416	1.219
	Back Surface	10	0.538	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.908	0.973	0.974	0.878
NR n41_PC2	Top Edge	10	0.167	0.252		0.264	0.298		0.262	0.026		0.717	0.419	0.693	0.455
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.181									1.181	1.181	1.181	1.181
	Front Surface	10	0.466	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.176	1.187	1.142	0.945
NR n41_PC2	Back Surface	10	0.340	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.710	0.775	0.776	0.680
	Top Edge	10	0.124	0.252		0.264	0.298		0.262	0.026		0.674	0.376	0.650	0.412
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.490	0.785	0.921	0.655
	Left Edge	10	0.754									0.754	0.754	0.754	0.754
NR n41_PC2	Front Surface	10	0.475	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.185	1.196	1.151	0.954
	Back Surface	10	0.333	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.703	0.768	0.769	0.673
	Top Edge	10	0.107	0.252		0.264	0.298		0.262	0.026		0.657	0.359	0.633	0.395
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n41_PC2	Left Edge	10	0.745									0.745	0.745	0.745	0.745

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_NSA

			Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4									
			1		2		3		4		5		6		7		8		9		1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed									
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	
LTE Band 48	Front Surface	10	0.061	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.771	0.782	0.737	0.540									
	Back Surface	10	0.133	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.503	0.568	0.569	0.473									
	Top Edge	10	0.086	0.252		0.264	0.298		0.262	0.026		0.636	0.338	0.612	0.374									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
NR n48	Left Edge	10	0.167									0.167	0.167	0.167	0.167									
	Front Surface	10	0.265	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.975	0.986	0.941	0.744									
	Back Surface	10	0.518	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.888	0.953	0.954	0.858									
	Top Edge	10	0.401	0.252		0.264	0.298		0.262	0.026		0.951	0.653	0.927	0.689									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
NR n77_PC3	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.592									0.592	0.592	0.592	0.592									
	Front Surface	10	0.130	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.840	0.851	0.806	0.609									
	Back Surface	10	0.785	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.155	1.220	1.221	1.125									
	Top Edge	10	0.443	0.252		0.264	0.298		0.262	0.026		0.993	0.695	0.969	0.731									
NR n77_PC2	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.165									0.165	0.165	0.165	0.165									
	Front Surface	10	0.136	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.846	0.857	0.812	0.615									
	Back Surface	10	0.823	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.193	1.258	1.259	1.163									
NR n77 & n78_PC3	Top Edge	10	0.441	0.252		0.264	0.298		0.262	0.026		0.991	0.693	0.967	0.729									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.191									0.191	0.191	0.191	0.191									
	Front Surface	10	0.169	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.879	0.890	0.845	0.648									
NR n77 & n78_PC2	Back Surface	10	0.415	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.785	0.850	0.851	0.755									
	Top Edge	10	0.259	0.252		0.264	0.298		0.262	0.026		0.809	0.511	0.785	0.547									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.507									0.507	0.507	0.507	0.507									
NR n78_PC3	Front Surface	10	0.136	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.846	0.857	0.812	0.615									
	Back Surface	10	0.234	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.604	0.669	0.670	0.574									
	Top Edge	10	0.159	0.252		0.264	0.298		0.262	0.026		0.709	0.411	0.685	0.447									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
NR n78_PC2	Left Edge	10	0.292									0.292	0.292	0.292	0.292									
	Front Surface	10	0.197	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.907	0.918	0.873	0.676									
	Back Surface	10	0.477	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.847	0.912	0.913	0.817									
	Top Edge	10	0.248	0.252		0.264	0.298		0.262	0.026		0.798	0.500	0.774	0.536									
	Bottom Edge	10										0.000	0.000	0.000	0.000									
NR n78_PC2	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.508									0.508	0.508	0.508	0.508									
	Front Surface	10	0.198	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.908	0.919	0.874	0.677									
	Back Surface	10	0.400	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.770	0.835	0.836	0.740									
	Top Edge	10	0.272	0.252		0.264	0.298		0.262	0.026		0.822	0.524	0.798	0.560									
NR n78_PC2	Bottom Edge	10										0.000	0.000	0.000	0.000									
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655									
	Left Edge	10	0.463									0.463	0.463	0.463	0.463									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant7_NSA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 2	Front Surface	10	0.311	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.021	1.032	0.987	0.790
	Back Surface	10	0.545	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.915	0.980	0.981	0.885
	Top Edge	10	0.209	0.252		0.264	0.298		0.262	0.026		0.759	0.461	0.735	0.497
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.253									0.253	0.253	0.253	0.253
LTE Band 4	Front Surface	10	0.105	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.915	0.826	0.781	0.584
	Back Surface	10	0.090	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.460	0.525	0.526	0.430
	Top Edge	10	0.127	0.252		0.264	0.298		0.262	0.026		0.677	0.379	0.653	0.415
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.066									0.066	0.066	0.066	0.066
LTE Band 25	Front Surface	10	0.285	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.995	1.006	0.961	0.764
	Back Surface	10	0.364	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.734	0.799	0.800	0.704
	Top Edge	10	0.180	0.252		0.264	0.298		0.262	0.026		0.730	0.432	0.706	0.468
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.232									0.232	0.232	0.232	0.232
LTE Band 30	Front Surface	10	0.223	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.933	0.944	0.899	0.702
	Back Surface	10	0.258	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.628	0.693	0.694	0.598
	Top Edge	10	0.331	0.252		0.264	0.298		0.262	0.026		0.881	0.583	0.857	0.619
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.185									0.185	0.185	0.185	0.185
LTE Band 66	Front Surface	10	0.115	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.825	0.836	0.791	0.594
	Back Surface	10	0.095	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.465	0.530	0.531	0.435
	Top Edge	10	0.143	0.252		0.264	0.298		0.262	0.026		0.693	0.395	0.669	0.431
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.064									0.064	0.064	0.064	0.064
LTE Band 48	Front Surface	10	0.094	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.804	0.815	0.770	0.573
	Back Surface	10	0.068	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.438	0.503	0.504	0.408
	Top Edge	10	0.134	0.252		0.264	0.298		0.262	0.026		0.684	0.396	0.660	0.422
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.068									0.068	0.068	0.068	0.068
NR n2	Front Surface	10	0.222	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.932	0.943	0.898	0.701
	Back Surface	10	0.256	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.626	0.691	0.692	0.596
	Top Edge	10	0.138	0.252		0.264	0.298		0.262	0.026		0.698	0.390	0.664	0.426
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.172									0.172	0.172	0.172	0.172
NR n25	Front Surface	10	0.261	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.971	0.982	0.937	0.740
	Back Surface	10	0.268	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.638	0.703	0.704	0.608
	Top Edge	10	0.156	0.252		0.264	0.298		0.262	0.026		0.706	0.408	0.682	0.444
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.188									0.188	0.188	0.188	0.188
NR n30	Front Surface	10	0.215	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.925	0.936	0.891	0.694
	Back Surface	10	0.348	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.718	0.783	0.784	0.688
	Top Edge	10	0.379	0.252		0.264	0.298		0.262	0.026		0.929	0.631	0.905	0.667
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.100									0.100	0.100	0.100	0.100
NR n66	Front Surface	10	0.115	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.825	0.836	0.791	0.594
	Back Surface	10	0.100	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.470	0.535	0.536	0.440
	Top Edge	10	0.228	0.252		0.264	0.298		0.262	0.026		0.778	0.480	0.754	0.516
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.107									0.107	0.107	0.107	0.107

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n48	Front Surface	10	0.752	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.462	1.473	1.428	1.231
	Back Surface	10	0.621	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.991	1.056	1.057	0.961
	Top Edge	10	1.004	0.252		0.264	0.298		0.262	0.026		1.554	1.256	1.530	1.292
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n77_PC3	Left Edge	10	0.421									0.421	0.421	0.421	0.421
	Front Surface	10	0.112	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.822	0.833	0.788	0.591
	Back Surface	10	0.162	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.532	0.597	0.598	0.502
	Top Edge	10	0.363	0.252		0.264	0.298		0.262	0.026		0.913	0.615	0.889	0.651
	Bottom Edge	10										0.000	0.000	0.000	0.000
NR n77_PC2	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.145									0.145	0.145	0.145	0.145
	Front Surface	10	0.079	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.789	0.800	0.755	0.558
	Back Surface	10	0.120	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.490	0.555	0.556	0.460
	Top Edge	10	0.365	0.252		0.264	0.298		0.262	0.026		0.915	0.617	0.891	0.653
NR n77 & n78_PC3	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.097									0.097	0.097	0.097	0.097
	Front Surface	10	0.122	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.832	0.843	0.798	0.601
	Back Surface	10	0.143	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.513	0.578	0.579	0.483
NR n77 & n78_PC2	Top Edge	10	0.831	0.252		0.264	0.298		0.262	0.026		1.381	1.083	1.357	1.119
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.173									0.173	0.173	0.173	0.173
	Front Surface	10	0.153	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.863	0.874	0.829	0.632
NR n78_PC3	Back Surface	10	0.104	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.474	0.539	0.540	0.444
	Top Edge	10	0.823	0.252		0.264	0.298		0.262	0.026		1.373	1.075	1.349	1.111
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.196									0.196	0.196	0.196	0.196
NR n78_PC2	Front Surface	10	0.069	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.779	0.790	0.745	0.548
	Back Surface	10	0.076	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.446	0.511	0.512	0.416
	Top Edge	10	0.498	0.252		0.264	0.298		0.262	0.026		1.048	0.750	1.024	0.786
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
NR n78_PC2	Left Edge	10	0.085									0.085	0.085	0.085	0.085
	Front Surface	10	0.073	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.783	0.794	0.749	0.552
	Back Surface	10	0.083	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.453	0.518	0.519	0.423
	Top Edge	10	0.528	0.252		0.264	0.298		0.262	0.026		1.078	0.780	1.054	0.816
	Bottom Edge	10										0.000	0.000	0.000	0.000
NR n78_PC2	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.090									0.090	0.090	0.090	0.090

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant8_NSA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 41_PC3	Front Surface	10	0.666	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.376	1.387	1.342	1.145
	Back Surface	10	0.538	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.908	0.973	0.974	0.878
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.154									1.154	1.154	1.154	1.154
LTE Band 41_PC2	Front Surface	10	0.597	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.307	1.318	1.273	1.076
	Back Surface	10	0.540	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.910	0.975	0.976	0.880
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.997									0.997	0.997	0.997	0.997
LTE Band 48	Front Surface	10	0.229	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.939	0.950	0.905	0.708
	Back Surface	10	0.179	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.549	0.614	0.615	0.519
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.367									0.367	0.367	0.367	0.367
NR n41_PC3	Front Surface	10	0.390	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.100	1.111	1.066	0.869
	Back Surface	10	0.262	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.632	0.697	0.698	0.602
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.839									0.839	0.839	0.839	0.839
NR n41_PC2	Front Surface	10	0.540	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.250	1.261	1.216	1.019
	Back Surface	10	0.370	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.740	0.805	0.806	0.710
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.132									1.132	1.132	1.132	1.132
NR n48	Front Surface	10	0.467	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.177	1.188	1.143	0.946
	Back Surface	10	0.384	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.754	0.819	0.820	0.724
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	1.117									1.117	1.117	1.117	1.117
NR n77_PC3	Front Surface	10	0.424	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.134	1.145	1.100	0.903
	Back Surface	10	0.373	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.743	0.808	0.809	0.713
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.789									0.789	0.789	0.789	0.789
NR n77_PC2	Front Surface	10	0.384	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.094	1.105	1.060	0.863
	Back Surface	10	0.332	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.702	0.767	0.768	0.672
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.805									0.805	0.805	0.805	0.805
NR n77 & n78_PC3	Front Surface	10	0.335	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.045	1.056	1.011	0.814
	Back Surface	10	0.298	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.668	0.733	0.734	0.638
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.700									0.700	0.700	0.700	0.700
NR n77 & n78_PC2	Front Surface	10	0.317	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.027	1.038	0.993	0.796
	Back Surface	10	0.275	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.645	0.710	0.711	0.615
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.608									0.608	0.608	0.608	0.608
NR n78_PC3	Front Surface	10	0.401	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.111	1.122	1.077	0.880
	Back Surface	10	0.333	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.703	0.768	0.769	0.673
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.784									0.784	0.784	0.784	0.784
NR n78_PC2	Front Surface	10	0.366	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	1.076	1.087	1.042	0.845
	Back Surface	10	0.317	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.687	0.752	0.753	0.657
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10										0.000	0.000	0.000	0.000
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.726									0.726	0.726	0.726	0.726

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9_NSA

	Exposure Position		Reported SAR									Scenario 1	Scenario 2	Scenario 3	Scenario 4
			1	2	3	4	5	6	7	8	9	1+2+5+9	1+2+6+9	1+4+7	1+7+8+9
			WWAN	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE Band 41_PC3	Front Surface	10	0.100	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.810	0.821	0.776	0.579
	Back Surface	10	0.377	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.747	0.812	0.813	0.717
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.151									0.151	0.151	0.151	0.151
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.016									0.016	0.016	0.016	0.016
LTE Band 41_PC2	Front Surface	10	0.067	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.777	0.788	0.743	0.546
	Back Surface	10	0.273	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.643	0.708	0.709	0.613
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.092									0.092	0.092	0.092	0.092
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.009									0.009	0.009	0.009	0.009
LTE Band 48	Front Surface	10	0.031	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.741	0.752	0.707	0.510
	Back Surface	10	0.144	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.514	0.579	0.580	0.484
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.051									0.051	0.051	0.051	0.051
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.005									0.005	0.005	0.005	0.005
NR n41_PC3	Front Surface	10	0.041	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.762	0.762	0.717	0.520
	Back Surface	10	0.382	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.752	0.817	0.818	0.722
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.105									0.105	0.105	0.105	0.105
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.010									0.010	0.010	0.010	0.010
NR n41_PC2	Front Surface	10	0.045	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.755	0.766	0.721	0.524
	Back Surface	10	0.451	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.821	0.886	0.887	0.791
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.124									0.124	0.124	0.124	0.124
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.012									0.012	0.012	0.012	0.012
NR n48	Front Surface	10	0.142	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.852	0.863	0.818	0.621
	Back Surface	10	1.144	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.514	1.579	1.580	1.484
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.258									0.258	0.258	0.258	0.258
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.024									0.024	0.024	0.024	0.024
NR n77_PC3	Front Surface	10	0.107	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.817	0.828	0.783	0.586
	Back Surface	10	0.854	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.224	1.299	1.299	1.194
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.191									0.191	0.191	0.191	0.191
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.026									0.026	0.026	0.026	0.026
NR n77_PC2	Front Surface	10	0.130	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.840	0.851	0.806	0.609
	Back Surface	10	0.847	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	1.217	1.282	1.283	1.187
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.191									0.191	0.191	0.191	0.191
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.039									0.039	0.039	0.039	0.039
NR n77 & n78_PC3	Front Surface	10	0.074	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.784	0.795	0.750	0.553
	Back Surface	10	0.545	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.915	0.980	0.981	0.885
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.125									0.125	0.125	0.125	0.125
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.022									0.022	0.022	0.022	0.022
NR n77 & n78_PC2	Front Surface	10	0.087	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.797	0.808	0.763	0.566
	Back Surface	10	0.564	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.934	0.999	1.000	0.904
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.149									0.149	0.149	0.149	0.149
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.022									0.022	0.022	0.022	0.022
NR n78_PC3	Front Surface	10	0.094	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.804	0.815	0.770	0.573
	Back Surface	10	0.599	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.969	1.034	1.035	0.939
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.127									0.127	0.127	0.127	0.127
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.014									0.014	0.014	0.014	0.014
NR n78_PC2	Front Surface	10	0.089	0.308	0.196	0.299	0.331	0.342	0.377	0.031	0.071	0.799	0.810	0.765	0.568
	Back Surface	10	0.589	0.041	0.158	0.160	0.267	0.332	0.276	0.002	0.062	0.969	1.024	1.025	0.929
	Top Edge	10		0.252		0.264	0.298		0.262	0.026		0.550	0.252	0.526	0.288
	Bottom Edge	10	0.150									0.150	0.150	0.150	0.150
	Right Edge	10		0.145	0.419	0.385	0.232	0.537	0.536	0.016	0.103	0.480	0.785	0.921	0.655
	Left Edge	10	0.016									0.016	0.016	0.016	0.016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

0+1_DS18

WWAN Ant0	WWAN Ant1	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9	
				WWAN Ant0 1g SAR (W/kg)	WWAN Ant1 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
LTE B12	LTE B25	Front Surface	10	0.159	0.368	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.918	1.230	1.191	0.990	
		Back Surface	10	0.604	0.363	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.287	1.391	1.396	1.297	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.403	0.180					0.533	0.530	0.015	0.092	0.583	0.583	0.583	0.583	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230					0.338	0.783	0.921	0.653	
		Left Edge	10	0.011	0.525									0.536	0.536	0.536	0.536	
LTE B12	LTE B30	Front Surface	10	0.159	0.255	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.805	1.117	1.078	0.877	
		Back Surface	10	0.604	0.406	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.330	1.434	1.439	1.340	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.403	0.245					0.533	0.530	0.015	0.092	0.648	0.648	0.648	0.648	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.717									0.728	0.728	0.728	0.728	
LTE B12	LTE B66	Front Surface	10	0.159	0.356	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.906	1.218	1.179	0.978	
		Back Surface	10	0.604	0.376	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.300	1.404	1.409	1.310	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.403	0.207					0.533				0.610	0.610	0.610	0.610	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.489									0.500	0.500	0.500	0.500	
LTE B26	LTE B25	Front Surface	10	0.337	0.368	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.096	1.408	1.369	1.168	
		Back Surface	10	0.666	0.363	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.349	1.453	1.458	1.359	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.317	0.180									0.497	0.497	0.497	0.497	
		Right Edge	10	0.066		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.388	0.833	0.971	0.703
		Left Edge	10	0.043	0.525									0.568	0.568	0.568	0.568	
LTE B12	LTE B2	Front Surface	10	0.159	0.410	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.960	1.272	1.233	1.032	
		Back Surface	10	0.604	0.523	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.447	1.551	1.556	1.457	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.403	0.480									0.863	0.863	0.863	0.863	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.490									0.501	0.501	0.501	0.501	
LTE B5	LTE B2	Front Surface	10	0.310	0.410	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.111	1.423	1.384	1.183	
		Back Surface	10	0.436	0.523	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.279	1.383	1.388	1.289	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.288	0.480									0.768	0.768	0.768	0.768	
		Right Edge	10	0.071		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.490									0.541	0.541	0.541	0.541	
LTE B71	LTE B2	Front Surface	10	0.216	0.410	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.017	1.329	1.290	1.089	
		Back Surface	10	0.333	0.523	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.176	1.280	1.285	1.186	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.425	0.480									0.905	0.905	0.905	0.905	
		Right Edge	10	0.014		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651
		Left Edge	10	0.012	0.490									0.502	0.502	0.502	0.502	
LTE B71	LTE B66	Front Surface	10	0.216	0.356	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.963	1.276	1.236	1.035	
		Back Surface	10	0.333	0.376	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.029	1.133	1.138	1.039	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.425	0.207									0.632	0.632	0.632	0.632	
		Right Edge	10	0.014		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651
		Left Edge	10	0.012	0.489									0.501	0.501	0.501	0.501	
LTE B26	LTE B7	Front Surface	10	0.337	0.354	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.082	1.394	1.355	1.154	
		Back Surface	10	0.666	0.322	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.308	1.412	1.417	1.318	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.317	0.237									0.554	0.554	0.554	0.554	
		Right Edge	10	0.066		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.388	0.833	0.971	0.703
		Left Edge	10	0.043	0.536									0.579	0.579	0.579	0.579	
LTE B12	LTE B4	Front Surface	10	0.159	0.368	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.918	1.230	1.191	0.990	
		Back Surface	10	0.604	0.388	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.312	1.416	1.421	1.322	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.403	0.239									0.642	0.642	0.642	0.642	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.460									0.471	0.471	0.471	0.471	
LTE B5	LTE B4	Front Surface	10	0.310	0.368	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.069	1.381	1.342	1.141	
		Back Surface	10	0.436	0.388	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.144	1.248	1.253	1.154	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.288	0.239									0.527	0.527	0.527	0.527	
		Right Edge	10	0.071		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.460									0.511	0.511	0.511	0.511	
LTE B71	LTE B4	Front Surface	10	0.216	0.368	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.975	1.287	1.248	1.047	
		Back Surface	10	0.333	0.388	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.041	1.145	1.150	1.051	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.425	0.239									0.664	0.664	0.664	0.664	
		Right Edge	10	0.014		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651
		Left Edge	10	0.012	0.460									0.472	0.472	0.472	0.472	
LTE B5	LTE B25	Front Surface	10	0.310	0.368	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.069	1.381	1.342	1.141	
		Back Surface	10	0.436	0.363	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.119	1.223	1.228	1.129	
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283	
		Bottom Edge	10	0.288	0.180									0.468	0.468	0.468	0.468	
		Right Edge	10	0.071		0.142	0.408	0.375	0.230		0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.525									0.576	0.576	0.576	0.576	
LTE B5	LTE B30	Front Surface	10	0.310	0.255	0.301	0.191	0.291	0.328	0.339.								

NR n12	NR n30	Front Surface	10	0.155	0.264	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.810	1.122	1.083	0.882
		Back Surface	10	0.620	0.408	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.348	1.452	1.457	1.358
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.482	0.257									0.739	0.739	0.739	0.739
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
NR n12	NR n66	Left Edge	10	0.010	0.643									0.653	0.653	0.653	0.653
		Front Surface	10	0.155	0.355	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.901	1.213	1.174	0.973
		Back Surface	10	0.620	0.380	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.320	1.424	1.429	1.330
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.482	0.203									0.685	0.685	0.685	0.685
NR n12	NR n2	Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
		Left Edge	10	0.010	0.433									0.443	0.443	0.443	0.443
		Front Surface	10	0.155	0.365	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.911	1.223	1.184	0.983
		Back Surface	10	0.620	0.464	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.404	1.508	1.513	1.414
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
NR n5	NR n2	Bottom Edge	10	0.482	0.411									0.893	0.893	0.893	0.893
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
		Left Edge	10	0.010	0.508									0.518	0.518	0.518	0.518
		Front Surface	10	0.337	0.365	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.093	1.405	1.366	1.165
		Back Surface	10	0.406	0.464	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.190	1.294	1.299	1.200
NR n5	NR n2	Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.411									0.743	0.743	0.743	0.743
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.508									0.548	0.548	0.548	0.548
		Front Surface	10	0.337	0.264	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.992	1.304	1.265	1.064
NR n5	NR n30	Back Surface	10	0.406	0.408	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.134	1.238	1.243	1.144
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.257									0.589	0.589	0.589	0.589
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.643									0.683	0.683	0.683	0.683
NR n5	NR n66	Front Surface	10	0.337	0.355	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.083	1.395	1.356	1.155
		Back Surface	10	0.406	0.380	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.106	1.210	1.215	1.116
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.203									0.535	0.535	0.535	0.535
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
NR n5	NR n66	Left Edge	10	0.040	0.433									0.473	0.473	0.473	0.473
		Front Surface	10	0.159	0.436	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.986	1.298	1.259	1.058
		Back Surface	10	0.604	0.475	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.399	1.503	1.508	1.409
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.403	0.225									0.628	0.628	0.628	0.628
LTE B12	NR n25	Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.696									0.707	0.707	0.707	0.707
		Front Surface	10	0.159	0.365	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.915	1.227	1.188	0.987
		Back Surface	10	0.604	0.464	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.388	1.492	1.497	1.398
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
LTE B12	NR n2	Bottom Edge	10	0.403	0.411									0.814	0.814	0.814	0.814
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.508									0.519	0.519	0.519	0.519
		Front Surface	10	0.159	0.355	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.905	1.217	1.178	0.977
		Back Surface	10	0.604	0.380	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.204	1.408	1.413	1.314
LTE B12	NR n66	Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.403	0.203									0.606	0.606	0.606	0.606
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.433									0.444	0.444	0.444	0.444
		Front Surface	10	0.337	0.410	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.138	1.450	1.411	1.210
NR n5	LTE B2	Back Surface	10	0.406	0.523	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.249	1.353	1.358	1.259
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.480									0.812	0.812	0.812	0.812
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.490									0.530	0.530	0.530	0.530
NR n71	LTE B2	Front Surface	10	0.213	0.410	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.014	1.326	1.287	1.086
		Back Surface	10	0.321	0.523	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.164	1.268	1.273	1.174
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.473	0.480									0.953	0.953	0.953	0.953
		Right Edge	10	0.015		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.337	0.782	0.920	0.652
NR n5	LTE B30	Left Edge	10	0.012	0.490									0.502	0.502	0.502	0.502
		Front Surface	10	0.337	0.255	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.983	1.295	1.256	1.055
		Back Surface	10	0.406	0.406	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.132	1.236	1.241	1.142
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.245									0.577	0.577	0.577	0.577
NR n5	LTE B30	Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.717									0.757	0.757	0.757	0.757
		Front Surface	10	0.310	0.365	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.066	1.378	1.339	1.138
		Back Surface	10	0.436	0.464	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.220	1.324	1.329	1.230
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
LTE B5	NR n2	Bottom Edge	10	0.288	0.411									0.699	0.699	0.699	0.699
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.508									0.559	0.559	0.559	0.559
		Front Surface	10	0.310	0.264	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.965	1.277	1.238	1.037
		Back Surface	10	0.436	0.408	0.040	0										



0+2_DSi8

WWAN Ant0	WWAN Ant2	Exposure Position	Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4				
			0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4				
			WWAN Ant0	WWAN Ant2	2.4GHz WLAN Ant4	2.4GHz WLAN Ant5	2.4GHz WLAN Ant4+Ant5	5GHz WLAN Ant4	5GHz WLAN Ant5	5GHz WLAN Ant4+Ant5	Bluetooth Ant4	Bluetooth Ant5	Summed	Summed	Summed	Summed				
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)
LTE B12	LTE B25	Front Surface	10	0.159	0.544	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.094	1.406	1.367	1.166			
		Back Surface	10	0.604	0.272	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.196	1.300	1.305	1.206			
		Top Edge	10		0.133	0.246		0.257	0.295		0.260	0.023		0.428	0.379	0.650	0.416			
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403			
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.663			
LTE B12	LTE B30	Left Edge	10	0.011	1.160									1.171	1.171	1.171	1.171			
		Front Surface	10	0.159	0.548	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.096	1.410	1.371	1.170			
		Back Surface	10	0.604	0.422	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.346	1.450	1.455	1.356			
		Top Edge	10		0.171	0.246		0.257	0.295		0.260	0.023		0.466	0.417	0.688	0.454			
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403			
LTE B12	LTE B66	Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.663			
		Left Edge	10	0.011	0.743									0.754	0.754	0.754	0.754			
		Front Surface	10	0.159	0.366	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.916	1.228	1.189	0.988			
		Back Surface	10	0.604	0.185	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.109	1.213	1.218	1.119			
		Top Edge	10		0.064	0.246		0.257	0.295		0.260	0.023		0.359	0.310	0.581	0.347			
LTE B26	LTE B25	Bottom Edge	10	0.403										0.403	0.403	0.403	0.403			
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.663			
		Left Edge	10	0.011	0.742									0.753	0.753	0.753	0.753			
		Front Surface	10	0.337	0.544	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.272	1.584	1.545	1.344			
		Back Surface	10	0.666	0.272	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.258	1.362	1.367	1.268			
LTE B12	LTE B2	Top Edge	10		0.133	0.246		0.257	0.295		0.260	0.023		0.428	0.379	0.650	0.416			
		Bottom Edge	10	0.317										0.317	0.317	0.317	0.317			
		Right Edge	10	0.066		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.388	0.833	0.971	0.703			
		Left Edge	10	0.043	1.160									1.203	1.203	1.203	1.203			
		Front Surface	10	0.159	0.341	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.891	1.203	1.164	0.963			
LTE B12	LTE B2	Back Surface	10	0.604	0.157	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.081	1.185	1.190	1.091			
		Top Edge	10		0.075	0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358			
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403			
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.663			
		Left Edge	10	0.011	0.585									0.596	0.596	0.596	0.596			
LTE B5	LTE B2	Front Surface	10	0.310	0.341	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.042	1.354	1.315	1.114			
		Back Surface	10	0.436	0.157	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.913	1.017	1.022	0.923			
		Top Edge	10		0.075	0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358			
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288			
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708			
LTE B71	LTE B2	Left Edge	10	0.051	0.585									0.636	0.636	0.636	0.636			
		Front Surface	10	0.216	0.341	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.948	1.260	1.221	1.020			
		Back Surface	10	0.333	0.157	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.810	0.914	0.919	0.820			
		Top Edge	10		0.075	0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358			
		Bottom Edge	10	0.425										0.425	0.425	0.425	0.425			
LTE B71	LTE B66	Right Edge	10	0.014		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651			
		Left Edge	10	0.012	0.585									0.597	0.597	0.597	0.597			
		Front Surface	10	0.216	0.366	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.973	1.285	1.246	1.045			
		Back Surface	10	0.333	0.185	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.838	0.942	0.947	0.848			
		Top Edge	10		0.064	0.246		0.257	0.295		0.260	0.023		0.359	0.310	0.581	0.347			
LTE B26	LTE B7	Bottom Edge	10	0.425										0.425	0.425	0.425	0.425			
		Right Edge	10	0.014		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651			
		Left Edge	10	0.012	0.742									0.754	0.754	0.754	0.754			
		Front Surface	10	0.337	0.451	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.179	1.491	1.452	1.251			
		Back Surface	10	0.666	0.218	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.204	1.309	1.313	1.214			
LTE B12	LTE B4	Top Edge	10		0.051	0.246		0.257	0.295		0.260	0.023		0.346	0.297	0.568	0.334			
		Bottom Edge	10	0.317										0.317	0.317	0.317	0.317			
		Right Edge	10	0.066		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.388	0.833	0.971	0.703			
		Left Edge	10	0.043	0.786									0.829	0.829	0.829	0.829			
		Front Surface	10	0.159	0.527	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.077	1.389	1.350	1.149			
LTE B12	LTE B4	Back Surface	10	0.604	0.408	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.332	1.436	1.441	1.342			
		Top Edge	10		0.148	0.246		0.257	0.295		0.260	0.023		0.443	0.394	0.665	0.431			
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403			
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.663			
		Left Edge	10	0.011	0.766									0.777	0.777	0.777	0.777			
LTE B5	LTE B4	Front Surface	10	0.310	0.527	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.228	1.540	1.501	1.300			
		Back Surface	10	0.436	0.408	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.164	1.268	1.273	1.174			
		Top Edge	10		0.148	0.246		0.257	0.295		0.260	0.023		0.443	0.394	0.665	0.431			
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288			
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708			
LTE B71	LTE B4	Left Edge	10	0.051	0.766									0.817	0.817	0.817	0.817			
		Front Surface	10	0.216	0.527	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.134	1.446	1.407	1.206			
		Back Surface	10	0.333	0.408	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.061	1.165	1.170	1.071			
		Top Edge	10		0.148	0.246		0.257	0.295		0.260	0.023		0.443	0.394	0.665	0.431			
		Bottom Edge	10	0.425										0.425	0.425	0.425	0.425			
LTE B5	LTE B25	Right Edge	10	0.014		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.336	0.781	0.919	0.651			
		Left Edge	10	0.012	0.766									0.778	0.778	0.778	0.778			
		Front Surface	10	0.310	0.544	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.245	1.557	1.518	1.317			
		Back Surface	10	0.436	0.272	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.028	1.132	1.137	1.038			
		Top Edge	10		0.133	0.246		0.257	0.295		0.260	0.023		0.428	0.379	0.650	0.416			
LTE B5	LTE B30	Bottom Edge	10	0.288										0.288	0.288	0.288	0.288			
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708			
		Left Edge	10	0.051	1.160									1.211	1.211	1.211	1.211			
		Front Surface	10	0.310	0.548	0.301	0.191	0.291	0.328	0.339	0.373									

NR n12	NR n30	Front Surface	10	0.155	0.345	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.891	1.203	1.164	0.963	
		Back Surface	10	0.620	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.132	1.236	1.241	1.142	
		Top Edge	10		0.059	0.246		0.257	0.295		0.260	0.023		0.354	0.305	0.576	0.342	
		Bottom Edge	10	0.482										0.482	0.482	0.482	0.482	
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650	
NR n12	NR n66	Left Edge	10	0.010	0.790									0.800	0.800	0.800	0.800	
		Front Surface	10	0.155	0.501	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.047	1.359	1.320	1.119	
		Back Surface	10	0.620	0.325	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.265	1.369	1.374	1.275	
		Top Edge	10		0.079	0.246		0.257	0.295		0.260	0.023		0.374	0.325	0.596	0.362	
		Bottom Edge	10	0.482										0.482	0.482	0.482	0.482	
NR n12	NR n2	Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650	
		Left Edge	10	0.010	0.791									0.801	0.801	0.801	0.801	
		Front Surface	10	0.155	0.381	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.927	1.239	1.200	0.999	
		Back Surface	10	0.620	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.132	1.236	1.241	1.142	
		Top Edge	10		0.091	0.246		0.257	0.295		0.260	0.023		0.386	0.337	0.608	0.374	
NR n5	NR n2	Bottom Edge	10	0.482										0.482	0.482	0.482	0.482	
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650	
		Left Edge	10	0.010	0.788									0.778	0.778	0.778	0.778	
		Front Surface	10	0.337	0.381	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.109	1.421	1.382	1.181	
		Back Surface	10	0.406	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.918	1.022	1.027	0.928	
NR n5	NR n2	Top Edge	10		0.091	0.246		0.257	0.295		0.260	0.023		0.386	0.337	0.608	0.374	
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332	
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701	
		Left Edge	10	0.040	0.790									0.830	0.830	0.830	0.830	
		Front Surface	10	0.337	0.501	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.229	1.541	1.502	1.301	
NR n5	NR n66	Back Surface	10	0.406	0.325	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.051	1.156	1.160	1.061	
		Top Edge	10		0.079	0.246		0.257	0.295		0.260	0.023		0.374	0.325	0.596	0.362	
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332	
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701	
		Left Edge	10	0.040	0.791									0.831	0.831	0.831	0.831	
LTE B12	NR n25	Front Surface	10	0.159	0.535	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.085	1.397	1.358	1.157	
		Back Surface	10	0.604	0.258	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.182	1.286	1.291	1.192	
		Top Edge	10		0.120	0.246		0.257	0.295		0.260	0.023		0.415	0.366	0.637	0.403	
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653	
LTE B12	NR n2	Left Edge	10	0.011	1.126									1.137	1.137	1.137	1.137	
		Front Surface	10	0.159	0.381	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.931	1.243	1.204	1.003	
		Back Surface	10	0.604	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.116	1.220	1.225	1.126	
		Top Edge	10		0.091	0.246		0.257	0.295		0.260	0.023		0.386	0.337	0.608	0.374	
		Bottom Edge	10	0.403										0.403	0.403	0.403	0.403	
LTE B12	NR n66	Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653	
		Left Edge	10	0.011	0.788									0.779	0.779	0.779	0.779	
		Front Surface	10	0.159	0.501	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.051	1.363	1.324	1.123	
		Back Surface	10	0.604	0.325	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.249	1.353	1.358	1.259	
		Top Edge	10		0.079	0.246		0.257	0.295		0.260	0.023		0.374	0.325	0.596	0.362	
NR n5	LTE B2	Bottom Edge	10	0.403										0.403	0.403	0.403	0.403	
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653	
		Left Edge	10	0.011	0.791									0.802	0.802	0.802	0.802	
		Front Surface	10	0.337	0.341	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.069	1.381	1.342	1.141	
		Back Surface	10	0.406	0.157	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.883	0.987	0.992	0.893	
NR n5	LTE B2	Top Edge	10		0.075	0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358	
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332	
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701	
		Left Edge	10	0.040	0.585									0.625	0.625	0.625	0.625	
		Front Surface	10	0.213	0.341	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.945	1.257	1.218	1.017	
NR n71	LTE B2	Back Surface	10	0.321	0.157	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.798	0.902	0.907	0.808	
		Top Edge	10		0.075	0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358	
		Bottom Edge	10	0.473										0.473	0.473	0.473	0.473	
		Right Edge	10	0.015		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.337	0.782	0.920	0.652	
		Left Edge	10	0.012	0.585									0.597	0.597	0.597	0.597	
NR n5	LTE B30	Front Surface	10	0.337	0.548	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.276	1.588	1.549	1.348	
		Back Surface	10	0.406	0.422	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.148	1.252	1.257	1.158	
		Top Edge	10		0.171	0.246		0.257	0.295		0.260	0.023		0.466	0.417	0.688	0.454	
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332	
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701	
LTE B5	NR n2	Left Edge	10	0.040	0.743									0.783	0.783	0.783	0.783	
		Front Surface	10	0.310	0.381	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.082	1.394	1.355	1.154	
		Back Surface	10	0.436	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.948	1.052	1.057	0.958	
		Top Edge	10		0.091	0.246		0.257	0.295		0.260	0.023		0.386	0.337	0.608	0.374	
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288	
LTE B5	NR n30	Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708	
		Left Edge	10	0.051	0.788									0.819	0.819	0.819	0.819	
		Front Surface	10	0.310		0.345	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.046	1.358	1.319	1.118
		Back Surface	10	0.436	0.192	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.948	1.052	1.057	0.958	
		Top Edge	10		0.059	0.246		0.257	0.295		0.260	0.023		0.354	0.305	0.576	0.342	
LTE B5	NR n66	Bottom Edge	10	0.288										0.288	0.288	0.288	0.288	
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708	
		Left Edge	10	0.051	0.790									0.802	0.802	0.802	0.802	
		Front Surface	10	0.310	0.501	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.202	1.514	1.475	1.274	
		Back Surface	10	0.436	0.325	0.040												

0+6_DS18

WWAN AntD	WWAN AntS	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN AntD 1g SAR (W/kg)	WWAN AntS 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)
NR n12	NR n77	Front Surface	10	0.155	0.169	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.715	1.027	0.968	0.767
		Back Surface	10	0.620	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.355	1.459	1.454	1.365
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.954	0.505	0.776	0.542
		Bottom Edge	10	0.482										0.482	0.482	0.482	0.482
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
NR n5	NR n77	Left Edge	10	0.010	0.507									0.517	0.517	0.517	0.517
		Front Surface	10	0.337	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.897	1.209	1.170	0.969
		Back Surface	10	0.406	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.141	1.245	1.250	1.151
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.954	0.505	0.776	0.542
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332
LTE B12	NR n77	Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.507									0.547	0.547	0.547	0.547
		Front Surface	10	0.159	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.719	1.031	0.992	0.791
		Back Surface	10	0.604	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.339	1.443	1.448	1.349
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.954	0.505	0.776	0.542
LTE B5	NR n77	Bottom Edge	10	0.403										0.403	0.403	0.403	0.403
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.507									0.518	0.518	0.518	0.518
		Front Surface	10	0.310	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.870	1.182	1.143	0.942
		Back Surface	10	0.436	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.171	1.275	1.280	1.181
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.954	0.505	0.776	0.542
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.507									0.558	0.558	0.558	0.558

0+7_DS18

WWAN AntD	WWAN Ant7	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN AntD 1g SAR (W/kg)	WWAN Ant7 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)
NR n12	NR n77	Front Surface	10	0.155	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.668	0.989	0.941	0.740
		Back Surface	10	0.620	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.083	1.187	1.192	1.093
		Top Edge	10		0.831	0.246		0.257	0.295		0.260	0.023		1.126	1.077	1.348	1.114
		Bottom Edge	10	0.482										0.482	0.482	0.482	0.482
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
NR n5	NR n77	Left Edge	10	0.010	0.173									0.183	0.183	0.183	0.183
		Front Surface	10	0.337	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.869	1.182	1.123	0.922
		Back Surface	10	0.406	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.869	0.973	0.978	0.879
		Top Edge	10		0.831	0.246		0.257	0.295		0.260	0.023		1.126	1.077	1.348	1.114
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332
LTE B12	NR n77	Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.173									0.213	0.213	0.213	0.213
		Front Surface	10	0.159	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.672	0.984	0.945	0.744
		Back Surface	10	0.604	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.067	1.171	1.176	1.077
		Top Edge	10		0.831	0.246		0.257	0.295		0.260	0.023		1.126	1.077	1.348	1.114
LTE B5	NR n77	Bottom Edge	10	0.403										0.403	0.403	0.403	0.403
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.173									0.184	0.184	0.184	0.184
		Front Surface	10	0.310	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.823	1.135	1.096	0.895
		Back Surface	10	0.436	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.899	1.003	1.008	0.909
		Top Edge	10		0.831	0.246		0.257	0.295		0.260	0.023		1.126	1.077	1.348	1.114
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.173									0.224	0.224	0.224	0.224

0+8_DS18

				Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
WWAN AntD	WWAN Ant8	Exposure Position	0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			WWAN AntD 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
NR n12	NR n77	Front Surface	10	0.155	0.424	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.970	1.282	1.243	1.042
		Back Surface	10	0.620	0.373	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.313	1.417	1.422	1.323
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.482										0.482	0.482	0.482	0.482
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
NR n5	NR n77	Left Edge	10	0.010	0.789									0.799	0.799	0.799	0.799
		Front Surface	10	0.337	0.424	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.152	1.464	1.425	1.224
		Back Surface	10	0.406	0.373	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.099	1.203	1.208	1.109
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332										0.332	0.332	0.332	0.332
LTE B12	NR n77	Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.789									0.829	0.829	0.829	0.829
		Front Surface	10	0.159	0.424	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.974	1.286	1.247	1.046
		Back Surface	10	0.604	0.373	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.297	1.401	1.406	1.307
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
LTE B5	NR n77	Bottom Edge	10	0.403										0.403	0.403	0.403	0.403
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.789									0.800	0.800	0.800	0.800
		Front Surface	10	0.310	0.424	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.125	1.437	1.398	1.197
		Back Surface	10	0.436	0.373	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.129	1.233	1.238	1.139
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.288										0.288	0.288	0.288	0.288
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.789									0.840	0.840	0.840	0.840

0+9_DS18

WWAN Ant0	WWAN Ant9	Exposure Position	Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			WWAN Ant0 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
NR n12	NR n77	Front Surface	10	0.155	0.074	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.620	0.932	0.893	0.692
		Back Surface	10	0.620	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.485	1.589	1.594	1.495
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.482	0.125									0.607	0.607	0.607	0.607
		Right Edge	10	0.013		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.335	0.780	0.918	0.650
		Left Edge	10	0.010	0.022									0.032	0.032	0.032	0.032
NR n5	NR n77	Front Surface	10	0.337	0.074	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.802	1.114	1.075	0.874
		Back Surface	10	0.406	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.271	1.375	1.380	1.281
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.332	0.125									0.457	0.457	0.457	0.457
		Right Edge	10	0.064		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.386	0.831	0.969	0.701
		Left Edge	10	0.040	0.022									0.062	0.062	0.062	0.062
LTE B12	NR n77	Front Surface	10	0.159	0.074	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.624	0.936	0.897	0.696
		Back Surface	10	0.604	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.469	1.573	1.578	1.479
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.403	0.125									0.528	0.528	0.528	0.528
		Right Edge	10	0.016		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.338	0.783	0.921	0.653
		Left Edge	10	0.011	0.022									0.033	0.033	0.033	0.033
LTE B5	NR n77	Front Surface	10	0.310	0.074	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.775	1.087	1.048	0.847
		Back Surface	10	0.436	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.301	1.405	1.410	1.311
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.288	0.125									0.413	0.413	0.413	0.413
		Right Edge	10	0.071		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.393	0.838	0.976	0.708
		Left Edge	10	0.051	0.022									0.073	0.073	0.073	0.073

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1+2_DSi6

				Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
WWAN Ant1	WWAN Ant2	Exposure Position		0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+4+9	0+1+4+7	0+1+7+9+9
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant2 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4/Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4/Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)
LTE B25	LTE B12	Front Surface	10	0.368	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.143	1.455	1.416	1.215
		Back Surface	10	0.363	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.881	0.985	0.990	0.891
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
		Bottom Edge	10	0.180										0.180	0.180	0.180	0.180
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B30	LTE B12	Left Edge	10	0.525	0.445									0.970	0.970	0.970	0.970
		Front Surface	10	0.255	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.030	1.342	1.303	1.102
		Back Surface	10	0.406	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.924	1.028	1.033	0.934
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
LTE B66	LTE B12	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.445									1.162	1.162	1.162	1.162
		Front Surface	10	0.356	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.131	1.443	1.404	1.203
		Back Surface	10	0.376	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.894	0.998	1.003	0.904
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
LTE B25	LTE B26	Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.489	0.445									0.934	0.934	0.934	0.934
		Front Surface	10	0.368	0.489	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.248	1.560	1.521	1.320
		Back Surface	10	0.363	0.349	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.032	1.136	1.141	1.042
LTE B2	LTE B12	Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.981	0.342	0.613	0.379
		Bottom Edge	10	0.180										0.180	0.180	0.180	0.180
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.525	0.508									1.033	1.033	1.033	1.033
		Front Surface	10	0.410	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.185	1.497	1.458	1.257
LTE B2	LTE B12	Back Surface	10	0.523	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.041	1.145	1.150	1.051
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.991	0.342	0.613	0.379
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.445									0.935	0.935	0.935	0.935
LTE B2	LTE B5	Front Surface	10	0.410	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.249	1.561	1.522	1.321
		Back Surface	10	0.523	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.159	1.263	1.268	1.169
		Top Edge	10		0.088	0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B2	LTE B71	Left Edge	10	0.490	0.463									0.953	0.953	0.953	0.953
		Front Surface	10	0.410	0.363	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.164	1.476	1.437	1.236
		Back Surface	10	0.523	0.176	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.019	1.123	1.128	1.029
		Top Edge	10		0.085	0.246		0.257	0.295		0.260	0.023		0.380	0.331	0.602	0.368
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
LTE B66	LTE B71	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.425									0.915	0.915	0.915	0.915
		Front Surface	10	0.356	0.363	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.110	1.422	1.383	1.182
		Back Surface	10	0.376	0.176	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.872	0.976	0.981	0.882
		Top Edge	10		0.085	0.246		0.257	0.295		0.260	0.023		0.380	0.331	0.602	0.368
LTE B7	LTE B26	Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.489	0.425									0.914	0.914	0.914	0.914
		Front Surface	10	0.354	0.489	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.234	1.548	1.507	1.306
		Back Surface	10	0.322	0.349	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.991	1.095	1.100	1.001
LTE B4	LTE B12	Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.536	0.508									1.044	1.044	1.044	1.044
		Front Surface	10	0.368	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.143	1.455	1.416	1.215
LTE B4	LTE B12	Back Surface	10	0.388	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.906	1.010	1.015	0.916
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.991	0.342	0.613	0.379
		Bottom Edge	10	0.239										0.239	0.239	0.239	0.239
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.460	0.445									0.905	0.905	0.905	0.905
LTE B4	LTE B5	Front Surface	10	0.368	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.207	1.519	1.480	1.279
		Back Surface	10	0.388	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.024	1.128	1.133	1.034
		Top Edge	10		0.088	0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
		Bottom Edge	10	0.239										0.239	0.239	0.239	0.239
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B4	LTE B71	Left Edge	10	0.460	0.463									0.923	0.923	0.923	0.923
		Front Surface	10	0.368	0.363	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.122	1.434	1.395	1.194
		Back Surface	10	0.388	0.176	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.884	0.988	0.993	0.894
		Top Edge	10		0.085	0.246		0.257	0.295		0.260	0.023		0.380	0.331	0.602	0.368
		Bottom Edge	10	0.239										0.239	0.239	0.239	0.239
LTE B25	LTE B5	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.460	0.425									0.885	0.885	0.885	0.885
		Front Surface	10	0.368	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.207	1.519	1.480	1.279
		Back Surface	10	0.363	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.999	1.103	1.108	1.009
		Top Edge	10		0.088	0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
LTE B30	LTE B5	Bottom Edge	10	0.180										0.180	0.180	0.180	0.180
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.525	0.463									0.988	0.988	0.988	0.988
		Front Surface	10	0.255	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.094	1.406	1.367	1.166
		Back Surface	10	0.406	0.316	0.040	0.154	0.156	0.265								

NR n30	NR n12	Front Surface	10	0.264	0.493	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.148	1.460	1.421	1.220
		Back Surface	10	0.408	0.248	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.976	1.080	1.085	0.986
		Top Edge	10		0.095	0.246		0.257	0.295		0.260	0.023		0.390	0.341	0.612	0.378
		Bottom Edge	10	0.257										0.257	0.257	0.257	0.257
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n66	NR n12	Left Edge	10	0.643	0.568									1.211	1.211	1.211	1.211
		Front Surface	10	0.355	0.493	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.239	1.551	1.512	1.311
		Back Surface	10	0.380	0.248	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.948	1.052	1.057	0.958
		Top Edge	10		0.095	0.246		0.257	0.295		0.260	0.023		0.390	0.341	0.612	0.378
		Bottom Edge	10	0.203										0.203	0.203	0.203	0.203
NR n2	NR n12	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.568									1.001	1.001	1.001	1.001
		Front Surface	10	0.365	0.493	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.249	1.561	1.522	1.321
		Back Surface	10	0.464	0.248	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.032	1.136	1.141	1.042
		Top Edge	10		0.095	0.246		0.257	0.295		0.260	0.023		0.390	0.341	0.612	0.378
NR n2	NR n5	Bottom Edge	10	0.411										0.411	0.411	0.411	0.411
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.508	0.568									1.076	1.076	1.076	1.076
		Front Surface	10	0.365	0.431	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.187	1.499	1.460	1.259
		Back Surface	10	0.464	0.231	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.015	1.119	1.124	1.025
NR n30	NR n5	Top Edge	10		0.065	0.246		0.257	0.295		0.260	0.023		0.360	0.311	0.582	0.348
		Bottom Edge	10	0.257										0.257	0.257	0.257	0.257
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.643	0.470									1.113	1.113	1.113	1.113
		Front Surface	10	0.355	0.431	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.177	1.489	1.450	1.249
NR n66	NR n5	Back Surface	10	0.380	0.231	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.931	1.035	1.040	0.941
		Top Edge	10		0.065	0.246		0.257	0.295		0.260	0.023		0.360	0.311	0.582	0.348
		Bottom Edge	10	0.203										0.203	0.203	0.203	0.203
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.470									0.903	0.903	0.903	0.903
NR n25	LTE B12	Front Surface	10	0.436	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.211	1.523	1.484	1.283
		Back Surface	10	0.475	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.993	1.097	1.102	1.003
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.381	0.342	0.613	0.379
		Bottom Edge	10	0.225										0.225	0.225	0.225	0.225
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n2	LTE B12	Left Edge	10	0.696	0.445									1.141	1.141	1.141	1.141
		Front Surface	10	0.365	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.140	1.452	1.413	1.212
		Back Surface	10	0.464	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.982	1.086	1.091	0.992
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
		Bottom Edge	10	0.411										0.411	0.411	0.411	0.411
NR n66	LTE B12	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.508	0.445									0.953	0.953	0.953	0.953
		Front Surface	10	0.355	0.384	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.130	1.442	1.403	1.202
		Back Surface	10	0.380	0.198	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.908	1.002	1.007	0.908
		Top Edge	10		0.096	0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
LTE B2	NR n5	Bottom Edge	10	0.203										0.203	0.203	0.203	0.203
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.445									0.878	0.878	0.878	0.878
		Front Surface	10	0.410	0.431	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.232	1.544	1.505	1.304
		Back Surface	10	0.523	0.231	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.074	1.178	1.183	1.084
NR n66	LTE B12	Top Edge	10		0.065	0.246		0.257	0.295		0.260	0.023		0.360	0.311	0.582	0.348
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.470									0.960	0.960	0.960	0.960
		Front Surface	10	0.410	0.231	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.032	1.344	1.305	1.104
LTE B2	NR n71	Back Surface	10	0.523	0.130	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.973	1.077	1.082	0.983
		Top Edge	10		0.055	0.246		0.257	0.295		0.260	0.023		0.350	0.301	0.572	0.338
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.485									0.975	0.975	0.975	0.975
LTE B30	NR n5	Front Surface	10	0.255	0.431	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.077	1.389	1.350	1.149
		Back Surface	10	0.406	0.231	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.957	1.061	1.066	0.967
		Top Edge	10		0.065	0.246		0.257	0.295		0.260	0.023		0.360	0.311	0.582	0.348
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n2	LTE B5	Left Edge	10	0.717	0.470									1.187	1.187	1.187	1.187
		Front Surface	10	0.365	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.204	1.516	1.477	1.276
		Back Surface	10	0.464	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.100	1.204	1.209	1.110
		Top Edge	10		0.088	0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
		Bottom Edge	10	0.411										0.411	0.411	0.411	0.411
NR n30	LTE B5	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.508	0.463									0.971	0.971	0.971	0.971
		Front Surface	10	0.264	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.103	1.415	1.376	1.175
		Back Surface	10	0.408	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.044	1.148	1.153	1.054
		Top Edge	10		0.088	0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
NR n66	LTE B5	Bottom Edge	10	0.257										0.257	0.257	0.257	0.257
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.643	0.463									1.106	1.106	1.106	1.106
		Front Surface	10	0.355	0.448	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.194	1.506	1.467	1.266
		Back Surface	10	0.380	0.316	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.016			

1+6_DS18

WWAN Ant1	WWAN Ant5	Exposure Position	Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			0	1	2	3	4	5	6	7	8	9	Summed	Summed	Summed	Summed	
			WWAN Ant1 1g SAR (W/kg)	WWAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	1g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	
NR n2	NR n77	Front Surface	10	0.365	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.925	1.237	1.198	0.997
		Back Surface	10	0.464	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.199	1.303	1.308	1.209
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.411										0.411	0.411	0.411	0.411
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n30	NR n77	Left Edge	10	0.508	0.507									1.015	1.015	1.015	1.015
		Front Surface	10	0.264	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.824	1.136	1.097	0.896
		Back Surface	10	0.408	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.143	1.247	1.252	1.153
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.257										0.257	0.257	0.257	0.257
NR n66	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.643	0.507									1.150	1.150	1.150	1.150
		Front Surface	10	0.355	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.915	1.227	1.188	0.987
		Back Surface	10	0.380	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.115	1.219	1.224	1.125
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
LTE B2	NR n77	Bottom Edge	10	0.203										0.203	0.203	0.203	0.203
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.507									0.940	0.940	0.940	0.940
		Front Surface	10	0.410	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.970	1.282	1.243	1.042
		Back Surface	10	0.523	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.258	1.362	1.367	1.268
LTE B30	NR n77	Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.507									0.997	0.997	0.997	0.997
		Front Surface	10	0.255	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.815	1.127	1.088	0.887
LTE B66	NR n77	Back Surface	10	0.406	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.141	1.245	1.250	1.151
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.507									1.224	1.224	1.224	1.224
LTE B7	NR n77	Front Surface	10	0.356	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.915	1.228	1.189	0.988
		Back Surface	10	0.376	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.111	1.215	1.220	1.121
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B7	NR n77	Left Edge	10	0.489	0.507									0.996	0.996	0.996	0.996
		Front Surface	10	0.354	0.169	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.914	1.226	1.187	0.986
		Back Surface	10	0.322	0.415	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.067	1.161	1.166	1.067
		Top Edge	10		0.259	0.246		0.257	0.295		0.260	0.023		0.554	0.505	0.776	0.542
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237
LTE B7	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.536	0.507									1.043	1.043	1.043	1.043

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1+7_DSi8

				Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
WWAN Ant1	WWAN Ant7	Exposure Position		0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+9+9	
				WWAN Ant1 1g SAR (W/kg)	WWAN Ant7 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
LTE B30	LTE B2	Front Surface	10	0.255	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.957	1.269	1.230	1.029	
		Back Surface	10	0.406	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.271	1.375	1.380	1.281	
		Top Edge	10		0.209	0.246		0.257	0.295		0.260	0.023		0.504	0.455	0.726	0.492	
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
LTE B4	LTE B2	Left Edge	10	0.717	0.253									0.970	0.970	0.970	0.970	
		Front Surface	10	0.368	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.070	1.382	1.343	1.142	
		Back Surface	10	0.388	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.253	1.357	1.362	1.263	
		Top Edge	10		0.209	0.246		0.257	0.295		0.260	0.023		0.504	0.455	0.726	0.492	
		Bottom Edge	10	0.239										0.239	0.239	0.239	0.239	
LTE B2	LTE B4	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.460	0.253									0.713	0.713	0.713	0.713	
		Front Surface	10	0.410	0.105	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.906	1.218	1.179	0.978	
		Back Surface	10	0.523	0.090	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.933	1.037	1.042	0.943	
		Top Edge	10		0.127	0.246		0.257	0.295		0.260	0.023		0.422	0.373	0.644	0.410	
LTE B66	LTE B2	Bottom Edge	10	0.480											0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.490	0.066									0.556	0.556	0.556	0.556	
		Front Surface	10	0.356	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.058	1.370	1.331	1.130	
		Back Surface	10	0.376	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.241	1.345	1.350	1.251	
LTE B66	LTE B2	Top Edge	10		0.209	0.246		0.257	0.295		0.260	0.023		0.504	0.455	0.726	0.492	
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.489	0.253									0.742	0.742	0.742	0.742	
		Front Surface	10	0.410	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.916	1.228	1.189	0.988	
LTE B2	LTE B66	Back Surface	10	0.523	0.095	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.938	1.042	1.047	0.948	
		Top Edge	10		0.143	0.246		0.257	0.295		0.260	0.023		0.438	0.389	0.660	0.426	
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.490	0.064									0.554	0.554	0.554	0.554	
LTE B7	LTE B2	Front Surface	10	0.354	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.056	1.368	1.329	1.128	
		Back Surface	10	0.322	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.187	1.291	1.296	1.197	
		Top Edge	10		0.209	0.246		0.257	0.295		0.260	0.023		0.504	0.455	0.726	0.492	
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
LTE B30	LTE B66	Left Edge	10	0.536	0.253									0.789	0.789	0.789	0.789	
		Front Surface	10	0.255	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.761	1.073	1.034	0.833	
		Back Surface	10	0.406	0.095	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.821	0.925	0.930	0.831	
		Top Edge	10		0.143	0.246		0.257	0.295		0.260	0.023		0.438	0.389	0.660	0.426	
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245	
LTE B30	LTE B4	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.717	0.064									0.781	0.781	0.781	0.781	
		Front Surface	10	0.255	0.105	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.751	1.063	1.024	0.823	
		Back Surface	10	0.406	0.090	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.816	0.920	0.925	0.826	
		Top Edge	10		0.127	0.246		0.257	0.295		0.260	0.023		0.422	0.373	0.644	0.410	
NR n2	NR n77	Bottom Edge	10	0.245										0.245	0.245	0.245	0.245	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.717	0.066									0.763	0.763	0.763	0.763	
		Front Surface	10	0.365	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.825	1.137	1.098	0.897	
		Back Surface	10	0.464	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.860	0.964	0.969	0.870	
NR n30	NR n77	Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781	
		Bottom Edge	10	0.411										0.411	0.411	0.411	0.411	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.508	0.085									0.593	0.593	0.593	0.593	
		Front Surface	10	0.264	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.724	1.036	0.997	0.796	
NR n66	NR n77	Back Surface	10	0.408	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.804	0.908	0.913	0.814	
		Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781	
		Bottom Edge	10	0.257										0.257	0.257	0.257	0.257	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.643	0.085									0.728	0.728	0.728	0.728	
NR n41	NR n25	Front Surface	10	0.355	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.815	1.127	1.088	0.887	
		Back Surface	10	0.380	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.776	0.880	0.885	0.786	
		Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781	
		Bottom Edge	10	0.203										0.203	0.203	0.203	0.203	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
NR n30	NR n2	Left Edge	10	0.433	0.085									0.518	0.518	0.518	0.518	
		Front Surface	10	0.404	0.261	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.056	1.368	1.329	1.128	
		Back Surface	10	0.414	0.268	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.002	1.106	1.111	1.012	
		Top Edge	10		0.156	0.246		0.257	0.295		0.260	0.023		0.451	0.402	0.673	0.439	
		Bottom Edge	10	0.190										0.190	0.190	0.190	0.190	
NR n30	NR n2	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.452	0.188									0.640	0.640	0.640	0.640	
		Front Surface	10	0.264	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.877	1.189	1.150	0.949	
		Back Surface	10	0.408	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.984	1.088	1.093	0.994	
		Top Edge	10		0.138	0.246		0.257	0.295		0.260	0.023		0.433	0.384	0.655	0.421	
NR n66	NR n2	Bottom Edge	10	0.203										0.203	0.203	0.203	0.203	
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637	
		Left Edge	10	0.433	0.172									0.605	0.605	0.605	0.605	
		Front Surface	10	0.264	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.770	1.082	1.043	0.842	
		Back Surface	10	0.408	0.100	0.040	0.154	0.156	0.265	0.329								

LTE B2	NR n77	Front Surface	10	0.410	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.870	1.182	1.143	0.942
		Back Surface	10	0.523	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.919	1.023	1.028	0.929
		Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B30	NR n77	Left Edge	10	0.480	0.085									0.575	0.575	0.575	0.575
		Front Surface	10	0.255	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.715	1.027	0.988	0.787
		Back Surface	10	0.406	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.802	0.906	0.911	0.812
		Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
LTE B66	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.085									0.802	0.802	0.802	0.802
		Front Surface	10	0.356	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.816	1.128	1.089	0.888
		Back Surface	10	0.376	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.772	0.876	0.881	0.782
		Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781
LTE B66	NR n77	Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.489	0.085									0.574	0.574	0.574	0.574
		Front Surface	10	0.354	0.069	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.814	1.126	1.087	0.886
		Back Surface	10	0.322	0.076	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.718	0.822	0.827	0.728
LTE B7	NR n77	Top Edge	10		0.498	0.246		0.257	0.295		0.260	0.023		0.793	0.744	1.015	0.781
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.536	0.085									0.621	0.621	0.621	0.621
		Front Surface	10	0.410	0.215	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.016	1.328	1.289	1.088
LTE B2	NR n30	Back Surface	10	0.523	0.348	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.191	1.295	1.300	1.201
		Top Edge	10		0.379	0.246		0.257	0.295		0.260	0.023		0.674	0.625	0.896	0.662
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.100									0.590	0.590	0.590	0.590
LTE B66	NR n30	Front Surface	10	0.356	0.215	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.962	1.274	1.235	1.034
		Back Surface	10	0.376	0.348	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.044	1.148	1.153	1.054
		Top Edge	10		0.379	0.246		0.257	0.295		0.260	0.023		0.674	0.625	0.896	0.662
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B2	NR n66	Left Edge	10	0.489	0.100									0.589	0.589	0.589	0.589
		Front Surface	10	0.410	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.916	1.228	1.189	0.988
		Back Surface	10	0.523	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.943	1.047	1.052	0.953
		Top Edge	10		0.228	0.246		0.257	0.295		0.260	0.023		0.523	0.474	0.745	0.511
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
LTE B30	NR n2	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.107									0.597	0.597	0.597	0.597
		Front Surface	10	0.255	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.868	1.180	1.141	0.940
		Back Surface	10	0.406	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.982	1.086	1.091	0.992
		Top Edge	10		0.138	0.246		0.257	0.295		0.260	0.023		0.433	0.384	0.655	0.421
LTE B66	NR n2	Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.172									0.889	0.889	0.889	0.889
		Front Surface	10	0.255	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.761	1.073	1.034	0.833
		Back Surface	10	0.406	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.826	0.930	0.935	0.836
LTE B30	NR n66	Top Edge	10		0.228	0.246		0.257	0.295		0.260	0.023		0.523	0.474	0.745	0.511
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.107									0.824	0.824	0.824	0.824
		Front Surface	10	0.356	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.969	1.281	1.242	1.041
LTE B66	NR n2	Back Surface	10	0.376	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.952	1.056	1.061	0.962
		Top Edge	10		0.138	0.246		0.257	0.295		0.260	0.023		0.433	0.384	0.655	0.421
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.489	0.172									0.661	0.661	0.661	0.661
LTE B7	NR n66	Front Surface	10	0.354	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.860	1.172	1.133	0.932
		Back Surface	10	0.322	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.742	0.846	0.851	0.752
		Top Edge	10		0.228	0.246		0.257	0.295		0.260	0.023		0.523	0.474	0.745	0.511
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n7	LTE B66	Left Edge	10	0.489	0.172									0.661	0.661	0.661	0.661
		Front Surface	10	0.255	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.868	1.180	1.141	0.940
		Back Surface	10	0.406	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.982	1.086	1.091	0.992
		Top Edge	10		0.138	0.246		0.257	0.295		0.260	0.023		0.433	0.384	0.655	0.421
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
NR n41	LTE B2	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.452	0.253									0.705	0.705	0.705	0.705
		Front Surface	10	0.404	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.910	1.222	1.183	0.982
		Back Surface	10	0.414	0.095	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.829	0.933	0.938	0.839
		Top Edge	10		0.143	0.246		0.257	0.295		0.260	0.023		0.438	0.389	0.660	0.426
NR n41	LTE B66	Bottom Edge	10	0.190										0.190	0.190	0.190	0.190
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.452	0.064									0.516	0.516	0.516	0.516
		Front Surface	10	0.404	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.910	1.222	1.183	0.982



1+8_DSi8

			Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
WWAN Ant1	WWAN Ant8	Exposure Position	0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			WWAN Ant1 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
NR n2	NR n77	Front Surface	10	0.365	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.091	1.403	1.364	1.163
		Back Surface	10	0.464	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.082	1.186	1.191	1.092
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.411										0.411	0.411	0.411	0.411
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n30	NR n77	Left Edge	10	0.508	0.700									1.208	1.208	1.208	1.208
		Front Surface	10	0.264	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.990	1.283	1.263	1.062
		Back Surface	10	0.408	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.026	1.130	1.135	1.036
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.257										0.257	0.257	0.257	0.257
NR n66	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.643	0.700									1.343	1.343	1.343	1.343
		Front Surface	10	0.355	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.081	1.393	1.354	1.153
		Back Surface	10	0.380	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.998	1.102	1.107	1.008
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
LTE B2	NR n77	Bottom Edge	10	0.203										0.203	0.203	0.203	0.203
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.700									1.133	1.133	1.133	1.133
		Front Surface	10	0.410	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.136	1.448	1.409	1.208
		Back Surface	10	0.523	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.141	1.245	1.250	1.151
LTE B30	NR n77	Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.480										0.480	0.480	0.480	0.480
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.700									1.190	1.190	1.190	1.190
		Front Surface	10	0.255	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.981	1.293	1.254	1.053
LTE B66	NR n77	Back Surface	10	0.406	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.024	1.128	1.133	1.034
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.245										0.245	0.245	0.245	0.245
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.700									1.417	1.417	1.417	1.417
LTE B7	NR n77	Front Surface	10	0.356	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.082	1.394	1.355	1.154
		Back Surface	10	0.376	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.994	1.098	1.103	1.004
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.207										0.207	0.207	0.207	0.207
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n41	NR n41	Left Edge	10	0.489	0.700									1.189	1.189	1.189	1.189
		Front Surface	10	0.354	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.080	1.392	1.353	1.152
		Back Surface	10	0.322	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.940	1.044	1.049	0.950
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.237										0.237	0.237	0.237	0.237
NR n41	NR n41	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.536	0.700									1.236	1.236	1.236	1.236
		Front Surface	10	0.404	0.390	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.185	1.497	1.458	1.257
		Back Surface	10	0.414	0.262	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.996	1.100	1.105	1.006
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
NR n41	NR n41	Bottom Edge	10	0.190										0.190	0.190	0.190	0.190
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.452	0.839									1.291	1.291	1.291	1.291

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1+9_DS18

			Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4	
WWAN Ant1	WWAN Ant9	Exposure Position	0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			WWAN Ant1 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
NR n2	NR n77	Front Surface	10	0.365	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.830	1.142	1.103	0.902
		Back Surface	10	0.464	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.329	1.433	1.438	1.339
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.411	0.125									0.536	0.536	0.536	0.536
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n30	NR n77	Left Edge	10	0.508	0.022									0.530	0.530	0.530	0.530
		Front Surface	10	0.264	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.729	1.041	1.002	0.801
		Back Surface	10	0.408	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.273	1.377	1.382	1.283
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.257	0.125									0.382	0.382	0.382	0.382
NR n66	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.643	0.022									0.665	0.665	0.665	0.665
		Front Surface	10	0.355	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.820	1.132	1.093	0.892
		Back Surface	10	0.380	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.245	1.349	1.354	1.255
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
LTE B2	NR n77	Bottom Edge	10	0.203	0.125									0.328	0.328	0.328	0.328
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.433	0.022									0.455	0.455	0.455	0.455
		Front Surface	10	0.410	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.875	1.187	1.148	0.947
		Back Surface	10	0.523	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.388	1.492	1.497	1.398
LTE B30	NR n77	Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.480	0.125									0.605	0.605	0.605	0.605
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.490	0.022									0.512	0.512	0.512	0.512
		Front Surface	10	0.255	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.720	1.032	0.993	0.792
LTE B66	NR n77	Back Surface	10	0.406	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.271	1.375	1.380	1.281
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.245	0.125									0.370	0.370	0.370	0.370
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.717	0.022									0.739	0.739	0.739	0.739
LTE B7	NR n77	Front Surface	10	0.356	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.821	1.133	1.094	0.893
		Back Surface	10	0.376	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.241	1.345	1.350	1.251
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.207	0.125									0.332	0.332	0.332	0.332
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n41	NR n41	Left Edge	10	0.489	0.022									0.511	0.511	0.511	0.511
		Front Surface	10	0.354	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.819	1.131	1.092	0.891
		Back Surface	10	0.322	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.187	1.291	1.296	1.197
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
		Bottom Edge	10	0.237	0.125									0.362	0.362	0.362	0.362
NR n41	NR n41	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.536	0.022									0.558	0.558	0.558	0.558
		Front Surface	10	0.404	0.041	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.836	1.148	1.109	0.908
		Back Surface	10	0.414	0.382	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.116	1.220	1.225	1.126
		Top Edge	10			0.246		0.257	0.295		0.260	0.023		0.295	0.246	0.517	0.283
NR n41	NR n41	Bottom Edge	10	0.190	0.105									0.295	0.295	0.295	0.295
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.452	0.010									0.462	0.462	0.462	0.462

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2+6_DS18

WWAN Ant2	WWAN Ant5	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	Summed	Summed	Summed	Summed
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4/Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4/Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	0+1+5+9 1g SAR (W/kg)	0+1+2+6+9 10g SAR (W/kg)	0+1+4+7 10g SAR (W/kg)	0+1+7+9+9 10g SAR (W/kg)
NR n12	NR n77	Front Surface	10	0.493	0.197	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	1.081	1.393	1.354	1.153
		Back Surface	10	0.248	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.045	1.149	1.154	1.095
		Top Edge	10	0.095	0.248	0.246		0.257	0.295		0.260	0.023		0.638	0.589	0.860	0.626
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n5	NR n77	Left Edge	10	0.568	0.508									1.076	1.076	1.076	1.076
		Front Surface	10	0.431	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.019	1.331	1.292	1.091
		Back Surface	10	0.231	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.028	1.132	1.137	1.038
		Top Edge	10	0.065	0.248	0.246		0.257	0.295		0.260	0.023		0.608	0.599	0.830	0.596
		Bottom Edge	10											0.000	0.000	0.000	0.000
NR n2	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.470	0.508									0.978	0.978	0.978	0.978
		Front Surface	10	0.381	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.969	1.281	1.242	1.041
		Back Surface	10	0.192	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.989	1.093	1.098	0.999
		Top Edge	10	0.091	0.248	0.246		0.257	0.295		0.260	0.023		0.634	0.585	0.856	0.622
NR n30	NR n77	Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.798	0.508									1.276	1.276	1.276	1.276
		Front Surface	10	0.345	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.933	1.245	1.206	1.005
		Back Surface	10	0.192	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.989	1.093	1.098	0.999
NR n66	NR n77	Top Edge	10	0.069	0.248	0.246		0.257	0.295		0.260	0.023		0.602	0.553	0.824	0.590
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.790	0.508									1.298	1.298	1.298	1.298
		Front Surface	10	0.501	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.089	1.401	1.362	1.161
LTE B12	NR n77	Back Surface	10	0.325	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.122	1.226	1.231	1.132
		Top Edge	10	0.079	0.248	0.246		0.257	0.295		0.260	0.023		0.622	0.573	0.844	0.610
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.791	0.508									1.299	1.299	1.299	1.299
LTE B5	NR n77	Front Surface	10	0.384	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.972	1.284	1.245	1.044
		Back Surface	10	0.198	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.995	1.099	1.104	1.005
		Top Edge	10	0.096	0.248	0.246		0.257	0.295		0.260	0.023		0.639	0.590	0.861	0.627
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B2	NR n77	Left Edge	10	0.445	0.508									0.953	0.953	0.953	0.953
		Front Surface	10	0.446	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.008	1.348	1.309	1.108
		Back Surface	10	0.316	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.113	1.217	1.222	1.123
		Top Edge	10	0.088	0.248	0.246		0.257	0.295		0.260	0.023		0.631	0.582	0.853	0.619
		Bottom Edge	10											0.000	0.000	0.000	0.000
LTE B2	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.463	0.508									0.971	0.971	0.971	0.971
		Front Surface	10	0.341	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.929	1.241	1.202	1.001
		Back Surface	10	0.157	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.954	1.058	1.063	0.964
		Top Edge	10	0.075	0.248	0.246		0.257	0.295		0.260	0.023		0.618	0.569	0.840	0.606
LTE B30	NR n77	Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.508									1.092	1.093	1.093	1.093
		Front Surface	10	0.548	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.136	1.448	1.409	1.208
		Back Surface	10	0.422	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.219	1.323	1.328	1.229
LTE B66	NR n77	Top Edge	10	0.171	0.248	0.246		0.257	0.295		0.260	0.023		0.714	0.665	0.936	0.702
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.508									1.251	1.251	1.251	1.251
		Front Surface	10	0.366	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.954	1.266	1.227	1.026
LTE B7	NR n77	Back Surface	10	0.185	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.962	1.066	1.091	0.992
		Top Edge	10	0.064	0.248	0.246		0.257	0.295		0.260	0.023		0.607	0.558	0.829	0.585
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.508									1.250	1.250	1.250	1.250
LTE B7	NR n77	Front Surface	10	0.451	0.197	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.039	1.351	1.312	1.111
		Back Surface	10	0.218	0.477	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.015	1.119	1.124	1.025
		Top Edge	10	0.051	0.248	0.246		0.257	0.295		0.260	0.023		0.594	0.545	0.816	0.582
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B7	NR n77	Left Edge	10	0.786	0.508									1.294	1.294	1.294	1.294

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2+7_DSi8

Report No.: TESA2408000483EN

Page: 175 of 217

				Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
WWAN Ant2	WWAN Ant7	Exposure Position	0	1	2	3	4	5	6	7	8	9	Scenario 1	Scenario 2	Scenario 3	Scenario 4	
			WWAN Ant2 1g SAR (W/kg)	WWAN Ant7 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
LTE B30	LTE B2	Front Surface	10	0.548	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.250	1.562	1.523	1.322
		Back Surface	10	0.422	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.287	1.391	1.396	1.287
		Top Edge	10	0.171	0.209	0.246		0.257	0.295		0.260	0.023		0.675	0.626	0.897	0.663
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.253									0.996	0.996	0.996	0.996
LTE B4	LTE B2	Front Surface	10	0.527	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.229	1.541	1.502	1.301
		Back Surface	10	0.408	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.273	1.377	1.382	1.283
		Top Edge	10	0.148	0.209	0.246		0.257	0.295		0.260	0.023		0.652	0.603	0.874	0.640
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.766	0.253									1.019	1.019	1.019	1.019
LTE B2	LTE B4	Front Surface	10	0.341	0.105	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.837	1.149	1.110	0.909
		Back Surface	10	0.157	0.090	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.567	0.671	0.676	0.577
		Top Edge	10	0.075	0.127	0.246		0.257	0.295		0.260	0.023		0.497	0.448	0.719	0.485
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.066									0.651	0.651	0.651	0.651
LTE B66	LTE B2	Front Surface	10	0.366	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.068	1.380	1.341	1.140
		Back Surface	10	0.185	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.050	1.154	1.159	1.060
		Top Edge	10	0.064	0.209	0.246		0.257	0.295		0.260	0.023		0.568	0.519	0.790	0.556
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.253									0.995	0.995	0.995	0.995
LTE B2	LTE B66	Front Surface	10	0.341	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.847	1.159	1.120	0.919
		Back Surface	10	0.157	0.095	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.572	0.673	0.681	0.582
		Top Edge	10	0.075	0.143	0.246		0.257	0.295		0.260	0.023		0.513	0.464	0.735	0.501
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.064									0.649	0.649	0.649	0.649
LTE B7	LTE B2	Front Surface	10	0.451	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.153	1.465	1.426	1.225
		Back Surface	10	0.218	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.083	1.187	1.192	1.083
		Top Edge	10	0.051	0.209	0.246		0.257	0.295		0.260	0.023		0.555	0.506	0.777	0.543
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.786	0.253									1.039	1.039	1.039	1.039
LTE B30	LTE B66	Front Surface	10	0.548	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.054	1.366	1.327	1.126
		Back Surface	10	0.422	0.095	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.837	0.941	0.946	0.847
		Top Edge	10	0.171	0.143	0.246		0.257	0.295		0.260	0.023		0.609	0.560	0.831	0.597
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.064									0.807	0.807	0.807	0.807
LTE B30	LTE B4	Front Surface	10	0.548	0.105	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.044	1.356	1.317	1.116
		Back Surface	10	0.422	0.090	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.832	0.936	0.941	0.842
		Top Edge	10	0.171	0.127	0.246		0.257	0.295		0.260	0.023		0.593	0.544	0.815	0.581
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.066									0.809	0.809	0.809	0.809
NR n12	NR n77	Front Surface	10	0.493	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.006	1.318	1.279	1.078
		Back Surface	10	0.248	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.711	0.815	0.820	0.721
		Top Edge	10	0.095	0.831	0.246		0.257	0.295		0.260	0.023		1.221	1.172	1.443	1.209
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.568	0.173									0.741	0.741	0.741	0.741
NR n5	NR n77	Front Surface	10	0.431	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.944	1.256	1.217	1.016
		Back Surface	10	0.221	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.694	0.798	0.803	0.704
		Top Edge	10	0.065	0.831	0.246		0.257	0.295		0.260	0.023		1.191	1.142	1.413	1.179
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.470	0.173									0.643	0.643	0.643	0.643
NR n2	NR n77	Front Surface	10	0.381	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.894	1.206	1.167	0.966
		Back Surface	10	0.192	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.655	0.759	0.764	0.665
		Top Edge	10	0.091	0.831	0.246		0.257	0.295		0.260	0.023		1.217	1.168	1.439	1.205
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.768	0.173									0.941	0.941	0.941	0.941
NR n30	NR n77	Front Surface	10	0.345	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.858	1.170	1.131	0.930
		Back Surface	10	0.192	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.655	0.759	0.764	0.665
		Top Edge	10	0.059	0.831	0.246		0.257	0.295		0.260	0.023		1.185	1.136	1.407	1.173
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.790	0.173									0.963	0.963	0.963	0.963
NR n66	NR n77	Front Surface	10	0.501	0.122	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.014	1.326	1.287	1.086
		Back Surface	10	0.325	0.143	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.788	0.892	0.897	0.788
		Top Edge	10	0.079	0.831	0.246		0.257	0.295		0.260	0.023		1.205	1.156	1.427	1.193
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.791	0.173									0.964	0.964	0.964	0.964
NR n41	NR n25	Front Surface	10	0.466	0.261	0.301	0.191	0.291	0.328	0.339	0.373						

LTE B12	NR n77	Front Surface	10	0.384	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.997	1.399	1.270	1.069	
		Back Surface	10	0.198	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.774	0.878	0.883	0.784	
		Top Edge	10	0.096	0.138		0.246		0.257	0.295		0.260	0.023		0.529	0.480	0.751	0.537
		Bottom Edge	10												0.000	0.000	0.000	0.000
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B5	NR n77	Left Edge	10	0.445	0.172										0.617	0.617	0.617	0.617
		Front Surface	10	0.448	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.061	1.373	1.334	1.133	
		Back Surface	10	0.216	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.882	0.996	1.001	0.902	
		Top Edge	10	0.088	0.138	0.246		0.257	0.295		0.260	0.023		0.521	0.472	0.743	0.598	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
LTE B2	NR n77	Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.463	0.172										0.635	0.635	0.635	0.635
		Front Surface	10	0.341	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.954	1.266	1.227	1.026	
		Back Surface	10	0.157	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.733	0.837	0.842	0.743	
		Top Edge	10	0.075	0.138	0.246		0.257	0.295		0.260	0.023		0.508	0.459	0.730	0.496	
LTE B30	NR n77	Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.172										0.757	0.757	0.757	0.757
		Front Surface	10	0.548	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.161	1.473	1.434	1.233	
		Back Surface	10	0.422	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.998	1.102	1.107	1.008	
LTE B66	NR n77	Top Edge	10	0.171	0.138	0.246		0.257	0.295		0.260	0.023		0.604	0.555	0.826	0.592	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.172										0.915	0.915	0.915	0.915
		Front Surface	10	0.366	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.979	1.291	1.252	1.051	
LTE B7	NR n77	Back Surface	10	0.185	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.761	0.865	0.870	0.771	
		Top Edge	10	0.051	0.138	0.246		0.257	0.295		0.260	0.023		0.484	0.435	0.706	0.472	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.172										0.914	0.914	0.914	0.914
LTE B2	NR n30	Front Surface	10	0.451	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.064	1.376	1.337	1.136	
		Back Surface	10	0.218	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.794	0.898	0.903	0.804	
		Top Edge	10	0.051	0.138	0.246		0.257	0.295		0.260	0.023		0.484	0.435	0.706	0.472	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B66	NR n30	Left Edge	10	0.786	0.172										0.958	0.958	0.958	0.958
		Front Surface	10	0.341	0.215	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.947	1.259	1.220	1.019	
		Back Surface	10	0.157	0.348	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.825	0.929	0.934	0.835	
		Top Edge	10	0.075	0.379	0.246		0.257	0.295		0.260	0.023		0.749	0.700	0.971	0.737	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
LTE B30	NR n66	Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.100										0.685	0.685	0.685	0.685
		Front Surface	10	0.366	0.215	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.972	1.284	1.245	1.044	
		Back Surface	10	0.185	0.348	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.853	0.957	0.962	0.863	
		Top Edge	10	0.064	0.379	0.246		0.257	0.295		0.260	0.023		0.738	0.689	0.960	0.726	
LTE B66	NR n66	Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.100										0.842	0.842	0.842	0.842
		Front Surface	10	0.341	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.847	1.159	1.120	0.919	
		Back Surface	10	0.157	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.577	0.681	0.686	0.587	
LTE B2	NR n66	Top Edge	10	0.075	0.228	0.246		0.257	0.295		0.260	0.023		0.598	0.549	0.820	0.586	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.107										0.692	0.692	0.692	0.692
		Front Surface	10	0.548	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.161	1.473	1.434	1.233	
LTE B30	NR n2	Back Surface	10	0.422	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.998	1.102	1.107	1.008	
		Top Edge	10	0.171	0.138	0.246		0.257	0.295		0.260	0.023		0.604	0.555	0.826	0.592	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.172										0.915	0.915	0.915	0.915
LTE B66	NR n66	Front Surface	10	0.548	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.054	1.366	1.327	1.126	
		Back Surface	10	0.422	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.842	0.946	0.951	0.852	
		Top Edge	10	0.171	0.228	0.246		0.257	0.295		0.260	0.023		0.694	0.645	0.916	0.682	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B7	NR n66	Left Edge	10	0.743	0.107										0.850	0.850	0.850	0.850
		Front Surface	10	0.366	0.222	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.979	1.291	1.252	1.051	
		Back Surface	10	0.185	0.256	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.761	0.865	0.870	0.771	
		Top Edge	10	0.064	0.138	0.246		0.257	0.295		0.260	0.023		0.497	0.448	0.719	0.485	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
NR n41	LTE B2	Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.172										0.914	0.914	0.914	0.914
		Front Surface	10	0.451	0.115	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.957	1.269	1.230	1.029	
		Back Surface	10	0.218	0.100	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.638	0.742	0.747	0.648	
		Top Edge	10	0.051	0.228	0.246		0.257	0.295		0.260	0.023		0.574	0.525	0.796	0.562	
NR n7	LTE B66	Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.926	0.064										0.990	0.990	0.990	0.990
		Front Surface	10	0.466	0.311	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.168	1.480	1.441	1.240	
		Back Surface	10	0.340	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.205	1.309	1.314	1.215	
NR n41	LTE B66	Top Edge	10	0.124	0.209	0.246		0.257	0.295		0.260	0.023		0.628	0.579	0.850	0.616	
		Bottom Edge	10											0.000	0.000	0.000	0.000	
		Right Edge	10															

2+8_DS18

WWAN Ant2	WWAN Ant8	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)
NR n12	NR n77	Front Surface	10	0.493	0.335	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	1.219	1.531	1.492	1.291
		Back Surface	10	0.248	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.866	0.970	0.975	0.876
		Top Edge	10	0.095		0.246		0.257	0.295		0.280	0.023		0.390	0.341	0.612	0.378
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n5	NR n77	Left Edge	10	0.568	0.700									1.268	1.268	1.268	1.268
		Front Surface	10	0.431	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.157	1.469	1.430	1.229
		Back Surface	10	0.231	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.849	0.953	0.958	0.859
		Top Edge	10	0.065		0.246		0.257	0.295		0.260	0.023		0.360	0.311	0.582	0.348
		Bottom Edge	10											0.000	0.000	0.000	0.000
NR n2	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.470	0.700									1.170	1.170	1.170	1.170
		Front Surface	10	0.381	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.107	1.419	1.380	1.179
		Back Surface	10	0.192	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.810	0.914	0.919	0.820
		Top Edge	10	0.091		0.246		0.257	0.295		0.260	0.023		0.386	0.337	0.608	0.374
NR n30	NR n77	Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.798	0.700									1.468	1.468	1.468	1.468
		Front Surface	10	0.345	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.071	1.383	1.344	1.143
		Back Surface	10	0.192	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.810	0.914	0.919	0.820
NR n66	NR n77	Top Edge	10	0.069		0.246		0.257	0.295		0.260	0.023		0.354	0.305	0.576	0.342
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.790	0.700									1.490	1.490	1.490	1.490
		Front Surface	10	0.501	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.227	1.539	1.500	1.299
LTE B12	NR n77	Back Surface	10	0.325	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.943	1.047	1.052	0.963
		Top Edge	10	0.079		0.246		0.257	0.295		0.260	0.023		0.374	0.325	0.596	0.362
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.791	0.700									1.491	1.491	1.491	1.491
LTE B5	NR n77	Front Surface	10	0.394	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.110	1.422	1.383	1.182
		Back Surface	10	0.198	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.816	0.920	0.925	0.826
		Top Edge	10	0.096		0.246		0.257	0.295		0.260	0.023		0.391	0.342	0.613	0.379
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B2	NR n77	Left Edge	10	0.445	0.700									1.145	1.145	1.145	1.145
		Front Surface	10	0.248	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.174	1.498	1.447	1.246
		Back Surface	10	0.316	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.934	1.038	1.043	0.944
		Top Edge	10	0.088		0.246		0.257	0.295		0.260	0.023		0.383	0.334	0.605	0.371
		Bottom Edge	10											0.000	0.000	0.000	0.000
LTE B30	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.463	0.700									1.163	1.163	1.163	1.163
		Front Surface	10	0.341	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.067	1.379	1.340	1.139
		Back Surface	10	0.157	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.775	0.879	0.884	0.785
		Top Edge	10	0.075		0.246		0.257	0.295		0.260	0.023		0.370	0.321	0.592	0.358
LTE B66	NR n77	Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.700									1.285	1.285	1.285	1.285
		Front Surface	10	0.548	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.274	1.588	1.547	1.346
		Back Surface	10	0.422	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.040	1.144	1.149	1.050
LTE B66	NR n77	Top Edge	10	0.171		0.246		0.257	0.295		0.260	0.023		0.466	0.417	0.688	0.454
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.700									1.443	1.443	1.443	1.443
		Front Surface	10	0.366	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.092	1.404	1.365	1.164
LTE B7	NR n77	Back Surface	10	0.185	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.803	0.907	0.912	0.813
		Top Edge	10	0.064		0.246		0.257	0.295		0.260	0.023		0.359	0.310	0.581	0.347
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.700									1.442	1.442	1.442	1.442
NR n41	NR n41	Front Surface	10	0.451	0.335	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.177	1.489	1.450	1.249
		Back Surface	10	0.218	0.298	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.836	0.940	0.945	0.846
		Top Edge	10	0.051		0.246		0.257	0.295		0.260	0.023		0.346	0.297	0.568	0.334
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n41	NR n41	Left Edge	10	0.754	0.839									1.593	1.593	1.593	1.593

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2+9_DS18

WWAN Ant2	WWAN Ant9	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)	Summed 10g SAR (W/kg)
NR n12	NR n77	Front Surface	10	0.493	0.074	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.958	1.270	1.231	1.630
		Back Surface	10	0.248	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.113	1.217	1.222	1.123
		Top Edge	10	0.095		0.246		0.257	0.295			0.260	0.023	0.390	0.341	0.612	0.378
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n5	NR n77	Left Edge	10	0.568	0.022									0.590	0.590	0.590	0.590
		Front Surface	10	0.431	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.896	1.208	1.169	0.968
		Back Surface	10	0.231	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.096	1.200	1.205	1.106
		Top Edge	10	0.065		0.246		0.257	0.295			0.260	0.023	0.360	0.311	0.582	0.348
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
NR n2	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.470	0.022									0.492	0.492	0.492	0.492
		Front Surface	10	0.381	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.846	1.158	1.119	0.918
		Back Surface	10	0.192	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.057	1.161	1.166	1.067
		Top Edge	10	0.091		0.246		0.257	0.295			0.260	0.023	0.386	0.337	0.608	0.374
NR n30	NR n77	Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.798	0.022									0.790	0.790	0.790	0.790
		Front Surface	10	0.345	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.810	1.122	1.083	0.882
		Back Surface	10	0.192	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.057	1.161	1.166	1.067
NR n66	NR n77	Top Edge	10	0.059		0.246		0.257	0.295			0.260	0.023	0.354	0.305	0.576	0.342
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.790	0.022									0.812	0.812	0.812	0.812
		Front Surface	10	0.501	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.966	1.278	1.239	1.038
LTE B12	NR n77	Back Surface	10	0.325	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.190	1.294	1.299	1.200
		Top Edge	10	0.079		0.246		0.257	0.295			0.260	0.023	0.374	0.325	0.596	0.362
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.791	0.022									0.812	0.812	0.812	0.812
LTE B5	NR n77	Front Surface	10	0.384	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.849	1.161	1.122	0.921
		Back Surface	10	0.198	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.063	1.167	1.172	1.073
		Top Edge	10	0.096		0.246		0.257	0.295			0.260	0.023	0.391	0.342	0.613	0.379
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
LTE B2	NR n77	Left Edge	10	0.445	0.022									0.467	0.467	0.467	0.467
		Front Surface	10	0.346	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.913	1.225	1.186	0.985
		Back Surface	10	0.316	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.181	1.285	1.290	1.191
		Top Edge	10	0.088		0.246		0.257	0.295			0.260	0.023	0.383	0.334	0.605	0.371
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
LTE B30	NR n77	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.463	0.022									0.485	0.485	0.485	0.485
		Front Surface	10	0.341	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.806	1.118	1.079	0.878
		Back Surface	10	0.157	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.022	1.126	1.131	1.032
		Top Edge	10	0.075		0.246		0.257	0.295			0.260	0.023	0.370	0.321	0.592	0.358
LTE B66	NR n77	Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.585	0.022									0.607	0.607	0.607	0.607
		Front Surface	10	0.548	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	1.013	1.325	1.296	1.095
		Back Surface	10	0.422	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.287	1.391	1.396	1.297
LTE B7	NR n77	Top Edge	10	0.171		0.246		0.257	0.295			0.260	0.023	0.466	0.417	0.688	0.454
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.743	0.022									0.765	0.765	0.765	0.765
		Front Surface	10	0.366	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.831	1.143	1.104	0.903
NR n41	NR n41	Back Surface	10	0.185	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.060	1.154	1.159	1.060
		Top Edge	10	0.064		0.246		0.257	0.295			0.260	0.023	0.359	0.310	0.581	0.347
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.742	0.022									0.764	0.764	0.764	0.764
NR n41	NR n41	Front Surface	10	0.451	0.074	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.916	1.228	1.189	0.988
		Back Surface	10	0.218	0.545	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.083	1.187	1.192	1.093
		Top Edge	10	0.051		0.246		0.257	0.295			0.260	0.023	0.346	0.297	0.568	0.334
		Bottom Edge	10		0.125									0.125	0.125	0.125	0.125
		Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
NR n41	NR n41	Left Edge	10	0.796	0.022									0.808	0.808	0.808	0.808
		Front Surface	10	0.466	0.041	0.301	0.191	0.291	0.328	0.339	0.373	0.027	0.063	0.898	1.210	1.171	0.970
		Back Surface	10	0.340	0.382	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.042	1.146	1.151	1.052
		Top Edge	10	0.124		0.246		0.257	0.295			0.260	0.023	0.419	0.370	0.641	0.407
		Bottom Edge	10		0.105									0.105	0.105	0.105	0.105
NR n41	NR n41	Right Edge	10			0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.092	0.322	0.767	0.905	0.637
		Left Edge	10	0.754	0.010									0.764	0.764	0.764	0.764

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be

7+8_DSi8

WWAN Ant7	WWAN Ant8	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN Ant7 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	1g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)
LTE B2	NR n41	Front Surface	10	0.311	0.390	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	1.092	1.404	1.365	1.164
		Back Surface	10	0.545	0.262	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.127	1.231	1.236	1.137
		Top Edge	10	0.209		0.246		0.257	0.295		0.280	0.023		0.694	0.455	0.726	0.482
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.322	0.767	0.905	0.637
		Left Edge	10	0.253	0.839									1.092	1.092	1.092	1.092
LTE B66	NR n41	Front Surface	10	0.115	0.390	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.896	1.208	1.169	0.968
		Back Surface	10	0.095	0.262	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.677	0.781	0.786	0.687
		Top Edge	10	0.143		0.246		0.257	0.295		0.260	0.023		0.438	0.389	0.660	0.426
		Bottom Edge	10											0.000	0.000	0.000	0.000
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.322	0.767	0.905	0.637
		Left Edge	10	0.064	0.839									0.903	0.903	0.903	0.903

7+9_DSi8

WWAN Ant7	WWAN Ant9	Exposure Position		Reported SAR										Scenario 1	Scenario 2	Scenario 3	Scenario 4
				0	1	2	3	4	5	6	7	8	9	0+1+5+9	0+1+2+6+9	0+1+4+7	0+1+7+8+9
				WWAN Ant7 1g SAR (W/kg)	WWAN Ant9 1g SAR (W/kg)	2.4GHz WLAN Ant4 1g SAR (W/kg)	2.4GHz WLAN Ant5 1g SAR (W/kg)	2.4GHz WLAN Ant4+Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant4+Ant5 1g SAR (W/kg)	Bluetooth Ant4 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	1g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)
LTE B2	NR n41	Front Surface	10	0.311	0.041	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.743	1.055	1.016	0.815
		Back Surface	10	0.545	0.382	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	1.247	1.351	1.356	1.257
		Top Edge	10	0.209		0.246		0.257	0.295		0.260	0.023		0.504	0.455	0.726	0.482
		Bottom Edge	10		0.105									0.105	0.105	0.105	0.105
		Right Edge	10				0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.322	0.767	0.905	0.637
		Left Edge	10	0.253	0.010									0.263	0.263	0.263	0.263
LTE B66	NR n41	Front Surface	10	0.115	0.041	0.301	0.191	0.291	0.328	0.329	0.373	0.027	0.063	0.547	0.859	0.820	0.619
		Back Surface	10	0.095	0.382	0.040	0.154	0.156	0.265	0.329	0.273	0.002	0.055	0.797	0.901	0.906	0.807
		Top Edge	10	0.143		0.246		0.257	0.295		0.260	0.023		0.438	0.389	0.660	0.426
		Bottom Edge	10											0.105	0.105	0.105	0.105
		Right Edge	10		0.105		0.142	0.408	0.375	0.230	0.533	0.530	0.015	0.322	0.767	0.905	0.637
		Left Edge	10	0.064	0.010									0.074	0.074	0.074	0.074

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



15mm Ant0

	Exposure Position	Reported SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	
		1	2	3	4	5	6	7	8	9	10	11	12	1+2+5+9	1+2+6+9	1+4+7	1+7+9+10	1+2+9+10	1+2+9+11	1+4+12	1+6+9+12	
		WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	Bluetooth 1g SAR (W/kg)	Bluetooth 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
GPSS850 <10x30>	Front Surface	15	0.336	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.797	1.028	0.999	0.858	0.583	0.721	0.716	0.575
	Back Surface	15	0.449	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.712	0.974	0.959	0.869	0.549	0.589	0.649	0.569
WCMA Band V	Front Surface	15	0.225	0.188	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.693	0.924	0.895	0.754	0.479	0.617	0.612	0.471
	Back Surface	15	0.329	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.589	0.850	0.835	0.788	0.380	0.460	0.486	0.439
LTE	Front Surface	15	0.346	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.897	1.038	1.009	0.883	0.593	0.731	0.726	0.585
	Back Surface	15	0.463	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.712	0.974	0.959	0.869	0.549	0.589	0.649	0.569
Band 5	Front Surface	15	0.233	0.188	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.694	0.925	0.896	0.755	0.480	0.618	0.613	0.472
	Back Surface	15	0.337	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.576	0.838	0.823	0.772	0.377	0.448	0.474	0.427
Band 12	Front Surface	15	0.260	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.723	0.952	0.923	0.782	0.507	0.645	0.640	0.499
	Back Surface	15	0.341	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.600	0.847	0.847	0.800	0.401	0.472	0.499	0.451
LTE	Front Surface	15	0.329	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.789	1.020	0.991	0.850	0.575	0.713	0.708	0.567
	Back Surface	15	0.446	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.795	0.967	0.952	0.905	0.506	0.577	0.603	0.556
Band 17	Front Surface	15	0.189	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.690	0.981	0.952	0.711	0.426	0.574	0.569	0.428
	Back Surface	15	0.247	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.598	0.769	0.753	0.706	0.397	0.378	0.404	0.357
NR n5	Front Surface	15	0.360	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.823	1.052	1.023	0.882	0.567	0.745	0.740	0.599
	Back Surface	15	0.416	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.679	0.937	0.922	0.875	0.476	0.547	0.573	0.526
NR n12	Front Surface	15	0.162	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.611	0.844	0.815	0.674	0.399	0.537	0.532	0.391
	Back Surface	15	0.221	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.489	0.742	0.727	0.680	0.281	0.352	0.379	0.331
NR n25	Front Surface	15	0.376	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.837	1.068	1.039	0.898	0.623	0.761	0.756	0.615
	Back Surface	15	0.440	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.719	0.981	0.966	0.919	0.520	0.591	0.617	0.570
NR n71	Front Surface	15	0.219	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.600	0.861	0.832	0.661	0.386	0.524	0.519	0.378
	Back Surface	15	0.177	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.438	0.698	0.683	0.636	0.237	0.308	0.334	0.287

Ant1

	Exposure Position	Reported SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	
		1	2	3	4	5	6	7	8	9	10	11	12	1+2+5+9	1+2+6+9	1+4+7	1+7+9+10	1+2+9+10	1+2+9+11	1+4+12	1+6+9+12	
		WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	2.4GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	Bluetooth 1g SAR (W/kg)	Bluetooth 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	5GHz WLAN 1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)
GPSS1800 <10x30>	Front Surface	15	0.253	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.714	0.945	0.916	0.775	0.500	0.638	0.623	0.482
	Back Surface	15	0.347	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.606	0.868	0.863	0.806	0.407	0.478	0.504	0.467
WCMA Band II	Front Surface	15	0.220	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.881	0.912	0.883	0.742	0.467	0.605	0.600	0.459
	Back Surface	15	0.261	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.540	0.802	0.787	0.740	0.341	0.412	0.438	0.391
WCMA Band IV	Front Surface	15	0.150	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.611	0.842	0.813	0.672	0.397	0.535	0.530	0.389
	Back Surface	15	0.191	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.460	0.712	0.697	0.650	0.251	0.322	0.348	0.301
LTE Band 2	Front Surface	15	0.238	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.699	0.930	0.901	0.760	0.485	0.623	0.618	0.477
	Back Surface	15	0.185	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.524	0.766	0.751	0.704	0.295	0.366	0.392	0.345
LTE Band 4	Front Surface	15	0.238	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.699	0.930	0.901	0.760	0.485	0.623	0.618	0.477
	Back Surface	15	0.243	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.502	0.764	0.749	0.702	0.303	0.374	0.400	0.353
LTE Band 7	Front Surface	15	0.212	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.673	0.904	0.875	0.734	0.459	0.597	0.592	0.451
	Back Surface	15	0.202	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.551	0.813	0.798	0.751	0.352	0.423	0.449	0.402
LTE Band 25	Front Surface	15	0.207	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.668	0.899	0.870	0.729	0.454	0.592	0.587	0.446
	Back Surface	15	0.288	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.547	0.809	0.794	0.747	0.348	0.419	0.445	0.398
LTE Band 30	Front Surface	15	0.179	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.640	0.871	0.842	0.701	0.426	0.564	0.559	0.418
	Back Surface	15	0.204	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.553	0.815	0.800	0.753	0.354	0.425	0.451	0.404
LTE Band 38	Front Surface	15	0.179	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.640	0.871	0.842	0.701	0.426	0.564	0.559	0.418
	Back Surface	15	0.301	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.560	0.822	0.807	0.760	0.361	0.432	0.458	0.411
LTE Band 38	Front Surface	15	0.147	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.608	0.859	0.830	0.690	0.394	0.532	0.527	0.386
	Back Surface	15	0.186	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.446	0.707	0.692	0.646	0.246	0.317	0.343	0.296
LTE Band 41_PC3	Front Surface	15	0.131	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.592	0.823	0.794	0.693	0.378	0.516	0.511	0.370
	Back Surface	15	0.158	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.417	0.679	0.664	0.617	0.218	0.289	0.315	0.268
LTE Band 41_PC2	Front Surface	15	0.121	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.592	0.823	0.794	0.693	0.378	0.516	0.511	0.370
	Back Surface	15	0.181	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.446	0.702	0.687	0.640	0.241	0.312	0.338	0.291
NR n2	Front Surface	15	0.147	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.608	0.859	0.830	0.690	0.394	0.532	0.527	0.386
	Back Surface	15	0.061	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.376	1.027	1.012	0.960	0.566	0.637	0.663	0.616
NR n7	Front Surface	15	0.198	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.659	0.880	0.861	0.720	0.445	0.583	0.578	0.437
	Back Surface	15	0.218	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.477	0.739	0.724	0.677	0.278	0.348	0.375	0.328
NR n25	Front Surface	15	0.147	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.608	0.859	0.830	0.690	0.394	0.532	0.527	0.386
	Back Surface	15	0.423	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.882	0.944	0.929	0.882	0.483	0.564	0.560	0.533
NR n26	Front Surface	15	0.340	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.981	1.032	1.001	0.862	0.587	0.725	0.720	0.579
	Back Surface	15	0.423	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.882	0.944	0.929	0.882	0.483	0.564	0.560	0.533
NR n30	Front Surface	15	0.186	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.699	0.930	0.901	0.760	0.485	0.623	0.618	0.477
	Back Surface	15	0.204	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.483	0.725	0.710	0.663	0.264	0.335	0.361	0.314
NR n36	Front Surface	15	0.221	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.682	0.913	0.884	0.743	0.468	0.606	0.601	0.460
	Back Surface	15	0.272	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.531	0.793	0.778	0.721	0.332	0.403	0.429	0.382
NR n38	Front Surface	15	0.224	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.695	0.926	0.897	0.756	0.481	0.619	0.614	0.473
	Back Surface	15	0.236	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.484	0.735	0.719	0.672	0.273	0.343	0.369	0.325
NR n41_PC3	Front Surface	15	0.216	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.677	0.908	0.879	0.738	0.463	0.601	0.596	0.455
	Back Surface	15	0.236	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.495	0.757	0.742	0.695	0.296	0.367	0.393	0.346
NR n41_PC2	Front Surface	15	0.249	0.147	0.136	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.719	0.941	0.912	0.771	0.499	0.631	0.625	0.488
	Back Surface	15	0.278	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.503	0.762	0.747	0.700	0.313	0.417	0.413	0.373



Ant2

Exposure Position		Reported SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
		1	2	3	4	5	6	7	8	9	10	11	12	1x1+9+9	1x1+9+9	1x1+7	1x1+9+9	1x1+9+10	1x1+12	1x1+12	
		WWAN 1g SAR (W/kg)	2.4GHz WLAN Ant1 1g SAR (W/kg)	2.4GHz WLAN Ant2 1g SAR (W/kg)	2.4GHz WLAN Ant3-Ant5 1g SAR (W/kg)	5GHz WLAN Ant1 1g SAR (W/kg)	5GHz WLAN Ant2-Ant5 1g SAR (W/kg)	Bluetooth Ant1 1g SAR (W/kg)	Bluetooth Ant2 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant5-Ant6 1g SAR (W/kg)	Bluetooth Ant5 1g SAR (W/kg)	5GHz WLAN Ant5-Ant6 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
WCMA Band II	Front Surface	15	0.272	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.730	0.964	0.936	0.794	0.519	0.657	0.652
	Back Surface	15	0.209	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.468	0.730	0.715	0.668	0.289	0.340	0.336
WCMA Band IV	Front Surface	15	0.430	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.891	1.122	1.093	0.952	0.677	0.815	0.810
	Back Surface	15	0.258	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.517	0.718	0.764	0.717	0.318	0.389	0.415
WCMA Band V	Front Surface	15	0.179	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.548	0.871	0.842	0.740	0.426	0.564	0.559
	Back Surface	15	0.127	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.388	0.648	0.633	0.586	0.187	0.258	0.234
LTE Band 5	Front Surface	15	0.264	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.725	0.956	0.927	0.796	0.511	0.649	0.603
	Back Surface	15	0.180	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.448	0.711	0.696	0.649	0.250	0.321	0.347
LTE Band 4	Front Surface	15	0.262	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.723	0.954	0.925	0.814	0.518	0.677	0.672
	Back Surface	15	0.196	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.455	0.717	0.702	0.655	0.256	0.327	0.353
LTE Band 7	Front Surface	15	0.203	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.664	0.895	0.866	0.725	0.450	0.588	0.583
	Back Surface	15	0.145	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.404	0.665	0.651	0.604	0.225	0.276	0.302
LTE Band 7	Front Surface	15	0.241	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.702	0.933	0.904	0.763	0.488	0.626	0.621
	Back Surface	15	0.187	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.446	0.708	0.693	0.646	0.247	0.318	0.344
LTE Band 12	Front Surface	15	0.130	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.593	0.822	0.793	0.652	0.377	0.515	0.510
	Back Surface	15	0.103	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.362	0.604	0.589	0.562	0.143	0.224	0.213
LTE Band 17	Front Surface	15	0.133	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.584	0.815	0.786	0.645	0.370	0.508	0.503
	Back Surface	15	0.104	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.363	0.625	0.610	0.563	0.164	0.235	0.261
LTE Band 25	Front Surface	15	0.283	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.744	0.975	0.946	0.805	0.530	0.668	0.663
	Back Surface	15	0.213	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.471	0.733	0.718	0.671	0.272	0.343	0.369
LTE Band 30	Front Surface	15	0.216	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.677	0.908	0.879	0.738	0.463	0.601	0.596
	Back Surface	15	0.152	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.411	0.673	0.658	0.611	0.212	0.283	0.309
LTE Band 36	Front Surface	15	0.425	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.896	1.127	1.098	0.957	0.682	0.820	0.815
	Back Surface	15	0.373	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.728	0.900	0.785	0.728	0.318	0.410	0.389
LTE Band 66	Front Surface	15	0.354	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.815	1.046	1.017	0.876	0.601	0.739	0.734
	Back Surface	15	0.228	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.487	0.749	0.734	0.687	0.238	0.359	0.385
LTE Band 71	Front Surface	15	0.153	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.594	0.825	0.796	0.655	0.350	0.482	0.482
	Back Surface	15	0.089	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.349	0.611	0.596	0.549	0.150	0.221	0.200
LTE Band 38	Front Surface	15	0.262	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.723	0.954	0.925	0.784	0.509	0.647	0.642
	Back Surface	15	0.190	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.448	0.711	0.696	0.649	0.250	0.321	0.347
LTE Band 41_PC3	Front Surface	15	0.277	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.738	0.969	0.940	0.798	0.524	0.662	0.657
	Back Surface	15	0.219	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.478	0.740	0.725	0.678	0.279	0.350	0.376
LTE Band 41_PC2	Front Surface	15	0.523	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.794	1.015	0.986	0.845	0.570	0.708	0.703
	Back Surface	15	0.256	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.515	0.777	0.762	0.715	0.316	0.387	0.413
NR n2	Front Surface	15	0.299	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.660	1.001	0.962	0.821	0.546	0.704	0.779
	Back Surface	15	0.254	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.513	0.775	0.760	0.713	0.314	0.385	0.411
NR n5	Front Surface	15	0.354	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.815	1.046	1.017	0.876	0.601	0.739	0.734
	Back Surface	15	0.266	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.525	0.787	0.772	0.725	0.226	0.397	0.423
NR n7	Front Surface	15	0.473	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.885	1.095	1.066	0.905	0.628	0.758	0.753
	Back Surface	15	0.317	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.576	0.838	0.823	0.776	0.277	0.446	0.474
NR n25	Front Surface	15	0.455	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.916	1.147	1.118	0.977	0.702	0.840	0.835
	Back Surface	15	0.364	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.615	0.875	0.860	0.813	0.414	0.485	0.511
NR n30	Front Surface	15	0.344	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.805	1.035	1.007	0.864	0.591	0.729	0.724
	Back Surface	15	0.269	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.528	0.780	0.775	0.728	0.329	0.400	0.426
NR n36	Front Surface	15	0.357	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.818	1.049	1.020	0.879	0.604	0.742	0.737
	Back Surface	15	0.282	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.541	0.803	0.788	0.741	0.342	0.413	0.439
NR n56	Front Surface	15	0.566	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	1.026	1.257	1.228	1.087	0.812	0.950	0.945
	Back Surface	15	0.329	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.588	0.860	0.835	0.788	0.389	0.460	0.486
NR n71	Front Surface	15	0.138	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.599	0.830	0.801	0.660	0.385	0.523	0.518
	Back Surface	15	0.105	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.354	0.616	0.601	0.554	0.135	0.226	0.252
NR n38	Front Surface	15	0.430	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.883	1.122	1.093	0.952	0.677	0.815	0.810
	Back Surface	15	0.340	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.599	0.861	0.846	0.799	</		



Ant7

			Reported SAR												Scenario																			
			1		2		3		4		5		6		7		8		9		10		11		12		Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			WWAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	Bluetooth	Bluetooth	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	Bluetooth	Bluetooth	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
Exposure Position	15	0.147	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.698	0.839	0.810	0.669	0.394	0.532	0.527	0.395	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276	0.276		
LTE Band 2	Back Surface	15	0.166 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104<td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104 <td>0.425<td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.425 <td>0.887<td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.887 <td>0.872<td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.872 <td>0.825<td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.825 <td>0.526<td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.526 <td>0.297<td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.297 <td>0.323<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.323 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276	
LTE Band 4	Front Surface	15	0.039 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294<td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294<td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294<td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294<td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294<td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294 <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204<td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204 <td>0.590<td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.590 <td>0.731<td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.731 <td>0.702<td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.702 <td>0.581<td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.581 <td>0.286<td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.286 <td>0.404<td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.404 <td>0.419<td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.419 <td>0.278<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.278 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276	
			Back Surface	15	0.042 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104<td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104 <td>0.393<td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.393 <td>0.563<td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.563 <td>0.548<td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.548 <td>0.501<td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.501 <td>0.192<td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.192 <td>0.173<td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.173 <td>0.189<td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.189 <td>0.152<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.152 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276	
LTE Band 25	Front Surface	15	0.121 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204<td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204 <td>0.590<td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.590 <td>0.823<td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.823 <td>0.794<td>0.653</td><td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.794 <td>0.653</td> <td>0.378<td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.653	0.378 <td>0.506<td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.506 <td>0.513<td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.513 <td>0.370<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.370 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276	
			Back Surface	15	0.137 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104<td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104 <td>0.398<td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.398 <td>0.658<td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.658 <td>0.643<td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.643 <td>0.596<td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.596 <td>0.197<td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.197 <td>0.268<td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.268 <td>0.294<td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.294 <td>0.247<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.247 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276	
LTE Band 30	Front Surface	15	0.111 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218</td><td>0.204</td><td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218</td> <td>0.204</td> <td>0.572<td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218	0.204	0.572 <td>0.803<td>0.774</td><td>0.633</td><td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.803 <td>0.774</td> <td>0.633</td> <td>0.358<td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.774	0.633	0.358 <td>0.486<td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.486 <td>0.481<td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.481 <td>0.350<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.350 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
			Back Surface	15	0.135 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.414<td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.414 <td>0.676<td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.676 <td>0.661<td>0.614</td><td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.661 <td>0.614</td> <td>0.215<td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.614	0.215 <td>0.285<td>0.312</td><td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.285 <td>0.312</td> <td>0.255<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.312	0.255 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
LTE Band 66	Front Surface	15	0.097 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218</td><td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218</td> <td>0.204<td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218	0.204 <td>0.490<td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.490 <td>0.729<td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.729 <td>0.700<td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.700 <td>0.559<td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.559 <td>0.284<td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.284 <td>0.422<td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.422 <td>0.417<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.417 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
			Back Surface	15	0.046 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.395<td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.395 <td>0.567<td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.567 <td>0.552<td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.552 <td>0.505<td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.505 <td>0.196<td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.196 <td>0.177<td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.177 <td>0.203<td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.203 <td>0.156<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.156 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
LTE Band 48	Front Surface	15	0.294 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.735<td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.735 <td>0.986<td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.986 <td>0.957<td>0.816</td><td>0.541</td><td>0.679</td><td>0.674</td><td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.957 <td>0.816</td> <td>0.541</td> <td>0.679</td> <td>0.674</td> <td>0.533<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.816	0.541	0.679	0.674	0.533 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
			Back Surface	15	0.338 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.596<td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.596 <td>0.857<td>0.842</td><td>0.795</td><td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.857 <td>0.842</td> <td>0.795</td> <td>0.396<td>0.467</td><td>0.483</td><td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.842	0.795	0.396 <td>0.467</td> <td>0.483</td> <td>0.446<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.467	0.483	0.446 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
NR n2	Front Surface	15	0.188 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.629<td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.629 <td>0.860<td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.860 <td>0.831<td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.831 <td>0.689<td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.689 <td>0.415<td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.415 <td>0.563<td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.563 <td>0.548<td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.548 <td>0.407<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.407 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.196 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.485<td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.485 <td>0.717<td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.717 <td>0.702<td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.702 <td>0.665<td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.665 <td>0.296<td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.296 <td>0.327<td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.327 <td>0.353<td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.353 <td>0.306<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.306 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
NR n25	Front Surface	15	0.175 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.636<td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.636 <td>0.867<td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.867 <td>0.838<td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.838 <td>0.697<td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.697 <td>0.422<td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.422 <td>0.560<td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.560 <td>0.555<td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.555 <td>0.414<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.414 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.181 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.490<td>0.712</td><td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.490 <td>0.712</td> <td>0.697<td>0.660</td><td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.712	0.697 <td>0.660</td> <td>0.293<td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.660	0.293 <td>0.322<td>0.348</td><td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.322 <td>0.348</td> <td>0.301<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.348	0.301 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
NR n30	Front Surface	15	0.139 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.657<td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.657 <td>0.888<td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.888 <td>0.859<td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.859 <td>0.718<td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.718 <td>0.443<td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.443 <td>0.581<td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.581 <td>0.576<td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.576 <td>0.435<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.435 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.270 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.529<td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.529 <td>0.781<td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.781 <td>0.776<td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.776 <td>0.729<td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.729 <td>0.330<td>0.401</td><td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.330 <td>0.401</td> <td>0.427<td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.401	0.427 <td>0.380<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.380 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276		
NR n66	Front Surface	15	0.060 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.523<td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.523 <td>0.792<td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.792 <td>0.723<td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.723 <td>0.582<td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.582 <td>0.307<td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.307 <td>0.445<td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.445 <td>0.440<td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.440 <td>0.299<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.299 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.093 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.343<td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.343 <td>0.601<td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.601 <td>0.586<td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.586 <td>0.541<td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.541 <td>0.142<td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.142 <td>0.213<td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.213 <td>0.229<td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.229 <td>0.182<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.182 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n48	Front Surface	15	0.387 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.848<td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.848 <td>1.079<td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.079 <td>1.050<td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.050 <td>0.909<td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.909 <td>0.634<td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.634 <td>0.772<td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.772 <td>0.767<td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.767 <td>0.626<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.626 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.509 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.788<td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.788 <td>1.030<td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.030 <td>1.015<td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	1.015 <td>0.968<td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.968 <td>0.569<td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.569 <td>0.640<td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.640 <td>0.666<td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.666 <td>0.619<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.619 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n77_PC3	Front Surface	15	0.104 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.595<td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.595 <td>0.796<td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.796 <td>0.767<td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.767 <td>0.625<td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.625 <td>0.351<td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.351 <td>0.489<td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.489 <td>0.484<td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.484 <td>0.343<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.343 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.487 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.329<td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.329 <td>0.588<td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.588 <td>0.573<td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.573 <td>0.525<td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.525 <td>0.157<td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.157 <td>0.188<td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.188 <td>0.204<td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.204 <td>0.157<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.157 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n77_PC3	Front Surface	15	0.136 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218</td><td>0.204</td><td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218</td> <td>0.204</td> <td>0.587<td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218	0.204	0.587 <td>0.828<td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.828 <td>0.799<td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.799 <td>0.658<td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.658 <td>0.383<td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.383 <td>0.521<td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.521 <td>0.516<td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.516 <td>0.375<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.375 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.595 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.854<td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.854 <td>1.116<td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.116 <td>1.101<td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	1.101 <td>1.054<td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	1.054 <td>0.695<td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.695 <td>0.726<td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.726 <td>0.752<td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.752 <td>0.705<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.705 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n77 & n78_PC3	Front Surface	15	0.150 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.611<td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.611 <td>0.842<td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.842 <td>0.813<td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.813 <td>0.672<td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.672 <td>0.397<td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.397 <td>0.535<td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.535 <td>0.530<td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.530 <td>0.389<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.389 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.677 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.396<td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.396 <td>1.188<td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.188 <td>1.183<td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	1.183 <td>1.136<td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	1.136 <td>0.737<td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.737 <td>0.808<td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.808 <td>0.834<td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.834 <td>0.787<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.787 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n77 & n78_PC2	Front Surface	15	0.117 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.578<td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.578 <td>0.889<td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.889 <td>0.860<td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.860 <td>0.728<td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.728 <td>0.394<td>0.502</td><td>0.497</td><td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.394 <td>0.502</td> <td>0.497</td> <td>0.356<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.502	0.497	0.356 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.487 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.746<td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.746 <td>1.008<td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.008 <td>0.993<td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.993 <td>0.946<td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.946 <td>0.547<td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.547 <td>0.618<td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.618 <td>0.644<td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.644 <td>0.597<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.597 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n78_PC3	Front Surface	15	0.077 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.538<td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.538 <td>0.799<td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.799 <td>0.769<td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.769 <td>0.599<td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.599 <td>0.324<td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.324 <td>0.462<td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.462 <td>0.457<td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.457 <td>0.316<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.316 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.552 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.811<td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.811 <td>1.073<td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	1.073 <td>1.058<td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	1.058 <td>1.011<td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	1.011 <td>0.612<td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.612 <td>0.683<td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.683 <td>0.709<td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.709 <td>0.662<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.662 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
NR n78_PC2	Front Surface	15	0.080 <td>0.147<td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.147 <td>0.186<td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.186 <td>0.176<td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.176<td>0.294</td><td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.176 <td>0.294</td> <td>0.525<td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.294	0.525 <td>0.487<td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.487 <td>0.015<td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.015 <td>0.020<td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.020 <td>0.080<td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.080 <td>0.218<td>0.204</td><td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.218 <td>0.204</td> <td>0.544<td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.204	0.544 <td>0.772<td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.772 <td>0.743<td>0.602</td><td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.743 <td>0.602</td> <td>0.327<td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.602	0.327 <td>0.465<td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.465 <td>0.460<td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.460 <td>0.319<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.319 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			
			Back Surface	15	0.431 <td>0.013<td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.013 <td>0.074<td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.074 <td>0.053<td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.053 <td>0.241<td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.241 <td>0.503<td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.503 <td>0.453<td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.453 <td>0.001<td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.001 <td>0.005<td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.005 <td>0.042<td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.042 <td>0.113<td>0.104</td><td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.113 <td>0.104</td> <td>0.699<td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.104	0.699 <td>0.962<td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td></td>	0.962 <td>0.937<td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td></td>	0.937 <td>0.890<td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td></td>	0.890 <td>0.491<td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td></td>	0.491 <td>0.562<td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td></td>	0.562 <td>0.588<td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td></td>	0.588 <td>0.541<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td></td>	0.541 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276<td>0.276</td></td></td></td>	0.276 <td>0.276<td>0.276<td>0.276</td></td></td>	0.276 <td>0.276<td>0.276</td></td>	0.276 <td>0.276</td>	0.276			

Ant8

Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8					
	1		2		3		4		5		6		7		8		9		10		11		12		1+2+9+11		1+4+12		1+9+9+12			
	WLAN		2.4GHz WLAN Ant1		2.4GHz WLAN Ant2		2.4GHz WLAN Ant3-Ant5		5GHz WLAN Ant1		5GHz WLAN Ant2		5GHz WLAN Ant3-Ant5		Bluetooth Ant1		Bluetooth Ant2		5GHz WLAN Ant1		5GHz WLAN Ant2		5GHz WLAN Ant3-Ant5		Summed		Summed		Summed		Summed	
	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	
LTE Band 41_PC3	Front Surface	15	0.243	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.704	0.935	0.906	0.765	0.490	0.628	0.623	0.482									
	Back Surface	15	0.195	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.494	0.718	0.701	0.654	0.256	0.326	0.352	0.309								
	Front Surface	15	0.180	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.649	0.880	0.851	0.710	0.435	0.573	0.568	0.427									
	Back Surface	15	0.150	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.454	0.690	0.671	0.656	0.609	0.230	0.281	0.307	0.260							
LTE Band 41_PC2	Front Surface	15	0.327	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.788	1.033	0.990	0.849	0.574	0.712	0.707	0.607									
	Back Surface	15	0.280	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.739	0.983	0.948	0.799	0.534	0.661	0.646									
	Front Surface	15	0.307	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.788	0.999	0.970	0.829	0.554	0.692	0.687	0.545									
	Back Surface	15	0.263	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.732	0.952	0.784	0.729	0.722	0.639	0.584	0.479								
NR 41_PC3	Front Surface	15	0.347	0.186	0.176	0.176	0.294	0.487	0.525	0.487	0.015	0.080	0.218	0.204	0.204	0.860	1.238	0.779	0.840	0.680	0.680	0.680	0.680									
	Back Surface	15	0.272	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.733	1.093	0.778	0.731	0.832	0.603	0.429	0.382								
NR 41_PC2	Front Surface	15	0.726	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	1.217	1.448	1.410	1.276	1.009	1.141	1.139	0.995									
	Back Surface	15	0.613	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	1.082	1.346	1.082	1.081	1.082	0.784	0.774	0.680								
NR 41B	Front Surface	15	0.776	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	1.430	1.793	1.778	1.631	1.332	1.463	1.429	1.382									
	Back Surface	15	0.726	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	1.333	1.603	1.333	1.332	1.333	1.064	0.659	0.538								
NR 47_PC3	Front Surface	15	0.279	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.740	0.971	0.942	0.801	0.526	0.664	0.659	0.538									
	Back Surface	15	0.230	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.683	0.913	0.688	0.681	0.626	0.323	0.349	0.382								
NR 47_PC2	Front Surface	15	0.347	0.186	0.176	0.176	0.294	0.487	0.525	0.487	0.015	0.080	0.218	0.204	0.204	0.860	1.238	0.779	0.840	0.680	0.680	0.680	0.680									
	Back Surface	15	0.272	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.740	1.093	0.778	0.731	0.832	0.603	0.429	0.382								
NR 47B & 41B_PC3	Front Surface	15	0.208	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.673	0.904	0.875	0.734	0.468	0.599	0.597	0.565									
	Back Surface	15	0.183	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.627	0.875	0.627	0.626	0.568	0.323	0.349	0.382								
NR 47B & 41B_PC2	Front Surface	15	0.181	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.642	0.873	0.844	0.703	0.428	0.566	0.561	0.522									
	Back Surface	15	0.185	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.642	0.886	0.673	0.624	0.625	0.296	0.323	0.475								
NR 47B_PC3	Front Surface	15	0.147	0.186	0.176	0.176	0.294	0.487	0.525	0.487	0.015	0.080	0.218	0.204	0.204	0.860	1.238	0.779	0.840	0.680	0.680	0.680	0.680									
	Back Surface	15	0.265	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.524	0.786	0.771	0.724	0.535	0.396	0.442	0.375								
NR 47B_PC2	Front Surface	15	0.263	0.147	0.186	0.176	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.744	0.970	0.946	0.805	0.526	0.668	0.663	0.623									
	Back Surface	15	0.241	0.013	0.074	0.053	0.241	0.503	0.453	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.712	0.968	0.712	0.712	0.648	0.368	0.393	0.427								



Ant9

LTE	Exposure Position	Reported SAR												Scenario SAR								
		1	2	3	4	5	6	7	8	9	10	11	12	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8	
		WWAN 1g SAR (W/kg)	2.4GHz WLAN Ant1 1g SAR (W/kg)	2.4GHz WLAN Ant2 1g SAR (W/kg)	2.4GHz WLAN Ant3-Ant5 1g SAR (W/kg)	5GHz WLAN Ant4 1g SAR (W/kg)	5GHz WLAN Ant5 1g SAR (W/kg)	5GHz WLAN Ant6-Ant8 1g SAR (W/kg)	Bluetooth Ant9 1g SAR (W/kg)	Bluetooth Ant10 1g SAR (W/kg)	5GHz WLAN Ant11 1g SAR (W/kg)	5GHz WLAN Ant12 1g SAR (W/kg)	5GHz WLAN Ant13-Ant15 1g SAR (W/kg)	Summed 1g SAR (W/kg)	1-4+6+9 1g SAR (W/kg)	1+6+7 1g SAR (W/kg)	1+7+8+9 1g SAR (W/kg)	1-2+9+12 1g SAR (W/kg)	1-2+9+11 1g SAR (W/kg)	1+4+11 1g SAR (W/kg)	1-4+9+12 1g SAR (W/kg)	
LTE	Front Surface	15	0.076	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.537	0.768	0.739	0.588	0.323	0.461	0.455	0.305
Band 41_PC3	Back Surface	15	0.103	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.362	0.824	0.609	0.562	0.583	0.254	0.269	0.233
LTE	Front Surface	15	0.044	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.505	0.736	0.707	0.566	0.281	0.429	0.424	0.283
Band 41_PC2	Back Surface	15	0.067	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.325	0.588	0.573	0.525	0.527	0.189	0.224	0.177
LTE	Front Surface	15	0.108	0.347	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.668	0.800	0.771	0.629	0.265	0.493	0.488	0.347
Band 48	Back Surface	15	0.326	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.585	0.847	0.632	0.785	0.386	0.467	0.483	0.436
NR n41_PC3	Front Surface	15	0.027	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.486	0.719	0.690	0.549	0.274	0.412	0.407	0.266
Back Surface	15	0.109	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.368	0.830	0.615	0.568	0.189	0.245	0.255	0.219	
NR n41_PC2	Front Surface	15	0.102	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.483	0.724	0.695	0.554	0.278	0.417	0.412	0.271
Back Surface	15	0.127	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.386	0.848	0.633	0.586	0.187	0.258	0.264	0.227	
NR n48	Front Surface	15	0.202	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.663	0.894	0.865	0.724	0.448	0.587	0.582	0.441
Back Surface	15	0.612	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.971	1.133	1.118	1.071	0.672	0.742	0.749	0.722	
NR n77_PC3	Front Surface	15	0.175	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.636	0.867	0.838	0.687	0.422	0.560	0.555	0.414
Back Surface	15	0.682	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.943	1.203	1.188	1.141	0.742	0.813	0.839	0.782	
NR n77_PC2	Front Surface	15	0.150	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.611	0.842	0.813	0.672	0.397	0.535	0.530	0.389
Back Surface	15	0.688	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.944	1.206	1.191	1.144	0.746	0.816	0.842	0.785	
NR n77 & n78_PC1	Front Surface	15	0.136	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.577	0.808	0.779	0.638	0.363	0.501	0.496	0.365
Back Surface	15	0.374	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.630	0.895	0.880	0.833	0.434	0.505	0.531	0.484	
NR n77 & n78_PC2	Front Surface	15	0.095	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.552	0.783	0.754	0.613	0.338	0.476	0.471	0.330
Back Surface	15	0.249	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.508	0.770	0.755	0.708	0.330	0.380	0.406	0.360	
NR n78_PC3	Front Surface	15	0.113	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.574	0.805	0.776	0.635	0.360	0.488	0.483	0.352
Back Surface	15	0.478	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.737	0.999	0.984	0.937	0.538	0.609	0.635	0.588	
NR n78_PC2	Front Surface	15	0.100	0.147	0.186	0.176	0.294	0.525	0.487	0.015	0.020	0.080	0.218	0.204	0.561	0.792	0.763	0.622	0.347	0.485	0.480	0.339
Back Surface	15	0.439	0.013	0.074	0.053	0.241	0.503	0.453	0.001	0.005	0.042	0.113	0.104	0.688	0.960	0.945	0.898	0.499	0.570	0.595	0.549	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

0+1_NSA

WWAN Ant0	WWAN Ant1	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1+5+9
				WWAN Ant0	WWAN Ant1	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B12	LTE B25	Front Surface	15	0.233	0.207	0.440
		Back Surface	15	0.317	0.288	0.605
LTE B12	LTE B30	Front Surface	15	0.233	0.179	0.412
		Back Surface	15	0.317	0.294	0.611
LTE B12	LTE B66	Front Surface	15	0.233	0.179	0.412
		Back Surface	15	0.317	0.301	0.618
LTE B26	LTE B25	Front Surface	15	0.328	0.207	0.535
		Back Surface	15	0.446	0.288	0.734
LTE B12	LTE B2	Front Surface	15	0.233	0.238	0.471
		Back Surface	15	0.317	0.335	0.652
LTE B5	LTE B2	Front Surface	15	0.346	0.238	0.584
		Back Surface	15	0.453	0.335	0.788
LTE B71	LTE B2	Front Surface	15	0.189	0.238	0.427
		Back Surface	15	0.247	0.335	0.582
LTE B71	LTE B66	Front Surface	15	0.189	0.179	0.368
		Back Surface	15	0.247	0.301	0.548
LTE B26	LTE B7	Front Surface	15	0.328	0.212	0.540
		Back Surface	15	0.446	0.292	0.738
LTE B12	LTE B4	Front Surface	15	0.233	0.189	0.422
		Back Surface	15	0.317	0.243	0.560
LTE B5	LTE B4	Front Surface	15	0.346	0.189	0.535
		Back Surface	15	0.453	0.243	0.696
LTE B71	LTE B4	Front Surface	15	0.189	0.189	0.378
		Back Surface	15	0.247	0.243	0.490
LTE B5	LTE B25	Front Surface	15	0.346	0.207	0.553
		Back Surface	15	0.453	0.288	0.741
LTE B5	LTE B30	Front Surface	15	0.346	0.179	0.525
		Back Surface	15	0.453	0.294	0.747
LTE B5	LTE B66	Front Surface	15	0.346	0.179	0.525
		Back Surface	15	0.453	0.301	0.754
LTE B5	LTE B7	Front Surface	15	0.346	0.212	0.558
		Back Surface	15	0.453	0.292	0.745

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

NR n12	NR n30	Front Surface	15	0.152	0.166	0.318
		Back Surface	15	0.221	0.204	0.425
NR n12	NR n66	Front Surface	15	0.152	0.221	0.373
		Back Surface	15	0.221	0.272	0.493
NR n12	NR n2	Front Surface	15	0.152	0.408	0.560
		Back Surface	15	0.221	0.506	0.727
NR n5	NR n2	Front Surface	15	0.360	0.408	0.768
		Back Surface	15	0.416	0.506	0.922
NR n5	NR n30	Front Surface	15	0.360	0.166	0.526
		Back Surface	15	0.416	0.204	0.620
NR n5	NR n66	Front Surface	15	0.360	0.221	0.581
		Back Surface	15	0.416	0.272	0.688
LTE B12	NR n25	Front Surface	15	0.233	0.340	0.573
		Back Surface	15	0.317	0.423	0.740
LTE B12	NR n2	Front Surface	15	0.233	0.408	0.641
		Back Surface	15	0.317	0.506	0.823
LTE B12	NR n66	Front Surface	15	0.233	0.221	0.454
		Back Surface	15	0.317	0.272	0.589
NR n5	LTE B2	Front Surface	15	0.360	0.238	0.598
		Back Surface	15	0.416	0.335	0.751
NR n71	LTE B2	Front Surface	15	0.139	0.238	0.377
		Back Surface	15	0.177	0.335	0.512
NR n5	LTE B30	Front Surface	15	0.360	0.179	0.539
		Back Surface	15	0.416	0.294	0.710
LTE B5	NR n2	Front Surface	15	0.346	0.408	0.754
		Back Surface	15	0.453	0.506	0.959
LTE B5	NR n30	Front Surface	15	0.346	0.166	0.512
		Back Surface	15	0.453	0.204	0.657
LTE B5	NR n66	Front Surface	15	0.346	0.221	0.567
		Back Surface	15	0.453	0.272	0.725
LTE B5	NR n7	Front Surface	15	0.346	0.198	0.544
		Back Surface	15	0.453	0.218	0.671
NR n5	LTE B66	Front Surface	15	0.360	0.179	0.539
		Back Surface	15	0.416	0.301	0.717
NR n71	LTE B66	Front Surface	15	0.139	0.179	0.318
		Back Surface	15	0.177	0.301	0.478
NR n5	LTE B7	Front Surface	15	0.360	0.212	0.572
		Back Surface	15	0.416	0.292	0.708
NR n71	LTE B7	Front Surface	15	0.139	0.212	0.351
		Back Surface	15	0.177	0.292	0.469

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

0+2_NSA

WWAN Ant0	WWAN Ant2	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1 Summed
				WWAN Ant0 1g SAR (W/kg)	WWAN Ant2 1g SAR (W/kg)	
LTE B12	LTE B25	Front Surface	15	0.233	0.283	0.516
		Back Surface	15	0.317	0.212	0.529
LTE B12	LTE B30	Front Surface	15	0.233	0.435	0.668
		Back Surface	15	0.317	0.279	0.596
LTE B12	LTE B66	Front Surface	15	0.233	0.354	0.587
		Back Surface	15	0.317	0.228	0.545
LTE B26	LTE B25	Front Surface	15	0.328	0.283	0.611
		Back Surface	15	0.446	0.212	0.658
LTE B12	LTE B2	Front Surface	15	0.233	0.264	0.497
		Back Surface	15	0.317	0.190	0.507
LTE B5	LTE B2	Front Surface	15	0.346	0.264	0.610
		Back Surface	15	0.453	0.190	0.643
LTE B71	LTE B2	Front Surface	15	0.189	0.264	0.453
		Back Surface	15	0.247	0.190	0.437
LTE B71	LTE B66	Front Surface	15	0.189	0.354	0.543
		Back Surface	15	0.247	0.228	0.475
LTE B26	LTE B7	Front Surface	15	0.328	0.241	0.569
		Back Surface	15	0.446	0.187	0.633
LTE B12	LTE B4	Front Surface	15	0.233	0.292	0.525
		Back Surface	15	0.317	0.196	0.513
LTE B5	LTE B4	Front Surface	15	0.346	0.292	0.638
		Back Surface	15	0.453	0.196	0.649
LTE B71	LTE B4	Front Surface	15	0.189	0.292	0.481
		Back Surface	15	0.247	0.196	0.443
LTE B5	LTE B25	Front Surface	15	0.346	0.283	0.629
		Back Surface	15	0.453	0.212	0.665
LTE B5	LTE B30	Front Surface	15	0.346	0.435	0.781
		Back Surface	15	0.453	0.279	0.732
LTE B5	LTE B66	Front Surface	15	0.346	0.354	0.700
		Back Surface	15	0.453	0.228	0.681
LTE B5	LTE B7	Front Surface	15	0.346	0.241	0.587
		Back Surface	15	0.453	0.187	0.640

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

NR n12	NR n30	Front Surface	15	0.152	0.357	0.509
		Back Surface	15	0.221	0.282	0.503
NR n12	NR n66	Front Surface	15	0.152	0.565	0.717
		Back Surface	15	0.221	0.329	0.550
NR n12	NR n2	Front Surface	15	0.152	0.399	0.551
		Back Surface	15	0.221	0.254	0.475
NR n5	NR n2	Front Surface	15	0.360	0.399	0.759
		Back Surface	15	0.416	0.254	0.670
NR n5	NR n30	Front Surface	15	0.360	0.357	0.717
		Back Surface	15	0.416	0.282	0.698
NR n5	NR n66	Front Surface	15	0.360	0.565	0.925
		Back Surface	15	0.416	0.329	0.745
LTE B12	NR n25	Front Surface	15	0.233	0.455	0.688
		Back Surface	15	0.317	0.354	0.671
LTE B12	NR n2	Front Surface	15	0.233	0.399	0.632
		Back Surface	15	0.317	0.254	0.571
LTE B12	NR n66	Front Surface	15	0.233	0.565	0.798
		Back Surface	15	0.317	0.329	0.646
NR n5	LTE B2	Front Surface	15	0.360	0.264	0.624
		Back Surface	15	0.416	0.190	0.606
NR n71	LTE B2	Front Surface	15	0.139	0.264	0.403
		Back Surface	15	0.177	0.190	0.367
NR n5	LTE B30	Front Surface	15	0.360	0.435	0.795
		Back Surface	15	0.416	0.279	0.695
LTE B5	NR n2	Front Surface	15	0.346	0.399	0.745
		Back Surface	15	0.453	0.254	0.707
LTE B5	NR n30	Front Surface	15	0.346	0.357	0.703
		Back Surface	15	0.453	0.282	0.735
LTE B5	NR n66	Front Surface	15	0.346	0.565	0.911
		Back Surface	15	0.453	0.329	0.782
LTE B5	NR n7	Front Surface	15	0.346	0.373	0.719
		Back Surface	15	0.453	0.317	0.770
NR n5	LTE B66	Front Surface	15	0.360	0.354	0.714
		Back Surface	15	0.416	0.228	0.644
NR n71	LTE B66	Front Surface	15	0.139	0.354	0.493
		Back Surface	15	0.177	0.228	0.405
NR n5	LTE B7	Front Surface	15	0.360	0.241	0.601
		Back Surface	15	0.416	0.187	0.603
NR n71	LTE B7	Front Surface	15	0.139	0.241	0.380
		Back Surface	15	0.177	0.187	0.364

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

0+6_NSA

WWAN Ant0	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1 Summed 1g SAR (W/kg)
				WWAN Ant0	WWAN Ant6	
				1g SAR (W/kg)	1g SAR (W/kg)	
NR n12	NR n77	Front Surface	15	0.152	0.169	0.321
		Back Surface	15	0.221	0.394	0.615
NR n5	NR n77	Front Surface	15	0.360	0.169	0.529
		Back Surface	15	0.416	0.394	0.810
LTE B12	NR n77	Front Surface	15	0.233	0.169	0.402
		Back Surface	15	0.317	0.394	0.711
LTE B5	NR n77	Front Surface	15	0.346	0.169	0.515
		Back Surface	15	0.453	0.394	0.847

0+7_NSA

WWAN Ant0	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1 Summed 1g SAR (W/kg)
				WWAN Ant0	WWAN Ant7	
				1g SAR (W/kg)	1g SAR (W/kg)	
NR n12	NR n77	Front Surface	15	0.152	0.150	0.302
		Back Surface	15	0.221	0.677	0.898
NR n5	NR n77	Front Surface	15	0.360	0.150	0.510
		Back Surface	15	0.416	0.677	1.093
LTE B12	NR n77	Front Surface	15	0.233	0.150	0.383
		Back Surface	15	0.317	0.677	0.994
LTE B5	NR n77	Front Surface	15	0.346	0.150	0.496
		Back Surface	15	0.453	0.677	1.130

0+8_NSA

WWAN Ant0	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1 Summed 1g SAR (W/kg)
				WWAN Ant0	WWAN Ant8	
				1g SAR (W/kg)	1g SAR (W/kg)	
NR n12	NR n77	Front Surface	15	0.152	0.279	0.431
		Back Surface	15	0.221	0.192	0.413
NR n5	NR n77	Front Surface	15	0.360	0.279	0.639
		Back Surface	15	0.416	0.192	0.608
LTE B12	NR n77	Front Surface	15	0.233	0.279	0.512
		Back Surface	15	0.317	0.192	0.509
LTE B5	NR n77	Front Surface	15	0.346	0.279	0.625
		Back Surface	15	0.453	0.192	0.645

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

0+9_NSA

				Reported SAR		Scenario 1
WWAN Ant0	WWAN Ant9	Exposure Position		0	1	0+1 Summed 1g SAR (W/kg)
				WWAN Ant0	WWAN Ant9	
				1g SAR (W/kg)	1g SAR (W/kg)	
NR n12	NR n77	Front Surface	15	0.152	0.116	0.268
		Back Surface	15	0.221	0.374	0.595
NR n5	NR n77	Front Surface	15	0.360	0.116	0.476
		Back Surface	15	0.416	0.374	0.790
LTE B12	NR n77	Front Surface	15	0.233	0.116	0.349
		Back Surface	15	0.317	0.374	0.691
LTE B5	NR n77	Front Surface	15	0.346	0.116	0.462
		Back Surface	15	0.453	0.374	0.827

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1+2_NSA

WWAN Ant1	WWAN Ant2	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1	WWAN Ant2	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B25	LTE B12	Front Surface	15	0.207	0.130	0.337
		Back Surface	15	0.288	0.103	0.391
LTE B30	LTE B12	Front Surface	15	0.179	0.130	0.309
		Back Surface	15	0.294	0.103	0.397
LTE B66	LTE B12	Front Surface	15	0.179	0.130	0.309
		Back Surface	15	0.301	0.103	0.404
LTE B25	LTE B26	Front Surface	15	0.207	0.216	0.423
		Back Surface	15	0.288	0.152	0.440
LTE B2	LTE B12	Front Surface	15	0.238	0.130	0.368
		Back Surface	15	0.335	0.103	0.438
LTE B2	LTE B5	Front Surface	15	0.238	0.203	0.441
		Back Surface	15	0.335	0.145	0.480
LTE B2	LTE B71	Front Surface	15	0.238	0.103	0.341
		Back Surface	15	0.335	0.090	0.425
LTE B66	LTE B71	Front Surface	15	0.179	0.103	0.282
		Back Surface	15	0.301	0.090	0.391
LTE B7	LTE B26	Front Surface	15	0.212	0.216	0.428
		Back Surface	15	0.292	0.152	0.444
LTE B4	LTE B12	Front Surface	15	0.189	0.130	0.319
		Back Surface	15	0.243	0.103	0.346
LTE B4	LTE B5	Front Surface	15	0.189	0.203	0.392
		Back Surface	15	0.243	0.145	0.388
LTE B4	LTE B71	Front Surface	15	0.189	0.103	0.292
		Back Surface	15	0.243	0.090	0.333
LTE B25	LTE B5	Front Surface	15	0.207	0.203	0.410
		Back Surface	15	0.288	0.145	0.433
LTE B30	LTE B5	Front Surface	15	0.179	0.203	0.382
		Back Surface	15	0.294	0.145	0.439
LTE B66	LTE B5	Front Surface	15	0.179	0.203	0.382
		Back Surface	15	0.301	0.145	0.446
LTE B7	LTE B5	Front Surface	15	0.212	0.203	0.415
		Back Surface	15	0.292	0.145	0.437

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

NR n30	NR n12	Front Surface	15	0.166	0.231	0.397
		Back Surface	15	0.204	0.194	0.398
NR n66	NR n12	Front Surface	15	0.221	0.231	0.452
		Back Surface	15	0.272	0.194	0.466
NR n2	NR n12	Front Surface	15	0.408	0.231	0.639
		Back Surface	15	0.506	0.194	0.700
NR n2	NR n5	Front Surface	15	0.408	0.354	0.762
		Back Surface	15	0.506	0.266	0.772
NR n30	NR n5	Front Surface	15	0.166	0.354	0.520
		Back Surface	15	0.204	0.266	0.470
NR n66	NR n5	Front Surface	15	0.221	0.354	0.575
		Back Surface	15	0.272	0.266	0.538
NR n25	LTE B12	Front Surface	15	0.340	0.130	0.470
		Back Surface	15	0.423	0.103	0.526
NR n2	LTE B12	Front Surface	15	0.408	0.130	0.538
		Back Surface	15	0.506	0.103	0.609
NR n66	LTE B12	Front Surface	15	0.221	0.130	0.351
		Back Surface	15	0.272	0.103	0.375
LTE B2	NR n5	Front Surface	15	0.238	0.354	0.592
		Back Surface	15	0.335	0.266	0.601
LTE B2	NR n71	Front Surface	15	0.238	0.138	0.376
		Back Surface	15	0.335	0.095	0.430
LTE B30	NR n5	Front Surface	15	0.179	0.354	0.533
		Back Surface	15	0.294	0.266	0.560
NR n2	LTE B5	Front Surface	15	0.408	0.203	0.611
		Back Surface	15	0.506	0.145	0.651
NR n30	LTE B5	Front Surface	15	0.166	0.203	0.369
		Back Surface	15	0.204	0.145	0.349
NR n66	LTE B5	Front Surface	15	0.221	0.203	0.424
		Back Surface	15	0.272	0.145	0.417
NR n7	LTE B5	Front Surface	15	0.198	0.203	0.401
		Back Surface	15	0.218	0.145	0.363
LTE B66	NR n5	Front Surface	15	0.179	0.354	0.533
		Back Surface	15	0.301	0.266	0.567
LTE B66	NR n71	Front Surface	15	0.179	0.138	0.317
		Back Surface	15	0.301	0.095	0.396
LTE B7	NR n5	Front Surface	15	0.212	0.354	0.566
		Back Surface	15	0.292	0.266	0.558
LTE B7	NR n71	Front Surface	15	0.212	0.138	0.350
		Back Surface	15	0.292	0.095	0.387

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1+6_NSA

WWAN Ant1	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1	WWAN Ant6	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n2	NR n77	Front Surface	15	0.408	0.197	0.605
		Back Surface	15	0.506	1.068	1.574
NR n30	NR n77	Front Surface	15	0.166	0.197	0.363
		Back Surface	15	0.204	1.068	1.272
NR n66	NR n77	Front Surface	15	0.221	0.197	0.418
		Back Surface	15	0.272	1.068	1.340
LTE B2	NR n77	Front Surface	15	0.238	0.197	0.435
		Back Surface	15	0.335	1.068	1.403
LTE B30	NR n77	Front Surface	15	0.179	0.197	0.376
		Back Surface	15	0.294	1.068	1.362
LTE B66	NR n77	Front Surface	15	0.179	0.197	0.376
		Back Surface	15	0.301	1.068	1.369
LTE B7	NR n77	Front Surface	15	0.212	0.197	0.409
		Back Surface	15	0.292	1.068	1.360

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1+7_NSA

WWAN Ant1	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1	WWAN Ant7	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B30	LTE B2	Front Surface	15	0.179	0.147	0.326
		Back Surface	15	0.294	0.166	0.460
LTE B4	LTE B2	Front Surface	15	0.189	0.147	0.336
		Back Surface	15	0.243	0.166	0.409
LTE B2	LTE B4	Front Surface	15	0.238	0.039	0.277
		Back Surface	15	0.335	0.042	0.377
LTE B66	LTE B2	Front Surface	15	0.179	0.147	0.326
		Back Surface	15	0.301	0.166	0.467
LTE B2	LTE B66	Front Surface	15	0.238	0.037	0.275
		Back Surface	15	0.335	0.046	0.381
LTE B7	LTE B2	Front Surface	15	0.212	0.147	0.359
		Back Surface	15	0.292	0.166	0.458
LTE B30	LTE B66	Front Surface	15	0.179	0.037	0.216
		Back Surface	15	0.294	0.046	0.340
LTE B30	LTE B4	Front Surface	15	0.179	0.039	0.218
		Back Surface	15	0.294	0.042	0.336
NR n2	NR n77	Front Surface	15	0.408	0.150	0.558
		Back Surface	15	0.506	0.677	1.183
NR n30	NR n77	Front Surface	15	0.166	0.150	0.316
		Back Surface	15	0.204	0.677	0.881
NR n66	NR n77	Front Surface	15	0.221	0.150	0.371
		Back Surface	15	0.272	0.677	0.949
NR n41	NR n25	Front Surface	15	0.216	0.175	0.391
		Back Surface	15	0.236	0.191	0.427
NR n30	NR n2	Front Surface	15	0.166	0.168	0.334
		Back Surface	15	0.204	0.196	0.400
Nr n2	NR n66	Front Surface	15	0.408	0.060	0.468
		Back Surface	15	0.506	0.082	0.588
NR n66	Nr n2	Front Surface	15	0.221	0.168	0.389
		Back Surface	15	0.272	0.196	0.468
NR n30	NR n66	Front Surface	15	0.166	0.060	0.226
		Back Surface	15	0.204	0.082	0.286

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE B2	NR n77	Front Surface	15	0.238	0.150	0.388
		Back Surface	15	0.335	0.677	1.012
LTE B30	NR n77	Front Surface	15	0.179	0.150	0.329
		Back Surface	15	0.294	0.677	0.971
LTE B66	NR n77	Front Surface	15	0.179	0.150	0.329
		Back Surface	15	0.301	0.677	0.978
LTE B7	NR n77	Front Surface	15	0.212	0.150	0.362
		Back Surface	15	0.292	0.677	0.969
LTE B2	NR n30	Front Surface	15	0.238	0.196	0.434
		Back Surface	15	0.335	0.270	0.605
LTE B66	NR n30	Front Surface	15	0.179	0.196	0.375
		Back Surface	15	0.301	0.270	0.571
LTE B2	NR n66	Front Surface	15	0.238	0.060	0.298
		Back Surface	15	0.335	0.082	0.417
LTE B30	NR n2	Front Surface	15	0.179	0.168	0.347
		Back Surface	15	0.294	0.196	0.490
LTE B30	NR n66	Front Surface	15	0.179	0.060	0.239
		Back Surface	15	0.294	0.082	0.376
LTE B66	NR n2	Front Surface	15	0.179	0.168	0.347
		Back Surface	15	0.301	0.196	0.497
LTE B7	NR n66	Front Surface	15	0.212	0.060	0.272
		Back Surface	15	0.292	0.082	0.374
NR n7	LTE B66	Front Surface	15	0.198	0.037	0.235
		Back Surface	15	0.218	0.046	0.264
NR n41	LTE B2	Front Surface	15	0.216	0.147	0.363
		Back Surface	15	0.236	0.166	0.402
NR n41	LTE B66	Front Surface	15	0.216	0.037	0.253
		Back Surface	15	0.236	0.046	0.282

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1+8_NSA

WWAN Ant1	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1	WWAN Ant8	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n2	NR n77	Front Surface	15	0.408	0.303	0.711
		Back Surface	15	0.506	0.265	0.771
NR n30	NR n77	Front Surface	15	0.166	0.303	0.469
		Back Surface	15	0.204	0.265	0.469
NR n66	NR n77	Front Surface	15	0.221	0.303	0.524
		Back Surface	15	0.272	0.265	0.537
LTE B2	NR n77	Front Surface	15	0.238	0.303	0.541
		Back Surface	15	0.335	0.265	0.600
LTE B30	NR n77	Front Surface	15	0.179	0.303	0.482
		Back Surface	15	0.294	0.265	0.559
LTE B66	NR n77	Front Surface	15	0.179	0.303	0.482
		Back Surface	15	0.301	0.265	0.566
LTE B7	NR n77	Front Surface	15	0.212	0.303	0.515
		Back Surface	15	0.292	0.265	0.557
NR n41	NR n41	Front Surface	15	0.216	0.307	0.523
		Back Surface	15	0.236	0.263	0.499

1+9_NSA

WWAN Ant1	WWAN Ant9	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant1	WWAN Ant9	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n2	NR n77	Front Surface	15	0.408	0.175	0.583
		Back Surface	15	0.506	0.685	1.191
NR n30	NR n77	Front Surface	15	0.166	0.175	0.341
		Back Surface	15	0.204	0.685	0.889
NR n66	NR n77	Front Surface	15	0.221	0.175	0.396
		Back Surface	15	0.272	0.685	0.957
LTE B2	NR n77	Front Surface	15	0.238	0.175	0.413
		Back Surface	15	0.335	0.685	1.020
LTE B30	NR n77	Front Surface	15	0.179	0.175	0.354
		Back Surface	15	0.294	0.685	0.979
LTE B66	NR n77	Front Surface	15	0.179	0.175	0.354
		Back Surface	15	0.301	0.685	0.986
LTE B7	NR n77	Front Surface	15	0.212	0.175	0.387
		Back Surface	15	0.292	0.685	0.977
NR n41	NR n41	Front Surface	15	0.216	0.027	0.243
		Back Surface	15	0.236	0.109	0.345

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2+6_NSA

WWAN Ant2	WWAN Ant6	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant6 1g SAR (W/kg)	Summed 1g SAR (W/kg)
NR n12	NR n77	Front Surface	15	0.231	0.197	0.428
		Back Surface	15	0.194	1.068	1.262
NR n5	NR n77	Front Surface	15	0.354	0.197	0.551
		Back Surface	15	0.266	1.068	1.334
NR n2	NR n77	Front Surface	15	0.399	0.197	0.596
		Back Surface	15	0.254	1.068	1.322
NR n30	NR n77	Front Surface	15	0.357	0.197	0.554
		Back Surface	15	0.282	1.068	1.350
NR n66	NR n77	Front Surface	15	0.565	0.197	0.762
		Back Surface	15	0.329	1.068	1.397
LTE B12	NR n77	Front Surface	15	0.130	0.197	0.327
		Back Surface	15	0.103	1.068	1.171
LTE B5	NR n77	Front Surface	15	0.203	0.197	0.400
		Back Surface	15	0.145	1.068	1.213
LTE B2	NR n77	Front Surface	15	0.264	0.197	0.461
		Back Surface	15	0.190	1.068	1.258
LTE B30	NR n77	Front Surface	15	0.435	0.197	0.632
		Back Surface	15	0.279	1.068	1.347
LTE B66	NR n77	Front Surface	15	0.354	0.197	0.551
		Back Surface	15	0.228	1.068	1.296
LTE B7	NR n77	Front Surface	15	0.241	0.197	0.438
		Back Surface	15	0.187	1.068	1.255

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2+7_NSA

WWAN Ant2	WWAN Ant7	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2	WWAN Ant7	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B30	LTE B2	Front Surface	15	0.435	0.147	0.582
		Back Surface	15	0.279	0.166	0.445
LTE B4	LTE B2	Front Surface	15	0.292	0.147	0.439
		Back Surface	15	0.196	0.166	0.362
LTE B2	LTE B4	Front Surface	15	0.264	0.039	0.303
		Back Surface	15	0.190	0.042	0.232
LTE B66	LTE B2	Front Surface	15	0.354	0.147	0.501
		Back Surface	15	0.228	0.166	0.394
LTE B2	LTE B66	Front Surface	15	0.264	0.037	0.301
		Back Surface	15	0.190	0.046	0.236
LTE B7	LTE B2	Front Surface	15	0.241	0.147	0.388
		Back Surface	15	0.187	0.166	0.353
LTE B30	LTE B66	Front Surface	15	0.435	0.037	0.472
		Back Surface	15	0.279	0.046	0.325
LTE B30	LTE B4	Front Surface	15	0.435	0.039	0.474
		Back Surface	15	0.279	0.042	0.321
NR n12	NR n77	Front Surface	15	0.231	0.150	0.381
		Back Surface	15	0.194	0.677	0.871
NR n5	NR n77	Front Surface	15	0.354	0.150	0.504
		Back Surface	15	0.266	0.677	0.943
NR n2	NR n77	Front Surface	15	0.399	0.150	0.549
		Back Surface	15	0.254	0.677	0.931
NR n30	NR n77	Front Surface	15	0.357	0.150	0.507
		Back Surface	15	0.282	0.677	0.959
NR n66	NR n77	Front Surface	15	0.565	0.150	0.715
		Back Surface	15	0.329	0.677	1.006
NR n41	NR n25	Front Surface	15	0.470	0.175	0.645
		Back Surface	15	0.359	0.191	0.550
NR n30	NR n2	Front Surface	15	0.357	0.168	0.525
		Back Surface	15	0.282	0.196	0.478
Nr n2	NR n66	Front Surface	15	0.399	0.060	0.459
		Back Surface	15	0.254	0.082	0.336
NR n66	Nr n2	Front Surface	15	0.565	0.168	0.733
		Back Surface	15	0.329	0.196	0.525
NR n30	NR n66	Front Surface	15	0.357	0.060	0.417
		Back Surface	15	0.282	0.082	0.364

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE B12	NR n77	Front Surface	15	0.130	0.168	0.298
		Back Surface	15	0.103	0.196	0.299
LTE B5	NR n77	Front Surface	15	0.203	0.168	0.371
		Back Surface	15	0.145	0.196	0.341
LTE B2	NR n77	Front Surface	15	0.264	0.168	0.432
		Back Surface	15	0.190	0.196	0.386
LTE B30	NR n77	Front Surface	15	0.435	0.168	0.603
		Back Surface	15	0.279	0.196	0.475
LTE B66	NR n77	Front Surface	15	0.354	0.168	0.522
		Back Surface	15	0.228	0.196	0.424
LTE B7	NR n77	Front Surface	15	0.241	0.168	0.409
		Back Surface	15	0.187	0.196	0.383
LTE B2	NR n30	Front Surface	15	0.264	0.196	0.460
		Back Surface	15	0.190	0.270	0.460
LTE B66	NR n30	Front Surface	15	0.354	0.196	0.550
		Back Surface	15	0.228	0.270	0.498
LTE B2	NR n66	Front Surface	15	0.264	0.060	0.324
		Back Surface	15	0.190	0.082	0.272
LTE B30	NR n2	Front Surface	15	0.435	0.168	0.603
		Back Surface	15	0.279	0.196	0.475
LTE B30	NR n66	Front Surface	15	0.435	0.060	0.495
		Back Surface	15	0.279	0.082	0.361
LTE B66	NR n2	Front Surface	15	0.354	0.168	0.522
		Back Surface	15	0.228	0.196	0.424
LTE B7	NR n66	Front Surface	15	0.241	0.060	0.301
		Back Surface	15	0.187	0.082	0.269
NR n7	LTE B66	Front Surface	15	0.373	0.037	0.410
		Back Surface	15	0.317	0.046	0.363
NR n41	LTE B2	Front Surface	15	0.470	0.147	0.617
		Back Surface	15	0.359	0.166	0.525
NR n41	LTE B66	Front Surface	15	0.470	0.037	0.507
		Back Surface	15	0.359	0.046	0.405

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2+8_NSA

WWAN Ant2	WWAN Ant8	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1 Summed
				WWAN Ant2 1g SAR (W/kg)	WWAN Ant8 1g SAR (W/kg)	
NR n12	NR n77	Front Surface	15	0.231	0.303	0.534
		Back Surface	15	0.194	0.265	0.459
NR n5	NR n77	Front Surface	15	0.354	0.303	0.657
		Back Surface	15	0.266	0.265	0.531
NR n2	NR n77	Front Surface	15	0.399	0.303	0.702
		Back Surface	15	0.254	0.265	0.519
NR n30	NR n77	Front Surface	15	0.357	0.303	0.660
		Back Surface	15	0.282	0.265	0.547
NR n66	NR n77	Front Surface	15	0.565	0.303	0.868
		Back Surface	15	0.329	0.265	0.594
LTE B12	NR n77	Front Surface	15	0.130	0.303	0.433
		Back Surface	15	0.103	0.265	0.368
LTE B5	NR n77	Front Surface	15	0.203	0.303	0.506
		Back Surface	15	0.145	0.265	0.410
LTE B2	NR n77	Front Surface	15	0.264	0.303	0.567
		Back Surface	15	0.190	0.265	0.455
LTE B30	NR n77	Front Surface	15	0.435	0.303	0.738
		Back Surface	15	0.279	0.265	0.544
LTE B66	NR n77	Front Surface	15	0.354	0.303	0.657
		Back Surface	15	0.228	0.265	0.493
LTE B7	NR n77	Front Surface	15	0.241	0.303	0.544
		Back Surface	15	0.187	0.265	0.452
NR n41	NR n41	Front Surface	15	0.470	0.307	0.777
		Back Surface	15	0.359	0.263	0.622

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2+9_NSA

WWAN Ant2	WWAN Ant9	Exposure Position		Reported SAR		Scenario 1
				0	1	0+1
				WWAN Ant2	WWAN Ant9	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
NR n12	NR n77	Front Surface	15	0.231	0.175	0.406
		Back Surface	15	0.194	0.685	0.879
NR n5	NR n77	Front Surface	15	0.354	0.175	0.529
		Back Surface	15	0.266	0.685	0.951
NR n2	NR n77	Front Surface	15	0.399	0.175	0.574
		Back Surface	15	0.254	0.685	0.939
NR n30	NR n77	Front Surface	15	0.357	0.175	0.532
		Back Surface	15	0.282	0.685	0.967
NR n66	NR n77	Front Surface	15	0.565	0.175	0.740
		Back Surface	15	0.329	0.685	1.014
LTE B12	NR n77	Front Surface	15	0.130	0.175	0.305
		Back Surface	15	0.103	0.685	0.788
LTE B5	NR n77	Front Surface	15	0.203	0.175	0.378
		Back Surface	15	0.145	0.685	0.830
LTE B2	NR n77	Front Surface	15	0.264	0.175	0.439
		Back Surface	15	0.190	0.685	0.875
LTE B30	NR n77	Front Surface	15	0.435	0.175	0.610
		Back Surface	15	0.279	0.685	0.964
LTE B66	NR n77	Front Surface	15	0.354	0.175	0.529
		Back Surface	15	0.228	0.685	0.913
LTE B7	NR n77	Front Surface	15	0.241	0.175	0.416
		Back Surface	15	0.187	0.685	0.872
NR n41	NR n41	Front Surface	15	0.470	0.027	0.497
		Back Surface	15	0.359	0.109	0.468

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7+8_NSA

				Reported SAR		Scenario 1
WWAN Ant7	WWAN Ant8	Exposure Position		0	1	0+1
				WWAN Ant7	WWAN Ant8	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B2	NR n41	Front Surface	15	0.147	0.307	0.454
		Back Surface	15	0.166	0.263	0.429
LTE B66	NR n41	Front Surface	15	0.037	0.307	0.344
		Back Surface	15	0.046	0.263	0.309

7+9_NSA

				Reported SAR		Scenario 1
WWAN Ant7	WWAN Ant9	Exposure Position		0	1	0+1
				WWAN Ant7	WWAN Ant9	Summed
				1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE B2	NR n41	Front Surface	15	0.147	0.027	0.174
		Back Surface	15	0.166	0.109	0.275
LTE B66	NR n41	Front Surface	15	0.037	0.027	0.064
		Back Surface	15	0.046	0.109	0.155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

WVAV Area	WVAV Area	Exposure Position	Reported GRI												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		
			0		1		2		3		4		5		6		7		8		9		10		11		12		
			WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)	WVAV Area (WVAV Area) (WVAV Area)
LTB B22	LTB B20	Front Surface	0.220	0.207	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
			0.219	0.206	0.182	0.180	0.176	0.200	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
LTB B22	LTB B66	Front Surface	0.220	0.207	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
			0.219	0.206	0.182	0.180	0.176	0.200	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
LTB B22	LTB B66	Back Surface	0.220	0.207	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
			0.219	0.206	0.182	0.180	0.176	0.200	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.740	1.122	1.103	0.980	0.862	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820	0.820
LTB B26	LTB B20	Front Surface	0.440	0.208	0.163	0.072	0.063	0.208	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.240	1.240	1.130	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864
			0.429	0.208	0.164	0.080	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.739	1.133	1.134	1.048	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870
LTB B26	LTB B20	Back Surface	0.440	0.208	0.163	0.072	0.063	0.208	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.240	1.240	1.130	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864	0.864
			0.429	0.208	0.164	0.080	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.739	1.133	1.134	1.048	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870
LTB B50	LTB B20	Front Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.246	1.247	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
LTB B71	LTB B20	Back Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.246	1.247	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
LTB B71	LTB B66	Front Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.246	1.247	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
LTB B71	LTB B66	Back Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.246	1.247	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826
LTB B80	LTB B7	Front Surface	0.346	0.232	0.164	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.222	1.203	1.059	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
			0.449	0.232	0.164	0.072	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.880	1.233	1.244	1.136	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
LTB B80	LTB B84	Back Surface	0.346	0.232	0.164	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.222	1.203	1.059	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
			0.449	0.232	0.164	0.072	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.880	1.233	1.244	1.136	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
LTB B82	LTB B84	Front Surface	0.317	0.243	0.163	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.056	1.028	0.819	0.690	0.717	0.690	0.717	0.690	0.717	0.690	0.717	0.690	
			0.419	0.243	0.163	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.056	1.028	0.819	0.690	0.717	0.690	0.717	0.690	0.717	0.690	0.717	0.690	
LTB B82	LTB B84	Back Surface	0.317	0.243	0.163	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.056	1.028	0.819	0.690	0.717	0.690	0.717	0.690	0.717	0.690	0.717	0.690	
			0.419	0.243	0.163	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.056	1.028	0.819	0.690	0.717	0.690	0.717	0.690	0.717	0.690	0.717	0.690	
LTB B71	LTB B84	Front Surface	0.319	0.249	0.164	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.887	1.040	1.041	0.887	0.688	0.748	0.748	0.748	0.688	0.748	0.748	0.688	0.748	
			0.421	0.249	0.164	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.887	1.040	1.041	0.887	0.688	0.748	0.748	0.748	0.688	0.748	0.748	0.688	0.748	
LTB B71	LTB B26	Back Surface	0.319	0.249	0.164	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.887	1.040	1.041	0.887	0.688	0.748	0.748	0.748	0.688	0.748	0.748	0.688	0.748	
			0.421	0.249	0.164	0.072	0.063	0.228	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.887	1.040	1.041	0.887	0.688	0.748	0.748	0.748	0.688	0.748	0.748	0.688	0.748	
LTB B26	LTB B20	Front Surface	0.440	0.208	0.163	0.072	0.063	0.208	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.236	1.236	1.072	0.786	0.833	0.833	0.833	0.786	0.833	0.833	0.786	0.833	
			0.429	0.208	0.163	0.072	0.063	0.208	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.236	1.237	1.072	0.786	0.833	0.833	0.833	0.786	0.833	0.833	0.786	0.833	
LTB B26	LTB B20	Back Surface	0.440	0.208	0.163	0.072	0.063	0.208	0.498	0.453	0.031	0.004	0.042	0.113	0.104	0.882	1.236	1.237	1.072	0.786	0.833	0.833	0.833	0.786	0.833	0.833	0.786	0.833	
			0.429	0.208	0.164	0.080	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.739	1.133	1.134	1.048	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	0.870	
LTB B50	LTB B66	Front Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.247	1.248	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	
LTB B50	LTB B66	Back Surface	0.346	0.238	0.184	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.247	1.248	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	
			0.453	0.235	0.033	0.022	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.820	1.240	1.241	1.130	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	0.826	
LTB B50	LTB B7	Front Surface	0.346	0.232	0.164	0.182	0.176	0.201	0.520	0.487	0.114	0.020	0.080	0.228	0.204	0.883	1.222	1.203	1.059	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
			0.449	0.232	0.164	0.072	0.063	0.228	0.498	0.453	0.033	0.004	0.042	0.113	0.104	0.880	1.233	1.244	1.136	0.782	0.820	0.820	0.820	0.776	0.820	0.820	0.776	0.820	
LTB B50																													

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sqs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sqs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

[illegible]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



0+6_NSA_SLM

WWAN Ant	WWAN Ant	Exposure Position	Regulated SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8										
			1		2		3		4		5		6		7		8		9		10		11		12		Summed	Summed	Summed	Summed	Summed	Summed
			WWAN Ant	WWAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	Bluetooth Ant	Bluetooth Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant						
NR n12	NR n77	Front Surface	35	0.152	0.095	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.586	0.629	0.590	0.786	0.489	0.627	0.683									
		Back Surface	35	0.221	0.559	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.002	1.275	1.268	1.238	0.819	0.890	0.917	0.869								
NR n5	NR n77	Front Surface	35	0.760	0.095	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.764	1.137	1.118	0.916	0.897	0.875	0.881									
		Back Surface	35	0.416	0.559	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.287	1.470	1.461	1.413	1.014	1.080	1.112	1.084								
LTE B12	NR n77	Front Surface	35	0.233	0.095	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.897	1.010	0.995	0.847	0.579	0.708	0.768									
		Back Surface	35	0.317	0.559	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.068	1.251	1.242	1.184	0.815	0.886	0.913									
LTE B5	NR n77	Front Surface	35	0.346	0.095	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.790	1.123	1.104	0.960	0.683	0.811	0.877									
		Back Surface	35	0.453	0.559	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.234	1.507	1.498	1.409	1.051	1.122	1.149									

0+7_NSA_SLM

WWAN Ant	WWAN Ant	Exposure Position	Regulated Sub												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			0	1	2	3	4	5	6	7	8	9	10	11	12	Summed	Summed	Summed	Summed	Summed	Summed	Summed
			WWAN Ant	WWAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	Bluetooth Ant	Bluetooth Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant							
NR n12	NR n77	Front Surface	35	0.152	0.139	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.586	0.547	0.503	0.538	0.464	0.520
		Back Surface	35	0.221	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.030	1.303	1.294	1.246	0.847	0.918
NR n5	NR n77	Front Surface	35	0.380	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.801	1.174	1.165	1.011	0.734	0.872
		Back Surface	35	0.416	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.225	1.498	1.489	1.441	1.042	1.113
LTE B12	NR n77	Front Surface	35	0.233	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.874	1.047	1.028	0.884	0.607	0.745
		Back Surface	35	0.317	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.128	1.399	1.390	1.342	0.943	1.014
LTE B5	NR n77	Front Surface	35	0.346	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.787	1.160	1.141	0.997	0.720	0.858
		Back Surface	35	0.453	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.282	1.535	1.526	1.478	1.079	1.150

0+8_NSA_SLM

WWAN Ant	WWAN Ant	Exposure Position	Regulated Sub												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			0	1	2	3	4	5	6	7	8	9	10	11	12	Summed	Summed	Summed	Summed	Summed	Summed	Summed
			WWAN Ant	WWAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	Bluetooth Ant	Bluetooth Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant							
NR n12	NR n77	Front Surface	35	0.152	0.139	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.586	0.547	0.503	0.538	0.464	0.520
		Back Surface	35	0.221	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.030	1.303	1.294	1.246	0.847	0.918
NR n5	NR n77	Front Surface	35	0.380	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.801	1.174	1.165	1.011	0.734	0.872
		Back Surface	35	0.416	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.225	1.498	1.489	1.441	1.042	1.113
LTE B12	NR n77	Front Surface	35	0.233	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.874	1.047	1.028	0.884	0.607	0.745
		Back Surface	35	0.317	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.128	1.399	1.390	1.342	0.943	1.014
LTE B5	NR n77	Front Surface	35	0.346	0.132	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.787	1.160	1.141	0.997	0.720	0.858
		Back Surface	35	0.453	0.587	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.282	1.535	1.526	1.478	1.079	1.150

0+9_NSA_SLM

WWAN Ant	WWAN Ant	Exposure Position	Regulated Sub												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			0	1	2	3	4	5	6	7	8	9	10	11	12	Summed	Summed	Summed	Summed	Summed	Summed	Summed
			WWAN Ant	WWAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant	Bluetooth Ant	Bluetooth Ant	5GHz WLAN Ant	5GHz WLAN Ant	5GHz WLAN Ant							
NR n12	NR n77	Front Surface	35	0.152	0.139	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.587	0.570	0.561	0.587	0.528	0.468
		Back Surface	35	0.221	0.558	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.001	1.274	1.265	1.217	0.818	0.889
NR n5	NR n77	Front Surface	35	0.760	0.136	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.805	1.178	1.169	1.015	0.736	0.876
		Back Surface	35	0.416	0.558	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.286	1.469	1.460	1.412	1.013	1.084
LTE B12	NR n77	Front Surface	35	0.233	0.136	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.878	1.051	1.032	0.888	0.611	0.749
		Back Surface	35	0.317	0.558	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.087	1.370	1.361	1.313	0.914	0.985
LTE B5	NR n77	Front Surface	35	0.346	0.136	0.144	0.152	0.176	0.255	0.520	0.487	0.014	0.015	0.500	0.228	0.354	0.791	1.164	1.145	1.001	0.724	0.862
		Back Surface	35	0.453	0.558	0.053	0.072	0.053	0.258	0.498	0.453	0.001	0.004	0.040	0.113	0.354	1.233	1.506	1.497	1.449	1.050	1.121

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



1+2_NSA_SLM

WVWAI_A01	WVWAI_A02	Exposure Position	Reported SAR												Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			WVWAI_A01	WVWAI_A02	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	2.4GHz WLAN	5GHz WLAN	5GHz WLAN	5GHz WLAN	Bluetooth	Bluetooth	5G NR	5G NR	5G NR	5G NR	5G NR	5G NR	5G NR	5G NR	5G NR
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE-B45	LTE-B12	Front Surface	15	0.207	0.139	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.648	0.959	0.897	0.949	0.921	0.946
		Back Surface	15	0.288	0.103	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.633	0.968	0.887	0.949	0.921	0.946
LTE-B30	LTE-B12	Front Surface	15	0.179	0.130	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.638	0.961	0.972	0.928	0.951	0.939
		Back Surface	15	0.284	0.103	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.639	0.932	0.903	0.905	0.895	0.927
LTE-B86	LTE-B12	Front Surface	15	0.179	0.130	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.638	0.961	0.972	0.928	0.951	0.939
		Back Surface	15	0.301	0.103	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.646	0.910	0.910	0.902	0.883	0.924
LTE-B25	LTE-B26	Front Surface	15	0.207	0.139	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.732	1.105	1.093	0.962	0.985	0.933
		Back Surface	15	0.288	0.102	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.682	0.955	0.946	0.988	0.949	0.975
LTE-B2	LTE-B12	Front Surface	15	0.238	0.130	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.677	1.050	1.033	0.987	0.910	0.748
		Back Surface	15	0.335	0.103	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.683	0.944	0.895	0.897	0.958	0.935
LTE-B2	LTE-B5	Front Surface	15	0.238	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.760	1.123	1.104	0.960	0.983	0.821
		Back Surface	15	0.335	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.722	0.995	0.988	0.938	0.939	0.837
LTE-B2	LTE-B71	Front Surface	15	0.238	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.628	1.032	1.004	0.869	0.933	0.711
		Back Surface	15	0.335	0.090	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.667	0.940	0.931	0.883	0.884	0.555
LTE-B86	LTE-B71	Front Surface	15	0.179	0.103	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.561	0.864	0.845	0.801	0.524	0.682
		Back Surface	15	0.301	0.090	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.633	0.906	0.897	0.849	0.450	0.511
LTE-B7	LTE-B26	Front Surface	15	0.212	0.218	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.737	1.110	1.093	0.947	0.970	0.808
		Back Surface	15	0.262	0.152	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.688	0.909	0.950	0.902	0.933	0.574
LTE-B4	LTE-B12	Front Surface	15	0.243	0.130	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.638	0.961	0.882	0.904	0.905	0.476
		Back Surface	15	0.243	0.130	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.638	0.961	0.882	0.904	0.905	0.476
LTE-B4	LTE-B5	Front Surface	15	0.189	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.701	1.074	1.055	0.911	0.934	0.772
		Back Surface	15	0.243	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.638	0.909	0.904	0.846	0.467	0.518
LTE-B4	LTE-B71	Front Surface	15	0.189	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.638	0.909	0.904	0.846	0.467	0.518
		Back Surface	15	0.243	0.090	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.575	0.848	0.839	0.791	0.392	0.463
LTE-B25	LTE-B5	Front Surface	15	0.207	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.719	1.092	1.073	0.929	0.952	0.790
		Back Surface	15	0.288	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.675	0.948	0.909	0.882	0.882	0.503
LTE-B30	LTE-B5	Front Surface	15	0.179	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.661	1.064	1.045	0.901	0.924	0.762
		Back Surface	15	0.294	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.661	0.954	0.945	0.897	0.498	0.569
LTE-B66	LTE-B5	Front Surface	15	0.179	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.661	1.064	1.045	0.901	0.924	0.762
		Back Surface	15	0.301	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.661	0.964	0.955	0.903	0.925	0.763
LTE-B7	LTE-B5	Front Surface	15	0.212	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.724	1.097	1.078	0.934	0.957	0.795
		Back Surface	15	0.294	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.675	0.948	0.939	0.891	0.912	0.534
NR-B30	NR-B12	Front Surface	15	0.186	0.204	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.708	1.080	1.060	0.948	0.949	0.777
		Back Surface	15	0.204	0.194	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.640	0.913	0.904	0.896	0.467	0.528
NR-B66	NR-B12	Front Surface	15	0.186	0.204	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.708	1.080	1.060	0.948	0.949	0.777
		Back Surface	15	0.272	0.154	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.708	0.961	0.972	0.924	0.925	0.566
NR-B2	NR-B12	Front Surface	15	0.408	0.235	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.948	1.321	1.292	1.158	0.981	1.018
		Back Surface	15	0.408	0.235	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.948	1.321	1.292	1.158	0.981	1.018
NR-B2	NR-B5	Front Surface	15	0.408	0.235	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.948	1.321	1.292	1.158	0.981	1.018
		Back Surface	15	0.408	0.235	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.948	1.321	1.292	1.158	0.981	1.018
NR-B66	LTE-B12	Front Surface	15	0.221	0.139	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.640	1.033	1.014	0.879	0.933	0.731
		Back Surface	15	0.272	0.103	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.617	0.899	0.881	0.833	0.434	0.550
LTE-B2	NR-B5	Front Surface	15	0.238	0.204	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.701	1.104	1.085	0.941	0.964	0.812
		Back Surface	15	0.335	0.208	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.643	0.918	0.909	0.860	0.731	0.738
LTE-B2	NR-B71	Front Surface	15	0.238	0.138	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.640	1.033	1.014	0.879	0.933	0.731
		Back Surface	15	0.335	0.095	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.672	0.945	0.936	0.889	0.499	0.560
LTE-B30	NR-B5	Front Surface	15	0.179	0.204	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.642	1.033	1.014	0.879	0.933	0.731
		Back Surface	15	0.294	0.208	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.602	0.875	0.866	0.818	0.490	0.717
NR-B2	LTE-B5	Front Surface	15	0.408	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.920	1.291	1.271	1.128	0.953	0.981
		Back Surface	15	0.509	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.683	1.166	1.157	1.109	0.710	0.781
NR-B30	LTE-B5	Front Surface	15	0.186	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.018	0.080	0.238	0.204	0.678	1.051	1.032	0.888	0.911	0.749
		Back Surface	15	0.294	0.145	0.013	0.072	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.104	0.661	0.954	0.945	0.897	0.499	0.570
NR-B66	LTE-B5	Front Surface	15	0.221	0.203	0.144	0.182	0.176	0.201	0.520	0.487	0.014	0.0									

				Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8	
WWAN Ant	WWAN Ant	Exposure Position	0		1		2		3		4		5		6		7		8		9		10		11		12		13		
			WLAN Ant	WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	2.4GHz WLAN Ant	
				SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)		SAR (W/m²)	
LTE B20	LTE B2	Front Surface	15	0.250	0.154	0.150	0.144	0.150	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.638	1.011	0.992	0.948	0.571	0.709	0.709	0.565	0.709	0.709	0.565	0.709	0.709	
LTE B20	LTE B2	Back Surface	15	0.294	0.677	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	1.213	1.486	1.477	1.429	1.030	1.101	1.128	1.080	1.128	1.080	1.128	1.080	1.128	1.080	
LTE B4	LTE B2	Front Surface	15	0.189	0.150	0.144	0.140	0.182	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.646	1.011	1.002	0.958	0.571	0.710	0.710	0.575	0.710	0.710	0.575	0.710	0.710	
LTE B4	LTE B2	Back Surface	15	0.243	0.677	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	1.262	1.435	1.426	1.379	0.979	1.050	1.077	1.029	1.077	1.029	1.050	1.077	1.029		
LTE B2	LTE B4	Front Surface	15	0.238	0.659	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.988	0.859	0.940	0.796	0.519	0.657	0.657	0.513	0.657	0.657	0.513	0.657	0.657		
LTE B2	LTE B4	Back Surface	15	0.332	0.683	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.883	0.882	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	
LTE B66	LTE B2	Front Surface	15	0.179	0.150	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.638	1.011	0.992	0.948	0.571	0.709	0.709	0.565	0.709	0.709	0.565	0.709	0.709		
LTE B66	LTE B2	Back Surface	15	0.301	0.677	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	1.229	1.483	1.484	1.436	1.037	1.103	1.133	1.087	1.133	1.087	1.103	1.133	1.087		
LTE B2	LTE B66	Front Surface	15	0.238	0.659	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.988	0.859	0.940	0.796	0.519	0.657	0.657	0.513	0.657	0.657	0.513	0.657	0.657		
LTE B2	LTE B66	Back Surface	15	0.332	0.683	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	
LTE B7	LTE B2	Front Surface	15	0.212	0.150	0.144	0.140	0.182	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.671	1.044	1.025	0.983	0.584	0.742	0.742	0.627	0.742	0.742	0.627	0.742	0.742	
LTE B7	LTE B2	Back Surface	15	0.260	0.677	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	1.111	1.484	1.475	1.427	1.028	1.099	1.128	1.078	1.099	1.128	1.078	1.099	1.128	1.078	
LTE B30	LTE B66	Front Surface	15	0.179	0.037	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.527	0.890	0.881	0.737	0.460	0.508	0.508	0.454	0.508	0.508	0.454	0.508	0.508		
LTE B30	LTE B66	Back Surface	15	0.294	0.686	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.982	0.885	0.886	0.798	0.529	0.470	0.483	0.483	0.470	0.483	0.483	0.470	0.483	0.483	
LTE B30	LTE B4	Front Surface	15	0.179	0.058	0.144	0.140	0.182	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.527	0.890	0.881	0.737	0.460	0.508	0.508	0.454	0.508	0.508	0.454	0.508	0.508	
LTE B30	LTE B4	Back Surface	15	0.294	0.684	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.978	0.881	0.882	0.794	0.535	0.466	0.486	0.486	0.466	0.486	0.486	0.466	0.486	0.486	
NR v2	NR v7	Front Surface	15	0.408	0.132	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.889	1.222	1.203	1.059	0.762	0.920	0.920	0.776	0.920	0.920	0.776	0.920	0.920		
NR v2	NR v7	Back Surface	15	0.508	0.587	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	1.315	1.588	1.579	1.531	1.132	1.203	1.230	1.182	1.230	1.182	1.203	1.230	1.182	1.230	1.182
NR v30	NR v7	Front Surface	15	0.168	0.132	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.607	0.980	0.961	0.817	0.540	0.678	0.678	0.584	0.678	0.678	0.584	0.678	0.678		
NR v30	NR v7	Back Surface	15	0.204	0.587	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.813	1.286	1.277	1.229	0.820	0.901	0.920	0.800	0.901	0.920	0.800	0.901	0.920	0.800	
NR v66	NR v7	Front Surface	15	0.221	0.132	0.144	0.140	0.182	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.662	1.035	1.016	0.972	0.599	0.733	0.733	0.589	0.733	0.733	0.589	0.733	0.733	
NR v66	NR v7	Back Surface	15	0.323	0.132	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.862	1.035	1.016	0.972	0.599	0.733	0.733	0.589	0.733	0.733	0.589	0.733	0.733		
NR v41	NR v2	Front Surface	15	0.218	0.175	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.780	1.072	1.053	0.933	0.635	0.771	0.771	0.627	0.771	0.771	0.627	0.771	0.771		
NR v41	NR v2	Back Surface	15	0.381	0.381	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.869	0.842	0.851	0.803	0.587	0.684	0.684	0.588	0.684	0.684	0.588	0.684	0.684		
NR v41	NR v2	Front Surface	15	0.168	0.168	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.643	1.016	0.997	0.853	0.576	0.714	0.714	0.579	0.714	0.714	0.579	0.714	0.714		
NR v2	NR v66	Front Surface	15	0.204	0.587	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.869	1.072	1.053	0.933	0.635	0.771	0.771	0.627	0.771	0.771	0.627	0.771	0.771		
NR v66	NR v2	Back Surface	15	0.323	0.175	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.862	1.035	1.016	0.972	0.599	0.733	0.733	0.589	0.733	0.733	0.589	0.733	0.733		
NR v66	NR v2	Front Surface	15	0.508	0.602	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.830	1.103	1.094	1.046	0.647	0.718	0.718	0.587	0.718	0.718	0.587	0.718	0.718		
NR v66	NR v2	Back Surface	15	0.221	0.221	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.643	1.016	0.997	0.853	0.576	0.714	0.714	0.579	0.714	0.714	0.579	0.714	0.714		
NR v30	NR v66	Front Surface	15	0.272	0.587	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.869	1.072	1.053	0.933	0.635	0.771	0.771	0.627	0.771	0.771	0.627	0.771	0.771		
NR v30	NR v66	Back Surface	15	0.166	0.166	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.535	0.898	0.889	0.740	0.480	0.606	0.606	0.462	0.606	0.606	0.462	0.606	0.606		
LTE B2	NR v7	Front Surface	15	0.238	0.659	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.988	0.859	0.940	0.796	0.519	0.657	0.657	0.513	0.657	0.657	0.513	0.657	0.657		
LTE B2	NR v7	Back Surface	15	0.332	0.683	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	
LTE B66	NR v7	Front Surface	15	0.238	0.659	0.144	0.140	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354	0.988	0.859	0.940	0.796	0.519	0.657	0.657	0.513	0.657	0.657	0.513	0.657	0.657		
LTE B66	NR v7	Back Surface	15	0.332	0.683	0.013	0.012	0.053	0.238	0.498	0.453	0.001	0.004	0.042	0.113	0.354	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	0.883	
LTE B7	NR v7	Front Surface	15	0.212	0.132	0.144	0.140	0.182	0.176	0.261	0.520	0.487	0.014	0.010	0.500	0.228	0.354														

		Reported SAR												Scenario 1												Scenario 2												Scenario 3												Scenario 4												Scenario 5												Scenario 6												Scenario 7												Scenario 8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100		101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200		201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300		301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400		401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461		462		463		464		465		466		467		468		469		470		471		472		473		474		475		476		477		478		479		480		481		482		483		484		485		486		487		488		489		490		491		492		493		494		495		496		497		498		499		500		501		502		503		504		505		506		507		508		509		510		511		512		513		514		515		516		517		518		519		520		521		522		523		524		525		526		527		528		529		530		531		532		533		534		535		536		537		538		539		540		541		542		543		544		545		546		547		548		549		550		551		552		553		554		555		556		557		558		559		560		561		562		563		564		565		566		567		568		569		570		571		572		573		574		575		576		577		578		579		580		581		582		583		584		585		586		587		588		589		590		591		592		593		594		595		596		597		598		599		600		601		602		603		604		605		606		607		608		609		610		611		612		613		614		615		616		617		618		619		620		621		622		623		624		625		626		627		628		629		630		631		632		633		634		635		636		637		638		639		640		641		642		643		644		645		646		647		648		649		650		651		652		653		654		655		656		657		658		659		660		661		662		663		664		665		666		667		668		669		670		671		672		673		674		675		676		677		678		679		680		681		682		683		684		685		686		687		688		689		690		691		692		693		694		695		696		697		698		699		700		701		702		703		704		705		706		707		708		709		710		711		712		713		714		715		716		717		718		719		720		721		722		723		724		725		726		727		728		729		730		731		732		733		734		735		736		737		738		739		740		741		742		743		744		745		746		747		748		749		750		751		752		753		754		755		756		757		758		759		760		761		762		763		764		765		766		767		768		769		770		771		772		773		774		775		776		777		778		779		780		781		782		783		784		785		786		787		788		789		790		791		792		793		794		795		796		797		798		799		800		801		802		803		804		805		806		807		808		809		810		811		812		813		814		815		816		817		818		819		820		821		822		823		824		825		826		827		828		829		830		831		832		833		834		835		836		837		838		839		840		841		842		843		844		845		846		847		848		849		850		851		852		853		854		855		856		857		858		859		860		861		862		863		864		865		866		867		868		869		870		871		872		873		874		875		876		877		878		879		880		881		882		883		884		885		886		887		888		889		890		891		892		893		894		895		896		897		898		899		900		901		902		903		904		905		906		907		908		909		910		911		912		913		914		915		916		917		918		919		920		921		922		923		924		925		926		927		928		929		930		931		932		933		934		935		936		937		938		939		940		941		942		943		944		945		946		947		948		949		950		951		952		953		954		955		956		957		958		959		960		961		962		963		964		965		966		967		968		969		970		971		972		973		974		975		976		977		978		979		980		981		982		983		984		985		986		987		988		989		990		991		992		993		994		995		996		997		998		999		1000		1001		1002		1003		1004		1005		1006		1007		1008		1009		1010		1011		1012		1013		1014		1015		1016		1017		1018		1019		1020		1021		1022		1023		1024		1025		1026		1027		1028		1029		1030		1031		1032		1033		1034		1035		1036		1037		1038		1039		1040		1041		1042		1043		1044		1045		1046		1047		1048		1049		1050		1051		1052		1053		1054		1055		1056		1057		1058		1059		1060		1061		1062		1063		1064		1065		1066		1067		1068		1069		1070		1071		1072		1073		1074		1075		1076		1077		1078		1079		1080		1081		1082		1083		1084		1085		1086		1087		1088		1089		1090		1091		1092		1093		1094		1095		1096		1097		1098		1099		1100		1101		1102		1103		1104		1105		1106		1107		1108		1109		1110		1111		1112		111	

2+7_NSA_SLM

WWAN Ant		Exposure Position	Reported SAR												Scenario 1		Scenario 2		Scenario 3		Scenario 4		Scenario 5		Scenario 6		Scenario 7		Scenario 8	
			1g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)		2g SAR (W/kg)			
			0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
LTE i80	LTE i82	Front Surface	15	0.270	0.144	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.981	1.284	1.285	1.201	0.924	0.942	0.942	0.818	0.818	0.818	0.818	0.818	0.818	
LTE i84	LTE i82	Back Surface	15	0.256	0.059	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.981	1.284	1.285	1.201	0.924	0.942	0.942	0.818	0.818	0.818	0.818	0.818	0.818	0.818
		Front Surface	15	0.262	0.147	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.746	1.121	1.102	0.958	0.881	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818	0.818
LTE i86	LTE i82	Back Surface	15	0.198	0.042	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.884	0.877	0.888	0.820	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821
		Front Surface	15	0.264	0.097	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.813	0.983	0.984	0.820	0.843	0.881	0.881	0.818	0.818	0.818	0.818	0.818	0.818	0.818
LTE i82	LTE i86	Back Surface	15	0.198	0.059	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.884	0.887	0.888	0.820	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821	0.821
		Front Surface	15	0.241	0.147	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.887	1.070	1.061	0.907	0.839	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788	0.788
LTE i80	LTE i84	Back Surface	15	0.187	0.046	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.985	0.988	0.959	0.811	0.812	0.812	0.812	0.812	0.812	0.812	0.812	0.812	0.812	0.812
		Front Surface	15	0.410	0.097	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.763	1.134	1.135	0.981	0.734	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852	0.852
LTE i86	LTE i84	Back Surface	15	0.279	0.059	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.987	0.840	0.881	0.783	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845	0.845
		Front Surface	15	0.410	0.039	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.793	1.136	1.117	0.993	0.718	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834	0.834
NR i22	NR i77	Back Surface	15	0.279	0.059	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.887	0.719	0.710	0.845	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767	0.767
		Front Surface	15	0.215	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.872	1.046	1.026	0.886	0.848	0.743	0.743	0.743	0.743	0.743	0.743	0.743	0.743	0.743
NR i5	NR i77	Back Surface	15	0.194	0.047	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	1.003	1.076	1.067	1.119	0.820	0.891	0.918	0.870	0.870	0.870	0.870	0.870	0.870	0.870
		Front Surface	15	0.354	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.768	1.148	1.149	0.986	0.746	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
NR i5	NR i77	Back Surface	15	0.368	0.047	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	1.075	1.148	1.139	1.081	0.892	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.690	1.211	1.194	0.999	0.779	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911	0.911
NR i30	NR i77	Back Surface	15	0.263	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.357	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986	0.833	0.833	0.743	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833	0.833
		Front Surface	15	0.590	0.132	0.144	0.162	0.176	0.261	0.520	0.487	0.014	0.018	0.060	0.228	0.354	0.789	1.171	1.152	1.008	0.771	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899	0.899
NR i46	NR i77	Back Surface	15	0.260	0.057	0.013	0.072	0.063	0.258	0.498	0.453	0.001	0.004	0.041	0.113	0.354	0.986													

[illegible]

Member of SGS Group

Product specific 10g SAR

	Exposure Position		Reported SAR					Scenario 1	Scenario 2	Scenario 3
			1	2	3	4	5	1+2+5	1+3+5	1+4+5
			WWAN	5/6GHz WLAN Ant4	5/6GHz WLAN Ant5	5/6GHz WLAN Ant4+Ant5	NFC	Summed	Summed	Summed
			10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)	10g SAR (W/kg)
WCDMA Band II	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	2.904					2.904	2.904	2.904
WCDMA Band IV	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	2.994					2.994	2.994	2.994
LTE Band 2	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.066					3.066	3.066	3.066
LTE Band 4	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.143					3.143	3.143	3.143
LTE Band 7	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.165					3.165	3.165	3.165
LTE Band 25	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.162					3.162	3.162	3.162
LTE Band 30	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.169					3.169	3.169	3.169
LTE Band 66	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.134					3.134	3.134	3.134
LTE Band 38	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.187					3.187	3.187	3.187
LTE Band 41_PC3	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.186					3.186	3.186	3.186
LTE Band 41_PC2	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.180					3.180	3.180	3.180

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR n2	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.165					3.165	3.165	3.165
NR n7	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.070					3.070	3.070	3.070
NR n25	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.166					3.166	3.166	3.166
NR n30	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.112					3.112	3.112	3.112
NR n66	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.141					3.141	3.141	3.141
NR n38	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.150					3.150	3.150	3.150
NR n41_PC3	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	3.194					3.194	3.194	3.194
NR n41_PC2	Front Surface	0		2.298	1.641	3.939		2.298	1.641	3.939
	Back Surface	0		0.955	1.090	2.045	0.001	0.956	1.091	2.046
	Top Edge	0		1.127		1.127		1.127	0.000	1.127
	Right Edge	0		0.410	3.070	3.480		0.410	3.070	3.480
	Left Edge	0	2.859					2.859	2.859	2.859

9.4 Conclusion

The simultaneous transmission is compliant because both SAR sum and/or SPLSR are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

10 INSTRUMENTS LIST

Equipment List					
Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
SPEAG	Dosimetric E-Field Probe	EX3DV4	7509	Apr/23/2024	Apr/22/2025
SPEAG	E-field Probe for Near Field Application	EUmmWV4	9616	Mar/12/2024	Mar/11/2025
SPEAG	Data acquisition Electronics	DAE4	856	Apr/22/2024	Apr/21/2025
SPEAG	System Validation Dipole	D750V3	1106	Apr/17/2024	Apr/16/2025
SPEAG	System Validation Dipole	D835V2	4d092	Jun/16/2024	Jun/15/2025
SPEAG	System Validation Dipole	D1750V2	1023	Jun/17/2024	Jun/16/2025
SPEAG	System Validation Dipole	D1900V2	5d173	Apr/25/2024	Apr/24/2025
SPEAG	System Validation Dipole	D2300V2	1092	Dec/07/2023	Dec/06/2024
SPEAG	System Validation Dipole	D2450V2	727	Apr/22/2024	Apr/21/2025
SPEAG	System Validation Dipole	D2600V2	1005	Jan/22/2024	Jan/21/2025
SPEAG	System Validation Dipole	D3500V2	1067	Jan/23/2024	Jan/22/2025
SPEAG	System Validation Dipole	D3700V2	1057	Nov/20/2023	Nov/19/2024
SPEAG	System Validation Dipole	D3900V2	1032	Nov/21/2023	Nov/20/2024
SPEAG	System Validation Dipole	D5GHzV2	1023	Jan/24/2024	Jan/23/2025
SPEAG	System Validation Dipole	D6.5GHzV2	1006	Aug/15/2024	Aug/14/2025
SPEAG	System Validation Dipole	D7GHzV2	1007	Aug/15/2024	Aug/14/2025
SPEAG	5G Verification Source 10GHz	5G-Veri10	1021	Jan/17/2024	Jan/16/2025
SPEAG	Dielectric Assessment Kit	DAK-3.5	1342	May/21/2024	May/20/2025
Agilent	MXG Analog Signal Generator	N5181A	MY50144143	May/03/2024	May/02/2025
Agilent	Dual-directional coupler	772D	MY52180142	Oct/23/2023	Oct/22/2024
Agilent	Dual-directional coupler	778D	MY52180302	Oct/23/2023	Oct/22/2024
EMCI	Amplifier	EMC 074225P	980155	Calibration not required	Calibration not required
EMCI	Amplifier	EMC 2830P	980156	Calibration not required	Calibration not required
R&S	Power Meter	NRX	102034	Dec/13/2023	Dec/12/2024
R&S	Power Sensor	NRP18S	101974	Nov/21/2023	Nov/20/2024
R&S	Power Sensor	NRP18S	109066	Oct/23/2023	Oct/22/2024
Keysight	EXA Signal Analyzer	N9010B	MY63440390	Feb/16/2024	Feb/15/2025
SPEAG	Software	DASY 6 V16.0.2.136	N/A	Calibration not required	Calibration not required
SPEAG	Software	DASY 52 V52.10.4.152 7	N/A	Calibration not required	Calibration not required
SPEAG	Software	DASY 6 mmWave V2.4.2.62	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	SAM	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	mmWave Phantom	N/A	Calibration not required	Calibration not required
R&S	Radio Communication Test	CMW 500	165070	Oct/21/2023	Oct/20/2024
TECEP	Digital thermometer	HTC-1	EC23010602	Dec/22/2023	Dec/21/2024

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Equipment List					
Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
SPEAG	Data acquisition Electronics	DAE4	1336	Aug/15/2024	Aug/14/2025
SPEAG	Dosimetric E-Field Probe	EX3DV4	3770	May/24/2024	May/23/2025
SPEAG	System Validation Dipole	D750V3	1106	Apr/17/2024	Apr/16/2025
SPEAG	System Validation Dipole	D835V2	4d092	Jun/16/2024	Jun/15/2025
SPEAG	System Validation Dipole	D1750V2	1023	Jun/17/2024	Jun/16/2025
SPEAG	System Validation Dipole	D1900V2	5d173	Apr/25/2024	Apr/24/2025
SPEAG	System Validation Dipole	D2300V2	1092	Dec/07/2023	Dec/06/2024
SPEAG	System Validation Dipole	D2450V2	727	Apr/22/2024	Apr/21/2025
SPEAG	System Validation Dipole	D2600V2	1005	Jan/22/2024	Jan/21/2025
SPEAG	System Validation Dipole	D3500V2	1067	Jan/23/2024	Jan/22/2025
SPEAG	System Validation Dipole	D3700V2	1057	Nov/20/2023	Nov/19/2024
SPEAG	System Validation Dipole	D3900V2	1032	Nov/21/2023	Nov/20/2024
SPEAG	Dielectric Assessment Kit	DAK-3.5	1342	May/21/2024	May/20/2025
Agilent	MXG Analog Signal Generator	N5181A	MY50144143	May/03/2024	May/02/2025
Agilent	Dual-directional coupler	772D	MY52180142	Oct/23/2023	Oct/22/2024
Agilent	Dual-directional coupler	778D	MY52180302	Oct/23/2023	Oct/22/2024
EMCI	Amplifier	EMC 074225P	980155	Calibration not required	Calibration not required
EMCI	Amplifier	EMC 2830P	980156	Calibration not required	Calibration not required
R&S	Power Meter	NRX	102034	Dec/13/2023	Dec/12/2024
R&S	Power Sensor	NRP18S	101974	Nov/21/2023	Nov/20/2024
R&S	Power Sensor	NRP18S	109066	Oct/23/2023	Oct/22/2024
Keysight	EXA Signal Analyzer	N9010B	MY63440390	Feb/16/2024	Feb/15/2025
SPEAG	Software	DASY 52 V52.10.4.1527	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	SAM	N/A	Calibration not required	Calibration not required
R&S	Radio Communication Test	CMW 500	165070	Oct/21/2023	Oct/20/2024
TECEP	Digital thermometer	HTC-1	EC23010602	Dec/22/2023	Dec/21/2024

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Equipment List					
Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
SPEAG	Data acquisition Electronics	DAE4	547	Jan/18/2024	Jan/17/2025
SPEAG	Dosimetric E-Field Probe	EX3DV4	7466	Jan/22/2024	Jan/21/2025
SPEAG	Verification Source 13MHz	CLA13	1027	Sep/12/2024	Sep/11/2025
SPEAG	Dielectric Assessment Kit	DAKS-12	1039	Sep/17/2024	Sep/16/2025
Agilent	MXG Analog Signal Generator	N5181A	MY50144143	May/03/2024	May/02/2025
R&S	Power Sensor	NRP18S	101973	Feb/27/2024	Feb/26/2025
R&S	Power Meter	NRX	102191	Feb/27/2024	Feb/26/2025
R&S	Power Sensor	NRP18S	109065	Aug/28/2024	Aug/27/2025
SPEAG	Software	DASY 8 V16.0.2.83	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
LKM	Digital thermometer	DTM3000	3896	Dec/26/2023	Dec/25/2024
TECPEL	Digital thermometer	DTM-303A	TP130077	Oct/14/2024	Oct/13/2025

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11 UNCERTAINTY BUDGET

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

A	c	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	4.25%	N	1	1	0.64	0.43	2.72%	1.83%	M
Liquid Conductivity (mea.)	4.16%	N	1	1	0.6	0.49	2.50%	2.04%	M
Combined standard uncertainty		RSS					12.28%	12.02%	
Expan uncertainty (95% confidence interval), K=2							24.57%	24.05%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	c	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	$\sqrt{3}$	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	$\sqrt{3}$	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	$\sqrt{3}$	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	$\sqrt{3}$	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	$\sqrt{3}$	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	$\sqrt{3}$	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	$\sqrt{3}$	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	$\sqrt{3}$	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	$\sqrt{3}$	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	$\sqrt{3}$	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	$\sqrt{3}$	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	3.56%	N	1	1	0.64	0.43	2.28%	1.53%	M
Liquid Conductivity (mea.)	3.51%	N	1	1	0.6	0.49	2.11%	1.72%	M
Combined standard uncertainty		RSS					11.83%	11.64%	
Expan uncertainty (95% confidence interval), K=2							23.66%	23.28%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DASY6 Uncertainty Budget
According to IEC/IEEE 62209-1528
(Frequency band: 6GHz - 10GHz range)

a	b	c	d		e	e	f=b * e / d	f=b * e / d
Source of Uncertainty	Uncertainty Value (±%)	Probability Distribution	Div.	Div. Value	(ci) 1g	(ci) 10g	Std. uncertainty (1g) (±%)	Std. uncertainty (10g) (±%)
Measurement system errors								
Probe calibration	18.6	N	2	2	1	1	9.3	9.3
Probe Calibration Drift	1.7	R	√3	1.732	1	1	1.0	1.0
Probe Linearity	4.7	R	√3	1.732	1	1	2.7	2.7
Broadband Signal	2.8	R	√3	1.732	1	1	1.6	1.6
Probe Isotropy	7.6	R	√3	1.732	1	1	4.4	4.4
Data Acquisition	0.3	N	1	1	1	1	0.3	0.3
RF Ambient	1.8	N	1	1	1	1	1.8	1.8
Probe positioning	0.2	N	1	1	0.67	0.67	0.1	0.1
Data Processing	3.5	N	1	1	1	1	3.5	3.5
Phantom and device errors								
Conductivity (meas.)DAK	2.5	N	1	1	0.78	0.71	2.0	1.8
Conductivity (temp.)BB	2.4	R	√3	1.732	0.78	0.71	1.1	1.0
Phantom Permittivity	14.0	R	√3	1.732	0.5	0.5	4.0	4.0
Distance DUT - TSL	2.0	N	1	1	2	2	4.0	4.0
Device Positioning (±0.5mm)	1.0	N	1	1	1	1	1.0	1.0
Device Holder	3.6	N	1	1	1	1	3.6	3.6
DUT Modulationm	2.4	R	√3	1.732	1	1	1.4	1.4
Time-average SAR	0.0	R	√3	1.732	1	1	0.0	0.0
DUT drift	2.5	N	1	1	1	1	2.5	2.5
Val Antenna Unc.	0.0	N	1	1	1	1	0.0	0.0
Unc. Input Power	0.0	N	1	1	1	1	0.0	0.0
Correction to the SAR results								
Deviation to Target	1.90	N	1	1	1	0.84	1.9	1.6
SAR scaling		R	√3	1.732	1	1	0.0	0.0
Combined Std. uncertainty							14.0	13.9
Expanded Std. uncertainty (95% confidence interval), K=2							28.0	27.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**cDASY6 Module mmWave Uncertainty Budget for PD
Evaluation Distances to the Antennas $\geq \lambda / 5$
In Compliance with IEC/IEEE 63195**

a	b	c	d		e	f=b * e / d	g
Source of Uncertainty	Uncertainty Value (+dB)	Probability Distribution	Div.	Div. Value	ci	Std. uncertainty (+dB)	(vi) Veff
Uncertainty terms dependent on the measurement system							
Probe calibration	0.49	N	1	1	1	0.49	∞
Probe correction	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Frequency response (BW ≤ 1 GHz)	0.20	R	$\sqrt{3}$	1.732	1	0.12	∞
Sensor cross coupling	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Isotropy	0.50	R	$\sqrt{3}$	1.732	1	0.29	∞
Linearity	0.20	R	$\sqrt{3}$	1.732	1	0.12	∞
Probe scattering	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Probe positioning offset	0.30	R	$\sqrt{3}$	1.732	1	0.17	∞
Probe positioning repeatability	0.04	R	$\sqrt{3}$	1.732	1	0.02	∞
Sensor mechanical offset	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Probe spatial resolution	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Field impedance dependence	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Amplitude and phase drift	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Amplitude and phase noise	0.04	R	$\sqrt{3}$	1.732	1	0.02	∞
Measurement area truncation	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Data acquisition	0.03	N	1	1	1	0.03	∞
Sampling	0.00	R	$\sqrt{3}$	1	1	0.00	∞
Field reconstruction	2.00	R	$\sqrt{3}$	1.732	1	1.15	∞
Forward transformation	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Power density scaling	-	R	$\sqrt{3}$	1.732	1	-	∞
Spatial averaging	0.10	R	$\sqrt{3}$	1.732	1	0.06	∞
System detection limit	0.04	R	$\sqrt{3}$	1.732	1	0.02	∞
Uncertainty terms dependent on the DUT and environmental factors							
Probe coupling with DUT	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Modulation response	0.40	R	$\sqrt{3}$	1.732	1	0.23	∞
Integration time	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Response time	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Device holder influence	0.10	R	$\sqrt{3}$	1.732	1	0.06	∞
DUT alignment	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
RF ambient conditions	0.04	R	$\sqrt{3}$	1.732	1	0.02	∞
Ambient reflections	0.04	R	$\sqrt{3}$	1.732	1	0.02	∞
Immunity / secondary reception	0.00	R	$\sqrt{3}$	1.732	1	0.00	∞
Drift of the DUT	-	R	$\sqrt{3}$	1.732	1	-	∞
Combined Std. uncertainty						1.33	
Expanded Std. uncertainty (95% confidence interval), K=2						2.67	

- End of Part 2 report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group