


Annex B. LTE Peak to Average Ratio

1. LTE_Band7


1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.7	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.66	13	Pass




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.57	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.62	13	Pass




1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.12	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.03	13	Pass




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.11	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.34	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.47	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.46	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.52	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.09	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.94	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	6.11	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.81	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.77	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.75	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.59	13	Pass




1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.43	13	Pass




1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.31	13	Pass




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.23	13	Pass




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.59	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.67	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.52	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.53	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.46	13	Pass




1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.37	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.23	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.36	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.38	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.11	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.02	13	Pass




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.99	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.42	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.06	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	6.12	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	6.11	13	Pass




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.89	13	Pass




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.79	13	Pass




1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.85	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.32	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.92	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.74	13	Pass




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.58	13	Pass




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.63	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.71	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.12	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.12	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.32	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.42	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.4	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.49	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.54	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.01	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.01	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	6.22	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.73	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.84	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.84	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.77	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.71	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.41	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.28	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.61	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.73	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.65	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.6	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.54	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.38	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.25	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.57	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.67	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.46	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.23	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.46	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.83	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	3.97	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.32	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.52	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.29	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.06	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.12	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.54	13	Pass




1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.82	13	Pass




1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.05	13	Pass




1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.62	13	Pass




1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.75	13	Pass




1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.75	13	Pass




1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.11	13	Pass




1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.27	13	Pass




1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.48	13	Pass




1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.55	13	Pass




1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.4	13	Pass




1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.5	13	Pass




1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.53	13	Pass




1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.89	13	Pass




1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.31	13	Pass




1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.2	13	Pass




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.11	13	Pass




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.88	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.83	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.72	13	Pass




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.77	13	Pass




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.52	13	Pass




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.25	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.58	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.63	13	Pass



1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.62	13	Pass



1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.41	13	Pass

