

FCC RF Test Report

APPLICANT : Sierra Wireless, Inc.
EQUIPMENT : Wireless Module
BRAND NAME : AirPrime
MODEL NAME : EM9190
FCC ID : N7NEM91
STANDARD : 47 CFR Part 2, 27(M)
CLASSIFICATION : PCS Licensed Transmitter (PCB)

The product was received on Feb. 15, 2020 and completely tested on Apr. 09, 2020. We, Sporton International (ShenZhen) Inc., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (ShenZhen) Inc., the test report shall not be reproduced except in full.



Reviewed by: Derreck Chen / Supervisor



Approved by: Eric Shih / Manager



Sporton International (ShenZhen) Inc.

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055

People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test	5
1.4 Product Specification of Equipment Under Test	6
1.5 Modification of EUT	6
1.6 Maximum Conducted Power, Frequency Tolerance, and Emission Designator	7
1.7 Testing Location	11
1.8 Test Software	11
1.9 Applicable Standards	11
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	12
2.1 Test Mode	12
2.2 Connection Diagram of Test System	15
2.3 Support Unit used in test configuration and system	15
2.4 Measurement Results Explanation Example	15
2.5 Frequency List of Low/Middle/High Channels	16
3 CONDUCTED TEST ITEMS	20
3.1 Measuring Instruments	20
3.2 Test Setup	20
3.3 Test Result of Conducted Test	20
3.4 Conducted Output Power and ERP/EIRP	21
3.5 Peak-to-Average Ratio	22
3.6 Occupied Bandwidth	23
3.7 Conducted Band Edge	24
3.8 Conducted Spurious Emission	25
3.9 Frequency Stability	26
4 RADIATED TEST ITEMS	27
4.1 Measuring Instruments	27
4.2 Test Setup	27
4.3 Test Result of Radiated Test	27
4.4 Radiated Spurious Emission	28
5 LIST OF MEASURING EQUIPMENT	29
6 UNCERTAINTY OF EVALUATION	30
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG021501D	Rev. 01	Initial issue of report	May. 25, 2020
FG021501D	Rev. 02	Update FCC ID information	Jun. 05, 2020



SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 7) (Band 38) (Band 41)	EIRP < 2Watt	PASS	-
3.5	N/A	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38) (Band 41)	§27.53(m)(4)	PASS	-
3.8	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7) (Band 38) (Band 41)	< 55+10log ₁₀ (P[Watts])	PASS	-
3.9	§2.1055 §27.54	Frequency Stability Temperature & Voltage	Within Authorized Band	PASS	-
4.4	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7) (Band 38) (Band 41)	< 55+10log ₁₀ (P[Watts])	PASS	Under limit 23.83 dB at 10722.360 MHz

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.



1 General Description

1.1 Applicant

Sierra Wireless, Inc.
13811 Wireless Way, Richmond, BC, Canada V6A 3A4

1.2 Manufacturer

Sierra Wireless, Inc.
13811 Wireless Way, Richmond, BC, Canada V6A 3A4

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Wireless Module
Brand Name	AirPrime
Model Name	EM9190
FCC ID	N7NEM91
EUT supports Radios application	WCDMA/LTE/5G NR/GNSS
IMEI Code	Conducted/Radiation: 351735110001290 for LTE Band 7/38/41/41CA 351735110001300 for LTE Band 7CA 351735110001640/351735110001647 for LTE Band 38CA
HW Version	1.0
SW Version	00.15.01.00
EUT Stage	Identical Prototype

1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz
Rx Frequency	LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz
Bandwidth	LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz LTE Band 38 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 41 : 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	LTE Band 7 : 23.40 dBm LTE Band 7C_CA : 23.68 dBm LTE Band 38 : 23.40 dBm LTE Band 38C_CA : 22.25 dBm LTE Band 41 : 25.13 dBm LTE Band 41C_CA : 24.12 dBm
Antenna Gain	LTE Band 7 : 4.00 dBi LTE Band 38 : 4.00 dBi LTE Band 41 : 4.00 dBi
Type of Modulation	QPSK / 16QAM / 64QAM / 256QAM

Remark:

1. For modulation of QPSK / 16QAM / 64QAM / 256QAM supports uplink and measurement output power, according to the maximum power of 256QAM is lower than other modulation, therefore, 256QAM measurement is unnecessary. We always chose higher power (QPSK / 16QAM / 64QAM) to perform all test.
2. LTE band 41 supports HPUE

1.5 Modification of EUT

No modifications are made to the EUT during all test items.



1.6 Maximum Conducted Power, Frequency Tolerance, and Emission Designator

LTE Band 7		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
5	2502.5 ~ 2567.5	4M50G7D	-	0.2089	4M50W7D	-	0.1778
10	2505.0 ~ 2565.0	9M03G7D	0.0123	0.2037	9M03W7D	-	0.1782
15	2507.5 ~ 2562.5	13M5G7D	-	0.2183	13M5W7D	-	0.1892
20	2510.0 ~ 2560.0	17M9G7D	-	0.2188	17M9W7D	-	0.1862
LTE Band 7		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum Conducted power (W)	
5	2502.5 ~ 2567.5	4M50W7D		-		0.1384	
10	2505.0 ~ 2565.0	9M03W7D		-		0.1390	
15	2507.5 ~ 2562.5	13M5W7D		-		0.1432	
20	2510.0 ~ 2560.0	17M9W7D		-		0.1435	
LTE Band 38		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
5	2572.5 ~ 2617.5	4M51G7D	-	0.2075	4M50W7D	-	0.1786
10	2575.0 ~ 2615.0	9M01G7D	0.0018	0.1671	9M07W7D	-	0.1828
15	2577.5 ~ 2612.5	13M5G7D	-	0.2173	13M5W7D	-	0.1914
20	2580.0 ~ 2610.0	17M9G7D	-	0.2188	17M8W7D	-	0.1858
LTE Band 38		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum Conducted power (W)	
5	2572.5 ~ 2617.5	4M50W7D		-		0.1380	
10	2575.0 ~ 2615.0	9M07W7D		-		0.1486	
15	2577.5 ~ 2612.5	13M5W7D		-		0.1545	
20	2580.0 ~ 2610.0	17M9W7D		-		0.1510	



LTE Band 41		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
5	2498.5 ~ 2687.5	4M53G7D	-	0.2985	4M51W7D	-	0.2559
10	2501.0 ~ 2685.0	9M11G7D	0.0151	0.3006	9M05W7D	-	0.2606
15	2503.5 ~ 2682.5	13M5G7D	-	0.3236	13M5W7D	-	0.2780
20	2506.0 ~ 2680.0	17M9G7D	-	0.3258	17M9W7D	-	0.2812
LTE Band 41		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)		Maximum Conducted power (W)		
5	2498.5 ~ 2687.5	4M50W7D	-		0.1986		
10	2501.0 ~ 2685.0	9M07W7D	-		0.2009		
15	2503.5 ~ 2682.5	13M5W7D	-		0.2080		
20	2506.0 ~ 2680.0	17M9W7D	-		0.2178		



LTE Band 7 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
10MHz+20MHz	27M9G7D	-	0.2280	28M1W7D	-	0.1849
15MHz+15MHz	28M4G7D	-	0.2323	28M5W7D	-	0.1858
15MHz+20MHz	32M8G7D	-	0.2312	32M7W7D	-	0.1858
15MHz+10MHz	23M5G7D	-	0.2270	23M5W7D	-	0.1828
20MHz+10MHz	28M0G7D	-	0.2323	28M9W7D	-	0.1862
20MHz+15MHz	32M9G7D	-	0.2333	32M8W7D	-	0.1879
20MHz+20MHz	37M7G7D	-	0.2198	37M7W7D	-	0.2138
LTE Band 7 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum Conducted power (W)	
10MHz+20MHz	28M0W7D		-		0.1413	
15MHz+15MHz	28M4W7D		-		0.1426	
15MHz+20MHz	32M7W7D		-		0.1426	
15MHz+10MHz	23M4W7D		-		0.1403	
20MHz+10MHz	28M1W7D		-		0.1429	
20MHz+15MHz	32M8W7D		-		0.1435	
20MHz+20MHz	37M6W7D		-		0.1503	
LTE Band 38 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
15MHz+15MHz	28M6G7D	-	0.1592	28M5W7D	-	0.1507
20MHz+20MHz	38M0G7D	-	0.1596	38M0W7D	-	0.1679
LTE Band 38 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum Conducted power (W)	
15MHz+15MHz	28M5W7D		-		0.1109	
20MHz+20MHz	37M8W7D		-		0.0927	



LTE Band 41 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum Conducted power (W)
5MHz+20MHz	23M3G7D	-	0.2547	23M2W7D	-	0.2099
10MHz+20MHz	28M1G7D	-	0.2559	28M0W7D	-	0.2046
10MHz+15MHz	23M4G7D	-	0.2559	23M6W7D	-	0.2018
15MHz+15MHz	28M7G7D	-	0.2553	28M8W7D	-	0.2046
15MHz+20MHz	32M9G7D	-	0.2529	32M9W7D	-	0.2183
15MHz+10MHz	23M5G7D	-	0.2582	23M4W7D	-	0.2028
20MHz+5MHz	23M4G7D	-	0.2576	23M2W7D	-	0.2065
20MHz+10MHz	28M5G7D	-	0.2576	28M2W7D	-	0.2065
20MHz+15MHz	32M8G7D	-	0.2500	33M1W7D	-	0.2259
20MHz+20MHz	37M6G7D	-	0.2254	37M7W7D	-	0.1945
LTE Band 41 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)		Maximum Conducted power (W)		
5MHz+20MHz	23M1W7D	-		0.1663		
10MHz+20MHz	28M1W7D	-		0.1614		
10MHz+15MHz	23M4W7D	-		0.1626		
15MHz+15MHz	28M7W7D	-		0.1663		
15MHz+20MHz	32M9W7D	-		0.1648		
15MHz+10MHz	23M6W7D	-		0.1637		
20MHz+5MHz	23M3W7D	-		0.1614		
20MHz+10MHz	28M1W7D	-		0.1683		
20MHz+15MHz	32M7W7D	-		0.1683		
20MHz+20MHz	37M8W7D	-		0.1514		

1.7 Testing Location

Sporton International (Shenzhen) Inc. is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055 People's Republic of China TEL: +86-755-86379589 FAX: +86-755-86379595		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ	CN1256	421272

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	No. 3 Bldg the third floor of south, Shahe River west, Fengzeyuan Warehouse, Nanshan Shenzhen, 518055 People's Republic of China TEL: +86-755-33202398		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH02-SZ	CN1256	421272

1.8 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH02-SZ	AUDIX	E3	6.2009-8-24a

1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 27(M)
- ♦ ANSI C63.26-2015
- ♦ FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	38	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	41	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	7	-	-				v	v	v	v	v		v	v	v	v
	38	-	-				v	v	v	v	v		v	v	v	v
	41	-	-				v	v	v	v	v		v	v	v	v
26dB and 99% Bandwidth	7	-	-	v	v	v	v	v	v	v			v	v	v	v
	38	-	-	v	v	v	v	v	v	v			v	v	v	v
	41	-	-	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	7	-	-	v	v	v	v	v	v	v	v		v	v		v
	38	-	-	v	v	v	v	v	v	v	v		v	v		v
	41	-	-	v	v	v	v	v	v	v	v		v	v		v




Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
Frequency Stability	7	-	-		v			v					v		v	
	38	-	-		v			v					v		v	
	41	-	-		v			v					v		v	
E.R.P / E.I.R.P	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	7	-	-	v	v	v	v	v			v			v	v	v
	38	-	-	v	v	v	v	v			v			v	v	v
	41	-	-	v	v	v	v	v			v			v	v	v
Note	1. The mark "v" means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.															



Test Items	Band	Bandwidth (MHz)										Modulation			RB #			Test Channel		
		20+20	20+15	15+20	20+10	10+20	20+5	5+20	15+15	15+10	10+15	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v
	38C_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v	v	v	v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v			v	v	v	v
	38C_CA	v	-	-	-	-	-	-	v	-	-	v	v	v			v	v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v		v	v		v
	38C_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v		v	v		v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v		v
Conducted Spurious Emission	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	38C_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v			v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v
E.I.R.P.	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	38C_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v			v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	7C_CA	v					-	-			-	v			v			v	v	v
	38C_CA	v	-	-	-	-	-	-		-	-	v			v			v	v	v
	41C_CA	v										v			v			v	v	v
Note	1. The mark "v" means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.																			

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	System Simulator	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	DC Power Supply	GWINSTEK	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
3.	Antenna	N/A	N/A	N/A	N/A	N/A

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.5 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 4.5 + 10 = 14.5 \text{ (dB)}
 \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580	2595	2610
15	Channel	37825	38000	38175
	Frequency	2577.5	2595	2612.5
10	Channel	37800	38000	38200
	Frequency	2575	2595	2615
5	Channel	37775	38000	38225
	Frequency	2572.5	2595	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506	2593	2680
15	Channel	39725	40620	41515
	Frequency	2503.5	2593	2682.5
10	Channel	39700	40620	41540
	Frequency	2501	2593	2685
5	Channel	39675	40620	41565
	Frequency	2498.5	2593	2687.5



LTE Band 7C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 38C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	37850	37901	37952
		Frequency	2580.0	2585.1	2590.2
	SCC	Channel	38048	38099	38150
		Frequency	2599.8	2604.9	2610.0
15+ 15	PCC	Channel	37825	37925	38025
		Frequency	2577.5	2587.5	2597.5
	SCC	Channel	37975	38075	38175
		Frequency	2592.5	2602.5	2612.5

LTE Band 41C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	39750	40521	41292
		Frequency	2506.0	2583.1	2660.2
	SCC	Channel	39948	40719	41490
		Frequency	2525.8	2602.9	2680.0
20 + 15	PCC	Channel	39750	40546	41341
		Frequency	2506.0	2585.6	2665.1
	SCC	Channel	39921	40717	41512
		Frequency	2523.1	2602.7	2682.2
15 + 20	PCC	Channel	39728	40523	41319
		Frequency	2503.8	2593.3	2662.9
	SCC	Channel	39899	40694	41490
		Frequency	2520.9	2600.4	2680.0
20 + 10	PCC	Channel	39750	40571	41391
		Frequency	2506.0	2588.1	2670.1
	SCC	Channel	39894	40715	41535
		Frequency	2520.4	2602.5	2684.5
10 + 20	PCC	Channel	39705	40526	41346
		Frequency	2501.5	2583.6	2665.6
	SCC	Channel	39849	40670	41490
		Frequency	2515.9	2598.0	2680.0



LTE Band 41C_CA Channel and Frequency List					
20 + 5	PCC	Channel	39750	40595	41440
		Frequency	2506.0	2590.5	2675.0
	SCC	Channel	39867	40712	41557
		Frequency	2517.7	2602.2	2686.7
5 + 20	PCC	Channel	39683	40528	41373
		Frequency	2499.3	2583.8	2668.3
	SCC	Channel	39800	40645	41490
		Frequency	2511.0	2595.5	2680.0
15 + 15	PCC	Channel	39725	40545	41365
		Frequency	2503.5	2585.5	2667.5
	SCC	Channel	39875	40695	41515
		Frequency	2518.5	2600.5	2682.5
10 + 15	PCC	Channel	39703	40549	41395
		Frequency	2501.3	2585.9	2670.5
	SCC	Channel	39823	40669	41515
		Frequency	2513.3	2597.9	2682.5
15 + 10	PCC	Channel	39725	40571	41417
		Frequency	2503.5	2588.1	2672.7
	SCC	Channel	39845	40691	41537
		Frequency	2515.5	2600.1	2684.7


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.



3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 7 and Band 38 and Band 41. According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.



3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
6. Set spectrum analyzer with RMS detector.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$$

9. For LTE Band 7, 38, 41, the other 40 dB, and 55 dB have additionally applied same calculation above.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7,38,41:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm.
11. For Band 7, 38, 41
The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [55 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[55 + 10\log(P)]$ (dB)
 $= -25$ dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.



4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11. $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$

13. For Band 7, 38, 41:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 18, 2019	Mar. 18, 2020~ Apr. 09, 2020	Apr. 17, 2020	Conducted (TH01-SZ)
DC Power Supply	GWINSTEK	AnritsuGPS-3030D	EM882636	Max 30V	Apr. 18, 2019	Mar. 18, 2020~ Apr. 09, 2020	Apr. 17, 2020	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Nov. 26, 2019	Mar. 18, 2020~ Apr. 09, 2020	Nov. 25, 2020	Conducted (TH01-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Apr. 19, 2019	Mar. 24, 2020~ Apr. 04, 2020	Apr. 18, 2020	Radiation (03CH02-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz-2GHz	Jul. 19, 2019	Mar. 24, 2020~ Apr. 04, 2020	Jul. 18, 2020	Radiation (03CH02-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Aug. 27, 2019	Mar. 24, 2020~ Apr. 04, 2020	Aug. 26, 2020	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 22, 2019	Mar. 24, 2020~ Apr. 04, 2020	Jul. 21, 2020	Radiation (03CH02-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18Ghz-40GHz	Apr. 18, 2019	Mar. 24, 2020~ Apr. 04, 2020	Apr. 17, 2020	Radiation (03CH02-SZ)
LF Amplifier	Burgeon	BPA-530	102211	0.01~3000Mhz	Oct. 18, 2019	Mar. 24, 2020~ Apr. 04, 2020	Oct. 17, 2020	Radiation (03CH02-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270105	0.5GHz~26.5Ghz	Oct. 18, 2019	Mar. 24, 2020~ Apr. 04, 2020	Oct. 17, 2020	Radiation (03CH02-SZ)
AC Power Source	Chroma	61601	616010002470	N/A	NCR	Mar. 24, 2020~ Apr. 04, 2020	NCR	Radiation (03CH02-SZ)
Turn Table	Chaintek	T-200	N/A	0~360 degree	NCR	Mar. 24, 2020~ Apr. 04, 2020	NCR	Radiation (03CH02-SZ)
Antenna Mast	Chaintek	MBS-400	N/A	1 m~4 m	NCR	Mar. 24, 2020~ Apr. 04, 2020	NCR	Radiation (03CH02-SZ)

NCR: No Calibration Required.

6 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage $K=2$ to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.5dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.3dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.7dB
---	-------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.07	23.11	23.27
20	1	49		23.19	23.19	23.28
20	1	99		23.12	23.21	23.40
20	50	0		22.23	22.23	22.32
20	50	24		22.34	22.26	22.38
20	50	50		22.33	22.34	22.44
20	100	0		22.31	22.24	22.37
20	1	0	16-QAM	22.49	22.47	22.59
20	1	49		22.53	22.57	22.68
20	1	99		22.48	22.57	22.70
20	50	0		21.20	21.25	21.37
20	50	24		21.35	21.30	21.39
20	50	50		21.35	21.37	21.45
20	100	0		21.32	21.23	21.37
20	1	0	64-QAM	21.24	21.11	21.34
20	1	49		21.46	21.39	21.57
20	1	99		21.00	21.51	21.56
20	50	0		20.25	20.27	20.38
20	50	24		20.38	20.31	20.40
20	50	50		20.35	20.37	20.48
20	100	0		20.34	20.28	20.39
15	1	0	QPSK	23.14	23.15	23.30
15	1	37		23.15	23.20	23.30
15	1	74		23.23	23.25	23.39
15	36	0		22.28	22.23	22.37
15	36	20		22.35	22.37	22.46
15	36	39		22.35	22.36	22.46
15	75	0		22.31	22.26	22.37



15	1	0	16-QAM	22.53	22.48	22.59
15	1	37		22.54	22.54	22.65
15	1	74		22.53	22.54	22.77
15	36	0		21.31	21.27	21.36
15	36	20		21.35	21.39	21.48
15	36	39		21.34	21.38	21.46
15	75	0		21.34	21.27	21.37
15	1	0	64-QAM	21.35	21.26	21.39
15	1	37		21.50	21.52	21.56
15	1	74		20.94	21.48	21.54
15	36	0		20.31	20.34	20.45
15	36	20		20.37	20.40	20.50
15	36	39		20.40	20.37	20.51
15	75	0		20.36	20.30	20.41



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.97	22.95	23.07
10	1	25		22.87	22.92	23.07
10	1	49		22.98	22.98	23.09
10	25	0		22.08	22.06	22.20
10	25	12		22.11	22.07	22.18
10	25	25		22.10	22.13	22.25
10	50	0		22.14	22.05	22.18
10	1	0	16-QAM	22.31	22.31	22.46
10	1	25		22.30	22.36	22.44
10	1	49		22.35	22.38	22.51
10	25	0		21.10	21.05	21.18
10	25	12		21.13	21.09	21.22
10	25	25		21.11	21.15	21.28
10	50	0		21.12	21.08	21.20
10	1	0	64-QAM	21.19	21.21	21.27
10	1	25		21.21	21.32	21.42
10	1	49		21.28	21.27	21.43
10	25	0		20.11	20.12	20.22
10	25	12		20.16	20.13	20.25
10	25	25		20.14	20.19	20.29
10	50	0		20.17	20.12	20.21
5	1	0	QPSK	22.96	22.97	23.09
5	1	12		22.97	23.05	23.20
5	1	24		23.00	23.06	23.13
5	12	0		22.09	22.10	22.24
5	12	7		22.11	22.14	22.29
5	12	13		22.09	22.15	22.25
5	25	0		22.07	22.14	22.26
5	1	0	16-QAM	22.32	22.28	22.46
5	1	12		22.28	22.36	22.45
5	1	24		22.38	22.40	22.50
5	12	0		21.12	21.12	21.29
5	12	7		21.15	21.18	21.26



5	12	13		21.15	21.21	21.30
5	25	0		21.16	21.18	21.26
5	1	0	64-QAM	21.24	21.19	21.38
5	1	12		21.23	21.27	21.38
5	1	24		21.26	21.31	21.41
5	12	0		20.23	20.17	20.34
5	12	7		20.23	20.22	20.34
5	12	13		20.19	20.22	20.31
5	25	0		20.13	20.16	20.28



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.11	23.11	23.00
20	1	49		23.34	23.40	23.34
20	1	99		23.11	23.33	23.17
20	50	0		23.20	23.33	23.29
20	50	24		23.11	23.29	23.29
20	50	50		22.38	22.40	22.39
20	100	0		22.49	22.44	22.46
20	1	0	16-QAM	22.47	22.47	22.44
20	1	49		22.46	22.49	22.55
20	1	99		22.69	22.36	22.31
20	50	0		22.52	22.59	22.58
20	50	24		22.49	22.50	22.68
20	50	50		21.43	21.42	21.40
20	100	0		21.54	21.31	21.46
20	1	0	64-QAM	21.59	21.54	21.51
20	1	49		21.57	21.44	21.48
20	1	99		21.57	21.79	21.35
20	50	0		21.29	21.75	21.49
20	50	24		21.48	21.64	21.49
20	50	50		20.37	20.43	20.48
20	100	0		20.60	20.49	20.47
15	1	0	QPSK	23.26	23.22	23.24
15	1	37		23.35	23.34	23.37
15	1	74		23.28	23.29	23.21
15	36	0		23.24	23.26	23.33
15	36	20		23.32	23.22	23.32
15	36	39		22.46	22.42	22.34
15	75	0		22.45	22.47	22.43
15	1	0	16-QAM	22.48	22.49	22.49
15	1	37		22.43	22.33	22.48
15	1	74		22.17	22.37	22.43
15	36	0		22.82	22.80	22.65
15	36	20		22.82	22.79	22.70



15	36	39		21.42	21.42	21.40
15	75	0		21.56	21.36	21.35
15	1	0	64-QAM	21.49	21.45	21.48
15	1	37		21.40	21.44	21.34
15	1	74		21.72	21.68	21.39
15	36	0		21.54	21.89	21.41
15	36	20		21.34	21.39	21.49
15	36	39		20.33	20.52	20.43
15	75	0		20.55	20.48	20.43



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.16	23.05	23.20
10	1	25		23.04	23.23	22.34
10	1	49		23.23	23.19	23.20
10	25	0		22.29	22.21	22.13
10	25	12		22.35	22.26	22.30
10	25	25		22.33	22.30	22.27
10	50	0		22.32	22.26	22.25
10	1	0	16-QAM	22.30	22.39	22.32
10	1	25		22.62	22.43	22.47
10	1	49		22.54	22.40	22.38
10	25	0		21.29	21.25	21.12
10	25	12		21.37	21.25	21.26
10	25	25		21.34	21.29	21.28
10	50	0		21.38	21.16	21.28
10	1	0	64-QAM	21.39	21.31	21.26
10	1	25		21.42	21.48	21.28
10	1	49		21.72	21.55	21.51
10	25	0		20.29	20.37	20.27
10	25	12		20.35	20.31	20.22
10	25	25		20.35	20.35	20.43
10	50	0		20.30	20.15	20.27
5	1	0	QPSK	23.15	23.13	23.07
5	1	12		23.04	23.12	23.07
5	1	24		23.15	23.17	23.12
5	12	0		22.30	22.20	22.22
5	12	7		22.29	22.28	22.27
5	12	13		22.30	22.25	22.27
5	25	0		22.23	22.18	22.24
5	1	0	16-QAM	22.39	22.40	22.48
5	1	12		22.39	22.52	22.48
5	1	24		22.47	22.47	22.43
5	12	0		21.26	21.30	21.29
5	12	7		21.32	21.29	21.34



5	12	13		21.31	21.36	21.34
5	25	0		21.30	21.30	21.32
5	1	0	64-QAM	21.36	21.24	21.37
5	1	12		21.40	21.35	21.27
5	1	24		21.38	21.34	21.33
5	12	0		20.31	20.29	20.31
5	12	7		20.39	20.35	20.37
5	12	13		20.40	20.30	20.37
5	25	0		20.32	20.32	20.34



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	25.00	24.94	25.12
20	1	49		24.97	24.89	25.06
20	1	99		24.93	24.99	25.13
20	50	0		24.15	24.07	24.31
20	50	24		24.24	24.17	24.29
20	50	50		24.20	24.16	24.35
20	100	0		24.23	24.20	24.30
20	1	0	16-QAM	24.42	24.29	24.49
20	1	49		24.37	24.24	24.46
20	1	99		24.25	24.29	24.41
20	50	0		23.20	23.09	23.34
20	50	24		23.27	23.18	23.34
20	50	50		23.25	23.22	23.37
20	100	0		23.26	23.19	23.32
20	1	0	64-QAM	23.23	23.13	23.38
20	1	49		23.18	23.11	23.30
20	1	99		23.12	23.19	23.22
20	50	0		22.21	22.10	22.34
20	50	24		22.30	22.20	22.32
20	50	50		22.25	22.24	22.37
20	100	0		22.28	22.20	22.32
15	1	0	QPSK	24.95	24.85	25.09
15	1	37		24.87	24.86	25.03
15	1	74		24.84	24.99	25.10
15	36	0		24.00	23.95	24.17
15	36	20		24.10	24.06	24.24
15	36	39		24.03	24.03	24.22
15	75	0		24.10	24.07	24.17
15	1	0	16-QAM	24.24	24.20	24.44
15	1	37		24.16	24.12	24.27
15	1	74		24.12	24.25	24.31
15	36	0		22.99	22.98	23.18
15	36	20		23.07	23.03	23.23



15	36	39		23.03	23.07	23.21
15	75	0		23.09	23.09	23.17
15	1	0	64-QAM	23.07	22.96	23.18
15	1	37		23.06	23.04	23.17
15	1	74		23.01	23.15	23.17
15	36	0		22.01	22.00	22.21
15	36	20		22.11	22.08	22.29
15	36	39		22.09	22.10	22.23
15	75	0		22.13	22.09	22.21



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	24.60	24.51	24.75
10	1	25		24.51	24.63	24.78
10	1	49		24.53	24.66	24.73
10	25	0		23.74	23.68	23.91
10	25	12		23.75	23.79	23.94
10	25	25		23.74	23.78	23.96
10	50	0		23.77	23.79	23.90
10	1	0	16-QAM	24.01	23.96	24.16
10	1	25		23.98	24.02	24.14
10	1	49		23.93	23.96	24.08
10	25	0		22.79	22.70	22.91
10	25	12		22.86	22.83	22.95
10	25	25		22.80	22.85	22.97
10	50	0		22.77	22.81	22.93
10	1	0	64-QAM	22.97	22.84	23.01
10	1	25		22.90	22.97	23.03
10	1	49		22.87	22.90	22.99
10	25	0		21.87	21.80	22.01
10	25	12		21.89	21.91	22.02
10	25	25		21.85	21.92	22.03
10	50	0		21.81	21.84	21.94
5	1	0	QPSK	24.64	24.51	24.75
5	1	12		24.60	24.56	24.71
5	1	24		24.57	24.53	24.65
5	12	0		23.78	23.73	23.90
5	12	7		23.77	23.75	23.94
5	12	13		23.78	23.76	23.87
5	25	0		23.74	23.74	23.89
5	1	0	16-QAM	23.92	23.83	24.08
5	1	12		23.87	23.93	24.08
5	1	24		23.91	23.95	24.05
5	12	0		22.82	22.77	22.94
5	12	7		22.81	22.85	22.96



5	12	13		22.81	22.80	22.91
5	25	0		22.78	22.79	22.95
5	1	0	64-QAM	22.84	22.76	22.95
5	1	12		22.83	22.82	22.98
5	1	24		22.88	22.86	22.94
5	12	0		21.85	21.83	21.98
5	12	7		21.83	21.88	21.99
5	12	13		21.80	21.84	21.94
5	25	0		21.82	21.83	21.99

**CA Power**

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	100	0	100	0	200	22.37
			1	0	1	99	2	15.58
			1	0	1	0	2	18.10
			1	99	1	0	2	23.42
			100	0	1	99	101	15.26
		16QAM	100	0	100	0	200	18.84
			1	0	1	99	2	15.95
			1	0	1	0	2	18.38
			1	99	1	0	2	23.30
			100	0	1	99	101	20.65
		64QAM	100	0	100	0	200	21.77
			1	0	1	99	2	16.89
			1	0	1	0	2	19.32
			1	99	1	0	2	21.40
			100	0	1	99	101	21.66



21001	21199	QPSK	100	0	100	0	200	22.33
			1	0	1	99	2	15.52
			1	0	1	0	2	18.08
			1	99	1	0	2	23.32
			100	0	1	99	101	15.22
		16QAM	100	0	100	0	200	18.79
			1	0	1	99	2	15.92
			1	0	1	0	2	18.37
			1	99	1	0	2	23.27
			100	0	1	99	101	20.62
		64QAM	100	0	100	0	200	21.76
			1	0	1	99	2	16.87
			1	0	1	0	2	19.30
			1	99	1	0	2	21.36
			100	0	1	99	101	21.61
21152	21350	QPSK	100	0	100	0	200	22.29
			1	0	1	99	2	15.51
			1	0	1	0	2	18.07
			1	99	1	0	2	23.33
			100	0	1	99	101	15.19
		16QAM	100	0	100	0	200	18.82
			1	0	1	99	2	15.88
			1	0	1	0	2	18.33
			1	99	1	0	2	23.24
			100	0	1	99	101	20.63
		64QAM	100	0	100	0	200	21.75
			1	0	1	99	2	16.86
			1	0	1	0	2	19.28
			1	99	1	0	2	21.35
			100	0	1	99	101	21.62

CA_7C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21021	QPSK	1	99	1	0	2	23.68
		16QAM	1	99	1	0	2	22.65
		64QAM	1	99	1	0	2	21.57
21026	21197	QPSK	1	99	1	0	2	23.51
		16QAM	1	99	1	0	2	22.56
		64QAM	1	99	1	0	2	21.54
21201	21372	QPSK	1	99	1	0	2	23.27
		16QAM	1	99	1	0	2	22.74
		64QAM	1	99	1	0	2	21.00

Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20828	20999	QPSK	1	74	1	0	2	23.64
		16QAM	1	74	1	0	2	22.63
		64QAM	1	74	1	0	2	21.54
21003	21174	QPSK	1	74	1	0	2	19.47
		16QAM	1	74	1	0	2	23.48
		64QAM	1	74	1	0	2	22.52
21179	21350	QPSK	1	74	1	0	2	21.45
		16QAM	1	74	1	0	2	19.75
		64QAM	1	74	1	0	2	23.24



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20850	20994	QPSK	1	99	1	0	2	23.66
		16QAM	1	99	1	0	2	22.53
		64QAM	1	99	1	0	2	21.55
21051	21195	QPSK	1	99	1	0	2	19.41
		16QAM	1	99	1	0	2	23.48
		64QAM	1	99	1	0	2	22.52
21251	21395	QPSK	1	99	1	0	2	21.45
		16QAM	1	99	1	0	2	19.73
		64QAM	1	99	1	0	1	23.21

Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20805	20949	QPSK	1	49	1	0	2	23.58
		16QAM	1	49	1	0	2	22.62
		64QAM	1	49	1	0	2	21.46
21006	21150	QPSK	1	49	1	0	2	19.49
		16QAM	1	49	1	0	2	23.38
		64QAM	1	49	1	0	2	22.49
21206	21350	QPSK	1	49	1	0	2	21.50
		16QAM	1	49	1	0	2	19.74
		64QAM	1	49	1	0	2	23.22



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	1	74	1	0	1	23.66
		16QAM	1	74	1	0	1	22.62
		64QAM	1	74	1	0	1	21.54
21025	21175	QPSK	1	74	1	0	2	19.50
		16QAM	1	74	1	0	1	23.47
		64QAM	1	74	1	0	1	22.54
21225	21375	QPSK	1	74	1	0	1	21.51
		16QAM	1	74	1	0	2	19.71
		64QAM	1	74	1	0	1	23.22

Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20945	QPSK	1	74	1	0	1	23.56
		16QAM	1	74	1	0	1	22.59
		64QAM	1	74	1	0	1	21.43
21051	21171	QPSK	1	74	1	0	2	19.45
		16QAM	1	74	1	0	1	23.34
		64QAM	1	74	1	0	1	22.47
21277	21397	QPSK	1	74	1	0	1	21.47
		16QAM	1	74	1	0	2	19.70
		64QAM	1	74	1	0	1	23.17



CA_38C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
37850	38048	QPSK	100	0	100	0	200	20.29
			1	0	1	99	2	13.97
			1	0	1	0	2	16.55
			1	99	1	0	2	22.00
			100	0	1	99	101	18.90
		16QAM	100	0	100	0	200	19.09
			1	0	1	99	2	14.25
			1	0	1	0	2	16.92
			1	99	1	0	2	22.25
			100	0	1	99	101	18.88
		64QAM	100	0	100	0	200	19.16
			1	0	1	99	2	14.80
			1	0	1	0	2	16.65
			1	99	1	0	2	19.67
			100	0	1	99	101	18.97



37901	38099	QPSK	100	0	100	0	200	20.26
			1	0	1	99	2	13.93
			1	0	1	0	2	16.48
			1	99	1	0	2	22.03
			100	0	1	99	101	18.83
		16QAM	100	0	100	0	200	19.02
			1	0	1	99	2	14.18
			1	0	1	0	2	16.90
			1	99	1	0	2	22.24
			100	0	1	99	101	18.87
		64QAM	100	0	100	0	200	19.10
			1	0	1	99	2	14.75
			1	0	1	0	2	16.60
			1	99	1	0	2	19.66
			100	0	1	99	101	18.93
37952	38150	QPSK	100	0	100	0	200	20.26
			1	0	1	99	2	13.93
			1	0	1	0	2	16.48
			1	99	1	0	2	22.01
			100	0	1	99	101	18.83
		16QAM	100	0	100	0	200	19.02
			1	0	1	99	2	14.18
			1	0	1	0	2	16.90
			1	99	1	0	2	22.24
			100	0	1	99	101	18.87
		64QAM	100	0	100	0	200	19.10
			1	0	1	99	2	14.75
			1	0	1	0	2	16.60
			1	99	1	0	2	19.66
			100	0	1	99	101	18.93



CA_38C								
Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
37825	37975	QPSK	1	74	1	0	2	22.00
		16QAM	1	74	1	0	2	21.67
		64QAM	1	74	1	0	2	20.45
37925	38075	QPSK	1	74	1	0	2	22.01
		16QAM	1	74	1	0	2	21.78
		64QAM	1	74	1	0	2	20.43
38025	38175	QPSK	1	74	1	0	2	22.02
		16QAM	1	74	1	0	2	21.53
		64QAM	1	74	1	0	2	20.36



CA_41C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39948	QPSK	100	0	100	0	200	21.94
			1	0	1	99	2	15.47
			1	0	1	0	2	17.97
			1	99	1	0	2	23.48
			100	0	1	99	101	20.48
		16QAM	100	0	100	0	200	20.98
			1	0	1	99	2	15.59
			1	0	1	0	2	17.91
			1	99	1	0	2	22.89
			100	0	1	99	101	20.46
		64QAM	100	0	100	0	200	21.06
			1	0	1	99	2	15.36
			1	0	1	0	2	17.79
			1	99	1	0	2	21.69
			100	0	1	99	101	20.48



40521	40719	QPSK	100	0	100	0	200	22.15
			1	0	1	99	2	15.61
			1	0	1	0	2	18.06
			1	99	1	0	2	23.53
			100	0	1	99	101	20.53
		16QAM	100	0	100	0	200	21.16
			1	0	1	99	2	15.73
			1	0	1	0	2	18.12
			1	99	1	0	2	22.39
			100	0	1	99	101	20.60
		64QAM	100	0	100	0	200	21.11
			1	0	1	99	2	15.33
			1	0	1	0	2	17.93
			1	99	1	0	2	21.80
			100	0	1	99	101	20.43
41292	41490	QPSK	100	0	100	0	200	22.01
			1	0	1	99	2	15.48
			1	0	1	0	2	17.96
			1	99	1	0	2	23.52
			100	0	1	99	101	20.48
		16QAM	100	0	100	0	200	21.10
			1	0	1	99	2	15.37
			1	0	1	0	2	17.98
			1	99	1	0	2	22.43
			100	0	1	99	101	20.46
		64QAM	100	0	100	0	200	21.02
			1	0	1	99	2	15.41
			1	0	1	0	2	17.98
			1	99	1	0	2	21.74
			100	0	1	99	101	20.50



CA_41C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39921	QPSK	1	99	1	0	1	23.98
		16QAM	1	99	1	0	1	23.54
		64QAM	1	99	1	0	1	22.26
40546	40717	QPSK	1	99	1	0	2	23.59
		16QAM	1	99	1	0	1	22.99
		64QAM	1	99	1	0	1	21.84
41341	41512	QPSK	1	99	1	0	2	23.79
		16QAM	1	99	1	0	1	23.15
		64QAM	1	99	1	0	1	21.97

Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39728	39899	QPSK	1	74	1	0	2	24.03
		16QAM	1	74	1	0	2	23.39
		64QAM	1	74	1	0	2	22.17
40523	40694	QPSK	1	74	1	0	2	23.92
		16QAM	1	74	1	0	2	23.02
		64QAM	1	74	1	0	2	21.89
41319	41490	QPSK	1	74	1	0	2	23.88
		16QAM	1	74	1	0	2	23.01
		64QAM	1	74	1	0	2	21.94



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39894	QPSK	1	99	1	0	2	24.01
		16QAM	1	99	1	0	2	23.05
		64QAM	1	99	1	0	2	21.90
40571	40715	QPSK	1	99	1	0	1	23.87
		16QAM	1	99	1	0	2	23.02
		64QAM	1	99	1	0	2	22.15
41391	41535	QPSK	1	99	1	0	2	24.11
		16QAM	1	99	1	0	2	23.15
		64QAM	1	99	1	0	2	22.26

Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39705	39849	QPSK	1	49	1	D	2	24.05
		16QAM	1	49	1	0	2	23.08
		64QAM	1	49	1	0	2	22.08
40526	40670	QPSK	1	49	1	0	2	24.08
		16QAM	1	49	1	0	2	23.11
		64QAM	1	49	1	0	2	22.04
41346	41490	QPSK	1	49	1	0	2	24.04
		16QAM	1	49	1	0	2	23.03
		64QAM	1	49	1	0	2	21.96



Combination 20MHz+5MHz (100RB+25RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39867	QPSK	1	99	1	0	2	24.05
		16QAM	1	99	1	0	2	23.05
		64QAM	1	99	1	0	2	22.04
40595	40712	QPSK	1	99	1	0	2	24.02
		16QAM	1	99	1	0	2	22.88
		64QAM	1	99	1	0	2	22.02
41440	41557	QPSK	1	99	1	0	2	24.11
		16QAM	1	99	1	0	2	23.15
		64QAM	1	99	1	0	2	22.08

Combination 5MHz+20MHz (25RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39683	39800	QPSK	1	24	1	0	2	24.06
		16QAM	1	24	1	0	2	23.03
		64QAM	1	24	1	0	2	22.21
40528	40645	QPSK	1	24	1	0	2	24.01
		16QAM	1	24	1	0	2	23.01
		64QAM	1	24	1	0	2	22.03
41373	41490	QPSK	1	24	1	0	2	24.05
		16QAM	1	24	1	0	2	23.22
		64QAM	1	24	1	0	2	22.04



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39725	39875	QPSK	1	74	1	0	2	24.05
		16QAM	1	74	1	0	2	23.04
		64QAM	1	74	1	0	2	22.06
40545	40695	QPSK	1	74	1	0	2	24.07
		16QAM	1	74	1	0	2	23.11
		64QAM	1	74	1	0	2	22.05
41365	41515	QPSK	1	74	1	0	2	23.97
		16QAM	1	74	1	0	2	23.11
		64QAM	1	74	1	0	2	22.21

Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39725	39845	QPSK	1	74	1	0	2	24.12
		16QAM	1	74	1	0	2	23.01
		64QAM	1	74	1	0	2	22.13
40571	40691	QPSK	1	74	1	0	2	24.11
		16QAM	1	74	1	0	2	23.04
		64QAM	1	74	1	0	2	22.14
41417	41537	QPSK	1	74	1	0	2	24.04
		16QAM	1	74	1	0	2	23.07
		64QAM	1	74	1	0	2	22.05



Combination 10MHz+15MHz (50RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39703	39823	QPSK	1	49	1	0	2	24.08
		16QAM	1	49	1	0	2	23.03
		64QAM	1	49	1	0	2	22.01
40549	40669	QPSK	1	49	1	0	2	24.04
		16QAM	1	49	1	0	2	23.04
		64QAM	1	49	1	0	2	22.11
41395	41515	QPSK	1	49	1	0	2	24.07
		16QAM	1	49	1	0	2	23.05
		64QAM	1	49	1	0	2	22.05

ERP/EIRP

LTE Band 7 (GT - LC = 4.00 dB) QPSK			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	22.97	23.05	23.20
Conducted Power (Watts)	0.1982	0.2018	0.2089
EIRP(dBm)	26.97	27.05	27.20
EIRP(Watts)	0.4977	0.5070	0.5248

LTE Band 7 (GT - LC = 4.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	22.98	22.98	23.09	23.23	23.25	23.39	23.12	23.21	23.40
Conducted Power (Watts)	0.1986	0.1986	0.2037	0.2104	0.2113	0.2183	0.2051	0.2094	0.2188
EIRP(dBm)	26.98	26.98	27.09	27.23	27.25	27.39	27.12	27.21	27.40
EIRP(Watts)	0.4989	0.4989	0.5117	0.5284	0.5309	0.5483	0.5152	0.5260	0.5495



LTE Band 7 (GT - LC = 4.00 dB) 16QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	22.38	22.40	22.50
Conducted Power (Watts)	0.1730	0.1738	0.1778
EIRP(dBm)	26.38	26.40	26.50
EIRP(Watts)	0.4345	0.4365	0.4467

LTE Band 7 (GT - LC = 4.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	22.35	22.38	22.51	22.53	22.54	22.77	22.48	22.57	22.70
Conducted Power (Watts)	0.1718	0.1730	0.1782	0.1791	0.1795	0.1892	0.1770	0.1807	0.1862
EIRP(dBm)	26.35	26.38	26.51	26.53	26.54	26.77	26.48	26.57	26.70
EIRP(Watts)	0.4315	0.4345	0.4477	0.4498	0.4508	0.4753	0.4446	0.4539	0.4677



LTE Band 7 (GT - LC = 4.00 dB) 64QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.26	21.31	21.41
Conducted Power (Watts)	0.1337	0.1352	0.1384
EIRP(dBm)	25.26	25.31	25.41
EIRP(Watts)	0.3357	0.3396	0.3475

LTE Band 7 (GT - LC = 4.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.28	21.27	21.43	21.50	21.52	21.56	21.46	21.39	21.57
Conducted Power (Watts)	0.1343	0.1340	0.1390	0.1413	0.1419	0.1432	0.1400	0.1377	0.1435
EIRP(dBm)	25.28	25.27	25.43	25.50	25.52	25.56	25.46	25.39	25.57
EIRP(Watts)	0.3373	0.3365	0.3491	0.3548	0.3565	0.3597	0.3516	0.3459	0.3606



LTE Band 38 (GT - LC = 4.00 dB) QPSK			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	23.15	23.17	23.12
Conducted Power (Watts)	0.2065	0.2075	0.2051
EIRP(dBm)	27.15	27.17	27.12
EIRP(Watts)	0.5188	0.5212	0.5152

LTE Band 38 (GT - LC = 4.00 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	23.23	23.19	23.20	23.35	23.34	23.37	23.34	23.40	23.34
Conducted Power (Watts)	0.2104	0.2084	0.2089	0.2163	0.2158	0.2173	0.2158	0.2188	0.2158
EIRP(dBm)	27.23	27.19	27.20	27.35	27.34	27.37	27.34	27.40	27.34
EIRP(Watts)	0.5284	0.5236	0.5248	0.5433	0.5420	0.5458	0.5420	0.5495	0.5420



LTE Band 38 (GT - LC = 4.00 dB) 16QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	22.39	22.52	22.48
Conducted Power (Watts)	0.1734	0.1786	0.1770
EIRP(dBm)	26.39	26.52	26.48
EIRP(Watts)	0.4355	0.4487	0.4446

LTE Band 38 (GT - LC = 4.00 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	22.62	22.43	22.47	22.82	22.80	22.65	22.69	22.36	22.31
Conducted Power (Watts)	0.1828	0.1750	0.1766	0.1914	0.1905	0.1841	0.1858	0.1722	0.1702
EIRP(dBm)	26.62	26.43	26.47	26.82	26.80	26.65	26.69	26.36	26.31
EIRP(Watts)	0.4592	0.4395	0.4436	0.4808	0.4786	0.4624	0.4667	0.4325	0.4276



LTE Band 38 (GT - LC = 4.00 dB) 64QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	21.40	21.35	21.27
Conducted Power (Watts)	0.1380	0.1365	0.1340
EIRP(dBm)	25.40	25.35	25.27
EIRP(Watts)	0.3467	0.3428	0.3365

LTE Band 38 (GT - LC = 4.00 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	21.72	21.55	21.51	21.54	21.89	21.41	21.57	21.79	21.35
Conducted Power (Watts)	0.1486	0.1429	0.1416	0.1426	0.1545	0.1384	0.1435	0.1510	0.1365
EIRP(dBm)	25.72	25.55	25.51	25.54	25.89	25.41	25.57	25.79	25.35
EIRP(Watts)	0.3733	0.3589	0.3556	0.3581	0.3882	0.3475	0.3606	0.3793	0.3428

LTE Band 41 ($G_T - L_C = 4.00$ dB) QPSK									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	24.64	24.51	24.75	24.51	24.63	24.78	24.84	24.99	25.10
Conducted Power (Watts)	0.2911	0.2825	0.2985	0.2825	0.2904	0.3006	0.3048	0.3155	0.3236
EIRP(dBm)	28.64	28.51	28.75	28.51	28.63	28.78	28.84	28.99	29.10
EIRP(Watts)	0.7311	0.7096	0.7499	0.7096	0.7295	0.7551	0.7656	0.7925	0.8128

LTE Band 41 ($G_T - L_C = 4.00$ dB) QPSK			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	24.93	24.99	25.13
Conducted Power (Watts)	0.3112	0.3155	0.3258
EIRP(dBm)	28.93	28.99	29.13
EIRP(Watts)	0.7816	0.7925	0.8185

LTE Band 41 ($G_T - L_C = 4.00$ dB) 16QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	23.92	23.83	24.08	24.01	23.96	24.16	24.24	24.20	24.44
Conducted Power (Watts)	0.2466	0.2415	0.2559	0.2518	0.2489	0.2606	0.2655	0.2630	0.2780
EIRP(dBm)	27.92	27.83	28.08	28.01	27.96	28.16	28.24	28.20	28.44
EIRP(Watts)	0.6194	0.6067	0.6427	0.6324	0.6252	0.6546	0.6668	0.6607	0.6982

LTE Band 41 ($G_T - L_C = 4.00$ dB) 16QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	24.42	24.29	24.49
Conducted Power (Watts)	0.2767	0.2685	0.2812
EIRP(dBm)	28.42	28.29	28.49
EIRP(Watts)	0.6950	0.6745	0.7063

LTE Band 41 ($G_T - L_C = 4.00$ dB) 64QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	22.83	22.82	22.98	22.90	22.97	23.03	23.07	22.96	23.18
Conducted Power (Watts)	0.1919	0.1914	0.1986	0.1950	0.1982	0.2009	0.2028	0.1977	0.2080
EIRP(dBm)	26.83	26.82	26.98	26.90	26.97	27.03	27.07	26.96	27.18
EIRP(Watts)	0.4819	0.4808	0.4989	0.4898	0.4977	0.5047	0.5093	0.4966	0.5224

LTE Band 41 ($G_T - L_C = 4.00$ dB) 64QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	23.23	23.13	23.38
Conducted Power (Watts)	0.2104	0.2056	0.2178
EIRP(dBm)	27.23	27.13	27.38
EIRP(Watts)	0.5284	0.5164	0.5470

CA EIRP

LTE Band 7 CA (GT - LC = 4.00 dB) QPSK									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.66	23.47	23.22	23.58	23.38	23.22	23.66	23.48	23.21
Conducted Power (Watts)	0.2323	0.2223	0.2099	0.2280	0.2178	0.2099	0.2323	0.2228	0.2094
EIRP(dBm)	27.66	27.47	27.22	27.58	27.38	27.22	27.66	27.48	27.21
EIRP(Watts)	0.5834	0.5585	0.5272	0.5728	0.5470	0.5272	0.5834	0.5598	0.5260

LTE Band 7 CA (GT - LC = 4.00 dB) QPSK									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.64	23.48	23.24	23.68	23.51	23.27	23.42	23.32	23.33
Conducted Power (Watts)	0.2312	0.2228	0.2109	0.2333	0.2244	0.2123	0.2198	0.2148	0.2153
EIRP(dBm)	27.64	27.48	27.24	27.68	27.51	27.27	27.42	27.32	27.33
EIRP(Watts)	0.5808	0.5598	0.5297	0.5861	0.5636	0.5333	0.5521	0.5395	0.5408

LTE Band 7 CA (GT - LC = 4.00 dB) 16QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.62	22.54	22.69	22.62	22.49	22.67	22.53	22.52	22.70
Conducted Power (Watts)	0.1828	0.1795	0.1858	0.1828	0.1774	0.1849	0.1791	0.1786	0.1862
EIRP(dBm)	26.62	26.54	26.69	26.62	26.49	26.67	26.53	26.52	26.70
EIRP(Watts)	0.4592	0.4508	0.4667	0.4592	0.4457	0.4645	0.4498	0.4487	0.4677

LTE Band 7 CA (GT - LC = 4.00 dB) 16QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.63	22.52	22.69	22.65	22.56	22.74	23.30	23.27	23.24
Conducted Power (Watts)	0.1832	0.1786	0.1858	0.1841	0.1803	0.1879	0.2138	0.2123	0.2109
EIRP(dBm)	26.63	26.52	26.69	26.65	26.56	26.74	27.30	27.27	27.24
EIRP(Watts)	0.4603	0.4487	0.4667	0.4624	0.4529	0.4721	0.5370	0.5333	0.5297



LTE Band 7 CA (GT - LC = 4.00 dB) 64QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.54	21.51	21.00	21.46	21.50	21.02	21.55	21.45	21.00
Conducted Power (Watts)	0.1426	0.1416	0.1259	0.1400	0.1413	0.1265	0.1429	0.1396	0.1259
EIRP(dBm)	25.54	25.51	25.00	25.46	25.50	25.02	25.55	25.45	25.00
EIRP(Watts)	0.3581	0.3556	0.3162	0.3516	0.3548	0.3177	0.3589	0.3508	0.3162

LTE Band 7 CA (GT - LC = 4.00 dB) 64QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.54	21.45	21.03	21.57	21.54	21.00	21.77	21.76	21.75
Conducted Power (Watts)	0.1426	0.1396	0.1268	0.1435	0.1426	0.1259	0.1503	0.1500	0.1496
EIRP(dBm)	25.54	25.45	25.03	25.57	25.54	25.00	25.77	25.76	25.75
EIRP(Watts)	0.3581	0.3508	0.3184	0.3606	0.3581	0.3162	0.3776	0.3767	0.3758



LTE Band 7 CA (GT - LC = 4.00 dB) QPSK			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.56	23.34	23.17
Conducted Power (Watts)	0.2270	0.2158	0.2075
EIRP(dBm)	27.56	27.34	27.17
EIRP(Watts)	0.5702	0.5420	0.5212

LTE Band 7 CA (GT - LC = 4.00 dB) 16QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.59	22.47	22.62
Conducted Power (Watts)	0.1816	0.1766	0.1828
EIRP(dBm)	26.59	26.47	26.62
EIRP(Watts)	0.4560	0.4436	0.4592

LTE Band 7 CA (GT - LC = 4.00 dB) 64QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.43	21.47	21.01
Conducted Power (Watts)	0.1390	0.1403	0.1262
EIRP(dBm)	25.43	25.47	25.01
EIRP(Watts)	0.3491	0.3524	0.3170



LTE Band 38 CA (GT - LC = 4.00 dB) QPSK						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.00	22.01	22.02	22.00	22.03	22.01
Conducted Power (Watts)	0.1585	0.1589	0.1592	0.1585	0.1596	0.1589
EIRP(dBm)	26.00	26.01	26.02	26.00	26.03	26.01
EIRP(Watts)	0.3981	0.3990	0.3999	0.3981	0.4009	0.3990

LTE Band 38 CA (GT - LC = 4.00 dB) 16QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.67	21.78	21.53	22.25	22.24	22.24
Conducted Power (Watts)	0.1469	0.1507	0.1422	0.1679	0.1675	0.1675
EIRP(dBm)	25.67	25.78	25.53	26.25	26.24	26.24
EIRP(Watts)	0.3690	0.3784	0.3573	0.4217	0.4207	0.4207

LTE Band 38 CA (GT - LC = 4.00 dB) 64QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.45	20.43	20.36	19.67	19.66	19.66
Conducted Power (Watts)	0.1109	0.1104	0.1086	0.0927	0.0925	0.0925
EIRP(dBm)	24.45	24.43	24.36	23.67	23.66	23.66
EIRP(Watts)	0.2786	0.2773	0.2729	0.2328	0.2323	0.2323



LTE Band 41 CA (GT - LC = 4.00 dB) QPSK									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	24.05	24.07	23.97	24.06	24.01	24.05	24.05	24.02	24.11
Conducted Power (Watts)	0.2541	0.2553	0.2495	0.2547	0.2518	0.2541	0.2541	0.2523	0.2576
EIRP(dBm)	28.05	28.07	27.97	28.06	28.01	28.05	28.05	28.02	28.11
EIRP(Watts)	0.6383	0.6412	0.6266	0.6397	0.6324	0.6383	0.6383	0.6339	0.6471

LTE Band 41 CA (GT - LC = 4.00 dB) QPSK									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	24.05	24.08	24.04	24.01	23.87	24.11	24.03	23.92	23.88
Conducted Power (Watts)	0.2541	0.2559	0.2535	0.2518	0.2438	0.2576	0.2529	0.2466	0.2443
EIRP(dBm)	28.05	28.08	28.04	28.01	27.87	28.11	28.03	27.92	27.88
EIRP(Watts)	0.6383	0.6427	0.6368	0.6324	0.6124	0.6471	0.6353	0.6194	0.6138

LTE Band 41 CA (GT - LC = 4.00 dB) QPSK						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.98	23.59	23.79	23.48	23.53	23.52
Conducted Power (Watts)	0.2500	0.2286	0.2393	0.2228	0.2254	0.2249
EIRP(dBm)	27.98	27.59	27.79	27.48	27.53	27.52
EIRP(Watts)	0.6281	0.5741	0.6012	0.5598	0.5662	0.5649

LTE Band 41 CA (GT - LC = 4.00 dB) QPSK						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	24.12	24.11	24.04	24.08	24.04	24.07
Conducted Power (Watts)	0.2582	0.2576	0.2535	0.2559	0.2535	0.2553
EIRP(dBm)	28.12	28.11	28.04	28.08	28.04	28.07
EIRP(Watts)	0.6486	0.6471	0.6368	0.6427	0.6368	0.6412



LTE Band 41 CA (GT - LC = 4.00 dB) 16QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.04	23.11	23.11	23.03	23.01	23.22	23.05	22.88	23.15
Conducted Power (Watts)	0.2014	0.2046	0.2046	0.2009	0.2000	0.2099	0.2018	0.1941	0.2065
EIRP(dBm)	27.04	27.11	27.11	27.03	27.01	27.22	27.05	26.88	27.15
EIRP(Watts)	0.5058	0.5140	0.5140	0.5047	0.5023	0.5272	0.5070	0.4875	0.5188

LTE Band 41 CA (GT - LC = 4.00 dB) 16QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.08	23.11	23.03	23.05	23.02	23.15	23.39	23.02	23.01
Conducted Power (Watts)	0.2032	0.2046	0.2009	0.2018	0.2004	0.2065	0.2183	0.2004	0.2000
EIRP(dBm)	27.08	27.11	27.03	27.05	27.02	27.15	27.39	27.02	27.01
EIRP(Watts)	0.5105	0.5140	0.5047	0.5070	0.5035	0.5188	0.5483	0.5035	0.5023



LTE Band 41 CA (GT - LC = 4.00 dB) 16QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.54	22.99	23.15	22.89	22.39	22.43
Conducted Power (Watts)	0.2259	0.1991	0.2065	0.1945	0.1734	0.1750
EIRP(dBm)	27.54	26.99	27.15	26.89	26.39	26.43
EIRP(Watts)	0.5675	0.5000	0.5188	0.4887	0.4355	0.4395

LTE Band 41 CA (GT - LC = 4.00 dB) 16QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.01	23.04	23.07	23.03	23.04	23.05
Conducted Power (Watts)	0.2000	0.2014	0.2028	0.2009	0.2014	0.2018
EIRP(dBm)	27.01	27.04	27.07	27.03	27.04	27.05
EIRP(Watts)	0.5023	0.5058	0.5093	0.5047	0.5058	0.5070



LTE Band 41 CA (GT - LC = 4.00 dB) 64QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.06	22.05	22.21	22.21	22.03	22.04	22.04	22.02	22.08
Conducted Power (Watts)	0.1607	0.1603	0.1663	0.1663	0.1596	0.1600	0.1600	0.1592	0.1614
EIRP(dBm)	26.06	26.05	26.21	26.21	26.03	26.04	26.04	26.02	26.08
EIRP(Watts)	0.4036	0.4027	0.4178	0.4178	0.4009	0.4018	0.4018	0.3999	0.4055

LTE Band 41 CA (GT - LC = 4.00 dB) 64QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.08	22.04	21.96	21.90	22.15	22.26	22.17	21.89	21.94
Conducted Power (Watts)	0.1614	0.1600	0.1570	0.1549	0.1641	0.1683	0.1648	0.1545	0.1563
EIRP(dBm)	26.08	26.04	25.96	25.90	26.15	26.26	26.17	25.89	25.94
EIRP(Watts)	0.4055	0.4018	0.3945	0.3890	0.4121	0.4227	0.4140	0.3882	0.3926

LTE Band 41 CA (GT - LC = 4.00 dB) 64QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.26	21.84	21.97	21.69	21.80	21.74
Conducted Power (Watts)	0.1683	0.1528	0.1574	0.1476	0.1514	0.1493
EIRP(dBm)	26.26	25.84	25.97	25.69	25.80	25.74
EIRP(Watts)	0.4227	0.3837	0.3954	0.3707	0.3802	0.3750







LTE Band 41 CA (GT - LC = 4.00 dB) 64QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.13	22.14	22.05	22.01	22.11	22.05
Conducted Power (Watts)	0.1633	0.1637	0.1603	0.1589	0.1626	0.1603
EIRP(dBm)	26.13	26.14	26.05	26.01	26.11	26.05
EIRP(Watts)	0.4102	0.4111	0.4027	0.3990	0.4083	0.4027



LTE Band 7

Peak-to-Average Ratio


Mode	LTE Band 7 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.57	4.72	4.99	5.80	PASS
Middle CH	3.57	5.07	4.70	5.94	
Highest CH	3.71	5.04	5.62	5.94	
Mode	LTE Band 7 / 20MHz				
Mod.	64QAM				Limit: 13dB
RB Size	1RB	Full RB			Result
Lowest CH	5.33	5.80	-	-	PASS
Middle CH	4.90	5.94	-	-	
Highest CH	5.74	5.97	-	-	

LTE Band 7 / 20MHz / QPSK
Lowest Channel / 1RB

Lowest Channel / Full RB

Middle Channel / 1RB

Middle Channel / Full RB

Highest Channel / 1RB

Highest Channel / Full RB





LTE Band 7 / 20MHz / 16QAM


Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB




Highest Channel / 1RB




Highest Channel / Full RB




LTE Band 7 / 20MHz / 64QAM
Lowest Channel / 1RB



Date: 18.MAR.2020 23:00:40

Lowest Channel / Full RB



Date: 18.MAR.2020 23:01:30

Middle Channel / 1RB



Date: 18.MAR.2020 22:55:13

Middle Channel / Full RB


Date: 18.MAR.2020 22:55:00

Highest Channel / 1RB


Date: 18.MAR.2020 23:04:49

Highest Channel / Full RB


Date: 18.MAR.2020 23:03:50


**26dB Bandwidth**

Mode	LTE Band 7 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	-	-	-	-	4.93	4.91	9.77	9.75	14.36	14.42	18.82	19.38
Middle CH	-	-	-	-	4.87	4.95	9.73	9.71	14.45	14.36	19.18	19.10
Highest CH	-	-	-	-	4.95	4.91	9.67	9.81	14.51	14.27	19.34	18.94
Mode	LTE Band 7 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM		64QAM		64QAM		64QAM		64QAM		64QAM	
Lowest CH	-	-	-	-	4.94	-	9.65	-	14.51	-	18.82	-
Middle CH	-	-	-	-	4.89	-	9.85	-	14.42	-	19.26	-
Highest CH	-	-	-	-	4.96	-	9.77	-	14.36	-	19.02	-




LTE Band 7


Lowest Channel / 5MHz / QPSK




Lowest Channel / 5MHz / 16QAM




Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM



Highest Channel / 5MHz / QPSK




Highest Channel / 5MHz / 16QAM






LTE Band 7

Lowest Channel / 10MHz / QPSK




Date: 18 MAR 2020 19:14:36

Lowest Channel / 10MHz / 16QAM




Date: 18 MAR 2020 19:14:47

Middle Channel / 10MHz / QPSK




Date: 18 MAR 2020 19:20:42

Middle Channel / 10MHz / 16QAM




Date: 18 MAR 2020 19:20:53

Highest Channel / 10MHz / QPSK



Date: 18 MAR 2020 19:22:51

Highest Channel / 10MHz / 16QAM




Date: 18 MAR 2020 19:23:02




LTE Band 7

Lowest Channel / 15MHz / QPSK




Date: 18 MAR 2020 19:36:09

Lowest Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:36:19

Middle Channel / 15MHz / QPSK




Date: 18 MAR 2020 19:42:16

Middle Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:42:27

Highest Channel / 15MHz / QPSK



Date: 18 MAR 2020 19:44:26

Highest Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:44:37




LTE Band 7

Lowest Channel / 20MHz / QPSK




Date: 18 MAR 2020 19:57:44

Lowest Channel / 20MHz / 16QAM




Date: 18 MAR 2020 19:57:55

Middle Channel / 20MHz / QPSK




Date: 18 MAR 2020 20:03:52

Middle Channel / 20MHz / 16QAM




Date: 18 MAR 2020 20:04:03

Highest Channel / 20MHz / QPSK



Date: 18 MAR 2020 20:06:01

Highest Channel / 20MHz / 16QAM




Date: 18 MAR 2020 20:06:12




LTE Band 7

Lowest Channel / 5MHz / 64QAM




Date: 18 MAR 2020 19:11:18

Lowest Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:28:47

Middle Channel / 5MHz / 64QAM




Date: 18 MAR 2020 19:01:52

Middle Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:31:50

Highest Channel / 5MHz / 64QAM



Date: 18 MAR 2020 18:54:03

Highest Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:32:55




LTE Band 7

Lowest Channel / 15MHz / 64QAM




Date: 18 MAR 2020 19:50:21

Lowest Channel / 20MHz / 64QAM




Date: 18 MAR 2020 20:11:56

Middle Channel / 15MHz / 64QAM




Date: 18 MAR 2020 19:53:25

Middle Channel / 20MHz / 64QAM




Date: 18 MAR 2020 20:15:00

Highest Channel / 15MHz / 64QAM



Date: 18 MAR 2020 19:54:30

Highest Channel / 20MHz / 64QAM



Date: 18 MAR 2020 20:16:05


**Occupied Bandwidth**

Mode	LTE Band 7 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	-	-	-	-	4.50	4.49	9.03	8.99	13.49	13.40	17.86	17.70
Middle CH	-	-	-	-	4.50	4.49	8.99	9.03	13.49	13.46	17.94	17.90
Highest CH	-	-	-	-	4.50	4.50	8.99	9.01	13.40	13.40	17.94	17.90
Mode	LTE Band 7 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	64QAM		64QAM		64QAM		64QAM		64QAM		64QAM	
Lowest CH	-	-	-	-	4.50	-	9.03	-	13.43	-	17.82	-
Middle CH	-	-	-	-	4.48	-	8.97	-	13.43	-	17.90	-
Highest CH	-	-	-	-	4.50	-	9.01	-	13.46	-	17.94	-




LTE Band 7

Lowest Channel / 5MHz / QPSK




Date: 18 MAR 2020 19:09:51

Lowest Channel / 5MHz / 16QAM




Date: 18 MAR 2020 19:10:31

Middle Channel / 5MHz / QPSK




Date: 18 MAR 2020 19:02:28

Middle Channel / 5MHz / 16QAM




Date: 18 MAR 2020 19:02:08

Highest Channel / 5MHz / QPSK



Date: 18 MAR 2020 18:52:37

Highest Channel / 5MHz / 16QAM




Date: 18 MAR 2020 18:53:21




LTE Band 7


Lowest Channel / 10MHz / QPSK




Lowest Channel / 10MHz / 16QAM




Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM



Highest Channel / 10MHz / QPSK




Highest Channel / 10MHz / 16QAM






LTE Band 7

Lowest Channel / 15MHz / QPSK




Date: 18 MAR 2020 19:35:47

Lowest Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:35:58

Middle Channel / 15MHz / QPSK




Date: 18 MAR 2020 19:41:55

Middle Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:42:05

Highest Channel / 15MHz / QPSK



Date: 18 MAR 2020 19:44:04

Highest Channel / 15MHz / 16QAM




Date: 18 MAR 2020 19:44:15




LTE Band 7

Lowest Channel / 20MHz / QPSK




Date: 18 MAR 2020 19:57:22

Lowest Channel / 20MHz / 16QAM




Date: 18 MAR 2020 19:57:33

Middle Channel / 20MHz / QPSK




Date: 18 MAR 2020 20:03:30

Middle Channel / 20MHz / 16QAM




Date: 18 MAR 2020 20:03:41

Highest Channel / 20MHz / QPSK



Date: 18 MAR 2020 20:05:39

Highest Channel / 20MHz / 16QAM




Date: 18 MAR 2020 20:05:50




LTE Band 7

Lowest Channel / 5MHz / 64QAM




Date: 18 MAR 2020 19:11:09

Lowest Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:28:36

Middle Channel / 5MHz / 64QAM




Date: 18 MAR 2020 19:01:33

Middle Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:31:39

Highest Channel / 5MHz / 64QAM



Date: 18 MAR 2020 18:53:56

Highest Channel / 10MHz / 64QAM




Date: 18 MAR 2020 19:32:44




LTE Band 7


Lowest Channel / 15MHz / 64QAM




Lowest Channel / 20MHz / 64QAM




Middle Channel / 15MHz / 64QAM



Middle Channel / 20MHz / 64QAM



Highest Channel / 15MHz / 64QAM



Highest Channel / 20MHz / 64QAM

