


Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n2 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1880 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.28	-81.59	-68.79	-11.46	-1.34	-13.00	-68.59
138.64	-79.20	-75.20	-1.85	-2.15	-13.00	-66.20
179.38	-77.56	-76.27	1.16	-2.45	-13.00	-64.56
226.91	-76.82	-78.97	4.90	-2.75	-13.00	-63.82
274.44	-77.43	-78.09	3.69	-3.03	-13.00	-64.43
339.43	-77.91	-78.54	4.00	-3.37	-13.00	-64.91
3760.00	-43.55	-44.61	12.50	-11.44	-13.00	-30.55
5640.00	-52.55	-51.87	13.48	-14.17	-13.00	-39.55
7520.00	-43.81	-38.44	11.08	-16.45	-13.00	-30.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n2 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1880 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
85.29	-83.46	-80.22	-1.54	-1.69	-13.00	-70.46
158.04	-80.72	-77.27	-1.15	-2.30	-13.00	-67.72
205.57	-83.98	-85.41	4.05	-2.62	-13.00	-70.98
281.23	-82.55	-83.20	3.71	-3.07	-13.00	-69.55
345.25	-79.01	-79.66	4.05	-3.39	-13.00	-66.01
403.45	-77.21	-77.48	3.93	-3.66	-13.00	-64.21
3760.00	-47.48	-48.54	12.50	-11.44	-13.00	-34.48
5640.00	-52.69	-52.01	13.48	-14.17	-13.00	-39.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n2 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1905 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.80	-74.79	-66.20	-7.07	-1.52	-13.00	-61.79
144.46	-79.03	-75.01	-1.82	-2.20	-13.00	-66.03
179.38	-78.33	-77.04	1.16	-2.45	-13.00	-65.33
229.82	-77.70	-79.65	4.72	-2.77	-13.00	-64.70
281.23	-77.75	-78.39	3.71	-3.07	-13.00	-64.75
421.88	-77.53	-77.89	4.11	-3.75	-13.00	-64.53
3810.00	-45.12	-46.06	12.46	-11.52	-13.00	-32.12
5715.00	-47.74	-46.76	13.30	-14.27	-13.00	-34.74
7620.00	-40.84	-35.55	11.28	-16.57	-13.00	-27.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n2 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1905 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.98	-79.62	-69.34	-8.83	-1.45	-13.00	-66.62
119.24	-82.71	-79.19	-1.52	-2.00	-13.00	-69.71
176.47	-80.81	-79.08	0.71	-2.43	-13.00	-67.81
208.48	-83.58	-85.17	4.23	-2.64	-13.00	-70.58
286.08	-80.91	-81.51	3.69	-3.09	-13.00	-67.91
345.25	-77.88	-78.53	4.05	-3.39	-13.00	-64.88
3810.00	-47.36	-48.30	12.46	-11.52	-13.00	-34.36
5715.00	-52.75	-51.78	13.30	-14.27	-13.00	-39.75
7620.00	-42.53	-37.24	11.28	-16.57	-13.00	-29.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :831.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-80.13	-73.48	-5.07	-1.58	-13.00	-67.13
128.94	-79.25	-75.46	-1.71	-2.08	-13.00	-66.25
178.41	-78.29	-76.90	1.05	-2.44	-13.00	-65.29
229.82	-77.14	-79.09	4.72	-2.77	-13.00	-64.14
281.23	-78.04	-78.68	3.71	-3.07	-13.00	-65.04
427.70	-76.90	-77.07	3.94	-3.77	-13.00	-63.90
1663.00	-59.91	-62.05	9.63	-7.49	-13.00	-46.91
2494.50	-57.54	-58.93	10.65	-9.26	-13.00	-44.54
3326.00	-51.05	-52.70	12.40	-10.75	-13.00	-38.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :831.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
76.56	-78.84	-72.87	-4.37	-1.60	-13.00	-65.84
121.18	-82.95	-79.47	-1.47	-2.02	-13.00	-69.95
160.95	-81.11	-77.81	-0.98	-2.32	-13.00	-68.11
241.46	-83.41	-84.24	3.67	-2.84	-13.00	-70.41
345.25	-78.19	-78.85	4.05	-3.39	-13.00	-65.19
367.56	-77.71	-78.40	4.18	-3.50	-13.00	-64.71
1663.00	-59.51	-61.65	9.63	-7.49	-13.00	-46.51
2494.50	-56.94	-58.33	10.65	-9.26	-13.00	-43.94
3326.00	-49.62	-51.27	12.40	-10.75	-13.00	-36.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-83.48	-67.91	-14.54	-1.03	-13.00	-70.48
81.41	-83.31	-79.09	-2.56	-1.65	-13.00	-70.31
134.76	-79.15	-75.23	-1.80	-2.12	-13.00	-66.15
179.38	-78.68	-77.39	1.16	-2.45	-13.00	-65.68
229.82	-76.64	-78.59	4.72	-2.77	-13.00	-63.64
272.50	-77.67	-78.38	3.74	-3.02	-13.00	-64.67
1673.00	-59.87	-62.06	9.70	-7.52	-13.00	-46.87
2509.50	-58.46	-59.87	10.70	-9.29	-13.00	-45.46
3346.00	-52.15	-53.85	12.48	-10.78	-13.00	-39.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
59.10	-78.83	-67.43	-10.00	-1.41	-13.00	-65.83
136.70	-82.08	-78.23	-1.71	-2.14	-13.00	-69.08
167.74	-81.31	-78.59	-0.35	-2.37	-13.00	-68.31
211.39	-83.00	-84.72	4.38	-2.66	-13.00	-70.00
345.25	-78.97	-79.63	4.05	-3.39	-13.00	-65.97
401.51	-78.15	-78.42	3.92	-3.66	-13.00	-65.15
1673.00	-58.63	-60.81	9.70	-7.52	-13.00	-45.63
2509.50	-58.62	-60.03	10.70	-9.29	-13.00	-45.62
3346.00	-49.05	-50.75	12.48	-10.78	-13.00	-36.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :841.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-82.94	-70.68	-10.90	-1.36	-13.00	-69.94
146.40	-80.06	-76.12	-1.73	-2.21	-13.00	-67.06
179.38	-78.46	-77.17	1.16	-2.45	-13.00	-65.46
231.76	-77.55	-79.23	4.46	-2.78	-13.00	-64.55
279.29	-77.53	-78.19	3.71	-3.06	-13.00	-64.53
330.70	-78.51	-79.05	3.85	-3.32	-13.00	-65.51
1683.00	-59.49	-61.65	9.70	-7.54	-13.00	-46.49
2524.50	-58.46	-59.74	10.60	-9.32	-13.00	-45.46
3366.00	-50.76	-52.44	12.50	-10.82	-13.00	-37.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n5 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :841.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
115.36	-83.13	-79.69	-1.48	-1.97	-13.00	-70.13
162.89	-81.52	-78.40	-0.79	-2.33	-13.00	-68.52
211.39	-82.33	-84.05	4.38	-2.66	-13.00	-69.33
266.68	-83.15	-84.26	4.10	-2.99	-13.00	-70.15
367.56	-78.64	-79.33	4.18	-3.50	-13.00	-65.64
411.21	-78.40	-78.77	4.06	-3.70	-13.00	-65.40
1683.00	-59.15	-61.31	9.70	-7.54	-13.00	-46.15
2524.50	-58.38	-59.66	10.60	-9.32	-13.00	-45.38
3366.00	-49.73	-51.42	12.50	-10.82	-13.00	-36.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2505 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-78.75	-74.17	-2.94	-1.64	-25.00	-53.75
127.97	-78.91	-75.15	-1.68	-2.07	-25.00	-53.91
179.38	-78.88	-77.59	1.16	-2.45	-25.00	-53.88
227.88	-77.25	-79.34	4.84	-2.76	-25.00	-52.25
279.29	-78.11	-78.76	3.71	-3.06	-25.00	-53.11
346.22	-78.41	-79.09	4.07	-3.39	-25.00	-53.41
5010.00	-51.79	-51.06	12.58	-13.31	-25.00	-26.79
7515.00	-43.71	-38.32	11.06	-16.44	-25.00	-18.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2505 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.99	-82.60	-80.05	-0.77	-1.78	-25.00	-57.60
151.25	-81.57	-77.70	-1.62	-2.25	-25.00	-56.57
173.56	-81.26	-79.23	0.38	-2.41	-25.00	-56.26
212.36	-82.81	-84.57	4.42	-2.66	-25.00	-57.81
350.10	-78.36	-79.12	4.16	-3.41	-25.00	-53.36
410.24	-76.16	-76.52	4.04	-3.69	-25.00	-51.16
5010.00	-52.28	-51.56	12.58	-13.31	-25.00	-27.28
7515.00	-48.14	-42.76	11.06	-16.44	-25.00	-23.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2535 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-79.58	-72.93	-5.07	-1.58	-25.00	-54.58
137.67	-79.46	-75.54	-1.78	-2.14	-25.00	-54.46
176.47	-78.55	-76.83	0.71	-2.43	-25.00	-53.55
231.76	-76.21	-77.89	4.46	-2.78	-25.00	-51.21
283.17	-78.32	-78.94	3.69	-3.08	-25.00	-53.32
437.40	-77.24	-77.12	3.70	-3.82	-25.00	-52.24
5070.00	-51.81	-50.87	12.46	-13.40	-25.00	-26.81
7605.00	-42.32	-36.99	11.22	-16.55	-25.00	-17.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2535 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
92.08	-83.09	-80.48	-0.85	-1.76	-25.00	-58.09
122.15	-82.99	-79.46	-1.51	-2.03	-25.00	-57.99
174.53	-81.45	-79.49	0.46	-2.42	-25.00	-56.45
212.36	-83.03	-84.79	4.42	-2.66	-25.00	-58.03
284.14	-82.53	-83.14	3.69	-3.08	-25.00	-57.53
371.44	-78.00	-78.60	4.12	-3.52	-25.00	-53.00
5070.00	-53.56	-52.62	12.46	-13.40	-25.00	-28.56
7605.00	-42.99	-37.67	11.22	-16.55	-25.00	-17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2565 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.58	-82.72	-68.79	-12.72	-1.21	-25.00	-57.72
149.31	-79.64	-75.80	-1.60	-2.23	-25.00	-54.64
181.32	-78.89	-77.91	1.48	-2.46	-25.00	-53.89
228.85	-77.38	-79.40	4.78	-2.76	-25.00	-52.38
274.44	-77.97	-78.62	3.69	-3.03	-25.00	-52.97
378.23	-77.82	-78.28	4.01	-3.55	-25.00	-52.82
5130.00	-52.51	-51.43	12.40	-13.48	-25.00	-27.51
7695.00	-43.74	-38.57	11.49	-16.66	-25.00	-18.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n7 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2565 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
82.38	-82.88	-78.89	-2.33	-1.66	-25.00	-57.88
142.52	-82.22	-78.21	-1.84	-2.18	-25.00	-57.22
174.53	-80.76	-78.81	0.46	-2.42	-25.00	-55.76
213.33	-82.14	-83.93	4.46	-2.67	-25.00	-57.14
311.30	-81.66	-82.23	3.79	-3.22	-25.00	-56.66
375.32	-78.11	-78.63	4.05	-3.54	-25.00	-53.11
5130.00	-52.23	-51.15	12.40	-13.48	-25.00	-27.23
7695.00	-44.07	-38.89	11.49	-16.66	-25.00	-19.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :701.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.68	-79.37	-71.99	-5.82	-1.56	-13.00	-66.37
133.79	-79.47	-75.61	-1.75	-2.12	-13.00	-66.47
177.44	-78.33	-76.80	0.91	-2.43	-13.00	-65.33
231.76	-76.50	-78.18	4.46	-2.78	-13.00	-63.50
276.38	-78.33	-78.97	3.68	-3.04	-13.00	-65.33
363.68	-78.16	-78.90	4.22	-3.48	-13.00	-65.16
1403.00	-54.38	-55.14	7.63	-6.87	-13.00	-41.38
2104.50	-59.90	-61.30	9.86	-8.47	-13.00	-46.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :701.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.93	-81.29	-78.42	-1.07	-1.80	-13.00	-68.29
148.34	-81.30	-77.42	-1.66	-2.23	-13.00	-68.30
173.56	-81.40	-79.37	0.38	-2.41	-13.00	-68.40
207.51	-83.42	-84.96	4.17	-2.64	-13.00	-70.42
376.29	-77.50	-77.99	4.04	-3.54	-13.00	-64.50
410.24	-76.83	-77.18	4.04	-3.69	-13.00	-63.83
1403.00	-54.01	-54.77	7.63	-6.87	-13.00	-41.01
2104.50	-58.09	-59.48	9.86	-8.47	-13.00	-45.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :707.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
57.16	-82.72	-70.79	-10.54	-1.39	-13.00	-69.72
130.88	-79.14	-75.28	-1.77	-2.10	-13.00	-66.14
185.20	-78.35	-77.91	2.05	-2.49	-13.00	-65.35
229.82	-77.06	-79.02	4.72	-2.77	-13.00	-64.06
280.26	-76.22	-76.87	3.72	-3.06	-13.00	-63.22
351.07	-79.07	-79.84	4.19	-3.42	-13.00	-66.07
1415.00	-54.22	-55.07	7.75	-6.90	-13.00	-41.22
2122.50	-59.12	-60.21	9.60	-8.51	-13.00	-46.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :707.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
77.53	-79.86	-74.33	-3.92	-1.61	-13.00	-66.86
160.95	-81.50	-78.20	-0.98	-2.32	-13.00	-68.50
210.42	-82.19	-83.88	4.34	-2.65	-13.00	-69.19
298.69	-81.26	-81.91	3.81	-3.15	-13.00	-68.26
343.31	-78.92	-79.56	4.03	-3.38	-13.00	-65.92
409.27	-77.75	-78.09	4.02	-3.69	-13.00	-64.75
1415.00	-52.67	-53.52	7.75	-6.90	-13.00	-39.67
2122.50	-58.50	-59.59	9.60	-8.51	-13.00	-45.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :713.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.13	-82.67	-71.05	-10.22	-1.40	-13.00	-69.67
136.70	-79.28	-75.44	-1.71	-2.14	-13.00	-66.28
180.35	-78.37	-77.19	1.27	-2.45	-13.00	-65.37
231.76	-77.59	-79.27	4.46	-2.78	-13.00	-64.59
272.50	-78.16	-78.88	3.74	-3.02	-13.00	-65.16
317.12	-77.44	-77.99	3.81	-3.25	-13.00	-64.44
1427.00	-55.37	-56.25	7.80	-6.92	-13.00	-42.37
2140.50	-58.18	-59.22	9.59	-8.55	-13.00	-45.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n12 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :713.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.01	-81.89	-71.38	-9.07	-1.44	-13.00	-68.89
127.97	-83.28	-79.53	-1.68	-2.07	-13.00	-70.28
168.71	-81.08	-78.42	-0.27	-2.38	-13.00	-68.08
226.91	-82.55	-84.70	4.90	-2.75	-13.00	-69.55
338.46	-78.18	-78.79	3.97	-3.36	-13.00	-65.18
382.11	-77.37	-77.74	3.94	-3.57	-13.00	-64.37
1427.00	-58.87	-59.74	7.80	-6.92	-13.00	-45.87
2140.50	-57.64	-58.68	9.59	-8.55	-13.00	-44.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n14 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :790.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-76.99	-72.41	-2.94	-1.64	-13.00	-63.99
138.64	-79.34	-75.35	-1.85	-2.15	-13.00	-66.34
179.38	-79.00	-77.72	1.16	-2.45	-13.00	-66.00
228.85	-76.97	-78.99	4.78	-2.76	-13.00	-63.97
278.32	-77.67	-78.32	3.70	-3.05	-13.00	-64.67
354.95	-78.33	-79.17	4.28	-3.43	-13.00	-65.33
1581.00	-60.11	-62.01	9.20	-7.30	-40.00	-20.11
2371.50	-57.19	-58.18	10.02	-9.02	-13.00	-44.19
3162.00	-50.88	-51.77	11.37	-10.48	-13.00	-37.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n14 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :790.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.98	-80.46	-70.18	-8.83	-1.45	-13.00	-67.46
116.33	-82.66	-79.21	-1.47	-1.98	-13.00	-69.66
176.47	-79.79	-78.07	0.71	-2.43	-13.00	-66.79
210.42	-83.05	-84.74	4.34	-2.65	-13.00	-70.05
364.65	-76.24	-76.99	4.23	-3.48	-13.00	-63.24
395.69	-78.12	-78.41	3.91	-3.63	-13.00	-65.12
1581.00	-58.88	-60.78	9.20	-7.30	-40.00	-18.88
2371.50	-57.61	-58.61	10.02	-9.02	-13.00	-44.61
3162.00	-49.50	-50.39	11.37	-10.48	-13.00	-36.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n14 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :793 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.89	-72.15	-62.87	-7.80	-1.48	-13.00	-59.15
133.79	-78.97	-75.11	-1.75	-2.12	-13.00	-65.97
184.23	-79.48	-78.92	1.91	-2.48	-13.00	-66.48
231.76	-77.93	-79.61	4.46	-2.78	-13.00	-64.93
280.26	-78.21	-78.87	3.72	-3.06	-13.00	-65.21
374.35	-76.22	-76.76	4.07	-3.53	-13.00	-63.22
1586.00	-60.15	-62.04	9.20	-7.31	-40.00	-20.15
2379.00	-58.05	-59.10	10.09	-9.04	-13.00	-45.05
3172.00	-56.49	-57.43	11.43	-10.50	-13.00	-43.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n14 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Horizontal
 Test Frequency :793 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-82.75	-80.03	-0.92	-1.81	-13.00	-69.75
177.44	-81.04	-79.51	0.91	-2.43	-13.00	-68.04
230.79	-84.37	-86.19	4.60	-2.77	-13.00	-71.37
255.04	-83.13	-83.91	3.71	-2.93	-13.00	-70.13
364.65	-78.11	-78.86	4.23	-3.48	-13.00	-65.11
456.80	-77.14	-77.09	3.84	-3.90	-13.00	-64.14
1586.00	-59.73	-61.62	9.20	-7.31	-40.00	-19.73
2379.00	-56.83	-57.88	10.09	-9.04	-13.00	-43.83
3172.00	-55.71	-56.64	11.43	-10.50	-13.00	-42.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n14 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :795.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
75.59	-71.89	-65.53	-4.77	-1.59	-13.00	-58.89
121.18	-79.88	-76.40	-1.47	-2.02	-13.00	-66.88
177.44	-78.36	-76.83	0.91	-2.43	-13.00	-65.36
232.73	-78.55	-80.08	4.32	-2.79	-13.00	-65.55
283.17	-76.98	-77.60	3.69	-3.08	-13.00	-63.98
364.65	-78.30	-79.04	4.23	-3.48	-13.00	-65.30
1591.00	-59.63	-61.52	9.21	-7.32	-40.00	-19.63
2386.50	-57.62	-58.67	10.10	-9.05	-13.00	-44.62
3182.00	-51.78	-52.77	11.49	-10.51	-13.00	-38.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n14 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :795.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
100.81	-82.83	-79.81	-1.19	-1.84	-13.00	-69.83
146.40	-81.88	-77.94	-1.73	-2.21	-13.00	-68.88
179.38	-81.07	-79.78	1.16	-2.45	-13.00	-68.07
245.34	-82.68	-83.48	3.66	-2.86	-13.00	-69.68
340.40	-78.69	-79.33	4.01	-3.37	-13.00	-65.69
378.23	-77.14	-77.59	4.01	-3.55	-13.00	-64.14
1591.00	-59.32	-61.21	9.21	-7.32	-40.00	-19.32
2386.50	-57.22	-58.26	10.10	-9.05	-13.00	-44.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1855 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-77.68	-73.46	-2.56	-1.65	-13.00	-64.68
130.88	-78.65	-74.78	-1.77	-2.10	-13.00	-65.65
180.35	-78.93	-77.75	1.27	-2.45	-13.00	-65.93
229.82	-76.88	-78.83	4.72	-2.77	-13.00	-63.88
274.44	-77.68	-78.34	3.69	-3.03	-13.00	-64.68
363.68	-78.08	-78.82	4.22	-3.48	-13.00	-65.08
3710.00	-44.52	-45.66	12.50	-11.37	-13.00	-31.52
5565.00	-53.32	-52.50	13.26	-14.08	-13.00	-40.32
7420.00	-38.65	-33.35	11.06	-16.36	-13.00	-25.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1855 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
73.65	-80.06	-73.17	-5.32	-1.57	-13.00	-67.06
126.03	-82.97	-79.21	-1.71	-2.06	-13.00	-69.97
170.65	-81.07	-78.63	-0.04	-2.39	-13.00	-68.07
209.45	-82.69	-84.33	4.29	-2.65	-13.00	-69.69
345.25	-78.44	-79.09	4.05	-3.39	-13.00	-65.44
408.30	-77.67	-77.99	4.00	-3.68	-13.00	-64.67
3710.00	-48.51	-49.65	12.50	-11.37	-13.00	-35.51
5565.00	-52.66	-51.84	13.26	-14.08	-13.00	-39.66
7420.00	-43.36	-38.06	11.06	-16.36	-13.00	-30.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1882.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.86	-82.58	-73.38	-7.70	-1.50	-13.00	-69.58
135.73	-79.26	-75.36	-1.77	-2.13	-13.00	-66.26
177.44	-79.10	-77.57	0.91	-2.43	-13.00	-66.10
231.76	-76.65	-78.33	4.46	-2.78	-13.00	-63.65
279.29	-77.32	-77.97	3.71	-3.06	-13.00	-64.32
344.28	-77.89	-78.54	4.04	-3.39	-13.00	-64.89
3765.00	-43.91	-44.96	12.50	-11.45	-13.00	-30.91
5647.50	-52.08	-51.40	13.49	-14.18	-13.00	-39.08
7530.00	-41.53	-36.19	11.12	-16.46	-13.00	-28.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1882.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
78.50	-82.49	-77.29	-3.58	-1.62	-13.00	-69.49
140.58	-82.11	-78.18	-1.77	-2.16	-13.00	-69.11
185.20	-81.13	-80.69	2.05	-2.49	-13.00	-68.13
240.49	-82.75	-83.60	3.68	-2.83	-13.00	-69.75
345.25	-78.02	-78.68	4.05	-3.39	-13.00	-65.02
423.82	-77.67	-77.98	4.07	-3.76	-13.00	-64.67
3765.00	-47.28	-48.33	12.50	-11.45	-13.00	-34.28
5647.50	-53.22	-52.53	13.49	-14.18	-13.00	-40.22
7530.00	-45.58	-40.24	11.12	-16.46	-13.00	-32.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1910 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.34	-82.81	-69.65	-11.84	-1.32	-13.00	-69.81
133.79	-79.15	-75.28	-1.75	-2.12	-13.00	-66.15
183.26	-78.32	-77.61	1.77	-2.47	-13.00	-65.32
229.82	-77.47	-79.43	4.72	-2.77	-13.00	-64.47
273.47	-77.96	-78.65	3.71	-3.03	-13.00	-64.96
362.71	-77.95	-78.70	4.22	-3.47	-13.00	-64.95
3820.00	-46.51	-47.40	12.42	-11.53	-13.00	-33.51
5730.00	-51.22	-50.23	13.30	-14.29	-13.00	-38.22
7640.00	-37.38	-32.15	11.36	-16.60	-13.00	-24.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n25 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1910 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-78.79	-72.14	-5.07	-1.58	-13.00	-65.79
122.15	-82.49	-78.95	-1.51	-2.03	-13.00	-69.49
163.86	-80.88	-77.81	-0.73	-2.34	-13.00	-67.88
223.03	-84.01	-86.19	4.91	-2.73	-13.00	-71.01
290.93	-81.79	-82.41	3.74	-3.11	-13.00	-68.79
353.01	-77.07	-77.88	4.23	-3.43	-13.00	-64.07
3820.00	-49.42	-50.31	12.42	-11.53	-13.00	-36.42
5730.00	-52.15	-51.16	13.30	-14.29	-13.00	-39.15
7640.00	-43.11	-37.87	11.36	-16.60	-13.00	-30.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n26_P90 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Vertical
 Test Frequency :816.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-77.55	-73.33	-2.56	-1.65	-13.00	-64.55
127.00	-79.64	-75.94	-1.64	-2.07	-13.00	-66.64
177.44	-78.10	-76.57	0.91	-2.43	-13.00	-65.10
231.76	-76.76	-78.44	4.46	-2.78	-13.00	-63.76
279.29	-77.22	-77.87	3.71	-3.06	-13.00	-64.22
366.59	-78.43	-79.14	4.20	-3.49	-13.00	-65.43
1633.00	-59.63	-61.64	9.43	-7.42	-13.00	-46.63
2449.50	-56.33	-57.64	10.49	-9.18	-13.00	-43.33
3266.00	-49.37	-50.75	12.03	-10.65	-13.00	-36.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26_P90 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :816.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.02	-83.57	-80.83	-0.96	-1.78	-13.00	-70.57
178.41	-81.23	-79.84	1.05	-2.44	-13.00	-68.23
232.73	-83.71	-85.25	4.32	-2.79	-13.00	-70.71
321.00	-80.80	-81.41	3.89	-3.28	-13.00	-67.80
355.92	-78.66	-79.48	4.27	-3.44	-13.00	-65.66
407.33	-78.32	-78.62	3.98	-3.68	-13.00	-65.32
1633.00	-59.11	-61.12	9.43	-7.42	-13.00	-46.11
2449.50	-57.93	-59.24	10.49	-9.18	-13.00	-44.93
3266.00	-46.72	-48.10	12.03	-10.65	-13.00	-33.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n26_P90 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Vertical
 Test Frequency :819 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
73.65	-74.39	-67.50	-5.32	-1.57	-13.00	-61.39
131.85	-79.16	-75.34	-1.72	-2.10	-13.00	-66.16
180.35	-78.65	-77.47	1.27	-2.45	-13.00	-65.65
226.91	-76.67	-78.82	4.90	-2.75	-13.00	-63.67
279.29	-77.49	-78.15	3.71	-3.06	-13.00	-64.49
328.76	-79.01	-79.56	3.87	-3.31	-13.00	-66.01
1638.00	-59.31	-61.36	9.48	-7.43	-13.00	-46.31
2457.00	-57.46	-58.84	10.57	-9.19	-13.00	-44.46
3276.00	-50.97	-52.41	12.11	-10.67	-13.00	-37.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n26_P90 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Horizontal
 Test Frequency :819 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
71.71	-79.86	-72.08	-6.23	-1.55	-13.00	-66.86
94.99	-83.01	-80.45	-0.77	-1.78	-13.00	-70.01
161.92	-80.53	-77.36	-0.84	-2.33	-13.00	-67.53
281.23	-82.17	-82.82	3.71	-3.07	-13.00	-69.17
371.44	-77.40	-78.00	4.12	-3.52	-13.00	-64.40
477.17	-77.17	-77.19	4.01	-3.99	-13.00	-64.17
1638.00	-60.08	-62.13	9.48	-7.43	-13.00	-47.08
2457.00	-57.66	-59.04	10.57	-9.19	-13.00	-44.66
3276.00	-49.67	-51.11	12.11	-10.67	-13.00	-36.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26_P90 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :821.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
77.53	-74.32	-68.79	-3.92	-1.61	-13.00	-61.32
129.91	-79.61	-75.78	-1.74	-2.09	-13.00	-66.61
182.29	-78.98	-78.14	1.62	-2.47	-13.00	-65.98
229.82	-76.95	-78.90	4.72	-2.77	-13.00	-63.95
282.20	-77.03	-77.66	3.70	-3.07	-13.00	-64.03
374.35	-78.24	-78.78	4.07	-3.53	-13.00	-65.24
1643.00	-59.57	-61.66	9.53	-7.44	-13.00	-46.57
2464.50	-58.10	-59.49	10.60	-9.21	-13.00	-45.10
3286.00	-48.03	-49.53	12.19	-10.68	-13.00	-35.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26_P90 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :821.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-80.41	-75.83	-2.94	-1.64	-13.00	-67.41
123.12	-82.82	-79.17	-1.61	-2.03	-13.00	-69.82
178.41	-81.22	-79.83	1.05	-2.44	-13.00	-68.22
204.60	-82.08	-83.46	3.99	-2.62	-13.00	-69.08
340.40	-78.30	-78.94	4.01	-3.37	-13.00	-65.30
404.42	-77.27	-77.53	3.93	-3.67	-13.00	-64.27
1643.00	-58.38	-60.46	9.53	-7.44	-13.00	-45.38
2464.50	-58.44	-59.84	10.60	-9.21	-13.00	-45.44
3286.00	-50.94	-52.44	12.19	-10.68	-13.00	-37.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :831.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-77.65	-71.00	-5.07	-1.58	-13.00	-64.65
135.73	-78.92	-75.03	-1.77	-2.13	-13.00	-65.92
179.38	-78.53	-77.24	1.16	-2.45	-13.00	-65.53
229.82	-77.39	-79.34	4.72	-2.77	-13.00	-64.39
279.29	-77.37	-78.02	3.71	-3.06	-13.00	-64.37
374.35	-77.53	-78.07	4.07	-3.53	-13.00	-64.53
1663.00	-59.46	-61.59	9.63	-7.49	-13.00	-46.46
2494.50	-58.15	-59.54	10.65	-9.26	-13.00	-45.15
3326.00	-52.61	-54.26	12.40	-10.75	-13.00	-39.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :831.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-81.33	-78.60	-0.92	-1.81	-13.00	-68.33
154.16	-81.83	-78.09	-1.48	-2.27	-13.00	-68.83
174.53	-81.08	-79.13	0.46	-2.42	-13.00	-68.08
229.82	-83.35	-85.31	4.72	-2.77	-13.00	-70.35
280.26	-82.39	-83.05	3.72	-3.06	-13.00	-69.39
389.87	-78.04	-78.34	3.90	-3.60	-13.00	-65.04
1663.00	-59.53	-61.67	9.63	-7.49	-13.00	-46.53
2494.50	-57.57	-58.96	10.65	-9.26	-13.00	-44.57
3326.00	-49.10	-50.75	12.40	-10.75	-13.00	-36.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n26 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Vertical
 Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.89	-73.58	-64.29	-7.80	-1.48	-13.00	-60.58
138.64	-78.72	-74.73	-1.85	-2.15	-13.00	-65.72
184.23	-79.17	-78.61	1.91	-2.48	-13.00	-66.17
229.82	-76.25	-78.20	4.72	-2.77	-13.00	-63.25
280.26	-77.41	-78.06	3.72	-3.06	-13.00	-64.41
367.56	-77.05	-77.74	4.18	-3.50	-13.00	-64.05
1673.00	-60.04	-62.23	9.70	-7.52	-13.00	-47.04
2509.50	-58.01	-59.42	10.70	-9.29	-13.00	-45.01
3346.00	-51.29	-52.99	12.48	-10.78	-13.00	-38.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
78.50	-81.35	-76.15	-3.58	-1.62	-13.00	-68.35
121.18	-82.80	-79.32	-1.47	-2.02	-13.00	-69.80
159.98	-81.31	-77.96	-1.04	-2.31	-13.00	-68.31
226.91	-83.46	-85.61	4.90	-2.75	-13.00	-70.46
345.25	-78.09	-78.75	4.05	-3.39	-13.00	-65.09
384.05	-77.89	-78.22	3.91	-3.58	-13.00	-64.89
1673.00	-59.24	-61.42	9.70	-7.52	-13.00	-46.24
2509.50	-57.79	-59.20	10.70	-9.29	-13.00	-44.79
3346.00	-50.01	-51.71	12.48	-10.78	-13.00	-37.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
 Operation Mode :NR_n26 Test Date :2025-03-21
 Test Mode :Tx Temp./Humi. :19.2°C/45%
 EUT Pol :H Plane Antenna Pol. :Vertical
 Test Frequency :841.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-82.90	-70.64	-10.90	-1.36	-13.00	-69.90
131.85	-78.96	-75.14	-1.72	-2.10	-13.00	-65.96
176.47	-78.45	-76.73	0.71	-2.43	-13.00	-65.45
228.85	-76.95	-78.97	4.78	-2.76	-13.00	-63.95
280.26	-77.04	-77.69	3.72	-3.06	-13.00	-64.04
378.23	-78.20	-78.66	4.01	-3.55	-13.00	-65.20
1683.00	-59.36	-61.52	9.70	-7.54	-13.00	-46.36
2524.50	-58.67	-59.95	10.60	-9.32	-13.00	-45.67
3366.00	-52.14	-53.82	12.50	-10.82	-13.00	-39.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n26 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :841.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
62.98	-79.64	-69.35	-8.83	-1.45	-13.00	-66.64
115.36	-83.36	-79.91	-1.48	-1.97	-13.00	-70.36
173.56	-81.41	-79.38	0.38	-2.41	-13.00	-68.41
225.94	-83.55	-85.76	4.96	-2.75	-13.00	-70.55
304.51	-80.96	-81.64	3.87	-3.18	-13.00	-67.96
338.46	-78.87	-79.48	3.97	-3.36	-13.00	-65.87
1683.00	-58.82	-60.98	9.70	-7.54	-13.00	-45.82
2524.50	-59.03	-60.31	10.60	-9.32	-13.00	-46.03
3366.00	-48.69	-50.38	12.50	-10.82	-13.00	-35.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n30 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2310 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
76.56	-74.99	-69.02	-4.37	-1.60	-40.00	-34.99
133.79	-79.33	-75.47	-1.75	-2.12	-40.00	-39.33
180.35	-78.37	-77.19	1.27	-2.45	-40.00	-38.37
226.91	-77.26	-79.41	4.90	-2.75	-40.00	-37.26
276.38	-77.70	-78.35	3.68	-3.04	-40.00	-37.70
369.50	-78.80	-79.45	4.15	-3.51	-40.00	-38.80
4620.00	-53.56	-53.38	12.56	-12.74	-40.00	-13.56
6930.00	-42.08	-38.18	11.88	-15.78	-40.00	-2.08
9240.00	-47.93	-40.79	11.14	-18.28	-40.00	-7.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n30 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2310 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
76.56	-80.50	-74.52	-4.37	-1.60	-40.00	-40.50
123.12	-83.07	-79.42	-1.61	-2.03	-40.00	-43.07
179.38	-81.53	-80.25	1.16	-2.45	-40.00	-41.53
206.54	-83.13	-84.61	4.11	-2.63	-40.00	-43.13
290.93	-82.12	-82.74	3.74	-3.11	-40.00	-42.12
380.17	-78.17	-78.59	3.98	-3.56	-40.00	-38.17
4620.00	-53.94	-53.77	12.56	-12.74	-40.00	-13.94
6930.00	-48.89	-44.98	11.88	-15.78	-40.00	-8.89
9240.00	-48.22	-41.08	11.14	-18.28	-40.00	-8.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2575 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
47.46	-82.09	-68.53	-12.29	-1.26	-25.00	-57.09
78.50	-82.73	-77.53	-3.58	-1.62	-25.00	-57.73
137.67	-79.09	-75.17	-1.78	-2.14	-25.00	-54.09
162.89	-78.97	-75.85	-0.79	-2.33	-25.00	-53.97
230.79	-77.13	-78.95	4.60	-2.77	-25.00	-52.13
281.23	-77.75	-78.39	3.71	-3.07	-25.00	-52.75
5150.00	-52.83	-51.72	12.40	-13.51	-25.00	-27.83
7725.00	-49.11	-43.96	11.55	-16.70	-25.00	-24.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2575 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.25	-79.60	-67.07	-11.18	-1.35	-25.00	-54.60
94.99	-83.13	-80.58	-0.77	-1.78	-25.00	-58.13
177.44	-81.33	-79.80	0.91	-2.43	-25.00	-56.33
210.42	-83.25	-84.94	4.34	-2.65	-25.00	-58.25
276.38	-82.56	-83.20	3.68	-3.04	-25.00	-57.56
380.17	-76.74	-77.16	3.98	-3.56	-25.00	-51.74
5150.00	-53.18	-52.07	12.40	-13.51	-25.00	-28.18
7725.00	-49.18	-44.03	11.55	-16.70	-25.00	-24.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2595 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.86	-75.57	-66.37	-7.70	-1.50	-25.00	-50.57
143.49	-79.34	-75.32	-1.83	-2.19	-25.00	-54.34
178.41	-78.91	-77.52	1.05	-2.44	-25.00	-53.91
229.82	-77.07	-79.02	4.72	-2.77	-25.00	-52.07
283.17	-77.99	-78.60	3.69	-3.08	-25.00	-52.99
373.38	-77.78	-78.34	4.09	-3.53	-25.00	-52.78
5190.00	-53.14	-52.22	12.64	-13.57	-25.00	-28.14
7785.00	-50.03	-44.80	11.53	-16.76	-25.00	-25.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2595 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
75.59	-81.15	-74.79	-4.77	-1.59	-25.00	-56.15
120.21	-82.09	-78.56	-1.52	-2.01	-25.00	-57.09
149.31	-81.49	-77.65	-1.60	-2.23	-25.00	-56.49
207.51	-83.60	-85.13	4.17	-2.64	-25.00	-58.60
311.30	-81.83	-82.41	3.79	-3.22	-25.00	-56.83
381.14	-77.16	-77.55	3.96	-3.56	-25.00	-52.16
5190.00	-53.69	-52.77	12.64	-13.57	-25.00	-28.69
7785.00	-49.44	-44.21	11.53	-16.76	-25.00	-24.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2615 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
59.10	-82.19	-70.79	-10.00	-1.41	-25.00	-57.19
130.88	-79.69	-75.83	-1.77	-2.10	-25.00	-54.69
179.38	-78.44	-77.15	1.16	-2.45	-25.00	-53.44
229.82	-77.36	-79.31	4.72	-2.77	-25.00	-52.36
275.41	-77.56	-78.20	3.67	-3.04	-25.00	-52.56
343.31	-78.42	-79.06	4.03	-3.38	-25.00	-53.42
5230.00	-52.54	-51.79	12.88	-13.62	-25.00	-27.54
7845.00	-49.40	-44.00	11.41	-16.82	-25.00	-24.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n38 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2615 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.04	-79.72	-68.89	-9.40	-1.43	-25.00	-54.72
123.12	-82.57	-78.93	-1.61	-2.03	-25.00	-57.57
169.68	-81.19	-78.72	-0.09	-2.39	-25.00	-56.19
283.17	-82.57	-83.19	3.69	-3.08	-25.00	-57.57
355.92	-77.62	-78.45	4.27	-3.44	-25.00	-52.62
425.76	-77.96	-78.22	4.02	-3.76	-25.00	-52.96
5230.00	-52.87	-52.12	12.88	-13.62	-25.00	-27.87
7845.00	-49.57	-44.17	11.41	-16.82	-25.00	-24.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2501.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-83.01	-78.43	-2.94	-1.64	-25.00	-58.01
137.67	-78.94	-75.01	-1.78	-2.14	-25.00	-53.94
179.38	-78.00	-76.71	1.16	-2.45	-25.00	-53.00
228.85	-76.38	-78.40	4.78	-2.76	-25.00	-51.38
283.17	-76.84	-77.46	3.69	-3.08	-25.00	-51.84
368.53	-78.15	-78.81	4.17	-3.50	-25.00	-53.15
5002.02	-53.45	-52.75	12.60	-13.29	-25.00	-28.45
7503.03	-44.86	-39.44	11.01	-16.43	-25.00	-19.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2501.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
84.32	-81.55	-78.10	-1.77	-1.68	-25.00	-56.55
150.28	-81.33	-77.40	-1.68	-2.24	-25.00	-56.33
170.65	-81.67	-79.23	-0.04	-2.39	-25.00	-56.67
243.40	-83.61	-84.43	3.67	-2.85	-25.00	-58.61
338.46	-78.05	-78.65	3.97	-3.36	-25.00	-53.05
414.12	-77.31	-77.72	4.12	-3.71	-25.00	-52.31
5002.02	-53.88	-53.19	12.60	-13.29	-25.00	-28.88
7503.03	-49.00	-43.58	11.01	-16.43	-25.00	-24.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2505 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
67.83	-74.62	-65.52	-7.59	-1.51	-25.00	-49.62
128.94	-78.91	-75.12	-1.71	-2.08	-25.00	-53.91
180.35	-78.31	-77.13	1.27	-2.45	-25.00	-53.31
230.79	-77.36	-79.19	4.60	-2.77	-25.00	-52.36
282.20	-77.34	-77.97	3.70	-3.07	-25.00	-52.34
376.29	-78.08	-78.57	4.04	-3.54	-25.00	-53.08
5010.00	-51.66	-50.93	12.58	-13.31	-25.00	-26.66
7515.00	-44.90	-39.51	11.06	-16.44	-25.00	-19.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2505 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
67.83	-81.50	-72.40	-7.59	-1.51	-25.00	-56.50
93.05	-82.89	-80.17	-0.95	-1.77	-25.00	-57.89
155.13	-81.59	-77.82	-1.49	-2.28	-25.00	-56.59
230.79	-83.39	-85.22	4.60	-2.77	-25.00	-58.39
316.15	-81.56	-82.09	3.78	-3.25	-25.00	-56.56
360.77	-77.19	-77.94	4.21	-3.46	-25.00	-52.19
5010.00	-54.00	-53.28	12.58	-13.31	-25.00	-29.00
7515.00	-43.43	-38.04	11.06	-16.44	-25.00	-18.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2593.02 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.22	-82.66	-70.40	-10.90	-1.36	-25.00	-57.66
82.38	-82.54	-78.55	-2.33	-1.66	-25.00	-57.54
141.55	-79.59	-75.61	-1.81	-2.17	-25.00	-54.59
180.35	-79.05	-77.87	1.27	-2.45	-25.00	-54.05
229.82	-77.22	-79.17	4.72	-2.77	-25.00	-52.22
280.26	-77.48	-78.13	3.72	-3.06	-25.00	-52.48
5186.04	-54.42	-53.48	12.62	-13.56	-25.00	-29.42
7779.06	-49.19	-43.97	11.54	-16.75	-25.00	-24.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2593.02 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
99.84	-82.45	-79.61	-1.02	-1.83	-25.00	-57.45
153.19	-81.16	-77.46	-1.44	-2.26	-25.00	-56.16
207.51	-83.60	-85.14	4.17	-2.64	-25.00	-58.60
300.63	-82.10	-82.76	3.83	-3.16	-25.00	-57.10
345.25	-77.52	-78.17	4.05	-3.39	-25.00	-52.52
377.26	-76.39	-76.87	4.02	-3.55	-25.00	-51.39
5186.04	-54.10	-53.16	12.62	-13.56	-25.00	-29.10
7779.06	-49.62	-44.41	11.54	-16.75	-25.00	-24.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :2685 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
83.35	-77.35	-73.64	-2.03	-1.67	-25.00	-52.35
150.28	-79.52	-75.59	-1.68	-2.24	-25.00	-54.52
181.32	-78.18	-77.20	1.48	-2.46	-25.00	-53.18
225.94	-77.45	-79.67	4.96	-2.75	-25.00	-52.45
268.62	-75.23	-76.15	3.93	-3.00	-25.00	-50.23
373.38	-78.03	-78.59	4.09	-3.53	-25.00	-53.03
5370.00	-51.39	-50.80	13.22	-13.81	-25.00	-26.39
8055.00	-49.18	-43.14	11.02	-17.06	-25.00	-24.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n41 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :2685 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
113.42	-83.06	-79.58	-1.53	-1.95	-25.00	-58.06
174.53	-81.41	-79.45	0.46	-2.42	-25.00	-56.41
207.51	-82.93	-84.47	4.17	-2.64	-25.00	-57.93
300.63	-81.62	-82.28	3.83	-3.16	-25.00	-56.62
371.44	-77.36	-77.96	4.12	-3.52	-25.00	-52.36
460.68	-77.44	-77.37	3.84	-3.91	-25.00	-52.44
5370.00	-53.80	-53.21	13.22	-13.81	-25.00	-28.80
8055.00	-49.75	-43.71	11.02	-17.06	-25.00	-24.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3560.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.43	-82.38	-68.83	-12.27	-1.28	-40.00	-42.38
127.97	-79.26	-75.50	-1.68	-2.07	-40.00	-39.26
181.32	-79.37	-78.39	1.48	-2.46	-40.00	-39.37
229.82	-76.90	-78.85	4.72	-2.77	-40.00	-36.90
282.20	-77.62	-78.25	3.70	-3.07	-40.00	-37.62
358.83	-78.26	-79.03	4.23	-3.45	-40.00	-38.26
7120.02	-49.34	-44.43	11.10	-16.01	-40.00	-9.34
10680.03	-48.91	-40.55	11.36	-19.72	-40.00	-8.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3560.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-77.66	-73.44	-2.56	-1.65	-40.00	-37.66
119.24	-82.59	-79.07	-1.52	-2.00	-40.00	-42.59
177.44	-81.05	-79.52	0.91	-2.43	-40.00	-41.05
206.54	-83.43	-84.91	4.11	-2.63	-40.00	-43.43
301.60	-81.73	-82.40	3.84	-3.17	-40.00	-41.73
395.69	-77.33	-77.61	3.91	-3.63	-40.00	-37.33
7120.02	-50.47	-45.56	11.10	-16.01	-40.00	-10.47
10680.03	-47.51	-39.15	11.36	-19.72	-40.00	-7.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3625.02 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.34	-82.83	-69.67	-11.84	-1.32	-40.00	-42.83
81.41	-82.96	-78.75	-2.56	-1.65	-40.00	-42.96
127.00	-79.70	-75.99	-1.64	-2.07	-40.00	-39.70
182.29	-79.40	-78.56	1.62	-2.47	-40.00	-39.40
229.82	-78.07	-80.02	4.72	-2.77	-40.00	-38.07
275.41	-77.86	-78.50	3.67	-3.04	-40.00	-37.86
7250.04	-49.83	-44.58	10.90	-16.15	-40.00	-9.83
10875.06	-47.59	-38.81	11.15	-19.94	-40.00	-7.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3625.02 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
74.62	-82.33	-75.69	-5.07	-1.58	-40.00	-42.33
121.18	-83.13	-79.65	-1.47	-2.02	-40.00	-43.13
159.98	-81.07	-77.72	-1.04	-2.31	-40.00	-41.07
231.76	-83.62	-85.30	4.46	-2.78	-40.00	-43.62
353.98	-77.80	-78.62	4.26	-3.43	-40.00	-37.80
377.26	-76.66	-77.14	4.02	-3.55	-40.00	-36.66
7250.04	-50.81	-45.56	10.90	-16.15	-40.00	-10.81
10875.06	-47.24	-38.46	11.15	-19.94	-40.00	-7.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3690 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.40	-83.26	-69.86	-12.11	-1.29	-40.00	-43.26
80.44	-82.77	-78.19	-2.94	-1.64	-40.00	-42.77
127.00	-78.34	-74.64	-1.64	-2.07	-40.00	-38.34
178.41	-78.50	-77.11	1.05	-2.44	-40.00	-38.50
229.82	-77.33	-79.28	4.72	-2.77	-40.00	-37.33
279.29	-77.73	-78.39	3.71	-3.06	-40.00	-37.73
7380.00	-49.27	-43.97	11.02	-16.32	-40.00	-9.27
11070.00	-47.93	-39.14	11.32	-20.11	-40.00	-7.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n48 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3690 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
101.78	-83.34	-80.25	-1.25	-1.85	-40.00	-43.34
167.74	-81.41	-78.69	-0.35	-2.37	-40.00	-41.41
230.79	-83.67	-85.49	4.60	-2.77	-40.00	-43.67
299.66	-81.94	-82.60	3.82	-3.16	-40.00	-41.94
339.43	-78.86	-79.49	4.00	-3.37	-40.00	-38.86
380.17	-77.97	-78.38	3.98	-3.56	-40.00	-37.97
7380.00	-50.31	-45.02	11.02	-16.32	-40.00	-10.31
11070.00	-48.13	-39.34	11.32	-20.11	-40.00	-8.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1717.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
73.65	-76.23	-69.34	-5.32	-1.57	-13.00	-63.23
126.03	-79.15	-75.38	-1.71	-2.06	-13.00	-66.15
172.59	-78.42	-76.19	0.18	-2.41	-13.00	-65.42
229.82	-77.61	-79.57	4.72	-2.77	-13.00	-64.61
280.26	-77.43	-78.08	3.72	-3.06	-13.00	-64.43
372.41	-78.07	-78.65	4.10	-3.52	-13.00	-65.07
3435.00	-44.58	-46.23	12.57	-10.93	-13.00	-31.58
5152.50	-54.08	-52.98	12.41	-13.51	-13.00	-41.08
6870.00	-39.84	-36.25	12.12	-15.70	-13.00	-26.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1717.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
76.56	-74.93	-68.96	-4.37	-1.60	-13.00	-61.93
109.54	-82.69	-79.14	-1.63	-1.92	-13.00	-69.69
164.83	-80.57	-77.71	-0.51	-2.35	-13.00	-67.57
208.48	-82.93	-84.52	4.23	-2.64	-13.00	-69.93
302.57	-81.93	-82.60	3.85	-3.17	-13.00	-68.93
386.96	-76.91	-77.22	3.89	-3.59	-13.00	-63.91
3435.00	-43.05	-44.69	12.57	-10.93	-13.00	-30.05
5152.50	-54.28	-53.18	12.41	-13.51	-13.00	-41.28
6870.00	-45.23	-41.64	12.12	-15.70	-13.00	-32.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1745 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.95	-74.46	-64.39	-8.61	-1.46	-13.00	-61.46
135.73	-79.40	-75.50	-1.77	-2.13	-13.00	-66.40
180.35	-78.55	-77.37	1.27	-2.45	-13.00	-65.55
230.79	-76.77	-78.60	4.60	-2.77	-13.00	-63.77
279.29	-77.05	-77.71	3.71	-3.06	-13.00	-64.05
382.11	-78.09	-78.46	3.94	-3.57	-13.00	-65.09
3490.00	-46.60	-48.11	12.52	-11.01	-13.00	-33.60
5235.00	-53.21	-52.49	12.91	-13.63	-13.00	-40.21
6980.00	-36.07	-31.85	11.62	-15.85	-13.00	-23.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1745 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-80.97	-76.75	-2.56	-1.65	-13.00	-67.97
122.15	-82.82	-79.29	-1.51	-2.03	-13.00	-69.82
165.80	-81.53	-78.66	-0.51	-2.36	-13.00	-68.53
234.67	-83.09	-84.34	4.05	-2.80	-13.00	-70.09
381.14	-76.60	-77.00	3.96	-3.56	-13.00	-63.60
460.68	-76.09	-76.02	3.84	-3.91	-13.00	-63.09
3490.00	-47.98	-49.49	12.52	-11.01	-13.00	-34.98
5235.00	-53.60	-52.88	12.91	-13.63	-13.00	-40.60
6980.00	-41.34	-37.12	11.62	-15.85	-13.00	-28.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1772.5 MHz Engineer :Nick Lin



Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n66 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :1772.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
77.53	-82.12	-76.59	-3.92	-1.61	-13.00	-69.12
125.06	-82.65	-79.01	-1.59	-2.05	-13.00	-69.65
161.92	-80.70	-77.54	-0.84	-2.33	-13.00	-67.70
211.39	-81.13	-82.85	4.38	-2.66	-13.00	-68.13
353.98	-76.62	-77.44	4.26	-3.43	-13.00	-63.62
388.90	-76.34	-76.64	3.90	-3.60	-13.00	-63.34
3545.00	-47.93	-49.06	12.23	-11.10	-13.00	-34.93
5317.50	-53.61	-53.17	13.30	-13.74	-13.00	-40.61
7090.00	-40.04	-35.18	11.12	-15.98	-13.00	-27.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :670.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
67.83	-79.34	-70.24	-7.59	-1.51	-13.00	-66.34
132.82	-78.95	-75.19	-1.65	-2.11	-13.00	-65.95
177.44	-78.65	-77.12	0.91	-2.43	-13.00	-65.65
230.79	-76.17	-78.00	4.60	-2.77	-13.00	-63.17
278.32	-77.39	-78.04	3.70	-3.05	-13.00	-64.39
376.29	-78.18	-78.68	4.04	-3.54	-13.00	-65.18
1341.00	-53.76	-54.45	7.40	-6.72	-13.00	-40.76
2011.50	-58.73	-61.04	10.59	-8.28	-13.00	-45.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :670.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
103.72	-82.06	-78.80	-1.39	-1.86	-13.00	-69.06
163.86	-80.34	-77.27	-0.73	-2.34	-13.00	-67.34
212.36	-82.68	-84.43	4.42	-2.66	-13.00	-69.68
290.93	-82.37	-83.00	3.74	-3.11	-13.00	-69.37
374.35	-77.09	-77.63	4.07	-3.53	-13.00	-64.09
428.67	-77.27	-77.39	3.90	-3.77	-13.00	-64.27
1341.00	-49.33	-50.01	7.40	-6.72	-13.00	-36.33
2011.50	-57.52	-59.83	10.59	-8.28	-13.00	-44.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :680.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
73.65	-76.89	-70.00	-5.32	-1.57	-13.00	-63.89
138.64	-79.46	-75.47	-1.85	-2.15	-13.00	-66.46
179.38	-78.68	-77.39	1.16	-2.45	-13.00	-65.68
234.67	-77.34	-78.59	4.05	-2.80	-13.00	-64.34
276.38	-77.34	-77.99	3.68	-3.04	-13.00	-64.34
329.73	-79.21	-79.74	3.85	-3.32	-13.00	-66.21
1361.00	-54.29	-55.02	7.50	-6.77	-13.00	-41.29
2041.50	-58.00	-59.88	10.22	-8.34	-13.00	-45.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :680.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.47	-80.30	-75.34	-3.32	-1.63	-13.00	-67.30
102.75	-82.75	-79.72	-1.18	-1.85	-13.00	-69.75
173.56	-81.47	-79.44	0.38	-2.41	-13.00	-68.47
210.42	-83.31	-84.99	4.34	-2.65	-13.00	-70.31
366.59	-76.38	-77.09	4.20	-3.49	-13.00	-63.38
403.45	-77.71	-77.97	3.93	-3.66	-13.00	-64.71
1361.00	-52.67	-53.40	7.50	-6.77	-13.00	-39.67
2041.50	-59.12	-60.99	10.22	-8.34	-13.00	-46.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :690.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-71.26	-67.04	-2.56	-1.65	-13.00	-58.26
136.70	-79.28	-75.44	-1.71	-2.14	-13.00	-66.28
177.44	-78.49	-76.96	0.91	-2.43	-13.00	-65.49
230.79	-77.03	-78.86	4.60	-2.77	-13.00	-64.03
280.26	-77.64	-78.30	3.72	-3.06	-13.00	-64.64
370.47	-77.63	-78.25	4.13	-3.51	-13.00	-64.63
1381.00	-54.89	-55.47	7.40	-6.81	-13.00	-41.89
2071.50	-58.64	-60.30	10.07	-8.40	-13.00	-45.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n71 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :690.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.13	-79.02	-67.41	-10.22	-1.40	-13.00	-66.02
120.21	-82.92	-79.38	-1.52	-2.01	-13.00	-69.92
165.80	-81.43	-78.56	-0.51	-2.36	-13.00	-68.43
209.45	-82.55	-84.19	4.29	-2.65	-13.00	-69.55
343.31	-78.54	-79.19	4.03	-3.38	-13.00	-65.54
380.17	-76.33	-76.74	3.98	-3.56	-13.00	-63.33
1381.00	-55.11	-55.70	7.40	-6.81	-13.00	-42.11
2071.50	-58.87	-60.53	10.07	-8.40	-13.00	-45.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3457.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
78.50	-77.86	-72.66	-3.58	-1.62	-13.00	-64.86
129.91	-79.31	-75.49	-1.74	-2.09	-13.00	-66.31
181.32	-78.82	-77.84	1.48	-2.46	-13.00	-65.82
227.88	-75.72	-77.81	4.84	-2.76	-13.00	-62.72
273.47	-77.93	-78.62	3.71	-3.03	-13.00	-64.93
386.96	-78.36	-78.66	3.89	-3.59	-13.00	-65.36
6915.00	-52.77	-48.95	11.94	-15.76	-13.00	-39.77
10372.50	-47.09	-39.05	11.40	-19.44	-13.00	-34.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3457.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.47	-81.31	-76.35	-3.32	-1.63	-13.00	-68.31
119.24	-81.87	-78.35	-1.52	-2.00	-13.00	-68.87
151.25	-80.53	-76.65	-1.62	-2.25	-13.00	-67.53
199.75	-80.95	-82.05	3.69	-2.59	-13.00	-67.95
293.84	-82.42	-83.06	3.77	-3.13	-13.00	-69.42
369.50	-77.67	-78.31	4.15	-3.51	-13.00	-64.67
6915.00	-51.85	-48.03	11.94	-15.76	-13.00	-38.85
10372.50	-46.88	-38.84	11.40	-19.44	-13.00	-33.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3500.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.37	-82.58	-69.33	-11.95	-1.30	-13.00	-69.58
131.85	-79.37	-75.55	-1.72	-2.10	-13.00	-66.37
174.53	-78.91	-76.95	0.46	-2.42	-13.00	-65.91
227.88	-77.34	-79.42	4.84	-2.76	-13.00	-64.34
283.17	-77.65	-78.27	3.69	-3.08	-13.00	-64.65
373.38	-78.17	-78.73	4.09	-3.53	-13.00	-65.17
7000.02	-50.93	-46.56	11.50	-15.87	-13.00	-37.93
10500.03	-48.15	-39.97	11.40	-19.58	-13.00	-35.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3500.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
83.35	-77.15	-73.45	-2.03	-1.67	-13.00	-64.15
141.55	-80.31	-76.32	-1.81	-2.17	-13.00	-67.31
169.68	-81.45	-78.98	-0.09	-2.39	-13.00	-68.45
211.39	-82.70	-84.42	4.38	-2.66	-13.00	-69.70
278.32	-83.05	-83.70	3.70	-3.05	-13.00	-70.05
377.26	-77.38	-77.85	4.02	-3.55	-13.00	-64.38
7000.02	-50.99	-46.62	11.50	-15.87	-13.00	-37.99
10500.03	-47.85	-39.67	11.40	-19.58	-13.00	-34.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3542.49 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.41	-72.81	-68.59	-2.56	-1.65	-13.00	-59.81
119.24	-81.21	-77.69	-1.52	-2.00	-13.00	-68.21
147.37	-79.34	-75.31	-1.81	-2.22	-13.00	-66.34
178.41	-78.85	-77.46	1.05	-2.44	-13.00	-65.85
229.82	-77.51	-79.46	4.72	-2.77	-13.00	-64.51
276.38	-78.31	-78.95	3.68	-3.04	-13.00	-65.31
7084.98	-48.69	-43.85	11.13	-15.97	-13.00	-35.69
10627.47	-49.34	-41.02	11.35	-19.66	-13.00	-36.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3542.49 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
102.75	-82.89	-79.86	-1.18	-1.85	-13.00	-69.89
144.46	-81.90	-77.88	-1.82	-2.20	-13.00	-68.90
178.41	-81.31	-79.92	1.05	-2.44	-13.00	-68.31
209.45	-82.74	-84.38	4.29	-2.65	-13.00	-69.74
283.17	-81.92	-82.54	3.69	-3.08	-13.00	-68.92
353.98	-78.11	-78.93	4.26	-3.43	-13.00	-65.11
7084.98	-50.67	-45.82	11.13	-15.97	-13.00	-37.67
10627.47	-46.71	-38.39	11.35	-19.66	-13.00	-33.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3710.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.47	-78.62	-73.66	-3.32	-1.63	-13.00	-65.62
127.97	-78.67	-74.92	-1.68	-2.07	-13.00	-65.67
181.32	-77.82	-76.84	1.48	-2.46	-13.00	-64.82
206.54	-78.15	-79.63	4.11	-2.63	-13.00	-65.15
229.82	-76.50	-78.45	4.72	-2.77	-13.00	-63.50
278.32	-77.20	-77.85	3.70	-3.05	-13.00	-64.20
7420.02	-48.59	-43.29	11.06	-16.36	-13.00	-35.59
11130.03	-46.96	-38.45	11.68	-20.19	-13.00	-33.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3710.01 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
82.38	-78.95	-74.96	-2.33	-1.66	-13.00	-65.95
122.15	-83.18	-79.64	-1.51	-2.03	-13.00	-70.18
165.80	-81.19	-78.32	-0.51	-2.36	-13.00	-68.19
213.33	-83.12	-84.90	4.46	-2.67	-13.00	-70.12
323.91	-80.24	-80.86	3.91	-3.29	-13.00	-67.24
368.53	-77.63	-78.29	4.17	-3.50	-13.00	-64.63
7420.02	-49.77	-44.47	11.06	-16.36	-13.00	-36.77
11130.03	-47.37	-38.86	11.68	-20.19	-13.00	-34.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3840 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
77.53	-73.53	-68.00	-3.92	-1.61	-13.00	-60.53
132.82	-79.06	-75.30	-1.65	-2.11	-13.00	-66.06
179.38	-78.09	-76.80	1.16	-2.45	-13.00	-65.09
227.88	-77.26	-79.34	4.84	-2.76	-13.00	-64.26
284.14	-77.19	-77.79	3.69	-3.08	-13.00	-64.19
329.73	-78.18	-78.72	3.85	-3.32	-13.00	-65.18
7680.00	-49.69	-44.50	11.46	-16.65	-13.00	-36.69
11520.00	-46.64	-37.62	11.54	-20.57	-13.00	-33.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Horizontal
Test Frequency :3840 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
93.05	-82.23	-79.51	-0.95	-1.77	-13.00	-69.23
143.49	-81.99	-77.97	-1.83	-2.19	-13.00	-68.99
160.95	-80.25	-76.95	-0.98	-2.32	-13.00	-67.25
236.61	-83.02	-84.11	3.90	-2.81	-13.00	-70.02
337.49	-78.64	-79.22	3.94	-3.36	-13.00	-65.64
379.20	-76.19	-76.63	3.99	-3.56	-13.00	-63.19
7680.00	-50.48	-45.30	11.46	-16.65	-13.00	-37.48
11520.00	-46.88	-37.85	11.54	-20.57	-13.00	-33.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2501000195ER Test Site :SAC 3
Operation Mode :NR_n77 Test Date :2025-03-21
Test Mode :Tx Temp./Humi. :19.2°C/45%
EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :3969.99 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.44	-79.21	-74.63	-2.94	-1.64	-13.00	-66.21
121.18	-79.11	-75.62	-1.47	-2.02	-13.00	-66.11
182.29	-78.39	-77.54	1.62	-2.47	-13.00	-65.39
232.73	-76.42	-77.96	4.32	-2.79	-13.00	-63.42
277.35	-77.74	-78.39	3.69	-3.05	-13.00	-64.74
368.53	-78.44	-79.10	4.17	-3.50	-13.00	-65.44
7939.98	-38.12	-32.42	11.22	-16.92	-13.00	-25.12
11909.97	-46.70	-38.48	12.70	-20.92	-13.00	-33.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group