


Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B26 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.16	-83.35	-71.74	-10.21	-1.40	-13.00	-70.35
132.92	-78.80	-75.04	-1.65	-2.11	-13.00	-65.80
180.50	-78.58	-77.44	1.31	-2.45	-13.00	-65.58
230.02	-77.13	-79.07	4.71	-2.77	-13.00	-64.13
279.54	-77.94	-78.60	3.72	-3.06	-13.00	-64.94
370.81	-77.76	-78.37	4.13	-3.51	-13.00	-64.76
1673.00	-59.69	-61.87	9.70	-7.52	-13.00	-46.69
2509.50	-52.45	-53.86	10.70	-9.29	-13.00	-39.45
3346.00	-46.07	-47.77	12.48	-10.78	-13.00	-33.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
 Operation Mode :LTE B26 Test Date :2025-03-18  
 Test Mode :Tx Temp./Humi. :19.3°C/46%  
 EUT Pol :H Plane Antenna Pol. :Horizontal  
 Test Frequency :836.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.90	-82.41	-73.21	-7.70	-1.50	-13.00	-69.41
155.26	-81.53	-77.78	-1.47	-2.28	-13.00	-68.53
169.82	-81.48	-79.03	-0.06	-2.39	-13.00	-68.48
211.57	-81.72	-83.44	4.39	-2.66	-13.00	-68.72
365.96	-76.97	-77.70	4.21	-3.49	-13.00	-63.97
404.80	-76.55	-76.81	3.93	-3.67	-13.00	-63.55
1673.00	-59.70	-61.88	9.70	-7.52	-13.00	-46.70
2509.50	-48.61	-50.02	10.70	-9.29	-13.00	-35.61
3346.00	-44.41	-46.11	12.48	-10.78	-13.00	-31.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B26 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :846.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
80.49	-80.53	-75.97	-2.91	-1.64	-13.00	-67.53
135.84	-79.53	-75.64	-1.76	-2.13	-13.00	-66.53
179.53	-78.43	-77.15	1.17	-2.45	-13.00	-65.43
230.02	-77.40	-79.34	4.71	-2.77	-13.00	-64.40
277.60	-77.56	-78.20	3.70	-3.05	-13.00	-64.56
314.50	-78.05	-78.57	3.76	-3.24	-13.00	-65.05
1693.00	-59.98	-62.17	9.76	-7.56	-13.00	-46.98
2539.50	-52.23	-53.39	10.51	-9.35	-13.00	-39.23
3386.00	-47.34	-48.99	12.50	-10.85	-13.00	-34.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B26 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :846.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.81	-83.12	-74.91	-6.68	-1.53	-13.00	-70.12
135.84	-81.60	-77.71	-1.76	-2.13	-13.00	-68.60
160.11	-81.54	-78.20	-1.03	-2.31	-13.00	-68.54
284.39	-82.82	-83.42	3.68	-3.08	-13.00	-69.82
353.33	-77.48	-78.29	4.24	-3.43	-13.00	-64.48
403.82	-76.82	-77.09	3.93	-3.67	-13.00	-63.82
1693.00	-59.61	-61.80	9.76	-7.56	-13.00	-46.61
2539.50	-49.91	-51.07	10.51	-9.35	-13.00	-36.91
3386.00	-46.11	-47.76	12.50	-10.85	-13.00	-33.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2307.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.42	-82.60	-69.20	-12.10	-1.29	-40.00	-42.60
83.40	-83.19	-79.50	-2.01	-1.67	-40.00	-43.19
130.01	-78.76	-74.93	-1.74	-2.09	-40.00	-38.76
208.66	-77.74	-79.33	4.24	-2.64	-40.00	-37.74
229.05	-77.55	-79.56	4.77	-2.76	-40.00	-37.55
280.51	-77.41	-78.07	3.72	-3.06	-40.00	-37.41
4615.00	-55.24	-55.07	12.57	-12.73	-40.00	-15.24
6922.50	-51.97	-48.11	11.91	-15.77	-40.00	-11.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2307.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
86.32	-82.88	-79.88	-1.30	-1.70	-40.00	-42.88
173.70	-81.48	-79.48	0.42	-2.41	-40.00	-41.48
197.01	-81.98	-82.98	3.57	-2.57	-40.00	-41.98
226.14	-82.56	-84.76	4.95	-2.75	-40.00	-42.56
345.57	-78.12	-78.79	4.05	-3.39	-40.00	-38.12
375.67	-77.01	-77.53	4.05	-3.54	-40.00	-37.01
4615.00	-54.69	-54.53	12.57	-12.73	-40.00	-14.69
6922.50	-52.41	-48.55	11.91	-15.77	-40.00	-12.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2310 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.30	-83.31	-70.52	-11.45	-1.34	-40.00	-43.31
135.84	-79.30	-75.41	-1.76	-2.13	-40.00	-39.30
179.53	-79.04	-77.76	1.17	-2.45	-40.00	-39.04
203.80	-76.15	-77.48	3.94	-2.61	-40.00	-36.15
230.02	-76.61	-78.55	4.71	-2.77	-40.00	-36.61
274.69	-77.38	-78.02	3.68	-3.03	-40.00	-37.38
4620.00	-53.82	-53.65	12.56	-12.74	-40.00	-13.82
6930.00	-51.22	-47.31	11.88	-15.78	-40.00	-11.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2310 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.93	-81.91	-72.65	-7.78	-1.49	-40.00	-41.91
121.27	-81.96	-78.47	-1.47	-2.02	-40.00	-41.96
169.82	-81.85	-79.41	-0.06	-2.39	-40.00	-41.85
345.57	-78.18	-78.85	4.05	-3.39	-40.00	-38.18
410.62	-76.02	-76.38	4.05	-3.69	-40.00	-36.02
455.29	-77.16	-77.11	3.84	-3.89	-40.00	-37.16
4620.00	-54.04	-53.86	12.56	-12.74	-40.00	-14.04
6930.00	-50.87	-46.97	11.88	-15.78	-40.00	-10.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2312.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.45	-82.91	-69.36	-12.26	-1.28	-40.00	-42.91
135.84	-79.37	-75.48	-1.76	-2.13	-40.00	-39.37
179.53	-77.64	-76.36	1.17	-2.45	-40.00	-37.64
230.99	-77.50	-79.29	4.57	-2.78	-40.00	-37.50
281.48	-76.66	-77.30	3.71	-3.07	-40.00	-36.66
367.90	-77.94	-78.62	4.18	-3.50	-40.00	-37.94
4625.00	-54.28	-54.09	12.55	-12.74	-40.00	-14.28
6937.50	-48.01	-44.07	11.85	-15.79	-40.00	-8.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B30 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2312.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
99.91	-82.94	-80.09	-1.02	-1.83	-40.00	-42.94
120.30	-82.77	-79.24	-1.52	-2.01	-40.00	-42.77
172.73	-80.49	-78.29	0.20	-2.41	-40.00	-40.49
294.10	-80.48	-81.13	3.77	-3.13	-40.00	-40.48
383.43	-77.22	-77.56	3.92	-3.57	-40.00	-37.22
412.56	-77.26	-77.65	4.09	-3.70	-40.00	-37.26
4625.00	-53.31	-53.12	12.55	-12.74	-40.00	-13.31
6937.50	-51.59	-47.64	11.85	-15.79	-40.00	-11.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B38 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2572.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.57	-82.37	-68.59	-12.56	-1.22	-40.00	-42.37
132.92	-78.79	-75.04	-1.65	-2.11	-40.00	-38.79
179.53	-78.19	-76.91	1.17	-2.45	-40.00	-38.19
230.99	-77.04	-78.83	4.57	-2.78	-40.00	-37.04
291.19	-77.90	-78.53	3.74	-3.12	-40.00	-37.90
370.81	-77.81	-78.43	4.13	-3.51	-40.00	-37.81
5145.00	-53.08	-51.97	12.40	-13.50	-25.00	-28.08
7717.50	-50.45	-45.30	11.53	-16.69	-25.00	-25.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B38 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2572.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.16	-78.79	-67.18	-10.21	-1.40	-40.00	-38.79
118.36	-82.04	-78.49	-1.55	-2.00	-40.00	-42.04
169.82	-81.40	-78.95	-0.06	-2.39	-40.00	-41.40
204.78	-82.65	-84.04	4.01	-2.62	-40.00	-42.65
339.74	-78.70	-79.33	4.00	-3.37	-40.00	-38.70
402.85	-77.14	-77.40	3.93	-3.66	-40.00	-37.14
5145.00	-53.00	-51.90	12.40	-13.50	-25.00	-28.00
7717.50	-50.66	-45.50	11.53	-16.69	-25.00	-25.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B38 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2595 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.27	-82.98	-70.46	-11.17	-1.35	-40.00	-42.98
142.63	-78.54	-74.53	-1.83	-2.18	-40.00	-38.54
180.50	-77.88	-76.74	1.31	-2.45	-40.00	-37.88
230.02	-77.58	-79.51	4.71	-2.77	-40.00	-37.58
279.54	-77.49	-78.15	3.72	-3.06	-40.00	-37.49
372.75	-77.69	-78.26	4.10	-3.52	-40.00	-37.69
5190.00	-54.07	-53.14	12.64	-13.57	-25.00	-29.07
7785.00	-50.16	-44.93	11.53	-16.76	-25.00	-25.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B38 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2595 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.84	-82.48	-73.92	-7.04	-1.52	-40.00	-42.48
122.24	-82.52	-78.97	-1.52	-2.03	-40.00	-42.52
170.79	-77.67	-75.23	-0.05	-2.39	-40.00	-37.67
200.89	-82.99	-84.15	3.76	-2.60	-40.00	-42.99
342.65	-78.64	-79.29	4.03	-3.38	-40.00	-38.64
386.35	-76.77	-77.08	3.89	-3.59	-40.00	-36.77
5190.00	-54.36	-53.43	12.64	-13.57	-25.00	-29.36
7785.00	-50.30	-45.07	11.53	-16.76	-25.00	-25.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER      Test Site :SAC 3  
 Operation Mode :LTE B38      Test Date :2025-03-18  
 Test Mode :Tx      Temp./Humi. :19.3°C/46%  
 EUT Pol :H Plane      Antenna Pol. :Vertical  
 Test Frequency :2617.5 MHz      Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.45	-81.97	-68.42	-12.26	-1.28	-40.00	-41.97
129.04	-79.15	-75.36	-1.71	-2.08	-40.00	-39.15
178.56	-77.69	-76.33	1.07	-2.44	-40.00	-37.69
229.05	-76.76	-78.76	4.77	-2.76	-40.00	-36.76
275.66	-77.57	-78.21	3.68	-3.04	-40.00	-37.57
327.12	-78.05	-78.64	3.89	-3.31	-40.00	-38.05
5235.00	-52.12	-51.40	12.91	-13.63	-25.00	-27.12
7852.50	-50.40	-44.97	11.39	-16.82	-25.00	-25.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B38 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2617.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.00	-83.43	-80.55	-1.08	-1.80	-40.00	-43.43
158.17	-81.29	-77.84	-1.16	-2.30	-40.00	-41.29
207.69	-81.62	-83.16	4.18	-2.64	-40.00	-41.62
265.95	-82.77	-83.94	4.16	-2.99	-40.00	-42.77
381.49	-77.22	-77.61	3.95	-3.57	-40.00	-37.22
451.40	-76.90	-76.80	3.77	-3.88	-40.00	-36.90
5235.00	-51.69	-50.97	12.91	-13.63	-25.00	-26.69
7852.50	-49.89	-44.47	11.39	-16.82	-25.00	-24.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2498.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.39	-82.99	-69.74	-11.95	-1.30	-25.00	-57.99
131.95	-79.21	-75.39	-1.71	-2.10	-25.00	-54.21
181.47	-78.62	-77.66	1.50	-2.46	-25.00	-53.62
230.02	-77.26	-79.20	4.71	-2.77	-25.00	-52.26
283.42	-78.12	-78.74	3.69	-3.08	-25.00	-53.12
373.72	-77.36	-77.91	4.08	-3.53	-25.00	-52.36
4997.00	-52.91	-52.22	12.60	-13.29	-25.00	-27.91
7495.50	-49.79	-44.37	11.00	-16.43	-25.00	-24.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2498.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.25	-78.87	-66.61	-10.90	-1.36	-25.00	-53.87
123.21	-82.91	-79.27	-1.61	-2.04	-25.00	-57.91
168.85	-81.09	-78.44	-0.27	-2.38	-25.00	-56.09
204.78	-82.05	-83.43	4.01	-2.62	-25.00	-57.05
371.78	-76.29	-76.88	4.11	-3.52	-25.00	-51.29
402.85	-74.73	-75.00	3.93	-3.66	-25.00	-49.73
4997.00	-52.43	-51.75	12.60	-13.29	-25.00	-27.43
7495.50	-51.42	-46.00	11.00	-16.43	-25.00	-26.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2502.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.90	-72.90	-63.70	-7.70	-1.50	-25.00	-47.90
132.92	-79.40	-75.65	-1.65	-2.11	-25.00	-54.40
177.59	-78.53	-77.02	0.93	-2.44	-25.00	-53.53
230.02	-77.05	-78.99	4.71	-2.77	-25.00	-52.05
282.45	-77.18	-77.81	3.70	-3.07	-25.00	-52.18
369.84	-78.78	-79.42	4.14	-3.51	-25.00	-53.78
5005.00	-56.18	-55.47	12.59	-13.30	-25.00	-31.18
7507.50	-49.91	-44.51	11.03	-16.44	-25.00	-24.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2502.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.97	-83.05	-80.33	-0.91	-1.81	-25.00	-58.05
180.50	-80.54	-79.40	1.31	-2.45	-25.00	-55.54
202.83	-81.33	-82.60	3.88	-2.61	-25.00	-56.33
273.71	-81.74	-82.42	3.71	-3.03	-25.00	-56.74
380.52	-76.06	-76.47	3.97	-3.56	-25.00	-51.06
439.75	-76.53	-76.36	3.66	-3.83	-25.00	-51.53
5005.00	-56.23	-55.52	12.59	-13.30	-25.00	-31.23
7507.50	-50.28	-44.87	11.03	-16.44	-25.00	-25.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2593 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.39	-82.18	-68.92	-11.95	-1.30	-25.00	-57.18
77.58	-83.09	-77.58	-3.90	-1.61	-25.00	-58.09
132.92	-78.11	-74.36	-1.65	-2.11	-25.00	-53.11
180.50	-78.37	-77.23	1.31	-2.45	-25.00	-53.37
235.85	-77.34	-78.48	3.95	-2.81	-25.00	-52.34
279.54	-77.19	-77.85	3.72	-3.06	-25.00	-52.19
5186.00	-55.60	-54.66	12.62	-13.56	-25.00	-30.60
7779.00	-50.31	-45.10	11.54	-16.75	-25.00	-25.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2593 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.16	-80.38	-68.78	-10.21	-1.40	-25.00	-55.38
95.06	-81.79	-79.23	-0.78	-1.79	-25.00	-56.79
168.85	-79.35	-76.70	-0.27	-2.38	-25.00	-54.35
199.92	-82.75	-83.85	3.70	-2.59	-25.00	-57.75
293.13	-81.86	-82.50	3.76	-3.13	-25.00	-56.86
379.55	-75.45	-75.88	3.99	-3.56	-25.00	-50.45
5186.00	-55.11	-54.16	12.62	-13.56	-25.00	-30.11
7779.00	-50.03	-44.82	11.54	-16.75	-25.00	-25.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :2687.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.33	-82.60	-69.70	-11.58	-1.33	-25.00	-57.60
83.40	-75.68	-71.99	-2.01	-1.67	-25.00	-50.68
137.78	-79.16	-75.23	-1.79	-2.14	-25.00	-54.16
178.56	-78.98	-77.62	1.07	-2.44	-25.00	-53.98
228.08	-76.41	-78.48	4.83	-2.76	-25.00	-51.41
280.51	-76.84	-77.50	3.72	-3.06	-25.00	-51.84
5375.00	-54.57	-53.96	13.20	-13.82	-25.00	-29.57
8062.50	-50.01	-43.99	11.05	-17.07	-25.00	-25.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B41 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :2687.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
63.98	-80.50	-70.43	-8.60	-1.46	-25.00	-55.50
119.33	-82.17	-78.65	-1.52	-2.00	-25.00	-57.17
169.82	-81.61	-79.17	-0.06	-2.39	-25.00	-56.61
206.72	-82.83	-84.33	4.12	-2.63	-25.00	-57.83
390.23	-76.83	-77.13	3.90	-3.60	-25.00	-51.83
416.45	-76.35	-76.77	4.14	-3.72	-25.00	-51.35
5375.00	-53.91	-53.30	13.20	-13.82	-25.00	-28.91
8062.50	-49.80	-43.78	11.05	-17.07	-25.00	-24.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B66 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :1712.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
54.27	-82.62	-70.10	-11.17	-1.35	-13.00	-69.62
133.89	-78.90	-75.02	-1.77	-2.12	-13.00	-65.90
186.33	-78.95	-78.67	2.22	-2.49	-13.00	-65.95
230.02	-76.60	-78.54	4.71	-2.77	-13.00	-63.60
279.54	-76.71	-77.37	3.72	-3.06	-13.00	-63.71
374.70	-77.35	-77.88	4.06	-3.53	-13.00	-64.35
3425.00	-54.91	-56.55	12.55	-10.91	-13.00	-41.91
5137.50	-52.61	-51.51	12.40	-13.49	-13.00	-39.61
6850.00	-40.82	-37.34	12.20	-15.68	-13.00	-27.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B66 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :1712.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
90.20	-82.96	-80.30	-0.92	-1.74	-13.00	-69.96
160.11	-80.43	-77.09	-1.03	-2.31	-13.00	-67.43
197.01	-82.31	-83.31	3.57	-2.57	-13.00	-69.31
293.13	-81.80	-82.43	3.76	-3.13	-13.00	-68.80
342.65	-77.20	-77.85	4.03	-3.38	-13.00	-64.20
403.82	-75.74	-76.00	3.93	-3.67	-13.00	-62.74
3425.00	-54.19	-55.83	12.55	-10.91	-13.00	-41.19
5137.50	-53.45	-52.36	12.40	-13.49	-13.00	-40.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B66 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :1745 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.42	-82.13	-68.73	-12.10	-1.29	-13.00	-69.13
144.58	-79.12	-75.11	-1.82	-2.20	-13.00	-66.12
179.53	-77.57	-76.29	1.17	-2.45	-13.00	-64.57
231.96	-77.60	-79.25	4.43	-2.78	-13.00	-64.60
282.45	-77.91	-78.54	3.70	-3.07	-13.00	-64.91
420.33	-77.59	-77.98	4.13	-3.74	-13.00	-64.59
3490.00	-58.37	-59.88	12.52	-11.01	-13.00	-45.37
5235.00	-52.02	-51.30	12.91	-13.63	-13.00	-39.02
6980.00	-38.97	-34.75	11.62	-15.85	-13.00	-25.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B66 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :1745 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.81	-81.08	-72.87	-6.68	-1.53	-13.00	-68.08
136.81	-81.88	-78.04	-1.70	-2.14	-13.00	-68.88
166.91	-80.08	-77.24	-0.47	-2.37	-13.00	-67.08
211.57	-82.44	-84.16	4.39	-2.66	-13.00	-69.44
361.10	-76.68	-77.43	4.21	-3.47	-13.00	-63.68
411.59	-75.33	-75.70	4.07	-3.70	-13.00	-62.33
3490.00	-56.77	-58.28	12.52	-11.01	-13.00	-43.77
5235.00	-53.02	-52.30	12.91	-13.63	-13.00	-40.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B66 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :1777.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.59	-82.84	-68.92	-12.71	-1.21	-13.00	-69.84
83.40	-80.98	-77.29	-2.01	-1.67	-13.00	-67.98
131.95	-78.84	-75.02	-1.71	-2.10	-13.00	-65.84
179.53	-78.75	-77.47	1.17	-2.45	-13.00	-65.75
229.05	-76.97	-78.98	4.77	-2.76	-13.00	-63.97
279.54	-78.14	-78.80	3.72	-3.06	-13.00	-65.14
3555.00	-54.33	-55.43	12.21	-11.12	-13.00	-41.33
5332.50	-52.40	-51.94	13.30	-13.76	-13.00	-39.40
7110.00	-34.85	-29.95	11.10	-16.00	-13.00	-21.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Report Number :TERF2501000193ER  
Operation Mode :LTE B66  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1777.5 MHz

Test Site :SAC 3  
Test Date :2025-03-18  
Temp./Humi. :19.3°C/46%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.84	-82.51	-73.96	-7.04	-1.52	-13.00	-69.51
117.39	-82.32	-78.76	-1.57	-1.99	-13.00	-69.32
166.91	-81.28	-78.44	-0.47	-2.37	-13.00	-68.28
209.63	-82.06	-83.71	4.30	-2.65	-13.00	-69.06
384.40	-75.56	-75.88	3.90	-3.58	-13.00	-62.56
434.90	-76.45	-76.40	3.75	-3.80	-13.00	-63.45
3555.00	-55.03	-56.12	12.21	-11.12	-13.00	-42.03
5332.50	-53.07	-52.61	13.30	-13.76	-13.00	-40.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :665.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
82.43	-79.36	-75.39	-2.31	-1.66	-13.00	-66.36
127.10	-78.76	-75.05	-1.64	-2.07	-13.00	-65.76
181.47	-78.17	-77.21	1.50	-2.46	-13.00	-65.17
229.05	-77.22	-79.23	4.77	-2.76	-13.00	-64.22
280.51	-77.64	-78.29	3.72	-3.06	-13.00	-64.64
364.01	-77.83	-78.57	4.23	-3.48	-13.00	-64.83
1331.00	-57.72	-58.43	7.40	-6.69	-13.00	-44.72
1996.50	-46.19	-48.35	10.40	-8.24	-13.00	-33.19
2662.00	-50.83	-52.03	10.78	-9.58	-13.00	-37.83
3327.50	-49.57	-51.23	12.41	-10.75	-13.00	-36.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :665.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
58.16	-79.39	-67.78	-10.21	-1.40	-13.00	-66.39
120.30	-82.95	-79.42	-1.52	-2.01	-13.00	-69.95
172.73	-81.26	-79.06	0.20	-2.41	-13.00	-68.26
210.60	-81.13	-82.82	4.35	-2.65	-13.00	-68.13
242.64	-83.17	-83.99	3.67	-2.85	-13.00	-70.17
382.46	-76.62	-76.99	3.94	-3.57	-13.00	-63.62
1331.00	-58.11	-58.82	7.40	-6.69	-13.00	-45.11
1996.50	-42.87	-45.03	10.40	-8.24	-13.00	-29.87
2662.00	-50.02	-51.22	10.78	-9.58	-13.00	-37.02
3327.50	-48.45	-50.11	12.41	-10.75	-13.00	-35.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :680.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.33	-82.58	-69.67	-11.58	-1.33	-13.00	-69.58
71.75	-83.52	-75.74	-6.22	-1.55	-13.00	-70.52
133.89	-79.59	-75.71	-1.77	-2.12	-13.00	-66.59
179.53	-78.78	-77.50	1.17	-2.45	-13.00	-65.78
230.02	-76.80	-78.74	4.71	-2.77	-13.00	-63.80
276.63	-77.27	-77.91	3.69	-3.04	-13.00	-64.27
1361.00	-50.02	-50.75	7.50	-6.77	-13.00	-37.02
2041.50	-52.10	-53.97	10.22	-8.34	-13.00	-39.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :680.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.84	-82.23	-73.67	-7.04	-1.52	-13.00	-69.23
89.23	-82.76	-80.02	-1.01	-1.73	-13.00	-69.76
170.79	-81.30	-78.85	-0.05	-2.39	-13.00	-68.30
206.72	-81.76	-83.25	4.12	-2.63	-13.00	-68.76
383.43	-75.77	-76.12	3.92	-3.57	-13.00	-62.77
423.24	-76.27	-76.60	4.08	-3.75	-13.00	-63.27
1361.00	-51.90	-52.63	7.50	-6.77	-13.00	-38.90
2041.50	-46.28	-48.15	10.22	-8.34	-13.00	-33.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Vertical  
Test Frequency :695.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.42	-82.98	-69.59	-12.10	-1.29	-13.00	-69.98
79.52	-83.47	-78.53	-3.31	-1.63	-13.00	-70.47
131.95	-79.12	-75.30	-1.71	-2.10	-13.00	-66.12
179.53	-78.81	-77.53	1.17	-2.45	-13.00	-65.81
230.02	-76.65	-78.59	4.71	-2.77	-13.00	-63.65
279.54	-77.25	-77.91	3.72	-3.06	-13.00	-64.25
1391.00	-57.85	-58.43	7.42	-6.84	-13.00	-44.85
2086.50	-59.00	-60.54	9.97	-8.43	-13.00	-46.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B71 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :695.5 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.96	-82.07	-72.22	-8.37	-1.47	-13.00	-69.07
117.39	-82.72	-79.16	-1.57	-1.99	-13.00	-69.72
171.76	-82.01	-79.66	0.05	-2.40	-13.00	-69.01
205.75	-82.68	-84.12	4.06	-2.62	-13.00	-69.68
372.75	-75.98	-76.55	4.10	-3.52	-13.00	-62.98
410.62	-75.51	-75.87	4.05	-3.69	-13.00	-62.51
1391.00	-59.42	-60.00	7.42	-6.84	-13.00	-46.42
2086.50	-58.75	-60.28	9.97	-8.43	-13.00	-45.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

**LTE B13 (763-775MHz)**

Report Number	:TERF2501000193ER	Test Site	:SAC 3
Operation Mode	:LTE B13	Test Date	:2025-03-18
Test Mode	:Tx	Temp./Humi.	:19.3°C/46%
EUT Pol	:H Plane	Antenna Pol.	:Vertical
Test Frequency	:782 MHz	Engineer	:Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
769.614	-84.79	-83.24	3.51	-5.05	-35.00	-49.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wukoo District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B13 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :782 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
771.993	-84.82	-83.30	3.53	-5.06	-35.00	-49.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

**LTE B13 (793-805MHz)**

Report Number	:TERF2501000193ER	Test Site	:SAC 3
Operation Mode	:LTE B13	Test Date	:2025-03-18
Test Mode	:Tx	Temp./Humi.	:19.3°C/46%
EUT Pol	:H Plane	Antenna Pol.	:Vertical
Test Frequency	:782 MHz	Engineer	:Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
795.179	-75.29	-73.55	3.39	-5.13	-35.00	-40.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2501000193ER Test Site :SAC 3  
Operation Mode :LTE B13 Test Date :2025-03-18  
Test Mode :Tx Temp./Humi. :19.3°C/46%  
EUT Pol :H Plane Antenna Pol. :Horizontal  
Test Frequency :782 MHz Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
795.227	-81.08	-79.33	3.39	-5.13	-35.00	-46.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group



## 6 FREQUENCY STABILITY MEASUREMENT

**Note:** The module's voltage is 3.3Vdc.

Reference Freq.:	LTE B2 Mid Channel		1880.0000	MHz 10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	1879.999991	-0.0046	+/- 2.5 ppm
3.3	20	1879.999997	-0.0014	
2.805	20	1880.000007	0.0038	
2.9 (End Point)	20	1879.999995	-0.0029	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	1879.999993	-0.0035	+/- 2.5 ppm
3.3	-20	1879.999998	-0.0010	
3.3	-10	1880.000009	0.0049	
3.3	0	1880.000008	0.0044	
3.3	10	1879.999996	-0.0021	
3.3	20	1879.999997	-0.0017	
3.3	30	1880.000008	0.0045	
3.3	40	1879.999994	-0.0033	
3.3	50	1879.999996	-0.0024	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



Reference Freq.:	LTE B4 Mid Channel		1732.5000	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	1732.499996	-0.0023	+/- 2.5 ppm
3.3	20	1732.499994	-0.0032	
2.805	20	1732.500002	0.0013	
2.9 (End Point)	20	1732.499994	-0.0034	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	1732.499993	-0.0038	+/- 2.5 ppm
3.3	-20	1732.499996	-0.0021	
3.3	-10	1732.500009	0.0054	
3.3	0	1732.499997	-0.0016	
3.3	10	1732.499999	-0.0006	
3.3	20	1732.500005	0.0026	
3.3	30	1732.499995	-0.0027	
3.3	40	1732.500009	0.0050	
3.3	50	1732.499998	-0.0012	
Reference Freq.:	LTE B5 Mid Channel		836.5000	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	836.499996	-0.0052	+/- 2.5 ppm
3.3	20	836.499992	-0.0094	
2.805	20	836.499993	-0.0088	
2.9 (End Point)	20	836.500006	0.0075	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	836.500002	0.0026	+/- 2.5 ppm
3.3	-20	836.499996	-0.0045	
3.3	-10	836.499998	-0.0020	
3.3	0	836.500009	0.0113	
3.3	10	836.499995	-0.0062	
3.3	20	836.499998	-0.0025	
3.3	30	836.500004	0.0052	
3.3	40	836.500007	0.0088	
3.3	50	836.500006	0.0076	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



Reference Freq.:	LTE B7 Mid Channel		2535.0000	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	2534.999998	-0.0007	+/- 2.5 ppm
3.3	20	2535.000007	0.0027	
2.805	20	2534.999996	-0.0015	
2.9 (End Point)	20	2534.999995	-0.0022	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	2535.000004	0.0016	+/- 2.5 ppm
3.3	-20	2535.000009	0.0037	
3.3	-10	2534.999993	-0.0026	
3.3	0	2534.999991	-0.0034	
3.3	10	2534.999994	-0.0024	
3.3	20	2535.000002	0.0010	
3.3	30	2535.000002	0.0006	
3.3	40	2535.000009	0.0035	
3.3	50	2534.999995	-0.0021	
Reference Freq.:	LTE B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	707.499998	-0.0030	+/- 2.5 ppm
3.3	20	707.499996	-0.0051	
2.805	20	707.500007	0.0096	
2.9 (End Point)	20	707.499995	-0.0065	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	707.500003	0.0049	+/- 2.5 ppm
3.3	-20	707.499991	-0.0129	
3.3	-10	707.499997	-0.0043	
3.3	0	707.500003	0.0047	
3.3	10	707.500005	0.0064	
3.3	20	707.499996	-0.0055	
3.3	30	707.499990	-0.0139	
3.3	40	707.500006	0.0081	
3.3	50	707.499992	-0.0112	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Reference Freq.:	LTE B13 Mid Channel		782.0000	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	781.999991	-0.0120	+/- 2.5 ppm
3.3	20	781.999991	-0.0116	
2.805	20	782.000008	0.0105	
2.9 (End Point)	20	782.000006	0.0078	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	781.999997	-0.0041	+/- 2.5 ppm
3.3	-20	782.000003	0.0044	
3.3	-10	782.000006	0.0079	
3.3	0	782.000007	0.0084	
3.3	10	782.000009	0.0118	
3.3	20	781.999997	-0.0042	
3.3	30	781.999994	-0.0075	
3.3	40	781.999997	-0.0040	
3.3	50	781.999994	-0.0078	
Reference Freq.:	LTE B14 Mid Channel		793.0000	MHz 10M QPSK CH 23330
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	793.000006	0.0071	+/- 2.5 ppm
3.3	20	792.999993	-0.0092	
2.805	20	792.999998	-0.0023	
2.9 (End Point)	20	793.000005	0.0059	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	793.000006	0.0075	+/- 2.5 ppm
3.3	-20	793.000010	0.0120	
3.3	-10	792.999994	-0.0071	
3.3	0	793.000001	0.0017	
3.3	10	793.000003	0.0037	
3.3	20	792.999993	-0.0084	
3.3	30	792.999991	-0.0117	
3.3	40	793.000005	0.0067	
3.3	50	793.000004	0.0055	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Reference Freq.:	LTE B17 Mid Channel		710.0000	MHz 10M QPSK CH 23790
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	709.999997	-0.0038	+/- 2.5 ppm
3.3	20	710.000004	0.0059	
2.805	20	710.000010	0.0139	
2.9 (End Point)	20	710.000005	0.0068	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	709.999998	-0.0027	+/- 2.5 ppm
3.3	-20	710.000010	0.0134	
3.3	-10	709.999993	-0.0104	
3.3	0	710.000007	0.0095	
3.3	10	709.999992	-0.0119	
3.3	20	710.000001	0.0015	
3.3	30	709.999993	-0.0096	
3.3	40	709.999993	-0.0095	
3.3	50	710.000008	0.0115	
Reference Freq.:	LTE B25 Mid Channel		1882.5000	MHz 10M QPSK CH 26365
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	1882.499992	-0.0040	+/- 2.5 ppm
3.3	20	1882.499992	-0.0041	
2.805	20	1882.499995	-0.0028	
2.9 (End Point)	20	1882.500006	0.0033	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	1882.499994	-0.0032	+/- 2.5 ppm
3.3	-20	1882.499998	-0.0011	
3.3	-10	1882.499995	-0.0026	
3.3	0	1882.499993	-0.0038	
3.3	10	1882.499996	-0.0019	
3.3	20	1882.499994	-0.0034	
3.3	30	1882.500010	0.0052	
3.3	40	1882.500005	0.0025	
3.3	50	1882.500005	0.0026	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



Reference Freq.:	LTE B26 Mid Channel		831.5000	MHz 10M QPSK CH 26865
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	831.499992	-0.0097	+/- 2.5 ppm
3.3	20	831.499995	-0.0061	
2.805	20	831.499997	-0.0037	
2.9 (End Point)	20	831.500006	0.0071	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	831.500006	0.0067	+/- 2.5 ppm
3.3	-20	831.499992	-0.0100	
3.3	-10	831.499998	-0.0025	
3.3	0	831.500003	0.0039	
3.3	10	831.499991	-0.0113	
3.3	20	831.500004	0.0047	
3.3	30	831.499997	-0.0041	
3.3	40	831.499993	-0.0086	
3.3	50	831.499994	-0.0067	
Reference Freq.:	Part 90 LTE B26 Mid Channel		819.0000	MHz 10M QPSK CH 26740
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S)</b>				
3.795	20	819.000007	0.0080	+/- 2.5 ppm
3.3	20	818.999993	-0.0082	
2.805	20	819.000008	0.0099	
2.9 (End Point)	20	818.999996	-0.0045	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	818.999997	-0.0033	+/- 2.5 ppm
3.3	-20	818.999994	-0.0079	
3.3	-10	819.000004	0.0050	
3.3	0	819.000010	0.0117	
3.3	10	819.000002	0.0024	
3.3	20	818.999992	-0.0104	
3.3	30	819.000006	0.0068	
3.3	40	819.000005	0.0056	
3.3	50	818.999997	-0.0036	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group



Reference Freq.:	LTE B30 Mid Channel		2310.0000	MHz 10M QPSK CH 27710
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	2309.999994	-0.0024	+/- 2.5 ppm
3.3	20	2309.999996	-0.0019	
2.805	20	2310.000005	0.0023	
2.9 (End Point)	20	2310.000007	0.0028	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	2310.000006	0.0024	+/- 2.5 ppm
3.3	-20	2309.999993	-0.0030	
3.3	-10	2309.999997	-0.0012	
3.3	0	2309.999993	-0.0029	
3.3	10	2310.000006	0.0026	
3.3	20	2309.999998	-0.0011	
3.3	30	2309.999991	-0.0037	
3.3	40	2310.000003	0.0012	
3.3	50	2309.999993	-0.0029	
Reference Freq.:	LTE B38 Mid Channel		2595.0000	MHz 10M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	2595.000006	0.0022	+/- 2.5 ppm
3.3	20	2595.000003	0.0010	
2.805	20	2595.000008	0.0032	
2.9 (End Point)	20	2594.999995	-0.0018	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	2594.999991	-0.0036	+/- 2.5 ppm
3.3	-20	2595.000008	0.0031	
3.3	-10	2594.999990	-0.0038	
3.3	0	2594.999998	-0.0006	
3.3	10	2594.999996	-0.0017	
3.3	20	2594.999995	-0.0018	
3.3	30	2594.999994	-0.0025	
3.3	40	2595.000006	0.0022	
3.3	50	2594.999998	-0.0007	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Reference Freq.:	LTE B41 Mid Channel		2593.0000	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	2592.999990	-0.0038	+/- 2.5 ppm
3.3	20	2593.000004	0.0016	
2.805	20	2592.999992	-0.0032	
2.9 (End Point)	20	2593.000006	0.0022	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	2593.000004	0.0014	+/- 2.5 ppm
3.3	-20	2592.999993	-0.0027	
3.3	-10	2592.999997	-0.0010	
3.3	0	2592.999993	-0.0027	
3.3	10	2592.999992	-0.0032	
3.3	20	2593.000004	0.0016	
3.3	30	2592.999992	-0.0030	
3.3	40	2592.999998	-0.0009	
3.3	50	2592.999997	-0.0012	
Reference Freq.:	LTE B66 Mid Channel		1745.0000	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	1744.999997	-0.0019	+/- 2.5 ppm
3.3	20	1744.999993	-0.0039	
2.805	20	1744.999995	-0.0027	
2.9 (End Point)	20	1745.000007	0.0037	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	1744.999991	-0.0053	+/- 2.5 ppm
3.3	-20	1744.999999	-0.0008	
3.3	-10	1744.999992	-0.0043	
3.3	0	1745.000003	0.0015	
3.3	10	1744.999994	-0.0035	
3.3	20	1744.999995	-0.0030	
3.3	30	1744.999995	-0.0030	
3.3	40	1744.999993	-0.0041	
3.3	50	1745.000004	0.0022	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

Reference Freq.:	LTE B71 Mid Channel			680.5000 MHz 10M QPSK CH 133297
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
<b>Freq. ERROR vs. VOLTAGE</b>				
3.795	20	680.500007	0.0096	+/- 2.5 ppm
3.3	20	680.499992	-0.0120	
2.805	20	680.500003	0.0040	
2.9 (End Point)	20	680.499996	-0.0063	
<b>Freq. ERROR vs. Temp.</b>				
3.3	-30	680.499994	-0.0089	+/- 2.5 ppm
3.3	-20	680.499994	-0.0082	
3.3	-10	680.499996	-0.0054	
3.3	0	680.499992	-0.0119	
3.3	10	680.499990	-0.0145	
3.3	20	680.500004	0.0057	
3.3	30	680.499991	-0.0135	
3.3	40	680.499994	-0.0093	
3.3	50	680.500003	0.0047	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號



## 7 PEAK TO AVERAGE RATIO

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1850.7	18607	7.12	13	1851.5	18615	7.09	13
1880.0	18900	7.61	13	1880.0	18900	7.30	13
1909.3	19193	7.02	13	1908.5	19185	6.83	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1852.5	18625	6.75	13	1855.0	18650	6.95	13
1880.0	18900	7.22	13	1880.0	18900	7.22	13
1907.5	19175	6.98	13	1905.0	19150	6.89	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1857.5	18675	7.00	13	1860.0	18700	6.90	13
1880.0	18900	7.50	13	1880.0	18900	7.13	13
1902.5	19125	6.82	13	1900.0	19100	6.89	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1710.7	19957	7.31	13	1711.5	19965	6.91	13
1732.5	20175	7.07	13	1732.5	20175	6.75	13
1754.3	20393	7.22	13	1753.5	20385	6.83	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1712.5	19975	7.03	13	1715.0	20000	7.11	13
1732.5	20175	6.46	13	1732.5	20175	6.64	13
1752.5	20375	6.95	13	1750.0	20350	6.71	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1717.5	20025	7.05	13	1720.0	20050	7.10	13
1732.5	20175	6.52	13	1732.5	20175	6.87	13
1747.5	20325	6.68	13	1745.0	20300	6.74	13
LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
824.7	20407	6.88	13	825.5	20415	6.77	13
836.5	20525	6.88	13	836.5	20525	6.80	13
848.3	20643	6.46	13	847.5	20635	6.47	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
826.5	20425	6.46	13	829.0	20450	6.47	13
836.5	20525	6.54	13	836.5	20525	6.48	13
846.5	20625	6.52	13	844.0	20600	6.49	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2502.5	20775	6.78	13	2505.0	20800	6.64	13
2535.0	21100	6.62	13	2535.0	21100	6.58	13
2567.5	21375	6.69	13	2565.0	21400	6.85	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2507.5	20825	6.51	13	2510	20850	6.84	13
2535.0	21100	6.69	13	2535	21100	6.64	13
2562.5	21375	6.68	13	2560	21350	6.99	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
699.7	23017	6.26	13	700.5	23025	6.34	13
707.5	23095	6.72	13	707.5	23095	6.66	13
715.3	23173	6.85	13	714.5	23165	6.49	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
701.5	23035	6.53	13	704.0	23060	6.62	13
707.5	23095	6.43	13	707.5	23095	6.32	13
713.5	23155	6.49	13	711.0	23130	6.46	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
779.5	23205	6.25	13	782.0	23230	6.38	13
782.0	23230	6.12	13				
784.5	23255	6.47	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 14							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
790.5	23305	6.25	13	793.0	23330	6.22	13
793	23330	6.20	13				
795.5	23355	6.40	13				

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
706.5	23755	6.68	13	709.0	23780	6.51	13
710.0	23790	6.36	13	710.0	23790	6.54	13
713.5	23825	6.54	13	711.0	23800	6.31	13

LTE BAND 25							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1850.7	26047	7.37	13	1851.5	26055	7.05	13
1882.5	26365	6.93	13	1882.5	26365	7.07	13
1914.3	26683	7.20	13	1913.5	26675	6.79	13

LTE BAND 25							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1852.5	26065	6.92	13	1855.0	26090	6.76	13
1882.5	26365	7.14	13	1882.5	26365	7.25	13
1912.5	26665	6.69	13	1910.0	26640	6.90	13

LTE BAND 25							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1857.5	26115	6.69	13	1860.0	26140	6.64	13
1882.5	26365	7.09	13	1882.5	26365	6.87	13
1907.5	26615	7.06	13	1905.0	26590	7.06	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 26							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
824.7	26797	6.37	13	825.5	26805	6.73	13
836.5	26915	7.07	13	836.5	26915	6.66	13
848.3	27033	6.90	13	847.5	27025	6.82	13

LTE BAND 26							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
826.5	26815	6.53	13	829.0	26840	6.52	13
836.5	26915	6.44	13	836.5	26915	6.51	13
846.5	27015	6.57	13	844.0	26990	6.51	13

LTE BAND 26							
Channel bandwidth: 15MHz							
Freq. (MHz)	CH	PAPR (dB)					
		256QAM	Limit				
831.5	26865	6.51	13				
836.5	26915	6.54	13				
841.5	26965	6.69	13				
LTE BAND 26 for part 90S							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
814.7	26697	7.22	13	815.5	26705	6.58	13
819.0	26740	6.64	13	819	26740	6.45	13
823.3	26783	6.44	13	822.5	26775	6.33	13

LTE BAND 26 for part 90S							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
816.5	26715	6.64	13				
819.0	26740	6.75	13	819.0	26740	6.47	13
821.5	26765	6.29	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 30							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2307.5	27685	6.62	13				
2310.0	27710	6.90	13	2310.0	27710	6.72	13
2312.5	27735	6.75	13				

LTE BAND 38							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2572.5	37775	10.25	13	2575	37800	6.74	13
2595.0	38000	10.21	13	2595	38000	9.71	13
2617.5	38225	9.53	13	2615	38200	8.13	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2577.5	37825	6.75	13	2580.0	37850	6.72	13
2595.0	38000	6.49	13	2595.0	38000	6.71	13
2612.5	38175	6.58	13	2610.0	38150	6.72	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

LTE BAND 41							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2498.5	39675	7.39	13	2501.0	39700	9.08	13
2502.5	39715	8.26	13	2505.0	39740	6.28	13
2593.0	40620	11.17	13	2593.0	40620	6.32	13
2687.5	41565	11.74	13	2685.0	41540	9.67	13

LTE BAND 41							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2503.5	39725	8.15	13	2506.0	39750	6.20	13
2507.5	39765	6.31	13	2510.0	39790	6.61	13
2593.0	40620	6.13	13	2593.0	40620	6.42	13
2682.5	41515	6.08	13	2680.0	41490	10.93	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1710.7	131979	6.99	13	1711.5	131987	6.79	13
1745.0	132322	6.80	13	1745.0	132322	6.53	13
1779.3	132665	7.16	13	1778.5	132657	6.94	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1712.5	131997	6.84	13	1715.0	132022	7.10	13
1745.0	132322	6.59	13	1745.0	132322	6.96	13
1777.5	132647	6.76	13	1775.0	132622	6.79	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1717.5	132047	7.09	13	1720.0	132072	6.92	13
1745.0	132322	6.72	13	1745.0	132322	6.82	13
1772.5	132597	6.92	13	1770.0	132572	6.42	13
LTE BAND 71							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
665.5	133147	6.36	13	668.0	133172	6.44	13
680.5	133297	6.30	13	680.5	133297	6.08	13
695.5	133447	6.18	13	693.0	133422	6.40	13

LTE BAND 71							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
670.5	133197	6.23	13	673.0	133222	6.49	13
680.5	133297	6.34	13	680.5	133297	6.24	13
690.5	133397	6.25	13	688.0	133372	6.25	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

SGS


Band2\_1.4MHz\_256QAM\_RB6\_0\_CH18607



Band2\_3MHz\_256QAM\_RB15\_0\_CH18615



Band2\_1.4MHz\_256QAM\_RB6\_0\_CH18900




Band2\_3MHz\_256QAM\_RB15\_0\_CH18900



Band2\_1.4MHz\_256QAM\_RB6\_0\_CH19193



Band2\_3MHz\_256QAM\_RB15\_0\_CH19193



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

SGS

Band2\_5MHz\_256QAM\_RB25\_0\_CH18625



Band2\_10MHz\_256QAM\_RB50\_0\_CH18650



Band2\_5MHz\_256QAM\_RB25\_0\_CH18900



Band2\_10MHz\_256QAM\_RB50\_0\_CH18900



Band2\_5MHz\_256QAM\_RB25\_0\_CH19175



Band2\_10MHz\_256QAM\_RB50\_0\_CH19150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

SGS

Band2\_15MHz\_256QAM\_RB75\_0\_CH18675



Band2\_20MHz\_256QAM\_RB100\_0\_CH18700




Band2\_15MHz\_256QAM\_RB75\_0\_CH18900



Band2\_20MHz\_256QAM\_RB100\_0\_CH18900



Band2\_15MHz\_256QAM\_RB75\_0\_CH19125



Band2\_20MHz\_256QAM\_RB100\_0\_CH19100



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

SGS

Band4\_1.4MHz\_256QAM\_RB6\_0\_CH19957



Band4\_3MHz\_256QAM\_RB15\_0\_CH19965



Band4\_1.4MHz\_256QAM\_RB6\_0\_CH20175



Band4\_3MHz\_256QAM\_RB15\_0\_CH20175



Band4\_1.4MHz\_256QAM\_RB6\_0\_CH20393



Band4\_3MHz\_256QAM\_RB15\_0\_CH20385



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

SGS


Band4\_5MHz\_256QAM\_RB25\_0\_CH19975




Band4\_5MHz\_256QAM\_RB25\_0\_CH20175



Band4\_5MHz\_256QAM\_RB25\_0\_CH20375



Band4\_10MHz\_256QAM\_RB50\_0\_CH20000



Band4\_10MHz\_256QAM\_RB50\_0\_CH20175



Band4\_10MHz\_256QAM\_RB50\_0\_CH20350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)


Member of SGS Group




Band4\_15MHz\_256QAM\_RB75\_0\_CH20025




Band4\_15MHz\_256QAM\_RB75\_0\_CH20175



Band4\_15MHz\_256QAM\_RB75\_0\_CH20325



Band4\_20MHz\_256QAM\_RB100\_0\_CH20050



Band4\_20MHz\_256QAM\_RB100\_0\_CH20175



Band4\_20MHz\_256QAM\_RB100\_0\_CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)


Member of SGS Group

SGS


Band5\_1.4MHz\_256QAM\_RB6\_0\_CH20407



Band5\_3MHz\_256QAM\_RB15\_0\_CH20415




Band5\_1.4MHz\_256QAM\_RB6\_0\_CH20525



Band5\_3MHz\_256QAM\_RB15\_0\_CH20525



Band5\_1.4MHz\_256QAM\_RB6\_0\_CH20643



Band5\_3MHz\_256QAM\_RB15\_0\_CH20643



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group