







Mode: UNII-3(HT20)
Distance of measurement: 3 meter
Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




Mode: UNII-3(HT20)
Distance of measurement: 3 meter
Channel: 165

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	40.74	Peak	H	-2.07	-	38.67	122.20	83.53
5936.19	41.91	Peak	H	-1.82	-	40.09	68.20	28.11
5850.00	39.92	Peak	V	-2.07	-	37.85	122.20	84.35
5945.30	41.69	Peak	V	-1.79	-	39.90	68.20	28.30



Note.

1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-1(HT40)
Distance of measurement: 3 meter
Channel: 38

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
4663.40	41.59	Peak	H	-4.73	-	36.86	74.00	37.14
4994.50	41.45	Peak	V	-3.45	-	38.00	74.00	36.00



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-1(HT40)
Distance of measurement: 3 meter
Channel: 46

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
1. No spurious emission were detected above 6 GHz.



Mode: UNII-2A(HT40)
Distance of measurement: 3 meter
Channel: 54


Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								






Mode: UNII-2A(HT40)
Distance of measurement: 3 meter
Channel: 62

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5354.57	47.98	Peak	H	-3.58	-	44.40	74.00	29.60
5355.50	46.60	Peak	V	-3.58	-	43.02	74.00	30.98



Note.

1. Average test was not performed because peak result is lower than the average limit.



Note.

1. No spurious emission were detected above 6 GHz.

**KES Co., Ltd.**

C-3701, 40, Simin-daero 365beon-gil,
Dongan-gu, Anyang-si, Gyeonggi-do, Korea
Tel: +82-31-425-6200 / Fax: +82-31-424-0450
www.kes.co.kr


Test report No.:

KES-RF-16T0114-R2

Page (69) of (160)


Mode: UNII-2C(HT40)Distance of measurement: 3 meterChannel: 102

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5391.97	43.52	Peak	H	-3.62	-	39.90	74.00	34.10
5414.37	42.67	Peak	V	-3.61	-	39.06	74.00	34.94



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-2C(HT40)
Distance of measurement: 3 meter
Channel: 110

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-2C(HT40)
Distance of measurement: 3 meter
Channel: 134

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-3(HT40)
Distance of measurement: 3 meter
Channel: 151

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5725.00	44.87	Peak	H	-2.49	-	42.38	122.20	79.82
5482.29	43.46	Peak	H	-3.51	-	39.95	68.20	28.25
5725.00	47.62	Peak	V	-2.49	-	45.13	122.20	77.07
5571.01	41.70	Peak	V	-3.11	-	38.59	68.20	29.61



Note.


1. Average test was not performed because peak result is lower than the average limit.






Mode: UNII-3(HT40)
Distance of measurement: 3 meter
Channel: 159

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	39.74	Peak	H	-2.07	-	37.67	122.20	84.53
5950.37	42.19	Peak	H	-1.77	-	40.42	68.20	27.78
5850.00	40.87	Peak	V	-2.07	-	38.80	122.20	83.40
5937.45	41.91	Peak	V	-1.81	-	40.10	68.20	28.10



Note.

1. Average test was not performed because peak result is lower than the average limit.



Note.

1. No spurious emission were detected above 6 GHz.


Ant 2

Mode: UNII-1

Distance of measurement: 3 meter


Channel: 36

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5150.00	44.01	Peak	H	-3.42	-	40.59	74.00	33.41
5150.00	46.29	Peak	V	-3.42	-	42.87	74.00	31.13



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-1
Distance of measurement: 3 meter
Channel: 44

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-1
Distance of measurement: 3 meter
Channel: 48

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.

1. No spurious emission were detected above 6 GHz.



Mode: UNII-2A
Distance of measurement: 3 meter
Channel: 52

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-2A
Distance of measurement: 3 meter
Channel: 60

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




Mode: UNII-2A
Distance of measurement: 3 meter
Channel: 64

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5354.34	42.05	Peak	H	-3.58	-	38.47	74.00	35.53
5371.24	41.89	Peak	V	-3.60	-	38.29	74.00	35.71



Note.

1. Average test was not performed because peak result is lower than the average limit.



Note.

1. No spurious emission were detected above 6 GHz.

**KES Co., Ltd.**

C-3701, 40, Simin-daero 365beon-gil,
Dongan-gu, Anyang-si, Gyeonggi-do, Korea
Tel: +82-31-425-6200 / Fax: +82-31-424-0450
www.kes.co.kr

Test report No.:

KES-RF-16T0114-R2


Page (85) of (160)

Mode: UNII-2C

Distance of measurement: 3 meter


Channel: 100

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5378.83	41.90	Peak	H	-3.61	-	38.29	74.00	35.71
5368.49	42.14	Peak	V	-3.60	-	38.54	74.00	35.46



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-2C
Distance of measurement: 3 meter
Channel: 116

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-2C
Distance of measurement: 3 meter
Channel: 140

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-3
Distance of measurement: 3 meter
Channel: 149

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5725.00	41.62	Peak	H	-2.49	-	39.13	122.20	83.07
5588.72	42.32	Peak	H	-3.01	-	39.31	68.20	28.89
5725.00	40.12	Peak	V	-2.49	-	37.63	122.20	84.57
5580.18	42.42	Peak	V	-3.06	-	39.36	68.20	28.84



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-3
Distance of measurement: 3 meter
Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.

**KES Co., Ltd.**

C-3701, 40, Simin-daero 365beon-gil,
Dongan-gu, Anyang-si, Gyeonggi-do, Korea
Tel: +82-31-425-6200 / Fax: +82-31-424-0450
www.kes.co.kr


Test report No.:

KES-RF-16T0114-R2

Page (92) of (160)

Mode: UNII-3
Distance of measurement: 3 meter
Channel: 165


Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	41.26	Peak	H	-2.07	-	39.19	122.20	83.01
5851.01	43.99	Peak	H	-2.07	-	41.92	119.90	77.98
5925.00	39.46	Peak	H	-1.85	-	37.61	68.20	30.59
5850.00	41.66	Peak	V	-2.07	-	39.59	122.20	82.61
5860.90	42.49	Peak	V	-2.04	-	40.45	109.15	68.70
5925.00	39.84	Peak	V	-1.85	-	37.99	68.20	30.21



Note.

1. Average test was not performed because peak result is lower than the average limit.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-1(HT20)
Distance of measurement: 3 meter
Channel: 36

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5144.80	46.57	Peak	H	-3.42	-	43.15	74.00	30.85
5150.00	46.72	Peak	V	-3.42	-	43.30	74.00	30.70



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-1(HT20)
Distance of measurement: 3 meter
Channel: 44

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-1(HT20)
Distance of measurement: 3 meter
Channel: 48

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
1. No spurious emission were detected above 6 GHz.



Mode: UNII-2A(HT20)
Distance of measurement: 3 meter
Channel: 52

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-2A(HT20)
Distance of measurement: 3 meter
Channel: 60


Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								






Mode: UNII-2A(HT20)
Distance of measurement: 3 meter
Channel: 64

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5447.66	42.47	Peak	H	-3.56	-	38.91	74.00	35.09
5433.07	41.91	Peak	V	-3.58	-	38.33	74.00	35.67



Note.

1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-2C(HT20)
Distance of measurement: 3 meter
Channel: 100

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5445.50	43.52	Peak	H	-3.57	-	39.95	74.00	34.05
5440.09	43.05	Peak	V	-3.57	-	39.48	74.00	34.52



Note.


1. Average test was not performed because peak result is lower than the average limit.





Mode: UNII-2C(HT20)
Distance of measurement: 3 meter
Channel: 116

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




Mode: UNII-2C(HT20)
Distance of measurement: 3 meter
Channel: 140

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
1. No spurious emission were detected above 6 GHz.





Mode: UNII-3(HT20)
Distance of measurement: 3 meter
Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.

**KES Co., Ltd.**

C-3701, 40, Simin-daero 365beon-gil,
Dongan-gu, Anyang-si, Gyeonggi-do, Korea
Tel: +82-31-425-6200 / Fax: +82-31-424-0450
www.kes.co.kr


Test report No.:

KES-RF-16T0114-R2

Page (109) of (160)

Mode: UNII-3(HT20)Distance of measurement: 3 meterChannel: 165


Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	40.74	Peak	H	-2.07	-	38.67	122.20	83.53
5853.09	42.20	Peak	H	-2.06	-	40.14	115.15	75.01
5925.00	40.71	Peak	H	-1.85	-	38.86	68.20	29.34
5850.00	42.70	Peak	V	-2.07	-	40.63	122.20	81.57
5851.53	45.49	Peak	V	-2.06	-	43.43	118.71	75.28
5925.00	39.93	Peak	V	-1.85	-	38.08	68.20	30.12



Note.

1. Average test was not performed because peak result is lower than the average limit.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Note.

1. No spurious emission were detected above 6 GHz.