

August 4, 2017

## **Declaration – MIF for HAC RF Interference Evaluation**

To Whom It May Concern,


For the device, with FCC ID: **NM8G011A**, Hearing Aid Compatibility Requirement was certified under **ANSI C63.19-2011 version per Section 20.19** of the FCC's rules

The M rating was determined by measuring the maximum steady state average E-field values in dB (V/m) as documented in the HAC report and adding the MIF value in dB (V/m) using pre-determined values provided by Speag under UID 10021 DAB (06.02.2014) / UID 10011 CAB (16.01.2014) / UID 10295 AAB (16.01.2014) / UID 10170 CAB (13.05.2013) / UID 10172 CAC (16.11.2016) / UID 10061 CAB (26.11.2014) / UID 10077 CAB (26.11.2014) / UID 11069 CAB (26.11.2014) / UID 10525 AAA (14.10.2) / UID 10534 AAA (14.10.2015) / UID 10544 AAA (14.10.2015)

The Speag-reference documentation for supporting the pre-determined MIF value is Schmid & Partner Engineering AG, **UID SUMMARY (Communication Systems for Calibration, Issued Date 2016/07/08)**.

We confirm that the Speag simulation provided represents all the air interface modes applicable for a HAC rating for this handset.

Sincerely Yours,



**Hedy Hsieh / Sr. Assistant Manager**

**HTC Corporation**

Tel: 886-2-8912-4138

Fax: 886-2-8912-6307

E-mail: [Hedy\\_Hsieh@htc.com](mailto:Hedy_Hsieh@htc.com)