




PROPRIETARY INFORMATION

ALL RIGHTS RESERVED. NO PARTS OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED, IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF TELEMATICS WIRELESS LTD. NO USE IN WHOLE OR IN PART FOR ANY PURPOSE, NOR ANY CUSTOMER EXCEPT TELEMATICS WIRELESS.

REV	DESCRIPTION	CHNGD SHEET	E.C.N	DATE	DRAWN	CHECKED
A			1725	04/05/15		
B	ITEM 3 WAS 2139-40110-00 ITEM 4 WAS 2139-40123-00		1748	14/05/15	MK.	A.S.



FOR PART LIST SEE DRAWING 21399045900 PL									
NO.	PART NO.	NAME		DESCRIPTION	U/M	QTY	NOTES		
UNLESS OTHERWISE SPECIFIED:		NAME: 2WAY REPEATER-V1F FINAL ASSY		PROCESSING LEVEL					
ALL DIMENSIONS ARE IN MM.				OPERATION					
TOLERANCES: LINEAR ± - ANGLES ± -									
ROUGHNESS:				-					
7 (7 7)				-					
PROD/PROJ 2WAY		DESIGNED		M.K.	04/05/15	SHEET/OF			
		CHECKED		Y.L.	04/05/15	1 / 1			
		APPROVED		A.S.	04/05/15				
		Q.A.		D.D.	04/05/15				
		213990459000		SIZE		B			
SCALE: 1 : 1									


CLASSIFIED


PROPRIETARY INFORMATION
ALL RIGHTS RESERVED. NO PARTS OF THIS DOCUMENT MAY BE REPRODUCED, STORED, IN A RETRIEVAL SYSTEM, TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF TELEMATICS WIRELESS LTD. NOR USED IN WHOLE OR IN PART FOR ANY PURPOSE OR FOR ANY CUSTOMER EXCEPT TELEMATICS WIRELESS.

NOTES:

1. MATERIAL: WHITE POLYESTER SELF ADHESIVE FILM.
(SUCH AS "WP" MADE BY EPC)
2. BAR CODING SHALL BE ACCORDING TO CODE 39.
3. MARKING: HIGH DURABILITY AND SOLVENT RESISTANCE BLACK MARKING
(USING THERMAL TRANSFER BLACK RIBBON SUCH AS "RHD" MADE BY EPC).
4. THE LABEL MATERIAL SHALL BE CAPABLE OF WITHSTANDING A TEMPERATURE RANGE OF -45°C TO +100°C, AND THE DELETERIOUS EFFECTS CAUSED BY:
-CONFORMAL COATING (ALL TYPES)
-SALT SPRAY
5. THE ADHESIVE SHALL BE APPROPRIATE FOR AFFIXING THE LABEL TO SURFACES SUCH AS GLASS EPOXY, ALUMINUM, PLASTIC AND ALLOW THE LABEL TO BE REMOVED QUICKLY WITHOUT LEAVING ADHESIVE TRACES ON THE SURFACE.
6. THE LABELS WILL BE SUPPLIED ROLLED.
7. S/N XXXXXX
- XXXXXX - CONSECUTIVE NUMERICAL NUMBERS.
8. THE FOLLOWING INFORMATION WILL BE PROVIDED TO THE MANUFACTURER WITH EACH PURCHASING ORDER:
-STARTING S/N (FIRST XXXXXX)

REV	Δ	DESCRIPTION	CHNGD SHEET	E. C. N	DATE	DRAWN	CHECKED
A				1725	04/05/15		
B		FCC ID WAS NTA2WREP1 ADDED IC		1904	24/01/16	M. K.	A. S.
C		RECORD "M/N 2WAY REPEATER-V1F" WAS "2WAY REPEATER-V1F"		1916	07/02/16	M. K.	A. S.
D		RECORD "M/N ALLEGRO REPEATER" WAS "M/N 2WAY REPEATER-V1F"		1933	28/02/16	M. K.	A. S.



NO.	PART NO.	NAME		DESCRIPTION	U/M	QTY	NOTES
UNLESS OTHERWISE SPECIFIED,		NAME: BAR CODE 2WAY REPEATER-V1F		PROCESSING LEVEL			
ALL DIMENSIONS ARE IN MM.				OPERATION		CATALOG NO.	
TOLERANCES: LINEAR ± - ANGLES ± -							
ROUGHNESS:							
PRD/PRD, 2WAY				DESIGNED		M. K.	04/05/15
		CHECKED		Y. L.	04/05/15	1 / 1	
		APPROVED		A. S.	04/05/15		
		Q. A.		D. D.	04/05/15		
SCALE: 1:1		213973846000		B		SIZE	