












Mode	53																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																		
ANT	CDD 1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5628.40</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>39.98</td><td>34.60</td><td>11.04</td><td>36.30</td><td>0.00</td><td>266</td><td>222 PEAK</td></tr><tr><td>2 5650.00</td><td>47.11</td><td>68.20</td><td>-21.09</td><td>37.76</td><td>34.60</td><td>11.07</td><td>36.32</td><td>0.00</td><td>266</td><td>222 PEAK</td></tr><tr><td>3 5700.00</td><td>49.75</td><td>105.30</td><td>-55.55</td><td>40.07</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>266</td><td>222 PEAK</td></tr><tr><td>4 5720.00</td><td>46.67</td><td>110.90</td><td>-64.23</td><td>36.87</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>266</td><td>222 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5628.40	49.32	68.20	-18.88	39.98	34.60	11.04	36.30	0.00	266	222 PEAK	2 5650.00	47.11	68.20	-21.09	37.76	34.60	11.07	36.32	0.00	266	222 PEAK	3 5700.00	49.75	105.30	-55.55	40.07	34.60	11.14	36.06	0.00	266	222 PEAK	4 5720.00	46.67	110.90	-64.23	36.87	34.66	11.17	36.03	0.00	266	222 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.38</td><td>-----</td><td>-----</td><td>93.49</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>266</td><td>222 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.38	-----	-----	93.49	34.70	11.19	36.00	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5628.40	49.32	68.20	-18.88	39.98	34.60	11.04	36.30	0.00	266	222 PEAK																																																																																																																									
2 5650.00	47.11	68.20	-21.09	37.76	34.60	11.07	36.32	0.00	266	222 PEAK																																																																																																																									
3 5700.00	49.75	105.30	-55.55	40.07	34.60	11.14	36.06	0.00	266	222 PEAK																																																																																																																									
4 5720.00	46.67	110.90	-64.23	36.87	34.66	11.17	36.03	0.00	266	222 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	103.38	-----	-----	93.49	34.70	11.19	36.00	0.00	266	222 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.13</td><td>-----</td><td>-----</td><td>86.24</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>266</td><td>222 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.13	-----	-----	86.24	34.70	11.19	36.00	0.00	266	222 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	96.13	-----	-----	86.24	34.70	11.19	36.00	0.00	266	222 AVERAGE																																																																																																																									






		53																																																																																																																																			
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																				
ANT	CDD 1+2																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.60</td><td>48.25</td><td>68.20</td><td>-19.95</td><td>38.91</td><td>34.60</td><td>11.03</td><td>36.29</td><td>0.00</td><td>103</td><td>356 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.50</td><td>68.00</td><td>-22.30</td><td>37.14</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>103</td><td>356 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>48.59</td><td>106.42</td><td>-57.83</td><td>38.88</td><td>34.61</td><td>11.15</td><td>36.05</td><td>0.00</td><td>103</td><td>356 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>45.51</td><td>110.90</td><td>-65.39</td><td>35.71</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>103</td><td>356 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.60	48.25	68.20	-19.95	38.91	34.60	11.03	36.29	0.00	103	356 PEAK	2	5650.00	46.50	68.00	-22.30	37.14	34.60	11.07	36.31	0.00	103	356 PEAK	3	5704.00	48.59	106.42	-57.83	38.88	34.61	11.15	36.05	0.00	103	356 PEAK	4	5720.00	45.51	110.90	-65.39	35.71	34.66	11.17	36.03	0.00	103	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.94</td><td>-----</td><td>-----</td><td>90.05</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>103</td><td>356 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.94	-----	-----	90.05	34.70	11.19	36.00	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5621.60	48.25	68.20	-19.95	38.91	34.60	11.03	36.29	0.00	103	356 PEAK																																																																																																																										
2	5650.00	46.50	68.00	-22.30	37.14	34.60	11.07	36.31	0.00	103	356 PEAK																																																																																																																										
3	5704.00	48.59	106.42	-57.83	38.88	34.61	11.15	36.05	0.00	103	356 PEAK																																																																																																																										
4	5720.00	45.51	110.90	-65.39	35.71	34.66	11.17	36.03	0.00	103	356 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	99.94	-----	-----	90.05	34.70	11.19	36.00	0.00	103	356 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.96</td><td>-----</td><td>-----</td><td>84.07</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>103</td><td>356 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.96	-----	-----	84.07	34.70	11.19	36.00	0.00	103	356 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	93.96	-----	-----	84.07	34.70	11.19	36.00	0.00	103	356 AVERAGE																																																																																																																										






Mode	54																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>50.23</td><td>112.27</td><td>-62.04</td><td>40.07</td><td>35.01</td><td>11.33</td><td>36.18</td><td>0.00</td><td>300</td><td>18</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>50.91</td><td>107.48</td><td>-56.57</td><td>40.82</td><td>35.03</td><td>11.35</td><td>36.29</td><td>0.00</td><td>300</td><td>18</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>48.72</td><td>69.23</td><td>-20.51</td><td>38.00</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>300</td><td>18</td><td>PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>50.54</td><td>68.20</td><td>-17.66</td><td>40.61</td><td>35.16</td><td>11.43</td><td>36.66</td><td>0.00</td><td>300</td><td>18</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	50.23	112.27	-62.04	40.07	35.01	11.33	36.18	0.00	300	18	PEAK	2	5867.20	50.91	107.48	-56.57	40.82	35.03	11.35	36.29	0.00	300	18	PEAK	3	5923.60	48.72	69.23	-20.51	38.00	35.12	11.40	36.60	0.00	300	18	PEAK	4	5956.40	50.54	68.20	-17.66	40.61	35.16	11.43	36.66	0.00	300	18	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.75</td><td>-----</td><td>-----</td><td>92.61</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>300</td><td>18</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.75	-----	-----	92.61	34.97	11.32	36.15	0.00	300	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.40	50.23	112.27	-62.04	40.07	35.01	11.33	36.18	0.00	300	18	PEAK																																																																																																																												
2	5867.20	50.91	107.48	-56.57	40.82	35.03	11.35	36.29	0.00	300	18	PEAK																																																																																																																												
3	5923.60	48.72	69.23	-20.51	38.00	35.12	11.40	36.60	0.00	300	18	PEAK																																																																																																																												
4	5956.40	50.54	68.20	-17.66	40.61	35.16	11.43	36.66	0.00	300	18	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	102.75	-----	-----	92.61	34.97	11.32	36.15	0.00	300	18	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.92</td><td>-----</td><td>-----</td><td>86.78</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>300</td><td>18</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.92	-----	-----	86.78	34.97	11.32	36.15	0.00	300	18	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	96.92	-----	-----	86.78	34.97	11.32	36.15	0.00	300	18	AVERAGE																																																																																																																												






		54																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.00</td><td>49.42</td><td>113.18</td><td>-63.76</td><td>39.25</td><td>35.01</td><td>11.33</td><td>36.17</td><td>0.00</td><td>107</td><td>318 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>49.06</td><td>105.80</td><td>-56.74</td><td>39.00</td><td>35.05</td><td>11.35</td><td>36.34</td><td>0.00</td><td>107</td><td>318 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.60</td><td>68.35</td><td>-19.75</td><td>38.68</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>107</td><td>318 PEAK</td></tr><tr><td>4</td><td>5982.00</td><td>50.66</td><td>68.20</td><td>-17.54</td><td>40.77</td><td>35.18</td><td>11.46</td><td>36.75</td><td>0.00</td><td>107</td><td>318 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.00	49.42	113.18	-63.76	39.25	35.01	11.33	36.17	0.00	107	318 PEAK	2	5873.20	49.06	105.80	-56.74	39.00	35.05	11.35	36.34	0.00	107	318 PEAK	3	5924.80	48.60	68.35	-19.75	38.68	35.12	11.40	36.60	0.00	107	318 PEAK	4	5982.00	50.66	68.20	-17.54	40.77	35.18	11.46	36.75	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	49.42	113.18	-63.76	39.25	35.01	11.33	36.17	0.00	107	318 PEAK																																																																																				
2	5873.20	49.06	105.80	-56.74	39.00	35.05	11.35	36.34	0.00	107	318 PEAK																																																																																				
3	5924.80	48.60	68.35	-19.75	38.68	35.12	11.40	36.60	0.00	107	318 PEAK																																																																																				
4	5982.00	50.66	68.20	-17.54	40.77	35.18	11.46	36.75	0.00	107	318 PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>101.73</td><td>-----</td><td>-----</td><td>91.59</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>107</td><td>318 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	101.73	-----	-----	91.59	34.97	11.32	36.15	0.00	107	318 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5825.00	101.73	-----	-----	91.59	34.97	11.32	36.15	0.00	107	318 PEAK																																																																																				
Blank																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>93.05</td><td>-----</td><td>-----</td><td>82.91</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>107</td><td>318 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	93.05	-----	-----	82.91	34.97	11.32	36.15	0.00	107	318 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5825.00	93.05	-----	-----	82.91	34.97	11.32	36.15	0.00	107	318 AVERAGE																																																																																				






Mode	55																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	CDD 1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.60</td><td>48.64</td><td>68.20</td><td>-19.56</td><td>39.30</td><td>34.60</td><td>11.03</td><td>36.29</td><td>0.00</td><td>261</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.75</td><td>68.00</td><td>-22.05</td><td>37.39</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>261</td><td>203</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>48.93</td><td>105.64</td><td>-56.71</td><td>39.25</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>261</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>47.98</td><td>111.81</td><td>-63.83</td><td>38.17</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>261</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.60	48.64	68.20	-19.56	39.30	34.60	11.03	36.29	0.00	261	203	PEAK	2	5650.00	46.75	68.00	-22.05	37.39	34.60	11.07	36.31	0.00	261	203	PEAK	3	5701.20	48.93	105.64	-56.71	39.25	34.60	11.14	36.06	0.00	261	203	PEAK	4	5720.40	47.98	111.81	-63.83	38.17	34.66	11.17	36.02	0.00	261	203	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.48</td><td>-----</td><td>-----</td><td>93.59</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>261</td><td>203</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.48	-----	-----	93.59	34.70	11.19	36.00	0.00	261	203	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5619.60	48.64	68.20	-19.56	39.30	34.60	11.03	36.29	0.00	261	203	PEAK																																																																																																																														
2	5650.00	46.75	68.00	-22.05	37.39	34.60	11.07	36.31	0.00	261	203	PEAK																																																																																																																														
3	5701.20	48.93	105.64	-56.71	39.25	34.60	11.14	36.06	0.00	261	203	PEAK																																																																																																																														
4	5720.40	47.98	111.81	-63.83	38.17	34.66	11.17	36.02	0.00	261	203	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.48	-----	-----	93.59	34.70	11.19	36.00	0.00	261	203	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.50</td><td>-----</td><td>-----</td><td>86.61</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>261</td><td>203</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.50	-----	-----	86.61	34.70	11.19	36.00	0.00	261	203	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	96.50	-----	-----	86.61	34.70	11.19	36.00	0.00	261	203	AVERAGE																																																																																																																														



		55																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	CDD 1+2																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>39.74</td><td>34.60</td><td>11.05</td><td>36.30</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.77</td><td>68.20</td><td>-20.43</td><td>38.42</td><td>34.60</td><td>11.07</td><td>36.32</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>49.41</td><td>105.30</td><td>-55.89</td><td>39.73</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.58</td><td>110.90</td><td>-63.32</td><td>37.78</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.20	49.09	68.20	-19.11	39.74	34.60	11.05	36.30	0.00	100	341	PEAK	2	5650.00	47.77	68.20	-20.43	38.42	34.60	11.07	36.32	0.00	100	341	PEAK	3	5700.00	49.41	105.30	-55.89	39.73	34.60	11.14	36.06	0.00	100	341	PEAK	4	5720.00	47.58	110.90	-63.32	37.78	34.66	11.17	36.03	0.00	100	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.44</td><td>-----</td><td>-----</td><td>92.51</td><td>34.72</td><td>11.20</td><td>35.99</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.44	-----	-----	92.51	34.72	11.20	35.99	0.00	100	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5631.20	49.09	68.20	-19.11	39.74	34.60	11.05	36.30	0.00	100	341	PEAK																																																																																																																														
2	5650.00	47.77	68.20	-20.43	38.42	34.60	11.07	36.32	0.00	100	341	PEAK																																																																																																																														
3	5700.00	49.41	105.30	-55.89	39.73	34.60	11.14	36.06	0.00	100	341	PEAK																																																																																																																														
4	5720.00	47.58	110.90	-63.32	37.78	34.66	11.17	36.03	0.00	100	341	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	102.44	-----	-----	92.51	34.72	11.20	35.99	0.00	100	341	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.94</td><td>-----</td><td>-----</td><td>84.05</td><td>34.70</td><td>11.19</td><td>36.00</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.94	-----	-----	84.05	34.70	11.19	36.00	0.00	100	341	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	93.94	-----	-----	84.05	34.70	11.19	36.00	0.00	100	341	AVERAGE																																																																																																																														





Mode	56																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>49.58</td><td>112.27</td><td>-62.69</td><td>39.42</td><td>35.01</td><td>11.33</td><td>36.18</td><td>0.00</td><td>301</td><td>0 PEAK</td></tr><tr><td>2 5872.00</td><td>50.25</td><td>106.14</td><td>-55.89</td><td>40.19</td><td>35.04</td><td>11.35</td><td>36.33</td><td>0.00</td><td>301</td><td>0 PEAK</td></tr><tr><td>3 5923.20</td><td>48.87</td><td>69.53</td><td>-20.66</td><td>38.95</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>301</td><td>0 PEAK</td></tr><tr><td>4 5992.80</td><td>49.88</td><td>68.20</td><td>-18.32</td><td>40.00</td><td>35.19</td><td>11.47</td><td>36.78</td><td>0.00</td><td>301</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	49.58	112.27	-62.69	39.42	35.01	11.33	36.18	0.00	301	0 PEAK	2 5872.00	50.25	106.14	-55.89	40.19	35.04	11.35	36.33	0.00	301	0 PEAK	3 5923.20	48.87	69.53	-20.66	38.95	35.12	11.40	36.60	0.00	301	0 PEAK	4 5992.80	49.88	68.20	-18.32	40.00	35.19	11.47	36.78	0.00	301	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	49.58	112.27	-62.69	39.42	35.01	11.33	36.18	0.00	301	0 PEAK																																																																														
2 5872.00	50.25	106.14	-55.89	40.19	35.04	11.35	36.33	0.00	301	0 PEAK																																																																														
3 5923.20	48.87	69.53	-20.66	38.95	35.12	11.40	36.60	0.00	301	0 PEAK																																																																														
4 5992.80	49.88	68.20	-18.32	40.00	35.19	11.47	36.78	0.00	301	0 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.11</td><td>-----</td><td>-----</td><td>95.99</td><td>34.96</td><td>11.31</td><td>36.15</td><td>0.00</td><td>301</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.11	-----	-----	95.99	34.96	11.31	36.15	0.00	301	0 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	106.11	-----	-----	95.99	34.96	11.31	36.15	0.00	301	0 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.50</td><td>-----</td><td>-----</td><td>87.38</td><td>34.96</td><td>11.31</td><td>36.15</td><td>0.00</td><td>301</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.50	-----	-----	87.38	34.96	11.31	36.15	0.00	301	0 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	97.50	-----	-----	87.38	34.96	11.31	36.15	0.00	301	0 AVERAGE																																																																														






		56									
Mode	Band Edge										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz										
ANT	CDD 1+2										
Pol.	Fundamental										
Peak	Vertical										






Mode	57																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5609.20</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>40.28</td><td>34.60</td><td>11.02</td><td>36.28</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.06</td><td>68.00</td><td>-21.74</td><td>37.70</td><td>34.60</td><td>11.07</td><td>36.31</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>49.32</td><td>105.75</td><td>-56.43</td><td>39.64</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>48.44</td><td>111.81</td><td>-63.37</td><td>38.63</td><td>34.66</td><td>11.17</td><td>36.02</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5609.20	49.62	68.20	-18.58	40.28	34.60	11.02	36.28	0.00	300	328	PEAK	2	5650.00	47.06	68.00	-21.74	37.70	34.60	11.07	36.31	0.00	300	328	PEAK	3	5701.60	49.32	105.75	-56.43	39.64	34.60	11.14	36.06	0.00	300	328	PEAK	4	5720.40	48.44	111.81	-63.37	38.63	34.66	11.17	36.02	0.00	300	328	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5609.20	49.62	68.20	-18.58	40.28	34.60	11.02	36.28	0.00	300	328	PEAK																																																																																			
2	5650.00	47.06	68.00	-21.74	37.70	34.60	11.07	36.31	0.00	300	328	PEAK																																																																																			
3	5701.60	49.32	105.75	-56.43	39.64	34.60	11.14	36.06	0.00	300	328	PEAK																																																																																			
4	5720.40	48.44	111.81	-63.37	38.63	34.66	11.17	36.02	0.00	300	328	PEAK																																																																																			
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.88</td><td>-----</td><td>-----</td><td>84.95</td><td>34.72</td><td>11.20</td><td>35.99</td><td>0.00</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.88	-----	-----	84.95	34.72	11.20	35.99	0.00	300	328	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	94.88	-----	-----	84.95	34.72	11.20	35.99	0.00	300	328	AVERAGE																																																																																			







Mode	57																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																									
ANT	CDD 1+2																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>39.16</td><td>34.60</td><td>11.05</td><td>36.30</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>37.06</td><td>34.60</td><td>11.07</td><td>36.32</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>49.26</td><td>105.64</td><td>-56.38</td><td>39.58</td><td>34.60</td><td>11.14</td><td>36.06</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.32</td><td>110.90</td><td>-63.58</td><td>37.52</td><td>34.66</td><td>11.17</td><td>36.03</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	48.51	68.20	-19.69	39.16	34.60	11.05	36.30	0.00	100	18	PEAK	2	5650.00	46.41	68.20	-21.79	37.06	34.60	11.07	36.32	0.00	100	18	PEAK	3	5701.20	49.26	105.64	-56.38	39.58	34.60	11.14	36.06	0.00	100	18	PEAK	4	5720.00	47.32	110.90	-63.58	37.52	34.66	11.17	36.03	0.00	100	18	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.13</td><td>-----</td><td>-----</td><td>93.20</td><td>34.72</td><td>11.20</td><td>35.99</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.13	-----	-----	93.20	34.72	11.20	35.99	0.00	100	18	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5630.00	48.51	68.20	-19.69	39.16	34.60	11.05	36.30	0.00	100	18	PEAK																																																																																																																														
2	5650.00	46.41	68.20	-21.79	37.06	34.60	11.07	36.32	0.00	100	18	PEAK																																																																																																																														
3	5701.20	49.26	105.64	-56.38	39.58	34.60	11.14	36.06	0.00	100	18	PEAK																																																																																																																														
4	5720.00	47.32	110.90	-63.58	37.52	34.66	11.17	36.03	0.00	100	18	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.13	-----	-----	93.20	34.72	11.20	35.99	0.00	100	18	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.91</td><td>-----</td><td>-----</td><td>83.98</td><td>34.72</td><td>11.20</td><td>35.99</td><td>0.00</td><td>100</td><td>18</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.91	-----	-----	83.98	34.72	11.20	35.99	0.00	100	18	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	93.91	-----	-----	83.98	34.72	11.20	35.99	0.00	100	18	AVERAGE																																																																																																																														



	58																																																																																																																																													
Mode	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																													
ANT	CDD 1+2																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>48.74</td><td>112.27</td><td>-63.53</td><td>38.58</td><td>35.01</td><td>11.33</td><td>36.18</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>49.58</td><td>106.25</td><td>-56.67</td><td>39.51</td><td>35.04</td><td>11.35</td><td>36.32</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>50.30</td><td>69.53</td><td>-19.23</td><td>40.38</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>4</td><td>5997.60</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>39.97</td><td>35.20</td><td>11.47</td><td>36.80</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	48.74	112.27	-63.53	38.58	35.01	11.33	36.18	0.00	100	168	PEAK	2	5871.60	49.58	106.25	-56.67	39.51	35.04	11.35	36.32	0.00	100	168	PEAK	3	5923.20	50.30	69.53	-19.23	40.38	35.12	11.40	36.60	0.00	100	168	PEAK	4	5997.60	49.84	68.20	-18.36	39.97	35.20	11.47	36.80	0.00	100	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.80</td><td>-----</td><td>-----</td><td>91.66</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.80	-----	-----	91.66	34.97	11.32	36.15	0.00	100	168	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.40	48.74	112.27	-63.53	38.58	35.01	11.33	36.18	0.00	100	168	PEAK																																																																																																																																		
2	5871.60	49.58	106.25	-56.67	39.51	35.04	11.35	36.32	0.00	100	168	PEAK																																																																																																																																		
3	5923.20	50.30	69.53	-19.23	40.38	35.12	11.40	36.60	0.00	100	168	PEAK																																																																																																																																		
4	5997.60	49.84	68.20	-18.36	39.97	35.20	11.47	36.80	0.00	100	168	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	101.80	-----	-----	91.66	34.97	11.32	36.15	0.00	100	168	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.30</td><td>-----</td><td>-----</td><td>82.16</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>100</td><td>168</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	92.30	-----	-----	82.16	34.97	11.32	36.15	0.00	100	168	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	92.30	-----	-----	82.16	34.97	11.32	36.15	0.00	100	168	AVERAGE																																																																																																																																		





	58																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line. Four peaks are identified and labeled 1 through 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>48.03</td><td>111.36</td><td>-63.33</td><td>37.86</td><td>35.01</td><td>11.34</td><td>36.18</td><td>0.00</td><td>106 297 PEAK</td></tr><tr><td>2 5873.60</td><td>48.17</td><td>105.69</td><td>-57.52</td><td>38.11</td><td>35.05</td><td>11.35</td><td>36.34</td><td>0.00</td><td>106 297 PEAK</td></tr><tr><td>3 5924.40</td><td>48.65</td><td>68.64</td><td>-19.99</td><td>38.73</td><td>35.12</td><td>11.40</td><td>36.60</td><td>0.00</td><td>106 297 PEAK</td></tr><tr><td>4 5939.60</td><td>49.90</td><td>68.20</td><td>-18.30</td><td>39.96</td><td>35.14</td><td>11.42</td><td>36.62</td><td>0.00</td><td>106 297 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	48.03	111.36	-63.33	37.86	35.01	11.34	36.18	0.00	106 297 PEAK	2 5873.60	48.17	105.69	-57.52	38.11	35.05	11.35	36.34	0.00	106 297 PEAK	3 5924.40	48.65	68.64	-19.99	38.73	35.12	11.40	36.60	0.00	106 297 PEAK	4 5939.60	49.90	68.20	-18.30	39.96	35.14	11.42	36.62	0.00	106 297 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single peak is identified and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.59</td><td>-----</td><td>-----</td><td>83.45</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>106 297 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	93.59	-----	-----	83.45	34.97	11.32	36.15	0.00	106 297 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.00	48.03	111.36	-63.33	37.86	35.01	11.34	36.18	0.00	106 297 PEAK																																																																																																							
2 5873.60	48.17	105.69	-57.52	38.11	35.05	11.35	36.34	0.00	106 297 PEAK																																																																																																							
3 5924.40	48.65	68.64	-19.99	38.73	35.12	11.40	36.60	0.00	106 297 PEAK																																																																																																							
4 5939.60	49.90	68.20	-18.30	39.96	35.14	11.42	36.62	0.00	106 297 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	93.59	-----	-----	83.45	34.97	11.32	36.15	0.00	106 297 PEAK																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single peak is identified and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>83.84</td><td>-----</td><td>-----</td><td>73.70</td><td>34.97</td><td>11.32</td><td>36.15</td><td>0.00</td><td>106 297 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	83.84	-----	-----	73.70	34.97	11.32	36.15	0.00	106 297 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	83.84	-----	-----	73.70	34.97	11.32	36.15	0.00	106 297 AVERAGE																																																																																																							





Note: Only the worst case has assessed 18G ~40GHz to test.





Mode																																																																																																										
	LF																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak QP																																																																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>118.27</td><td>30.09</td><td>-13.41</td><td>43.50</td><td>43.65</td><td>17.37</td><td>1.45</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>239.52</td><td>32.88</td><td>-13.12</td><td>46.00</td><td>45.77</td><td>17.38</td><td>2.09</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>413.15</td><td>28.61</td><td>-17.39</td><td>46.00</td><td>35.95</td><td>22.35</td><td>2.74</td><td>32.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>570.29</td><td>33.40</td><td>-12.60</td><td>46.00</td><td>36.18</td><td>26.58</td><td>3.22</td><td>32.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>715.79</td><td>31.16</td><td>-14.84</td><td>46.00</td><td>32.98</td><td>27.07</td><td>3.62</td><td>32.51</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>847.71</td><td>33.36</td><td>-12.64</td><td>46.00</td><td>32.42</td><td>29.07</td><td>3.93</td><td>32.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	118.27	30.09	-13.41	43.50	43.65	17.37	1.45	32.38	---	---	Peak	2	239.52	32.88	-13.12	46.00	45.77	17.38	2.09	32.36	---	---	Peak	3	413.15	28.61	-17.39	46.00	35.95	22.35	2.74	32.43	---	---	Peak	4	570.29	33.40	-12.60	46.00	36.18	26.58	3.22	32.58	---	---	Peak	5	715.79	31.16	-14.84	46.00	32.98	27.07	3.62	32.51	---	---	Peak	6	847.71	33.36	-12.64	46.00	32.42	29.07	3.93	32.06	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	118.27	30.09	-13.41	43.50	43.65	17.37	1.45	32.38	---	---	Peak																																																																																															
2	239.52	32.88	-13.12	46.00	45.77	17.38	2.09	32.36	---	---	Peak																																																																																															
3	413.15	28.61	-17.39	46.00	35.95	22.35	2.74	32.43	---	---	Peak																																																																																															
4	570.29	33.40	-12.60	46.00	36.18	26.58	3.22	32.58	---	---	Peak																																																																																															
5	715.79	31.16	-14.84	46.00	32.98	27.07	3.62	32.51	---	---	Peak																																																																																															
6	847.71	33.36	-12.64	46.00	32.42	29.07	3.93	32.06	---	---	Peak																																																																																															
																																																																																																										
<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>115.36</td><td>25.30</td><td>-18.20</td><td>43.50</td><td>39.05</td><td>17.20</td><td>1.43</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>266.68</td><td>26.11</td><td>-19.89</td><td>46.00</td><td>36.52</td><td>19.78</td><td>2.20</td><td>32.39</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>511.12</td><td>25.95</td><td>-20.05</td><td>46.00</td><td>30.98</td><td>24.46</td><td>3.05</td><td>32.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>731.31</td><td>32.44</td><td>-13.56</td><td>46.00</td><td>33.49</td><td>27.75</td><td>3.66</td><td>32.46</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>838.01</td><td>32.26</td><td>-13.74</td><td>46.00</td><td>31.46</td><td>29.00</td><td>3.90</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>925.31</td><td>34.87</td><td>-11.13</td><td>46.00</td><td>32.21</td><td>29.85</td><td>4.10</td><td>31.29</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	115.36	25.30	-18.20	43.50	39.05	17.20	1.43	32.38	---	---	Peak	2	266.68	26.11	-19.89	46.00	36.52	19.78	2.20	32.39	---	---	Peak	3	511.12	25.95	-20.05	46.00	30.98	24.46	3.05	32.54	---	---	Peak	4	731.31	32.44	-13.56	46.00	33.49	27.75	3.66	32.46	---	---	Peak	5	838.01	32.26	-13.74	46.00	31.46	29.00	3.90	32.10	---	---	Peak	6	925.31	34.87	-11.13	46.00	32.21	29.85	4.10	31.29	---	---	Peak	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	115.36	25.30	-18.20	43.50	39.05	17.20	1.43	32.38	---	---	Peak																																																																																															
2	266.68	26.11	-19.89	46.00	36.52	19.78	2.20	32.39	---	---	Peak																																																																																															
3	511.12	25.95	-20.05	46.00	30.98	24.46	3.05	32.54	---	---	Peak																																																																																															
4	731.31	32.44	-13.56	46.00	33.49	27.75	3.66	32.46	---	---	Peak																																																																																															
5	838.01	32.26	-13.74	46.00	31.46	29.00	3.90	32.10	---	---	Peak																																																																																															
6	925.31	34.87	-11.13	46.00	32.21	29.85	4.10	31.29	---	---	Peak																																																																																															





Mode	59																																																																							
	Harmonic																																																																							
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																							
ANT	CDD 1+2																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>57.74</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	11440.00	46.03	74.00	-27.97	57.74	38.25	16.32	66.28	0.00 -- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>57.46</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	11440.00	45.75	74.00	-28.25	57.46	38.25	16.32	66.28	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1	11440.00	46.03	74.00	-27.97	57.74	38.25	16.32	66.28	0.00 -- -- PEAK																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1	11440.00	45.75	74.00	-28.25	57.46	38.25	16.32	66.28	0.00 -- -- PEAK																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>57.74</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	11440.00	46.03	74.00	-27.97	57.74	38.25	16.32	66.28	0.00 -- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>57.46</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00 -- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	11440.00	45.75	74.00	-28.25	57.46	38.25	16.32	66.28	0.00 -- -- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1	11440.00	46.03	74.00	-27.97	57.74	38.25	16.32	66.28	0.00 -- -- PEAK																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1	11440.00	45.75	74.00	-28.25	57.46	38.25	16.32	66.28	0.00 -- -- PEAK																																																															





Mode	60																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.725-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>57.44</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.73	74.00	-28.27	57.44	38.25	16.32	66.28	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>57.69</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.98	74.00	-28.02	57.69	38.25	16.32	66.28	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11440.00	45.73	74.00	-28.27	57.44	38.25	16.32	66.28	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11440.00	45.98	74.00	-28.02	57.69	38.25	16.32	66.28	0.00	--	PEAK																																																																																					







		61																																																					
Mode		Harmonic																																																					
		U-NII-2C_5.725-5.85_802.11ax HE40_CH142_Full_5710MHz																																																					
ANT		CDD 1+2																																																					
Pol.		Horizontal																																																					
Peak																																																							
Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>57.59</td><td>38.24</td><td>16.31</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.86	74.00	-28.14	57.59	38.24	16.31	66.28	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11420.00	45.86	74.00	-28.14	57.59	38.24	16.31	66.28	0.00	--	PEAK																																												
		Vertical																																																					
Peak																																																							
Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>56.94</td><td>38.24</td><td>16.31</td><td>66.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.21	74.00	-28.79	56.94	38.24	16.31	66.28	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11420.00	45.21	74.00	-28.79	56.94	38.24	16.31	66.28	0.00	--	PEAK																																												





Mode	62																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.725-5.85_802.11ax HE80_CH138_Full_5690MHz																																																																																																					
ANT	CDD 1+2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>56.82</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.01	74.00	-28.99	56.82	38.20	16.29	66.30	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.01</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.20	74.00	-28.80	57.01	38.20	16.29	66.30	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11380.00	45.01	74.00	-28.99	56.82	38.20	16.29	66.30	0.00	--	--	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11380.00	45.20	74.00	-28.80	57.01	38.20	16.29	66.30	0.00	--	--	PEAK																																																																																										







Mode	65																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.84</td><td>64.74</td><td>74.00</td><td>-9.26</td><td>56.48</td><td>34.14</td><td>10.61</td><td>36.49</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.84	64.74	74.00	-9.26	56.48	34.14	10.61	36.49	0.00	100	16	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>87.61</td><td>-----</td><td>-----</td><td>84.82</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>16</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>102.25</td><td>-----</td><td>-----</td><td>93.93</td><td>34.31</td><td>10.66</td><td>36.65</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	87.61	-----	-----	84.82	32.51	7.25	36.97	0.00	100	16	Peak	2	5210.00	102.25	-----	-----	93.93	34.31	10.66	36.65	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5147.84	64.74	74.00	-9.26	56.48	34.14	10.61	36.49	0.00	100	16	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	87.61	-----	-----	84.82	32.51	7.25	36.97	0.00	100	16	Peak																																																																																																				
2	5210.00	102.25	-----	-----	93.93	34.31	10.66	36.65	0.00	100	16	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.04</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>42.47</td><td>34.14</td><td>10.61</td><td>36.48</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.04	50.74	54.00	-3.26	42.47	34.14	10.61	36.48	0.00	100	16	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>83.30</td><td>-----</td><td>-----</td><td>80.51</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>16</td><td>Average</td></tr><tr><td>2</td><td>5210.00</td><td>93.95</td><td>-----</td><td>-----</td><td>85.58</td><td>34.34</td><td>10.67</td><td>36.64</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	83.30	-----	-----	80.51	32.51	7.25	36.97	0.00	100	16	Average	2	5210.00	93.95	-----	-----	85.58	34.34	10.67	36.64	0.00	100	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5147.04	50.74	54.00	-3.26	42.47	34.14	10.61	36.48	0.00	100	16	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	83.30	-----	-----	80.51	32.51	7.25	36.97	0.00	100	16	Average																																																																																																				
2	5210.00	93.95	-----	-----	85.58	34.34	10.67	36.64	0.00	100	16	AVERAGE																																																																																																				



Mode	65																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.76</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>39.62</td><td>34.50</td><td>10.75</td><td>36.43</td><td>0.00</td><td>100</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.76	48.44	74.00	-25.56	39.62	34.50	10.75	36.43	0.00	100	16	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.76	48.44	74.00	-25.56	39.62	34.50	10.75	36.43	0.00	100	16	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>38.04</td><td>54.00</td><td>-15.96</td><td>29.23</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	38.04	54.00	-15.96	29.23	34.50	10.75	36.44	0.00	100	16	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.14	38.04	54.00	-15.96	29.23	34.50	10.75	36.44	0.00	100	16	AVERAGE																																												





Mode	65																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.32</td><td>63.59</td><td>74.00</td><td>-10.41</td><td>55.34</td><td>34.13</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.32	63.59	74.00	-10.41	55.34	34.13	10.60	36.48	0.00	100	15	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>93.63</td><td>-----</td><td>-----</td><td>90.84</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>15</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>104.47</td><td>-----</td><td>-----</td><td>96.12</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	93.63	-----	-----	90.84	32.51	7.25	36.97	0.00	100	15	Peak	2	5210.00	104.47	-----	-----	96.12	34.32	10.67	36.64	0.00	100	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5144.32	63.59	74.00	-10.41	55.34	34.13	10.60	36.48	0.00	100	15	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	93.63	-----	-----	90.84	32.51	7.25	36.97	0.00	100	15	Peak																																																																																																				
2	5210.00	104.47	-----	-----	96.12	34.32	10.67	36.64	0.00	100	15	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>42.40</td><td>34.14</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>15</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	50.66	54.00	-3.34	42.40	34.14	10.60	36.48	0.00	100	15	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>89.76</td><td>-----</td><td>-----</td><td>86.97</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>15</td><td>Average</td></tr><tr><td>2</td><td>5210.00</td><td>94.72</td><td>-----</td><td>-----</td><td>86.37</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td><td>100</td><td>15</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	89.76	-----	-----	86.97	32.51	7.25	36.97	0.00	100	15	Average	2	5210.00	94.72	-----	-----	86.37	34.32	10.67	36.64	0.00	100	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5145.76	50.66	54.00	-3.34	42.40	34.14	10.60	36.48	0.00	100	15	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	89.76	-----	-----	86.97	32.51	7.25	36.97	0.00	100	15	Average																																																																																																				
2	5210.00	94.72	-----	-----	86.37	34.32	10.67	36.64	0.00	100	15	AVERAGE																																																																																																				



	65																																														
Mode	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5367.06</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>41.14</td><td>34.50</td><td>10.76</td><td>36.34</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5367.06	50.06	74.00	-23.94	41.14	34.50	10.76	36.34	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5367.06	50.06	74.00	-23.94	41.14	34.50	10.76	36.34																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.14</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>30.31</td><td>34.50</td><td>10.75</td><td>36.44</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.14	39.12	54.00	-14.88	30.31	34.50	10.75	36.44	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5350.14	39.12	54.00	-14.88	30.31	34.50	10.75	36.44																																							



		65																																																																												
Mode		Harmonic																																																																												
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																												
ANT		CDD 1+2																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6946.80</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>66.81</td><td>35.60</td><td>12.40</td><td>65.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>59.62</td><td>37.48</td><td>15.49</td><td>66.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6946.80	49.17	68.20	-19.03	66.81	35.60	12.40	65.64	0.00	--	--	Peak	2	10420.00	45.86	68.20	-22.34	59.62	37.48	15.49	66.73	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	6946.80	49.17	68.20	-19.03	66.81	35.60	12.40	65.64	0.00	--	--	Peak																																																																		
2	10420.00	45.86	68.20	-22.34	59.62	37.48	15.49	66.73	0.00	--	--	PEAK																																																																		
																																																																														
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6946.80</td><td>49.04</td><td>68.20</td><td>-19.16</td><td>66.68</td><td>35.60</td><td>12.40</td><td>65.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>59.22</td><td>37.49</td><td>15.49</td><td>66.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6946.80	49.04	68.20	-19.16	66.68	35.60	12.40	65.64	0.00	--	--	Peak	2	10420.00	45.48	68.20	-22.72	59.22	37.49	15.49	66.72	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	6946.80	49.04	68.20	-19.16	66.68	35.60	12.40	65.64	0.00	--	--	Peak																																																																		
2	10420.00	45.48	68.20	-22.72	59.22	37.49	15.49	66.72	0.00	--	--	PEAK																																																																		





Mode	65																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>44.44</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	53.24	74.00	-20.76	44.44	32.52	7.26	36.98	6.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.74	53.24	74.00	-20.76	44.44	32.52	7.26	36.98	6.00	100	121	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.93</td><td>-----</td><td>-----</td><td>95.15</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.93	-----	-----	95.15	32.50	7.25	36.97	6.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	103.93	-----	-----	95.15	32.50	7.25	36.97	6.00	100	121	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>40.32</td><td>54.00</td><td>-13.68</td><td>31.52</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	40.32	54.00	-13.68	31.52	32.52	7.26	36.98	6.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.04	40.32	54.00	-13.68	31.52	32.52	7.26	36.98	6.00	100	121	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.71</td><td>-----</td><td>-----</td><td>92.93</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.71	-----	-----	92.93	32.50	7.25	36.97	6.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	101.71	-----	-----	92.93	32.50	7.25	36.97	6.00	100	121	AVERAGE																																											







Mode	65																																																				
	Band Edge																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>99.73</td><td>74.00</td><td>-23.18</td><td>42.02</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>61 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	99.73	74.00	-23.18	42.02	32.52	7.26	36.98	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2483.50	99.73	74.00	-23.18	42.02	32.52	7.26	36.98	6.00	100	61 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>39.61</td><td>54.00</td><td>-14.39</td><td>30.81</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>61 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	39.61	54.00	-14.39	30.81	32.52	7.26	36.98	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.46	39.61	54.00	-14.39	30.81	32.52	7.26	36.98	6.00	100	61 AVERAGE																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.73</td><td>74.00</td><td>-23.18</td><td>42.02</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>61 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.73	74.00	-23.18	42.02	32.52	7.26	36.98	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2480.00	99.73	74.00	-23.18	42.02	32.52	7.26	36.98	6.00	100	61 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.53</td><td>54.00</td><td>-43.47</td><td>33.53</td><td>32.52</td><td>7.25</td><td>36.97</td><td>6.00</td><td>100</td><td>61 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.53	54.00	-43.47	33.53	32.52	7.25	36.97	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2480.00	97.53	54.00	-43.47	33.53	32.52	7.25	36.97	6.00	100	61 AVERAGE																																										



Mode	65																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.30</td><td>74.00</td><td>-30.70</td><td>64.19</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.05</td><td>74.00</td><td>-31.95</td><td>60.34</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	43.30	74.00	-30.70	64.19	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	42.05	74.00	-31.95	60.34	35.74	12.78	66.81	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>63.32</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>60.03</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.43	74.00	-31.57	63.32	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.74	74.00	-32.26	60.03	35.74	12.78	66.81	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	43.30	74.00	-30.70	64.19	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	42.05	74.00	-31.95	60.34	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	42.43	74.00	-31.57	63.32	34.02	10.40	65.31	0.00	--	--	PEAK																																																																																																																																
2	7440.00	41.74	74.00	-32.26	60.03	35.74	12.78	66.81	0.00	--	--	PEAK																																																																																																																																







		66																																																																																																														
Mode		Band Edge - L																																																																																																														
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																														
ANT		CDD 1+2																																																																																																														
Pol.		Horizontal						Fundamental																																																																																																								
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.64</td><td>65.63</td><td>74.00</td><td>-8.37</td><td>57.36</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td><td>110</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.64	65.63	74.00	-8.37	57.36	34.15	10.61	36.49	0.00	110	18	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>98.35</td><td>-----</td><td>-----</td><td>95.56</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>110</td><td>18</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>102.25</td><td>-----</td><td>-----</td><td>93.95</td><td>34.28</td><td>10.65</td><td>36.63</td><td>0.00</td><td>110</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	98.35	-----	-----	95.56	32.51	7.25	36.97	0.00	110	18	Peak	2	5210.00	102.25	-----	-----	93.95	34.28	10.65	36.63	0.00	110	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5148.64	65.63	74.00	-8.37	57.36	34.15	10.61	36.49	0.00	110	18	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	98.35	-----	-----	95.56	32.51	7.25	36.97	0.00	110	18	Peak																																																																																																				
2	5210.00	102.25	-----	-----	93.95	34.28	10.65	36.63	0.00	110	18	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.20</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>41.92</td><td>34.14</td><td>10.61</td><td>36.48</td><td>0.00</td><td>110</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.20	50.19	54.00	-3.81	41.92	34.14	10.61	36.48	0.00	110	18	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>94.41</td><td>-----</td><td>-----</td><td>91.62</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>110</td><td>18</td><td>Average</td></tr><tr><td>2</td><td>5210.00</td><td>94.41</td><td>-----</td><td>-----</td><td>91.62</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>110</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	94.41	-----	-----	91.62	32.51	7.25	36.97	0.00	110	18	Average	2	5210.00	94.41	-----	-----	91.62	32.51	7.25	36.97	0.00	110	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5147.20	50.19	54.00	-3.81	41.92	34.14	10.61	36.48	0.00	110	18	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2482.00	94.41	-----	-----	91.62	32.51	7.25	36.97	0.00	110	18	Average																																																																																																				
2	5210.00	94.41	-----	-----	91.62	32.51	7.25	36.97	0.00	110	18	AVERAGE																																																																																																				



Mode	66																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.32</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>40.37</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>110</td><td>18</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.32	49.18	74.00	-24.82	40.37	34.50	10.75	36.44	0.00	110	18	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.32	49.18	74.00	-24.82	40.37	34.50	10.75	36.44	0.00	110	18	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>37.83</td><td>54.00</td><td>-16.17</td><td>29.02</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>110</td><td>18</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	37.83	54.00	-16.17	29.02	34.50	10.75	36.44	0.00	110	18	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.14	37.83	54.00	-16.17	29.02	34.50	10.75	36.44	0.00	110	18	AVERAGE																																										





Mode	66																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.08</td><td>66.71</td><td>74.00</td><td>-7.29</td><td>58.45</td><td>34.14</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.08	66.71	74.00	-7.29	58.45	34.14	10.60	36.48	0.00	100	18	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>96.48</td><td>-----</td><td>-----</td><td>93.69</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>18</td><td>Peak</td></tr><tr><td>2</td><td>5210.00</td><td>104.69</td><td>-----</td><td>-----</td><td>96.34</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td><td>100</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	96.48	-----	-----	93.69	32.51	7.25	36.97	0.00	100	18	Peak	2	5210.00	104.69	-----	-----	96.34	34.32	10.67	36.64	0.00	100	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5146.08	66.71	74.00	-7.29	58.45	34.14	10.60	36.48	0.00	100	18	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	96.48	-----	-----	93.69	32.51	7.25	36.97	0.00	100	18	Peak																																																																																																				
2	5210.00	104.69	-----	-----	96.34	34.32	10.67	36.64	0.00	100	18	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.96</td><td>50.80</td><td>54.00</td><td>-3.20</td><td>42.55</td><td>34.13</td><td>10.60</td><td>36.48</td><td>0.00</td><td>100</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.96	50.80	54.00	-3.20	42.55	34.13	10.60	36.48	0.00	100	18	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.32</td><td>-----</td><td>-----</td><td>89.53</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>100</td><td>18</td><td>Average</td></tr><tr><td>2</td><td>5210.00</td><td>94.67</td><td>-----</td><td>-----</td><td>86.32</td><td>34.32</td><td>10.67</td><td>36.64</td><td>0.00</td><td>100</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	92.32	-----	-----	89.53	32.51	7.25	36.97	0.00	100	18	Average	2	5210.00	94.67	-----	-----	86.32	34.32	10.67	36.64	0.00	100	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5144.96	50.80	54.00	-3.20	42.55	34.13	10.60	36.48	0.00	100	18	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	92.32	-----	-----	89.53	32.51	7.25	36.97	0.00	100	18	Average																																																																																																				
2	5210.00	94.67	-----	-----	86.32	34.32	10.67	36.64	0.00	100	18	AVERAGE																																																																																																				







Mode	66																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																				
ANT	CDD 1+2																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5363.28</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>40.70</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>18 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5363.28	49.59	74.00	-24.41	40.70	34.50	10.75	36.36	0.00	100	18 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5363.28	49.59	74.00	-24.41	40.70	34.50	10.75	36.36	0.00	100	18 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.14</td><td>39.00</td><td>54.00</td><td>-15.00</td><td>30.19</td><td>34.50</td><td>10.75</td><td>36.44</td><td>0.00</td><td>100</td><td>18 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.14	39.00	54.00	-15.00	30.19	34.50	10.75	36.44	0.00	100	18 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.14	39.00	54.00	-15.00	30.19	34.50	10.75	36.44	0.00	100	18 AVERAGE																																										







Mode	66																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																											
ANT	CDD 1+2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6946.80</td><td>48.49</td><td>68.20</td><td>-19.71</td><td>66.13</td><td>35.60</td><td>12.40</td><td>65.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>59.67</td><td>37.51</td><td>15.52</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6946.80	48.49	68.20	-19.71	66.13	35.60	12.40	65.64	0.00	--	--	Peak	2	10420.00	45.99	68.20	-22.21	59.67	37.51	15.52	66.71	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6946.80</td><td>49.36</td><td>68.20</td><td>-18.84</td><td>67.00</td><td>35.60</td><td>12.40</td><td>65.64</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>46.08</td><td>68.20</td><td>-22.12</td><td>59.81</td><td>37.49</td><td>15.50</td><td>66.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6946.80	49.36	68.20	-18.84	67.00	35.60	12.40	65.64	0.00	--	--	Peak	2	10420.00	46.08	68.20	-22.12	59.81	37.49	15.50	66.72	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	6946.80	48.49	68.20	-19.71	66.13	35.60	12.40	65.64	0.00	--	--	Peak																																																																																																																																
2	10420.00	45.99	68.20	-22.21	59.67	37.51	15.52	66.71	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	6946.80	49.36	68.20	-18.84	67.00	35.60	12.40	65.64	0.00	--	--	Peak																																																																																																																																
2	10420.00	46.08	68.20	-22.12	59.81	37.49	15.50	66.72	0.00	--	--	PEAK																																																																																																																																





Mode	66																																																																																																																														
	Band Edge																																																																																																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2483.50</td><td>51.15</td><td>74.00</td><td>-22.85</td><td>42.35</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>222</td><td>0</td><td colspan="2">PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2483.50	51.15	74.00	-22.85	42.35	32.52	7.26	36.98	6.00	222	0	PEAK		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2480.00</td><td>100.65</td><td>-----</td><td>-----</td><td>91.87</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>222</td><td>0</td><td colspan="2">PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2480.00	100.65	-----	-----	91.87	32.50	7.25	36.97	6.00	222	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 2483.50	51.15	74.00	-22.85	42.35	32.52	7.26	36.98	6.00	222	0	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 2480.00	100.65	-----	-----	91.87	32.50	7.25	36.97	6.00	222	0	PEAK																																																																																																																				
Avg																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2485.90</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>30.76</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>222</td><td>0</td><td colspan="2">AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2485.90	39.57	54.00	-14.43	30.76	32.53	7.26	36.98	6.00	222	0	AVERAGE		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr></thead><tbody><tr><td>1 2480.00</td><td>98.40</td><td>-----</td><td>-----</td><td>89.62</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>222</td><td>0</td><td colspan="2">AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 2480.00	98.40	-----	-----	89.62	32.50	7.25	36.97	6.00	222	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 2485.90	39.57	54.00	-14.43	30.76	32.53	7.26	36.98	6.00	222	0	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 2480.00	98.40	-----	-----	89.62	32.50	7.25	36.97	6.00	222	0	AVERAGE																																																																																																																				



Mode	66																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																						
ANT	2																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>40.41</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>120</td><td>342</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	49.21	74.00	-24.79	40.41	32.52	7.26	36.98	6.00	120	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.86	49.21	74.00	-24.79	40.41	32.52	7.26	36.98	6.00	120	342	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.61</td><td>-----</td><td>-----</td><td>89.83</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>120</td><td>342</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.61	-----	-----	89.83	32.50	7.25	36.97	6.00	120	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	98.61	-----	-----	89.83	32.50	7.25	36.97	6.00	120	342	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>39.52</td><td>54.00</td><td>-14.48</td><td>30.71</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>120</td><td>342</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	39.52	54.00	-14.48	30.71	32.53	7.26	36.98	6.00	120	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.90	39.52	54.00	-14.48	30.71	32.53	7.26	36.98	6.00	120	342	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.39</td><td>-----</td><td>-----</td><td>87.61</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>120</td><td>342</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.39	-----	-----	87.61	32.50	7.25	36.97	6.00	120	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	96.39	-----	-----	87.61	32.50	7.25	36.97	6.00	120	342	AVERAGE																																											




Mode	66																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.94</td><td>74.00</td><td>-32.06</td><td>62.83</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>60.77</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.94	74.00	-32.06	62.83	34.02	10.40	65.31	0.00	--	PEAK	2	7440.00	42.48	74.00	-31.52	60.77	35.74	12.78	66.81	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>63.34</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>59.98</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.45	74.00	-31.55	63.34	34.02	10.40	65.31	0.00	--	PEAK	2	7440.00	41.69	74.00	-32.31	59.98	35.74	12.78	66.81	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	41.94	74.00	-32.06	62.83	34.02	10.40	65.31	0.00	--	PEAK																																																																																																															
2	7440.00	42.48	74.00	-31.52	60.77	35.74	12.78	66.81	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	42.45	74.00	-31.55	63.34	34.02	10.40	65.31	0.00	--	PEAK																																																																																																															
2	7440.00	41.69	74.00	-32.31	59.98	35.74	12.78	66.81	0.00	--	PEAK																																																																																																															

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
11ax HE20 RU26	100	-	-	10Hz
11ax HE20 RU52	100	-	-	10Hz
11ax HE20 RU106	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

