

4 GHz WLAN																			
Mode	Channel	Frequency (MHz)	Ant 0		Ant 1		Ant 0+1		Ant 0+1		Data Rate (Mbps)								
			Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS											
2.4 GHz WLAN	802.11b Mbps	1	2412	18.50	18.00	15.30	17.50	13.50	14.50	18.24	19.50	17.50	19.00	98.20					
		6	2437	18.50	18.00	15.30	17.50	13.50	14.50	18.24	19.50	17.50	19.00						
		11	2462	18.50	18.00	15.30	17.50	13.50	14.50	18.24	19.50	17.50	19.00						
	802.11g Mbps	1	2412	18.50	18.00	17.00	12.16	14.00	16.00	19.00	19.00	19.00	99.11						
		6	2437	18.50	18.00	17.00	12.16	14.00	16.00	19.00	19.00	19.00							
		11	2462	18.50	18.00	17.00	12.16	14.00	16.00	19.00	19.00	19.00							
	802.11n-HT20 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00							
		6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00								
		11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00								
	802.11n-HT40 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00							
		6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00								
		11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00								
802.11n-HT80 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
802.11n-HT160 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
802.11n-HT240 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
802.11n-HT480 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
802.11n-HT960 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
802.11n-HT1920 MCS0	1	2412	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00	100.00								
	6	2437	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
	11	2462	18.50	18.00	17.00	13.50	14.50	17.84	19.00	19.00									
<5.2GHz WLAN																			
Mode	Channel	Frequency (MHz)	Ant 0		Ant 1		Ant 2		Ant 2		Ant 0+2		Ant 0+2		Ant 0+2		Ant 0+2		Data Rate (Mbps)
			Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS	Full Power For Non DBS	For DBS			
2.4 GHz WLAN	802.11a Mbps	44	5180	14.01	15.50	14.00	13.00	17.76	19.00	6.00	6.50	19.29	21.00	16.00	15.00	14.00	98.98		
		48	5200	13.86	15.50	14.00	13.00	17.60	19.00	6.00	6.50	19.13	21.00	16.00	15.00	14.00			
		52	5220	13.68	15.50	14.00	13.00	17.40	19.00	6.00	6.50	18.97	21.00	16.00	15.00	14.00			
	802.11n-HT20 MCS0	44	5180	13.86	15.50	14.00	13.00	17.60	19.00	6.00	6.50	19.13	21.00	16.00	15.00	14.00	100.00		
		48	5200	13.79	15.50	14.00	13.00	17.53	19.00	6.00	6.50	19.06	21.00	16.00	15.00	14.00			
		52	5220	13.61	15.50	14.00	13.00	17.35	19.00	6.00	6.50	18.88	21.00	16.00	15.00	14.00			
	802.11n-HT40 MCS0	44	5180	13.77	15.50	14.00	13.00	17.57	19.00	6.00	6.50	19.00	21.00	16.00	15.00	14.00	100.00		
		48	5200	13.68	15.50	14.00	13.00	17.40	19.00	6.00	6.50	18.83	21.00	16.00	15.00	14.00			
		52	5220	13.52	15.50	14.00	13.00	17.22	19.00	6.00	6.50	18.65	21.00	16.00	15.00	14.00			
	802.11n-HT80 MCS0	44	5180	13.61	15.50	14.00	13.00	17.45	19.00	6.00	6.50	18.78	21.00	16.00	15.00	14.00	100.00		
		48	5200	13.52	15.50	14.00	13.00	17.28	19.00	6.00	6.50	18.60	21.00	16.00	15.00	14.00			
		52	5220	13.37	15.50	14.00	13.00	17.10	19.00	6.00	6.50	18.42	21.00	16.00	15.00	14.00			
802.11n-HT160 MCS0	44	5180	13.50	15.50	14.00	13.00	17.27	19.00	6.00	6.50	18.55	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.41	15.50	14.00	13.00	17.10	19.00	6.00	6.50	18.37	21.00	16.00	15.00	14.00				
	52	5220	13.24	15.50	14.00	13.00	16.92	19.00	6.00	6.50	18.19	21.00	16.00	15.00	14.00				
802.11n-HT240 MCS0	44	5180	13.48	15.50	14.00	13.00	17.17	19.00	6.00	6.50	18.30	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.38	15.50	14.00	13.00	17.00	19.00	6.00	6.50	18.12	21.00	16.00	15.00	14.00				
	52	5220	13.23	15.50	14.00	13.00	16.82	19.00	6.00	6.50	17.94	21.00	16.00	15.00	14.00				
802.11n-HT480 MCS0	44	5180	13.35	15.50	14.00	13.00	17.05	19.00	6.00	6.50	18.25	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.25	15.50	14.00	13.00	16.88	19.00	6.00	6.50	18.07	21.00	16.00	15.00	14.00				
	52	5220	13.09	15.50	14.00	13.00	16.70	19.00	6.00	6.50	17.89	21.00	16.00	15.00	14.00				
802.11n-HT960 MCS0	44	5180	13.28	15.50	14.00	13.00	16.95	19.00	6.00	6.50	18.16	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.18	15.50	14.00	13.00	16.78	19.00	6.00	6.50	17.98	21.00	16.00	15.00	14.00				
	52	5220	13.03	15.50	14.00	13.00	16.60	19.00	6.00	6.50	17.80	21.00	16.00	15.00	14.00				
802.11n-HT1920 MCS0	44	5180	13.21	15.50	14.00	13.00	16.91	19.00	6.00	6.50	18.13	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.11	15.50	14.00	13.00	16.74	19.00	6.00	6.50	17.95	21.00	16.00	15.00	14.00				
	52	5220	12.96	15.50	14.00	13.00	16.56	19.00	6.00	6.50	17.77	21.00	16.00	15.00	14.00				
802.11n-HT3840 MCS0	44	5180	13.14	15.50	14.00	13.00	16.83	19.00	6.00	6.50	18.06	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.04	15.50	14.00	13.00	16.66	19.00	6.00	6.50	17.88	21.00	16.00	15.00	14.00				
	52	5220	12.88	15.50	14.00	13.00	16.48	19.00	6.00	6.50	17.70	21.00	16.00	15.00	14.00				
802.11n-HT7680 MCS0	44	5180	13.12	15.50	14.00	13.00	16.79	19.00	6.00	6.50	18.03	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.02	15.50	14.00	13.00	16.62	19.00	6.00	6.50	17.85	21.00	16.00	15.00	14.00				
	52	5220	12.86	15.50	14.00	13.00	16.44	19.00	6.00	6.50	17.67	21.00	16.00	15.00	14.00				
802.11n-HT15360 MCS0	44	5180	13.10	15.50	14.00	13.00	16.75	19.00	6.00	6.50	18.00	21.00	16.00	15.00	14.00	100.00			
	48	5200	13.00	15.50	14.00	13.00	16.58	19.00	6.00	6.50	17.82	21.00	16.00	15.00	14.00				
	52	5220	12.84	15.50	14.00	13.00	16.40	19.00	6.00	6.50	17.64	21.00	16.00	15.00	14.00				
802.11n-HT30720 MCS0	44	5180	13.08	15.50	14.00	13.00	16.71	19.00	6.00	6.50	17.97	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.98	15.50	14.00	13.00	16.54	19.00	6.00	6.50	17.79	21.00	16.00	15.00	14.00				
	52	5220	12.82	15.50	14.00	13.00	16.36	19.00	6.00	6.50	17.61	21.00	16.00	15.00	14.00				
802.11n-HT61440 MCS0	44	5180	13.06	15.50	14.00	13.00	16.68	19.00	6.00	6.50	17.94	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.96	15.50	14.00	13.00	16.51	19.00	6.00	6.50	17.76	21.00	16.00	15.00	14.00				
	52	5220	12.80	15.50	14.00	13.00	16.33	19.00	6.00	6.50	17.58	21.00	16.00	15.00	14.00				
802.11n-HT122880 MCS0	44	5180	13.04	15.50	14.00	13.00	16.65	19.00	6.00	6.50	17.91	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.94	15.50	14.00	13.00	16.48	19.00	6.00	6.50	17.73	21.00	16.00	15.00	14.00				
	52	5220	12.78	15.50	14.00	13.00	16.30	19.00	6.00	6.50	17.55	21.00	16.00	15.00	14.00				
802.11n-HT245760 MCS0	44	5180	13.02	15.50	14.00	13.00	16.62	19.00	6.00	6.50	17.88	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.92	15.50	14.00	13.00	16.45	19.00	6.00	6.50	17.70	21.00	16.00	15.00	14.00				
	52	5220	12.76	15.50	14.00	13.00	16.27	19.00	6.00	6.50	17.52	21.00	16.00	15.00	14.00				
802.11n-HT491520 MCS0	44	5180	13.00	15.50	14.00	13.00	16.59	19.00	6.00	6.50	17.85	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.90	15.50	14.00	13.00	16.42	19.00	6.00	6.50	17.67	21.00	16.00	15.00	14.00				
	52	5220	12.74	15.50	14.00	13.00	16.24	19.00	6.00	6.50	17.49	21.00	16.00	15.00	14.00				
802.11n-HT983040 MCS0	44	5180	12.98	15.50	14.00	13.00	16.56	19.00	6.00	6.50	17.82	21.00	16.00	15.00	14.00	100.00			
	48	5200	12.88	15.50	14.00	13.00	16.39	19.00	6.00	6.50	17.64	21.00	16.00	15.00	14.0				



<WIFI 6E> indoor client

		Art 0 Full Power For Non DBS				Art 0 For DBS For HBS				Art 2 Full Power				Art 2 For Non DBS For DBS				Art 2 For HBS				Art 0+2 Full Power				Art 0+2 For Non DBS				Art 0+2 For DBS				Duty Cycle %	
Band	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Duty Cycle %			
UNI 5 (5.925-6.425GHz)	802.11ax-HE20 MCS0	1	5955	7.80	9.50	9.50	7.08	8.50	9.00	9.00	7.50	10.47	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	100.00				
		45	6175	7.39	9.00	9.00	7.35	9.00	9.00	9.00	7.50	10.38	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	100.00					
		93	6415	7.50	9.00	9.00	6.96	8.50	9.00	9.00	7.50	10.25	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	100.00					
	802.11ax-HE40 MCS0	43	6165	10.29	12.00	12.00	10.08	11.50	15.00	15.00	7.50	13.19	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00				
		91	6405	10.89	12.00	12.00	10.18	11.50	15.00	15.00	7.50	13.43	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00					
		7	5985	12.34	14.50	14.50	12.43	14.00	16.00	16.00	7.50	15.79	18.00	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00				
	802.11ax-HE80 MCS0	39	6145	12.81	14.50	14.50	12.50	14.49	14.00	16.00	7.50	15.66	18.00	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00			
		87	6385	13.18	14.50	14.50	12.78	14.49	14.00	16.00	7.50	15.99	18.00	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00			
		15	6025	13.63	15.00	15.00	12.50	14.73	16.00	16.00	9.00	17.23	19.50	19.50	19.50	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00			
	802.11ax-HE160 MCS0	47	6185	13.47	15.00	Not Required	12.50	14.73	16.50	Not Required	9.00	Not Required	17.50	17.50	19.00	Not Required	16.00	Not Required	14.00	Not Required	12.00	Not Required	12.00	Not Required	14.00	Not Required	12.00	Not Required	12.00	Not Required	14.00	13.50	100.00		
1		5955	7.83	9.50	9.50	7.11	8.50	9.00	9.00	7.50	10.35	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	100.00				
93		6415	7.54	9.00	9.00	6.98	8.50	9.00	9.00	7.50	10.26	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	100.00				
UNI 6 (6.425-6.525GHz)	802.11ax-HE160 MCS0	3	5965	10.38	12.00	12.00	8.82	11.50	15.00	15.00	7.50	13.27	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00				
		43	6165	10.33	12.00	12.00	10.08	11.50	15.00	15.00	7.50	13.22	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00					
		91	6405	10.89	12.00	12.00	10.23	11.50	15.00	15.00	7.50	13.47	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00					
	802.11ax-HE160 MCS0	7	5985	12.38	14.50	14.50	12.50	14.45	14.00	16.00	7.50	15.72	18.00	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00				
		39	6145	12.85	14.50	14.50	12.50	14.50	14.00	16.00	7.50	15.70	18.00	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00				
		87	6385	13.21	14.50	14.50	12.50	14.63	14.50	16.00	7.50	16.03	17.50	18.00	18.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00				
	802.11ax-HE160 MCS0	15	6025	13.68	15.00	15.00	12.50	14.75	16.50	16.50	9.00	17.27	19.00	19.00	19.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	100.00			
		47	6185	13.51	15.00	11.11	12.50	15.08	16.50	7.61	9.00	17.38	19.00	19.00	19.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	16.00	14.00	13.50	98.03			
		93	6415	7.43	9.00	9.00	6.91	8.50	9.00	6.00	5.00	10.19	12.00	12.00	12.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
	UNI 7 (6.525-6.885GHz)	802.11ax-HE160 MCS0	3	5965	10.32	12.00	12.00	8.88	11.50	15.00	15.00	7.50	13.27	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00			
43			6165	10.33	12.00	12.00	10.08	11.50	15.00	15.00	7.50	13.22	15.00	15.00	15.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	14.00	13.50	100.00					
91			6415	7.18	8.50	8.50	7.13	8.50	9.00	6.00	5.00	10.17	11.50	11.50	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00					
802.11ax-HE160 MCS0		99	6445	10.57	12.00	9.00	10.18	11.50	13.00	6.00	5.00	10.39	15.00	15.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
		103	6465	10.84	12.00	9.00	10.32	12.00	13.00	6.00	5.00	10.41	15.00	15.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00					
		105	6475	7.91	8.50	8.50	7.50	9.00	9.00	6.00	5.00	10.73	12.00	12.00	12.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
802.11ax-HE160 MCS0		113	6515	7.18	8.50	8.50	7.13	8.50	9.00	6.00	5.00	10.17	11.50	11.50	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
		99	6445	10.57	12.00	9.00	10.18	11.50	13.00	6.00	5.00	10.39	15.00	15.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
		103	6465	10.84	12.00	9.00	10.32	12.00	13.00	6.00	5.00	10.41	15.00	15.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
802.11ax-HE160 MCS0		109	6465	11.28	12.00	9.00	12.69	14.00	16.00	6.00	5.00	15.05	16.00	16.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
WIFI 6E	802.11ax-HE160 MCS0	111	6505	10.77	12.00	9.00	10.27	17.00	17.00	6.00	5.00	15.59	18.00	18.00	13.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	100.00				
		127	6585	10.90	12.00	8.18	9.50	14.57	16.00	4.34	5.00	3.38	16.12	17.50	11.76	13.00	9.68	11.00	9.42	11.00	9.03	11.00	9.03	11.00	9.03	11.00	9.03	11.00	9.03	98.03					
		176	6535	7.66	9.00	9.00	7.49	8.50	9.00	6.00	5.00	10.98	12.00	12.00	12.00	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	100.00				
	802.11ax-HE160 MCS0	149	6695	6.40	8.50	8.50	7.37	8.00	9.00	5.00	4.00	10.71	12.50	12.50	12.00	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	100.00				
		181	6885	7.34	9.00	9.00	7.23	8.50	9.00	5.00	4.00	10.30	12.00	12.00	12.00	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	100.00				
		162	6665	10.25	12.00	11.00	10.05	11.50	15.00	6.00	4.00	13.27	16.00	16.00	14.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	11.80	100.00				
	802.11ax-HE40 MCS0	147	6665	10.57	12.00	11.00	10.15	11.50	15.00	6.00	4.00	13.38	15.00	15.00	14.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	11.80					

<Bluetooth> SISO

BT BR/EDR Ant0

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	11.06	9.00	9.03
	CH 39	2441	10.89	8.73	8.71
	CH 78	2480	11.58	9.29	9.31
	Turn-up Limit		12.50	10.50	10.50

BLE 1M Ant0

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	10.18
	CH 19	2440	10.38
	CH 39	2480	10.55
	Turn-up Limit		12.00

BLE 2M Ant0

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 01	2404	10.34
	CH 19	2440	10.61
	CH 38	2478	10.80
	Turn-up Limit		12.00

<Bluetooth>MIMO

BT BR/EDR Ant0

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	5.59	3.74	3.71
	CH 39	2441	6.23	4.39	4.41
	CH 78	2480	6.37	4.54	4.56
	Turn-up Limit		7.50	5.50	5.50

BT BR/EDR Ant1

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	9.61	5.70	5.75
	CH 39	2441	10.07	6.87	6.91
	CH 78	2480	9.74	5.96	5.90
	Turn-up Limit		11.50	7.50	7.50

BLE 1M Ant1

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	7.65
	CH 19	2440	8.30
	CH 38	2480	7.97
	Turn-up Limit		9.50

BLE 2M Ant1

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 01	2404	7.84
	CH 19	2440	8.21
	CH 38	2478	7.93
	Turn-up Limit		9.50

BT BR/EDR Ant1

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	6.12	4.31	4.30
	CH 39	2441	6.61	4.84	4.85
	CH 78	2480	6.90	5.27	5.25
	Turn-up Limit		8.00	6.00	6.00

BT BR/EDR Ant0+1

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	8.87	7.04	7.02
	CH 39	2441	9.43	7.63	7.64
	CH 78	2480	9.65	7.93	7.92
	Turn-up Limit		10.50	9.00	9.00