





11AX20MIMO_Ant1_5260_26Tone_RU0



Date: 9 MAY 2024 15:03:57


11AX20MIMO_Ant1_5260_52Tone_RU37



Date: 9 MAY 2024 15:05:00




11AX20MIMO_Ant1_5260_106Tone_RU53



Date: 9 MAY 2024 15:06:05

11AX20MIMO_Ant2_5260_26Tone_RU0



Date: 9 MAY 2024 15:21:14




11AX20MIMO_Ant2_5260_106Tone_RU53






11AX20MIMO_Ant1_5300_26Tone_RU0



Date: 9 MAY 2024 15:08:05


11AX20MIMO_Ant1_5300_52Tone_RU37



Date: 9 MAY 2024 15:24:56




11AX20MIMO_Ant1_5300_106Tone_RU53



Date: 9 MAY 2024 15:25:45


11AX20MIMO_Ant2_5300_26Tone_RU0



Date: 9 MAY 2024 15:23:55




11AX20MIMO_Ant2_5300_52Tone_RU37



Date: 9 MAY 2024 15:25:06


11AX20MIMO_Ant2_5300_106Tone_RU53




Date: 9 MAY 2024 15:25:55



11AX20MIMO_Ant1_5320_26Tone_RU8




11AX20MIMO_Ant1_5320_52Tone_RU40






11AX20MIMO_Ant1_5320_106Tone_RU54



Date: 22 MAY 2024 02:23:55


11AX20MIMO_Ant2_5320_26Tone_RU8



Date: 22 MAY 2024 02:21:29




11AX20MIMO_Ant2_5320_52Tone_RU40



Date: 22 MAY 2024 02:22:54


11AX20MIMO_Ant2_5320_106Tone_RU54



Date: 22 MAY 2024 02:24:05




11AX20MIMO_Ant1_5500_26Tone_RU0



Date: 9 MAY 2024 15:29:38


11AX20MIMO_Ant1_5500_52Tone_RU37



Date: 9 MAY 2024 15:30:39




11AX20MIMO_Ant1_5500_106Tone_RU53



Date: 9 MAY 2024 15:33:13


11AX20MIMO_Ant2_5500_26Tone_RU0



Date: 9 MAY 2024 15:29:47




11AX20MIMO_Ant2_5500_52Tone_RU37



Date: 9.MAY.2024 15:30:48


11AX20MIMO_Ant2_5500_106Tone_RU53



Date: 9.MAY.2024 15:33:23




11AX20MIMO_Ant1_5580_26Tone_RU0



Date: 9 MAY 2024 15:34:45


11AX20MIMO_Ant1_5580_52Tone_RU37



Date: 9 MAY 2024 15:35:48




11AX20MIMO_Ant1_5580_106Tone_RU53



Date: 9 MAY 2024 15:36:25


11AX20MIMO_Ant2_5580_26Tone_RU0



Date: 9 MAY 2024 15:34:55




11AX20MIMO_Ant2_5580_52Tone_RU37



Date: 9 MAY 2024 15:35:57


11AX20MIMO_Ant2_5580_106Tone_RU53




Date: 9 MAY 2024 15:36:35



11AX20MIMO_Ant1_5700_26Tone_RU8




11AX20MIMO_Ant1_5700_52Tone_RU40






11AX20MIMO_Ant1_5700_106Tone_RU54



Date: 22 MAY 2024 02:26:09


11AX20MIMO_Ant2_5700_26Tone_RU8




Date: 22 MAY 2024 02:24:55



11AX20MIMO_Ant2_5700_52Tone_RU40




11AX20MIMO_Ant2_5700_106Tone_RU54






11AX20MIMO_Ant1_5720_26Tone_RU8



Date: 9 MAY 2024 15:42:39


11AX20MIMO_Ant1_5720_52Tone_RU40



Date: 9 MAY 2024 15:44:14




11AX20MIMO_Ant1_5720_106Tone_RU54



Date: 9 MAY 2024 15:44:54


11AX20MIMO_Ant2_5720_26Tone_RU8



Date: 9 MAY 2024 15:44:49




11AX20MIMO_Ant2_5720_52Tone_RU40



Date: 9 MAY 2024 15:44:23


11AX20MIMO_Ant2_5720_106Tone_RU54



Date: 9 MAY 2024 15:45:03




11AX20MIMO_Ant1_5745_106Tone_RU53



Date: 9 MAY 2024 15:48:06


11AX20MIMO_Ant2_5745_26Tone_RU0



Date: 9 MAY 2024 15:48:24



11AX20MIMO_Ant2_5745_52Tone_RU37



Date: 9 MAY 2024 15:47:35


11AX20MIMO_Ant2_5745_106Tone_RU53



Date: 9 MAY 2024 15:48:16




11AX20MIMO_Ant1_5785_26Tone_RU0



Date: 9 MAY 2024 15:50:02


11AX20MIMO_Ant1_5785_52Tone_RU37



Date: 9 MAY 2024 15:51:06




11AX20MIMO_Ant1_5785_106Tone_RU53



Date: 9 MAY 2024 15:51:50


11AX20MIMO_Ant2_5785_26Tone_RU0



Date: 9 MAY 2024 15:50:13




11AX20MIMO_Ant2_5785_52Tone_RU37



Date: 9 MAY 2024 15:51:15


11AX20MIMO_Ant2_5785_106Tone_RU53



Date: 9 MAY 2024 15:52:00



11AX20MIMO_Ant1_5825_26Tone_RU8



Date: 9 MAY 2024 15:53:52


11AX20MIMO_Ant1_5825_52Tone_RU40



Date: 9 MAY 2024 15:54:35




11AX20MIMO_Ant1_5825_106Tone_RU54



Date: 9 MAY 2024 15:55:31


11AX20MIMO_Ant2_5825_26Tone_RU8



Date: 9 MAY 2024 15:54:03




11AX20MIMO_Ant2_5825_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
		dB	dBuV	dBuV	dB	dB	dB	
1	0.408	46.17	-11.51	57.68	35.90	0.00	10.27	QP
2	0.408	32.87	-14.81	47.68	22.60	0.00	10.27	Average
3	0.532	46.77	-9.23	56.00	36.60	-0.04	10.21	QP
4	0.532	31.37	-14.63	46.00	21.20	-0.04	10.21	Average
5	0.716	45.56	-10.44	56.00	35.49	-0.07	10.14	QP
6	0.716	30.36	-15.64	46.00	20.29	-0.07	10.14	Average
7	0.974	46.90	-9.10	56.00	36.91	-0.10	10.09	QP
8	0.974	26.80	-19.20	46.00	16.81	-0.10	10.09	Average
9 *	1.210	47.18	-8.82	56.00	37.20	-0.11	10.09	QP
10	1.210	31.58	-14.42	46.00	21.60	-0.11	10.09	Average
11	1.610	46.55	-9.45	56.00	36.60	-0.13	10.08	QP
12	1.610	30.55	-15.45	46.00	20.60	-0.13	10.08	Average
13	1.959	45.14	-10.86	56.00	35.20	-0.14	10.08	QP
14	1.959	29.24	-16.76	46.00	19.30	-0.14	10.08	Average
15	2.594	42.57	-13.43	56.00	32.60	-0.10	10.07	QP
16	2.594	28.17	-17.83	46.00	18.20	-0.10	10.07	Average
17	3.173	42.48	-13.52	56.00	32.50	-0.09	10.07	QP
18	3.173	28.88	-17.12	46.00	18.90	-0.09	10.07	Average
19	4.549	41.13	-14.87	56.00	31.20	-0.13	10.06	QP
20	4.549	28.43	-17.57	46.00	18.50	-0.13	10.06	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.527	44.64	-11.36	56.00	34.50	-0.07	10.21	QP
2	0.527	29.04	-16.96	46.00	18.90	-0.07	10.21	Average
3	0.661	42.88	-13.12	56.00	32.80	-0.07	10.15	QP
4	0.661	24.58	-21.42	46.00	14.50	-0.07	10.15	Average
5	0.830	42.92	-13.08	56.00	32.89	-0.08	10.11	QP
6	0.830	25.32	-20.68	46.00	15.29	-0.08	10.11	Average
7	1.010	44.59	-11.41	56.00	34.60	-0.10	10.09	QP
8	1.010	28.29	-17.71	46.00	18.30	-0.10	10.09	Average
9	1.123	44.48	-11.52	56.00	34.49	-0.10	10.09	QP
10	1.123	28.88	-17.12	46.00	18.89	-0.10	10.09	Average
11	1.296	44.48	-11.52	56.00	34.50	-0.11	10.09	QP
12	1.296	28.18	-17.82	46.00	18.20	-0.11	10.09	Average
13	1.662	44.47	-11.53	56.00	34.50	-0.11	10.08	QP
14	1.662	27.47	-18.53	46.00	17.50	-0.11	10.08	Average
15	2.513	41.15	-14.85	56.00	31.21	-0.13	10.07	QP
16	2.513	26.25	-19.75	46.00	16.31	-0.13	10.07	Average
17	3.399	42.14	-13.86	56.00	32.20	-0.13	10.07	QP
18	3.399	28.54	-17.46	46.00	18.60	-0.13	10.07	Average

Note:

- Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	STBC 1+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	STBC 1+2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	STBC 1+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	STBC 1+2	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	STBC 1+2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	STBC 1+2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	STBC 1+2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	STBC 1+2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	STBC 1+2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	STBC 1+2	802.11ax HE80	42	5210	MCS0	Full	-



Mode 39	U-NII-2A	5.25-5.35	STBC 1+2	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-2A	5.15-5.35	STBC 1+2	802.11ax HE160	50	5250	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.725	STBC 1+2	802.11ax HE160	114	5570	MCS0	Full	-
Mode 44	U-NII-3	5.725-5.85	STBC 1+2	802.11a	149	5745	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	STBC 1+2	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	STBC 1+2	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	149	5745	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	157	5785	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	165	5825	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE40	151	5755	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE40	159	5795	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE80	155	5775	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 56	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	STBC 1+2	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.85	STBC 1+2	802.11a	144	5720	6Mbps	-	-
Mode 60	U-NII-2C	5.47-5.85	STBC 1+2	802.11ax HE20	144	5720	MCS0	-	-
Mode 61	U-NII-2C	5.47-5.85	STBC 1+2	802.11ax HE40	142	5710	MCS0	-	-
Mode 62	U-NII-2C	5.47-5.85	STBC 1+2	802.11ax HE80	138	5690	MCS0	-	-

<Simultaneous transmission>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2400-2483.5	2400-2483.5	1	Bluetooth-LE	39	2480	2Mbps	Full	-
	U-NII-2C	5.725-5.85	STBC 1+2	802.11ax HE40	102	5510	MCS0	Full	-
Mode 66	2400-2483.5	2400-2483.5	1	802.11ax HE40	9	5510	MCS0	Full	-
	U-NII-2C	5.725-5.85	2	802.11ax HE40	102	5510	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.45	50.12	54.00	-3.88	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.43	68.20	-22.77	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	47.46	68.20	-20.74	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	43.10	54.00	-10.90	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	46.85	54.00	-7.15	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	46.08	54.00	-7.92	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5351.65	50.25	54.00	-3.75	V	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	40.82	54.00	-13.18	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5460.00	48.46	54.00	-5.54	V	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	48.89	68.20	-19.31	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	44.80	54.00	-9.20	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5725.52	64.36	68.20	-3.84	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.19	74.00	-27.81	H	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5148.55	50.66	54.00	-3.34	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	46.86	68.20	-21.34	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	45.22	54.00	-8.78	V	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	46.59	54.00	-7.41	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	50.17	54.00	-3.83	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	45.26	54.00	-8.74	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5351.35	50.13	54.00	-3.87	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	41.98	54.00	-12.02	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5459.30	48.78	54.00	-5.22	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	11000.00	43.63	54.00	-10.37	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	43.61	54.00	-10.39	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5725.44	64.13	68.20	-4.07	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	46.85	74.00	-27.15	V	PEAK	Pass	Harmonic
19	802.11ax HE20	36	5136.60	40.82	54.00	-13.18	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5361.60	39.57	54.00	-14.43	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5456.88	40.08	54.00	-13.92	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5730.68	51.89	68.20	-16.31	V	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic



23	802.11ax HE20	36	5141.20	41.30	54.00	-12.70	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5356.50	39.98	54.00	-14.02	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5459.44	40.00	54.00	-14.00	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5729.88	51.11	68.20	-17.09	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.40	42.56	54.00	-11.44	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.00	42.01	54.00	-11.99	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5456.88	41.82	54.00	-12.18	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5725.08	59.65	68.20	-8.55	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5150.00	50.75	54.00	-3.25	V	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	45.73	68.20	-22.47	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	46	10460.00	48.85	68.20	-19.35	V	PEAK	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	15804.40	46.70	54.00	-7.30	V	Average	Pass	Harmonic
34	802.11ax HE40	62	5351.25	50.41	54.00	-3.59	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	15930.00	46.78	74.00	-27.22	V	PEAK	Pass	Harmonic
35	802.11ax HE40	102	5465.45	65.11	68.20	-3.09	V	PEAK	Pass	Band Edge
35	802.11ax HE40	102	11020.00	42.19	54.00	-11.81	V	AVERAGE	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	16650.00	49.14	68.20	-19.06	V	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5732.40	60.98	68.20	-7.22	V	PEAK	Pass	Band Edge
37	802.11ax HE40	134	17010.00	49.10	68.20	-19.10	V	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5149.05	50.76	54.00	-3.24	V	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	44.50	68.20	-23.70	H	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.15	50.30	54.00	-3.70	V	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	10580.00	44.45	68.20	-23.75	H	PEAK	Pass	Harmonic
40	802.11ax HE80	106	5459.05	50.43	54.00	-3.57	V	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	43.66	74.00	-30.34	V	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5452.17	47.98	54.00	-6.02	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	11220.00	44.19	74.00	-29.81	H	PEAK	Pass	Harmonic
42	802.11ax HE160	50	5143.63	50.77	54.00	-3.23	V	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	10500.00	44.17	68.20	-24.03	V	PEAK	Pass	Harmonic
43	802.11ax HE160	114	5447.58	50.39	54.00	-3.61	V	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	11140.00	45.05	74.00	-28.95	H	PEAK	Pass	Harmonic
44	802.11a	149	5629.42	49.66	68.20	-18.54	V	PEAK	Pass	Band Edge
44	802.11a	149	11490.00	47.02	54.00	-6.98	V	AVERAGE	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	17355.00	48.92	68.20	-19.28	V	PEAK	Pass	Harmonic
46	802.11a	165	5931.00	48.79	68.20	-19.41	V	PEAK	Pass	Band Edge







46	802.11a	165	11650.00	44.29	54.00	-9.71	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	149	5645.42	50.89	68.20	-17.31	V	PEAK	Pass	Band Edge
47	802.11ax HE20	149	11490.00	45.48	54.00	-8.52	V	AVERAGE	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	11570.00	40.06	54.00	-13.94	V	AVERAGE	Pass	Harmonic
49	802.11ax HE20	165	5931.42	47.61	68.20	-20.59	H	PEAK	Pass	Band Edge
49	802.11ax HE20	165	11650.00	40.87	54.00	-13.13	V	AVERAGE	Pass	Harmonic
50	802.11ax HE40	151	5644.56	51.99	68.20	-16.21	V	PEAK	Pass	Band Edge
50	802.11ax HE40	151	11510.00	44.92	74.00	-29.08	V	PEAK	Pass	Harmonic
51	802.11ax HE40	159	5633.02	49.40	68.20	-18.80	H	PEAK	Pass	Band Edge
51	802.11ax HE40	159	11590.00	44.33	74.00	-29.67	H	PEAK	Pass	Harmonic
52	802.11ax HE80	155	5617.42	57.09	68.20	-11.11	V	PEAK	Pass	Band Edge
52	802.11ax HE80	155	11550.00	44.20	74.00	-29.80	V	PEAK	Pass	Harmonic
53	802.11ax HE20	149	5645.80	49.16	68.20	-19.04	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5968.22	47.49	68.20	-20.71	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5634.60	50.21	68.20	-17.99	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5939.80	48.29	68.20	-19.91	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	149	5632.22	51.10	68.20	-17.10	H	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5956.22	48.63	68.20	-19.57	H	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	11440.00	44.78	54.00	-9.22	V	AVERAGE	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE20	144	11440.00	41.79	54.00	-12.21	V	AVERAGE	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	142	11420.00	38.95	54.00	-15.05	V	AVERAGE	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE80	138	11380.00	46.80	74.00	-27.20	V	PEAK	Pass	Harmonic





<Simultaneous transmission>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	Bluetooth-LE	39	2483.50	43.03	54.00	-10.97	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	4959.00	47.12	74.00	-26.88	H	Peak	Pass	Harmonic
	802.11ax HE40	102	5459.92	50.55	54.00	-3.45	H	Average	Pass	Band Edge
	802.11ax HE40	102	11020.00	44.51	74.00	-29.49	V	PEAK	Pass	Harmonic
66	802.11ax HE40	9	2483.56	42.70	54.00	-11.30	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	9	7356.00	42.15	74.00	-31.85	H	Peak	Pass	Harmonic
	802.11ax HE40	102	5459.76	43.50	54.00	-10.50	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	102	11020.00	39.54	54.00	-14.46	V	AVERAGE	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.15</td><td>57.83</td><td>74.00</td><td>-16.17</td><td>41.22</td><td>34.25</td><td>12.45</td><td>30.09</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5126.15	57.83	74.00	-16.17	41.22	34.25	12.45	30.09	0.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5126.15	57.83	74.00	-16.17	41.22	34.25	12.45	30.09	0.00	100	343	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.30</td><td>-----</td><td>-----</td><td>84.65</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.30	-----	-----	84.65	34.14	12.52	30.01	0.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	101.30	-----	-----	84.65	34.14	12.52	30.01	0.00	100	343	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>30.63</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.99	47.23	54.00	-6.77	30.63	34.20	12.45	30.05	0.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5149.99	47.23	54.00	-6.77	30.63	34.20	12.45	30.05	0.00	100	343	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.18</td><td>-----</td><td>-----</td><td>76.53</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	93.18	-----	-----	76.53	34.14	12.52	30.01	0.00	100	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	93.18	-----	-----	76.53	34.14	12.52	30.01	0.00	100	343	AVERAGE																																											





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	STBC 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>60.83</td><td>74.00</td><td>-13.17</td><td>44.23</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>182</td><td>156</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.25	60.83	74.00	-13.17	44.23	34.21	12.45	30.06	0.00	182	156	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.85</td><td>-----</td><td>-----</td><td>89.21</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>182</td><td>156</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.85	-----	-----	89.21	34.15	12.51	30.02	0.00	182	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.25	60.83	74.00	-13.17	44.23	34.21	12.45	30.06	0.00	182	156	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.85	-----	-----	89.21	34.15	12.51	30.02	0.00	182	156	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.45</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>33.53</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>182</td><td>156</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.45	50.12	54.00	-3.88	33.53	34.20	12.45	30.06	0.00	182	156	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.22</td><td>-----</td><td>-----</td><td>82.58</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>182</td><td>156</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.22	-----	-----	82.58	34.15	12.51	30.02	0.00	182	156
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.45	50.12	54.00	-3.88	33.53	34.20	12.45	30.06	0.00	182	156	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	99.22	-----	-----	82.58	34.15	12.51	30.02	0.00	182	156	AVERAGE																																																																																																			



Mode	1																																																																																																							
	Harmonic																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																							
ANT	STBC 1+2																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>59.60</td><td>37.35</td><td>15.44</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.43	68.20	-22.77	59.60	37.35	15.44	66.96	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.91</td><td>68.20</td><td>-23.29</td><td>59.08</td><td>37.35</td><td>15.44</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.91	68.20	-23.29	59.08	37.35	15.44	66.96	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10360.00	45.43	68.20	-22.77	59.60	37.35	15.44	66.96	0.00	--	--	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10360.00	44.91	68.20	-23.29	59.08	37.35	15.44	66.96	0.00	--	--	PEAK																																																																																												





		2																																																																																																									
Mode		Harmonic																																																																																																									
		U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																									
ANT		STBC 1+2																																																																																																									
Pol.		Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.58</td><td>68.20</td><td>-22.62</td><td>59.54</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.58	68.20	-22.62	59.54	37.44	15.52	66.92	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.46</td><td>68.20</td><td>-20.74</td><td>61.41</td><td>37.44</td><td>15.53</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.46	68.20	-20.74	61.41	37.44	15.53	66.92	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10440.00	45.58	68.20	-22.62	59.54	37.44	15.52	66.92	0.00	--	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10440.00	47.46	68.20	-20.74	61.41	37.44	15.53	66.92	0.00	--	PEAK																																																																																																



		3																																																																																																																																																																
Mode		Harmonic																																																																																																																																																																
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																
ANT		STBC 1+2																																																																																																																																																																
Pol.		Horizontal												Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>58.85</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>58.80</td><td>74.00</td><td>-15.20</td><td>63.77</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>42.22</td><td>54.00</td><td>-11.78</td><td>47.20</td><td>39.93</td><td>19.16</td><td>64.07</td><td>0.00</td><td>100</td><td>183</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	45.00	68.20	-23.20	58.85	37.48	15.56	66.89	0.00	--	--	PEAK	2	15720.00	58.80	74.00	-15.20	63.77	39.94	19.16	64.07	0.00	100	183	PEAK	3	15720.00	42.22	54.00	-11.78	47.20	39.93	19.16	64.07	0.00	100	183	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>70.00</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>154</td><td>195</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>58.45</td><td>74.00</td><td>-15.55</td><td>63.42</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>245</td><td>184</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>48.07</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>245</td><td>184</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	56.15	68.20	-12.05	70.00	37.48	15.56	66.89	0.00	154	195	PEAK	2	15720.00	58.45	74.00	-15.55	63.42	39.94	19.16	64.07	0.00	245	184	PEAK	3	15720.00	43.10	54.00	-10.90	48.07	39.94	19.16	64.07	0.00	245	184	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																										
1	10480.00	45.00	68.20	-23.20	58.85	37.48	15.56	66.89	0.00	--	--	PEAK																																																																																																																																																						
2	15720.00	58.80	74.00	-15.20	63.77	39.94	19.16	64.07	0.00	100	183	PEAK																																																																																																																																																						
3	15720.00	42.22	54.00	-11.78	47.20	39.93	19.16	64.07	0.00	100	183	AVERAGE																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																										
1	10480.00	56.15	68.20	-12.05	70.00	37.48	15.56	66.89	0.00	154	195	PEAK																																																																																																																																																						
2	15720.00	58.45	74.00	-15.55	63.42	39.94	19.16	64.07	0.00	245	184	PEAK																																																																																																																																																						
3	15720.00	43.10	54.00	-10.90	48.07	39.94	19.16	64.07	0.00	245	184	AVERAGE																																																																																																																																																						







Mode	4																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																															
ANT	STBC 1+2																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>59.55</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>60.29</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>47.01</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>182 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10520.00	45.80	68.20	-22.40	59.55	37.52	15.60	66.87	0.00	--	PEAK	2	15780.00	55.49	74.00	-18.51	60.29	40.06	19.20	64.06	0.00	100	182 PEAK	3	15780.00	42.21	54.00	-11.79	47.01	40.06	19.20	64.06	0.00	100	182 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>50.85</td><td>68.20</td><td>-17.35</td><td>64.60</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>61.38</td><td>74.00</td><td>-12.62</td><td>66.18</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>51.64</td><td>40.07</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>183 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10520.00	50.85	68.20	-17.35	64.60	37.52	15.60	66.87	0.00	--	PEAK	2	15780.00	61.38	74.00	-12.62	66.18	40.06	19.20	64.06	0.00	100	183 PEAK	3	15780.00	46.85	54.00	-7.15	51.64	40.07	19.20	64.06	0.00	100	183 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																								
1	10520.00	45.80	68.20	-22.40	59.55	37.52	15.60	66.87	0.00	--	PEAK																																																																																																																																					
2	15780.00	55.49	74.00	-18.51	60.29	40.06	19.20	64.06	0.00	100	182 PEAK																																																																																																																																					
3	15780.00	42.21	54.00	-11.79	47.01	40.06	19.20	64.06	0.00	100	182 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																								
1	10520.00	50.85	68.20	-17.35	64.60	37.52	15.60	66.87	0.00	--	PEAK																																																																																																																																					
2	15780.00	61.38	74.00	-12.62	66.18	40.06	19.20	64.06	0.00	100	183 PEAK																																																																																																																																					
3	15780.00	46.85	54.00	-7.15	51.64	40.07	19.20	64.06	0.00	100	183 AVERAGE																																																																																																																																					







Mode	5																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																							
ANT	STBC 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>58.56</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15900.00</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>57.12</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>300 259 PEAK</td></tr><tr><td>3 15900.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>47.05</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>300 259 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.00	74.00	-29.00	58.56	37.60	15.67	66.83	0.00	-- -- PEAK	2 15900.00	52.56	74.00	-21.44	57.12	40.20	19.28	64.04	0.00	300 259 PEAK	3 15900.00	42.49	54.00	-11.51	47.05	40.20	19.28	64.04	0.00	300 259 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>68.26</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>155</td><td>223 PEAK</td></tr><tr><td>2 10600.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>59.00</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>155</td><td>223 AVERAGE</td></tr><tr><td>3 15900.00</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>60.79</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>179</td><td>186 PEAK</td></tr><tr><td>4 15900.00</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>50.64</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>179</td><td>186 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	54.70	74.00	-19.30	68.26	37.60	15.67	66.83	0.00	155	223 PEAK	2 10600.00	45.44	54.00	-8.56	59.00	37.60	15.67	66.83	0.00	155	223 AVERAGE	3 15900.00	56.23	74.00	-17.77	60.79	40.20	19.28	64.04	0.00	179	186 PEAK	4 15900.00	46.08	54.00	-7.92	50.64	40.20	19.28	64.04	0.00	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 10600.00	45.00	74.00	-29.00	58.56	37.60	15.67	66.83	0.00	-- -- PEAK																																																																																																																															
2 15900.00	52.56	74.00	-21.44	57.12	40.20	19.28	64.04	0.00	300 259 PEAK																																																																																																																															
3 15900.00	42.49	54.00	-11.51	47.05	40.20	19.28	64.04	0.00	300 259 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 10600.00	54.70	74.00	-19.30	68.26	37.60	15.67	66.83	0.00	155	223 PEAK																																																																																																																														
2 10600.00	45.44	54.00	-8.56	59.00	37.60	15.67	66.83	0.00	155	223 AVERAGE																																																																																																																														
3 15900.00	56.23	74.00	-17.77	60.79	40.20	19.28	64.04	0.00	179	186 PEAK																																																																																																																														
4 15900.00	46.08	54.00	-7.92	50.64	40.20	19.28	64.04	0.00	179	186 AVERAGE																																																																																																																														



Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	STBC 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.85</td><td>58.49</td><td>74.00</td><td>-15.51</td><td>41.06</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.85	58.49	74.00	-15.51	41.06	34.60	12.57	29.74	0.00	100	45	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.72</td><td>-----</td><td>-----</td><td>87.45</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.72	-----	-----	87.45	34.47	12.59	29.79	0.00	100	45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.85	58.49	74.00	-15.51	41.06	34.60	12.57	29.74	0.00	100	45	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	104.72	-----	-----	87.45	34.47	12.59	29.79	0.00	100	45	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.95</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>30.53</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.95	47.96	54.00	-6.04	30.53	34.60	12.57	29.74	0.00	100	45	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.49</td><td>-----</td><td>-----</td><td>79.22</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.49	-----	-----	79.22	34.47	12.59	29.79	0.00	100	45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.95	47.96	54.00	-6.04	30.53	34.60	12.57	29.74	0.00	100	45	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	96.49	-----	-----	79.22	34.47	12.59	29.79	0.00	100	45	AVERAGE																																																																																																			







Mode	6																																																										
	Band Edge																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																										
ANT	STBC 1+2																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.95</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>43.34</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.95	60.77	74.00	-13.23	43.34	34.60	12.57	29.74	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5350.95	60.77	74.00	-13.23	43.34	34.60	12.57	29.74	0.00	100	173 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>107.20</td><td>-----</td><td>-----</td><td>89.96</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	107.20	-----	-----	89.96	34.44	12.60	29.80	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5320.00	107.20	-----	-----	89.96	34.44	12.60	29.80	0.00	100	173 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.65</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>32.81</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5351.65	50.25	54.00	-3.75	32.81	34.60	12.58	29.74	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5351.65	50.25	54.00	-3.75	32.81	34.60	12.58	29.74	0.00	100	173 AVERAGE																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>99.82</td><td>-----</td><td>-----</td><td>82.55</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	99.82	-----	-----	82.55	34.47	12.59	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5320.00	99.82	-----	-----	82.55	34.47	12.59	29.79	0.00	100	173 AVERAGE																																																







		6																																																																																								
Mode		Harmonic																																																																																								
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																								
ANT		STBC 1+2																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>57.46</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>52.33</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>300</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>38.80</td><td>54.00</td><td>-15.20</td><td>43.13</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>300</td><td>272</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10640.00	43.96	74.00	-30.04	57.46	37.60	15.71	66.81	0.00	--	--	PEAK	2	15960.00	48.00	74.00	-26.00	52.33	40.38	19.32	64.03	0.00	300	272	PEAK	3	15960.00	38.80	54.00	-15.20	43.13	40.38	19.32	64.03	0.00	300	272	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	10640.00	43.96	74.00	-30.04	57.46	37.60	15.71	66.81	0.00	--	--	PEAK																																																																														
2	15960.00	48.00	74.00	-26.00	52.33	40.38	19.32	64.03	0.00	300	272	PEAK																																																																														
3	15960.00	38.80	54.00	-15.20	43.13	40.38	19.32	64.03	0.00	300	272	AVERAGE																																																																														
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>57.57</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>54.22</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>246</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>40.82</td><td>54.00</td><td>-13.18</td><td>45.15</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>246</td><td>181</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10640.00	44.07	74.00	-29.93	57.57	37.60	15.71	66.81	0.00	--	--	PEAK	2	15960.00	49.89	74.00	-24.11	54.22	40.38	19.32	64.03	0.00	246	181	PEAK	3	15960.00	40.82	54.00	-13.18	45.15	40.38	19.32	64.03	0.00	246	181	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	10640.00	44.07	74.00	-29.93	57.57	37.60	15.71	66.81	0.00	--	--	PEAK																																																																														
2	15960.00	49.89	74.00	-24.11	54.22	40.38	19.32	64.03	0.00	246	181	PEAK																																																																														
3	15960.00	40.82	54.00	-13.18	45.15	40.38	19.32	64.03	0.00	246	181	AVERAGE																																																																														



		7																																																																																																																												
Mode		Band Edge																																																																																																																												
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																												
ANT		STBC 1+2																																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.21</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>39.67</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>297</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>59.06</td><td>68.20</td><td>-9.14</td><td>41.12</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>297</td><td>26</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	57.54	74.00	-16.46	39.67	34.60	12.84	29.57	0.00	297	26	PEAK	2	5468.17	59.06	68.20	-9.14	41.12	34.60	12.90	29.56	0.00	297	26	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.14</td><td>-----</td><td>-----</td><td>89.99</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>297</td><td>26</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.14	-----	-----	89.99	34.60	13.06	29.51	0.00	297	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.21	57.54	74.00	-16.46	39.67	34.60	12.84	29.57	0.00	297	26	PEAK																																																																																																																		
2	5468.17	59.06	68.20	-9.14	41.12	34.60	12.90	29.56	0.00	297	26	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5500.00	108.14	-----	-----	89.99	34.60	13.06	29.51	0.00	297	26	PEAK																																																																																																																		
Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.41</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>29.82</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>297</td><td>26</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	47.69	54.00	-6.31	29.82	34.60	12.84	29.57	0.00	297	26	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.82</td><td>-----</td><td>-----</td><td>81.67</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>297</td><td>26</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.82	-----	-----	81.67	34.60	13.06	29.51	0.00	297	26	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5458.41	47.69	54.00	-6.31	29.82	34.60	12.84	29.57	0.00	297	26	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5500.00	99.82	-----	-----	81.67	34.60	13.06	29.51	0.00	297	26	AVERAGE																																																																																																																		



Mode	7																																																																				
	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																				
ANT	STBC 1+2																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>41.09</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>265</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5466.57</td><td>61.98</td><td>68.20</td><td>-6.22</td><td>44.05</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>265</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	58.97	74.00	-15.03	41.09	34.60	12.85	29.57	0.00	265	36	PEAK	2	5466.57	61.98	68.20	-6.22	44.05	34.60	12.89	29.56	0.00	265	36	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5460.00	58.97	74.00	-15.03	41.09	34.60	12.85	29.57	0.00	265	36	PEAK																																																									
2	5466.57	61.98	68.20	-6.22	44.05	34.60	12.89	29.56	0.00	265	36	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>30.58</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>265</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.46	54.00	-5.54	30.58	34.60	12.85	29.57	0.00	265	36	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5460.00	48.46	54.00	-5.54	30.58	34.60	12.85	29.57	0.00	265	36	AVERAGE																																																									
Fundamental																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.74</td><td>-----</td><td>-----</td><td>90.59</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>265</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.74	-----	-----	90.59	34.60	13.06	29.51	0.00	265	36	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	108.74	-----	-----	90.59	34.60	13.06	29.51	0.00	265	36	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.11</td><td>-----</td><td>-----</td><td>83.96</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>265</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.11	-----	-----	83.96	34.60	13.06	29.51	0.00	265	36	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	102.11	-----	-----	83.96	34.60	13.06	29.51	0.00	265	36	AVERAGE																																																									





		7																																																																		
Mode		Harmonic																																																																		
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																		
ANT		STBC 1+2																																																																		
Pol.		Horizontal						Vertical																																																												
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>58.74</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>48.49</td><td>68.20</td><td>-19.71</td><td>51.97</td><td>40.90</td><td>19.67</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.07	74.00	-27.93	58.74	37.90	16.04	66.61	0.00	--	PEAK	2	16500.00	48.49	68.20	-19.71	51.97	40.90	19.67	64.05	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11000.00	46.07	74.00	-27.93	58.74	37.90	16.04	66.61	0.00	--	PEAK																																																									
2	16500.00	48.49	68.20	-19.71	51.97	40.90	19.67	64.05	0.00	--	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>58.84</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>48.89</td><td>68.20</td><td>-19.31</td><td>52.37</td><td>40.90</td><td>19.67</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.17	74.00	-27.83	58.84	37.90	16.04	66.61	0.00	--	PEAK	2	16500.00	48.89	68.20	-19.31	52.37	40.90	19.67	64.05	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11000.00	46.17	74.00	-27.83	58.84	37.90	16.04	66.61	0.00	--	PEAK																																																									
2	16500.00	48.89	68.20	-19.31	52.37	40.90	19.67	64.05	0.00	--	PEAK																																																									






		8																																																																																								
Mode		Harmonic																																																																																								
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																								
ANT		STBC 1+2																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11160.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>60.04</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td></td><td>PEAK</td></tr><tr><td>2 11160.00</td><td>37.49</td><td>54.00</td><td>-16.51</td><td>50.01</td><td>37.86</td><td>16.14</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td></td><td>AVERAGE</td></tr><tr><td>3 16740.00</td><td>47.88</td><td>68.20</td><td>-20.32</td><td>50.81</td><td>41.29</td><td>19.84</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11160.00	47.53	74.00	-26.47	60.04	37.86	16.15	66.52	0.00	100	360		PEAK	2 11160.00	37.49	54.00	-16.51	50.01	37.86	16.14	66.52	0.00	100	360		AVERAGE	3 16740.00	47.88	68.20	-20.32	50.81	41.29	19.84	64.06	0.00	--	--		PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1 11160.00	47.53	74.00	-26.47	60.04	37.86	16.15	66.52	0.00	100	360		PEAK																																																																														
2 11160.00	37.49	54.00	-16.51	50.01	37.86	16.14	66.52	0.00	100	360		AVERAGE																																																																														
3 16740.00	47.88	68.20	-20.32	50.81	41.29	19.84	64.06	0.00	--	--		PEAK																																																																														
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11160.00</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>67.14</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>234</td><td>181</td><td></td><td>PEAK</td></tr><tr><td>2 11160.00</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>57.31</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>234</td><td>181</td><td></td><td>AVERAGE</td></tr><tr><td>3 16740.00</td><td>47.67</td><td>68.20</td><td>-20.53</td><td>50.61</td><td>41.29</td><td>19.83</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11160.00	54.63	74.00	-19.37	67.14	37.86	16.15	66.52	0.00	234	181		PEAK	2 11160.00	44.80	54.00	-9.20	57.31	37.86	16.15	66.52	0.00	234	181		AVERAGE	3 16740.00	47.67	68.20	-20.53	50.61	41.29	19.83	64.06	0.00	--	--		PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1 11160.00	54.63	74.00	-19.37	67.14	37.86	16.15	66.52	0.00	234	181		PEAK																																																																														
2 11160.00	44.80	54.00	-9.20	57.31	37.86	16.15	66.52	0.00	234	181		AVERAGE																																																																														
3 16740.00	47.67	68.20	-20.53	50.61	41.29	19.83	64.06	0.00	--	--		PEAK																																																																														





Mode	9																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																						
ANT	STBC 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.24</td><td>62.49</td><td>68.20</td><td>-5.71</td><td>44.23</td><td>34.66</td><td>13.33</td><td>29.73</td><td>0.00</td><td>108</td><td>344</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.24	62.49	68.20	-5.71	44.23	34.66	13.33	29.73	0.00	108	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5728.24	62.49	68.20	-5.71	44.23	34.66	13.33	29.73	0.00	108	344	PEAK																																											
Avg	Blank																																																						
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.54</td><td>-----</td><td>-----</td><td>81.44</td><td>34.59</td><td>13.08</td><td>29.57</td><td>0.00</td><td>108</td><td>344</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.54	-----	-----	81.44	34.59	13.08	29.57	0.00	108	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	99.54	-----	-----	81.44	34.59	13.08	29.57	0.00	108	344	AVERAGE																																											







Mode	9																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																															
ANT	STBC 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.52</td><td>64.36</td><td>68.20</td><td>-3.84</td><td>46.12</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.52	64.36	68.20	-3.84	46.12	34.65	13.31	29.72	0.00	100	160	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>108.41</td><td>-----</td><td>-----</td><td>90.31</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	108.41	-----	-----	90.31	34.60	13.10	29.60	0.00	100	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5725.52	64.36	68.20	-3.84	46.12	34.65	13.31	29.72	0.00	100	160	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5700.00	108.41	-----	-----	90.31	34.60	13.10	29.60	0.00	100	160	PEAK																																																																																																				
Avg	Blank																																																																																																															
													<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.61</td><td>-----</td><td>-----</td><td>83.51</td><td>34.59</td><td>13.08</td><td>29.57</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.61	-----	-----	83.51	34.59	13.08	29.57	0.00	100	160	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5700.00	101.61	-----	-----	83.51	34.59	13.08	29.57	0.00	100	160	AVERAGE																																																																																																				







Mode	9																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>58.28</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.19	74.00	-27.81	58.28	38.00	16.30	66.39	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>57.33</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.24	74.00	-28.76	57.33	38.00	16.30	66.39	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11400.00	46.19	74.00	-27.81	58.28	38.00	16.30	66.39	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11400.00	45.24	74.00	-28.76	57.33	38.00	16.30	66.39	0.00	--	PEAK																																																																																						



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																	
ANT	STBC 1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.75</td><td>59.12</td><td>74.00</td><td>-14.88</td><td>50.61</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>248 149 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.75	59.12	74.00	-14.88	50.61	34.55	10.61	36.65	0.00	248 149 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>105.57</td><td>-----</td><td>-----</td><td>96.94</td><td>34.62</td><td>10.63</td><td>36.62</td><td>0.00</td><td>248 149 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	105.57	-----	-----	96.94	34.62	10.63	36.62	0.00	248 149 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5149.75	59.12	74.00	-14.88	50.61	34.55	10.61	36.65	0.00	248 149 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	105.57	-----	-----	96.94	34.62	10.63	36.62	0.00	248 149 PEAK																																																																									
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.96</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>38.30</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>248 149 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.96	46.81	54.00	-7.19	38.30	34.55	10.61	36.65	0.00	248 149 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>97.34</td><td>-----</td><td>-----</td><td>88.67</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>248 149 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	97.34	-----	-----	88.67	34.64	10.64	36.61	0.00	248 149 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5149.96	46.81	54.00	-7.19	38.30	34.55	10.61	36.65	0.00	248 149 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5180.00	97.34	-----	-----	88.67	34.64	10.64	36.61	0.00	248 149 AVERAGE																																																																									



		10																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																																																
ANT	STBC 1+2																																																																																																																																
Pol.	Vertical												Fundamental																																																																																																																				
Peak																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5146.05</td><td>62.14</td><td>74.00</td><td>-11.86</td><td>53.66</td><td>34.54</td><td>10.60</td><td>36.66</td><td>0.00</td><td>133</td><td>204</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5146.05	62.14	74.00	-11.86	53.66	34.54	10.60	36.66	0.00	133	204	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>111.36</td><td>-----</td><td>-----</td><td>102.69</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>133</td><td>204</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5180.00	111.36	-----	-----	102.69	34.64	10.64	36.61	0.00	133	204
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5146.05	62.14	74.00	-11.86	53.66	34.54	10.60	36.66	0.00	133	204	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5180.00	111.36	-----	-----	102.69	34.64	10.64	36.61	0.00	133	204	PEAK																																																																																																																					
Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5148.55</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>42.16</td><td>34.55</td><td>10.61</td><td>36.66</td><td>0.00</td><td>133</td><td>204</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5148.55	50.66	54.00	-3.34	42.16	34.55	10.61	36.66	0.00	133	204	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>102.27</td><td>-----</td><td>-----</td><td>93.60</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>133</td><td>204</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5180.00	102.27	-----	-----	93.60	34.64	10.64	36.61	0.00	133	204
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5148.55	50.66	54.00	-3.34	42.16	34.55	10.61	36.66	0.00	133	204	AVERAGE																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5180.00	102.27	-----	-----	93.60	34.64	10.64	36.61	0.00	133	204	AVERAGE																																																																																																																					



Mode	10																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.39</td><td>68.20</td><td>-23.81</td><td>58.47</td><td>37.42</td><td>15.46</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.39	68.20	-23.81	58.47	37.42	15.46	66.96	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.86</td><td>68.20</td><td>-21.34</td><td>60.97</td><td>37.41</td><td>15.44</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.86	68.20	-21.34	60.97	37.41	15.44	66.96	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	44.39	68.20	-23.81	58.47	37.42	15.46	66.96	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	46.86	68.20	-21.34	60.97	37.41	15.44	66.96	0.00	--	PEAK																																																																																							





		11																																																																																																																																																								
Mode		Harmonic																																																																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																																																																								
ANT		STBC 1+2																																																																																																																																																								
Pol.		Horizontal											Vertical																																																																																																																																													
Peak Avg																																																																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>59.66</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>58.38</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>262</td><td>259 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>47.05</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>262</td><td>259 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	45.70	68.20	-22.50	59.66	37.44	15.52	66.92	0.00	--	PEAK	2	15660.00	53.28	74.00	-20.72	58.38	39.86	19.12	64.08	0.00	262	259 PEAK	3	15660.00	41.95	54.00	-12.05	47.05	39.86	19.12	64.08	0.00	262	259 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.03</td><td>68.20</td><td>-21.17</td><td>60.99</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>59.63</td><td>74.00</td><td>-14.37</td><td>64.73</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>125</td><td>184 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>50.32</td><td>39.86</td><td>19.12</td><td>64.08</td><td>0.00</td><td>125</td><td>184 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	47.03	68.20	-21.17	60.99	37.44	15.52	66.92	0.00	--	PEAK	2	15660.00	59.63	74.00	-14.37	64.73	39.86	19.12	64.08	0.00	125	184 PEAK	3	15660.00	45.22	54.00	-8.78	50.32	39.86	19.12	64.08	0.00	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	10440.00	45.70	68.20	-22.50	59.66	37.44	15.52	66.92	0.00	--	PEAK																																																																																																																																															
2	15660.00	53.28	74.00	-20.72	58.38	39.86	19.12	64.08	0.00	262	259 PEAK																																																																																																																																															
3	15660.00	41.95	54.00	-12.05	47.05	39.86	19.12	64.08	0.00	262	259 AVERAGE																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	10440.00	47.03	68.20	-21.17	60.99	37.44	15.52	66.92	0.00	--	PEAK																																																																																																																																															
2	15660.00	59.63	74.00	-14.37	64.73	39.86	19.12	64.08	0.00	125	184 PEAK																																																																																																																																															
3	15660.00	45.22	54.00	-8.78	50.32	39.86	19.12	64.08	0.00	125	184 AVERAGE																																																																																																																																															



		12																																																																									
Mode		Harmonic																																																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																									
ANT		STBC 1+2																																																																									
Pol.		Horizontal					Vertical																																																																				
Peak Avg																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.78</td><td>68.20</td><td>-22.42</td><td>59.63</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15720.00</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>61.56</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>282</td><td>262 PEAK</td></tr><tr><td>3 15720.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>49.42</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>282</td><td>262 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.78	68.20	-22.42	59.63	37.48	15.56	66.89	0.00	--	-- PEAK	2 15720.00	56.59	74.00	-17.41	61.56	39.94	19.16	64.07	0.00	282	262 PEAK	3 15720.00	44.45	54.00	-9.55	49.42	39.94	19.16	64.07	0.00	282	262 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 10480.00	45.78	68.20	-22.42	59.63	37.48	15.56	66.89	0.00	--	-- PEAK																																																																	
2 15720.00	56.59	74.00	-17.41	61.56	39.94	19.16	64.07	0.00	282	262 PEAK																																																																	
3 15720.00	44.45	54.00	-9.55	49.42	39.94	19.16	64.07	0.00	282	262 AVERAGE																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>46.60</td><td>68.20</td><td>-21.60</td><td>60.45</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15720.00</td><td>59.79</td><td>74.00</td><td>-14.21</td><td>64.76</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>254</td><td>185 PEAK</td></tr><tr><td>3 15720.00</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>51.56</td><td>39.94</td><td>19.16</td><td>64.07</td><td>0.00</td><td>254</td><td>185 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	46.60	68.20	-21.60	60.45	37.48	15.56	66.89	0.00	--	-- PEAK	2 15720.00	59.79	74.00	-14.21	64.76	39.94	19.16	64.07	0.00	254	185 PEAK	3 15720.00	46.59	54.00	-7.41	51.56	39.94	19.16	64.07	0.00	254	185 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1 10480.00	46.60	68.20	-21.60	60.45	37.48	15.56	66.89	0.00	--	-- PEAK																																																																	
2 15720.00	59.79	74.00	-14.21	64.76	39.94	19.16	64.07	0.00	254	185 PEAK																																																																	
3 15720.00	46.59	54.00	-7.41	51.56	39.94	19.16	64.07	0.00	254	185 AVERAGE																																																																	







		13																																																																																	
Mode		Harmonic																																																																																	
		U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																	
ANT		STBC 1+2																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.21</td><td>68.20</td><td>-21.99</td><td>59.96</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>58.47</td><td>74.00</td><td>-15.53</td><td>63.27</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>300</td><td>267</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>50.86</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>300</td><td>267</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10520.00	46.21	68.20	-21.99	59.96	37.52	15.60	66.87	0.00	--	--	PEAK	2	15780.00	58.47	74.00	-15.53	63.27	40.06	19.20	64.06	0.00	300	267	PEAK	3	15780.00	46.06	54.00	-7.94	50.86	40.06	19.20	64.06	0.00	300	267	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10520.00	46.21	68.20	-21.99	59.96	37.52	15.60	66.87	0.00	--	--	PEAK																																																																							
2	15780.00	58.47	74.00	-15.53	63.27	40.06	19.20	64.06	0.00	300	267	PEAK																																																																							
3	15780.00	46.06	54.00	-7.94	50.86	40.06	19.20	64.06	0.00	300	267	AVERAGE																																																																							
																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.96</td><td>68.20</td><td>-21.24</td><td>60.71</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>68.59</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>133</td><td>188</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>54.97</td><td>40.06</td><td>19.20</td><td>64.06</td><td>0.00</td><td>133</td><td>188</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10520.00	46.96	68.20	-21.24	60.71	37.52	15.60	66.87	0.00	--	--	PEAK	2	15780.00	63.79	74.00	-10.21	68.59	40.06	19.20	64.06	0.00	133	188	PEAK	3	15780.00	50.17	54.00	-3.83	54.97	40.06	19.20	64.06	0.00	133	188	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10520.00	46.96	68.20	-21.24	60.71	37.52	15.60	66.87	0.00	--	--	PEAK																																																																							
2	15780.00	63.79	74.00	-10.21	68.59	40.06	19.20	64.06	0.00	133	188	PEAK																																																																							
3	15780.00	50.17	54.00	-3.83	54.97	40.06	19.20	64.06	0.00	133	188	AVERAGE																																																																							







Mode	14																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																																							
ANT	STBC 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>58.15</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15900.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>57.37</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>302 268 PEAK</td></tr><tr><td>3 15900.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>46.63</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>302 268 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	44.59	74.00	-29.41	58.15	37.60	15.67	66.83	0.00	-- -- PEAK	2 15900.00	52.81	74.00	-21.19	57.37	40.20	19.28	64.04	0.00	302 268 PEAK	3 15900.00	42.07	54.00	-11.93	46.63	40.20	19.28	64.04	0.00	302 268 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>67.66</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>131</td><td>223 PEAK</td></tr><tr><td>2 10600.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>58.13</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>131</td><td>223 AVERAGE</td></tr><tr><td>3 15900.00</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>60.31</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>244</td><td>186 PEAK</td></tr><tr><td>4 15900.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>49.82</td><td>40.20</td><td>19.28</td><td>64.04</td><td>0.00</td><td>244</td><td>186 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	54.10	74.00	-19.90	67.66	37.60	15.67	66.83	0.00	131	223 PEAK	2 10600.00	44.57	54.00	-9.43	58.13	37.60	15.67	66.83	0.00	131	223 AVERAGE	3 15900.00	55.75	74.00	-18.25	60.31	40.20	19.28	64.04	0.00	244	186 PEAK	4 15900.00	45.26	54.00	-8.74	49.82	40.20	19.28	64.04	0.00	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 10600.00	44.59	74.00	-29.41	58.15	37.60	15.67	66.83	0.00	-- -- PEAK																																																																																																																															
2 15900.00	52.81	74.00	-21.19	57.37	40.20	19.28	64.04	0.00	302 268 PEAK																																																																																																																															
3 15900.00	42.07	54.00	-11.93	46.63	40.20	19.28	64.04	0.00	302 268 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 10600.00	54.10	74.00	-19.90	67.66	37.60	15.67	66.83	0.00	131	223 PEAK																																																																																																																														
2 10600.00	44.57	54.00	-9.43	58.13	37.60	15.67	66.83	0.00	131	223 AVERAGE																																																																																																																														
3 15900.00	55.75	74.00	-18.25	60.31	40.20	19.28	64.04	0.00	244	186 PEAK																																																																																																																														
4 15900.00	45.26	54.00	-8.74	49.82	40.20	19.28	64.04	0.00	244	186 AVERAGE																																																																																																																														



Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.45</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>40.12</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>157</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.45	57.56	74.00	-16.44	40.12	34.60	12.58	29.74	0.00	157	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.03</td><td>-----</td><td>-----</td><td>87.76</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>157</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.03	-----	-----	87.76	34.47	12.59	29.79	0.00	157	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.45	57.56	74.00	-16.44	40.12	34.60	12.58	29.74	0.00	157	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.03	-----	-----	87.76	34.47	12.59	29.79	0.00	157	331	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.63</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>30.48</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>157</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.63	47.91	54.00	-6.09	30.48	34.60	12.57	29.74	0.00	157	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.18</td><td>-----</td><td>-----</td><td>78.91</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>157</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.18	-----	-----	78.91	34.47	12.59	29.79	0.00	157	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.63	47.91	54.00	-6.09	30.48	34.60	12.57	29.74	0.00	157	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	96.18	-----	-----	78.91	34.47	12.59	29.79	0.00	157	331	AVERAGE																																																																																							







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.85</td><td>59.29</td><td>74.00</td><td>-14.71</td><td>41.85</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>270</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.85	59.29	74.00	-14.71	41.85	34.60	12.58	29.74	0.00	270	155	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.15</td><td>-----</td><td>-----</td><td>90.88</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>270</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.15	-----	-----	90.88	34.47	12.59	29.79	0.00	270	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.85	59.29	74.00	-14.71	41.85	34.60	12.58	29.74	0.00	270	155	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	108.15	-----	-----	90.88	34.47	12.59	29.79	0.00	270	155	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.35</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>32.70</td><td>34.60</td><td>12.57</td><td>29.74</td><td>0.00</td><td>270</td><td>155</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.35	50.13	54.00	-3.87	32.70	34.60	12.57	29.74	0.00	270	155	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.63</td><td>-----</td><td>-----</td><td>83.36</td><td>34.47</td><td>12.59</td><td>29.79</td><td>0.00</td><td>270</td><td>155</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.63	-----	-----	83.36	34.47	12.59	29.79	0.00	270	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.35	50.13	54.00	-3.87	32.70	34.60	12.57	29.74	0.00	270	155	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.63	-----	-----	83.36	34.47	12.59	29.79	0.00	270	155	AVERAGE																																																																																							







		15																																																																															
Mode		Harmonic																																																																															
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																															
ANT		STBC 1+2																																																																															
Pol.		Horizontal					Vertical																																																																										
Peak Avg																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 10640.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>57.92</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15960.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>52.32</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>100 360 PEAK</td></tr><tr><td>3 15960.00</td><td>37.93</td><td>54.00</td><td>-16.07</td><td>42.29</td><td>40.36</td><td>19.31</td><td>64.03</td><td>0.00</td><td>100 360 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 10640.00	44.42	74.00	-29.58	57.92	37.60	15.71	66.81	0.00	-- -- PEAK	2 15960.00	47.99	74.00	-26.01	52.32	40.38	19.32	64.03	0.00	100 360 PEAK	3 15960.00	37.93	54.00	-16.07	42.29	40.36	19.31	64.03	0.00	100 360 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1 10640.00	44.42	74.00	-29.58	57.92	37.60	15.71	66.81	0.00	-- -- PEAK																																																																								
2 15960.00	47.99	74.00	-26.01	52.32	40.38	19.32	64.03	0.00	100 360 PEAK																																																																								
3 15960.00	37.93	54.00	-16.07	42.29	40.36	19.31	64.03	0.00	100 360 AVERAGE																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 10640.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>64.19</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>196 223 PEAK</td></tr><tr><td>2 10640.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>55.48</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>196 223 AVERAGE</td></tr><tr><td>3 15960.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>53.51</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>196 223 PEAK</td></tr><tr><td>4 15960.00</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>43.66</td><td>40.38</td><td>19.32</td><td>64.03</td><td>0.00</td><td>196 223 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 10640.00	50.69	74.00	-23.31	64.19	37.60	15.71	66.81	0.00	196 223 PEAK	2 10640.00	41.98	54.00	-12.02	55.48	37.60	15.71	66.81	0.00	196 223 AVERAGE	3 15960.00	49.18	74.00	-24.82	53.51	40.38	19.32	64.03	0.00	196 223 PEAK	4 15960.00	39.33	54.00	-14.67	43.66	40.38	19.32	64.03	0.00	196 223 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1 10640.00	50.69	74.00	-23.31	64.19	37.60	15.71	66.81	0.00	196 223 PEAK																																																																								
2 10640.00	41.98	54.00	-12.02	55.48	37.60	15.71	66.81	0.00	196 223 AVERAGE																																																																								
3 15960.00	49.18	74.00	-24.82	53.51	40.38	19.32	64.03	0.00	196 223 PEAK																																																																								
4 15960.00	39.33	54.00	-14.67	43.66	40.38	19.32	64.03	0.00	196 223 AVERAGE																																																																								





Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	STBC 1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.93</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>38.75</td><td>34.60</td><td>12.81</td><td>29.58</td><td>0.00</td><td>100</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5465.45</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>38.84</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>100</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.93	56.58	74.00	-17.42	38.75	34.60	12.81	29.58	0.00	100	40	PEAK	2	5465.45	56.76	68.20	-11.44	38.84	34.60	12.88	29.56	0.00	100	40	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.56</td><td>-----</td><td>-----</td><td>86.41</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>100</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.56	-----	-----	86.41	34.60	13.06	29.51	0.00	100	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.93	56.58	74.00	-17.42	38.75	34.60	12.81	29.58	0.00	100	40	PEAK																																																																																																				
2	5465.45	56.76	68.20	-11.44	38.84	34.60	12.88	29.56	0.00	100	40	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	104.56	-----	-----	86.41	34.60	13.06	29.51	0.00	100	40	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.93</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>29.17</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>40</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	47.04	54.00	-6.96	29.17	34.60	12.84	29.57	0.00	100	40	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.54</td><td>-----</td><td>-----</td><td>78.39</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>100</td><td>40</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.54	-----	-----	78.39	34.60	13.06	29.51	0.00	100	40	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.93	47.04	54.00	-6.96	29.17	34.60	12.84	29.57	0.00	100	40	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	96.54	-----	-----	78.39	34.60	13.06	29.51	0.00	100	40	AVERAGE																																																																																																				





		16																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																		
ANT		STBC 1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	58.36	74.00	-15.64	40.48	34.60	12.85	29.57	0.00	300	39	PEAK	2	5469.61	60.29	68.20	-7.91	42.35	34.60	12.90	29.56	0.00	300	39	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.88	-----	-----	90.73	34.60	13.06	29.51	0.00	300	39
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.69	58.36	74.00	-15.64	40.48	34.60	12.85	29.57	0.00	300	39	PEAK																																																																																								
2	5469.61	60.29	68.20	-7.91	42.35	34.60	12.90	29.56	0.00	300	39	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	108.88	-----	-----	90.73	34.60	13.06	29.51	0.00	300	39	PEAK																																																																																								
Avg																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.30	48.78	54.00	-5.22	30.91	34.60	12.84	29.57	0.00	300	39	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.81	-----	-----	83.66	34.60	13.06	29.51	0.00	300	39	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.30	48.78	54.00	-5.22	30.91	34.60	12.84	29.57	0.00	300	39	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	101.81	-----	-----	83.66	34.60	13.06	29.51	0.00	300	39	AVERAGE																																																																																								






		16																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																												
ANT		STBC 1+2																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>58.94</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>49.46</td><td>68.20</td><td>-18.74</td><td>52.95</td><td>40.89</td><td>19.67</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.27	74.00	-27.73	58.94	37.90	16.04	66.61	0.00	--	PEAK	2	16500.00	49.46	68.20	-18.74	52.95	40.89	19.67	64.05	0.00	--	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11000.00	46.27	74.00	-27.73	58.94	37.90	16.04	66.61	0.00	--	PEAK																																																																			
2	16500.00	49.46	68.20	-18.74	52.95	40.89	19.67	64.05	0.00	--	PEAK																																																																			
																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>65.36</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>56.30</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>48.33</td><td>68.20</td><td>-19.87</td><td>51.78</td><td>40.92</td><td>19.68</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	52.69	74.00	-21.31	65.36	37.90	16.04	66.61	0.00	100	192 PEAK	2	11000.00	43.63	54.00	-10.37	56.30	37.90	16.04	66.61	0.00	100	192 AVERAGE	3	16500.00	48.33	68.20	-19.87	51.78	40.92	19.68	64.05	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11000.00	52.69	74.00	-21.31	65.36	37.90	16.04	66.61	0.00	100	192 PEAK																																																																			
2	11000.00	43.63	54.00	-10.37	56.30	37.90	16.04	66.61	0.00	100	192 AVERAGE																																																																			
3	16500.00	48.33	68.20	-19.87	51.78	40.92	19.68	64.05	0.00	--	PEAK																																																																			






		17																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																						
ANT		STBC 1+2																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.03	74.00	-27.97	58.54	37.86	16.15	66.52	0.00	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11160.00	46.03	74.00	-27.97	58.54	37.86	16.15	66.52	0.00	--	PEAK																																													
Peak Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	53.77	74.00	-20.23	66.28	37.86	16.15	66.52	0.00	228	183	PEAK	2	11160.00	43.61	54.00	-10.39	56.12	37.86	16.15	66.52	0.00	228	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11160.00	53.77	74.00	-20.23	66.28	37.86	16.15	66.52	0.00	228	183	PEAK																																												
2	11160.00	43.61	54.00	-10.39	56.12	37.86	16.15	66.52	0.00	228	183	AVERAGE																																												





Mode	18																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																														
ANT	STBC 1+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.12</td><td>60.56</td><td>68.20</td><td>-7.64</td><td>42.32</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>108</td><td>343</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	60.56	68.20	-7.64	42.32	34.65	13.31	29.72	0.00	108	343	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.99</td><td>-----</td><td>-----</td><td>89.89</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>108</td><td>343</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.99	-----	-----	89.89	34.60	13.10	29.60	0.00	108	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5725.12	60.56	68.20	-7.64	42.32	34.65	13.31	29.72	0.00	108	343	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	107.99	-----	-----	89.89	34.60	13.10	29.60	0.00	108	343	PEAK																																																																																																			
Avg	Blank																																																																																																														
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.52</td><td>-----</td><td>-----</td><td>82.42</td><td>34.59</td><td>13.08</td><td>29.57</td><td>0.00</td><td>108</td><td>343</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.52	-----	-----	82.42	34.59	13.08	29.57	0.00	108	343	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	100.52	-----	-----	82.42	34.59	13.08	29.57	0.00	108	343	AVERAGE																																																																																																			







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>64.13</td><td>68.20</td><td>-4.07</td><td>45.89</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>100</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	64.13	68.20	-4.07	45.89	34.65	13.31	29.72	0.00	100	162	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.26</td><td>-----</td><td>-----</td><td>89.16</td><td>34.59</td><td>13.08</td><td>29.57</td><td>0.00</td><td>100</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.26	-----	-----	89.16	34.59	13.08	29.57	0.00	100	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.44	64.13	68.20	-4.07	45.89	34.65	13.31	29.72	0.00	100	162	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	107.26	-----	-----	89.16	34.59	13.08	29.57	0.00	100	162	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.59</td><td>-----</td><td>-----</td><td>82.49</td><td>34.59</td><td>13.08</td><td>29.57</td><td>0.00</td><td>100</td><td>162</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.59	-----	-----	82.49	34.59	13.08	29.57	0.00	100	162	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.59	-----	-----	82.49	34.59	13.08	29.57	0.00	100	162	AVERAGE																																																																																							







		18																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																							
ANT		STBC 1+2																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>58.20</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	46.11	74.00	-27.89	58.20	38.00	16.30	66.39	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11400.00	46.11	74.00	-27.89	58.20	38.00	16.30	66.39	0.00	--	PEAK																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>58.94</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	46.85	74.00	-27.15	58.94	38.00	16.30	66.39	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11400.00	46.85	74.00	-27.15	58.94	38.00	16.30	66.39	0.00	--	PEAK																																														







		19																																									
Mode		Band Edge																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																									
ANT		STBC 1+2																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.70	48.93	74.00	-25.07	40.70	34.37	10.57	36.71	0.00	108	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5109.70	48.93	74.00	-25.07	40.70	34.37	10.57	36.71	0.00	108	351	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.26	-----	-----	93.84	34.42	10.63	36.63	0.00	108	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	102.26	-----	-----	93.84	34.42	10.63	36.63	0.00	108	351	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.00	39.05	54.00	-14.95	30.75	34.39	10.59	36.68	0.00	108	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5133.00	39.05	54.00	-14.95	30.75	34.39	10.59	36.68	0.00	108	351	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.91	-----	-----	87.49	34.42	10.63	36.63	0.00	108	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	95.91	-----	-----	87.49	34.42	10.63	36.63	0.00	108	351	AVERAGE																															







		19																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																																												
ANT		STBC 1+2																																																																																																												
Pol.		Vertical											Fundamental																																																																																																	
Peak																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.40</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>42.75</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>291</td><td>168</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	51.11	74.00	-22.89	42.75	34.40	10.61	36.65	0.00	291	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.95</td><td>-----</td><td>-----</td><td>101.53</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>291</td><td>168</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.95	-----	-----	101.53	34.42	10.63	36.63	0.00	291	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5149.40	51.11	74.00	-22.89	42.75	34.40	10.61	36.65	0.00	291	168	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	109.95	-----	-----	101.53	34.42	10.63	36.63	0.00	291	168	PEAK																																																																																																		
Avg																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.60</td><td>40.82</td><td>54.00</td><td>-13.18</td><td>32.51</td><td>34.39</td><td>10.59</td><td>36.67</td><td>0.00</td><td>291</td><td>168</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.60	40.82	54.00	-13.18	32.51	34.39	10.59	36.67	0.00	291	168	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.74</td><td>-----</td><td>-----</td><td>94.32</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>291</td><td>168</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.74	-----	-----	94.32	34.42	10.63	36.63	0.00	291	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5136.60	40.82	54.00	-13.18	32.51	34.39	10.59	36.67	0.00	291	168	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	102.74	-----	-----	94.32	34.42	10.63	36.63	0.00	291	168	AVERAGE																																																																																																		







Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.30</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>38.75</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>111</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.30	47.86	74.00	-26.14	38.75	34.64	10.77	36.30	0.00	111	337	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.81</td><td>-----</td><td>-----</td><td>95.91</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>111</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.81	-----	-----	95.91	34.57	10.73	36.40	0.00	111	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5399.30	47.86	74.00	-26.14	38.75	34.64	10.77	36.30	0.00	111	337	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.81	-----	-----	95.91	34.57	10.73	36.40	0.00	111	337	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.40</td><td>38.13</td><td>54.00</td><td>-15.87</td><td>29.13</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>111</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.40	38.13	54.00	-15.87	29.13	34.60	10.75	36.35	0.00	111	337	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>98.91</td><td>-----</td><td>-----</td><td>90.01</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>111</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.91	-----	-----	90.01	34.57	10.73	36.40	0.00	111	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5361.40	38.13	54.00	-15.87	29.13	34.60	10.75	36.35	0.00	111	337	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	98.91	-----	-----	90.01	34.57	10.73	36.40	0.00	111	337	AVERAGE																																																																																							







		20																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																	
ANT	STBC 1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.10</td><td>48.64</td><td>74.00</td><td>-25.36</td><td>39.61</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.10	48.64	74.00	-25.36	39.61	34.61	10.76	36.34	0.00	108	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.02</td><td>-----</td><td>-----</td><td>100.12</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.02	-----	-----	100.12	34.57	10.73	36.40	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5372.10	48.64	74.00	-25.36	39.61	34.61	10.76	36.34	0.00	108	172	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	109.02	-----	-----	100.12	34.57	10.73	36.40	0.00	108	172	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.60</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>30.57</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.60	39.57	54.00	-14.43	30.57	34.60	10.75	36.35	0.00	108	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.53</td><td>-----</td><td>-----</td><td>93.61</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.53	-----	-----	93.61	34.58	10.74	36.40	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5361.60	39.57	54.00	-14.43	30.57	34.60	10.75	36.35	0.00	108	172	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	102.53	-----	-----	93.61	34.58	10.74	36.40	0.00	108	172	AVERAGE																																																																																						






		21																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																			
ANT		STBC 1+2																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	50.41	74.00	-23.59	41.10	34.69	10.84	36.22	0.00	100	339	PEAK	2	5468.72	47.32	68.20	-20.88	37.97	34.70	10.85	36.20	0.00	100	339	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.46</td><td>-----</td><td>-----</td><td>97.02</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.46	-----	-----	97.02	34.73	10.88	36.17	0.00	100	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5456.88	50.41	74.00	-23.59	41.10	34.69	10.84	36.22	0.00	100	339	PEAK																																																																																									
2	5468.72	47.32	68.20	-20.88	37.97	34.70	10.85	36.20	0.00	100	339	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	106.46	-----	-----	97.02	34.73	10.88	36.17	0.00	100	339	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	38.77	54.00	-15.23	29.46	34.69	10.84	36.22	0.00	100	339	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.81</td><td>-----</td><td>-----</td><td>90.37</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.81	-----	-----	90.37	34.73	10.88	36.17	0.00	100	339	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5456.88	38.77	54.00	-15.23	29.46	34.69	10.84	36.22	0.00	100	339	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	99.81	-----	-----	90.37	34.73	10.88	36.17	0.00	100	339	AVERAGE																																																																																									






Mode	21																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																																									
ANT	STBC 1+2																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>39.47</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>284</td><td>41 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>39.16</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>284</td><td>41 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	48.79	74.00	-25.21	39.47	34.70	10.84	36.22	0.00	284	41 PEAK	2	5469.20	48.51	68.20	-19.69	39.16	34.70	10.85	36.20	0.00	284	41 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.74</td><td>-----</td><td>-----</td><td>102.30</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>284</td><td>41 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.74	-----	-----	102.30	34.73	10.88	36.17	0.00	284	41 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5459.44	48.79	74.00	-25.21	39.47	34.70	10.84	36.22	0.00	284	41 PEAK																																																																																																															
2	5469.20	48.51	68.20	-19.69	39.16	34.70	10.85	36.20	0.00	284	41 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	111.74	-----	-----	102.30	34.73	10.88	36.17	0.00	284	41 PEAK																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.88</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>30.77</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>284</td><td>41 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	40.08	54.00	-13.92	30.77	34.69	10.84	36.22	0.00	284	41 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.29</td><td>-----</td><td>-----</td><td>93.85</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>284</td><td>41 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.29	-----	-----	93.85	34.73	10.88	36.17	0.00	284	41 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5456.88	40.08	54.00	-13.92	30.77	34.69	10.84	36.22	0.00	284	41 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	103.29	-----	-----	93.85	34.73	10.88	36.17	0.00	284	41 AVERAGE																																																																																																															







Mode	22																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.20</td><td>49.82</td><td>68.20</td><td>-18.38</td><td>41.43</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>132</td><td>4 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.20	49.82	68.20	-18.38	41.43	34.98	11.22	37.81	0.00	132	4 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>108.87</td><td>-----</td><td>-----</td><td>99.84</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>132</td><td>4 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.87	-----	-----	99.84	34.93	11.16	37.06	0.00	132
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5758.20	49.82	68.20	-18.38	41.43	34.98	11.22	37.81	0.00	132	4 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	108.87	-----	-----	99.84	34.93	11.16	37.06	0.00	132	4 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.26</td><td>-----</td><td>-----</td><td>92.23</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>132</td><td>4 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.26	-----	-----	92.23	34.93	11.16	37.06	0.00	132	4 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	101.26	-----	-----	92.23	34.93	11.16	37.06	0.00	132	4 AVERAGE																																																																																						



Mode	22																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																		
ANT	STBC 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.68</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>43.14</td><td>34.95</td><td>11.18</td><td>37.38</td><td>0.00</td><td>132</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.68	51.89	68.20	-16.31	43.14	34.95	11.18	37.38	0.00	132	160	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>115.78</td><td>-----</td><td>-----</td><td>106.75</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>132</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	115.78	-----	-----	106.75	34.93	11.16	37.06	0.00	132	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5730.68	51.89	68.20	-16.31	43.14	34.95	11.18	37.38	0.00	132	160	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	115.78	-----	-----	106.75	34.93	11.16	37.06	0.00	132	160	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.17</td><td>-----</td><td>-----</td><td>96.14</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>132</td><td>160</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.17	-----	-----	96.14	34.93	11.16	37.06	0.00	132	160	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	105.17	-----	-----	96.14	34.93	11.16	37.06	0.00	132	160	AVERAGE																																																																																							



Mode	23																																																																																															
	Band Edge																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																															
ANT	STBC 1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.69</td><td>-----</td><td>-----</td><td>93.24</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.69	-----	-----	93.24	34.43	10.64	36.62	0.00	100	352 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.69</td><td>-----</td><td>-----</td><td>93.24</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>100</td><td>352 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.69	-----	-----	93.24	34.43	10.64	36.62	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	101.69	-----	-----	93.24	34.43	10.64	36.62	0.00	100	352 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	101.69	-----	-----	93.24	34.43	10.64	36.62	0.00	100	352 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.00</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>30.92</td><td>34.36</td><td>10.56</td><td>36.72</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.00	39.12	54.00	-14.88	30.92	34.36	10.56	36.72	0.00	100	352 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.31</td><td>-----</td><td>-----</td><td>86.86</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>100</td><td>352 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.31	-----	-----	86.86	34.43	10.64	36.62	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5102.00	39.12	54.00	-14.88	30.92	34.36	10.56	36.72	0.00	100	352 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	95.31	-----	-----	86.86	34.43	10.64	36.62	0.00	100	352 AVERAGE																																																																																					