








Mode	62																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																
ANT	STBC 1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>56.25</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.12	74.00	-29.88	56.25	37.98	16.29	66.40	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>58.93</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	46.80	74.00	-27.20	58.93	37.98	16.29	66.40	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11380.00	44.12	74.00	-29.88	56.25	37.98	16.29	66.40	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11380.00	46.80	74.00	-27.20	58.93	37.98	16.29	66.40	0.00	--	PEAK																																																																																						







Mode	44	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	STBC 1+2	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	44																																																																																																								
	30-1G																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																								
ANT	STBC 1+2																																																																																																								
Pol.	Horizontal																																																																																																								
QP																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.40</td><td>24.22</td><td>-15.78</td><td>40.00</td><td>41.41</td><td>1.04</td><td>14.69</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>239.52</td><td>23.23</td><td>-22.77</td><td>46.00</td><td>35.87</td><td>2.36</td><td>17.78</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>450.98</td><td>27.97</td><td>-18.03</td><td>46.00</td><td>35.24</td><td>3.24</td><td>22.55</td><td>33.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>481.05</td><td>28.61</td><td>-17.39</td><td>46.00</td><td>35.04</td><td>3.35</td><td>23.19</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>535.37</td><td>27.54</td><td>-18.46</td><td>46.00</td><td>32.39</td><td>3.53</td><td>24.67</td><td>33.05</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>31.31</td><td>-14.69</td><td>46.00</td><td>30.59</td><td>4.73</td><td>27.52</td><td>31.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	49.40	24.22	-15.78	40.00	41.41	1.04	14.69	32.92	---	---	Peak	2	239.52	23.23	-22.77	46.00	35.87	2.36	17.78	32.78	---	---	Peak	3	450.98	27.97	-18.03	46.00	35.24	3.24	22.55	33.06	---	---	Peak	4	481.05	28.61	-17.39	46.00	35.04	3.35	23.19	32.97	---	---	Peak	5	535.37	27.54	-18.46	46.00	32.39	3.53	24.67	33.05	---	---	Peak	6	958.29	31.31	-14.69	46.00	30.59	4.73	27.52	31.53	---	---	Peak
		Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	49.40	24.22	-15.78	40.00	41.41	1.04	14.69	32.92	---	---	Peak																																																																																														
2	239.52	23.23	-22.77	46.00	35.87	2.36	17.78	32.78	---	---	Peak																																																																																														
3	450.98	27.97	-18.03	46.00	35.24	3.24	22.55	33.06	---	---	Peak																																																																																														
4	481.05	28.61	-17.39	46.00	35.04	3.35	23.19	32.97	---	---	Peak																																																																																														
5	535.37	27.54	-18.46	46.00	32.39	3.53	24.67	33.05	---	---	Peak																																																																																														
6	958.29	31.31	-14.69	46.00	30.59	4.73	27.52	31.53	---	---	Peak																																																																																														
				</																																																																																																					





<Simultaneous transmission>

		65																																																				
Mode		Band Edge																																																				
		2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																				
ANT		1																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.50</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>44.21</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>239</td><td>360 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.50	53.09	74.00	-20.91	44.21	32.47	7.26	36.85	6.00	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2483.50	53.09	74.00	-20.91	44.21	32.47	7.26	36.85	6.00	239	360 PEAK																																												
Fundamental																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>103.50</td><td>-----</td><td>-----</td><td>94.73</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>239</td><td>360 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	103.50	-----	-----	94.73	32.46	7.25	36.86	6.00	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2480.00	103.50	-----	-----	94.73	32.46	7.25	36.86	6.00	239	360 PEAK																																												
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.50</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>34.15</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>239</td><td>360 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.50	43.03	54.00	-10.97	34.15	32.47	7.26	36.85	6.00	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2483.50	43.03	54.00	-10.97	34.15	32.47	7.26	36.85	6.00	239	360 AVERAGE																																												
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>101.37</td><td>-----</td><td>-----</td><td>92.52</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>239</td><td>360 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	101.37	-----	-----	92.52	32.46	7.25	36.86	6.00	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2480.00	101.37	-----	-----	92.52	32.46	7.25	36.86	6.00	239	360 AVERAGE																																												







Mode	65																																																																																																
	Band Edge																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.46</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>40.47</td><td>32.48</td><td>7.27</td><td>36.83</td><td>6.00</td><td>123</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.46	49.39	74.00	-24.61	40.47	32.48	7.27	36.83	6.00	123	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.96</td><td>-----</td><td>-----</td><td>88.11</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>123</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.96	-----	-----	88.11	32.46	7.25	36.86	6.00	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2490.46	49.39	74.00	-24.61	40.47	32.48	7.27	36.83	6.00	123	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	96.96	-----	-----	88.11	32.46	7.25	36.86	6.00	123	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>31.02</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>123</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	39.90	54.00	-14.10	31.02	32.47	7.26	36.85	6.00	123	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.54</td><td>-----</td><td>-----</td><td>85.69</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>123</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.54	-----	-----	85.69	32.46	7.25	36.86	6.00	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	39.90	54.00	-14.10	31.02	32.47	7.26	36.85	6.00	123	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	94.54	-----	-----	85.69	32.46	7.25	36.86	6.00	123	0 AVERAGE																																																																																						




Mode	65																																																																																																																											
	Harmonic																																																																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4959.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>68.09</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>59.57</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4959.00	47.12	74.00	-26.88	68.09	34.22	10.40	65.59	0.00	--	Peak	2	7440.00	41.52	74.00	-32.48	59.57	35.00	12.78	66.63	0.00	--	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>61.79</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>60.52</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.82	74.00	-33.18	61.79	34.22	10.40	65.59	0.00	--	PEAK	2	7440.00	42.47	74.00	-31.53	60.52	35.00	12.78	66.63	0.00	--	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	4959.00	47.12	74.00	-26.88	68.09	34.22	10.40	65.59	0.00	--	Peak																																																																																																																	
2	7440.00	41.52	74.00	-32.48	59.57	35.00	12.78	66.63	0.00	--	PEAK																																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	4960.00	40.82	74.00	-33.18	61.79	34.22	10.40	65.59	0.00	--	PEAK																																																																																																																	
2	7440.00	42.47	74.00	-31.53	60.52	35.00	12.78	66.63	0.00	--	PEAK																																																																																																																	



		65																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																																																										
ANT		STBC 1+2																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak																																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	54.49	74.00	-19.51	45.18	34.69	10.84	36.22	0.00	294 155 PEAK	2	5465.84	57.79	68.20	-10.41	48.45	34.70	10.85	36.21	0.00	294 155 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>89.85</td><td>-----</td><td>-----</td><td>86.99</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>294 155 Peak</td></tr><tr><td>2</td><td>5510.00</td><td>108.02</td><td>-----</td><td>-----</td><td>98.54</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>294 155 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	89.85	-----	-----	86.99	32.46	7.25	36.85	0.00	294 155 Peak	2	5510.00	108.02	-----	-----	98.54	34.74	10.89	36.15	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5458.64	54.49	74.00	-19.51	45.18	34.69	10.84	36.22	0.00	294 155 PEAK																																																																																																		
2	5465.84	57.79	68.20	-10.41	48.45	34.70	10.85	36.21	0.00	294 155 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2482.00	89.85	-----	-----	86.99	32.46	7.25	36.85	0.00	294 155 Peak																																																																																																		
2	5510.00	108.02	-----	-----	98.54	34.74	10.89	36.15	0.00	294 155 PEAK																																																																																																		
Avg																																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.55	54.00	-3.45	41.22	34.70	10.84	36.21	0.00	294 155 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>86.97</td><td>-----</td><td>-----</td><td>84.11</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>294 155 Average</td></tr><tr><td>2</td><td>5510.00</td><td>100.30</td><td>-----</td><td>-----</td><td>90.82</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>294 155 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	86.97	-----	-----	84.11	32.46	7.25	36.85	0.00	294 155 Average	2	5510.00	100.30	-----	-----	90.82	34.74	10.89	36.15	0.00	294 155 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.92	50.55	54.00	-3.45	41.22	34.70	10.84	36.21	0.00	294 155 Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2482.00	86.97	-----	-----	84.11	32.46	7.25	36.85	0.00	294 155 Average																																																																																																		
2	5510.00	100.30	-----	-----	90.82	34.74	10.89	36.15	0.00	294 155 AVERAGE																																																																																																		




Mode	65																																																							
	Band Edge - R																																																							
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.56</td><td>48.23</td><td>68.20</td><td>-19.97</td><td>39.47</td><td>34.95</td><td>11.18</td><td>37.37</td><td>0.00</td><td>294</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.56	48.23	68.20	-19.97	39.47	34.95	11.18	37.37	0.00	294	155	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.56	48.23	68.20	-19.97	39.47	34.95	11.18	37.37	0.00	294	155	PEAK																																												




		65																																																																																																																				
Mode		Band Edge - L																																																																																																																				
		U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																																																																				
ANT		STBC 1+2																																																																																																																				
Pol.	Vertical											Fundamental																																																																																																										
Peak																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>42.51</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>54.01</td><td>68.20</td><td>-14.19</td><td>44.68</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5457.52	51.82	74.00	-22.18	42.51	34.69	10.84	36.22	0.00	138	360	PEAK	2	5463.76	54.01	68.20	-14.19	44.68	34.70	10.84	36.21	0.00	138	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>93.05</td><td>-----</td><td>-----</td><td>90.19</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>138</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>105.71</td><td>-----</td><td>-----</td><td>96.23</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2482.00	93.05	-----	-----	90.19	32.46	7.25	36.85	0.00	138	360	Peak	2	5510.00	105.71	-----	-----	96.23	34.74	10.89	36.15	0.00	138	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																												
1	5457.52	51.82	74.00	-22.18	42.51	34.69	10.84	36.22	0.00	138	360	PEAK																																																																																																										
2	5463.76	54.01	68.20	-14.19	44.68	34.70	10.84	36.21	0.00	138	360	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																												
1	2482.00	93.05	-----	-----	90.19	32.46	7.25	36.85	0.00	138	360	Peak																																																																																																										
2	5510.00	105.71	-----	-----	96.23	34.74	10.89	36.15	0.00	138	360	PEAK																																																																																																										
Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>34.05</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5458.00	43.37	54.00	-10.63	34.05	34.70	10.84	36.22	0.00	138	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>90.50</td><td>-----</td><td>-----</td><td>87.64</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>138</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5510.00</td><td>94.83</td><td>-----</td><td>-----</td><td>85.35</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2482.00	90.50	-----	-----	87.64	32.46	7.25	36.85	0.00	138	360	Average	2	5510.00	94.83	-----	-----	85.35	34.74	10.89	36.15	0.00	138	360	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																												
1	5458.00	43.37	54.00	-10.63	34.05	34.70	10.84	36.22	0.00	138	360	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																												
1	2482.00	90.50	-----	-----	87.64	32.46	7.25	36.85	0.00	138	360	Average																																																																																																										
2	5510.00	94.83	-----	-----	85.35	34.74	10.89	36.15	0.00	138	360	AVERAGE																																																																																																										







Mode	2																																																							
	Band Edge - R																																																							
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	STBC 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.36</td><td>47.78</td><td>68.20</td><td>-20.42</td><td>38.96</td><td>34.95</td><td>11.18</td><td>37.31</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.36	47.78	68.20	-20.42	38.96	34.95	11.18	37.31	0.00	138	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.36	47.78	68.20	-20.42	38.96	34.95	11.18	37.31	0.00	138	360	PEAK																																												



		65																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																				
ANT		STBC 1+2																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>56.73</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.07	74.00	-29.93	56.73	37.88	16.06	66.60	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	44.07	74.00	-29.93	56.73	37.88	16.06	66.60	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>57.17</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.51	74.00	-29.49	57.17	37.88	16.06	66.60	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	44.51	74.00	-29.49	57.17	37.88	16.06	66.60	0.00	--	PEAK																																											







Mode	66																																																																																																
	Band Edge																																																																																																
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full_5510MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.57</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>40.70</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>304</td><td>241</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.57	48.92	74.00	-25.08	40.70	32.17	7.10	37.05	6.00	304	241	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>100.94</td><td>-----</td><td>-----</td><td>92.28</td><td>32.39</td><td>7.20</td><td>36.93</td><td>6.00</td><td>304</td><td>241</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	100.94	-----	-----	92.28	32.39	7.20	36.93	6.00	304	241	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2386.57	48.92	74.00	-25.08	40.70	32.17	7.10	37.05	6.00	304	241	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2452.00	100.94	-----	-----	92.28	32.39	7.20	36.93	6.00	304	241	PEAK																																																																																					
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.31</td><td>38.74</td><td>54.00</td><td>-15.26</td><td>30.53</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>304</td><td>241</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.31	38.74	54.00	-15.26	30.53	32.16	7.10	37.05	6.00	304	241	AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>90.83</td><td>-----</td><td>-----</td><td>82.17</td><td>32.39</td><td>7.20</td><td>36.93</td><td>6.00</td><td>304</td><td>241</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	90.83	-----	-----	82.17	32.39	7.20	36.93	6.00	304	241	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2386.31	38.74	54.00	-15.26	30.53	32.16	7.10	37.05	6.00	304	241	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2452.00	90.83	-----	-----	82.17	32.39	7.20	36.93	6.00	304	241	AVERAGE																																																																																					



Mode	66																																																					
	Band Edge																																																					
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full_5510MHz																																																					
ANT	1																																																					
Pol.	Horizontal							Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>41.31</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>304</td><td>241 PEAk</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	50.20	74.00	-23.80	41.31	32.47	7.26	36.84	6.00	304	241 PEAk	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.90	50.20	74.00	-23.80	41.31	32.47	7.26	36.84	6.00	304	241 PEAk																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>40.07</td><td>54.00</td><td>-13.93</td><td>31.19</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>304</td><td>241 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	40.07	54.00	-13.93	31.19	32.47	7.26	36.85	6.00	304	241 AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.40	40.07	54.00	-13.93	31.19	32.47	7.26	36.85	6.00	304	241 AVERAGE																																											





Mode	66																																																																																															
	Band Edge																																																																																															
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full_5510MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.97</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>41.14</td><td>31.88</td><td>7.06</td><td>37.06</td><td>6.00</td><td>227</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.97	49.02	74.00	-24.98	41.14	31.88	7.06	37.06	6.00	227	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.51</td><td>-----</td><td>-----</td><td>93.82</td><td>32.40</td><td>7.21</td><td>36.92</td><td>6.00</td><td>227</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.51	-----	-----	93.82	32.40	7.21	36.92	6.00	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2357.97	49.02	74.00	-24.98	41.14	31.88	7.06	37.06	6.00	227	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2452.00	102.51	-----	-----	93.82	32.40	7.21	36.92	6.00	227	0 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>39.02</td><td>54.00</td><td>-14.98</td><td>30.78</td><td>32.19</td><td>7.10</td><td>37.05</td><td>6.00</td><td>227</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	39.02	54.00	-14.98	30.78	32.19	7.10	37.05	6.00	227	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>93.64</td><td>-----</td><td>-----</td><td>84.95</td><td>32.40</td><td>7.21</td><td>36.92</td><td>6.00</td><td>227</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	93.64	-----	-----	84.95	32.40	7.21	36.92	6.00	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2389.04	39.02	54.00	-14.98	30.78	32.19	7.10	37.05	6.00	227	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2452.00	93.64	-----	-----	84.95	32.40	7.21	36.92	6.00	227	0 AVERAGE																																																																																					







Mode	66																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full_5510MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>52.96</td><td>74.00</td><td>-21.04</td><td>44.08</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>227</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	52.96	74.00	-21.04	44.08	32.47	7.26	36.85	6.00	227	0	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.22	52.96	74.00	-21.04	44.08	32.47	7.26	36.85	6.00	227	0	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>33.82</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>227</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	42.70	54.00	-11.30	33.82	32.47	7.26	36.85	6.00	227	0	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	42.70	54.00	-11.30	33.82	32.47	7.26	36.85	6.00	227	0	AVERAGE																																											




Mode	66																																																																											
	Harmonic																																																																											
	2400-2483.5_2400-2483.5_802.11ax HE40_CH9_Full_5510MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>60.49</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.15</td><td>74.00</td><td>-31.85</td><td>60.03</td><td>35.00</td><td>12.73</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	39.44	74.00	-34.56	60.49	34.17	10.33	65.55	0.00	--	--	PEAK	2	7356.00	42.15	74.00	-31.85	60.03	35.00	12.73	66.41	0.00	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1	4904.00	39.44	74.00	-34.56	60.49	34.17	10.33	65.55	0.00	--	--	PEAK																																																																
2	7356.00	42.15	74.00	-31.85	60.03	35.00	12.73	66.41	0.00	--	--	Peak																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>60.37</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>59.40</td><td>35.00</td><td>12.73</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	39.32	74.00	-34.68	60.37	34.17	10.33	65.55	0.00	--	--	PEAK	2	7356.00	41.52	74.00	-32.48	59.40	35.00	12.73	66.41	0.00	--	--	Peak	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1	4904.00	39.32	74.00	-34.68	60.37	34.17	10.33	65.55	0.00	--	--	PEAK																																																																
2	7356.00	41.52	74.00	-32.48	59.40	35.00	12.73	66.41	0.00	--	--	Peak																																																																



Mode	66																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	50.47	74.00	-23.53	41.15	34.70	10.84	36.22	0.00	100	241	PEAK	2	5463.60	51.33	68.20	-16.87	42.00	34.70	10.84	36.21	0.00	100	241	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>76.81</td><td>-----</td><td>74.19</td><td>32.38</td><td>7.19</td><td>36.95</td><td>0.00</td><td>100</td><td>241</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>101.62</td><td>-----</td><td>92.14</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	76.81	-----	74.19	32.38	7.19	36.95	0.00	100	241	Peak	2	5510.00	101.62	-----	92.14	34.74	10.89	36.15	0.00	100	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.28	50.47	74.00	-23.53	41.15	34.70	10.84	36.22	0.00	100	241	PEAK																																																																																																				
2	5463.60	51.33	68.20	-16.87	42.00	34.70	10.84	36.21	0.00	100	241	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2440.00	76.81	-----	74.19	32.38	7.19	36.95	0.00	100	241	Peak																																																																																																					
2	5510.00	101.62	-----	92.14	34.74	10.89	36.15	0.00	100	241	PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>32.31</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	41.63	54.00	-12.37	32.31	34.70	10.84	36.22	0.00	100	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>68.80</td><td>-----</td><td>66.18</td><td>32.38</td><td>7.19</td><td>36.95</td><td>0.00</td><td>100</td><td>241</td><td>Average</td></tr><tr><td>2</td><td>5510.00</td><td>92.58</td><td>-----</td><td>83.10</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	68.80	-----	66.18	32.38	7.19	36.95	0.00	100	241	Average	2	5510.00	92.58	-----	83.10	34.74	10.89	36.15	0.00	100	241	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.96	41.63	54.00	-12.37	32.31	34.70	10.84	36.22	0.00	100	241	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2440.00	68.80	-----	66.18	32.38	7.19	36.95	0.00	100	241	Average																																																																																																					
2	5510.00	92.58	-----	83.10	34.74	10.89	36.15	0.00	100	241	AVERAGE																																																																																																					




Mode	66																																																							
	Band Edge - R																																																							
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.04</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>38.86</td><td>34.97</td><td>11.21</td><td>37.69</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.04	47.35	68.20	-20.85	38.86	34.97	11.21	37.69	0.00	100	241	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.04	47.35	68.20	-20.85	38.86	34.97	11.21	37.69	0.00	100	241	PEAK																																												





Mode	66																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>43.55</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>280</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>47.33</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>280</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	52.87	74.00	-21.13	43.55	34.70	10.84	36.22	0.00	280	146	PEAK	2	5470.00	56.69	68.20	-11.51	47.33	34.71	10.85	36.20	0.00	280	146	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>86.27</td><td>-----</td><td>-----</td><td>83.65</td><td>32.38</td><td>7.19</td><td>36.95</td><td>0.00</td><td>280</td><td>146</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>103.02</td><td>-----</td><td>-----</td><td>93.49</td><td>34.75</td><td>10.91</td><td>36.13</td><td>0.00</td><td>280</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.27	-----	-----	83.65	32.38	7.19	36.95	0.00	280	146	Peak	2	5510.00	103.02	-----	-----	93.49	34.75	10.91	36.13	0.00	280	146	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.12	52.87	74.00	-21.13	43.55	34.70	10.84	36.22	0.00	280	146	PEAK																																																																																																																		
2	5470.00	56.69	68.20	-11.51	47.33	34.71	10.85	36.20	0.00	280	146	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2440.00	86.27	-----	-----	83.65	32.38	7.19	36.95	0.00	280	146	Peak																																																																																																																		
2	5510.00	103.02	-----	-----	93.49	34.75	10.91	36.13	0.00	280	146	PEAK																																																																																																																		
Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>34.18</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>280</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.50	54.00	-10.50	34.18	34.70	10.84	36.22	0.00	280	146	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2450.00</td><td>77.36</td><td>-----</td><td>-----</td><td>74.64</td><td>32.42</td><td>7.21</td><td>36.91</td><td>0.00</td><td>280</td><td>146</td><td>Average</td></tr><tr><td>2</td><td>5510.00</td><td>95.00</td><td>-----</td><td>-----</td><td>85.52</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>280</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2450.00	77.36	-----	-----	74.64	32.42	7.21	36.91	0.00	280	146	Average	2	5510.00	95.00	-----	-----	85.52	34.74	10.89	36.15	0.00	280	146	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.76	43.50	54.00	-10.50	34.18	34.70	10.84	36.22	0.00	280	146	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2450.00	77.36	-----	-----	74.64	32.42	7.21	36.91	0.00	280	146	Average																																																																																																																		
2	5510.00	95.00	-----	-----	85.52	34.74	10.89	36.15	0.00	280	146	AVERAGE																																																																																																																		



Mode	66																																																									
	Band Edge - R																																																									
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																									
ANT	2																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.84</td><td>48.20</td><td>68.20</td><td>-20.00</td><td>39.46</td><td>34.95</td><td>11.18</td><td>37.39</td><td>0.00</td><td>200</td><td>146</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5730.84	48.20	68.20	-20.00	39.46	34.95	11.18	37.39	0.00	200	146	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5730.84	48.20	68.20	-20.00	39.46	34.95	11.18	37.39	0.00	200	146	PEAK																																														




Mode	66																																																																																																														
	Harmonic																																																																																																														
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>57.30</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.64	74.00	-29.36	57.30	37.88	16.06	66.60	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>62.11</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>171</td><td>225</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>39.54</td><td>54.00</td><td>-14.46</td><td>52.19</td><td>37.88</td><td>16.06</td><td>66.59</td><td>0.00</td><td>171</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	49.45	74.00	-24.55	62.11	37.88	16.06	66.60	0.00	171	225	PEAK	2	11020.00	39.54	54.00	-14.46	52.19	37.88	16.06	66.59	0.00	171	225
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11020.00	44.64	74.00	-29.36	57.30	37.88	16.06	66.60	0.00	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11020.00	49.45	74.00	-24.55	62.11	37.88	16.06	66.60	0.00	171	225	PEAK																																																																																																			
2	11020.00	39.54	54.00	-14.46	52.19	37.88	16.06	66.59	0.00	171	225	AVERAGE																																																																																																			

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHz
802.11ax HE20	95.89	1.014	0.986	1KHz
802.11ax HE40	66.91	0.533	1.875	2kHz
802.11ax HE80	86.09	0.287	3.485	3.6kHz
802.11ax HE160	78.67	0.171	5.848	6.2kHz
802.11ax HE20 RU26	94.95	1.410	0.709	0.75KHz
802.11ax HE20 RU52	98.24	-	-	10Hz
802.11ax HE20 RU106	95.39	2.370	0.422	0.48Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU26



802.11ax HE20 RU52



802.11ax HE20 RU106

