

HTT-800

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvP(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ rho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 1.20 mW/g, SAR (10g): 0.831 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 1013(824.70MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM 1 Phantom: Flat Section: Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvP(6.57, 6.57, 6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.02 mW/g, SAR (10g): 0.718 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.18 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 363(835.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM I Phantom: Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.838 mW/g, SAR (10g): 0.580 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.00 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 777(848.31MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.21 mW/g, SAR (10g): 0.836 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.14 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800 (With Charger)

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 1013(824.70MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM 1 Phantom: Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvP(6.57, 6.57, 6.57); Crest factor: 1.0; Body 835 MHz; $\sigma = 1.00$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.17 mW/g, SAR (10g): 0.820 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.04 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800 (With Charger)

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 363(835.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.840 mW/g, SAR (10g): 0.580 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.03 dB

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800 (With Charger)

Company : Hantel Co., LTD.


Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 777(848.31MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004



HTT-800

SAM 1 Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 1.00$ rho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID : ODGHTT-800 / MODEL : HTT-800 (With Charger)

Company : Hantel Co., LTD.

Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel : 1013(824.70MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.2°C

Date Tested : June 10, 2004

