










Figure 115: 16QAM 10MHz B.W.; 1962.5MHz, 15kHz



Figure 116: 16QAM 10MHz B.W.; 1962.5MHz, 30kHz




Figure 117: 16QAM 10MHz B.W.; 1962.5MHz, 60kHz



Figure 118: 16QAM 10MHz B.W.; 1990.0MHz, 15kHz



Figure 119: 16QAM 10MHz B.W.; 1990.0MHz, 30kHz





Figure 120: 16QAM 10MHz B.W.; 1990.0MHz, 60kHz








Figure 133: 16QAM 20MHz B.W.; 1962.5MHz, 15kHz




Figure 134: 16QAM 20MHz B.W.; 1962.5MHz, 30kHz



Figure 135: 16QAM 20MHz B.W.; 1962.5MHz, 60kHz





Figure 136: 16QAM 20MHz B.W.; 1985.0MHz, 15kHz






Figure 137: 16QAM 20MHz B.W.; 1985.0MHz, 30kHz








Figure 138: 16QAM 20MHz B.W.; 1985.0MHz, 60kHz
































Figure 199: 256QAM 20MHz B.W.; 1962.5MHz, 15kHz



Figure 200: 256QAM 20MHz B.W.; 1962.5MHz, 30kHz




Figure 201: 256QAM 20MHz B.W.; 1962.5MHz, 60kHz




Figure 202: 256QAM 20MHz B.W.; 1985.0MHz, 15kHz




Figure 203: 256QAM 20MHz B.W.; 1985.0MHz, 30kHz




Figure 204: 256QAM 20MHz B.W.; 1985.0MHz, 60kHz



4.5 Test Equipment Used; RF Power Output

Instrument	Manufacturer	Model	Serial Number	Calibration	
				Last Calibration Date	Next Calibration Due
EXA signal Analyzer	Agilent Technologies	N9010A	MY52220686	28 November 2018	28 November 2020
Sarokal Signal Generator	Mentor® (A Siemens Business)	X-Step-V	1904008	*	*
30 dB Attenuator	MCL	BW-S30W5	533	24 December 2019	24 December 2020

Table 7 Test Equipment Used

* New test equipment, purchased during January 2020.