



Nemko USA, Inc.
Phone (858) 755-5525 Fax (858) 452-1810
11696 Sorrento Valley Rd., Suite F
San Diego, CA 92121-1024

**Certification Test Report:
Class II Permissive Change**

2006 040271-FCC

Applicant:

Kyocera Wireless Corp.
10300 Campus Point Drive
San Diego, CA 92121
858 449-9835
619 330-4977- fax

NEEDS SUPERVISOR SIGN OFF

Equipment Under Test:

Model M200
New Mobile Mark Antenna RMS3-900/1900

FCC ID:

OVFKWC-M200

In Accordance With:

FCC Part 22, Subpart H, Part 24, Subpart E

Tested By:

Nemko USA, Inc.
11696 Sorrento Valley Rd., Suite F
San Diego, CA 92121-1024

Date:

April 21, 2006

Total Number of Pages:

228

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	2 of 22

Table of Contents

Section 1.	Summary of Test Results	3
Section 2.	General Equipment Specification	6
Section 3.	RF Power Output	7
Section 4.	Occupied Bandwidth.....	12
Section 5.	Spurious Emissions at Antenna Terminals	13
Section 6.	Field Strength of Spurious	14
Section 7.	Frequency Stability	18
Section 8.	Test Equipment List	22

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	3 of 22

Section 1. Summary of Test Results

General

All measurements are traceable to national standards.

These tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with FCC Part 24, Subpart E.

DOCUMENT HISTORY

REVISION	DATE	COMMENTS
-	April 21, 2006	Prepared By: Alan Laudani
-	April 21, 2006	Initial Release: M. Krumwiede

NOTE: Nemko USA, Inc. hereby makes the following statements so as to conform to Chapter 10 (Test Reports) Requirements of ANSI C63.4 (2001) "Methods and Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz":

- o The unit described in this report was received at Nemko USA, Inc.'s facilities on December 20, 2005 . Testing was performed on the unit described in this report on December 20, 2005 to January 12, 2006 .
- o The Test Results reported herein apply only to the Unit actually tested, and to substantially identical Units.
- o This report does not imply the endorsement of the Federal Communications Commission (FCC), NVLAP or any other government agency.

This Report is the property of Nemko USA, Inc., and shall not be reproduced, except in full, without prior written approval of Nemko USA, Inc. However, all ownership rights are hereby returned unconditionally to Kyocera Wireless, and approval is hereby granted to Kyocera Wireless and its employees and agents to reproduce all or part of this report for any legitimate business purpose without further reference to Nemko USA, Inc.

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	4 of 22

CERTIFICATION

Nemko USA, Inc., an independent Electromagnetic Compatibility (EMC) Test Laboratory, produced this Test Report and performed the Radio Frequency Interference (RFI) testing and data evaluation contained herein.

Nemko USA, Inc.'s measurement facility is currently registered with the United States Federal Communications Commission (FCC) in accordance with the provisions of 47 United States Code (CFR) Part 2, Subpart I, Section 2.948(a). A current description of Nemko USA, Inc.'s measurement facility is on file with the FCC. Nemko USA Inc. has additionally satisfied the FCC that it complies with the requirements set forth in 47 CFR Part 2, Subpart I, Section 2.948(d) regarding the accreditation of EMC laboratories. As a result, the FCC has placed Nemko USA Inc. on its list of EMC laboratories approved to perform Declaration of Conformity (DOC) procedure testing.

The RFI testing, test data collection and test data evaluation were accomplished in accordance with the ANSI C63.4-2001 Standard, and in accordance with the applicable sections of the FCC rules (47 CFR Parts 2 and 18)." digital devices. The testing was also accomplished in accordance with Industry Canada's ICES-003 standard for unintentional radiating device per EMCAB-3, Issue 3 (May 1998). The administrative summary of this test report provides a description of the test sample

I hereby certify that the test data, test data evaluation, and equipment configurations used to compile this test report are a true and accurate representation of the test sample's radio frequency interference characteristics as of the test date(s), and, for the design of the test sample.

M. Krumwiede, EMC Manager

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	5 of 22

Summary Of Test Data

The intent of this report is to present representative data to conform to a previously tested module and antenna(s). The Center frequency of one Cellular Test Mode is presented as evident of no pronounced changes in emissions.

Name Of Test	Para. No.	Result
RF Power Output	2.1046	PASS
Occupied Bandwidth	2.1049	NOT TESTED
Spurious Emissions at Antenna Terminals	2.1051	NOT TESTED
Field Strength of Spurious Emissions	2.1053	PASS
Frequency Stability	2.1055	NOT TESTED

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	6 of 22

Section 2. General Equipment Specification

Manufacturer: Kyocera Wireless Corp.

Model No.: M200

Serial No.: Lab. Test Unit 1

Date Received In Laboratory: April 20, 2006

Nemko Project Identifier: 25-1064-EMC

Frequency Ranges: 824.04 – 849.97 MHz
1851.25—1908.75 MHz

RF Output (Grant-Radiated): 29.5 dBm 0.89 W Cellular
25.4 dBm 0.35 W PCS

RF Output (Measured/Substituted): 25.0 dBm 0.32 W Cellular
26.1 dBm 0.41 W PCS

Emission Designator: 40KDF8W, 1M25F9W

FCC Identifier: OVFKWC-M200

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	7 of 22

Section 3. RF Power Output

Para. No.: 2.1046

Test Performed By: Alan Laudani	Date of Test: January 12, 2006
--	---

Minimum Standard: Para. No.: 22,913, 24.232.

Test Results: Pass (within 2 dB of Original Certified Levels)

Measurement Data: Table summarizes data from pages 8--12

Mode	Frequency MHz	Substituted ERP/EIRP dBm	Substituted ERP/EIRP W	Power Level Granted dBm
FM	824.04	24.4		30.4
	836.49	24.2		30.4
	848.97	24.5	0.28	30.4
CDMA	824.70	25.2		30.4
	836.49	24.9		30.4
	848.31	25.0	0.32	30.4
PCS	1851.25	25.8		25.4
	1880.	26.0		25.4
	1908.75	26.1	0.41	25.4

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	8 of 22

Substitution Method For Radiated Emissions

Complete	<u>Yes</u>	Job # :	<u>26-271-KYO</u>	Test # :	<u>7</u>
Preliminary	<u> </u>		Page <u>1</u>	of	<u>1</u>
Client Name :	<u>Kyocera Wireless Corp.</u>				
EUT Name :	<u>MODULE</u>				
EUT Model # :	<u>M200</u>				
EUT Antenna #:	<u>RMS3-900/1899</u>				
EUT Serial # :	<u> </u>				
EUT Config. :	<u>Transmit</u>				
Specification :	<u>FCC Part 22 & Part 24</u>				
Rod. Ant. #:	<u>NA</u>	Temp. (deg. C) :	<u>20</u>	Reference :	<u> </u>
Bicon Ant.#:	<u>NA</u>	Humidity (%) :	<u>59</u>	Date :	<u>4/20/2006</u>
Log Ant.#:	<u>110</u>	EUT Voltage :	<u>na</u>	Time :	<u> </u>
DRG Ant. #	<u>529</u>	EUT Frequency :	<u>na</u>	Staff :	<u>A. Laudani</u>
Dipole Ant.#:	<u>758</u>	Phase:	<u>na</u>	Photo ID:	<u> </u>
Cable#:	<u>60ft</u>	Location:	<u>SOATS</u>	Peak Bandwidth:	<u>RBW-1MHz, VBW-1MHz</u>
Preamp#:	<u>842</u>	Distance:	<u>3m</u>		<u> </u>
Spec An.#:	<u>835</u>				
Signal Generator #:	<u>836</u>				

Frequency mHz	target level	dipole	cable loss dB	Signal Generator dBm	Total (EIRP) dBm
	dBuV/m				
824.04	99.2	0	3.4	27.8	24.4
836.49	99.1	0	3.4	27.6	24.2
848.97	99.3	0	3.4	27.9	24.5
824.70	100.2	0	3.4	28.6	25.2
836.49	99.7	0	3.4	28.3	24.9
848.31	99.9	0	3.4	28.4	25.0

Frequency mHz	target level	Horn Gain dBi	cable loss dB	Signal Generator dBm	Total (EIRP) dBm
	dBuV/m				
1851.25	94.3	7.8	5.4	23.4	25.8
1880.00	94.4	7.8	5.4	23.6	26.0
1908.75	94.6	7.8	5.5	23.8	26.1

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	9 of 22

Radiated Emissions Data										
						Job # : 26-271-KYO		Test # : 1A		
						Page 1		of 1		
Client Name : Kyocera Wireless Corp.										
EUT Name : MODULE										
EUT Model # : M200										
EUT Antenna # : RMS3-900/1900										
EUT Serial # :										
EUT Config. : FM Tx Harmonics										
Emissions were searched for between 1000 MHz and 9000 MHz										
Specification : FCC Part 22										
Reference :										
Rod. Ant. # :		NA		Temp. (°C) :		20		Date : 4/20/06		
Bicon Ant. # :		NA		Humidity (%) :		59		Time :		
Log Ant. # :		110		EUT Voltage :		120		Staff : AAL		
DRG Ant. # :		877		EUT Frequency :		60		Photo ID :		
Dipole Ant. # :		NA		Phase :		1		Peak Bandwidth: 1 MHz		
Cable# :		40ft		Location :		RN# 90579		Video Bandwidth 1 MHz		
Preamp# :		842		Distance :		3m				
Spec An. # :		835								
QP # :		NA								
PreSelect# :		NA								
Meas. Freq. (MHz)	Vertical	Horizontal	CF (db)	Max Level (dBm) pk			EUT Rotation	Ant. Height	Pass Fail Unc.	Comment
824.04			27.2	-97.3			0.0	1.4		
836.49	1.0		26.9	-97.3			0.0	1.4		
848.98	1.0		27.1	-97.3			0.0	1.4		

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	10 of 22

Radiated Emissions Data

Job # : 26-271-KYO Test # : 2A
Page 1 of 1

Client Name : Kyocera Wireless Corp.
EUT Name : MODULE
EUT Model # : M200
EUT Antenna # : RMS3-900/1900
EUT Serial # : _____
EUT Config. : CDMA Tx Harmonics
Emmissions were seached for between 1000 MHz and 9000 MHz

Specification : FCC Part 22 Reference : _____
Rod. Ant. # : NA Temp. (°C) : 20 Date : 4/20/06
Bicon Ant.#: NA Humidity (%) : 59 Time : _____
Log Ant.#: 110 EUT Voltage : 120 Staff : AAL
DRG Ant. # 877 EUT Frequency : 60 Photo ID: _____
Dipole Ant.#: NA Phase: 1 Peak Bandwidth: 1 MHz
Cable#: 40ft Location: RN# 90579 Video Bandwidth 1 MHz
Preamp#: 842 Distance: 3m
Spec An.#: 835
QP #: NA
PreSelect#: NA

Meas. Freq. (MHz)	Vertical (dBuV) pk	Horizontal (dBuV) pk	CF (db)	Max Level (dBm) pk			EUT Rotation	Ant. Height		Comment
824.70	100.2	95.0	27.2	30.1			0.0	1.4		
836.49	99.7	94.8	26.9	29.3			0.0	1.4		
836.31	99.9	94.8	27.1	29.7			0.0	1.4		

<i>Nemko USA, Inc.</i>		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	12 of 22

Section 4. Occupied Bandwidth

Para. No.: 2.1049

Test Performed By:	Date of Test:
---------------------------	----------------------

Minimum Standard: Para. No.: 24.238.

Test Results: NOT TESTED

Test Data:

<i>Nemko USA, Inc.</i>		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	13 of 22

Section 5. Spurious Emissions at Antenna Terminals

Para. No.: 2.1051

Test Performed By:	Date of Test:
---------------------------	----------------------

Minimum Standard: Para. No.: 24.238.

Test Results: NOT TESTED

Test Data:

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	14 of 22

Section 6. Field Strength of Spurious

Para. No.: 2.1053

Test Performed By: Alan Laudani	Date of Test: April 20, 2006
--	-------------------------------------

Minimum Standard: Para. No.: 22.917, 24.238.

Test Results: Pass

Test Data: See attached Tables Page 15-17.

Substitution Method For Radiated Emissions							
Complete	<u>Yes</u>		Job # :	<u>26-271-KYO</u>		Test # :	<u> </u>
Preliminary	<u> </u>			Page	<u>1</u>	of	<u>1</u>
Client Name :	<u>Kyocera Wireless Corp.</u>						
EUT Name :	<u>MODULE</u>						
EUT Model # :	<u>M200</u>						
EUT Antenna #:	<u>RMS3-900/1899</u>						
EUT Serial # :	<u> </u>						
EUT Config. :	<u>Transmit</u>						
Specification :	<u>FCC Part 22 & Part 24</u>					Reference :	<u> </u>
Rod. Ant. #:	<u>NA</u>	Temp. (deg. C) :	<u> </u>	Date :	<u>4/20/2006</u>		
Bicon Ant. #:	<u>NA</u>	Humidity (%) :	<u> </u>	Time :	<u> </u>		
Log Ant. #:	<u>110</u>	EUT Voltage :	<u>na</u>	Staff :	<u>A. Laudani</u>		
DRG Ant. #	<u>529</u>	EUT Frequency :	<u>na</u>	Photo ID:	<u> </u>		
Dipole Ant. #:	<u>NA</u>	Phase:	<u>na</u>	Peak Bandwidth:	<u>RBW-1MHz, VBW-1MHz</u>		
Cable#:	<u>60ft</u>	Location:	<u>SOATS</u>		<u> </u>		
Preamp#:	<u>842</u>	Distance:	<u>3m</u>		<u> </u>		
Spec An. #:	<u>835</u>				<u> </u>		
Signal Generator #:	<u>836</u>				<u> </u>		
target	Horn	cable	Signal	Total	Limit	Margin	
Frequency	Gain	loss	Generator	(EIRP)			
mHz	dBi	dB	dBm	dBm	dbm	dB	
level							
dBuV/m							
3702.50	7.94	6.7	-33.50	-32.26	-13	-19.3	
3817.00	7.96	7	-31.30	-30.34	-13	-17.3	

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	15 of 22

Radiated Emissions Data

Job # : 26-271-KYO Test # : 1
Page 1 of 1

Client Name : Kyocera Wireless Corp.
EUT Name : MODULE
EUT Model # : M200
EUT Antenna # : RMS3-900/1900
EUT Serial # :
EUT Config. : FM Tx Harmonics
Emissions were searched for between 1000 MHz and 9000 MHz
Specification : FCC Part 22 Reference :
Rod. Ant. # : NA Temp. (°C) : 20 Date : 4/20/06
Bicon Ant. # : NA Humidity (%) : 59 Time :
Log Ant. # : 111 EUT Voltage : 120 Staff : AAL
DRG Ant. # : 877 EUT Frequency : 60 Photo ID :
Dipole Ant. # : NA Phase : 1 Peak Bandwidth: 1 MHz
Cable # : 40ft Location: RN# 90579 Video Bandwidth: 1 MHz
Preamp # : 842 Distance: 3m
Spec An. # : 835
QP # : NA
PreSelect # : NA

Meas. Freq. (MHz)	Vertical	Horizontal	CF (db)	Max Level (dBm) pk	Spec. Limit (ERP) (dBm) pk	Margin dB pk	EUT Rotation	Ant. Height	Pass Fail Unc.	Comment
824.04										
1648.08	66.1	69.5	-22.3	-50.1	-13.0	-37.1	0.0	1.5	Pass	
2472.12	75.1	75.4	-15.8	-37.7	-13.0	-24.7	0.0	1.2	Pass	
3296.16	68.9	48.3	-10.3	-38.7	-13.0	-25.7	0.0	1.2	Pass	
4120.20	63.6	60.5	-5.0	-38.6	-13.0	-25.6	0.0	1.4	Pass	
4944.24	53.1	53.7	-4.3	-47.8	-13.0	-34.8	0.0	1.3	Pass	
5768.28	52.9	53.9	-0.9	-44.2	-13.0	-31.2	0.0	1.2	Pass	
6592.32	52.9	53.9	1.0	-42.4	-13.0	-29.4	0.0	1.3	Pass	
836.49										
1672.98	69.1	64.2	-22.3	-50.5	-13.0	-37.5	0.0	1.5	Pass	
2509.47	75.9	74.3	-15.0	-36.4	-13.0	-23.4	0.0	1.2	Pass	
3345.96	61.5	63.3	-10.3	-44.3	-13.0	-31.3	0.0	1.2	Pass	
4182.45	57.3	56.2	-5.0	-44.9	-13.0	-31.9	0.0	1.4	Pass	
5018.94	55.5	51.3	-0.2	-41.9	-13.0	-28.9	0.0	1.3	Pass	
5855.43	53.5	51.2	-0.9	-44.6	-13.0	-31.6	0.0	1.2	Pass	
848.98										
1697.96	62.6	62.7	-22.3	-56.9	-13.0	-43.9	0.0	1.5	Pass	
2546.94	76.8	72.4	-15.0	-35.5	-13.0	-22.5	0.0	1.2	Pass	
3395.92	65.1	60.6	-10.3	-42.5	-13.0	-29.5	0.0	1.2	Pass	
4244.90	58.4	55.1	-5.0	-43.8	-13.0	-30.8	0.0	1.4	Pass	
5093.88	61.1	56.9	-0.2	-36.3	-13.0	-23.3	0.0	1.3	Pass	
5942.86	53.2	53.3	-0.9	-44.8	-13.0	-31.8	0.0	1.2	Pass	
6791.84	52.7	52.7	1.0	-43.6	-13.0	-30.6	0.0	1.0	Pass	

Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	16 of 22

Radiated Emissions Data

Job # : 26-271-KYO Test # : 2
Page 1 of 1

Client Name : Kyocera Wireless Corp.

EUT Name : MODULE

EUT Model # : M200

EUT Antenna #: RMS3-900/1900

EUT Serial # :

EUT Config. : CDMA Tx Harmonics

Emmissions were searched for between 1000 MHz and 9000 MHz

Specification : FCC Part 22

Reference :

Rod. Ant. #: NA Temp. (°C) : 20
Bicon Ant. #: NA Humidity (%) : 59
Log Ant. #: 111 EUT Voltage : 120
DRG Ant. #: 877 EUT Frequency : 60
Dipole Ant. #: NA Phase: 1
Cable#: 40ft Location: RN# 90579
Preamp#: 842 Distance: 3m
Spec An. #: 835
QP #: NA
PreSelect#: NA

Date : 4/20/06
Time :
Staff : AAL
Photo ID:
Peak Bandwidth: 1 MHz
Video Bandwidth: 1 MHz

Meas. Freq. (MHz)	Vertical (dBuV) pk	Horizontal (dBuV) pk	CF (db)	Max Level (dBm) pk	Spec. Limit (ERP) (dBm) pk	Margin dB pk	EUT Rotation	Ant. Height	Pass Fail Unc.	Comment
1649.40	55.8	63.7	-22.3	-55.9	-13.0	-42.9	0.0	1.1	Pass	
2474.10	67.1	67.9	-15.0	-44.4	-13.0	-31.4	0.0	1.1	Pass	
3298.80	61.4	61.7	-10.3	-45.9	-13.0	-32.9	0.0	1.1	Pass	
4123.50	55.9	55.4	-5.0	-46.3	-13.0	-33.3	0.0	1.1	Pass	
4948.20	56.4	53.8	-0.2	-41.0	-13.0	-28.0	0.0	1.1	Pass	
1672.98	81.9	74.6	-22.3	-37.7	-13.0	-24.7	0.0	1.1	Pass	
2509.47	68.1	59.9	-15.0	-44.2	-13.0	-31.2	0.0	1.1	Pass	
3345.96	56.6	57.8	-10.3	-49.8	-13.0	-36.8	0.0	1.1	Pass	
4182.45	58.2	56.6	-5.0	-44.0	-13.0	-31.0	0.0	1.1	Pass	
5018.94	62.1	55.7	-0.2	-35.3	-13.0	-22.3	0.0	1.1	Pass	
1672.62	67.0	67.4	-22.3	-52.2	-13.0	-39.2	0.0	1.1	Pass	
2508.93	69.5	77.6	-15.0	-34.7	-13.0	-21.7	0.0	1.1	Pass	
3345.24	56.0	59.6	-10.3	-48.0	-13.0	-35.0	0.0	1.1	Pass	
4181.55	56.3	55.2	-5.0	-45.9	-13.0	-32.9	0.0	1.1	Pass	
5017.86	57.2	53.8	-0.2	-40.2	-13.0	-27.2	0.0	1.1	Pass	

<i>Nemko USA, Inc.</i>		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	18 of 22

Section 7. Frequency Stability

Para. No.: 2.1055

Test Performed By:	Date of Test:
---------------------------	----------------------

Minimum Standard: Part 22.917, Part 24.235

Test Results: NOT TESTED

Test Data:

<i>Nemko USA, Inc.</i>		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	19 of 22


Range Set up Photos




Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	20 of 22

Section 7. Block Diagrams

Para. No. 1046 - R.F. Power Output




Para. No. 2.1049 - Occupied Bandwidth



Nemko USA, Inc.		11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810	
DATE	DOCUMENT NAME	DOCUMENT #	PAGE
April 21, 2006	M200 Module with Mobile Mark RM3-900/1900 FCC ID: OVFKWC-M200	2006 040271-FCC	21 of 22

Para. No. 2.1051 - Spurious Emissions at Antenna Terminals



Para. No. 2.1053 - Field Strength of Spurious Radiation

