

**47 CFR PART 15 EXTERNAL PHOTOGRAPHS OF AN
INDUCTIVE PROXIMITY CARD READER,
BRAND INTEGRATED ENGINEERING,
MODEL SMARTREADERII/8PIN/V01.01.
FCC ID P4E-SMARTPIN-8**

FCC listed : 90828
Industry Canada : IC3501
VCCI registered : R-1518, C-1598

TNO Electronic Products & Services (EPS) B.V.
P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)

Telephone: +31 594 505005
Telefax: +31 594 504804

E-mail: info@eps.tno.nl
Web: www.eps.tno.nl

Description of test item

Test item	:	Inductive proximity card reader operating on 13.56 MHz
Manufacturer	:	Integrated Engineering B.V.
Brand	:	Integrated Engineering
Model (s)	:	SmartReaderII/8pin/V01.01

Applicant information

Applicant's representative	:	Mr. R.J. Holslag
Company	:	Integrated Engineering B.V.
Address	:	Paasheuvelsweg 20
Postal code	:	1105 BJ
City	:	Amsterdam
PO-box	:	n.a.
Postal code	:	n.a.
City	:	n.a.
Country	:	The Netherlands
Telephone number	:	+ 31 (0)20 46 20 755
Telefax number	:	+ 31 (0)20 46 20 756
Website address	:	www.smart-ID.com

This report is in conformity with NEN-EN-ISO/IEC 17025: 2000.

This report shall not be reproduced, except in full, without the written permission of TNO Electronic Products & Services (EPS) B.V.
The test results relate only to the item(s) tested.



Description of EUT: Inductive proximity card reader
Manufacturer: Integrated Engineering B.V.
Brand mark: Integrated Engineering
Model: SmartReaderII/8pin/V01.01
FCC ID: P4E-SMARTPIN-8

Table of contents

1	Test Setup.....	4
1.1	3 M OATS E-field.....	4
1.2	10 and 3 m H-Field.....	5
1.3	Detail wiring setup on OATS (front).....	6
1.4	Detail wiring setup on OATS (rear).....	7
1.5	Details setup conducted emission (front).....	8
1.6	Details setup conducted emission (rear).....	9

1 Test Setup.

1.1 3 M OATS E-field.



1.2 10 and 3 m H-Field



1.3 Detail wiring setup on OATS (front)



1.4 Detail wiring setup on OATS (rear)



1.5 Details setup conducted emission (front).



1.6 Details setup conducted emission (rear).

