FEC D. PSUCHN 48078WI

"FCC Id" LABEL




"FCC & ETL" LABEL

THIS DEVICE COMPLIES WHILE PART IS OF THE FEC BULLES OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS BY THIS DEVICE MAY NOT COLUMN THE STATE INTERFERSE AND AUTHOR DEVICE THIS I WEST AND INTERFERENCE THAT MAY CAUSE INDIGNIED OFFICTION PROVICE OF COMBINES WHO SAYS NOT REENSURED WIDEN CAPACITY HIS PROVIE

"PART 15" LABEL

SCALE: 1: 1

FCC ID: P5UCHN-43078-WT



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE. AND(2)THIS DEVICE MUST ACCEPT ANY INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.PRIVACY OF COMMUNICATIONS MAY NOT BE ENSURED. WHEN USING THIS PHONE.

CAUTION
TO REDUCE RISK OF FIRE OR
INJURY, USE ONLY SAME TYPE
AND MAKE OF BATTERY PACK,
Ni-Cd3.6V, 600mAh.

學,

NICREL-CADMON SAYTERY MUST BE RECYCLED OR DISPOSED OF PROPERLY USX THE SPECIFIED CHARGES.

## NOTE

- •Prior to initial use or when you hear a heep sound while the BATT LOW LED indicator blinks, recharge the HAXDSET by placing it in its CHARGE CRADLE in the BASE EXIT overnight.
- . If the HANDSET loses a dial tone, place the HANDSET in the BASE INIT for 5 seconds. This will reset the security code and restore the dial tone...
- To allow proper charging, clean the CHARGE CONTACTS on both the HAVISET and BASE LYIT once a month.

SCALE: 1: 1

CAUTION
TO REDUCE RISK OF FIRE OR
INJURY, USE ONLY SAME TYPE
AND MAKE OF BATTERY PACK,
Ni-Cd3.6V, 600mAh.


NT: CL

Ni -Cd

NICKEL-CADMIUM BATTERY MUST BE RECYCLED OR DISPOSED OF PROPERLY. USE THE SPECIFIED CHARGER.

## NOTE

- •Prior to initial use or when you hear a beep sound while the BATT LOW LED indicator blinks, recharge the HANDSET by placing it in its CHARGE CRADLE in the BASE UNIT overnight.
- If the HANDSET loses a dial tone, place the HANDSET in the BASE UNIT for 5 seconds. This will reset the security code and restore the dial tone.
- •To allow proper charging, clean the CHARGE CONTACTS on both the HANDSET and BASE UNIT once a month.



## CT-P7000 LABELS LOCATION

