






Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
 <p>A photograph showing the front of a blue laptop. A black ruler is placed above the laptop for scale. A yellow label with handwritten text "High-tek (metal)" and "Intel Atom for FCC test" is attached to the front. A small white label with "07A01871" is visible on the bottom right. A red label is partially visible at the bottom left.</p>	 <p>A photograph showing the back of a blue laptop. A black ruler is placed above the laptop for scale. The back panel features two horizontal ventilation grilles. A small white label is visible at the bottom left.</p>
Laptop Mode	
 <p>A photograph of the blue laptop in its open mode, showing the keyboard and the screen. The laptop is placed on a white surface.</p>	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location	Antenna Host Platform location - 2																																																				
	<table border="1"> <thead> <tr> <th colspan="4">Minimum Separation Distance</th> </tr> <tr> <th>Item</th> <th>Antenna</th> <th>Position</th> <th>Distance (mm)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>WLAN-Main</td> <td>to Top</td> <td>206.78</td> </tr> <tr> <td>B</td> <td>WLAN-Main</td> <td>to Right</td> <td>143.19</td> </tr> <tr> <td>C</td> <td>WLAN-Main</td> <td>to Left</td> <td>128.49</td> </tr> <tr> <td>D-1</td> <td>WLAN-Main</td> <td>to Bottom of Laptop (NOT include Bumper)</td> <td>6.99</td> </tr> <tr> <td>D-2</td> <td>WLAN-Main</td> <td>to Bottom of Laptop (Include Bumper)</td> <td>10.73</td> </tr> <tr> <td>E</td> <td>WLAN-Aux</td> <td>to Top</td> <td>206.78</td> </tr> <tr> <td>F</td> <td>WLAN-Aux</td> <td>to Right</td> <td>64.19</td> </tr> <tr> <td>G</td> <td>WLAN-Aux</td> <td>to Left</td> <td>227.49</td> </tr> <tr> <td>H-1</td> <td>WLAN-Aux</td> <td>to Bottom of Laptop (NOT include Bumper)</td> <td>6.99</td> </tr> <tr> <td>H-2</td> <td>WLAN-Aux</td> <td>to Bottom of Laptop (Include Bumper)</td> <td>10.73</td> </tr> <tr> <td>K</td> <td>WLAN Main</td> <td>to WLAN Aux</td> <td>49</td> </tr> </tbody> </table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	206.78	B	WLAN-Main	to Right	143.19	C	WLAN-Main	to Left	128.49	D-1	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	6.99	D-2	WLAN-Main	to Bottom of Laptop (Include Bumper)	10.73	E	WLAN-Aux	to Top	206.78	F	WLAN-Aux	to Right	64.19	G	WLAN-Aux	to Left	227.49	H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	6.99	H-2	WLAN-Aux	to Bottom of Laptop (Include Bumper)	10.73	K	WLAN Main	to WLAN Aux	49
Minimum Separation Distance																																																					
Item	Antenna	Position	Distance (mm)																																																		
A	WLAN-Main	to Top	206.78																																																		
B	WLAN-Main	to Right	143.19																																																		
C	WLAN-Main	to Left	128.49																																																		
D-1	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	6.99																																																		
D-2	WLAN-Main	to Bottom of Laptop (Include Bumper)	10.73																																																		
E	WLAN-Aux	to Top	206.78																																																		
F	WLAN-Aux	to Right	64.19																																																		
G	WLAN-Aux	to Left	227.49																																																		
H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	6.99																																																		
H-2	WLAN-Aux	to Bottom of Laptop (Include Bumper)	10.73																																																		
K	WLAN Main	to WLAN Aux	49																																																		
Laptop Mode																																																					

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -180206-04

